

CITATION REPORT

List of articles citing

Pharmaceuticals in groundwaters analytical methods and results of a monitoring program in Baden-Wrttemberg, Germany

DOI: 10.1016/s0021-9673(01)01266-3
Journal of Chromatography A, 2001, 938, 199-210.

Source: <https://exaly.com/paper-pdf/33096667/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
692	Bacteria That Make a Meal of Sulfonamide Antibiotics: Blind Spots and Emerging Opportunities.		
691	Determination of fluoroquinolone antibacterial agents in sewage sludge and sludge-treated soil using accelerated solvent extraction followed by solid-phase extraction. 2002 , 74, 5455-62		334
690	Environmental exposure and risk assessment of fluoroquinolone antibacterial agents in wastewater and river water of the Glatt Valley Watershed, Switzerland. 2002 , 36, 3645-51		406
689	Environmental mass spectrometry: emerging contaminants and current issues. 2002 , 74, 2719-41		51
688	Occurrence, fate, and removal of pharmaceutical residues in the aquatic environment: a review of recent research data. 2002 , 131, 5-17		2252
687	Analysis of acidic drugs in the effluents of sewage treatment plants using liquid chromatography-electrospray ionization tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2002 , 952, 139-47	4.5	198
686	Potentiometric detection of exogenic beta-adrenergic substances in liquid chromatography. <i>Journal of Chromatography A</i> , 2002 , 973, 85-96	4.5	17
685	Occurrence of neutral and acidic drugs in the effluents of Canadian sewage treatment plants. 2003 , 22, 2872-80		392
684	Proficiency tests for pharmaceuticals in different waters. 2003 , 8, 523-529		3
683	Multi-compound methods for the detection of pharmaceutical residues in various waters applying solid phase extraction (SPE) and gas chromatography with mass spectrometric (GC-MS) detection. 2003 , 26, 1443-1450		79
682	Determination of acidic drugs in sewage water by gas chromatography-mass spectrometry as tert.-butyldimethylsilyl derivatives. <i>Journal of Chromatography A</i> , 2003 , 985, 265-74	4.5	148
681	Trace enrichment of (fluoro)quinolone antibiotics in surface waters by solid-phase extraction and their determination by liquid chromatography-ultraviolet detection. <i>Journal of Chromatography A</i> , 2003 , 1008, 145-55	4.5	68
680	Analysis of pentacyclic triterpenic acids from frankincense gum resins and related phytopharmaceuticals by high-performance liquid chromatography. Identification of lupeolic acid, a novel pentacyclic triterpene. 2003 , 791, 21-30		77
679	Exact mass measurement of product ions for the structural confirmation and identification of unknown compounds using a quadrupole time-of-flight spectrometer: a simplified approach using combined tandem mass spectrometric functions. 2003 , 17, 1443-8		18
678	Liquid chromatography-(tandem) mass spectrometry of selected emerging pollutants (steroid sex hormones, drugs and alkylphenolic surfactants) in the aquatic environment. <i>Journal of Chromatography A</i> , 2003 , 1000, 503-26	4.5	182
677	Determination of selected human pharmaceutical compounds in effluent and surface water samples by high-performance liquid chromatography-electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2003 , 1015, 129-41	4.5	301
676	Occurrence and fate of macrolide antibiotics in wastewater treatment plants and in the Glatt Valley watershed, Switzerland. 2003 , 37, 5479-86		361

675	Analysis of endocrine disruptors, pharmaceuticals, and personal care products in water using liquid chromatography/tandem mass spectrometry. 2003 , 75, 6265-74		386
674	Water Analysis: Emerging Contaminants and Current Issues. 2003 , 75, 2831-2857		103
673	Pharmaceuticals in STP effluents and their solar photodegradation in aquatic environment. 2003 , 50, 1319-30		921
672	Elimination of COD, microorganisms and pharmaceuticals from sewage by trickling through sandy soil below leaking sewers. <i>Water Research</i> , 2003 , 37, 4395-404	12.5	54
671	Determination of Pharmaceutical Drug Residues on Suspended Particulate Material in Surface Water. 2003 , 83, 481-486		6
670	Strategic Survey of Therapeutic Drugs in the Rivers Po and Lambro in Northern Italy. 2003 , 37, 1241-1248		516
669	Residue analysis of the pharmaceutical diclofenac in different water types using ELISA and GC-MS. 2003 , 37, 3422-9		107
668	Acidic Pharmaceuticals in Sewage-Methodology, Stability Test, Occurrence, and Removal from Ontario Samples. 2003 , 38, 667-682		51
667	Pharmaceuticals in Water Treatment: Elimination of Fluorquinolones and Platinum Type Cytotoxics. 2003 , 155-168		
666	Removal of selected non-steroidal anti-inflammatory drugs (NSAIDs), gemfibrozil, carbamazepine, b-blockers, trimethoprim and triclosan in conventional wastewater treatment plants in five EU countries and their discharge to the aquatic environment. 2004 , 50, 253-260		208
665	Chapter 21 Environmental analysis. 2004 , 69, 987-1036		3
664	Fate and Analysis of Pharmaceutical Residues in the Aquatic Environment. 2004 , 34, 51-67		83
663	What Do We Know about Antibiotics in the Environment?. 2004 , 209-221		8
662	Fate and Transport of Pharmaceuticals and Endocrine Disrupting Compounds During Ground Water Recharge. 2004 , 24, 54-57		12
661	Field Studies on the Fate and Transport of Pharmaceutical Residues in Bank Filtration. 2004 , 24, 70-77		156
660	Leaching behaviour of pharmaceuticals in soil-testing-systems: a part of an environmental risk assessment for groundwater protection. <i>Science of the Total Environment</i> , 2004 , 328, 265-73	10.2	118
659	Simultaneous Determination of Trimethoprim, Sulfadiazine, Florfenicol and Oxolinic Acid in Surface Water by Liquid Chromatography Tandem Mass Spectrometry. 2004 , 60, 287		32
658	Potential of capillary-column-switching liquid chromatography-tandem mass spectrometry for the quantitative trace analysis of small molecules. Application to the on-line screening of drugs in water. <i>Journal of Chromatography A</i> , 2004 , 1031, 1-9	4.5	21

657	Endocrine disrupting compounds and other emerging contaminants in the environment: a survey on new monitoring strategies and occurrence data. 2004 , 378, 549-62		254
656	Liquid chromatography with triple-quadrupole or quadrupole-time of flight mass spectrometry for screening and confirmation of residues of pharmaceuticals in water. 2004 , 378, 955-63		171
655	LC-MS analysis in the aquatic environment and in water treatment--a critical review. Part I: Instrumentation and general aspects of analysis and detection. 2004 , 378, 851-61		82
654	LC-MS analysis in the aquatic environment and in water treatment technology--a critical review. Part II: Applications for emerging contaminants and related pollutants, microorganisms and humic acids. 2004 , 378, 862-74		86
653	Liquid chromatography with triple-quadrupole and quadrupole-time-of-flight mass spectrometry for the determination of micro-constituents - a comparison. 2004 , 378, 1754-61		43
652	Stability of fluoroquinolone antibiotics in river water samples and in octadecyl silica solid-phase extraction cartridges. 2004 , 380, 123-8		30
651	Life-history traits of standard and autochthonous cladocerans: I. Acute and chronic effects of acetylsalicylic acid. 2004 , 19, 518-26		29
650	Impact of Leaky Sewers on Groundwater Quality. 2004 , 32, 361-373		51
649	Determination of some acidic drugs in surface and sewage treatment plant waters by capillary electrophoresis-electrospray ionization-mass spectrometry. 2004 , 25, 3441-9		49
648	Solid-phase microextraction with on-fiber derivatization for the analysis of anti-inflammatory drugs in water samples. <i>Journal of Chromatography A</i> , 2004 , 1024, 1-8	4.5	103
647	Determination of quinolones in water samples by solid-phase extraction and liquid chromatography with fluorimetric detection. <i>Journal of Chromatography A</i> , 2004 , 1041, 27-33	4.5	58
646	Selected drugs in solid matrices: a review of environmental determination, occurrence and properties of principal substances. 2004 , 23, 753-761		151
645	Solid-phase extraction-high-performance liquid chromatography-ion trap mass spectrometry for analysis of trace concentrations of macrolide antibiotics in natural and waste water matrices. <i>Journal of Chromatography A</i> , 2004 , 1038, 141-55	4.5	148
644	Analysis by liquid chromatography-electrospray ionization tandem mass spectrometry and acute toxicity evaluation for β -blockers and lipid-regulating agents in wastewater samples. <i>Journal of Chromatography A</i> , 2004 , 1046, 133-140	4.5	9
643	Application of strategic sample composition to the screening of anti-inflammatory drugs in water samples using solid-phase microextraction. 2004 , 524, 63-71		24
642	Fate of enrofloxacin in swine sewage. 2004 , 52, 3473-7		24
641	Potential ecological and human health risks associated with the presence of pharmaceutically active compounds in the aquatic environment. 2004 , 34, 335-50		164
640	Trace determination of macrolide and sulfonamide antimicrobials, a human sulfonamide metabolite, and trimethoprim in wastewater using liquid chromatography coupled to electrospray tandem mass spectrometry. 2004 , 76, 4756-64		258

639	Occurrence of antimicrobials in the final effluents of wastewater treatment plants in Canada. 2004 , 38, 3533-41		635
638	Pharmaceuticals in the Environment. 2004 ,		84
637	Determination of selected pharmaceuticals and caffeine in sewage and seawater from Tromsø/Norway with emphasis on ibuprofen and its metabolites. 2004 , 56, 583-92		343
636	Determination of antibiotic substances in hospital sewage water using solid phase extraction and liquid chromatography/mass spectrometry and group analogue internal standards. 2004 , 57, 1479-88		325
635	Kinetic study of photocatalytic degradation of carbamazepine, clofibric acid, iomeprol and iopromide assisted by different TiO ₂ materials--determination of intermediates and reaction pathways. <i>Water Research</i> , 2004 , 38, 955-64	12.5	207
634	Methodological approaches for studying pharmaceuticals in the environment by comparing predicted and measured concentrations in River Po, Italy. 2004 , 39, 25-32		74
633	Toxic effects of the non-steroidal anti-inflammatory drug diclofenac. Part II: cytological effects in liver, kidney, gills and intestine of rainbow trout (<i>Oncorhynchus mykiss</i>). 2004 , 68, 151-66		320
632	Mixture toxicity of the anti-inflammatory drugs diclofenac, ibuprofen, naproxen, and acetylsalicylic acid. 2004 , 59, 309-15		552
631	Transport and Attenuation of Pharmaceutical Residues During Artificial Groundwater Replenishment. <i>Environmental Chemistry</i> , 2004 , 1, 22	3.2	50
630	Enzyme-linked immunosorbent assay for ultratrace determination of antibiotics in aqueous samples. 2004 , 33, 250-6		80
629	Antimicrobial contaminant removal by Multistage Slow Sand Filtration. 2005 , 97, 92-100		5
628	Quantitative determination method for trace amount of penicillin contaminants in commercially available drug product by HPLC coupled with tandem mass spectrometry. 2005 , 53, 172-6		4
627	Occurrence and fate of pharmaceuticals and personal care products (PPCPs) in biosolids. 2005 , 34, 91-104		196
626	Degradation of 17beta-estradiol and bisphenol A in aqueous medium by using ozone and ozone/UV techniques. <i>Journal of Hazardous Materials</i> , 2005 , 126, 54-62	12.8	132
625	LCMS2 trace analysis of antimicrobials in water, sediment and soil. 2005 , 24, 645-657		91
624	Removal of selected persistent organic pollutants by heterogeneous photocatalysis in water. 2005 , 101, 195-202		186
623	Liquid chromatography-tandem mass spectrometry for the analysis of pharmaceutical residues in environmental samples: a review. <i>Journal of Chromatography A</i> , 2005 , 1067, 1-14	4.5	484
622	Analysis of iodinated X-ray contrast agents in water samples by ion chromatography and inductively-coupled plasma mass spectrometry. <i>Journal of Chromatography A</i> , 2005 , 1085, 117-23	4.5	32

621	A multiresidue analytical method using solid-phase extraction and high-pressure liquid chromatography tandem mass spectrometry to measure pharmaceuticals of different therapeutic classes in urban wastewaters. <i>Journal of Chromatography A</i> , 2005 , 1092, 206-15	4.5	315
620	Fully automated online solid phase extraction coupled directly to liquid chromatography-tandem mass spectrometry. Quantification of sulfonamide antibiotics, neutral and acidic pesticides at low concentrations in surface waters. <i>Journal of Chromatography A</i> , 2005 , 1097, 138-47	4.5	153
619	Factors affecting removal of pharmaceutical substances and estrogens in membrane separation bioreactors. 2005 , 178, 107-113		108
618	Determination of Tetracyclines in Water Samples Using Liquid Chromatography with Fluorimetric Detection. 2005 , 61, 471-477		19
617	Spectrophotometric and liquid chromatographic determination of fenofibrate and vinpocetine and their hydrolysis products. 2005 , 60, 425-38		29
616	Household hazardous waste in municipal landfills: contaminants in leachate. <i>Science of the Total Environment</i> , 2005 , 337, 119-37	10.2	333
615	Determination of quinolones and fluoroquinolones in hospital sewage water by off-line and on-line solid-phase extraction procedures coupled to HPLC-UV. 2005 , 28, 257-67		42
614	Development of an analytical method for the determination of antidepressants in water samples by capillary electrophoresis with electrospray ionization mass spectrometric detection. 2005 , 28, 1735-41		32
613	Determination of pharmaceuticals in environmental waters by liquid chromatography/electrospray ionization/tandem mass spectrometry. 2006 , 384, 505-13		124
612	Additional Effect of Membranes on Removal of Pharmaceuticals in Membrane Separation Bioreactor Process. 2005 , 28, 207-210		1
611	Retention Characteristics of Pharmaceuticals by Nanofiltration Membranes. 2005 , 28, 657-662		6
610	Chapter 17 Pharmaceuticals in the environment: Drugged fish?. 2005 , 475-493		15
609	Antibiotic Use in Agriculture and Its Impact on the Terrestrial Environment. 2005 , 87, 1-54		373
608	Carbamazepine and its metabolites in wastewater and in biosolids in a municipal wastewater treatment plant. 2005 , 39, 7469-75		297
607	Initial risk assessment for three beta-blockers found in the aquatic environment. 2005 , 59, 199-205		201
606	Determination of non-steroidal anti-inflammatory drug (NSAIDs) residues in water samples. 2005 , 31, 679-85		165
605	Cross-flow microfiltration with periodical back-washing for photocatalytic degradation of pharmaceutical and diagnostic residues-evaluation of the long-term stability of the photocatalytic activity of TiO ₂ . <i>Water Research</i> , 2005 , 39, 847-54	12.5	102
604	Separate estimation of adsorption and degradation of pharmaceutical substances and estrogens in the activated sludge process. <i>Water Research</i> , 2005 , 39, 1289-300	12.5	297

603	Occurrence of several acidic drugs in sewage treatment plants in Switzerland and risk assessment. <i>Water Research</i> , 2005 , 39, 1761-72	12.5	297
602	Oxidation of pharmaceuticals during water treatment with chlorine dioxide. <i>Water Research</i> , 2005 , 39, 3607-17	12.5	235
601	Study of the evolution and degradation products of ciprofloxacin and oxolinic acid in river water samples by HPLC-UV/MS/MS-MS. 2005 , 7, 189-95		51
600	Ozonation of carbamazepine in drinking water: identification and kinetic study of major oxidation products. 2005 , 39, 8014-22		216
599	Human Pharmaceuticals in Wastewater Treatment Processes. 2005 , 35, 401-427		265
598	Screening of human antibiotic substances and determination of weekly mass flows in five sewage treatment plants in Sweden. 2005 , 39, 3421-9		453
597	Occurrence and sorption behavior of sulfonamides, macrolides, and trimethoprim in activated sludge treatment. 2005 , 39, 3981-9		539
596	Assurance of Quality Control in Analytical Procedures Using Mass Spectrometry. 2006 ,		
595	Biodegradability of ¹⁴ C-labeled antibiotics in a modified laboratory scale sewage treatment plant at environmentally relevant concentrations. 2006 , 40, 318-24		79
594	Behavior of fluoroquinolones and trimethoprim during mechanical, chemical, and active sludge treatment of sewage water and digestion of sludge. 2006 , 40, 1042-8		258
593	Treatment of antibiotics and antibiotic resistant bacteria in swine wastewater with free chlorine. 2006 , 54, 8144-54		50
592	Structural characterization of metabolites of the X-ray contrast agent iopromide in activated sludge using ion trap mass spectrometry. 2006 , 78, 1866-74		83
591	Biodegradability of the X-ray contrast compound diatrizoic acid, identification of aerobic degradation products and effects against sewage sludge micro-organisms. 2006 , 62, 294-302		90
590	Monitoring of iodinated X-ray contrast media in surface water. 2006 , 64, 1318-24		81
589	Occurrences of pharmaceutical and personal care products as micropollutants in rivers from Romania. 2006 , 64, 1808-17		225
588	Degradation of Aqueous Pharmaceuticals by Ozonation and Advanced Oxidation Processes: A Review. 2006 , 28, 353-414		672
587	Biological degradation of pharmaceuticals in municipal wastewater treatment: proposing a classification scheme. <i>Water Research</i> , 2006 , 40, 1686-96	12.5	818
586	Development of a multi-residue analytical methodology based on liquid chromatography-tandem mass spectrometry (LC-MS/MS) for screening and trace level determination of pharmaceuticals in surface and wastewaters. 2006 , 70, 678-90		570

585	Occurrence of betablockers in effluents of wastewater treatment plants from the Lyon area (France) and risk assessment for the downstream rivers. 2006 , 70, 739-44		42
584	Antibiotikaspuren auf dem Weg von Spital- und Gemeindeabwasser in die Fließgewässer: Umweltanalytische Untersuchungen über Einträge und Verhalten. 2006 , 21-33		3
583	Antibiotics for Human Use. 2006 , 65-86		4
582	Analytical Methods for Polar Pollutants. 2006 , 1-40		5
581	Degradation Behavior of Selected Pharmaceuticals and Their Main Metabolites in Model Systems for Slow Sand Filtration. 2006 , 2, 313-322		2
580	Application of liquid chromatography/ion trap mass spectrometry to the characterization of the related substances of clarithromycin. 2006 , 20, 3101-10		14
579	Evaluation of mixed mode solid phase extraction cartridges for the preconcentration of beta-lactam antibiotics in wastewater using liquid chromatography with UV-DAD detection. 2006 , 556, 415-422		112
578	Multiresidue analysis of quinolones and fluoroquinolones in soil by ultrasonic-assisted extraction in small columns and HPLC-UV. 2006 , 562, 30-35		106
577	Efficient approach for the reliable quantification and confirmation of antibiotics in water using on-line solid-phase extraction liquid chromatography/tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006 , 1103, 83-93	4.5	144
576	Analysis of macrolide antibiotics in river water by solid-phase extraction and liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2006 , 1114, 73-81	4.5	72
575	Determination of pharmaceuticals of various therapeutic classes by solid-phase extraction and liquid chromatography-tandem mass spectrometry analysis in hospital effluent wastewaters. <i>Journal of Chromatography A</i> , 2006 , 1114, 224-33	4.5	381
574	Trace determination of beta-lactam antibiotics in surface water and urban wastewater using liquid chromatography combined with electrospray tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006 , 1115, 46-57	4.5	187
573	Different sample stacking strategies to analyse some nonsteroidal anti-inflammatory drugs by micellar electrokinetic capillary chromatography in mineral waters. <i>Journal of Chromatography A</i> , 2006 , 1117, 234-45	4.5	44
572	Liquid chromatography-UV diode-array detection method for multi-residue determination of macrolide antibiotics in sheep's milk. <i>Journal of Chromatography A</i> , 2006 , 1122, 76-83	4.5	47
571	Determination of antimicrobials in sludge from infiltration basins at two artificial recharge plants by pressurized liquid extraction-liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006 , 1130, 72-82	4.5	62
570	Analysis of neutral and basic pharmaceuticals in sewage treatment plants and in recipient rivers using solid phase extraction and liquid chromatography-tandem mass spectrometry detection. <i>Journal of Chromatography A</i> , 2006 , 1134, 101-11	4.5	267
569	Analysis of antibiotics in urine and wipe samples from environmental and biological monitoring--comparison of HPLC with UV-, single MS- and tandem MS-detection. 2006 , 831, 72-80		70
568	Equilibrium studies for trimethoprim adsorption on montmorillonite KSF. <i>Journal of Hazardous Materials</i> , 2006 , 133, 233-42	12.8	101

567	Evaluation of measured and predicted environmental concentrations of selected human pharmaceuticals and personal care products. <i>Environmental Science and Pollution Research</i> , 2006 , 13, 110-9	5.1	63
566	Pharmaceuticals in the environment in Italy: causes, occurrence, effects and control. <i>Environmental Science and Pollution Research</i> , 2006 , 13, 15-21	5.1	189
565	Assessing sewer-groundwater interaction at the city scale based on individual sewer defects and marker species distributions. 2006 , 49, 849-857		34
564	Expert stakeholders' views on the management of human pharmaceuticals in the environment. 2006 , 38, 853-66		60
563	Trace-level determination of pharmaceutical residues by LC-MS/MS in natural and treated waters. A pilot-survey study. 2006 , 385, 985-91		99
562	Determination of antimicrobial residues and metabolites in the aquatic environment by liquid chromatography tandem mass spectrometry. 2006 , 386, 973-85		94
561	Multi-residue analytical methods using LC-tandem MS for the determination of pharmaceuticals in environmental and wastewater samples: a review. 2006 , 386, 941-52		181
560	Occurrence of antibiotics in wastewater treatment facilities in Wisconsin, USA. <i>Science of the Total Environment</i> , 2006 , 361, 196-207	10.2	535
559	A preliminary study on the occurrence and behavior of sulfonamides, ofloxacin and chloramphenicol antimicrobials in wastewaters of two sewage treatment plants in Guangzhou, China. <i>Science of the Total Environment</i> , 2006 , 371, 314-22	10.2	173
558	Determination of antidepressants in surface and waste water samples by capillary electrophoresis with electrospray ionization mass spectrometric detection after preconcentration using off-line solid-phase extraction. 2006 , 27, 1220-6		67
557	Application of capillary zone electrophoresis with large-volume sample stacking to the sensitive determination of sulfonamides in meat and ground water. 2006 , 27, 4060-8		53
556	Semiquantitative determination of residues of amphetamine in sewage sludge samples. 2006 , 29, 1662-6		43
555	Chromatographic analysis of penicillins in pharmaceutical formulations and biological fluids. 2006 , 29, 1879-908		20
554	Local use of antibiotics and their input and fate in a small sewage treatment plant: significance of balancing and analysis on a local scale vs. nationwide scale. 2006 , 34, 587-592		25
553	Sulfonamides in the Environment as Veterinary Drugs. 2006 , 67-101		16
552	Spectrophotometric Determination of Bezafibrate by Ternary Complex Formation with Palladium(II) Chloride and Eosin. 2006 , 39, 2453-2462		6
551	Residues of Pharmaceuticals from Human Use. 2006 , 41-63		2
550	Sulfonamides in the Environment as Veterinary Drugs. 2006 , 67-101		52

549	Chapter 3.3 Ecotoxicity of pharmaceuticals. 2007 , 387-424		4
548	Chapter 2.5 Analysis of acidic drugs by gas chromatography. 2007 , 185-218		2
547	Chapter 2.4 Multi-residue analysis of pharmaceuticals using LC-tandem MS and LC-hybrid MS. 2007 , 50, 157-183		3
546	Chapter 4.3 Removal of pharmaceuticals during drinking water production. 2007 , 50, 475-514		2
545	Elimination of pharmaceuticals in sewage treatment plants in Finland. <i>Water Research</i> , 2007 , 41, 1001-1212.5		432
544	Influence of electrostatic interactions on the rejection with NF and assessment of the removal efficiency during NF/GAC treatment of pharmaceutically active compounds in surface water. <i>Water Research</i> , 2007 , 41, 3227-40	12.5	104
543	Occurrence and elimination of antibiotics at four sewage treatment plants in the Pearl River Delta (PRD), South China. <i>Water Research</i> , 2007 , 41, 4526-34	12.5	459
542	Simultaneous analysis of neutral and acidic pharmaceuticals as well as related compounds by gas chromatography-tandem mass spectrometry in wastewater. 2007 , 73, 314-20		70
541	Human pharmaceuticals in the aquatic environment: a challenge to Green Chemistry. 2007 , 107, 2319-64		804
540	Determination of selected antibiotics in the Victoria Harbour and the Pearl River, South China using high-performance liquid chromatography-electrospray ionization tandem mass spectrometry. <i>Environmental Pollution</i> , 2007 , 145, 672-9	9.3	380
539	Pilot survey monitoring pharmaceuticals and related compounds in a sewage treatment plant located on the Mediterranean coast. 2007 , 66, 993-1002		418
538	An overview of pharmaceuticals and personal care products contamination along the river Someș watershed, Romania. 2007 , 9, 986-93		27
537	Solid-phase extraction followed by liquid chromatography-time-of-flight-mass spectrometry to evaluate pharmaceuticals in effluents. A pilot monitoring study. 2007 , 9, 718-29		54
536	Distributions of pharmaceuticals in an urban estuary during both dry- and wet-weather conditions. 2007 , 41, 5795-802		270
535	Environmental risk assessment of human pharmaceuticals in the European Union: A case study with the β -blocker atenolol. 2010 , 6 Suppl, 514-23		12
534	Chapter 2.1 Analysis of antibiotics in aqueous samples. 2007 , 61-93		2
533	Trace analysis of trimethoprim and sulfonamide, macrolide, quinolone, and tetracycline antibiotics in chlorinated drinking water using liquid chromatography electrospray tandem mass spectrometry. 2007 , 79, 1135-44		266
532	Analytical methods for multiresidue determination of sulfonamides and trimethoprim in meat and ground water samples by CE-MS and CE-MS/MS. 2007 , 28, 4164-72		67

531	Use of SDS micelles for improving sensitivity, resolution, and speed in the analysis of beta-lactam antibiotics in environmental waters by SPE and CE. 2007 , 28, 3242-9		18
530	Determination of Endocrine Disrupting Compounds and Acidic Drugs in Water by Coupling of Derivatization, Gas Chromatography and Negative-Chemical Ionization Mass Spectrometry. 2007 , 35, 444-451		30
529	Analytical methods for tracing pharmaceutical residues in water and wastewater. 2007 , 26, 515-533		188
528	GC-MS and HPLC-MS analysis of bioactive pharmaceuticals and personal-care products in environmental matrices. 2007 , 26, 569-580		129
527	LC-MS analysis of basic pharmaceuticals (beta-blockers and anti-ulcer agents) in wastewater and surface water. 2007 , 26, 581-594		90
526	Advanced mass spectrometric methods applied to the study of fate and removal of pharmaceuticals in wastewater treatment. 2007 , 26, 1132-1144		85
525	Mass spectrometry for identifying pharmaceutical biotransformation products in the environment. 2007 , 26, 1076-1085		75
524	The effect of deterioration of nanofiltration membrane on retention of pharmaceuticals. 2007 , 202, 385-391		25
523	Optimizing gas chromatographic-mass spectrometric analysis of selected pharmaceuticals and endocrine-disrupting substances in water using factorial experimental design. <i>Journal of Chromatography A</i> , 2007 , 1148, 65-77	4.5	94
522	Determination of beta-blockers and beta2-agonists in sewage by solid-phase extraction and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2007 , 1148, 158-67	4.5	99
521	Multi-residue method for the determination of basic/neutral pharmaceuticals and illicit drugs in surface water by solid-phase extraction and ultra performance liquid chromatography-positive electrospray ionisation tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2007 , 1161, 132-45	4.5	316
520	Liquid chromatography-(tandem) mass spectrometry for the follow-up of the elimination of persistent pharmaceuticals during wastewater treatment applying biological wastewater treatment and advanced oxidation. <i>Journal of Chromatography A</i> , 2007 , 1160, 34-43	4.5	91
519	Isotope dilution for quantitation of steroid estrogens and nonylphenols by gas chromatography with tandem mass spectrometry in septic, soil, and groundwater matrices. <i>Journal of Chromatography A</i> , 2007 , 1176, 26-36	4.5	48
518	Novel analytical procedures for screening of drug residues in water, waste water, sediment and sludge. 2007 , 593, 129-39		129
517	Evaluation of carbon nanotubes as a solid-phase extraction adsorbent for the extraction of cephalosporins antibiotics, sulfonamides and phenolic compounds from aqueous solution. 2007 , 594, 81-92		88
516	Investigation of retention behaviour of non-steroidal anti-inflammatory drugs in high-performance liquid chromatography by using quantitative structure-retention relationships. 2007 , 601, 68-76		38
515	Multiresidue analysis of acidic and polar organic contaminants in water samples by stir-bar sorptive extraction-liquid desorption-gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2007 , 1174, 27-39	4.5	188
514	High performance liquid chromatographic determination of etofibrate and its hydrolysis products. 2007 , 43, 196-203		3

513	The occurrence of selected antibiotics in Hong Kong coastal waters. 2007 , 54, 1287-93	143
512	Transport of sulfadiazine in soil columns: experiments and modelling approaches. 2007 , 89, 107-35	83
511	Direct extraction of penicillin G and derivatives from aqueous samples using a stoichiometrically imprinted polymer. 2007 , 79, 695-701	95
510	LC-MS analysis and environmental risk of lipid regulators. 2007 , 387, 1269-85	51
509	Fate and occurrence of X-ray contrast media in the environment. 2007 , 387, 1235-46	174
508	Liquid chromatography-tandem mass spectrometry of bioactive pharmaceutical compounds in the aquatic environment--a decade's activities. 2007 , 387, 1247-57	57
507	Removal of pharmaceutical residues in a pilot wastewater treatment plant. 2007 , 387, 1379-87	102
506	Occurrence patterns of pharmaceuticals in water and wastewater environments. 2007 , 387, 1225-34	615
505	Polar herbicides, pharmaceutical products, perfluorooctanesulfonate (PFOS), perfluorooctanoate (PFOA), and nonylphenol and its carboxylates and ethoxylates in surface and tap waters around Lake Maggiore in Northern Italy. 2007 , 387, 1469-78	232
504	Analytical development for analysis of pharmaceuticals in water samples by SPE and GC-MS. 2007 , 388, 627-35	84
503	Xenobiotics in groundwater and surface water of the city of Leipzig. 2007 , 12, 217-231	14
502	Urbane Hydrogeologie [Herausforderungen für Forschung und Praxis]. 2007 , 12, 178-188	17
501	Sources and Mass Flows of Xenobiotics in Urban Water Cycles—An Overview on Current Knowledge and Data Gaps. 2008 , 8, 407-423	37
500	Ionic liquids as mobile phase additives for the high-performance liquid chromatographic analysis of fluoroquinolone antibiotics in water samples. 2008 , 392, 1439-46	50
499	Bewertung der Umweltrelevanz von Arzneistoffen. 2008 , 20, 197-208	3
498	Gradient HPLC of antibiotics in urine, ground water, chicken muscle, hospital wastewater, and pharmaceutical samples using C-18 and RP-amide columns. 2008 , 31, 294-300	15
497	Rejection of trace organic pollutants with high pressure membranes (NF/RO). 2008 , 27, 180-188	33
496	The role of electrostatic interactions on the rejection of organic solutes in aqueous solutions with nanofiltration. 2008 , 322, 52-66	163

495	A combination of statistical and analytical evaluation methods as a new optimization strategy for the quantification of pharmaceutical residues in sewage effluent. 2008 , 613, 169-76		22
494	Trace determination of beta-lactam antibiotics in environmental aqueous samples using off-line and on-line preconcentration in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2008 , 1185, 273-80	4.5	63
493	Highly sensitive simultaneous determination of sulfonamide antibiotics and one metabolite in environmental waters by liquid chromatography-quadrupole linear ion trap-mass spectrometry. <i>Journal of Chromatography A</i> , 2008 , 1193, 50-9	4.5	156
492	Supramolecular solid-phase extraction of ibuprofen and naproxen from sewage based on the formation of mixed supramolecular aggregates prior to their liquid chromatographic/photometric determination. <i>Journal of Chromatography A</i> , 2008 , 1210, 1-7	4.5	30
491	Rapid analysis of iodinated X-ray contrast media in secondary and tertiary treated wastewater by direct injection liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008 , 1213, 200-8	4.5	51
490	Analytical problems and the need for sample preparation in the determination of pharmaceuticals and their metabolites in aqueous environmental matrices. 2008 , 27, 1023-1035		63
489	Identification and determination of metabolites and degradation products of sulfonamide antibiotics. 2008 , 27, 1008-1022		235
488	Simultaneous determination of pharmaceuticals, endocrine disrupting compounds and hormone in soils by gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2008 , 1202, 189-95	4.5	124
487	Simultaneous Determination of Sulfonamides, Fluoroquinolones, Macrolides and Trimethoprim in Wastewater and River Water by LC-Tandem-MS. 2008 , 68, 747-758		62
486	Multiresidue determination of fluoroquinolone, sulfonamide, trimethoprim, and chloramphenicol antibiotics in urban waters in China. 2008 , 27, 73-9		94
485	Spatial and Temporal Patterns of Pharmaceuticals in the Aquatic Environment: A Review. 2008 , 2, 920-955		19
484	Occurrence and fate of antibiotics in the Seine River in various hydrological conditions. <i>Science of the Total Environment</i> , 2008 , 393, 84-95	10.2	361
483	Runoff of pharmaceuticals and personal care products following application of biosolids to an agricultural field. <i>Science of the Total Environment</i> , 2008 , 396, 52-9	10.2	170
482	Pharmaceutical and personal care products in tile drainage following land application of municipal biosolids. <i>Science of the Total Environment</i> , 2008 , 399, 50-65	10.2	122
481	Pharmaceutical compounds in the wastewater process stream in Northwest Ohio. <i>Science of the Total Environment</i> , 2008 , 397, 148-57	10.2	239
480	A comparison of human pharmaceutical concentrations in raw municipal wastewater and yellowwater. <i>Science of the Total Environment</i> , 2008 , 399, 96-104	10.2	58
479	A national reconnaissance of pharmaceuticals and other organic wastewater contaminants in the United States--I) groundwater. <i>Science of the Total Environment</i> , 2008 , 402, 192-200	10.2	546
478	Pharmaceutical residues in the river Rhine--results of a one-decade monitoring programme. 2008 , 10, 664-70		87

477	Pharmaceuticals in the Environment [A Brief Summary. 2008 , 3-21		18
476	Pharmaceuticals in the Environment. 2008 ,		146
475	Interaction of the macrolide antimicrobial clarithromycin with dissolved humic acid. 2008 , 42, 422-8		80
474	Light and microbial effects on the transformation of four sulfonamides in eel pond water and sediment. 2008 , 283, 50-55		32
473	Determination of penicillin G and its degradation products in a penicillin production wastewater treatment plant and the receiving river. <i>Water Research</i> , 2008 , 42, 307-17	12.5	178
472	The mineralization of 5-amino-2,4,6-triiodoisophthalic acid by a two-stage fixed-bed reactor. <i>Water Research</i> , 2008 , 42, 2491-8	12.5	5
471	Rejection of pharmaceuticals in nanofiltration and reverse osmosis membrane drinking water treatment. <i>Water Research</i> , 2008 , 42, 3601-10	12.5	512
470	Novel homologs of the multiple resistance regulator marA in antibiotic-contaminated environments. <i>Water Research</i> , 2008 , 42, 4271-80	12.5	45
469	Identification and quantification of ibuprofen, naproxen, ketoprofen and diclofenac present in waste-waters, as their trimethylsilyl derivatives, by gas chromatography mass spectrometry. 2008 , 76, 642-50		75
468	Oxidation of diclofenac with ozone in aqueous solution. 2008 , 42, 6656-62		171
467	Veterinary antibiotics in the aquatic and terrestrial environment. 2008 , 8, 1-13		936
466	Trace organic chemicals contamination in ground water recharge. 2008 , 72, 333-42		141
465	Behaviour and redox sensitivity of antimicrobial residues during bank filtration. 2008 , 73, 451-60		95
464	Pharmaceutical contamination in residential, industrial, and agricultural waste streams: risk to aqueous environments in Taiwan. 2008 , 74, 131-41		290
463	Transformation of the X-ray contrast medium iopromide in soil and biological wastewater treatment. 2008 , 42, 7207-17		130
462	Determination of Norfloxacin and Enrofloxacin by Solid-Phase Microextraction/High-Performance Liquid Chromatography. 2008 , 91, 1339-1343		5
461	Determination of 17-Ethynylestradiol, Carbamazepine, Diazepam, Simvastatin, and Oxybenzone in Fish Livers. 2009 , 92, 359-370		36
460	Transport of Manure-Based Applied Sulfadiazine and Its Main Transformation Products in Soil Columns. 2009 , 8, 677-689		37

459	Simulation of pharmaceutical and personal care product transport to tile drains after biosolids application. 2009 , 38, 1274-85		27
458	Pharmaceuticals. 2009 , 56-85		
457	Influencing parameters for the operation of an MBR with respect to the removal of persistent organic pollutants. 2009 , 6, 102-107		4
456	Analytical challenges and recent advances in the determination of estrogens in water environments. 2009 , 47, 127-39		39
455	The occurrence of antibiotics in an urban watershed: from wastewater to drinking water. <i>Science of the Total Environment</i> , 2009 , 407, 2711-23	10.2	796
454	Effects of ozone pre-treatment on diclofenac: intermediates, biodegradability and toxicity assessment. <i>Science of the Total Environment</i> , 2009 , 407, 3572-8	10.2	123
453	Occurrence of pharmaceuticals in Taiwan's surface waters: impact of waste streams from hospitals and pharmaceutical production facilities. <i>Science of the Total Environment</i> , 2009 , 407, 3793-802	10.2	255
452	Sulfamethoxazole contamination of a deep phreatic aquifer. <i>Science of the Total Environment</i> , 2009 , 407, 4278-82	10.2	71
451	Multiresidue determination of penicillins in environmental waters and chicken muscle samples by means of capillary electrophoresis-tandem mass spectrometry. 2009 , 30, 1708-17		27
450	Analysis of macrolide antibiotics, using liquid chromatography-mass spectrometry, in food, biological and environmental matrices. 2009 , 28, 50-92		81
449	Microscale membrane extraction of diverse antibiotics from water. 2009 , 653, 116-20		18
448	Pharmaceuticals in wastewater: behavior, preferences, and willingness to pay for a disposal program. <i>Journal of Environmental Management</i> , 2009 , 90, 1476-82	7.9	79
447	Validation of a fast liquid chromatography-UV method for the analysis of drugs used in combined cardiovascular therapy in human plasma. 2009 , 877, 3045-53		25
446	Regulatory approach on environmental risk assessment. Risk management recommendations, reasonable and prudent alternatives. 2009 , 18, 1176-81		12
445	Presence of steroid hormones and antibiotics in surface water of agricultural, suburban and mixed-use areas. 2009 , 154, 349-59		75
444	Transport and adsorption of antibiotics by marine sediments in a dynamic environment. 2009 , 9, 364-373		66
443	The processes affecting oxytetracycline contamination of groundwater in a phreatic aquifer underlying industrial fish ponds in Israel. 2009 , 59, 939-945		24
442	Rapid determination of five antibiotic residues in swine wastewater by online solid-phase extraction-high performance liquid chromatography-tandem mass spectrometry. 2009 , 393, 1367-75		25

441	Ultra performance liquid chromatography tandem mass spectrometry performance evaluation for analysis of antibiotics in natural waters. 2009 , 393, 1709-18		74
440	Development of an analytical procedure for the determination of emerging and priority organic pollutants in leafy vegetables by pressurized solvent extraction followed by GC-MS determination. 2009 , 394, 1319-27		42
439	Monitoring carbamazepine in surface and wastewaters by an immunoassay based on a monoclonal antibody. 2009 , 395, 1809-20		81
438	Estimation of sewer leakage to urban groundwater using depth-specific hydrochemistry. 2009 , 23, 134-144		26
437	The methods of identification, analysis, and removal of endocrine disrupting compounds (EDCs) in water. <i>Journal of Hazardous Materials</i> , 2009 , 172, 1-12	12.8	275
436	Influence of membrane fouling by (pretreated) surface water on rejection of pharmaceutically active compounds (PhACs) by nanofiltration membranes. 2009 , 330, 90-103		128
435	Construction and validation of a full-scale model for rejection of organic micropollutants by NF membranes. 2009 , 339, 10-20		49
434	Multiresidue analysis of pollutants as their trimethylsilyl derivatives, by gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 2288-301	4.5	46
433	Determination of multiple pharmaceutical classes in surface and ground waters by liquid chromatography-ion trap-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 4989-5000	4.5	168
432	Analysis of pharmaceuticals in indirect potable reuse systems using solid-phase extraction and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 5807-18	4.5	58
431	Pharmaceutical trace analysis in aqueous environmental matrices by liquid chromatography-ion trap tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 7033-42	4.5	42
430	Trace determination of 10 beta-lactam antibiotics in environmental and food samples by capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2009 , 1216, 8355-61	4.5	52
429	Rapid analysis of 21 antibiotics of multiple classes in municipal wastewater using ultra performance liquid chromatography-tandem mass spectrometry. 2009 , 645, 64-72		167
428	Degradation of tetracycline and oxytetracycline by crude lignin peroxidase prepared from <i>Phanerochaete chrysosporium</i> --a white rot fungus. 2009 , 75, 1003-7		106
427	The toxicity of sulfamethazine to <i>Daphnia magna</i> and its additivity to other veterinary sulfonamides and trimethoprim. 2009 , 75, 1519-24		82
426	Ciprofloxacin sorption by dissolved organic carbon from reference and bio-waste materials. 2009 , 77, 813-20		104
425	Psychiatric pharmaceuticals in the environment. 2009 , 77, 1257-74		288
424	Rejection of pharmaceutically active compounds and endocrine disrupting compounds by clean and fouled nanofiltration membranes. <i>Water Research</i> , 2009 , 43, 2349-62	12.5	136

423	Ozonation of wastewater: rate of ozone consumption and hydroxyl radical yield. 2009 , 43, 5990-5		180
422	Occurrence of the antidiabetic drug metformin in sewage and surface waters in Germany. 2009 , 11, 1608-13		113
421	Detection of amoxicillin-diketopiperazine-2', 5' in wastewater samples. 2009 , 44, 1512-7		41
420	Occurrence and Fate of Pharmaceuticals and Illicit Drugs Under Water Scarcity. <i>Handbook of Environmental Chemistry</i> , 2009 , 197-228	0.8	2
419	Development of immunoassays to determinate sulfamethoxazole residues in wastewaters. 2009 , 11, 1094-100		10
418	Analysis of 65 pharmaceuticals and personal care products in 5 wastewater treatment plants in Portugal using a simplified analytical methodology. 2010 , 62, 2862-71		93
417	HPLC in Environmental Analysis. 2010 , 535-559		1
416	Application of DLLME to Isolation and Concentration of Non-Steroidal Anti-Inflammatory Drugs in Environmental Water Samples. 2010 , 72, 671-678		41
415	The challenge of analyzing beta-blocker drugs in sludge and wastewater. 2010 , 396, 845-56		64
414	Validation and application of an LC-MS/MS method for the simultaneous quantification of 13 pharmaceuticals in seawater. 2010 , 397, 1797-808		131
413	Trimethylsilyldiazomethane (TMSD) as a new derivatization reagent for trace analysis of selected non-steroidal anti-inflammatory drugs (NSAIDs) by gas chromatography methods. 2010 , 397, 3029-34		22
412	Injection port derivatization following sonication-assisted ion-pair liquid-liquid extraction of nonsteroidal anti-inflammatory drugs. 2010 , 666, 45-50		26
411	Photocatalytic degradation kinetics and mechanism of environmental pharmaceuticals in aqueous suspension of TiO ₂ : a case of beta-blockers. <i>Journal of Hazardous Materials</i> , 2010 , 179, 834-9	12.8	153
410	Proposing nanofiltration as acceptable barrier for organic contaminants in water reuse. 2010 , 362, 334-345		120
409	Advances in structure elucidation of small molecules using mass spectrometry. 2010 , 2, 23-60		343
408	Sorption of Sulfonamides and Tetracyclines to Montmorillonite Clay. <i>Water, Air, and Soil Pollution</i> , 2010 , 209, 439-450	2.6	110
407	Occurrence and distribution of steroids, hormones and selected pharmaceuticals in South Florida coastal environments. 2010 , 19, 338-50		82
406	Simultaneous occurrence of nitrates and sulfonamide antibiotics in two ground water bodies of Catalonia (Spain). 2010 , 383, 93-101		121

405	Determination of four fluoroquinolone antibiotics in tap water in Guangzhou and Macao. <i>Environmental Pollution</i> , 2010 , 158, 2350-8	9.3	165
404	Human health risk assessment of carbamazepine in surface waters of North America and Europe. 2010 , 56, 343-51		68
403	Sampling in the Great Lakes for pharmaceuticals, personal care products, and endocrine-disrupting substances using the passive polar organic chemical integrative sampler. 2010 , 29, 751-62		165
402	Leaching potential of nonsteroidal anti-inflammatory drugs in soils. 2010 , 29, 800-7		24
401	Analyses of sulfonamide antibiotics by a successive anion- and cation-selective injection coupled to microemulsion electrokinetic chromatography. 2010 , 31, 2260-6		21
400	Dispersive liquid-liquid microextraction combined with nonaqueous capillary electrophoresis for the determination of fluoroquinolone antibiotics in waters. 2010 , 31, 3457-65		55
399	Ecotoxicological aspects related to the presence of pharmaceuticals in the aquatic environment. <i>Journal of Hazardous Materials</i> , 2010 , 175, 45-95	12.8	1002
398	Source, occurrence and fate of antibiotics in the Italian aquatic environment. <i>Journal of Hazardous Materials</i> , 2010 , 179, 1042-8	12.8	367
397	Investigation of acidic pharmaceuticals in river water and sediment by microwave-assisted extraction and gas chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2010 , 95, 353-358	4.8	58
396	A new sample preparation method for determination of acidic drugs in sewage sludge applying microwave assisted solvent extraction followed by gas chromatography-mass spectrometry. <i>Microchemical Journal</i> , 2010 , 94, 36-41	4.8	33
395	Ultrasonic degradation, mineralization and detoxification of diclofenac in water: optimization of operating parameters. 2010 , 17, 179-85		128
394	Determination of five beta-blockers in wastewaters by coupled-column liquid chromatography and fluorescence detection. 2010 , 666, 38-44		13
393	Laccase-catalyzed degradation of anti-inflammatories and estrogens. 2010 , 51, 124-131		164
392	Fast liquid chromatography-quadrupole-linear ion trap mass spectrometry for the analysis of pharmaceuticals and hormones in water resources. <i>Journal of Chromatography A</i> , 2010 , 1217, 4212-22	4.5	108
391	Analysis of 70 Environmental Protection Agency priority pharmaceuticals in water by EPA Method 1694. <i>Journal of Chromatography A</i> , 2010 , 1217, 5674-86	4.5	87
390	Transport of sulfadiazine in undisturbed soil columns: effects of flow rate, input concentration and pulse duration. 2010 , 39, 2147-59		10
389	Depletion of veterinary drugs used in aquaculture after administration in feed to gilthead seabream (<i>Sparus aurata</i>). 2010 , 73, 1664-70		11
388	Photodegradation of sulphamethoxazole under UV-light irradiation at 254 nm. 2010 , 31, 489-94		33

387	Removal of organic micro-pollutants during drinking water treatment by nanofiltration and reverse osmosis. 2010 , 13, 226-237		26
386	Selective Transport of Cu ²⁺ Ions through Bulk Liquid Membrane System Mediated by Erythromycin Ethyl Succinate. 2010 , 46, 215-223		4
385	Fate of beta blockers in aquatic-sediment systems: sorption and biotransformation. 2010 , 44, 962-70		108
384	Biotransformation of selected iodinated X-ray contrast media and characterization of microbial transformation pathways. 2010 , 44, 4998-5007		95
383	Relating environmental concentrations of pharmaceuticals to consumption: A mass balance approach for the river Rhine. 2010 , 36, 403-9		91
382	The role of the acquisition methods in the analysis of the non-steroidal anti-inflammatory drugs in Danube River by gas chromatography-mass spectrometry. 2010 , 82, 600-7		33
381	A QSAR model for predicting rejection of emerging contaminants (pharmaceuticals, endocrine disruptors) by nanofiltration membranes. <i>Water Research</i> , 2010 , 44, 373-84	12.5	103
380	The impact of co-contaminants and septic system effluent quality on the transport of estrogens and nonylphenols through soil. <i>Water Research</i> , 2010 , 44, 1598-606	12.5	20
379	Pan-European survey on the occurrence of selected polar organic persistent pollutants in ground water. <i>Water Research</i> , 2010 , 44, 4115-26	12.5	614
378	Degradation mechanisms and kinetic studies for the treatment of X-ray contrast media compounds by advanced oxidation/reduction processes. <i>Water Research</i> , 2010 , 44, 4391-8	12.5	103
377	Occurrence and loss over three years of 72 pharmaceuticals and personal care products from biosolids-soil mixtures in outdoor mesocosms. <i>Water Research</i> , 2010 , 44, 6011-20	12.5	248
376	Removal of Xenobiotic Compounds from Water and Wastewater by Advanced Oxidation Processes. 2010 , 387-412		4
375	Occurrence and fate of human pharmaceuticals in the environment. 2010 , 202, 53-154		223
374	Pharmaceuticals as priority water contaminants. 2010 , 92, 549-565		144
373	A QSAR (quantitative structure-activity relationship) approach for modelling and prediction of rejection of emerging contaminants by NF membranes. 2010 , 13, 149-155		4
372	Formation of toxic iodinated disinfection by-products from compounds used in medical imaging. 2011 , 45, 6845-54		201
371	High throughput analysis of solid-bound endocrine disruptors by LDTD-APCI-MS/MS. 2011 , 13, 583-90		48
370	Determination of human and veterinary antibiotics in indirect potable reuse systems. 2011 , 91, 989-1012		12

369	Visualising the equilibrium distribution and mobility of organic contaminants in soil using the chemical partitioning space. 2011 , 13, 1569-78		10
368	Review: Source, Fate, Toxicological Effect and Removal Technology of Pharmaceuticals in the Environment. 2011 , 14, 35-42		3
367	Toxic effects of erythromycin, ciprofloxacin and sulfamethoxazole on photosynthetic apparatus in <i>Selenastrum capricornutum</i> . 2011 , 74, 1027-35		111
366	Investigation of pharmaceuticals in Missouri natural and drinking water using high performance liquid chromatography-tandem mass spectrometry. <i>Water Research</i> , 2011 , 45, 1818-28	12.5	108
365	Bioassays as a tool for evaluating advanced oxidation processes in water and wastewater treatment. <i>Water Research</i> , 2011 , 45, 4311-40	12.5	279
364	Sweeping-micellar electrokinetic chromatography for the simultaneous analysis of tricyclic antidepressant and β -blocker drugs in wastewater. 2011 , 85, 86-90		35
363	Antibiotic Use During an Influenza Pandemic: Downstream Ecological Effects and Antibiotic Resistance. 2011 , 503-537		
362	Environmental Review & Case Study: Evaluating the Significance of Certain Pharmaceuticals and Emerging Pathogens in Raw Water Supplies. 2011 , 13, 198-215		5
361	Analyses of Drugs and Pharmaceuticals in the Environment. 2011 , 439-462		8
360	References To Part Three. 2011 , 623-636		
359	Degradation and removal methods of antibiotics from aqueous matrices--a review. <i>Journal of Environmental Management</i> , 2011 , 92, 2304-47	7.9	877
358	Assessing the fate of antibiotic contaminants in metal contaminated soils four years after cessation of long-term waste water irrigation. <i>Science of the Total Environment</i> , 2011 , 409, 540-7	10.2	68
357	Occurrence and concentrations of pharmaceutical compounds in groundwater used for public drinking-water supply in California. <i>Science of the Total Environment</i> , 2011 , 409, 3409-17	10.2	259
356	Screening of pharmaceuticals and hormones at the regional scale, in surface and groundwaters intended to human consumption. <i>Environmental Pollution</i> , 2011 , 159, 2929-34	9.3	293
355	Occurrence and distribution of antibiotics in coastal water of the Bohai Bay, China: impacts of river discharge and aquaculture activities. <i>Environmental Pollution</i> , 2011 , 159, 2913-20	9.3	313
354	Evaluating the photodegradation of Carbamazepine in a sequential batch photoreactor system: Impacts of effluent organic matter and inorganic ions. <i>Chemical Engineering Journal</i> , 2011 , 174, 595-602	14.7	35
353	Determination of β -blockers and β -agonists using gas chromatography and gas chromatography-mass spectrometry--a comparative study of the derivatization step. <i>Journal of Chromatography A</i> , 2011 , 1218, 8110-22	4.5	85
352	Biodegradation of Pharmaceutical Compounds and their Occurrence in the Jordan Valley. 2011 , 25, 1195-1203		36

351	Photodegradation of Sulfamethoxazole Applying UV- and VUV-Based Processes. <i>Water, Air, and Soil Pollution</i> , 2011 , 218, 265-274	2.6	20
350	Influence of natural organic matter on the screening of pharmaceuticals in water by using liquid chromatography with full scan mass spectrometry. 2011 , 700, 114-25		19
349	Mass fluxes of xenobiotics below cities: challenges in urban hydrogeology. 2011 , 64, 607-617		14
348	A 50-year record of quinolone and sulphonamide antimicrobial agents in Seine River sediments. 2011 , 11, 852-859		33
347	Microwave-assisted extraction and in situ clean-up for the determination of fluoroquinolone antibiotics in chicken breast muscle by LC-MS/MS. 2011 , 34, 142-9		21
346	Analysis of β -blockers in groundwater using large-volume injection coupled-column reversed-phase liquid chromatography with fluorescence detection and liquid chromatography time-of-flight mass spectrometry. 2011 , 34, 1796-804		12
345	Simultaneous determination of a selected group of cytostatic drugs in water using high-performance liquid chromatography-triple-quadrupole mass spectrometry. 2011 , 34, 3166-77		99
344	Degradation of persistent pharmaceuticals in aqueous solutions by a positive dielectric barrier discharge treatment. 2011 , 69, 333-338		48
343	Diclofenac photodegradation under simulated sunlight: Effect of different forms of nitrogen and kinetics. <i>Journal of Hazardous Materials</i> , 2011 , 192, 411-8	12.8	68
342	Trace-level analysis of organic contaminants in drinking waters and groundwaters. 2011 , 30, 586-586		15
341	Nanofiltration vs. reverse osmosis for the removal of emerging organic contaminants in water reuse. 2011 , 34, 50-56		50
340	Influence of natural organic matter on equilibrium adsorption of neutral and charged pharmaceuticals onto activated carbon. 2011 , 63, 416-23		70
339	MEASUREMENT OF FLUOROQUINOLONE ANTIBIOTICS FROM HUMAN PLASMA USING HOLLOW FIBER LIQUID-PHASE MICROEXTRACTION BASED ON CARRIER MEDIATED TRANSPORT. 2012 , 35, 343-354		15
338	Occurrence and Fate of Sulfonamide Antibiotics in Surface Waters: Climatic Effects on Their Presence in the Mediterranean Region and Aquatic Ecosystem Vulnerability. <i>Handbook of Environmental Chemistry</i> , 2012 , 167-192	0.8	3
337	Detection and quantitative analysis of 21 veterinary drugs in river water using high-pressure liquid chromatography coupled to tandem mass spectrometry. <i>Environmental Science and Pollution Research</i> , 2012 , 19, 3235-49	5.1	61
336	Influence of biofouling on pharmaceuticals rejection in NF membrane filtration. <i>Water Research</i> , 2012 , 46, 5848-60	12.5	44
335	Role of cation exchange processes on the sorption influenced transport of cationic β -blockers in aquifer sediments. <i>Water Research</i> , 2012 , 46, 5472-5482	12.5	71
334	Chiral analysis of metoprolol and two of its metabolites, β -hydroxymetoprolol and deaminated metoprolol, in wastewater using liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2012 , 1269, 208-17	4.5	39

333	Sulfonamide Antibiotics in Natural and Treated Waters: Environmental and Human Health Risks. <i>Handbook of Environmental Chemistry</i> , 2012 , 71-92	0.8	2
332	Determination of selected pharmaceutical residues in wastewater using an automated open bed solid phase microextraction system. <i>Journal of Chromatography A</i> , 2012 , 1262, 34-42	4.5	30
331	Trace determination of β -blockers and α -agonists in distilled and waste-waters using liquid chromatography-tandem mass spectrometry and solid-phase extraction. 2012 , 908, 27-38		31
330	Effects of residual antibiotics in groundwater on <i>Salmonella typhimurium</i> : changes in antibiotic resistance, in vivo and in vitro pathogenicity. 2012 , 14, 41-7		13
329	Role of cetyltrimethyl ammonium bromide, crystal violet and humic acid in the degradation of diclofenac under simulated sunlight irradiation. 2012 , 55, 2610-2616		1
328	Improved elimination of organic micropollutants by a process combination of membrane bioreactor (MBR) and powdered activated carbon (PAC). 2012 , 42, 65-72		26
327	The Llobregat. <i>Handbook of Environmental Chemistry</i> , 2012 ,	0.8	5
326	Long-term effects of antibiotics on the elimination of chemical oxygen demand, nitrification, and viable bacteria in laboratory-scale wastewater treatment plants. 2012 , 63, 354-64		46
325	Capillary electrochromatography of three α -agonists in human urine using a lauryl methacrylate-based monolithic column. 2012 , 35, 1138-45		5
324	Simultaneous enantiomeric determination of propranolol, metoprolol, pindolol, and atenolol in natural waters by HPLC on new polysaccharide-based stationary phase using a highly selective molecularly imprinted polymer extraction. 2012 , 24, 860-6		24
323	Occurrence, fate, and ecotoxicity of antibiotics in agro-ecosystems. A review. 2012 , 32, 309-327		257
322	Enhanced Removal of Micropollutants from Groundwater, Using pH Modification Coupled with Photolysis. <i>Water, Air, and Soil Pollution</i> , 2012 , 223, 1639-1647	2.6	14
321	Biodegradability Improvement of Sulfamethazine Solutions by Means of an electro-Fenton Process. <i>Water, Air, and Soil Pollution</i> , 2012 , 223, 2023-2034	2.6	54
320	Development Method for Extracting and Analyzing Antibiotic and Hormone Residues from Treated Wastewater Sludge and Composted Biosolids. <i>Water, Air, and Soil Pollution</i> , 2012 , 223, 2571-2587	2.6	27
319	Early life-stage toxicity of eight pharmaceuticals to the fathead minnow, <i>Pimephales promelas</i> . 2012 , 62, 455-64		36
318	Carbamazepine, carbamazepine epoxide and dihydroxycarbamazepine sorption to soil and occurrence in a wastewater reuse site in Tunisia. 2012 , 88, 49-54		53
317	Emerging organic contaminants in groundwater: A review of sources, fate and occurrence. <i>Environmental Pollution</i> , 2012 , 163, 287-303	9.3	1114
316	Review of risk from potential emerging contaminants in UK groundwater. <i>Science of the Total Environment</i> , 2012 , 416, 1-21	10.2	495

315	Photochemical fate of beta-blockers in NOM enriched waters. <i>Science of the Total Environment</i> , 2012 , 426, 289-95	10.2	48
314	Tracking artificial sweeteners and pharmaceuticals introduced into urban groundwater by leaking sewer networks. <i>Science of the Total Environment</i> , 2012 , 430, 8-19	10.2	137
313	Evaluation of the facilitated transport capabilities of nano- and micro-sized molecularly imprinted polymers (MIPs) in a bulk liquid membrane system. 2012 , 90, 83-91		23
312	Comparative HPLC methods for β -blockers separation using different types of chiral stationary phases in normal phase and polar organic phase elution modes. Analysis of propranolol enantiomers in natural waters. 2012 , 62, 33-41		44
311	Photocatalytic treatment of high concentration carbamazepine in synthetic hospital wastewater. <i>Journal of Hazardous Materials</i> , 2012 , 199-200, 135-42	12.8	78
310	Borate complexes of x-ray iodinated contrast agents: characterization and sorption studies for their removal from aqueous media. <i>Journal of Hazardous Materials</i> , 2012 , 205-206, 10-6	12.8	6
309	Simultaneous determination of non-steroidal anti-inflammatory drugs in river water by gas chromatography-mass spectrometry. 2012 , 35, 541-7		12
308	Removal of iopromide from an aqueous solution using dielectric barrier discharge. 2013 , 88, 468-473		11
307	An online field-amplification sample stacking method for the determination of μ -agonists in human urine by CE-ESI/MS. 2013 , 104, 97-102		27
306	Aerobic biodegradation of the sulfonamide antibiotic sulfamethoxazole by activated sludge applied as co-substrate and sole carbon and nitrogen source. 2013 , 92, 969-78		185
305	Trace organic solutes in closed-loop forward osmosis applications: influence of membrane fouling and modeling of solute build-up. <i>Water Research</i> , 2013 , 47, 5232-44	12.5	81
304	Impact of toxicological properties of sulfonamides on the growth of zebrafish embryos in the water. <i>Environmental Toxicology and Pharmacology</i> , 2013 , 36, 1068-76	5.8	48
303	Application of comprehensive two-dimensional gas chromatography with mass spectrometric detection for the analysis of selected drug residues in wastewater and surface water. 2013 , 25, 204-12		36
302	Short and long-term effects of clofibric acid and diclofenac on certain biochemical and ionoregulatory responses in an Indian major carp, <i>Cirrhinus mrigala</i> . 2013 , 93, 388-96		31
301	Performance of photocatalytic oxidation of tetracycline in aqueous solution by TiO ₂ nanofibers. 2013 , 11, 24		20
300	Characterization of pure cultures isolated from sulfamethoxazole-acclimated activated sludge with respect to taxonomic identification and sulfamethoxazole biodegradation potential. 2013 , 13, 276		56
299	MSPE/UV for field detection of micropollutants in water. <i>Microchemical Journal</i> , 2013 , 108, 215-223	4.8	9
298	Chemiluminescence analysis of enrofloxacin in surface water using the tris(1,10-phenantroline)europium(II)/peroxydisulphate system and extraction with molecularly imprinted polymers. <i>Microchemical Journal</i> , 2013 , 110, 458-464	4.8	21

297	The effect of environmental and therapeutic concentrations of antibiotics on nitrate reduction rates in river sediment. <i>Water Research</i> , 2013 , 47, 3654-62	12.5	49
296	Toxicity of five antibiotics and their mixtures towards photosynthetic aquatic organisms: implications for environmental risk assessment. <i>Water Research</i> , 2013 , 47, 2050-64	12.5	447
295	Emerging Organic Contaminants in Groundwater. 2013 , 259-284		9
294	Occurrence, transportation, monitoring and treatment of emerging micro-pollutants in waste water [A review from global views. <i>Microchemical Journal</i> , 2013 , 110, 292-300	4.8	233
293	Groundwater Pollution and Quality Monitoring Approaches at the European Level. 2013 , 43, 323-408		44
292	Multi-residue analytical method for the determination of endocrine disruptors and related compounds in river and waste water using dual column liquid chromatography switching system coupled to mass spectrometry. <i>Journal of Chromatography A</i> , 2013 , 1295, 57-66	4.5	98
291	Second-order advantage with excitation-emission photoinduced fluorimetry for the determination of the antiepileptic carbamazepine in environmental waters. 2013 , 782, 37-45		13
290	Current research in urban hydrogeology [A review. 2013 , 51, 280-291		112
289	Sonohydrothermal synthesis of MFe ₂ O ₄ magnetic nanoparticles for adsorptive removal of tetracyclines from water. 2013 , 117, 104-110		46
288	Ultra-trace analysis of hormones, pharmaceutical substances, alkylphenols and phthalates in two French natural mineral waters. <i>Science of the Total Environment</i> , 2013 , 443, 621-32	10.2	82
287	Toxic effects of erythromycin, ciprofloxacin and sulfamethoxazole exposure to the antioxidant system in <i>Pseudokirchneriella subcapitata</i> . <i>Environmental Pollution</i> , 2013 , 172, 23-32	9.3	113
286	Carbamazepine Removal from Groundwater: Effectiveness of the TiO ₂ /UV, Nanoparticulate Zero-Valent Iron, and Fenton (NZVI/H ₂ O ₂) Processes. 2013 , 41, 1062-1072		29
285	Isolation and identification of an iopromide-degrading strain and its application in an A ₂ /O system. 2013 , 134, 36-42		9
284	Smart Sensors for Real-Time Water Quality Monitoring. 2013 ,		22
283	PRE-CONCENTRATION AND DETERMINATION OF BLOCKERS USING CARBON NANOTUBE-ASSISTED PSEUDO-STIRBAR HOLLOW FIBER SOLID-/LIQUID-PHASE MICROEXTRACTION AND HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY WITH FLUORESCENCE DETECTION. 2013 , 36, 750-769		12
282	Long-time membrane experience at Torreele water re-use facility in Belgium. 2013 , 51, 4253-4262		11
281	Photodegradation of pharmaceuticals in the aquatic environment by sunlight and UV-A, -B and -C irradiation. 2013 , 38, 215-23		55
280	Chromatographic, Polarographic and Ion-Selective Electrodes Methods for Chemical Analysis of Groundwater Samples in Hydrogeological Studies. 2013 ,		

279	Effects of subchronic exposure of diclofenac on growth, histopathological changes, and oxidative stress in zebrafish (<i>Danio rerio</i>). 2014 , 2014, 645737		27
278	Human and Veterinary Antibiotics Used in Portugal – Ranking for Ecosurveillance. 2014 , 2, 188-225		28
277	Mineralization of the Pharmaceutical β -Blocker Atenolol by Means of Indirect Electrochemical Advanced Oxidation Process: Parametric and Kinetic Study. 2014 , 49, 2942-2950		9
276	Ecotoxicity of chosen pharmaceuticals in relation to micro-organisms – Risk assessment. 2014 , 52, 3908-3917		15
275	Sublethal effects of the beta-blocker sotalol at environmentally relevant concentrations on the New Zealand mudsnail <i>Potamopyrgus antipodarum</i> . 2014 , 33, 2510-5		9
274	Towards a generic variable column length method development strategy for samples with a large variety in polarity. <i>Journal of Chromatography A</i> , 2014 , 1372C, 174-186	4.5	11
273	Demonstration of staphylococci with inducible macrolide-lincosamide-streptogramin B (MLS _B) resistance in sewage and river water and of the capacity of anhydroerythromycin to induce MLS _B . 2014 , 88, 48-59		14
272	Nanofiltration for wastewater reuse: Counteractive effects of fouling and matrice on the rejection of pharmaceutical active compounds. 2014 , 133, 313-327		53
271	Fingerprinting groundwater pollution in catchments with contrasting contaminant sources using microorganic compounds. <i>Science of the Total Environment</i> , 2014 , 468-469, 564-77	10.2	49
270	Sources and processes affecting the spatio-temporal distribution of pharmaceuticals and X-ray contrast media in the water resources of the Lower Jordan Valley, Jordan. <i>Science of the Total Environment</i> , 2014 , 488-489, 100-14	10.2	29
269	Sorption-desorption and transport of trimethoprim and sulfonamide antibiotics in agricultural soil: effect of soil type, dissolved organic matter, and pH. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 5827-35	5.1	65
268	Insights on Environmental Changes. <i>GeoPlanet: Earth and Planetary Sciences</i> , 2014 ,	0.1	1
267	The environmental release and fate of antibiotics. 2014 , 79, 7-15		152
266	Contaminant Geochemistry. 2014 ,		12
265	New immunosensor for β -lactam antibiotics determination in river waste waters. 2014 , 199, 301-313		33
264	Environmental effects of anticholinesterasic therapeutic drugs on a crustacean species, <i>Daphnia magna</i> . <i>Environmental Science and Pollution Research</i> , 2014 , 21, 4418-29	5.1	17
263	Determination of 81 pharmaceutical drugs by high performance liquid chromatography coupled to mass spectrometry with hybrid triple quadrupole-linear ion trap in different types of water in Serbia. <i>Science of the Total Environment</i> , 2014 , 468-469, 415-28	10.2	175
262	Roxithromycin degradation by acidic hydrolysis and photocatalysis. 2014 , 6, 6414-6423		11

261	Determination of iodinated X-ray contrast agents in pharmaceutical formulations and artificial urine samples by differential pulse voltammetry. 2014 , 6, 6254-6264		0
260	Removal of the iodinated X-ray contrast medium diatrizoate by anaerobic transformation. 2014 , 48, 10145-54		44
259	Photo-transformation of pharmaceutically active compounds in the aqueous environment: a review. 2014 , 16, 697-720		122
258	Catalytic hydrothermal treatment of pharmaceutical wastewater using sub- and supercritical water reactions. 2014 , 95, 265-272		15
257	Occurrence of antibiotics in the aquatic environment of Jiangnan Plain, central China. <i>Science of the Total Environment</i> , 2014 , 497-498, 180-187	10.2	105
256	Presence of the pharmaceutical drug carbamazepine in coastal systems: effects on bivalves. 2014 , 156, 74-87		117
255	Gas chromatographic determination of three chlorophenols in toilet paper by ultrasonic assisted extraction and synchronous derivative dispersive liquid-liquid microextraction. 2014 , 6, 207-214		7
254	Development, validation, and application of a novel LC-MS/MS trace analysis method for the simultaneous quantification of seven iodinated X-ray contrast media and three artificial sweeteners in surface, ground, and drinking water. 2014 , 406, 2789-98		36
253	Simultaneous determination of diclofenac, its human metabolites and microbial nitration/nitrosation transformation products in wastewaters by liquid chromatography/quadrupole-linear ion trap mass spectrometry. <i>Journal of Chromatography A</i> , 2014 , 1347, 63-71	4.5	55
252	Optical microscopy as a comparative analytical technique for single-particle dissolution studies. 2014 , 469, 10-6		12
251	Multi-residue analysis of pharmaceuticals in aqueous environmental samples by online solid-phase extraction-ultra-high-performance liquid chromatography-tandem mass spectrometry: optimisation and matrix effects reduction by quick, easy, cheap, effective, rugged and safe extraction. <i>Journal of Chromatography A</i> , 2014 , 1349, 11-23	4.5	65
250	Liquid chromatography/mass spectrometry to study oxidative degradation of environmentally relevant pharmaceuticals by electrochemistry and ozonation. <i>Journal of Chromatography A</i> , 2014 , 1343, 152-9	4.5	26
249	A new silylating reagent - dimethyl(3,3,3-trifluoropropyl)silyldiethylamine - for the derivatisation of non-steroidal anti-inflammatory drugs prior to gas chromatography-mass spectrometry analysis. <i>Journal of Chromatography A</i> , 2014 , 1346, 107-16	4.5	17
248	Occurrence and distribution of antibiotics in the surface sediments of the Yangtze Estuary and nearby coastal areas. 2014 , 83, 317-23		88
247	Identification of phase II pharmaceutical metabolites in reclaimed water using high resolution benchtop Orbitrap mass spectrometry. 2014 , 107, 65-73		24
246	Occurrence, seasonal variation and risk assessment of antibiotics in the reservoirs in North China. 2014 , 111, 327-35		75
245	Degradation of corticosteroids during activated sludge processing. 2014 , 62, 72-6		9
244	Degradation of Diclofenac by Co3O4-catalyzed Activation of Oxone Process. 2014 , 17,		

243	Using probing compounds to investigate adsorption mechanism of ciprofloxacin on montmorillonite. 2014 , 29, B100-B107		4
242	Solid-phase extraction coupled with ultra high performance liquid chromatography and electrospray tandem mass spectrometry for the highly sensitive determination of five iodinated X-ray contrast media in environmental water samples. 2015 , 38, 1998-2005		16
241	On-line concentration and pressurized capillary electrochromatography analysis of five β -agonists in human urine using a methacrylate monolithic column. 2015 , 36, 2720-2726		11
240	UV-Irradiation of the Antibiotic Sulfathiazole Surprisingly Leads to Former Antitubercular Promizole. 2015 , 43, 490-495		2
239	Veterinary Antibiotics in the Environment. 2015 ,		3
238	Improved detection of multiple environmental antibiotics through an optimized sample extraction strategy in liquid chromatography-mass spectrometry analysis. 2015 , 407, 9071-83		17
237	Tracking changing X-ray contrast media application to an urban-influenced karst aquifer in the Wadi Shueib, Jordan. <i>Environmental Pollution</i> , 2015 , 198, 133-43	9.3	26
236	Heat-activated persulfate oxidation of sulfamethoxazole in water. 2015 , 56, 2225-2233		29
235	Sorption behaviours and transport potentials for selected pharmaceuticals and triclosan in two sterilised soils. 2015 , 15, 594-606		21
234	Ecotoxicological effects of salicylic acid in the freshwater fish <i>Salmo trutta fario</i> : antioxidant mechanisms and histological alterations. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 667-78 ^{5.1}		37
233	Ultra-high performance liquid chromatography-electrospray tandem mass spectrometry for the analysis of antibiotic residues in environmental waters. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 16857-67	5.1	27
232	Chronic toxicity of the antiepileptic carbamazepine on the clam <i>Ruditapes philippinarum</i> . 2015 , 172-173, 26-35		52
231	Photodegradation of antibiotic 5-sulfaminouracil in the presence of vitamin B2: a kinetic study. 2015 , 20, 17-25		2
230	Occurrence of β -lactam and polyether ionophore antibiotics in surface water, urban wastewater, and sediment. 2015 , 18, 140-150		10
229	Occurrence of pharmaceuticals, hormones, and perfluorinated compounds in groundwater in Taiwan. 2015 , 187, 256		70
228	Occurrences and regional distributions of 20 antibiotics in water bodies during groundwater recharge. <i>Science of the Total Environment</i> , 2015 , 518-519, 498-506	10.2	130
227	Catalytic removal of pharmaceutical compounds in water medium under an H ₂ stream over various metal-supported catalysts: A promising process. 2015 , 53, 3363-3370		1
226	Biotransformation of Endocrine-Disrupting Compounds in Groundwater: Bisphenol A, Nonylphenol, Ethynylestradiol and Triclosan by a Laccase Cocktail from CS43. <i>Water, Air, and Soil Pollution</i> , 2015 , 226, 251	2.6	52

225	Developmental toxicity of diclofenac and elucidation of gene regulation in zebrafish (<i>Danio rerio</i>). 2014 , 4, 4841	50
224	Permanganate oxidation of diclofenac: The pH-dependent reaction kinetics and a ring-opening mechanism. 2015 , 136, 297-304	35
223	Simple and suitable immunosensor for β -lactam antibiotics analysis in real matrixes: milk, serum, urine. 2015 , 106, 186-96	29
222	Identification, Mechanisms and Kinetics of Macrolide Degradation Product Formation under Controlled Environmental Conditions. 2016 , 03,	8
221	A sensitive multi-residue method for the determination of 35 micropollutants including pharmaceuticals, iodinated contrast media and pesticides in water. 2016 , 408, 6189-200	18
220	Determination of illicit drugs in aqueous environmental samples by online solid-phase extraction coupled to liquid chromatography-tandem mass spectrometry. 2016 , 160, 208-15	26
219	Determination of micro-organic contaminants in groundwater (Maribor, Slovenia). <i>Science of the Total Environment</i> , 2016 , 571, 1419-31	10.2 28
218	Behavior, preferences, and willingness to pay for measures aimed at preventing pollution by pharmaceuticals and personal care products in China. 2016 , 12, 793-800	8
217	Rapid ultrasensitive chemometrics-fluorescence methodology to quantify fluoroquinolones antibiotics residues in surface water. 2016 , 38, 280-286	3
216	Review on the Stability of Ferrate (VI) Species in Aqueous Medium and Oxidation of Pharmaceuticals and Personal Care Products (PPCPs) by Ferrate (VI): Identification of Transformation By-Products. 2016 , 287-335	2
215	Antibiotics in Austrian drinking water resources, survey 2014. 2016 , 67, 35-43	5
214	Environmental Xenobiotics and Its Effects on Natural Ecosystem. 2016 , 1-18	13
213	Inclusion of emerging organic contaminants in groundwater monitoring plans. 2016 , 3, 459-76	32
212	Ozonation of carbamazepine, diclofenac, sulfamethoxazole and trimethoprim and formation of major oxidation products. 2016 , 57, 29340-29351	42
211	Tandem anion and cation exchange solid phase extraction for the enrichment of micropollutants and their transformation products from ozonation in a wastewater treatment plant. 2016 , 408, 4219-32	11
210	Competitive Upconversion-Linked Immunosorbent Assay for the Sensitive Detection of Diclofenac. 2016 , 88, 6011-7	58
209	Quantitative measurement of amoxicillin in Ibuprofen tablets using UPLC. 2016 , 93, 465-472	3
208	Pharmaceuticals and Groundwater Resources. 2016 , 101-144	3

207	Graphene Facilitated Removal of Labetalol in Laccase-ABTS System: Reaction Efficiency, Pathways and Mechanism. 2016 , 6, 21396		10
206	Diclofenac and its transformation products: Environmental occurrence and toxicity - A review. 2016 , 96, 127-138		280
205	Ag modified g-C3N4 composites with enhanced visible-light photocatalytic activity for diclofenac degradation. 2016 , 423, 270-276		121
204	Determination of pharmaceuticals in groundwater collected in five cemeteries' areas (Portugal). <i>Science of the Total Environment</i> , 2016 , 569-570, 16-22	10.2	36
203	Hediste diversicolor as bioindicator of pharmaceutical pollution: Results from single and combined exposure to carbamazepine and caffeine. 2016 , 188, 30-8		18
202	Gamma Irradiation induced degradation of diclofenac in aqueous solution: Kinetics, role of reactive species and influence of natural water parameters. <i>Journal of Environmental Chemical Engineering</i> , 2016 , 4, 2573-2584	6.8	38
201	Determination of antibiotic residues in southern Baltic Sea sediments using tandem solid-phase extraction and liquid chromatography coupled with tandem mass spectrometry. 2016 , 58, 221-234		34
200	Aquatic environmental risk assessment for human use of the old antibiotic sulfamethoxazole in Europe. 2016 , 35, 767-79		52
199	Long-term exposure to caffeine and carbamazepine: Impacts on the regenerative capacity of the polychaete <i>Diopatra neapolitana</i> . 2016 , 146, 565-73		43
198	Analytical methods for the endocrine disruptor compounds determination in environmental water samples. <i>Journal of Chromatography A</i> , 2016 , 1434, 1-18	4.5	65
197	The impacts of pharmaceutical drugs under ocean acidification: New data on single and combined long-term effects of carbamazepine on <i>Scrobicularia plana</i> . <i>Science of the Total Environment</i> , 2016 , 541, 977-985	10.2	68
196	Selected analytical challenges in the determination of pharmaceuticals in drinking/marine waters and soil/sediment samples. 2016 , 121, 271-296		73
195	Cytostatic drugs in environmental samples: An update on the extraction and determination procedures. 2016 , 80, 373-386		38
194	Monitoring of selected pharmaceuticals over 3 years in a detrital aquifer during artificial groundwater recharge. 2016 , 75, 1		13
193	Removal of emerging pharmaceuticals from wastewater by ozone-based advanced oxidation processes. 2016 , 35, 982-995		55
192	Simultaneous removal and degradation characteristics of sulfonamide, tetracycline, and quinolone antibiotics by laccase-mediated oxidation coupled with soil adsorption. <i>Journal of Hazardous Materials</i> , 2016 , 307, 350-8	12.8	120
191	Oxidation of diatrizoate in aqueous phase by advanced oxidation processes based on solar radiation. 2016 , 319-320, 87-95		14
190	Role of biotransformation, sorption and mineralization of (14)C-labelled sulfamethoxazole under different redox conditions. <i>Science of the Total Environment</i> , 2016 , 542, 706-15	10.2	56

189	Interaction of ciprofloxacin and probe compounds with palygorskite PFL-1. <i>Journal of Hazardous Materials</i> , 2016 , 303, 55-63	12.8	30
188	Photo-Fenton treatment of valproate under UVC, UVA and simulated solar radiation. <i>Journal of Hazardous Materials</i> , 2017 , 323, 537-549	12.8	22
187	Comparison of the toxicological impacts of carbamazepine and a mixture of its photodegradation products in <i>Scrobicularia plana</i> . <i>Journal of Hazardous Materials</i> , 2017 , 323, 220-232	12.8	27
186	Immobilization of aqueous and sediment-sorbed ciprofloxacin by stabilized Fe-Mn binary oxide nanoparticles: Influencing factors and reaction mechanisms. <i>Chemical Engineering Journal</i> , 2017 , 314, 612-621	14.7	32
185	Diclofenac can exhibit estrogenic modes of action in male <i>Xenopus laevis</i> , and affects the hypothalamus-pituitary-gonad axis and mating vocalizations. 2017 , 173, 69-77		21
184	Occurrence of pharmaceuticals and personal care products in effluent-dominated Saudi Arabian coastal waters of the Red Sea. 2017 , 175, 505-513		98
183	Fabrication of novel visible-light-driven AgI/g-C(3)N(4) composites with enhanced visible-light photocatalytic activity for diclofenac degradation. 2017 , 496, 167-176		73
182	On the photodegradation of azithromycin, erythromycin and tylosin and their transformation products – A kinetic study. 2017 , 5, 131-140		29
181	A survey on trace organic chemicals in a German water protection area and the proposal of relevant indicators for anthropogenic influences. 2017 , 189, 244		25
180	A novel method for photo-oxidative degradation of diatrizoate in water via electromagnetic induction electrodeless lamp. <i>Journal of Hazardous Materials</i> , 2017 , 337, 34-46	12.8	15
179	Determination of Some β -Blockers and α -Agonists in Plasma and Urine Using Liquid Chromatography-tandem Mass Spectrometry and Solid Phase Extraction. 2017 , 55, 846-856		6
178	Enzyme-less electrochemical displacement heterogeneous immunosensor for diclofenac detection. 2017 , 97, 246-252		21
177	Impact of biogenic substrates on sulfamethoxazole biodegradation kinetics by <i>Achromobacter denitrificans</i> strain PR1. 2017 , 28, 205-217		26
176	Toxicity associated to uptake and depuration of carbamazepine in the clam <i>Scrobicularia plana</i> under a chronic exposure. <i>Science of the Total Environment</i> , 2017 , 580, 1129-1145	10.2	19
175	Impact of wastewater treatment plant discharge on the contamination of river biofilms by pharmaceuticals and antibiotic resistance. <i>Science of the Total Environment</i> , 2017 , 579, 1387-1398	10.2	74
174	Removal of Diclofenac, Ketoprofen, and Carbamazepine from Simulated Drinking Water by Advanced Oxidation in a Model Reactor. <i>Water, Air, and Soil Pollution</i> , 2017 , 228, 1	2.6	14
173	Pharmaceutical residues in aquatic environment and water remediation by TiO ₂ heterogeneous photocatalysis: a review. 2017 , 76, 1		54
172	Photolysis and UV/H ₂ O ₂ of diclofenac, sulfamethoxazole, carbamazepine, and trimethoprim: Identification of their major degradation products by ESI/MS and assessment of the toxicity of reaction mixtures. 2017 , 112, 222-234		66

171	Efficient enzymatic degradation used as pre-stage treatment for norfloxacin removal by activated sludge. 2017 , 40, 1261-1270		26
170	Effects of exposure to pharmaceuticals (diclofenac and carbamazepine) spiked sediments in the midge, <i>Chironomus riparius</i> (Diptera, Chironomidae). <i>Science of the Total Environment</i> , 2017 , 609, 715-723 ^{10.2}		20
169	Overview of Pharmaceutical Products as Emerging Pollutants. 2017 , 57-101		1
168	Therapeutic Classes of PCs in the Environment. 2017 , 103-166		
167	Optimization and application of fabric phase sorptive extraction coupled to ultra-high performance liquid chromatography tandem mass spectrometry for the determination of cytostatic drug residues in environmental waters. <i>Journal of Chromatography A</i> , 2017 , 1529, 39-49	4.5	19
166	Occurrence, distribution, and risk assessment of antibiotics in the Songhua River in China. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 19282-19292	5.1	40
165	Photocatalytic treatment of valproic acid sodium salt with TiO ₂ in different experimental devices: An economic and energetic comparison. <i>Chemical Engineering Journal</i> , 2017 , 327, 656-665	14.7	9
164	Different sample treatments for the determination of ICM-XR in fish samples followed by LC-HRMS. 2017 , 163, 1-7		5
163	Investigations of diatrizoate degradation by photo-activated persulfate. <i>Chemical Engineering Journal</i> , 2017 , 311, 28-36	14.7	72
162	An improved method for total organic iodine in drinking water. <i>Water Research</i> , 2017 , 108, 250-259	12.5	10
161	Hazard of Sulfonamides and Detection Technology Research Progress. 2017 , 100, 012040		2
160	Pharmaceutical Wastewater Effluent-Source of Contaminants of Emerging Concern: Phytotoxicity of Metronidazole to Soybean (<i>Glycine max</i>). 2017 , 5,		25
159	Effects of single and combined exposure of pharmaceutical drugs (carbamazepine and cetirizine) and a metal (cadmium) on the biochemical responses of <i>R. philippinarum</i> . 2018 , 198, 10-19		26
158	Effects of carbamazepine and cetirizine under an ocean acidification scenario on the biochemical and transcriptome responses of the clam <i>Ruditapes philippinarum</i> . <i>Environmental Pollution</i> , 2018 , 235, 857-868	9.3	30
157	Bacteria That Make a Meal of Sulfonamide Antibiotics: Blind Spots and Emerging Opportunities. 2018 , 52, 3854-3868		63
156	Successful Biodegradation of a Refractory Pharmaceutical Compound by an Indigenous Phenol-Tolerant <i>Pseudomonas aeruginosa</i> Strain. <i>Water, Air, and Soil Pollution</i> , 2018 , 229, 1	2.6	10
155	Rapid and complete degradation of diclofenac by native soil microorganisms. 2018 , 10, 55-61		23
154	Antibiotic residues in liquid manure from swine feedlot and their effects on nearby groundwater in regions of North China. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 11565-11575	5.1	40

153	Using REACH registration data to rank the environmental emission potential of persistent and mobile organic chemicals. <i>Science of the Total Environment</i> , 2018 , 625, 1122-1128	10.2	28
152	Insight into effects of antibiotics on reactor performance and evolutions of antibiotic resistance genes and microbial community in a membrane reactor. 2018 , 197, 420-429		39
151	Impact of dead cells on biofouling and pharmaceutically active compounds retention by NF/RO membranes. <i>Chemical Engineering Journal</i> , 2018 , 337, 51-59	14.7	16
150	ESI-MS, UV-Vis, and Theoretical Investigation of Fe ³⁺ -Amoxicillin Complexation during Coagulation. 2018 , 144, 04018001		4
149	Fate of pharmaceutical active compounds (PhACs) from River Yamuna, India: An ecotoxicological risk assessment approach. 2018 , 150, 297-304		65
148	Biosorption of ibuprofen from aqueous solution using living and dead biomass of the microalga <i>Phaeodactylum tricornutum</i> . 2018 , 30, 471-482		19
147	Presence, concentrations and risk assessment of selected antibiotic residues in sediments and near-bottom waters collected from the Polish coastal zone in the southern Baltic Sea - Summary of 3years of studies. 2018 , 129, 787-801		47
146	Decoration of Pt on the metal free RGO-TiO ₂ composite photocatalyst for the enhanced photocatalytic hydrogen evolution and photocatalytic degradation of pharmaceutical pollutant □ blocker. 2018 , 43, 4015-4027		28
145	Risk Assessment and effect of Penicillin-G on bacterial diversity in drinking water. 2018 , 113, 012156		
144	Pharmaceuticals and Personal Care Products: Risks, Challenges, and Solutions. 2018 ,		3
143	Erythromycin sensitivity across different taxa of marine phytoplankton. A novel approach to sensitivity of microalgae and the evolutionary history of the 23S gene. 2018 , 204, 190-196		6
142	Interaction Mechanism between Antibiotics and Humic Acid by UV-Vis Spectrometry. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	5
141	Identification of Pharmaceuticals in The Aquatic Environment Using HPLC-ESI-Q-TOF-MS and Elimination of Erythromycin Through Photo-Induced Degradation. 2018 ,		4
140	Presence and fate of veterinary antibiotics in age-dated groundwater in areas with intensive livestock farming. <i>Environmental Pollution</i> , 2018 , 241, 988-998	9.3	83
139	Effect of erythromycin and modulating effect of CeO NPs on the toxicity exerted by the antibiotic on the microalgae <i>Chlamydomonas reinhardtii</i> and <i>Phaeodactylum tricornutum</i> . <i>Environmental Pollution</i> , 2018 , 242, 357-366	9.3	30
138	Occurrence of βactam and polyether ionophore antibiotics in lagoon water and animal manure. <i>Science of the Total Environment</i> , 2018 , 640-641, 1346-1353	10.2	16
137	Designing field-based investigations of organic micropollutant fate in rivers. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 28633-28649	5.1	3
136	Fate and behaviour of veterinary sulphonamides under denitrifying conditions. <i>Science of the Total Environment</i> , 2019 , 695, 133824	10.2	22

135	Degradation of propranolol by UV-activated persulfate oxidation: Reaction kinetics, mechanisms, reactive sites, transformation pathways and Gaussian calculation. <i>Science of the Total Environment</i> , 2019 , 690, 878-890	10.2	42
134	Separation of Diclofenac using pseudo-emulsion hollow fiber membrane: Optimization by Box-Behnken response surface design. <i>Journal of Water Process Engineering</i> , 2019 , 32, 100880	6.7	11
133	Aerobic and Anaerobic Biological Degradation of Pharmaceutically Active Compounds in Rice Paddy Soils. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 2505	2.6	2
132	Photocatalytic Degradation of Pharmaceuticals Carbamazepine, Diclofenac, and Sulfamethoxazole by Semiconductor and Carbon Materials: A Review. <i>Molecules</i> , 2019 , 24,	4.8	44
131	MgO-ZnO/carbon nanofiber nanocomposite as an adsorbent for ultrasound-assisted dispersive solid-phase microextraction of carbamazepine from wastewater prior to high-performance liquid chromatographic detection. 2019 , 10,		17
130	Evaluation of physiological changes induced by the fluoroquinolone antibiotic ciprofloxacin in the freshwater macrophyte species <i>Lemna minor</i> and <i>Lemna gibba</i> . <i>Environmental Toxicology and Pharmacology</i> , 2019 , 72, 103242	5.8	17
129	Antibiotic resistance genes identified in wastewater treatment plant systems - A review. <i>Science of the Total Environment</i> , 2019 , 697, 134023	10.2	201
128	Occurrence, fate and environmental risk assessment of the organic microcontaminants included in the Watch Lists set by EU Decisions 2015/495 and 2018/840 in the groundwater of Spain. <i>Science of the Total Environment</i> , 2019 , 663, 285-296	10.2	72
127	Adsorption/desorption and transport of sulfadiazine, sulfachloropyridazine, and sulfamethazine, in acid agricultural soils. 2019 , 234, 978-986		15
126	Bioremoval of non-steroidal anti-inflammatory drugs by <i>Pseudoxanthomonas</i> sp. DIN-3 isolated from biological activated carbon process. <i>Water Research</i> , 2019 , 161, 459-472	12.5	42
125	A review of threats to groundwater quality in the anthropocene. <i>Science of the Total Environment</i> , 2019 , 684, 136-154	10.2	117
124	Dissipation of Acetaminophen, Atrazine, Carbamazepine, and Sulfamethoxazole in Water Mediated by <i>Acorus gramineus</i> and <i>Canna hybrida</i> Orange Punch <i>Water, Air, and Soil Pollution</i> , 2019 , 230, 1	2.6	4
123	Occurrence, fate and health risk assessment of 10 common antibiotics in two drinking water plants with different treatment processes. <i>Science of the Total Environment</i> , 2019 , 674, 316-326	10.2	34
122	Analytical techniques and challenges for removal of pharmaceuticals and personal care products in water. 2019 , 239-257		3
121	Aerobic removal of iodinated contrast medium by nano-sized zero-valent iron: A combination of oxidation and reduction. <i>Journal of Hazardous Materials</i> , 2019 , 373, 417-424	12.8	12
120	Pharmaceuticals of Emerging Concern in Aquatic Systems: Chemistry, Occurrence, Effects, and Removal Methods. 2019 , 119, 3510-3673		679
119	PPCP degradation and DBP formation in the solar/free chlorine system: Effects of pH and dissolved oxygen. <i>Water Research</i> , 2019 , 150, 77-85	12.5	85
118	Clay minerals for pharmaceutical wastewater treatment. 2019 , 167-196		9

117	Photocatalysis of β -blockers [An overview. 2019 , 12, 1290-1297		10
116	Efficiency of La-doped TiO ₂ calcined at different temperatures in photocatalytic degradation of β -blockers. 2019 , 12, 5355-5369		44
115	Kinetics of ozonation and mass transfer of pharmaceuticals degraded by ozone fine bubbles in a plant prototype. 2020 , 56, 385-397		5
114	Environmental impact and biological removal processes of pharmaceutically active compounds: The particular case of sulfonamides, anticonvulsants and steroid estrogens. 2020 , 50, 698-742		12
113	Occurrence, interactive effects and ecological risk of diclofenac in environmental compartments and biota - a review. <i>Science of the Total Environment</i> , 2020 , 698, 134057	10.2	130
112	The oxidative degradation of diclofenac using the activation of peroxymonosulfate by BiFeO ₃ microspheres: Kinetics, role of visible light and decay pathways. 2020 , 232, 115967		36
111	Validation of a liquid chromatography coupled with tandem mass spectrometry method for the determination of drugs in wastewater using a three-phase solvent system. 2020 , 43, 886-895		17
110	Pharmaceuticals residues and xenobiotics contaminants: Occurrence, analytical techniques and sustainable alternatives for wastewater treatment. <i>Science of the Total Environment</i> , 2020 , 705, 135568	10.2	87
109	Cytostatic pharmaceuticals as water contaminants. 2020 , 866, 172816		36
108	Overlooked role of secondary radicals in the degradation of beta-blockers and toxicity change in UV/chlorine process. <i>Chemical Engineering Journal</i> , 2020 , 391, 123606	14.7	13
107	Carboxylated cellulose nanofiber/montmorillonite nanocomposite for the removal of levofloxacin hydrochloride antibiotic from aqueous solutions.. 2020 , 10, 42038-42053		11
106	Antibacterials in Aquatic Environment and Their Toxicity to Fish. 2020 , 13,		35
105	Treatment of hospital wastewater by supercritical water oxidation process. <i>Water Research</i> , 2020 , 185, 116279	12.5	35
104	Differentiation Between Metronidazole Residues Disposal by Using Adsorption and Photodegradation Processes Onto MgO Nanoparticles. 2020 , 15, 7117-7141		2
103	Occurrence and Health Risks of Organic Micro-Pollutants and Metals in Groundwater of Chinese Rural Areas. 2020 , 128, 107010		13
102	Effects of ibuprofen and venlafaxine on behavioural parameters in freshwater bivalve <i>Unionidae</i> . 2020 , 171, 01014		1
101	Improving Biodegradation of Clofibric Acid by through the Design of Experimental Tools. 2020 , 8,		7
100	Quantification of Non-steroidal Anti-inflammatory Drug in Water. <i>Handbook of Environmental Chemistry</i> , 2020 , 83-103	0.8	

99	Supramolecular Solvent-Based Microextraction of Selected Anticonvulsant and Nonsteroidal Anti-Inflammatory Drugs from Sediment Samples. <i>Molecules</i> , 2020 , 25,	4.8	1
98	Occurrence and risk assessment of fluoroquinolone antibiotics in reclaimed water and receiving groundwater with different replenishment pathways. <i>Science of the Total Environment</i> , 2020 , 738, 139802	10.2	22
97	Identification of Aquifer Recharge Sources as the Origin of Emerging Contaminants in Intensive Agricultural Areas. La Plana de Castelló, Spain. 2020 , 12, 731		8
96	Simultaneous enrichment/determination of six sulfonamides in animal husbandry products and environmental waters by pressure-assisted electrokinetic injection coupled with capillary zone electrophoresis. 2020 , 88, 103462		9
95	Transformation and ecotoxicological effects of iodinated X-ray contrast media. 2020 , 19, 337-354		9
94	A model-based analysis of the reactive transport behaviour of 37 trace organic compounds during field-scale bank filtration. <i>Water Research</i> , 2020 , 173, 115523	12.5	12
93	TiO ₂ Nanoparticles. 2020 , 1-66		1
92	Selected Pharmaceuticals in Different Aquatic Compartments: Part I-Source, Fate and Occurrence. <i>Molecules</i> , 2020 , 25,	4.8	25
91	Liquid chromatography-tandem mass spectrometry as a fast and simple method for the determination of several antibiotics in different aqueous matrices. <i>Environmental Chemistry</i> , 2020 , 17, 54	3.2	8
90	Comparative Study Between Metronidazole Residues Disposal by Using Adsorption and Photodegradation Processes onto MgO Nanoparticles. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2021 , 31, 344-364	3.2	3
89	Magnetic Mesoporous Carbon/β-Cyclodextrin-Chitosan Nanocomposite for Extraction and Preconcentration of Multi-Class Emerging Contaminant Residues in Environmental Samples. <i>Nanomaterials</i> , 2021 , 11,	5.4	5
88	Perspectives on the antibiotic contamination, resistance, metabolomics, and systemic remediation. <i>SN Applied Sciences</i> , 2021 , 3, 1	1.8	7
87	Removal of Pharmaceutical Residues from Water and Wastewater Using Dielectric Barrier Discharge Methods-A Review. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	17
86	Pharmaceuticals in the Soil and Plant Environment: a Review. <i>Water, Air, and Soil Pollution</i> , 2021 , 232, 1	2.6	7
85	Comprehensive review on iodinated X-ray contrast media: Complete fate, occurrence, and formation of disinfection byproducts. <i>Science of the Total Environment</i> , 2021 , 769, 144846	10.2	11
84	Adsorptive removal of diclofenac sodium from aqueous solution onto sycamore ball activated carbon Isotherms, kinetics, and thermodynamic study. <i>Surfaces and Interfaces</i> , 2021 , 24, 101097	4.1	8
83	Improving urban drainage systems to mitigate PPCPs pollution in surface water: A watershed perspective. <i>Journal of Hazardous Materials</i> , 2021 , 411, 125047	12.8	9
82	Effects of the antimalarial lumefantrine on <i>Lemna minor</i> , <i>Raphidocelis subcapitata</i> and <i>Chlorella vulgaris</i> . <i>Environmental Toxicology and Pharmacology</i> , 2021 , 85, 103635	5.8	0

81	Assessment of Human Pharmaceuticals in Drinking Water Catchments, Tap and Drinking Fountain Waters. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 7062	2.6	3
80	Abundance, fate, and effects of pharmaceuticals and personal care products in aquatic environments. <i>Journal of Hazardous Materials</i> , 2022 , 424, 127284	12.8	22
79	Accelerated degradation of pharmaceuticals by ferrous ion/chlorine process: Roles of Fe(IV) and reactive chlorine species. <i>Science of the Total Environment</i> , 2021 , 787, 147584	10.2	3
78	Effect of ibuprofen on extracellular polymeric substances (EPS) production and composition, and assessment of microbial structure by quantitative image analysis. <i>Journal of Environmental Management</i> , 2021 , 293, 112852	7.9	2
77	First insight into the occurrence, spatial distribution, sources, and risks assessment of antibiotics in groundwater from major urban-rural settings of Pakistan. <i>Science of the Total Environment</i> , 2021 , 791, 148298	10.2	9
76	Hazardous impact of diclofenac on mammalian system: Mitigation strategy through green remediation approach. <i>Journal of Hazardous Materials</i> , 2021 , 419, 126135	12.8	6
75	Four scenarios of environmental risk of diclofenac in European groundwater ecosystems. <i>Environmental Pollution</i> , 2021 , 287, 117315	9.3	6
74	Metal organic framework based fluorescence sensor for detection of antibiotics. <i>Trends in Food Science and Technology</i> , 2021 , 116, 1002-1028	15.3	7
73	Ozonation of diclofenac in a laboratory scale bubble column: Intermediates, mechanism, and mass transfer study. <i>Journal of Water Process Engineering</i> , 2021 , 44, 102325	6.7	3
72	Fate of sulfamethoxazole in compost, manure and soil amended with previously stored organic wastes. <i>Science of the Total Environment</i> , 2022 , 803, 150023	10.2	2
71	Removal of emerging contaminants from pharmaceutical wastewater through application of bionanotechnology. 2022 , 247-264		2
70	Pharmaceuticals and Personal-Care Products. 207-227		3
69	Polar Organic Micropollutants In The Water Cycle. 2008 , 103-116		14
68	Determination of Tetracyclines Residues in the Gulf of Gdańk (Southern Baltic Sea) Sediments Using a Tandem Solid-Phase Extraction with Liquid Chromatography Coupled with Tandem Mass Spectrometry. <i>GeoPlanet: Earth and Planetary Sciences</i> , 2014 , 33-48	0.1	2
67	Introduction. <i>Springer Briefs in Molecular Science</i> , 2015 , 1-17	0.6	1
66	Liquid Chromatography-Mass Spectrometry Methods for Analysis of Endocrine-Disrupting Chemicals in Wastewaters. <i>Handbook of Environmental Chemistry</i> , 2009 , 227-271	0.8	3
65	Deterministic and Probabilistic Environmental Risk Assessment for Diazepam. 2008 , 343-383		8
64	Input of Pharmaceuticals, Pesticides and Industrial Chemicals as a Consequence of Using Conventional and Non-conventional Sources of Water for Artificial Groundwater Recharge. <i>Handbook of Environmental Chemistry</i> , 2008 , 219-238	0.8	2

63	Potable Water Use from Aquifers Connected to Irrigation of Residual Water. <i>Hexagon Series on Human and Environmental Security and Peace</i> , 2012 , 189-200		2
62	Advances in structure elucidation of small molecules using mass spectrometry. 2013 , 129-166		2
61	Pharmaceuticals in the Environment: Changes in the Presence and Concentrations of Pharmaceuticals for Human Use in Italy. 2004 , 45-53		2
60	Environmental Exposure of Antibiotics in Wastewaters, Sewage Sludges and Surface Waters in Switzerland. 2004 , 55-66		8
59	Pharmaceuticals in the Canadian Environment. 2004 , 67-90		21
58	Environmental Antibiotics: Exposure Monitoring and Health Endpoints. 2019 , 165-178		1
57	Pharmaceutical Residues in Sewage Treatment Works and their Fate in the Receiving Environment. <i>Issues in Environmental Science and Technology</i> , 2015 , 120-179	0.7	6
56	Presence of pharmaceutical compounds in groundwater with respect to land use in the vicinity of sampling sites. <i>Geologos</i> , 2019 , 25, 231-240	0.9	6
55	Role of Hospital Effluents in the Contribution of Antibiotics and Antibiotic Resistant Bacteria to the Aquatic Environment. <i>Pakistan Journal of Nutrition</i> , 2012 , 11, 1177-1182	0.3	11
54	Elimination of macrolides in water bodies using photochemical oxidation. <i>AIMS Environmental Science</i> , 2018 , 5, 372-388	1.9	9
53	A Review of Emerging Contaminants in Water. <i>Impact of Meat Consumption on Health and Environmental Sustainability</i> , 55-80	0.3	17
52	Rapid HPLC Method for Monitoring Relevant Residues of Pharmaceuticals Products in Environmental Samples. <i>American Journal of Analytical Chemistry</i> , 2011 , 02, 18-26	0.7	9
51	A Study on the Degradation of Carbamazepine and Ibuprofen by TiO ₂ & ZnO Photocatalysis upon UV/Visible-Light Irradiation. <i>American Journal of Analytical Chemistry</i> , 2014 , 05, 518-534	0.7	62
50	Occurrence of Residual Pharmaceuticals and Fate, Residue and Toxic Effect in Drinking Water Resources. <i>Daehan Hwanlgyeong Gonghag Hoeji</i> , 2011 , 33, 453-479	0.6	11
49	A Review on Remedial Techniques for Pharmaceutical Contaminants in Wastewater. <i>Emerging Contaminants and Associated Treatment Technologies</i> , 2022 , 373-397	0.5	0
48	Solar light-driven photocatalytic degradation and mineralization of beta blockers propranolol and atenolol by carbon dot/TiO composite. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	1
47	2D/2D Heterojunction systems for the removal of organic pollutants: A review. <i>Advances in Colloid and Interface Science</i> , 2021 , 297, 102540	14.3	10
46	The fate and transformation of iodine species in UV irradiation and UV-based advanced oxidation processes. <i>Water Research</i> , 2021 , 206, 117755	12.5	3

- 45 Advances in the Analysis of Pharmaceuticals in the Aquatic Environment. **2007**, 53-80
- 44 Simultaneous analysis of β -lactam antibiotics in surface water. *Analytical Science and Technology*, **2010**, 23, 119-127 1
- 43 Implementation of NF as a robust barrier for organic contaminants during water reuse applications. **2010**, 151-168
- 42 The analysis of pharmaceuticals in drinking water by HPLC/ESI-MS/MS. *Analytical Science and Technology*, **2010**, 23, 457-464 1
- 41 Endocrine Disrupting Compounds in Surface Water and Their Degradation by Advanced Oxidation Process with Ozone. *Hexagon Series on Human and Environmental Security and Peace*, **2012**, 279-297
- 40 Determination of Water-Soluble Vitamins and Drug Residues. *Series in Sensors*, **2013**, 443-472
- 39 Molecularly Imprinted Polymer-Based Biosensors. *Series in Sensors*, **2013**, 373-394
- 38 Organic Compounds. **2014**, 79-104
- 37 Hospital Antibiotic Wasting and Evaluation of Potential Ecologic Effects. *Annals of Environmental Science and Toxicology*, **2016**, 1, 012-022 0.3
- 36 Les r sids m dicamenteux dans les eaux de Seine et les rejets de stations d puration : cas de l'agglom ration parisienne. *Techniques - Sciences - Methodes*, **2018**, 45-58 0 2
- 35 Sources of Groundwater Pollution. *Advances in Environmental Engineering and Green Technologies Book Series*, **2019**, 177-210 0.4
- 34 Algae- and bacteria-driven technologies for pharmaceutical remediation in wastewater. **2020**, 373-408 4
- 33 Reigning Technologies and Their Challenges for Antibiotics Removal. *Springer Transactions in Civil and Environmental Engineering*, **2021**, 295-324 0.4 1
- 32 A Review of Emerging Contaminants in Water. **2020**, 177-202
- 31 Analytical Methodologies for the Determination of Cytostatic Compounds in Environmental Matrices. **2020**, 169-195 1
- 30 Removal of Pharmaceuticals and Personal Care Products in Aquatic Environment by Membrane Technology. *Environmental Chemistry for A Sustainable World*, **2020**, 177-242 0.8
- 29 References. **2006**, 409-447
- 28 Verhalten von Arzneimittelr ckst nden bei der Trinkwasseraufbereitung. **2006**, 207-223

27	Herkunft, Vorkommen, Verhalten und Verbleib von Arzneimitteln in der aquatischen Umwelt. 285-290		
26	Monitoring and Management of Anions in Polluted Aqua Systems: Case Studies on Nitrate, Chromate, Pertechnetate and Diclofenac. <i>Environmental Contamination Remediation and Management</i> , 2021 , 293-347		
25	Emerging contaminants in subsurface: sources, remediation, and challenges. 2022 , 233-257		
24	Paracetamol degradation by photo-assisted activation of peroxymonosulfate over Zn _x Ni _{1-x} Fe ₂ O ₄ @BiOBr heterojunctions. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 106797	6.8	1
23	Antimicrobials in Livestock Production and Its Cross-Domain Dynamics. 2022 , 3-21		
22	Occurrences and impacts of pharmaceuticals and personal care products in soils and groundwater. 2022 , 5-47		
21	Metabolic, cellular and defense responses to single and co-exposure to carbamazepine and methylmercury in <i>Dreissena polymorpha</i> .. <i>Environmental Pollution</i> , 2022 , 300, 118933	9.3	
20	Occurrence and distribution of Pharmaceuticals and Personal Care Products (PPCPs) in wastewater related riverbank groundwater.. <i>Science of the Total Environment</i> , 2022 , 153372	10.2	2
19	Efficiency of the bank filtration technique for diclofenac removal: A review.. <i>Environmental Pollution</i> , 2022 , 300, 118916	9.3	0
18	A new submerged photocatalytic membrane reactor based on membrane distillation for ketoprofen removal from various aqueous matrices. <i>Chemical Engineering Journal</i> , 2022 , 435, 134872	14.7	0
17	Determination of ten iodinated X-ray contrast media by solid-phase extraction and ultra-high performance liquid chromatography coupled with high-resolution orbitrap mass spectrometry. <i>Microchemical Journal</i> , 2022 , 177, 107270	4.8	0
16	Effect of polystyrene microplastics on the degradation of sulfamethazine: The role of persistent free radicals.. <i>Science of the Total Environment</i> , 2022 , 155024	10.2	0
15	Occurrence, fate, and risk of the organic pollutants of the surface water watch List in European groundwaters: a review. <i>Environmental Chemistry Letters</i> , 1	13.3	1
14	Solar-light driven photodegradation of antimicrobials, their transformation by-products and antibiotic resistance determinants in treated wastewater.. <i>Science of the Total Environment</i> , 2022 , 155447	10.2	1
13	Occurrence of Veterinary Antibiotics in the Groundwater of Arable Land. <i>Hanlguk Tloyang Piryo Hakhoe Chi Hanlguk Tloyang Piryo Hakhoe</i> , 2019 , 52, 153-159	0.2	
12	Preparation and Characterization of Supported Molybdenum Doped TiO ₂ on Al ₂ O ₃ Ceramic Substrate for the Photocatalytic Degradation of Ibuprofen (IBU) under UV Irradiation. <i>Catalysts</i> , 2022 , 12, 562	4	0
11	A review on emerging water contaminants and the application of sustainable removal technologies. <i>Case Studies in Chemical and Environmental Engineering</i> , 2022 , 6, 100219	7.5	5
10	Degradation of diclofenac aqueous solutions in a 3D electrolytic reactor using carbon-based materials as pseudo third electrodes in fluidized bed, anodic and cathodic configurations. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 108075	6.8	

9	Integration of the adsorption and electro-oxidation process using 3D printed activated carbon monoliths for the degradation of pharmaceutical compounds. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 108203	6.8	○
8	A Gd ³⁺ -doped blue TiO ₂ nanotube array anode for efficient electrocatalytic degradation of iohexol. 2022 , 301, 122007		○
7	The Current Status and Prevention of Antibiotic Pollution in Groundwater in China. 2022 , 19, 11256		2
6	Sonochemical processes for antibiotics removal from water and wastewater: A systematic review. 2022 ,		○
5	Physiological responses and antibiotic-degradation capacity of duckweed (<i>Lemna aequinoctialis</i>) exposed to streptomycin. 13,		○
4	Nanocomposites for the removal of pharmaceuticals in drinking water sources. 2023 , 469-494		○
3	Introduction: Occurrences, sources, and methods of pharmaceutical wastewater treatment. 2023 , 1-17		○
2	A comprehensive review on quinolone contamination in environments: current research progress. 2023 , 30, 48778-48792		○
1	The Effect of Quinolones on Common Duckweed <i>Lemna minor</i> L., a Hydrophyte Bioindicator of Environmental Pollution. 2023 , 20, 5089		○