

Non-response and related factors in a nation-wide health

European Journal of Epidemiology

17, 991-999

DOI: 10.1023/a:1020016922473

Citation Report

#	ARTICLE	IF	CITATIONS
1	Importance of and Satisfaction with Sex Life in a Large Finnish Population. <i>Sex Roles</i> , 2003, 48, 543-553.	2.4	23
2	Estimating Non-Response Bias in Family Studies: Application to Mental Health and Lifestyle. <i>European Journal of Epidemiology</i> , 2003, 19, 623-630.	5.7	65
3	Experience of climacteric symptoms among 42-46 and 52-56-year-old women. <i>Maturitas</i> , 2003, 46, 199-205.	2.4	42
4	Health inequalities in the workforce: the labour market core-periphery structure. <i>International Journal of Epidemiology</i> , 2003, 32, 1015-1021.	1.9	119
5	Social Support, Early Retirement, and a Retirement Preference: A Study of 10,489 Finnish Adults. <i>Journal of Occupational and Environmental Medicine</i> , 2003, 45, 433-439.	1.7	24
6	Do Cosmetic Breast Implants Cause Suicide?. <i>Plastic and Reconstructive Surgery</i> , 2003, 112, 1721-1723.	1.4	4
7	Patterns of Consent in Epidemiologic Research: Evidence from Over 25,000 Responders. <i>American Journal of Epidemiology</i> , 2004, 159, 1087-1094.	3.4	160
8	Prevalence, awareness and treatment of hypercholesterolaemia in 32 populations: results from the WHO MONICA Project. <i>International Journal of Epidemiology</i> , 2004, 34, 181-192.	1.9	79
9	Secondary prevention of coronary heart disease is disappointing among patients of working age. <i>Family Practice</i> , 2004, 21, 304-306.	1.9	5
10	Childhood adversities, parent-child relationships and dispositional optimism in adulthood. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 286-292.	3.1	49
11	The Oslo Health Study: The impact of self-selection in a large, population-based survey. <i>International Journal for Equity in Health</i> , 2004, 3, 3.	3.5	370
12	Occurrence of symptoms and depressive mood among working-aged coronary heart disease patients. <i>Health and Quality of Life Outcomes</i> , 2004, 2, 60.	2.4	10
13	Associations of social support and sex life - the HeSSup Study. <i>Patient Education and Counseling</i> , 2005, 58, 71-81.	2.2	5
14	Early life factors, childhood cognition and postal questionnaire response rate in middle age: the Aberdeen Children of the 1950s study. <i>BMC Medical Research Methodology</i> , 2005, 5, 16.	3.1	37
15	Childhood adversities, adult risk factors and depressiveness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 700-706.	3.1	62
16	Determinants of Response in a Longitudinal Health Study Following the Firework-disaster in Enschede, The Netherlands. <i>European Journal of Epidemiology</i> , 2005, 20, 839-847.	5.7	24
17	Effect on Trend Estimates of the Difference between Survey Respondents and Non-respondents: Results from 27 Populations in the WHO MONICA Project. <i>European Journal of Epidemiology</i> , 2005, 20, 887-898.	5.7	108
18	Baseline recruitment and analyses of nonresponse of the Heinz Nixdorf recall study: Identifiability of phone numbers as the major determinant of response. <i>European Journal of Epidemiology</i> , 2005, 20, 489-496.	5.7	175

#	ARTICLE	IF	CITATIONS
19	Recruitment of a cohort of lamotrigine users through community pharmacists: differences between patients who gave informed consent and those who did not. <i>Pharmacoepidemiology and Drug Safety</i> , 2005, 14, 107-112.	1.9	10
20	Long-term Health Sequelae Following E.coli and Campylobacter Contamination of Municipal Water. <i>Canadian Journal of Public Health</i> , 2005, 96, 125-130.	2.3	30
21	GPs should discuss sex life issues with coronary heart patients. <i>Sexual and Relationship Therapy</i> , 2005, 20, 443-452.	1.2	6
22	Psychiatric trainees in Finland 2001. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 148-151.	1.3	0
23	Childhood adversities experienced by working-aged coronary heart disease patients. <i>Journal of Psychosomatic Research</i> , 2005, 59, 331-335.	2.6	28
24	Sexual activity and perceived health among Finnish middle-aged women. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 29.	2.4	16
25	Lower prevalence of heart disease but higher mortality risk during follow-up was found among nonrespondents to a cohort study. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 412-420.	5.0	15
26	Non-response in a survey of cardiovascular risk factors in the Dutch population: Determinants and resulting biases. <i>Public Health</i> , 2006, 120, 297-308.	2.9	91
27	To Have or Not To Have a Pet for Better Health?. <i>PLoS ONE</i> , 2006, 1, e109.	2.5	43
28	Patterns of consent: evidence from a general household survey. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2006, 169, 701-722.	1.1	64
29	Effect of non-response bias in pressure ulcer prevalence studies. <i>Journal of Advanced Nursing</i> , 2006, 55, 230-236.	3.3	8
30	How practice meets guidelines: Evaluation of nutrition counselling in Finnish well-women and well-baby clinics. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006, 95, 1353-1359.	1.5	7
31	Anxiolytic/hypnotic drug use associated with trust, social participation, and the miniaturization of community: A multilevel analysis. <i>Social Science and Medicine</i> , 2006, 62, 1205-1214.	3.8	22
32	Employment status and differences in the one-year coverage of physician visits: different needs or unequal access to services?. <i>BMC Health Services Research</i> , 2006, 6, 123.	2.2	36
33	Estimation of Pap-test coverage in an area with an organised screening program: challenges for survey methods. <i>BMC Health Services Research</i> , 2006, 6, 36.	2.2	17
34	The Working Conditions and Health of Non-Permanent Employees: Are There Differences between Private and Public Labour Markets?. <i>Economic and Industrial Democracy</i> , 2006, 27, 39-65.	1.6	16
35	Potential self-selection bias in a nested case-control study on indoor environmental factors and their association with asthma and allergic symptoms among pre-school children. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 534-543.	2.3	37
36	Sense of coherence and its determinants: A comparative study of the Finnish-speaking majority and the Swedish-speaking minority in Finland. <i>Scandinavian Journal of Public Health</i> , 2006, 34, 515-525.	2.3	43

#	ARTICLE	IF	CITATIONS
37	Does survey non-response bias the association between occupational social class and health?. Scandinavian Journal of Public Health, 2007, 35, 212-215.	2.3	127
38	The effect of non-response on estimates of health care utilisation: linking health surveys and registers. European Journal of Public Health, 2007, 18, 189-194.	0.3	42
39	Personality, Health and Lifestyle in a Questionnaire Family Study: A Comparison Between Highly Cooperative and Less Cooperative Families. Twin Research and Human Genetics, 2007, 10, 348-353.	0.6	37
40	Childhood adversities as a predictor of disability retirement. Journal of Epidemiology and Community Health, 2007, 61, 479-484.	3.7	93
41	Liability to Anxiety and Severe Life Events as Predictors of New-Onset Sleep Disturbances. Sleep, 2007, 30, 1537-1546.	1.1	80
42	Childhood adversities experienced by working-age migraine patients. Journal of Psychosomatic Research, 2007, 62, 139-143.	2.6	30
43	Mixed-mode administration reduced bias and enhanced poststratification adjustments in a health behavior survey. Journal of Clinical Epidemiology, 2007, 60, 1246-1255.	5.0	19
44	Structural validity and temporal stability of the 13-item sense of coherence scale: Prospective evidence from the population-based HeSSup study. Quality of Life Research, 2007, 16, 483-493.	3.1	142
45	Piloting mental health indicators for Europe. Journal of Mental Health, 2007, 16, 401-413.	1.9	14
46	Survey error in measuring socio-economic risk factors of health status: a comparison of a survey and a census. International Journal of Epidemiology, 2007, 36, 1292-1299.	1.9	96
47	Estimation of transitional probabilities of discrete event systems from cross-sectional survey and its application in tobacco control. , 2007, , .		0
48	Use of Preexisting Radiographs for Assessing Periodontal Disease in Epidemiologic Studies. Journal of Public Health Dentistry, 2004, 64, 223-230.	1.2	14
49	Negative life events and stability of sense of coherence: A five-year follow-up study of Finnish women and men. Scandinavian Journal of Psychology, 2007, 48, 433-441.	1.5	106
50	Features associated with the non-participation and drop out by socially-at-risk children and adolescents in mental-health epidemiological studies. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 251-258.	3.1	25
51	Involuntary commitment in psychiatric care: what drives the decision?. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 360-365.	3.1	46
52	Non-participation may bias the results of a psychiatric survey. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 403-409.	3.1	58
53	Prior health care utilization as a potential determinant of enrollment in a 21-year prospective study, the Millennium Cohort Study. European Journal of Epidemiology, 2008, 23, 79-87.	5.7	65
54	Hyperventilation Symptoms are Linked to a Lower Perceived Health in Asthma Patients. Annals of Behavioral Medicine, 2008, 35, 97-104.	2.9	29

#	ARTICLE	IF	CITATIONS
55	Gender differences in sex life issues – A population-based study of migraine sufferers. BMC Family Practice, 2008, 9, 19.	2.9	6
56	Does use of alternative medicine delay treatment of head and neck cancer? A surveillance, epidemiology, and end results (SEER) cancer registry study. Head and Neck, 2008, 30, 446-454.	2.0	9
57	Treatment of climacteric symptoms in Finland prior to the controversial reports on hormone therapy. Acta Obstetrica Et Gynecologica Scandinavica, 2008, 87, 682-686.	2.8	8
58	Trends in self-reported sleep duration and insomnia-related symptoms in Finland from 1972 to 2005: a comparative review and re-analysis of Finnish population samples. Journal of Sleep Research, 2008, 17, 54-62.	3.2	216
59	Determinants of participation in a longitudinal two-stage study of the health consequences of the Chernobyl nuclear power plant accident. BMC Medical Research Methodology, 2008, 8, 27.	3.1	17
60	Change in reciprocity as a predictor of depressive symptoms: A prospective cohort study of Finnish women and men. Social Science and Medicine, 2008, 67, 1907-1916.	3.8	16
61	Burnout, psychological distress, and overwork: the case of Quebec's ophthalmologists. Canadian Journal of Ophthalmology, 2008, 43, 535-546.	0.7	45
62	Register-based study among employees showed small nonparticipation bias in health surveys and check-ups. Journal of Clinical Epidemiology, 2008, 61, 900-906.	5.0	142
63	Men: good health and high mortality. Sex differences in health and aging. Aging Clinical and Experimental Research, 2008, 20, 91-102.	2.9	453
64	A Comparison of Early and Late Respondents in a Twin-Family Survey Study. Twin Research and Human Genetics, 2008, 11, 165-173.	0.6	16
65	The Effect of Multiple Mailings on Recruitment: The Multiethnic Cohort. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 447-454.	2.5	21
66	Employment trajectory as determinant of change in health-related lifestyle: the prospective HeSSup study. European Journal of Public Health, 2008, 18, 504-508.	0.3	82
67	Drug and alcohol problems among Norwegian inmates. NAD Nordic Studies on Alcohol and Drugs, 2008, 25, 169-185.	1.3	2
68	Long-term sickness absence: changes in risk factors and the population at risk. International Journal of Occupational Medicine and Environmental Health, 2009, 22, 157-68.	1.3	33
69	The differences in drinking patterns between Finnish-speaking majority and Swedish-speaking minority in Finland. European Journal of Public Health, 2009, 19, 278-284.	0.3	18
70	Validity of Random-Digit-Dialing in Recruiting Controls in a Case-Control Study. American Journal of Health Behavior, 2009, 33, 513-20.	1.4	30
71	Reasons for non-response in observational pharmacogenetic research. Pharmacoepidemiology and Drug Safety, 2009, 18, 665-671.	1.9	9
72	Binge drinking and depressive symptoms: a 5-year population-based cohort study. Addiction, 2009, 104, 1168-1178.	3.3	109

#	ARTICLE	IF	CITATIONS
73	The Maleâ€“Female Healthâ€“Survival Paradox: A Survey and Register Study of the Impact of Sex-Specific Selection and Information Bias. <i>Annals of Epidemiology</i> , 2009, 19, 504-511.	1.9	69
74	Unemployment, depressiveness and disability retirement: a follow-up study of the Finnish HeSSup population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 259-264.	3.1	41
75	Whole-of-community approaches to reducing alcohol-related harm: What do communities think?. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2010, 18, 543-551.	1.6	13
76	Selection by socioeconomic factors into the Danish National Birth Cohort. <i>European Journal of Epidemiology</i> , 2010, 25, 349-355.	5.7	138
77	Consultant radiographers: Profile of the first generation. <i>Radiography</i> , 2010, 16, 279-285.	2.1	17
78	Comparison of participants and non-participants to the ORISCAV-LUX population-based study on cardiovascular risk factors in Luxembourg. <i>BMC Medical Research Methodology</i> , 2010, 10, 80.	3.1	55
79	Sense of coherence and intentions to retire early among Finnish women and men. <i>BMC Public Health</i> , 2010, 10, 22.	2.9	22
80	Cancer mortality in a surveillance cohort of German males formerly exposed to asbestos. <i>International Journal of Hygiene and Environmental Health</i> , 2010, 213, 44-51.	4.3	35
81	Childhood adversities, adulthood life events and depression. <i>Journal of Affective Disorders</i> , 2010, 127, 130-138.	4.1	71
82	Estimation of transitional probabilities of discrete event systems from cross-sectional survey and its application in tobacco control. <i>Information Sciences</i> , 2010, 180, 432-440.	6.9	15
83	Health-selection mechanisms in the pathway towards a disability pension. <i>Work</i> , 2010, 37, 41-51.	1.1	13
84	Non-participant characteristics and the association between socioeconomic factors and brain tumour risk. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 736-743.	3.7	27
85	The effect of health, socio-economic position, and mode of data collection on non-response in health interview surveys. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 699-706.	2.3	79
86	Commentary: Broken hearts and minds--depression and incident heart disease and stroke. <i>International Journal of Epidemiology</i> , 2010, 39, 1025-1026.	1.9	2
87	Childhood adversities as predictors of incident coronary heart disease and cerebrovascular disease. <i>Heart</i> , 2010, 96, 298-303.	2.9	108
88	Differences in self-reported residential location by race, income and education: implications for epidemiologic surveys. <i>Geocarto International</i> , 2010, 25, 429-441.	3.5	0
89	The Health Status of Nonparticipants in a Population-based Health Study: The Hordaland Health Study. <i>American Journal of Epidemiology</i> , 2010, 172, 1306-1314.	3.4	271
90	Employment trajectories and changes in sense of coherence. <i>European Journal of Public Health</i> , 2010, 20, 293-298.	0.3	26

#	ARTICLE	IF	CITATIONS
91	Psychological and Somatic Symptoms of Anxiety and Risk of Coronary Heart Disease: The Health and Social Support Prospective Cohort Study. <i>Biological Psychiatry</i> , 2010, 67, 378-385.	1.3	87
92	Usage pattern of personal care products in California households. <i>Food and Chemical Toxicology</i> , 2010, 48, 3109-3119.	3.6	101
93	Body composition, smoking, and spontaneous dizygotic twinning. <i>Fertility and Sterility</i> , 2010, 93, 885-893.	1.0	36
94	Childhood adversities and quality of sleep in adulthood: A population-based study of 26,000 Finns. <i>Sleep Medicine</i> , 2010, 11, 17-22.	1.6	107
95	Cancer in working-age is not associated with childhood adversities. <i>Acta Oncologica</i> , 2010, 49, 436-440.	1.8	15
96	Does depression predict coronary heart disease and cerebrovascular disease equally well? The Health and Social Support Prospective Cohort Study. <i>International Journal of Epidemiology</i> , 2010, 39, 1016-1024.	1.9	56
97	Non-participation in EIRA: a population-based case-control study of rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2010, 39, 344-346.	1.1	32
98	Attributions of blame in a hypothetical internet solicitation case: Roles of victim naivety, parental neglect and respondent gender. <i>Journal of Sexual Aggression</i> , 2011, 17, 196-214.	1.0	10
99	To what extent are the Christian clergy acting as frontline mental health workers? A study from the North of England. <i>Mental Health, Religion and Culture</i> , 2011, 14, 769-783.	0.9	15
100	Prescription patterns in preventive and abortive migraine medication. <i>Cephalalgia</i> , 2011, 31, 1659-1663.	3.9	11
101	Victims of bullying in childhood and suicide attempts in adulthood. <i>European Psychiatry</i> , 2011, 26, 498-503.	0.2	104
102	Ascertaining the size of the symptom iceberg in a UK-wide community-based survey. <i>British Journal of General Practice</i> , 2011, 61, e1-e11.	1.4	94
103	Age and birth cohort differences in the prevalence of common mental disorder in England: National Psychiatric Morbidity Surveys 1993-2007. <i>British Journal of Psychiatry</i> , 2011, 198, 479-484.	2.8	49
104	Stresses of Passage, Balms of Resettlement, and Posttraumatic Stress Disorder among Sri Lankan Tamils in Canada. <i>Canadian Journal of Psychiatry</i> , 2011, 56, 333-340.	1.9	34
105	Change in the frequency of HRT use from 2000 to 2005 and reasons to discontinue: follow-up of a normal cohort in Finland. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 351-357.	2.8	14
106	Residential insecticide usage in northern California homes with young children. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2011, 21, 427-436.	3.9	17
107	Non-response bias in a web-based health behaviour survey of New Zealand tertiary students. <i>Preventive Medicine</i> , 2011, 53, 274-277.	3.4	59
108	Disability pension by occupational class - the impact of work-related factors: The Hordaland Health Study Cohort. <i>BMC Public Health</i> , 2011, 11, 406.	2.9	65

#	ARTICLE	IF	CITATIONS
109	Development of sense of coherence in adulthood: a person-centered approach. The population-based HeSSup cohort study. <i>Quality of Life Research</i> , 2011, 20, 69-79.	3.1	64
110	Do gastrointestinal complaints increase the risk for subsequent medically certified long-term sickness absence? The HUSK study. <i>BMC Gastroenterology</i> , 2011, 11, 88.	2.0	4
111	Health problems account for a small part of the association between socioeconomic status and disability pension award. Results from the Hordaland Health Study. <i>BMC Public Health</i> , 2011, 11, 12.	2.9	38
112	COPD uncovered: an international survey on the impact of chronic obstructive pulmonary disease [COPD] on a working age population. <i>BMC Public Health</i> , 2011, 11, 612.	2.9	123
113	Challenges associated with identifying the environmental determinants of the inflammatory bowel diseases. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 1792-1799.	1.9	84
114	SKARP - A population-based cohort study of childhood food-associated symptoms perceived by parents and food allergies diagnosed by physicians: Design, methods and participation. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 194-202.	2.3	9
115	Does problem behaviour affect attrition from a cohort study on adolescent mental health?. <i>European Journal of Public Health</i> , 2011, 21, 306-310.	0.3	35
116	Stressful life events and the onset of asthma. <i>European Respiratory Journal</i> , 2011, 37, 1360-1365.	6.7	62
117	Subjective Measures of Binge Drinking, Suboptimal Subjective Health and Alcohol-Specific Hospitalizations Among Working-Aged Adults: A Prospective Cohort Study. <i>Alcohol and Alcoholism</i> , 2011, 46, 607-613.	1.6	5
118	Domestic Abuse and Military Families: The Problem of Reintegration and Control. <i>British Journal of Social Work</i> , 2012, 42, 1371-1387.	1.4	18
119	Linking Survey and Administrative Records. <i>Sociological Methods and Research</i> , 2012, 41, 535-569.	6.8	85
120	Sampling bias in an internet treatment trial for depression. <i>Translational Psychiatry</i> , 2012, 2, e174-e174.	4.8	34
121	Age and birth cohort differences in depression in repeated cross-sectional surveys in England: the National Psychiatric Morbidity Surveys, 1993 to 2007. <i>Psychological Medicine</i> , 2012, 42, 2047-2055.	4.5	40
122	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1078-1089.	3.4	198
123	Non-response in a nationwide follow-up postal survey in Finland: a register-based mortality analysis of respondents and non-respondents of the Health and Social Support (HeSSup) Study. <i>BMJ Open</i> , 2012, 2, e000657.	1.9	46
124	The Impact of a Free Older Persons'™ Bus Pass on Active Travel and Regular Walking in England. <i>American Journal of Public Health</i> , 2012, 102, 2141-2148.	2.7	53
125	Best friend's and family members'™ smoking habits and parental divorce during childhood are associated with smoking in adulthood. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2012, 29, 441-452.	1.3	2
126	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. <i>Lancet</i> , The, 2012, 380, 1491-1497.	13.7	786

#	ARTICLE	IF	CITATIONS
127	Childhood adversities and adult-onset asthma: a cohort study. <i>BMJ Open</i> , 2012, 2, e001625.	1.9	9
128	Self-reported rather than registered cancer is associated with psychosocial strain. <i>BMC Family Practice</i> , 2012, 13, 107.	2.9	3
129	Women's higher likelihood of disability pension: the role of health, family and work. A 5-7 years follow-up of the Hordaland Health Study. <i>BMC Public Health</i> , 2012, 12, 720.	2.9	20
130	Respondents in an epidemiologic survey had fewer psychotropic prescriptions than nonrespondents: an insight into health-related selection bias using routine health insurance data. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 1181-1189.	5.0	27
131	The HUNT study: participation is associated with survival and depends on socioeconomic status, diseases and symptoms. <i>BMC Medical Research Methodology</i> , 2012, 12, 143.	3.1	295
132	Nonparticipation in a Danish cohort study of long-term sickness absence. <i>Journal of Multidisciplinary Healthcare</i> , 2012, 5, 223.	2.7	2
133	Alcohol use and mental distress as predictors of non-response in a general population health survey: the HUNT study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 805-816.	3.1	125
134	Subjective measures of binge drinking and alcohol-specific adverse health outcomes: a prospective cohort study. <i>Addiction</i> , 2012, 107, 323-330.	3.3	14
135	Response rate of bricklayers and supervisors on an internet or a paper-and-pencil questionnaire. <i>International Journal of Industrial Ergonomics</i> , 2012, 42, 178-182.	2.6	10
136	Frequency and longitudinal trends of household care product use. <i>Atmospheric Environment</i> , 2012, 55, 417-424.	4.1	30
137	Comparison of alternative versions of the job demand-control scales in 17 European cohort studies: the IPD-Work consortium. <i>BMC Public Health</i> , 2012, 12, 62.	2.9	137
138	Do Non-Response Follow-Ups Improve or Reduce Data Quality?: A Review of the Existing Literature. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2013, 176, 129-145.	1.1	32
139	Non response, incomplete and inconsistent responses to self-administered health-related quality of life measures in the general population: patterns, determinants and impact on the validity of estimates. A population-based study in France using the MOS SF-36. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 44.	2.4	51
140	Non-response bias and hazardous alcohol use in relation to previous alcohol-related hospitalization: comparing survey responses with population data. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2013, 8, 10.	2.2	19
141	The impact of deployment experience and prior healthcare utilization on enrollment in a large military cohort study. <i>BMC Medical Research Methodology</i> , 2013, 13, 90.	3.1	5
142	Second-stage non-response in the Swiss health survey: determinants and bias in outcomes. <i>BMC Public Health</i> , 2013, 13, 167.	2.9	52
143	Factors influencing the electronic capture of patient-reported contact lens performance data. <i>Contact Lens and Anterior Eye</i> , 2013, 36, 130-135.	1.7	3
144	Parental food-related behaviors and family meal frequencies: associations in Norwegian dyads of parents and preadolescent children. <i>BMC Public Health</i> , 2013, 13, 820.	2.9	17

#	ARTICLE	IF	CITATIONS
145	Public Opinion and Policy-making. <i>Social Policy and Administration</i> , 2013, 47, 434-450.	3.0	9
146	Personality Traits and Body Weight Measures: Concurrent and Across-Time Associations. <i>European Journal of Personality</i> , 2013, 27, 398-408.	3.1	46
147	A low response rate does not necessarily indicate non-response bias in gastroenterology survey research: a population-based study. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2013, 21, 87-95.	1.6	76
148	The associations of the Five Factor Model of personality with inflammatory biomarkers: A four-year prospective study. <i>Personality and Individual Differences</i> , 2013, 54, 750-755.	2.9	25
149	Neuropathic pain in the community: More under-treated than refractory?. <i>Pain</i> , 2013, 154, 690-699.	4.2	141
150	Examining non-response bias in substance use research—Are late respondents proxies for non-respondents?. <i>Drug and Alcohol Dependence</i> , 2013, 132, 316-323.	3.2	144
151	Official statistics and claims data records indicate non-response and recall bias within survey-based estimates of health care utilization in the older population. <i>BMC Health Services Research</i> , 2013, 13, 1.	2.2	472
152	Heritability of Health-Related Quality of Life: SF-12 Summary Scores in a Population-Based Nationwide Twin Cohort. <i>Twin Research and Human Genetics</i> , 2013, 16, 670-678.	0.6	28
153	Diverging viewpoints on tiger conservation: A Q-method study and survey of conservation professionals in India. <i>Biological Conservation</i> , 2013, 161, 182-192.	4.1	40
154	Women in an infertility survey responded more by mail but preferred a choice: randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 226-235.	5.0	8
155	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. <i>BMJ</i> , The, 2013, 347, f4746-f4746.	6.0	181
156	The organization of the health care provider's practice influenced patient participation in research: a multilevel analysis. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 426-435.	5.0	4
157	A selective follow-up study on a public health survey. <i>European Journal of Public Health</i> , 2013, 23, 152-157.	0.3	36
158	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116 000 European men and women. <i>BMJ</i> , The, 2013, 346, f165-f165.	6.0	112
159	The sixth survey of the TromsÅ Study (TromsÅ, 6) in 2007–08: Collaborative research in the interface between clinical medicine and epidemiology: Study objectives, design, data collection procedures, and attendance in a multipurpose population-based health survey. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 65-80.	2.3	122
160	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013, 185, 763-769.	2.0	95
161	Smokers'™ increased risk for disability pension: social confounding or health-mediated effects? Gender-specific analyses of the Hordaland Health Study cohort. <i>Journal of Epidemiology and Community Health</i> , 2013, 67, 758-764.	3.7	11
162	Effect of smoking on use of antibacterials: a 9-year follow-up study of 24 000 working-aged Finns. <i>Tobacco Control</i> , 2013, 22, 280-286.	3.2	0

#	ARTICLE	IF	CITATIONS
163	Expectations and satisfaction with care for periodontal specialist patients. <i>Acta Odontologica Scandinavica</i> , 2013, 71, 799-806.	1.6	4
164	Job Strain and Health-Related Lifestyle: Findings From an Individual-Participant Meta-Analysis of 118â€‰000 Working Adults. <i>American Journal of Public Health</i> , 2013, 103, 2090-2097.	2.7	114
165	Patterns of Missing Data in Ethnic Minority Health Research: A Survey Project With Russian-Speaking Immigrant Women With Hypertension. <i>Research and Theory for Nursing Practice</i> , 2013, 27, 276-295.	0.4	5
166	Socioeconomic Disadvantage and Indicators of Risky Alcohol-drinking Patterns. <i>Alcohol and Alcoholism</i> , 2013, 48, 207-214.	1.6	31
167	Assessment of potential bias from nonâ€‰participation in a dynamic clinical cohort of longâ€‰term childhood cancer survivors: Results from the St. Jude lifetime cohort study. <i>Pediatric Blood and Cancer</i> , 2013, 60, 856-864.	1.5	70
168	Does Attrition during Follow-Up of a Population Cohort Study Inevitably Lead to Biased Estimates of Health Status?. <i>PLoS ONE</i> , 2013, 8, e83948.	2.5	29
170	Attributions of Cancer â€”Alarmâ€” Symptoms in a Community Sample. <i>PLoS ONE</i> , 2014, 9, e114028.	2.5	47
171	Migraine predicts hypertension—a cohort study of the Finnish working-age population. <i>European Journal of Public Health</i> , 2014, 24, 244-248.	0.3	22
172	Random sample community-based health surveys: does the effort to reach participants matter?. <i>BMJ Open</i> , 2014, 4, e005791.	1.9	4
173	Use of select dietary supplements among individuals with diabetes or atherosclerotic cardiovascular disease. <i>Focus on Alternative and Complementary Therapies</i> , 2014, 19, 55-63.	0.1	1
174	Increasing health examination survey participation rates by SMS reminders and flexible examination times. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 712-717.	2.3	15
175	Time pressure among parents in the Nordic countries: A population-based cross-sectional study. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 137-145.	2.3	13
176	Initial non-participation and loss to follow-up in a Danish youth cohort: implications for relative risk estimates. <i>Journal of Epidemiology and Community Health</i> , 2014, 68, 137-144.	3.7	53
177	Trends in suicidal ideation in England: the National Psychiatric Morbidity Surveys of 2000 and 2007. <i>Psychological Medicine</i> , 2014, 44, 175-183.	4.5	12
178	Subjective cognitive complaints across the adult life span: a 14-year analysis of trends and associations using the 1993, 2000 and 2007 English Psychiatric Morbidity Surveys. <i>Psychological Medicine</i> , 2014, 44, 1977-1987.	4.5	42
179	Childhood Adversities are Associated with Diabetes Management in Working Age in Finland. <i>International Journal of Family Medicine</i> , 2014, 2014, 1-7.	1.2	3
180	Food insecurity: is it an issue among tertiary students?. <i>Higher Education</i> , 2014, 67, 497-510.	4.4	70
181	Association between variables used in the field substitution and post-stratification adjustment in the Belgian health interview survey and non-response. <i>International Journal of Public Health</i> , 2014, 59, 197-206.	2.3	20

#	ARTICLE	IF	CITATIONS
182	The point prevalence of depression and associated sociodemographic correlates in the general population of Latvia. <i>Journal of Affective Disorders</i> , 2014, 156, 104-110.	4.1	26
183	Estimating the burden of disease in chronic pain with and without neuropathic characteristics: Does the choice between the EQ-5D and SF-6D matter?. <i>Pain</i> , 2014, 155, 1996-2004.	4.2	67
184	Effect of survey mode on response patterns: comparison of face-to-face and self-administered modes in health surveys. <i>European Journal of Public Health</i> , 2014, 24, 327-332.	0.3	87
185	Educational differences in cigarette smoking among adult population in Estonia, 1990â€“2010: does the trend fit the model of tobacco epidemic?. <i>BMC Public Health</i> , 2014, 14, 709.	2.9	17
186	Nonresponse Bias in Survey Estimates of Alcohol Consumption and Its Association With Harm. <i>Journal of Studies on Alcohol and Drugs</i> , 2014, 75, 695-703.	1.0	30
187	Bread consumption patterns in a Swedish national dietary survey focusing particularly on whole-grain and rye bread. <i>Food and Nutrition Research</i> , 2014, 58, 24024.	2.6	25
188	Feeling Unsafe in a Multicultural Neighbourhood: Indigenous Inhabitantsâ€™ Perspectives. <i>British Journal of Criminology</i> , 2015, 55, 790-810.	2.1	5
189	Sample selection, recruitment and participation rates in health examination surveys in Europe â€“ experience from seven national surveys. <i>BMC Medical Research Methodology</i> , 2015, 15, 78.	3.1	140
190	Design and respondent selection of a population-based study on associations between breast cancer screening, lifestyle and quality of life. <i>BMC Public Health</i> , 2015, 15, 1256.	2.9	2
191	Ethnicity and neighbourhood deprivation determines the response rate in sexual dysfunction surveys. <i>BMC Research Notes</i> , 2015, 8, 410.	1.4	6
192	Cancer patientsâ€™ participation in population-based health surveys: findings from the HUNT studies. <i>BMC Research Notes</i> , 2015, 8, 649.	1.4	7
193	Predictors of the integration of Sri Lankan Tamil refugees in Canada: pre-migration adversity, mental health, personal attributes, and post-migration experience. <i>International Journal of Migration, Health and Social Care</i> , 2015, 11, 29-44.	0.5	26
194	Identification of alcohol abuse and transition from long-term unemployment to disability pension. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 518-524.	2.3	6
195	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ</i> , The, 2015, 350, g7772-g7772.	6.0	152
196	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222â€¦120 individuals. <i>Lancet Diabetes and Endocrinology</i> , the, 2015, 3, 27-34.	11.4	197
197	Do postal health surveys capture morbidity and mortality in respondents aged 65 years and older? A register-based validation study. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 348-355.	2.3	7
198	Childhood adversities predict strongly the use of psychotropic drugs in adulthood: a population-based cohort study of 24â€¦284 Finns. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 354-360.	3.7	16
199	Survey nonresponse among ethnic minorities in a national health survey â€“ a mixed-method study of participation, barriers, and potentials. <i>Ethnicity and Health</i> , 2015, 20, 611-632.	2.5	52

#	ARTICLE	IF	CITATIONS
200	The geography of post-disaster mental health: spatial patterning of psychological vulnerability and resilience factors in New York City after Hurricane Sandy. <i>International Journal of Health Geographics</i> , 2015, 14, 16.	2.5	60
201	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603 838 individuals. <i>Lancet, The</i> , 2015, 386, 1739-1746.	13.7	529
202	Utility of Respondent Driven Sampling to Reach Disadvantaged Emerging Adults for Assessment of Substance Use, Weight, and Sexual Behaviors. <i>Journal of Health Care for the Poor and Underserved</i> , 2016, 27, 194-208.	0.8	11
203	Comparing Lay Community and Academic Survey Center Interviewers in Conducting Household Interviews in Latino Communities. <i>Progress in Community Health Partnerships: Research, Education, and Action</i> , 2016, 10, 435-442.	0.3	0
204	Difference in Effectiveness of Medication Adherence Intervention by Health Literacy Level. , 2016, 20, 15-200.		3
205	Healthy Aging from the Perspectives of 683 Older People with Multiple Sclerosis. <i>Multiple Sclerosis International</i> , 2016, 2016, 1-10.	0.8	15
206	Healthcare Use for Pain in Women Waiting for Gynaecological Surgery. <i>Pain Research and Management</i> , 2016, 2016, 1-14.	1.8	8
207	Doing Gender, Doing Surveys? Women's Gatekeeping and Men's Non-Participation in Multi-Actor Reproductive Surveys. <i>Sociological Inquiry</i> , 2016, 86, 427-449.	2.0	54
208	Investigating Respondents and Nonrespondents of a Postal Breast Cancer Questionnaire Survey Regarding Differences in Age, Medical Conditions, and Therapy. <i>Breast Care</i> , 2016, 11, 139-143.	1.4	1
209	Systematic handling of missing data in complex study designs – experiences from the Health 2000 and 2011 Surveys. <i>Journal of Applied Statistics</i> , 2016, 43, 2772-2790.	1.3	50
210	Determinants of non-participation in a mass screening program for colorectal cancer in Finland. <i>Acta Oncologica</i> , 2016, 55, 870-874.	1.8	14
211	Evaluating an interdisciplinary research project: Lessons learned for organisations, researchers and funders. <i>International Journal of Project Management</i> , 2016, 34, 1449-1459.	5.6	45
212	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016, 188, E447-E455.	2.0	47
213	Prevalence and treatment of common mental disorders in the English national population, 1993–2007. <i>British Journal of Psychiatry</i> , 2016, 209, 150-156.	2.8	25
214	Life Satisfaction and Sense of Coherence of Breast Cancer Survivors Compared to Women with Mental Depression, Arterial Hypertension and Healthy Controls. <i>Communications in Computer and Information Science</i> , 2016, , 253-265.	0.5	1
215	Investigating the public's use of Scotland's primary care telephone advice service (NHS 24): a population-based cross-sectional study. <i>British Journal of General Practice</i> , 2016, 66, e337-e346.	1.4	9
216	Registry-based analysis of participator representativeness: a source of concern for sickness absence research?. <i>BMJ Open</i> , 2016, 6, e012372.	1.9	9
217	The relationship between self-reported mental health and redeemed prescriptions of antidepressants: a register-based cohort study. <i>BMC Psychiatry</i> , 2016, 16, 189.	2.6	12

#	ARTICLE	IF	CITATIONS
218	Comparing healthcare utilization among health survey respondents with the total population – are respondents representative?. BMC Health Services Research, 2016, 16, 510.	2.2	6
219	Quantitative evaluation of an information leaflet to increase prompt help-seeking for gynaecological cancer symptoms. BMC Public Health, 2016, 16, 374.	2.9	9
220	Patient characteristics and risk factors of participants and non-participants in the NOR-COR study. Scandinavian Cardiovascular Journal, 2016, 50, 317-322.	1.2	6
221	Assessment of Executive Function in Patients With Substance Use Disorder: A Comparison of Inventory- and Performance-Based Assessment. Journal of Substance Abuse Treatment, 2016, 66, 1-8.	2.8	89
222	Characteristics associated with initiation of hormone replacement therapy among Finnish women: A register-linkage study. Maturitas, 2016, 89, 73-78.	2.4	4
223	Improving Information Processing: The Effect of Label Format Among Current and Potential Over-the-Counter Medication Users. Therapeutic Innovation and Regulatory Science, 2016, 50, 560-568.	1.6	5
224	Widespread pain – do pain intensity and care-seeking influence sickness absence? – A population-based cohort study. BMC Musculoskeletal Disorders, 2016, 17, 197.	1.9	13
225	Collecting standardised urban health indicator data at an individual level for adults living in urban areas: methodology from EURO-URHIS 2. European Journal of Public Health, 2016, 27, ckv220.	0.3	10
226	Developing a primary care patient measure of safety (PC PMOS): a modified Delphi process and face validity testing. BMJ Quality and Safety, 2016, 25, 273-280.	3.7	23
227	Research participation after terrorism: an open cohort study of survivors and parents after the 2011 UtÅya attack in Norway. BMC Research Notes, 2016, 9, 57.	1.4	31
228	Prevalence and sociodemographic characteristics of self-reported suicidal behaviours in Latvia in 2010: A population-based study. Nordic Journal of Psychiatry, 2016, 70, 195-201.	1.3	10
229	Respondent selection in a repeated survey on lifestyle within the randomized colorectal cancer screening programme. European Journal of Cancer Prevention, 2017, 26, 309-313.	1.3	1
230	A Community-Engaged Approach to Collecting Rural Health Surveillance Data. Journal of Rural Health, 2017, 33, 257-265.	2.9	16
231	Cohort profiles of the cross-sectional and prospective participant groups in the second Diabetes MILES-Australia (MILES-2) study. BMJ Open, 2017, 7, e012926.	1.9	19
232	Lifestyle changes at middle age and mortality: a population-based prospective cohort study. Journal of Epidemiology and Community Health, 2017, 71, 59-66.	3.7	12
233	Quality of life following trauma before and after implementation of a physician-staffed helicopter. Acta Anaesthesiologica Scandinavica, 2017, 61, 111-120.	1.6	6
234	Explaining the impact of poverty on old-age frailty in Europe: material, psychosocial and behavioural factors. European Journal of Public Health, 2017, 27, 1003-1009.	0.3	38
235	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120 813 adults from 16 cohort studies from the USA and Europe. Lancet Public Health, The, 2017, 2, e277-e285.	10.0	375

#	ARTICLE	IF	CITATIONS
236	Selection bias in follow-up interviews with individuals attending the emergency department for occupational injuries. <i>Injury Prevention</i> , 2017, 23, 152-157.	2.4	1
237	Social networks and patterns of health risk behaviours over two decades: A multi-cohort study. <i>Journal of Psychosomatic Research</i> , 2017, 99, 45-58.	2.6	4
238	The 12-month prevalence of depression and health care utilization in the general population of Latvia. <i>Journal of Affective Disorders</i> , 2017, 210, 204-210.	4.1	22
239	Development and validation of a risk prediction model for work disability: multicohort study. <i>Scientific Reports</i> , 2017, 7, 13578.	3.3	26
240	Additional weighting for education affects estimates from a National Health Interview Survey. <i>European Journal of Public Health</i> , 2017, 27, 892-897.	0.3	7
241	Change in \hat{I}^2 2 -agonist use after severe life events in adults with asthma: A population-based cohort study. <i>Journal of Psychosomatic Research</i> , 2017, 100, 46-52.	2.6	1
242	The relationship between childhood adversities and fibromyalgia in the general population. <i>Journal of Psychosomatic Research</i> , 2017, 99, 137-142.	2.6	37
243	Male Sexual Function in New Zealand: A Population-Based Cross-Sectional Survey of the Prevalence of Erectile Dysfunction in Men Aged 40â€“70 Years. <i>Journal of Sexual Medicine</i> , 2017, 14, 928-936.	0.6	47
244	Social support and breast cancer: A comparative study of breast cancer survivors, women with mental depression, women with hypertension and healthy female controls. <i>Breast</i> , 2017, 35, 85-90.	2.2	31
245	Education and employment in patients with juvenile idiopathic arthritis â€“ a standardized comparison to the German general population. <i>Pediatric Rheumatology</i> , 2017, 15, 45.	2.1	17
246	Knowledge management systems success in healthcare: Leadership matters. <i>International Journal of Medical Informatics</i> , 2017, 97, 331-340.	3.3	49
247	Prevalence of Anxiety and Depression in Patients with Inflammatory Bowel Disease. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2017, 2017, 1-6.	1.9	158
248	No evidence of response bias in a population-based childhood cancer survivor questionnaire survey â€“ Results from the Swiss Childhood Cancer Survivor Study. <i>PLoS ONE</i> , 2017, 12, e0176442.	2.5	24
249	The influence of alcohol consumption on sickness presenteeism and impaired daily activities. The WIRUS screening study. <i>PLoS ONE</i> , 2017, 12, e0186503.	2.5	47
250	Domestic responsibilities as predictors of labour market attachment trajectories in men and women. <i>International Journal of Sociology and Social Policy</i> , 2017, 37, 536-554.	1.2	2
251	Reviewing the Assumptions About Menâ€™s Mental Health: An Exploration of the Gender Binary. <i>American Journal of Men's Health</i> , 2018, 12, 78-89.	1.6	121
252	Patient feedback questionnaires to enhance consultation skills of healthcare professionals: A systematic review. <i>Patient Education and Counseling</i> , 2018, 101, 1538-1548.	2.2	12
253	Adjuvant hormonal therapy for early breast cancer: an epidemiologic study of medication adherence. <i>Breast Cancer Research and Treatment</i> , 2018, 169, 153-162.	2.5	13

#	ARTICLE	IF	CITATIONS
254	Painful musculoskeletal disorders and depression among working aged migraineurs. Acta Neurologica Scandinavica, 2018, 138, 93-98.	2.1	4
255	The gender gap in accrued pension rights – an indicator of women’s accumulated disadvantage over the course of working life. The Hordaland Health Study (HUSK). Scandinavian Journal of Public Health, 2018, 46, 417-424.	2.3	4
256	Health checkup behavior and individual health beliefs in older adults. Geriatrics and Gerontology International, 2018, 18, 338-351.	1.5	11
257	Identification of major depressive disorder among the long-term unemployed. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 45-52.	3.1	10
258	New cancer cases attributable to diet among adults aged 30–84 years in France in 2015. British Journal of Nutrition, 2018, 120, 1171-1180.	2.3	10
259	Health Outcomes and Lifestyle in a Sample of People With Multiple Sclerosis (HOLISM): Longitudinal and Validation Cohorts. Frontiers in Neurology, 2018, 9, 1074.	2.4	25
260	Identification of Depression and Screening for Work Disabilities among Long-Term Unemployed People. International Journal of Environmental Research and Public Health, 2018, 15, 909.	2.6	14
261	The associations between employees’ risky drinking and sociodemographics, and implications for intervention needs. BMC Public Health, 2018, 18, 735.	2.9	27
262	Participation rates by educational levels have diverged during 25 years in Finnish health examination surveys. European Journal of Public Health, 2018, 28, 237-243.	0.3	40
263	Evaluating selection bias in a population-based cohort study with low baseline participation: the LIFE-Adult-Study. BMC Medical Research Methodology, 2019, 19, 135.	3.1	79
264	Mental disorders, attrition at follow-up, and questionnaire non-completion in epidemiologic research. Illustrations from the CoLaus PsyCoLaus study. International Journal of Methods in Psychiatric Research, 2019, 28, e1805.	2.1	14
265	Spontaneous pneumothorax and air travel in Pulmonary Langerhans cell histiocytosis: A patient survey. Respiratory Investigation, 2019, 57, 582-589.	1.8	9
266	Risk and protective factors for pre- and postnatal bonding. Infant Mental Health Journal, 2019, 40, 768-785.	1.8	32
267	Cancer survivors who fully participate in the PROFILES registry have better health-related quality of life than those who drop out. Journal of Cancer Survivorship, 2019, 13, 829-839.	2.9	29
268	Participation weighting based on sociodemographic register data improved external validity in a population-based cohort study. Journal of Clinical Epidemiology, 2019, 108, 54-63.	5.0	19
269	The association between bullying victimization in childhood and fibromyalgia. Data from the nationwide Finnish health and social support (HeSSup) study based on a sample of 64,797 individuals. Journal of Psychosomatic Research, 2019, 117, 48-53.	2.6	8
270	Does attrition affect estimates of association: A longitudinal study. Journal of Psychiatric Research, 2019, 110, 127-142.	3.1	70
271	Assessment of participation biases for a confidential non-anonymous adolescent study: A based population study. Psychiatry Research, 2019, 273, 30-36.	3.3	3

#	ARTICLE	IF	CITATIONS
272	Who drops out and when? Predictors of non-response and loss to follow-up in a longitudinal cohort study among STI clinic visitors. PLoS ONE, 2019, 14, e0218658.	2.5	7
273	Debt Judgments as a Reflection of Consumption-Related Debt Problems. Journal of Consumer Policy, 2019, 42, 223-244.	1.3	13
274	Non-response and external validity in a school-based quasi-experimental study –The Healthy Primary School of the Future™: A cross-sectional assessment. Preventive Medicine Reports, 2019, 14, 100874.	1.8	6
275	Evaluation of Three Postal Invitational Strategies to Increase Survey Response Rates in a Combat-Injured U.S. Military Population: Findings From the Wounded Warrior Recovery Project. Military Medicine, 2019, 184, 521-528.	0.8	4
276	Characteristics and Outcomes Reported by Patients With Primary Sclerosing Cholangitis Through an Online Registry. Clinical Gastroenterology and Hepatology, 2019, 17, 1372-1378.	4.4	20
277	Self-reported health problems and obesity predict sickness absence during a 12-month follow-up: a prospective cohort study in 21 608 employees from different industries. BMJ Open, 2019, 9, e025967.	1.9	6
278	Factors of non-responsive or lost-to-follow-up Japanese mothers during the first year post partum following the Japan Environment and Children's Study: a longitudinal cohort study. BMJ Open, 2019, 9, e031222.	1.9	18
279	Job type and other socio-demographic factors associated with participation in a national, cross-sectional study of Danish employees. BMJ Open, 2019, 9, e027056.	1.9	25
280	Medical Student Psychological Distress and Mental Illness Relative to the General Population: A Canadian Cross-Sectional Survey. Academic Medicine, 2019, 94, 1781-1791.	1.6	74
281	A practical guide to the analysis of non-response and attrition in longitudinal research using a real data example. International Journal of Behavioral Development, 2019, 43, 24-34.	2.4	79
282	PROs in the wild: Assessing the validity of patient reported outcomes in an electronic registry. Computer Methods and Programs in Biomedicine, 2019, 181, 104837.	4.7	12
283	Status Loss: The Burden of Positively Selected Immigrants. International Migration Review, 2020, 54, 471-495.	2.1	31
284	Coping styles and coping resources in the work stressors-workplace bullying relationship: A two-wave study. Work and Stress, 2020, 34, 323-341.	4.5	15
285	Psychological behavior patterns and coping with menopausal symptoms among users and non-users of hormone replacement therapy in Finnish cohorts of women aged 52-56 years. Maturitas, 2020, 133, 7-12.	2.4	6
286	The importance of and satisfaction with sex life among breast cancer survivors in comparison with healthy female controls and women with mental depression or arterial hypertension: results from the Finnish nationwide HeSSup cohort study. Supportive Care in Cancer, 2020, 28, 3847-3854.	2.2	13
287	Mapping the spatial pattern of the uncertain data in urban areas: The disadvantaged predict global nonresponse rate in the National Household Survey. Canadian Geographer / Géographie Canadienne, 2020, 64, 79-104.	1.5	0
288	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. International Journal of Obesity, 2020, 44, 1368-1375.	3.4	29
289	Utility of digital Respondent Driven Sampling to recruit community-dwelling emerging adults for assessment of drinking and related risks. Addictive Behaviors, 2020, 110, 106536.	3.0	5

#	ARTICLE	IF	CITATIONS
290	Integrating Nutrition into Outpatient Oncology Care—A Pilot Trial of the NutriCare Program. <i>Nutrients</i> , 2020, 12, 3590.	4.1	3
291	Occupational health check-ups and health-promoting programs and asthma. <i>BMC Public Health</i> , 2020, 20, 1313.	2.9	0
292	Continuity of care is associated with satisfaction with local health care services. <i>BMC Family Practice</i> , 2020, 21, 181.	2.9	14
293	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020, 3, e2016084.	5.9	18
294	The WHO/ILO report on long working hours and ischaemic heart disease — Conclusions are not supported by the evidence. <i>Environment International</i> , 2020, 144, 106048.	10.0	11
295	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013538.	3.7	13
296	Long-term Clinical Outcomes Among Responders and Nonresponders to the In-Center Hemodialysis Consumer Assessment of Healthcare Providers and Systems (ICH CAHPS) Survey. <i>Kidney Medicine</i> , 2020, 2, 181-188.	2.0	4
297	Depression and political predispositions: Almost blue?. <i>Party Politics</i> , 2020, , 135406882093039.	2.5	12
298	Missing-data analysis: socio- demographic, clinical and lifestyle determinants of low response rate on self- reported psychological and nutrition related multi- item instruments in the context of the ATTICA epidemiological study. <i>BMC Medical Research Methodology</i> , 2020, 20, 148.	3.1	33
299	Non-participation and attrition in a longitudinal study of civilians exposed to the January 2015 terrorist attacks in Paris, France. <i>BMC Medical Research Methodology</i> , 2020, 20, 63.	3.1	8
300	Gaps in Medicare and the Social Safety Net Predict Financial Strain Among Older Canadians With Multiple Sclerosis. <i>Journal of Disability Policy Studies</i> , 2020, 31, 77-86.	1.5	2
301	Subjective cognitive complaints and sickness absence: A prospective cohort study of 7059 employees in primarily knowledge-intensive occupations. <i>Preventive Medicine Reports</i> , 2020, 19, 101103.	1.8	7
302	Psychological Impact and Associated Factors During the Initial Stage of the Coronavirus (COVID-19) Pandemic Among the General Population in Spain. <i>Frontiers in Psychology</i> , 2020, 11, 1540.	2.1	459
303	Academic detailing in oral healthcare — results of the ADVOCATE Field Studies. <i>Acta Odontologica Scandinavica</i> , 2020, 78, 481-493.	1.6	2
304	Association of response rate and prevalence estimates of common mental disorders across 129 areas in a nationally representative survey of adults in Japan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1373-1382.	3.1	15
305	Association between socioeconomic status and the development of mental and physical health conditions in adulthood: a multi-cohort study. <i>Lancet Public Health</i> , The, 2020, 5, e140-e149.	10.0	332
306	Biases in health expectancies due to educational differences in survey participation of older Europeans: It's worth weighting for. <i>European Journal of Health Economics</i> , 2020, 21, 573-605.	2.8	30
307	Factors associated with health survey response among young employees: a register-based study using online, mailed and telephone interview data collection methods. <i>BMC Public Health</i> , 2020, 20, 184.	2.9	53

#	ARTICLE	IF	CITATIONS
308	Depression and attitudes to change in referendums: The case of Brexit. <i>European Journal of Political Research</i> , 2021, 60, 339-358.	4.1	13
309	Valuing Personal Data with Privacy Consideration. <i>Decision Sciences</i> , 2021, 52, 393-426.	4.5	10
310	Relaxation versus exercise for improved quality of life in lymphoma survivorsâ€”a randomised controlled trial. <i>Journal of Cancer Survivorship</i> , 2021, 15, 470-480.	2.9	13
311	Volunteer Bias and Female Participation in Exercise and Sports Science Research. <i>Quest</i> , 2021, 73, 82-101.	1.2	18
312	The influence of institutional factors on patientâ€™provider communication and interactions in the U.S. healthcare system. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 0, , 1.	1.6	1
313	Socio- Demographic, Clinical and Lifestyle Determinants of Low Response Rate on a Self- Reported Psychological Multi-Item Instrument Assessing the Adultsâ€™ Hostility and its Direction: ATTICA Epidemiological Study (2002-2012). <i>International Journal of Statistics in Medical Research</i> , 0, 10, 1-9.	1.0	2
314	Indirect Health Effects of COVID-19: Unhealthy Lifestyle Behaviors during the Lockdown in the United Arab Emirates. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1964.	2.6	60
315	Revisiting the continuum of resistance model in the digital age: a comparison of early and delayed respondents to the Norwegian counties public health survey. <i>BMC Public Health</i> , 2021, 21, 730.	2.9	4
316	Health determinants among refugees in Austria and Germany: A propensity-matched comparative study for Syrian, Afghan, and Iraqi refugees. <i>PLoS ONE</i> , 2021, 16, e0250821.	2.5	9
317	Daytime and nighttime smartphone use: A study of associations between multidimensional smartphone behaviours and sleep among 24,856 Danish adults. <i>Journal of Sleep Research</i> , 2021, 30, e13356.	3.2	14
318	Effects of alcohol sensitivity on alcoholâ€”induced blackouts and passing out: An examination of the alcohol sensitivity questionnaire among underage drinkers. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 1149-1160.	2.4	4
319	Tired, Worried and Burned Out, but Still Resilient: A Cross-Sectional Study of Mental Health Workers in the UK during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4457.	2.6	51
320	Multiple adverse childhood experiences and asthma onset in adulthood: Role of adulthood risk factors as mediators. <i>Journal of Psychosomatic Research</i> , 2021, 143, 110388.	2.6	11
321	Sudden Changes and Their Associations with Quality of Life during COVID-19 Lockdown: A Cross-Sectional Study in the French-Speaking Part of Switzerland. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4888.	2.6	2
322	The Effects of Question, Respondent and Interviewer Characteristics on Two Types of Item Nonresponse. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2021, 184, 1052-1069.	1.1	6
323	Stroke and cardiovascular risk factors among working-aged Finnish migraineurs. <i>BMC Public Health</i> , 2021, 21, 1088.	2.9	7
324	The Danish Health and Wellbeing Survey: Study design, response proportion and respondent characteristics. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 959-967.	2.3	9
325	Behavioral economic indicators of risky drinking among community-dwelling emerging adults.. <i>Psychology of Addictive Behaviors</i> , 2021, 35, 415-423.	2.1	10

#	ARTICLE	IF	CITATIONS
326	Modifications to residential neighbourhood characteristics and risk of 79 common health conditions: a prospective cohort study. <i>Lancet Public Health</i> , The, 2021, 6, e396-e407.	10.0	32
328	Are National Family Surveys Biased toward the Happy Family? A Multiactor Analysis of Selective Survey Nonresponse. <i>Sociological Methods and Research</i> , 2023, 52, 561-586.	6.8	6
329	Mental health emergencies and COVID-19: the impact of “lockdown”™ in the East Midlands of the UK. <i>BJPsych Open</i> , 2021, 7, e139.	0.7	14
330	The effect of home visits as an additional recruitment step on the composition of the final sample: a cross-sectional analysis in two study centers of the German National Cohort (NAKO). <i>BMC Medical Research Methodology</i> , 2021, 21, 176.	3.1	3
331	Predisposing factors of long-term responsiveness in a cardio-metabolic cohort: Tehran Lipid and Glucose Study. <i>BMC Medical Research Methodology</i> , 2021, 21, 161.	3.1	4
332	Evolution of Culture on Patient Safety in the Clinical Setting of a Spanish Mutual Insurance Company: Observational Study between 2009 and 2017 Based on AHRQ Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9437.	2.6	5
333	Anosmia, ageusia, and other COVID-19-like symptoms in association with a positive SARS-CoV-2 test, across six national digital surveillance platforms: an observational study. <i>The Lancet Digital Health</i> , 2021, 3, e577-e586.	12.3	51
334	Climacteric symptoms more severe in 2010 than in 2000 “experience of Finnish women aged 52–56 years not now or previously on menopausal hormone therapy. <i>Maturitas</i> , 2021, 154, 20-24.	2.4	3
335	Grasping the Social Dimensions of Event Experiences: Introducing the Event Social Interaction Scale (ESIS). <i>Event Management</i> , 2021, 25, 9-26.	1.1	10
336	Using Surveys to Study Substance Use Behavior. , 2017, , 251-283.		4
339	Lessons learnt during the implementation of a web-based triage tool for Dutch intensive care follow-up clinics. <i>BMJ Open</i> , 2018, 8, e021249.	1.9	4
340	Association between adverse childhood experiences and adult diseases in older adults: a comparative cross-sectional study in Japan and Finland. <i>BMJ Open</i> , 2019, 9, e024609.	1.9	33
341	Mentoring for entrepreneurs: A boost or a crutch? Long-term effect of mentoring on self-efficacy. <i>International Small Business Journal</i> , 2020, 38, 424-448.	4.8	24
342	Suicide Among Women with Cosmetic Breast Implants: A Review of the Epidemiologic Evidence. <i>Journal of Long-Term Effects of Medical Implants</i> , 2003, 13, 6.	0.7	27
343	Using Facebook Advertising to Recruit Representative Samples: Feasibility Assessment of a Cross-Sectional Survey. <i>Journal of Medical Internet Research</i> , 2019, 21, e14021.	4.3	67
344	Recruitment and Ongoing Engagement in a UK Smartphone Study Examining the Association Between Weather and Pain: Cohort Study. <i>JMIR MHealth and UHealth</i> , 2017, 5, e168.	3.7	41
345	Health status, activity limitations, work-related restrictions and level of disability among Canadians with mood and/or anxiety disorders. <i>Health Promotion and Chronic Disease Prevention in Canada: Research, Policy and Practice</i> , 2016, 36, 289-301.	1.1	9
346	Reaching proficiency in laparoscopic splenectomy. <i>World Journal of Gastroenterology</i> , 2009, 15, 3405.	3.3	8

#	ARTICLE	IF	CITATIONS
347	Reaching proficiency in laparoscopic splenectomy. World Journal of Gastroenterology, 2009, 15, 4005.	3.3	6
348	Recommendations for individual participant data meta-analyses on work stressors and health outcomes: comments on IPD-Work Consortium papers. Scandinavian Journal of Work, Environment and Health, 2015, 41, 299-311.	3.4	17
349	Prediction of long-term absence due to sickness in employees: development and validation of a multifactorial risk score in two cohort studies. Scandinavian Journal of Work, Environment and Health, 2018, 44, 274-282.	3.4	34
350	Attrition in a 30-year follow-up of a perinatal birth risk cohort: factors change with age. PeerJ, 2014, 2, e480.	2.0	25
351	Health behavior of working-aged Finns predicts self-reported life satisfaction in a population-based 9-years follow-up. BMC Public Health, 2021, 21, 1815.	2.9	9
352	The Oslo Health Study: Reminding the non-responders - effects on prevalence estimates. Norsk Epidemiologi, 2009, 13, .	0.3	1
353	The Efficiency of Anthropometric Indices and Body Fat on Estimating Impaired Serum Lipids in Turkish Adults. Turkiye Klinikleri Journal of Medical Sciences, 2013, 33, 663-672.	0.1	0
354	The Impact of Consent. , 2013, , 41-58.		0
355	Decreasing Response Rates in Employee Health Surveys: Findings from a Longitudinal Stress-Management Project in the Workplace. , 2015, , 183-190.		0
356	Childhood Adversities Associated with Eating Disorders Reported by Adults. Health, 2015, 07, 1327-1336.	0.3	0
357	Racial Differences in Data Quality and Completeness: Spinal Cord Injury Model Systems' Experiences. Topics in Spinal Cord Injury Rehabilitation, 2018, 24, 110-120.	1.8	5
358	Working Conditions and Long-Term Sickness Absence Due to Mental Disorders. Journal of Occupational and Environmental Medicine, 2022, 64, 105-114.	1.7	6
359	Longitudinal stability and interrelations between health behavior and subjective well-being in a follow-up of nine years. PLoS ONE, 2021, 16, e0259280.	2.5	11
360	Participation in a Prospective Cohort Study on Melanoma did not Affect the Incidence and Mortality of the Studied Disease. Acta Dermato-Venereologica, 2020, 100, 1-6.	1.3	0
361	<p>Patient Experience Monitor (PEM): The Development of New Short-Form Picker Experience Questionnaires for Hospital Patients with a Wide Range of Literacy Levels<p>. Patient Related Outcome Measures, 2020, Volume 11, 221-230.	1.2	9
364	Independent medical evaluation of general practitioners' follow-up of sick-listed patients: a cross-sectional study in Norway. BMJ Open, 2020, 10, e032776.	1.9	2
365	Is subjectively perceived treatment urgency of patients in emergency departments associated with self-reported health literacy and the willingness to use the GP as coordinator of treatment? Results from the multicentre, cross-sectional, observational study PiNo Bund. BMJ Open, 2021, 11, e053110.	1.9	3
366	The effect of informal caregiving on physical health among non-migrants and Ethnic GermanImmigrants in Germany: a cohort analysis based on the GSOEP 2000â€“2018. BMC Public Health, 2022, 22, 121.	2.9	2

#	ARTICLE	IF	CITATIONS
368	Sexual and Reproductive Health during the COVID-19 Pandemic: Results from a Cross-Sectional Online Survey in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1428.	2.6	7
369	Prevalent migraine as a predictor of incident hypertension. <i>European Journal of Public Health</i> , 2022, 32, 297-301.	0.3	4
370	Converting from face-to-face to postal follow-up and its effects on participant retention, response rates and errors: lessons from the EQUAL study in the UK. <i>BMC Medical Research Methodology</i> , 2022, 22, 44.	3.1	1
371	Global monitoring of the impact of the COVID-19 pandemic through online surveys sampled from the Facebook user base. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	35
372	Independent medical evaluation of general practitioners' follow-up of sick-listed patients: a cross-sectional study in Norway. <i>BMJ Open</i> , 2020, 10, e032776.	1.9	3
373	The Influence of Chronic Pain on Social Care Service Use in the UK. <i>Journal of Long-Term Care</i> , 2022, .	1.1	0
374	Predicting men's intentions to seek help for cancer symptoms: a comparison of the Theory of Planned Behaviour and the Health Belief Model. <i>Australian Journal of Psychology</i> , 2022, 74, 1-10.	2.8	1
375	Associations between Depression Symptoms and Leisure Behavior during the COVID-19 State of Emergency. <i>Leisure Sciences</i> , 0, , 1-21.	3.1	0
376	Device-measured sedentary time in Norwegian children and adolescents in the era of ubiquitous internet access: secular changes between 2005, 2011 and 2018. <i>International Journal of Epidemiology</i> , 2022, 51, 1556-1567.	1.9	5
377	'I'm definitely not socially excluded!' Perceptions of social exclusion among Australian government housing residents aged 80 and older who live alone. <i>Journal of Aging Studies</i> , 2022, 61, 101011.	1.4	3
378	Mortality risk in older Japanese people based on self-reported dyslipidemia treatment and socioeconomic status: The JAGES cohort study. <i>Preventive Medicine Reports</i> , 2022, 27, 101779.	1.8	0
382	Psychological impact of the quarantine during the COVID-19 pandemic on the general European adult population: a systematic review of the evidence. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, e27.	3.9	57
383	Does mentoring reduce entrepreneurial doubt? A longitudinal gendered perspective. <i>International Journal of Gender and Entrepreneurship</i> , 2022, 14, 375-396.	3.2	5
384	Do Differences in Drinking Attitudes and Alcohol-Related Problems Explain Differences in Sick Leave? A Multilevel Analysis of 95 Work Units Within 14 Companies From the WIRUS Study. <i>Frontiers in Public Health</i> , 2022, 10, .	2.7	0
385	Educational level and the use of mental health services, psychotropic medication and psychotherapy among adults with a history of physician diagnosed mental disorders. <i>International Journal of Social Psychiatry</i> , 0, , 002076402211110.	3.1	3
386	Predictors of non-response to successive waves of surveys in the Japan Environment and Children's Study during the 3-year postpartum period: a longitudinal cohort study. <i>BMJ Open</i> , 2022, 12, e050087.	1.9	0
387	Using mobile phone-based text message to recruit representative samples: Assessment of a cross-sectional survey about the COVID-19 vaccine hesitation. <i>International Journal of Medical Informatics</i> , 2022, 165, 104832.	3.3	2
388	Prediction of post-traumatic growth in the face of the COVID-19 crisis based on resilience, post-traumatic stress and social participation: A longitudinal study. <i>Frontiers in Psychology</i> , 0, 13, .	2.1	9

#	ARTICLE	IF	CITATIONS
389	Does financial literacy influence preventive health check-up behavior in Japan? a cross-sectional study. BMC Public Health, 2022, 22, .	2.9	3
390	A named GP increases self-reported access to health care services. BMC Health Services Research, 2022, 22, .	2.2	2
391	Red Flag Study: An observational cross-sectional survey looking at bleeding in patients with a bleeding disorder who are lost to follow-up. The Journal of Haemophilia Practice, 2021, 8, 45-51.	0.4	0
392	Direct-to-consumer fertility testing: utilization and perceived utility among fertility patients and reproductive endocrinologists. Reproductive BioMedicine Online, 2023, 46, 642-650.	2.4	1
394	Representativeness in population-based studies of older adults: five waves of cross-sectional examinations in the Gothenburg H70 Birth Cohort Study. BMJ Open, 2022, 12, e068165.	1.9	10
395	Chronic rhinosinusitis with nasal polyps management in the biologic therapy era: an international YO-IFOS survey. European Archives of Oto-Rhino-Laryngology, 2023, 280, 2309-2316.	1.6	5
396	Association of social isolation and loneliness with risk of incident hospital-treated infections: an analysis of data from the UK Biobank and Finnish Health and Social Support studies. Lancet Public Health, The, 2023, 8, e109-e118.	10.0	14
397	Analysis of Interview Breakoff in the Behavioral Risk Factor Surveillance System, 2018 and 2019. , 2023, , 100076.		0
398	Choir of believers? Experimental and longitudinal evidence on survey participation, response bias, and public service motivation. International Public Management Journal, 2023, 26, 281-304.	2.0	1
399	Expectations and Prior Experiences Associated With Adverse Effects of COVID-19 Vaccination. JAMA Network Open, 2023, 6, e234732.	5.9	6
400	Severe Infection and Risk of Cardiovascular Disease: A Multicohort Study. Circulation, 2023, 147, 1582-1593.	1.6	9
401	Analysis of Determinants on Item Nonresponse:A Study on Household/individual Income and Sexual Intercourse Nonresponse. Kodo Keiryogaku (the Japanese Journal of Behaviormetrics), 2022, 49, 223-236.	0.0	0
402	Increasing climacteric symptoms in untreated perimenopausal Finnish women: a 10-year cohort study. Climacteric, 0, , 1-7.	2.4	0
403	Through the Eyes of Patients: Understanding Treatment Burden of Intravitreal Anti-VEGF Injections for nAMD Patients in Norway. Clinical Ophthalmology, 0, Volume 17, 1465-1474.	1.8	8
404	Do Patientsâ€™ Psychosocial Characteristics Impact Antibiotic Prescription Rates?. Antibiotics, 2023, 12, 1022.	3.7	1
406	Defined daily dose definition in medication adherence assessment in asthma. European Clinical Respiratory Journal, 2023, 10, .	1.5	0
407	Association Between Depression and Physical Conditions Requiring Hospitalization. JAMA Psychiatry, 2023, 80, 690.	11.0	7
408	A review of excluded groups and non-response in population-based mental health surveys from high-income countries. Social Psychiatry and Psychiatric Epidemiology, 2023, 58, 1265-1292.	3.1	2

#	ARTICLE	IF	CITATIONS
409	Men and women differ in their interest and willingness to participate in exercise and sports science research. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2023, 33, 1850-1865.	2.9	5
410	Self-reported suicidal behaviours and associated factors in the general population of Latvia (2010–2018). <i>International Journal of Social Psychiatry</i> , 2023, 69, 1749-1767.	3.1	0
411	Non-response bias in the analysis of the association between mental health and the urban environment: a cross-sectional study in Brussels, Belgium. <i>Archives of Public Health</i> , 2023, 81, .	2.4	0
412	Relationship between drinking risk and preferences for helping resources among emerging adults living in disadvantaged communities in the Southeastern United States. <i>Alcohol and Alcoholism</i> , 0, , .	1.6	0
413	Survey of adolescents’ needs and parents’ views on sexual health in juvenile idiopathic arthritis. <i>Pediatric Rheumatology</i> , 2023, 21, .	2.1	0
414	Ambient Air Pollutants and Olfaction among Women 50–79 Years of Age from the Sister Study. <i>Environmental Health Perspectives</i> , 2023, 131, .	6.0	1
415	Feasibility and acceptability of the Indian Autism Screening Questionnaire in clinical and community settings. <i>PLoS ONE</i> , 2023, 18, e0292544.	2.5	0
416	A named General Practitioner (GP) is associated with an increase of hospital days in a single predictor analysis: a follow-up of 15 years. <i>BMC Health Services Research</i> , 2023, 23, .	2.2	0
417	Potentially inappropriate end-of-life care and its association with relatives’ well-being: a systematic review. <i>Supportive Care in Cancer</i> , 2023, 31, .	2.2	1
418	Managing inter-organizational trust and risk perceptions in transboundary fisheries governance networks. <i>Marine Policy</i> , 2024, 159, 105927.	3.2	0
419	Climate Change, Summer Temperature, and Heat-Related Mortality in Finland: Multicohort Study with Projections for a Sustainable vs. Fossil-Fueled Future to 2050. <i>Environmental Health Perspectives</i> , 2023, 131, .	6.0	0
420	A cognitive model of depression and political attitudes. <i>Electoral Studies</i> , 2024, 87, 102737.	1.7	0
421	Relationship between working hours and sleep quality with consideration to effect modification by work style: a community-based cross-sectional study. <i>Environmental Health and Preventive Medicine</i> , 2024, 29, 19-19.	3.4	0