
# CITATION REPORT List of articles citing



DOI: 10.1038/sj.ejcn.1601240 European Journal of Clinical Nutrition, 2001, 55, 902-7.

Source: https://exaly.com/paper-pdf/33206258/citation-report.pdf

**Version:** 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
567	Abstracts of Original Communications. <b>2001</b> , 60, 171A-237A		3
566	Leptin and metabolic syndrome in obese and non-obese children. <b>2002</b> , 34, 394-9		45
565	Abstracts of Original Communications. <b>2002</b> , 61, 98A-152A		
564	Assessment of growth. <b>2002</b> , 16, 383-98		12
563	Central overweight and obesity in British youth aged 11-16 years: cross sectional surveys of waist circumference. <b>2003</b> , 326, 624		266
562	Rising obesity and expanding waistlines in schoolchildren: a cohort study. <b>2004</b> , 89, 235-7		41
561	Representative study for the evaluation of age- and gender-specific anthropometric parameters and blood pressure in an adolescent Hungarian population. <b>2004</b> , 48, 307-13		24
560	Obesity in children and young people: a crisis in public health. <b>2004</b> , 5 Suppl 1, 4-104		2497
559	Waist circumference percentiles for Canadian youth 11-18y of age. <i>European Journal of Clinical Nutrition</i> , <b>2004</b> , 58, 1011-5	5.2	132
558	Body mass index, waist circumference, and clustering of cardiovascular disease risk factors in a biracial sample of children and adolescents. <b>2004</b> , 114, e198-205		281
557	Increasing body weight predicts the earlier onset of insulin-dependant diabetes in childhood: testing the 'accelerator hypothesis' (2). <b>2005</b> , 22, 144-51		118
556	Trends in waist circumferences in young British children: a comparative study. 2005, 29, 157-62		76
555	Increasing central adiposity: the Nepean longitudinal study of young people aged 7-8 to 12-13 y. <b>2005</b> , 29, 1353-60		51
554	Plasma fatty acid composition is associated with the metabolic syndrome and low-grade inflammation in overweight adolescents. <b>2005</b> , 82, 1178-84		220
553	Practices of growth assessment in children: Is anthropometric measurement important?. <b>2005</b> , 45, 145		1
552	Fasting ghrelin levels are not elevated in children with hypothalamic obesity. <b>2005</b> , 90, 2691-5		18
551	Can waist circumference identify children with the metabolic syndrome?. 2005, 159, 740-4		168

### (2006-2005)

550	Waist circumference percentiles for 7- to 15-year-old Australian children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2005</b> , 94, 1182-1185	3.1	74
549	Combined influence of body mass index and waist circumference on coronary artery disease risk factors among children and adolescents. <b>2005</b> , 115, 1623-30		205
548	Measuring body composition. <b>2006</b> , 91, 612-7		457
547	Childhood obesity. <b>2005</b> , 90, 1871-87		404
546	Syndromic obesity and diabetes: changes in body composition with age and mutation analysis of ALMS1 in 12 United Kingdom kindreds with Alstrom syndrome. <b>2006</b> , 91, 3110-6		64
545	Recent trends in waist circumference and waist-height ratio among US children and adolescents. <b>2006</b> , 118, e1390-8		336
544	Development of adiposity in adolescence: five year longitudinal study of an ethnically and socioeconomically diverse sample of young people in Britain. <b>2006</b> , 332, 1130-5		175
543	A study of central fatness using waist-to-height ratios in UK children and adolescents over two decades supports the simple message'keep your waist circumference to less than half your height'. <b>2006</b> , 30, 988-92		366
542	Waist circumference is an independent predictor of insulin resistance in black and white youths. <b>2006</b> , 148, 188-94		222
541	[Relationship between waist circumference and nutritional status, lipid profile and blood pressure in low socioeconomic level pre-school children]. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2006</b> , 87, 153-8	1.2	16
540	Standardization of waist circumference reference data. <b>2006</b> , 83, 3-4		15
539	Body composition assessment for development of an international growth standard for preadolescent and adolescent children. <b>2006</b> , 27, S314-25		53
538	Body fat measurements in children as predictors for the metabolic syndrome: focus on waist circumference. <b>2006</b> , 65, 385-92		56
537	Abstracts of Original Communications 14â¶6 June 2006. <b>2006</b> , 65, 28A-45A		
536	BMI values and other anthropometric and functional measurements as predictors of obesity in a selected group of adolescents. <b>2006</b> , 45, 136-43		21
535	Relationships of physical activity with metabolic syndrome features and low-grade inflammation in adolescents. <b>2006</b> , 49, 2078-85		86
534	Diversity of metabolic syndrome risk factors in obese children and adolescents. <b>2006</b> , 62, 125-33		22
533	Assessment of obesity status in outpatients from three disease states. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2006</b> , 95, 970-4	3.1	3

532	Opposing influences of prenatal and postnatal growth on the timing of menarche. <b>2006</b> , 91, 4369-73	97
531	Comparison of metabolic syndrome prevalence using six different definitions in overweight pre-pubertal children enrolled in a weight management study. <b>2006</b> , 30, 853-60	80
530	Childhood obesity: a pandemic of the twenty-first century. <b>2006</b> , 30 Suppl 2, S1-3	71
529	Body fat measurements in children as predictors for the metabolic syndrome: focus on waist circumference. <b>2006</b> , 65, 385-392	95
528	Body mass index in children and adolescents: considerations for population-based applications. <b>2006</b> , 30, 590-4	291
527	Obesity-Associated Hypertension in Childhood: A New Epidemic Problem. <b>2006</b> , 2, 199-206	4
526	Childhood obesity: a growing public health concern. <b>2006</b> , 1, 233-254	12
525	Central adiposity in Brazilian schoolchildren aged 7-10 years. <b>2007</b> , 97, 799-805	19
524	First reference curves of waist and hip circumferences in an Asian population of youths: CASPIAN study. <b>2007</b> , 53, 158-64	77
523	Waist circumference identifies primary school children with metabolic syndrome abnormalities. <b>2007</b> , 9, 149-57	23
522	Preventing childhood obesity: two year follow-up results from the Christchurch obesity prevention programme in schools (CHOPPS). <b>2007</b> , 335, 762	91
521	Twelve-month effectiveness of a parent-led, family-focused weight-management program for prepubertal children: a randomized, controlled trial. <b>2007</b> , 119, 517-25	179
520	Is there a single underlying factor for the metabolic syndrome in adolescents? A confirmatory factor analysis. <b>2007</b> , 30, 1556-61	60
519	Review of Methods for Body Composition Assessment in Children. <b>2007</b> , 461-476	
518	Body Composition Assessment in the Young Athlete. 415-429	1
517	Rozkādy centylowe obwodu pasa u dzieci i mūdziey. <b>2007</b> , 82, 418-424	6
516	Assessment of child and adolescent overweight and obesity. <b>2007</b> , 120 Suppl 4, S193-228	614
515	[Waist circumference, dyslipidemia and hypertension in prepubertal children]. <b>2007</b> , 67, 44-50	7

## (2008-2007)

514	Measurement and definitions of obesity in childhood and adolescence: a field guide for the uninitiated. <b>2007</b> , 6, 32	112
513	[The correlation between birth weight index and excess weight in young individuals]. <i>Cadernos De Saude Publica</i> , <b>2007</b> , 23, 2064-71	3
512	Waist circumference and body mass index in Chinese children: cutoff values for predicting cardiovascular risk factors. <b>2007</b> , 31, 550-8	94
511	Overweight, obesity and girth of Australian preschoolers: prevalence and socio-economic correlates. <b>2007</b> , 31, 1044-51	131
510	Metabolic risk-factor clustering estimation in children: to draw a line across pediatric metabolic syndrome. <b>2007</b> , 31, 591-600	88
509	School-based physical activity and changes in adiposity. <b>2007</b> , 31, 1464-8	17
508	Body fat distribution reference standards in Spanish adolescents: the AVENA Study. 2007, 31, 1798-805	64
507	The metabolic syndrome in children and adolescents - an IDF consensus report. <b>2007</b> , 8, 299-306	1143
506	Effects of lifestyle intervention and metformin on weight management and markers of metabolic syndrome in obese adolescents. <b>2007</b> , 19, 368-77	17
505	âAt riskâIwaistlines. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2007</b> , 91, 1283-1285 3.1	3
504	Waist circumference for the screening of the metabolic syndrome in children. <i>Acta Paediatrica, International Journal of Paediatrics,</i> <b>2007</b> , 91, 1307-1312	179
503	Waist circumference percentiles for 7- to 15-year-old Australian children. <i>Acta Paediatrica</i> , <i>International Journal of Paediatrics</i> , <b>2005</b> , 94, 1182-5	55
503		55 6
	International Journal of Paediatrics, <b>2005</b> , 94, 1182-5	
502	International Journal of Paediatrics, 2005, 94, 1182-5  Methodological considerations for childhood surveillance systems: the case of obesity. 2007, 15, 147-153  Age-dependent percentile for waist circumference for Japanese children based on the 1992-1994	6
502	International Journal of Paediatrics, 2005, 94, 1182-5  Methodological considerations for childhood surveillance systems: the case of obesity. 2007, 15, 147-153  Age-dependent percentile for waist circumference for Japanese children based on the 1992-1994 cross-sectional national survey data. 2007, 166, 655-61  First reference curves of waist circumference for German children in comparison to international	6 36
502 501 500	Methodological considerations for childhood surveillance systems: the case of obesity. 2007, 15, 147-153  Age-dependent percentile for waist circumference for Japanese children based on the 1992-1994 cross-sectional national survey data. 2007, 166, 655-61  First reference curves of waist circumference for German children in comparison to international values: the PEP Family Heart Study. 2008, 4, 259-66	6 36 69

496	Magnetic resonance imaging of abdominal adiposity in a large cohort of British children. 2008, 32, 91-9	52
495	Trends, associations and predictions of insulin resistance in prepubertal children (EarlyBird 29). <b>2008</b> , 9, 214-20	13
494	Waist-to-height ratio is correlated with height in US children and adolescents aged 2-18 years. <b>2008</b> , 3, 148-51	19
493	Waist circumference and waist-to-height ratio of Hong Kong Chinese children. <i>BMC Public Health</i> , <b>2008</b> , 8, 324	88
492	Defining the metabolic syndrome in children and adolescents: will the real definition please stand up?. <b>2008</b> , 152, 160-4	222
491	Waist-to-height ratio, a useful index to identify high metabolic risk in overweight children. <b>2008</b> , 152, 207-13	277
490	Large waist but low body mass index: the metabolic syndrome in Australian Aboriginal children. <b>2008</b> , 153, 222-7	32
489	Teesside Schools Health Study: body mass index surveillance in special needs and mainstream school children. <b>2008</b> , 122, 251-4	11
488	C-reactive protein in schoolchildren and its relation to adiposity, physical activity, aerobic fitness and habitual diet. <b>2008</b> , 42, 357-60	31
487	Randomized, controlled trial of a best-practice individualized behavioral program for treatment of childhood overweight: Scottish Childhood Overweight Treatment Trial (SCOTT). <b>2008</b> , 121, e539-46	111
486	Overweight and cardiovascular risk factors in 4- to 18-year-olds. <b>2008</b> , 1, 237-42	16
485	Measurement of waist circumference at four different sites in children, adolescents, and young adults: concordance and correlation with nutritional status as well as cardiometabolic risk factors. <b>2008</b> , 1, 243-9	17
484	Pilot of "Families for Health": community-based family intervention for obesity. 2008, 93, 921-6	69
483	Ethnic differences in overweight and obesity in early adolescence in the MRC DASH study: the role of adolescent and parental lifestyle. <b>2008</b> , 37, 162-72	81
482	Perzentile fflden Taillenumfang von Jenaer Kindern im Alter von 6 bis 18 Jahren. <b>2008</b> , 33, 116-122	29
481	Appetitive traits and child obesity: measurement, origins and implications for intervention. <b>2008</b> , 67, 343-55	72
480	Influence of socio-economic status on upper-body fatness and abdominal obesity in children. <b>2008</b> , 67,	
479	Overweight and blood pressure: results from the examination of a selected group of adolescents in northern Italy. <i>Public Health Nutrition</i> , <b>2008</b> , 11, 905-13	3

478	Is obesity a predictor of high blood pressure in children and adolescents?. 2008, 2, 53-63		1
477	Infant growth and later body composition: evidence from the 4-component model. <b>2008</b> , 87, 1776-84		154
476	Appetite and adiposity in children: evidence for a behavioral susceptibility theory of obesity. <b>2008</b> , 88, 22-9		249
475	Associations between birth weight and later body composition: evidence from the 4-component model. <b>2008</b> , 88, 1040-8		44
474	Evidence for a strong genetic influence on childhood adiposity despite the force of the obesogenic environment. <b>2008</b> , 87, 398-404		500
473	Energy density of the diet and change in body fatness from childhood to adolescence; is there a relation?. <b>2008</b> , 87, 1230-7		57
472	Prevalĥcia de sobrepeso e obesidade e indicadores de adiposidade central em escolares de Santa Catarina, Brasil. <b>2009</b> , 12, 424-435		15
471	Nutritional status of an economically-privileged convenience sample of urban children in Guatemala City. <b>2009</b> , 60 Suppl 5, 181-91		1
470	BASEM Annual Congress 2008 8-10 October 2008, Brighton, UK. <b>2009</b> , 43, 875-882		
469	Is plasma homocysteine level associated with metabolic syndrome components in adolescents?. <b>2009</b> , 7, 357-62		12
468	Augmenting BMI and Waist-Height Ratio for Establishing More Efficient Obesity Percentiles among School-going Children. <b>2009</b> , 34, 135-9		11
467	Waist circumference values of Nigerian children and adolescents. <b>2009</b> , 54, 145-50		9
466	Apo-B/AI ratio identifies cardiovascular risk in childhood: the Australian Aboriginal Birth Cohort study. <b>2009</b> , 6, 94-9		14
465	Prevalence and correlates of the metabolic syndrome in a population-based sample of European youth. <b>2009</b> , 89, 90-6		110
464	Waist circumference, atherogenic lipoproteins, and vascular smooth muscle biomarkers in children. <b>2009</b> , 94, 4914-22		16
463	Waist circumference in relation to body perception reported by Finnish adolescent girls and their mothers. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2009</b> , 98, 501-6	3.1	13
462	Population-based waist circumference and waist-to-height ratio reference values in preschool children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2009</b> , 98, 1632-6	3.1	40
461	Long-term effects of rapid weight gain in children, adolescents and young adults with appropriate birth weight for gestational age: the Kiel Obesity Prevention Study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2010</b> , 99, 256-62	3.1	8

460	Determinants of obesity in the Ulm Research on Metabolism, Exercise and Lifestyle in Children (URMEL-ICE). <b>2009</b> , 168, 1259-67		68
459	Objectively measured habitual physical activity in a highly obesogenic environment. <b>2009</b> , 35, 369-75		20
458	Determinants and impact of sleep duration in children and adolescents: data of the Kiel Obesity Prevention Study. <i>European Journal of Clinical Nutrition</i> , <b>2009</b> , 63, 739-46	5.2	135
457	How well do waist circumference and body mass index reflect body composition in pre-pubertal children?. <i>European Journal of Clinical Nutrition</i> , <b>2009</b> , 63, 1065-70	5.2	21
456	Perceived stress and weight gain in adolescence: a longitudinal analysis. <b>2009</b> , 17, 2155-61		66
455	Cardiorespiratory fitness and the risk of overweight in youth: the Healthy Hearts Longitudinal Study of Cardiometabolic Health. <b>2009</b> , 17, 1802-7		49
454	Anthropometric indices as predictors of the metabolic syndrome and its components in adolescents. <b>2010</b> , 52, 402-9		32
453	Association of waist circumference, traditional cardiovascular risk factors, and stromal-derived factor-1 in adolescents. <b>2009</b> , 10, 329-35		26
452	Adiposity is not associated with children's reported liking for selected foods. <b>2009</b> , 52, 603-608		27
451	Centiles of anthropometric measures of adiposity for 14- to 18-year-old urban Asian Indian adolescents. <b>2009</b> , 7, 133-41		15
450	Metabolic syndrome in pediatrics: old concepts revised, new concepts discussed. <b>2009</b> , 38, 549-63		18
449	Obesity: a new pathology to pay attention to in young people. <b>2010</b> , 16, 463-7		6
448	The relationship between birth weight and insulin resistance in childhood. <b>2010</b> , 103, 386-92		14
447	Early-for-age height attainment is associated with higher body fat levels and a more abdominal distribution of body fat in children. <b>2010</b> , 69,		
446	First reference curves of waist circumference and waist-to-height ratio of 607 children from Thessaloniki, northern Greece. <i>Nutrition and Food Science</i> , <b>2010</b> , 40, 371-377	1.5	2
445	Association of existing diabetes, gestational diabetes and glycosuria in pregnancy with macrosomia and offspring body mass index, waist and fat mass in later childhood: findings from a prospective pregnancy cohort. <b>2010</b> , 53, 89-97		155
444	Scaling of human body mass with height: the body mass index revisited. <b>2010</b> , 43, 764-6		18
443	Decreased high-density lipoprotein cholesterol and insulin resistance were the most common criteria in 12- to 19-year-old adolescents. <b>2010</b> , 49, 219-25		11

442	Measurement matters. <b>2010</b> , 156, 178-9	7
441	Role of waist circumference in predicting the risk of high blood pressure in children. <b>2010</b> , 5, 143-50	22
440	Comparison of waist circumference percentiles versus body mass index percentiles for diagnosis of obesity in a large cohort of children. <b>2010</b> , 5, 151-6	20
439	Racial differences in central adiposity in a longitudinal cohort of black and white adolescent females. <i>BMC Pediatrics</i> , <b>2010</b> , 10, 2	13
438	Waist circumference cut-off values for the prediction of cardiovascular risk factors clustering in Chinese school-aged children: a cross-sectional study. <i>BMC Public Health</i> , <b>2010</b> , 10, 82	30
437	Obesity and metabolic syndrome in 7-9 years-old Portuguese schoolchildren. <b>2010</b> , 2, 40	17
436	Parents underestimate their child's overweight. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2010</b> , 99, 1374-9	28
435	PRALIMAP: study protocol for a high school-based, factorial cluster randomised interventional trial of three overweight and obesity prevention strategies. <b>2010</b> , 11, 119	23
434	Dietary and physical activity patterns in children with fatty liver. <i>European Journal of Clinical Nutrition</i> , <b>2010</b> , 64, 628-35	54
433	Waist-to-height ratios in relation to BMI z-scores in three ethnic groups from a representative sample of New Zealand children aged 5-14 years. <b>2010</b> , 34, 1188-90	23
432	Percentile distributions of waist circumference for 7-19-year-old Polish children and adolescents. <b>2010</b> , 11, 281-8	22
431	[Waist circumference as indicator of body fat and metabolic alterations in teenagers: comparison among four references]. <i>Revista Da Associa Mdica Brasileira</i> , <b>2010</b> , 56, 665-9	11
430	Comparing maternal and paternal intergenerational transmission of obesity risk in a large population-based sample. <b>2010</b> , 91, 1560-7	187
429	Association of maternal weight gain in pregnancy with offspring obesity and metabolic and vascular traits in childhood. <b>2010</b> , 121, 2557-64	366
428	Programming of adiposity in offspring of mothers with type 1 diabetes at age 7 years. <b>2010</b> , 33, 1080-5	54
427	Impact of prolonged low-grade physical training on the in vivo glucocorticoid sensitivity and on glucocorticoid receptor-alpha mRNA levels of obese adolescents. <b>2010</b> , 73, 458-64	5
426	Evidence of secular changes in physical activity and fitness, but not adiposity and diet, in Welsh 12â¶3 year olds. <b>2010</b> , 69, 381-389	6
425	Progenitor cell number is correlated to physical performance in obese children and young adolescents. <b>2010</b> , 20, 381-6	8

424	Association of leg length with overweight and obesity in children aged 5â15 years: A cross-sectional study. <b>2010</b> , 37, 10-22		7
423	Endocannabinoid (EC) receptor, CB1, and EC enzymes' expression in primary adipocyte cultures of lean and obese pre-pubertal children in relation to adiponectin and insulin. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2010</b> , 23, 1011-24	1.6	10
422	Preeclampsia and gestational hypertension are associated with childhood blood pressure independently of family adiposity measures: the Avon Longitudinal Study of Parents and Children. <b>2010</b> , 122, 1192-9		149
421	Waist circumference and mid-upper arm circumference in evaluation of obesity in children aged between 6 and 17 years. <b>2010</b> , 2, 144-50		50
420	Association between general and central adiposity in childhood, and change in these, with cardiovascular risk factors in adolescence: prospective cohort study. <b>2010</b> , 341, c6224		195
419	Waist circumference and body fat distribution indexes as screening tools for the overweight and obesity in Thai preschool children. <b>2010</b> , 4, e247-342		5
418	Determinants of the prevalence and incidence of overweight in children and adolescents. <i>Public Health Nutrition</i> , <b>2010</b> , 13, 1870-81	3.3	38
417	Utility of waist circumference percentile for risk evaluation in obese children. <b>2010</b> , 5, 97-101		54
416	Waist circumference reference values for screening cardiovascular risk factors in Chinese children and adolescents. <b>2010</b> , 23, 21-31		45
415	Metabolic syndrome and physical fitness in a sample of Azorean adolescents. <b>2010</b> , 8, 443-9		15
414	Waist-to-height ratio as a screening tool for children with risk factors for cardiovascular disease. <b>2011</b> , 38, 265-70		34
413	Secular trends in established and novel cardiovascular risk factors in Welsh 12-13 year olds: a comparison between 2002 and 2007. <b>2011</b> , 38, 22-7		9
412	Obesity and cardiovascular risk factors in school children from Sorocaba, SP. <b>2011</b> , 57, 660-666		1
411	Obesity and cardiovascular risk factors in school children from Sorocaba, SP. <i>Revista Da Associd</i> o <i>Mdica Brasileira</i> , <b>2011</b> , 57, 674-80	1.4	16
410	Metabolic syndrome in pediatrics: old concepts revised, new concepts discussed. <b>2011</b> , 58, 1241-55, xi		32
409	Parental reported compared with measured waist circumference in 8-year-old children. <b>2011</b> , 6, e78-86		10
408	Nationally representative waist circumference percentiles in German adolescents aged 11.0-18.0 years. <b>2011</b> , 6, e129-37		31
407	Sex and ethnic differences in the waist circumference of 5-year-old children: findings from the Millennium Cohort Study. <b>2011</b> , 6, e196-8		7

406	Waist circumference percentile curves for Malaysian children and adolescents aged 6.0-16.9 years. <b>2011</b> , 6, 229-35		59	
405	Childhood obesity: evidence of an association between plasminogen activator inhibitor-1 levels and visceral adiposity. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2011</b> , 24, 361-7	1.6	12	
404	Obesit^dellâ∄dolescente. <b>2011</b> , 13, 1-9			
403	Aerobic fitness percentiles for U.S. adolescents. <b>2011</b> , 41, S106-10		71	
402	Unacylated, acylated ghrelin and obestatin levels are differently inhibited by oral glucose load in pediatric obesity: Association with insulin sensitivity and metabolic alterations. <b>2011</b> , 6, e109-e115		6	
401	Nutrition in phenylketonuria. <b>2011</b> , 104 Suppl, S10-8		89	
400	Obesidad en el adolescente. <b>2011</b> , 15, 1-9		О	
399	Cohort study for monitoring cardiovascular risk factors in children using a primary health care service: methods and initial results. <i>Cadernos De Saude Publica</i> , <b>2011</b> , 27, 510-20	3.2	5	
398	Circunferñcia da cintura e relaß cintura/estatura: teis para identificar risco metablico em adolescentes do sexo feminino?. <i>Revista Paulista De Pediatria</i> , <b>2011</b> , 29, 372-377	1.2	14	
397	The centre for healthy weightsshapedown BC: a family-centered, multidisciplinary program that reduces weight gain in obese children over the short-term. <i>International Journal of Environmental Research and Public Health</i> , <b>2011</b> , 8, 4662-78	4.6	12	
396	Sex differences in the cross-sectional areas of psoas major and thigh muscles in high school track and field athletes and nonathletes. <b>2011</b> , 30, 47-53		17	
395	How does infant behaviour relate to weight gain and adiposity?. <b>2011</b> , 70, 485-93		13	
394	Waist circumference and waist-to-height ratio in Han Chinese children living in Chongqing, south-west China. <i>Public Health Nutrition</i> , <b>2011</b> , 14, 20-6	3.3	21	
393	Obŝit'de l'adolescent. <b>2011</b> , 6, 1-9			
392	Waist circumference and waist-to-height ratio percentiles in a nationally representative sample of 6-13 year old children in Switzerland. <b>2011</b> , 141, w13227		31	
391	Body Composition Assessment in Children and Adolescents. <b>2011</b> , 465-482			
390	Validity of body mass index and waist circumference to detect excess fat mass in children aged 7-14 years. <i>European Journal of Clinical Nutrition</i> , <b>2011</b> , 65, 151-9	5.2	29	
389	Prenatal and postnatal programming of body composition in obese children and adolescents: evidence from anthropometry, DXA and the 4-component model. <b>2011</b> , 35, 534-40		20	

388	Waist circumference and waist-to-height ratio in Norwegian children 4-18 years of age: reference values and cut-off levels. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2011</b> , 100, 1576-82	3.1	66
387	Childhood obesity. <b>2011</b> , 39, 42-44		10
386	Waist circumference values according to height percentiles: a proposal to evaluate abdominal obesity in Mexican children and adolescents between 6 and 16 years of age. <b>2011</b> , 42, 515-22		14
385	Assessment and management of obesity in childhood and adolescence. <b>2011</b> , 8, 635-45		29
384	Preliminary data on the association between waist circumference and insulin resistance in children without a previous diagnosis. <b>2011</b> , 170, 35-43		22
383	Metabolic syndrome, adipokines and ghrelin in overweight and obese schoolchildren: results of a 1-year lifestyle intervention programme. <b>2011</b> , 170, 483-92		30
382	Markers of metabolic syndrome in obese children before and after 1-year lifestyle intervention program. <b>2011</b> , 50, 391-400		20
381	Waist circumference and waist for height percentiles in urban South Indian children aged 3-16 years. <b>2011</b> , 48, 765-71		52
380	Waist circumference, waist-hip ratio and waist-height ratio percentiles and central obesity among Pakistani children aged five to twelve years. <i>BMC Pediatrics</i> , <b>2011</b> , 11, 105	2.6	53
379	Metabolic risk factors, physical activity and physical fitness in Azorean adolescents: a cross-sectional study. <i>BMC Public Health</i> , <b>2011</b> , 11, 214	4.1	26
378	The Active for Life Year 5 (AFLY5) school based cluster randomised controlled trial: study protocol for a randomized controlled trial. <b>2011</b> , 12, 181		27
377	A cross-sectional study of overweight in pediatric survivors of acute lymphoblastic leukemia (ALL). <b>2011</b> , 57, 1204-9		35
376	Adiposity and blood pressure in 7- to 11-year-old children: comparison of British Pakistani and white British children, and of British Pakistani children of migrant and British-born mothers. <b>2011</b> , 23, 710-6		8
375	DIETARY HABITS AND NUTRITIONAL STATUS OF FEMALE ADOLESCENTS FROM THE GREAT POLAND REGION. <b>2011</b> , 61, 73-78		8
374	Reference curves and cut-off values for anthropometric indices of adiposity of affluent Asian Indian children aged 3-18 years. <b>2011</b> , 38, 165-74		12
373	Independent effects of age-related changes in waist circumference and BMI z scores in predicting cardiovascular disease risk factors in a prospective cohort of adolescent females. <b>2011</b> , 93, 392-401		29
372	Parent diet modification, child activity, or both in obese children: an RCT. <b>2011</b> , 127, 619-27		74
371	A parent-led family-focused treatment program for overweight children aged 5 to 9 years: the PEACH RCT. <b>2011</b> , 127, 214-22		97

370	Waist circumference percentiles for Kuwaiti children and adolescents. <i>Public Health Nutrition</i> , <b>2011</b> , 14, 70-6	3.3	17
369	Prevalence of overweight and obesity among 7-9-year-old children in Aveiro, Portugal: comparison between IOTF and CDC references. <i>Public Health Nutrition</i> , <b>2011</b> , 14, 14-9	3.3	13
368	Scores on the dietary guideline index for children and adolescents are associated with nutrient intake and socio-economic position but not adiposity. <b>2011</b> , 141, 1340-7		98
367	The development, feasibility and acceptability of a school-based obesity prevention programme: results from three phases of piloting. <b>2011</b> , 1, e000026		13
366	Defining anthropometric cut-off levels related to metabolic risk in a group of Sri Lankan children. <b>2011</b> , 38, 537-43		9
365	Stunting and obesity in childhood: a reassessment using longitudinal data from South Africa. <b>2012</b> , 41, 764-72		12
364	Novel modeling of reference values of cardiovascular risk factors in children aged 7 to 20 years. <b>2012</b> , 129, e1020-9		46
363	Associations of gestational diabetes, existing diabetes, and glycosuria with offspring obesity and cardiometabolic outcomes. <b>2012</b> , 35, 63-71		55
362	Physical activity intensity and cardiometabolic risk in youth. <b>2012</b> , 166, 1022-9		85
361	Assessment of childhood obesity in secondary care: OSCA consensus statement. <b>2012</b> , 97, 98-105		26
360	Family-based behavioural treatment of childhood obesity in a UK National Health Service setting: randomized controlled trial. <b>2012</b> , 36, 16-26		62
359	The second report from Turkey: waist percentiles for 6-11-year-old children in Elazig Province, Eastern Anatolia. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2012</b> , 25, 705-9	1.6	1
358	To what extent do weight gain and eating avidity during infancy predict later adiposity?. <i>Public Health Nutrition</i> , <b>2012</b> , 15, 656-62	3.3	19
357	Anthropometric Indices and Cardiovascular Disease Risk in Children and Adolescents: CASPIAN Study. <b>2012</b> , 1301-1318		
356	Reference curves for BMI, waist circumference and waist-to-height ratio for Azorean adolescents (Portugal). <i>Public Health Nutrition</i> , <b>2012</b> , 15, 13-9	3.3	9
355	Behavioural and weight status outcomes from an exploratory trial of the Healthy Lifestyles Programme (HeLP): a novel school-based obesity prevention programme. <b>2012</b> , 2,		30
354	Effect of a 10-week weight loss camp on fatty liver disease and insulin sensitivity in obese Danish children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2012</b> , 54, 223-8	2.8	51
353	Diagnosis of nonalcoholic fatty liver disease in children and adolescents: position paper of the ESPGHAN Hepatology Committee. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2012</b> , 54, 700-13	2.8	311

352	Waist circumference is a sensitive screening tool for assessment of metabolic syndrome risk in children treated with second-generation antipsychotics. <b>2012</b> , 57, 34-44		38
351	Obŝit'de l'enfant et de l'adolescent. <b>2012</b> , 9, 1-14		
350	Changes in waist circumference among adolescents in England from 1977-1987 to 2005-2007. <b>2012</b> , 126, 695-701		11
349	Cross-sectional comparisons of BMI and waist circumference in British children: mixed public health messages. <b>2012</b> , 20, 1258-60		22
348	Effect of choice of outcome measure on studies of the etiology of obesity in children. <b>2012</b> , 22, 888-91		20
347	Waist circumference percentiles in children and adolescents between 6 and 14 years from Santiago, Chile. <b>2012</b> , 59, 296-303		4
346	Waist circumference percentiles in children and adolescents between 6 and 14 years from Santiago, Chile. <b>2012</b> , 59, 296-303		10
345	Different waist circumference measurements and prediction of cardiovascular risk factors and metabolic syndrome in children. <b>2012</b> , 6, e91-e174		5
344	Breakfast glycaemic index and cognitive function in adolescent school children. <b>2012</b> , 107, 1823-32		58
343	Cardiometabolic risk and the MTHFR C677T variant in children treated with second-generation antipsychotics. <b>2012</b> , 2, e71		24
342	The study design and methodology for the ARCHER studyadolescent rural cohort study of hormones, health, education, environments and relationships. <i>BMC Pediatrics</i> , <b>2012</b> , 12, 143	2.6	16
341	Association between dairy product intake and abdominal obesity in Azorean adolescents. <i>European Journal of Clinical Nutrition</i> , <b>2012</b> , 66, 830-5	5.2	27
340	Pune low birth weight study, growth from birth to adulthood. <b>2012</b> , 49, 727-32		17
339	Metabolic syndrome components in obese Egyptian children. <b>2012</b> , 32, 603-10		10
338	Novel and Traditional Cardiovascular Risk Factors in Adolescents. 2012,		
337	Managing and preventing obesity in teenagers. <b>2012</b> , 23, 252-256		
336	Relaß entre o perfil antropomtrico e bioquínico em crianas e adolescentes com diabetes melito tipo 1. <i>Revista Paulista De Pediatria</i> , <b>2012</b> , 30, 65-71	1.2	5
335	Potential factors related to waist circumference in urban South Indian children. <b>2012</b> , 49, 124-8		22

## (2013-2012)

334	Two-year follow-up of the 'Families for Health' programme for the treatment of childhood obesity. <b>2012</b> , 38, 229-36		22	
333	Prevalñcia de excesso de peso e obesidade em estudantes adolescentes do distrito de Castelo Branco: um estudo centrado no fidice de massa corporal, perfinetro da cintura e percentagem de massa gorda. <b>2012</b> , 30, 47-54		3	
332	Waist circumference percentiles for Portuguese children and adolescents aged 10 to 18 years. <b>2012</b> , 171, 499-505		17	
331	Evaluation of the effectiveness and cost-effectiveness of Families for Health V2 for the treatment of childhood obesity: study protocol for a randomized controlled trial. <b>2013</b> , 14, 81		6	
330	Socioeconomic inequalities in abdominal obesity in Brazilian female adolescents: a national-based study. <b>2013</b> , 172, 1665-70		17	
329	Body fat percentiles of Brazilian adolescents according to age and sexual maturation: a cross-sectional study. <i>BMC Pediatrics</i> , <b>2013</b> , 13, 96	2.6	9	
328	Is waist-to-height ratio a useful indicator of cardio-metabolic risk in 6-10-year-old children?. <i>BMC Pediatrics</i> , <b>2013</b> , 13, 91	2.6	44	
327	A five year longitudinal study investigating the prevalence of childhood obesity: comparison of BMI and waist circumference. <b>2013</b> , 127, 1090-6		26	
326	Analysis of autonomic modulation during maximal and submaximal work rate and functional capacity in asthmatic children. <b>2013</b> , 50, 613-8		15	
325	The hypertriglyceridemic waist, waist-to-height ratio, and cardiometabolic risk. <b>2013</b> , 162, 746-52		23	
324	Validity of newly-developed BMI and waist cut-off values for Sri Lankan children. 2013, 40, 280-5		6	
323	Distribution of obesity-related metabolic markers among 5-15 year old children from an urban area of Sri Lanka. <b>2013</b> , 40, 168-74		17	
322	Metabolic risk profile of schoolchildren and joint physical activity with an adult in the household: multilevel analysis. <b>2013</b> , 23, e56-64		2	
321	Waist circumference percentiles among Turkish children under the age of 6 years. <b>2013</b> , 172, 59-69		17	
320	Distributions of waist circumference and waist-to-height ratio for children and adolescents in Shandong, China. <b>2013</b> , 172, 185-91		9	
319	[Diagnostic accuracy of waist to height ratio in screening of overweight and infant obesity]. <b>2013</b> , 140, 296-301		17	
318	Metabolic syndrome in obese adolescents: what is enough?. <b>2013</b> , 59, 64-71			
317	Waist circumference in children and adolescents correlate with metabolic syndrome and fat deposits in young adults. <b>2013</b> , 32, 93-7		37	

316	A proposed cutoff point of waist-to-height ratio for metabolic risk in African township adolescents. <b>2013</b> , 29, 502-7		15
315	Metabolic syndrome in obese adolescents: what is enough?. <i>Revista Da Associa</i> Mdica Brasileira, <b>2013</b> , 59, 64-71	1.4	5
314	Abdominal circumference measurement by ultrasound does not enhance estimating the association of visceral fat with cardiovascular risk. <b>2013</b> , 29, 393-8		5
313	The relationship of waist circumference distribution to blood pressure levels among children and adolescents in Shandong, China. <b>2013</b> , 168, 1516-20		13
312	Metabolic syndrome in pediatrics: old concepts revised, new concepts discussed. <b>2013</b> , 43, 114-23		21
311	Anthropometric and dietary predictors of insulin sensitivity in 10- to 14-year-old boys and girls. <b>2013</b> , 38, 320-5		2
310	High-mobility group protein B1: a new biomarker of metabolic syndrome in obese children. <b>2013</b> , 168, 631-8		56
309	Fatty liver and insulin resistance in children with hypobetalipoproteinemia: the importance of aetiology. <b>2013</b> , 79, 49-54		19
308	The Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children: study protocol for a randomised controlled trial. <b>2013</b> , 14, 95		22
307	Overweight and obesity prevention for adolescents: a cluster randomized controlled trial in a school setting. <b>2013</b> , 44, 30-9		49
306	The Active for Life Year 5 (AFLY5) school-based cluster randomised controlled trial protocol: detailed statistical analysis plan. <b>2013</b> , 14, 234		13
305	Prolactin in obese children: a bridge between inflammation and metabolic-endocrine dysfunction. <b>2013</b> , 79, 537-44		33
304	Poster Sessions. <b>2013</b> , 6, 49-230		3
303	Assessing the short-term outcomes of a community-based intervention for overweight and obese children: The MEND 5-7 programme. <b>2013</b> , 3,		10
302	Creation of an adiposity index for children aged 6-8 years: the Gateshead Millennium Study. <b>2013</b> , 2013, 431825		
301	Tissue doppler echocardiography for evaluating left ventricular functions in obese children. <b>2013</b> , 40, 9-14		1
300	Does the body mass index reflect cardiovascular risk factors in Brazilian children?. <b>2013</b> , 59, 43-8		4
299	Higher protein diets consumed ad libitum improve cardiovascular risk markers in children of overweight parents from eight European countries. <b>2013</b> , 143, 810-7		38

## (2013-2013)

298	Process evaluation of a school-based overweight and obesity screening strategy in adolescents. <b>2013</b> , 20, 76-82	5
297	8th World Congress on Developmental Origins of Health and Disease. <b>2013</b> , 4, S51-S339	1
296	Predicting metabolic syndrome in obese children and adolescents: look, measure and ask. 2013, 6, 48-56	40
295	Risk of metabolic syndrome and diabetes among young twins and singletons in Guinea-Bissau. <b>2013</b> , 36, 3549-56	5
294	Development of adiposity, obesity and age at menarche: an 8-year follow-up study in Portuguese schoolgirls. <b>2013</b> , 25, 55-63	17
293	Adiposity, blood pressure, and carotid intima-media thickness in greek adolescents. <b>2013</b> , 21, 1013-7	28
292	Anthropometric predictors of visceral adiposity in normal-weight and obese adolescents. 2013, 14, 575-84	20
291	Waist circumference measurement site does not affect relationships with visceral adiposity and cardiometabolic risk factors in children. <b>2013</b> , 8, 199-206	30
290	Healthy Buddiesâlreduces body mass index z-score and waist circumference in Aboriginal children living in remote coastal communities. <b>2013</b> , 83, 605-13	33
289	Gestational diabetes predicts the risk of childhood overweight and abdominal circumference independent of maternal obesity. <b>2013</b> , 30, 1449-56	113
288	High sensitivity C-reactive protein concentrations, birthweight and cardiovascular risk markers in Brazilian children. <i>European Journal of Clinical Nutrition</i> , <b>2013</b> , 67, 664-9	6
287	Discordances in the application of different criteria for quantification of paediatric abdominal obesity: an analysis of two Swiss studies. <b>2013</b> , 3, e67	1
286	Changes in adiposity indicators of Ho Chi Minh City adolescents in a 5-year prospective cohort study. <b>2013</b> , 37, 1261-7	7
285	Effects of suboptimal or excessive gestational weight gain on childhood overweight and abdominal adiposity: results from a retrospective cohort study. <b>2013</b> , 37, 505-12	67
284	Area-level deprivation and adiposity in children: is the relationship linear?. <b>2013</b> , 37, 486-92	8
283	The associations between cardiovascular risk factors, physical activity, and arterial stiffness in youth. <b>2013</b> , 10, 198-204	18
282	Prevalñcia de obesidade abdominal e excesso de gordura em escolares de uma cidade serrana no sul do Brasil. <b>2013</b> , 18, 1417-1425	9
281	[Growth and body composition of a cohort of children and adolescents with type 1 diabetes]. <b>2013</b> , 57, 623-31	1

280	Body Weight Perception and Associated Factors in Students. <b>2013</b> , 23, 170		O
279	Body weight perception and associated factors in students. <b>2013</b> , 23, 296		3
278	Letter from Dr. Latta to the Secretary of the Central Board of Health, London, affording a view of the rationale and results of his practice in the treatment of cholera by aqueous and saline injections. 1832. <b>2013</b> , 42, 387-90		7
277	Neck circumference as a new anthropometric indicator for prediction of insulin resistance and components of metabolic syndrome in adolescents: Brazilian Metabolic Syndrome Study. <i>Revista Paulista De Pediatria</i> , <b>2014</b> , 32, 221-9	1.2	36
276	Dual burden of body weight among Iranian children and adolescents in 2003 and 2010: the CASPIAN-III study. <b>2014</b> , 10, 96-103		29
275	Geographical variation in health-related physical fitness and body composition among Chilean 8th graders: a nationally representative cross-sectional study. <i>PLoS ONE</i> , <b>2014</b> , 9, e108053	3.7	24
274	Defining the obesity problem. <b>2014</b> , 1-21		
273	Diagnostic accuracy of anthropometric indices in predicting excess body fat among seven to ten-year-old children. <b>2014</b> , 17, 243-54		5
272	Cardiovascular risk factors and health behaviours in elementary school-age Inuvialuit and Gwich'in children. <b>2014</b> , 19, 256-60		1
271	Trends in adiposity in Brazilian 7-10-year-old schoolchildren: evidence for increasing overweight but not obesity between 2002 and 2007. <b>2014</b> , 41, 255-62		8
270	Measuring growth and obesity across childhood and adolescence. <b>2014</b> , 73, 210-7		21
269	Percentile reference values for anthropometric body composition indices in European children from the IDEFICS study. <b>2014</b> , 38 Suppl 2, S15-25		81
268	Vigorous physical activity and longitudinal associations with cardiometabolic risk factors in youth. <b>2014</b> , 38, 16-21		107
267	[Waist circumference, waist/height ratio, and neck circumference as parameters of central obesity assessment in children]. <i>Revista Paulista De Pediatria</i> , <b>2014</b> , 32, 273-81	1.2	21
266	Children's body fatness and prevalence of obesity in relation to height for age. <b>2014</b> , 41, 84-90		6
265	Anthropometry in cardio-metabolic risk assessment. <b>2014</b> , 65, 19-27		4
264	Waist-to-Height Ratio Is a Better Anthropometric Index than Waist Circumference and BMI in Predicting Metabolic Syndrome among Obese Mexican Adolescents. <b>2014</b> , 2014, 195407		56
263	Waist circumference, waist/height ratio, and neck circumference as parameters of central obesity assessment in children . <b>2014</b> , 32, 273-281		5

262	Maternal employment and childhood obesity in China: evidence from the China Health and Nutrition Survey. <b>2014</b> , 46, 2418-2428		12
261	The triglyceride to high-density lipoprotein ratio identifies children who may be at risk of developing cardiometabolic disease. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2014</b> , 103, e349-53	3.1	8
260	Cluster of cardiometabolic risk factors in children with GH deficiency: a prospective, case-control study. <b>2014</b> , 80, 856-62		33
259	Gender-assortative waist circumference in mother-daughter and father-son pairs, and its implications. An 11-year longitudinal study in children (EarlyBird 59). <b>2014</b> , 9, 176-85		7
258	Effectiveness of peer-based healthy living lesson plans on anthropometric measures and physical activity in elementary school students: a cluster randomized trial. <b>2014</b> , 168, 330-7		45
257	Effect of intervention aimed at increasing physical activity, reducing sedentary behaviour, and increasing fruit and vegetable consumption in children: active for Life Year 5 (AFLY5) school based cluster randomised controlled trial. <b>2014</b> , 348, g3256		136
256	Effects of physical fitness on waist circumference in a group of school children living in Southern Italy. <b>2014</b> , 10, 261-267		Ο
255	Probiotics to Treat Visceral Obesity and Related Liver Disease. <b>2014</b> , 363-380		1
254	Childhood obesity in low- and middle-income countries. <b>2014</b> , 34, 239-49		24
253	Single versus multiple-family intervention in childhood overweightFinnmark Activity School: a randomised trial. <b>2014</b> , 99, 225-31		16
252	Obesity and body size perceptions in a Spanish Roma population. <b>2014</b> , 41, 428-35		7
251	Waist circumference percentiles in 2-18 year old Indian children. <b>2014</b> , 164, 1358-62.e2		52
250	Improving weight status in childhood: results from the eat well be active community programs. <b>2014</b> , 59, 43-50		23
249	A review on the genetic, environmental, and lifestyle aspects of the early-life origins of cardiovascular disease. <b>2014</b> , 44, 54-72		96
248	Metabolic syndrome in pediatrics. <b>2014</b> , 65, 91-142		11
247	The association between obesity and blood pressure in Thai public school children. <i>BMC Public Health</i> , <b>2014</b> , 14, 729	4.1	14
246	Higher circulating parathormone is associated with smaller and weaker bones in obese children. <b>2014</b> , 95, 1-7		13
245	Association between nocturnal blood pressure dipping and insulin resistance in children affected by NAFLD. <b>2014</b> , 173, 1511-8		10

244	Characteristics of salivary secretion in normal-weight, overweight and obese children: a preliminary study: salivary composition and excessive fat tissue. <b>2014</b> , 102, 318-24	17
243	Contribution of socioeconomic status, stature and birth weight to obesity in Sub-Saharan Africa: cross-sectional data from primary school-age children in Cameroon. <i>BMC Public Health</i> , <b>2014</b> , 14, 320	17
242	The 'Healthy Dads, Healthy Kids' community randomized controlled trial: a community-based healthy lifestyle program for fathers and their children. <i>Preventive Medicine</i> , <b>2014</b> , 61, 90-9	108
241	Association of abdominal obesity in children with perioperative respiratory adverse events. <b>2014</b> , 29, 84-93	10
240	Initial screening of children treated with second-generation antipsychotics points to an association between physical activity and insulin resistance. <b>2014</b> , 26, 455-62	5
239	Acute effects of active gaming on ad libitum energy intake and appetite sensations of 8-11-year-old boys. <b>2015</b> , 114, 2148-55	3
238	Neck circumference as a novel screening method for estimating fat distribution and metabolic complications in obese children. <b>2015</b> , 63, 91-97	3
237	The Association Between Cardiorespiratory Fitness and Cardiometabolic Risk in Children is Mediated by Abdominal Adiposity: The HAPPY Study. <b>2015</b> , 12, 1148-52	16
236	The impact of age and risk factors on carotid and carotid-femoral pulse wave velocity. <b>2015</b> , 33, 1446-51	20
235	Magnitude and determinants of change in objectively-measured physical activity, sedentary time and sleep duration from ages 15 to 17.5y in UK adolescents: the ROOTS study. <b>2015</b> , 12, 61	32
234	Identifying Overweight and Obese Children. <b>2015</b> , 30, 143-152	
233	The role of blood pressure, body weight and fat distribution on left ventricular mass, diastolic function and cardiac geometry in children. <b>2015</b> , 33, 1182-92	40
232	Long-Term Outcomes following the MEND 7-13 Child Weight Management Program. <b>2015</b> , 11, 325-30	26
231	Coeliac disease screening among a large cohort of overweight/obese children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2015</b> , 60, 405-7	14
230	Growth hormone deficiency after childhood bone marrow transplantation with total body irradiation: interaction with adiposity and age. <b>2015</b> , 83, 508-17	13
229	Emerging pathomechanisms involved in obesity. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2.8 2.8	18
228	Early clinical interventions and outcomes. <b>2015</b> , 100-111	1
227	. 2015,	2

Percentis para o perfinetro de cintura de adolescentes do município do Rio de Janeiro. **2015**, 28, 265-275

225	Paediatric Body Composition Measurement Techniques in Morbidly Obese Patients. <b>2015</b> , 1-6		
224	Height, weight, body composition, and waist circumference references for 7- to 17-year-old children from rural Portugal. <b>2015</b> , 66, 264-77		8
223	Short-term effects of ketogenic diet on anthropometric parameters, body fat distribution, and inflammatory cytokine production in GLUT1 deficiency syndrome. <b>2015</b> , 31, 981-7		26
222	Association between weight at birth and body composition in childhood: A Brazilian cohort study. <b>2015</b> , 91, 445-9		10
221	An Early Feeding Practices Intervention for Obesity Prevention. <b>2015</b> , 136, e40-9		90
220	Metabolic syndrome in children and adolescents with phenylketonuria. <b>2015</b> , 91, 98-103		1
219	Metabolic syndrome in children and adolescents with phenylketonuria. <b>2015</b> , 91, 98-103		8
218	Differences in childhood adiposity influence upper limb fracture site. <b>2015</b> , 79, 88-93		11
217	Body composition in young female eating-disorder patients with severe weight loss and controls: evidence from the four-component model and evaluation of DXA. <i>European Journal of Clinical Nutrition</i> , <b>2015</b> , 69, 1330-5	5.2	9
216	Interaction between the Val158Met catechol-O-methyltransferase gene variant and second-generation antipsychotic treatment on blood pressure in children. <b>2015</b> , 15, 95-100		6
215	Prematurity and low birth weight lead to altered bone geometry, strength, and quality in children. <i>Journal of Endocrinological Investigation</i> , <b>2015</b> , 38, 563-8	5.2	9
214	Height-obesity relationship in school children in Sub-Saharan Africa: results of a cross-sectional study in Cameroon. <b>2015</b> , 8, 98		4
213	Determining abdominal obesity cut-offs and relevant risk factors for anthropometric indices in Turkish children and adolescents. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2015</b> , 28, 525-32	1.6	3
212	A Brief Educational Intervention Increases Knowledge of the Sugar Content of Foods and Drinks but Does Not Decrease Intakes in Scottish Children Aged 10-12 Years. <b>2015</b> , 47, 367-73.e1		12
211	Comparison of methods for the measurement of body composition in overweight and obese Brazilian children and adolescents before and after a lifestyle modification program. <b>2015</b> , 66, 26-30		8
210	Early intervention for childhood overweight: A randomized trial in general practice. <b>2015</b> , 33, 184-90		6
209	Waist circumference, waist-to-hip ratio and waist-to-height ratio reference percentiles for abdominal obesity among Greek adolescents. <i>BMC Pediatrics</i> , <b>2015</b> , 15, 50	2.6	84

208	LMS tables for waist-circumference and waist-height ratio Z-scores in children aged 5-19 y in NHANES III: association with cardio-metabolic risks. <b>2015</b> , 78, 723-9		91
207	Timing of moderate-to-vigorous exercise and its impact on subsequent energy intake in young males. <b>2015</b> , 151, 557-62		23
206	Social inequality and age-specific gender differences in overweight and perception of overweight among Swedish children and adolescents: a cross-sectional study. <i>BMC Public Health</i> , <b>2015</b> , 15, 628	4.1	18
205	Methodologies to assess paediatric adiposity. <b>2015</b> , 184, 53-68		41
204	Mastigaß e deglutiß de crianßs e adolescentes obesos. <b>2016</b> , 18, 1340-1347		О
203	Design programmes to maximise participant engagement: a predictive study of programme and participant characteristics associated with engagement in paediatric weight management. <b>2016</b> , 13, 76		18
202	High Discrepancy in Abdominal Obesity Prevalence According to Different Waist Circumference Cut-Offs and Measurement Methods in Children: Need for Age-Risk-Weighted Standardized Cut-Offs?. <i>PLoS ONE</i> , <b>2016</b> , 11, e0146579	3.7	10
201	Effect of Novel, School-Based High-Intensity Interval Training (HIT) on Cardiometabolic Health in Adolescents: Project FFAB (Fun Fast Activity Blasts) - An Exploratory Controlled Before-And-After Trial. <i>PLoS ONE</i> , <b>2016</b> , 11, e0159116	3.7	41
200	[Not Available]. <b>2016</b> , 33, 388		3
199	Taste preference, food neophobia and nutritional intake in children consuming a cows' milk exclusion diet: a prospective study. <b>2016</b> , 29, 786-796		12
198	Metabolic syndrome in children and adolescents: Old concepts in a young population. <b>2016</b> , 52, 928-934	1	13
197	Risk Factors in Adolescent Hypertension. <b>2016</b> , 3, 2333794X15625159		32
196	Percentiles for anthropometric measures in Iranian children and adolescents: the CASPIAN-IV study. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2016</b> , 29, 1069-76	1.6	12
195	Feeling 'too fat' rather than being 'too fat' increases unhealthy eating habits among adolescents - even in boys. <b>2016</b> , 60, 29530		9
194	Anthropometric predictors of body fat in a large population of 9-year-old school-aged children. <b>2016</b> , 2, 272-281		15
193	Overweight and obesity trends are stabilising among children aged 7 years: Results of the Childhood Obesity Surveillance Initiative in the Republic of Ireland. <b>2016</b> , 75,		3
192	Comparison of short-term energy intake and appetite responses to active and seated video gaming, in 8-11-year-old boys. <b>2016</b> , 115, 1117-25		7
191	Waist circumference distribution in Colombian schoolchildren and adolescents: The FUPRECOL Study. <b>2016</b> , 63, 265-73		6

### (2017-2016)

190	childhood obesity in response to a community-based, whole of system cluster randomized control trial. <b>2016</b> , 74, 16	17
189	Waist circumference percentiles for Singaporean children and adolescents aged 6-17 years. <b>2016</b> , 10 Suppl 1, S17-S25	4
188	Psychosocial Interventions in the Treatment of Severe Adolescent Obesity: The SHINE Program. <b>2016</b> , 59, 523-529	11
187	Waist circumference distribution in Colombian schoolchildren and adolescents: The FUPRECOL Study. <b>2016</b> , 63, 265-273	3
186	Which body composition measures are associated with cardiovascular function and structure in adolescence?. <b>2016</b> , 3, 20-27	4
185	The between-day reproducibility of fasting, satiety-related analytes, in 8 to 11year-old boys. <b>2016</b> , 164, 207-13	2
184	Synthetic growth reference charts. <b>2016</b> , 28, 98-111	12
183	Epidemiology, Measurement, and Cost of Obesity. <b>2016</b> , 1-22	1
182	Detailed statistical analysis plan for a cluster randomised controlled trial of the Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children. <b>2016</b> , 17, 599	5
181	The Metabolic Phenotype of Youth Onset Type 2 Diabetes: The Role of Pregestational Diabetes Exposure and the Hepatic Nuclear Factor 1Alpha G319S Polymorphism. <b>2016</b> , 40, 210-5	2
180	Minimal change in children's lifestyle behaviours and adiposity following a home-based obesity intervention: results from a pilot study. <b>2016</b> , 9, 26	5
179	Utility of the hypertriglyceridemic waist phenotype in the cardiometabolic risk assessment of youth stratified by body mass index. <b>2016</b> , 11, 292-8	10
178	Soluble receptor and gene polymorphism for AGE: relationship with obesity and cardiovascular risks. <b>2016</b> , 80, 67-71	11
177	Upregulation of inflammasome activity and increased gut permeability are associated with obesity in children and adolescents. <b>2016</b> , 40, 1026-33	49
176	Prevalence of metabolic syndrome in children aged 5-9 years from southwest colombia: a cross-sectional study. <b>2016</b> , 12, 477-483	12
175	Waist Circumference Percentiles in Indigenous Argentinean School Children Living at High Altitudes. <b>2016</b> , 12, 77-85	3
174	Relationship between physical activity, physical fitness and multiple metabolic risk in youths from Muzambinho's study. <b>2016</b> , 16, 618-23	3
173	Ethnic variation in the correlation between waist to height ratio and total daily insulin requirement in children with type 1 diabetes: a cross-sectional study. <b>2017</b> , 18, 128-135	2

172	Defining Obesity Using a Biological End Point in Sri Lankan Children. 2017, 84, 117-123	4
171	International normative 20 m shuttle run values from 1 142 026 children and youth representing 50 countries. <b>2017</b> , 51, 1545-1554	118
170	Randomised controlled trial and economic evaluation of the 'Families for Health' programme to reduce obesity in children. <b>2017</b> , 102, 416-426	15
169	Abnormal levels of adipokines in adolescent offspring of women with type 1 diabetes - Results from the EPICOM study. <b>2017</b> , 72, 47-56	6
168	Metabolic syndrome and atherogenic indices in school children: A worrying panorama in Brazil. <b>2017</b> , 11 Suppl 1, S397-S401	4
167	Dietary intake and prospective changes in cardiometabolic risk factors in children and youth. <b>2017</b> , 42, 39-45	15
166	The relationship between non-alcoholic fatty liver disease and small intestinal bacterial overgrowth among overweight and obese children and adolescents. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2017</b> , 30, 1161-1168	22
165	Stress Measured by Allostatic Load in Neurologically Impaired Children: The Importance of Nutritional Status. <b>2017</b> , 88, 224-230	8
164	Reducing social inequalities in access to overweight and obesity care management for adolescents: The PRALIMAP-INB trial protocol and inclusion data analysis. <b>2017</b> , 7, 141-157	10
163	Abdominal obesity in adolescents: Development of age-specific waist circumference cut-offs linked to adult IDF criteria. <b>2017</b> , 29, e23036	7
162	Prevention of cardiovascular risk factors in childhood obesity. 2017,	1
161	Introduction. <b>2017</b> , 1-37	
160	Relationships between metabolic profile, hypertension and uric acid with cardiometabolic risk in adolescents with abdominal obesity: impact of geodemographic factors on the prevalence of abdominal obesity. <b>2017</b> , 32,	1
159	The adaptation and translation of the PEACHâlRCT intervention: the process and outcomes of the PEACHâlın the community trial. <b>2017</b> , 153, 154-162	3
158	Effect of late bedtime on salivary glucose and abdominal obesity in children. 2017, 15, 227-233	8
157	Trial baseline characteristics of a cluster randomised controlled trial of a school-located obesity prevention programme; the Healthy Lifestyles Programme (HeLP) trial. <i>BMC Public Health</i> , <b>2017</b> , 4.1 17, 291	5
156	Diagnostic performance of Body Mass Index, Waist Circumference and the Waist-to-Height Ratio for identifying cardiometabolic risk in Scottish pre-adolescents. <b>2017</b> , 44, 297-302	8
155	Dietary calcium intake is inversely associated with blood pressure in Brazilian children. <b>2017</b> , 68, 331-338	8

154	Utility of three anthropometric indices in assessing the cardiometabolic risk profile in children. <b>2017</b> , 29, e22934	2
153	Associations between prolonged sedentary time and breaks in sedentary time with cardiometabolic risk in 10-14-year-old children: The HAPPY study. <b>2017</b> , 35, 2164-2171	26
152	How Much Walking Should be Advocated for Good Health in Adolescent Girls?. <b>2017</b> , 14, 59-66	3
151	Is arterial stiffening associated with adiposity, severity of obesity and other contemporary cardiometabolic markers in a community sample of adolescents with obesity in the UK?. <b>2017</b> , 1, e000061	8
150	Comparisons of Waist Circumference Measurements at Five Different Anatomical Sites in Chinese Children. <b>2017</b> , 2017, 7678613	6
149	Insulin resistance in a cohort of 5-15 year old children in urban Sri Lanka. <b>2017</b> , 10, 347	7
148	Prevalence of Nonalcoholic Fatty Liver Disease in Normal-weight and Overweight Preadolescent Children in Haryana, India. <b>2017</b> , 54, 1012-1016	10
147	Estado nutricional antropomtrico e associati com pressti arterial em criantis e adolescentes: um estudo populacional. <b>2017</b> , 27, 25592	1
146	Measuring adolescents' weight socioeconomic gradient using parental socioeconomic position. <b>2018</b> , 28, 1097-1102	5
145	Cross-sectional study showed that breakfast consumption was associated with demographic, clinical and biochemical factors in children and adolescents. <i>Acta Paediatrica, International Journal</i> 3.1 of Paediatrics, <b>2018</b> , 107, 1562	7
144	Clinical and Vitamin Response to a Short-Term Multi-Micronutrient Intervention in Brazilian Children and Teens: From Population Data to Interindividual Responses. <b>2018</b> , 62, e1700613	18
143	Epicardial Fat Thickness in Non-Obese Neurologically Impaired Children: Association with Unfavorable Cardiometabolic Risk Profile. <b>2018</b> , 72, 96-103	3
142	Reliability of anthropometric measurements in children with special needs. 2018, 103, 757-762	8
141	Short Sleep Duration and Screen-Based Activities: A Longitudinal Multilevel Analysis. <b>2018</b> , 12, 340-348	3
140	Food intake and appetite following school-based high-intensity interval training in 9-11-year-old children. <b>2018</b> , 36, 286-292	5
139	European normative values for physical fitness in children and adolescents aged 9-17 years: results from 2 779 165 Eurofit performances representing 30 countries. <b>2018</b> , 52, 1445-14563	127
138	Association between metabolic syndrome and gingival inflammation in obese children. 2018, 16, 397-403	
137	Waist circumference and waist-to-height ratio in Chinese pre-school children: results from the 5th National Survey in 2015. <b>2018</b> , 45, 440-446	3

136	A cluster-randomised feasibility trial of a children's weight management programme: the Child weigHt mANaGement for Ethnically diverse communities (CHANGE) study. <b>2018</b> , 4, 175		3
135	Using facilitator-receiver peer dyads matched according to socioeconomic status to promote behaviour change in overweight adolescents: a feasibility study. <b>2018</b> , 8, e019731		2
134	Adipocyte aquaporin 7 (AQP7) expression in lean children and children with obesity. Possible involvement in molecular mechanisms of childhood obesity. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2018</b> , 31, 1081-1089	1.6	8
133	Comparaß de parfinetros metablicos em crianfis e adolescentes com e sem resistñcia îinsulina. <b>2018</b> , 30, 3002		
132	Multiple cardiovascular risk factors in adolescents from a middle-income country: Prevalence and associated factors. <i>PLoS ONE</i> , <b>2018</b> , 13, e0200075	3.7	6
131	Is adolescent body mass index and waist circumference associated with the food environments surrounding schools and homes? A longitudinal analysis. <i>BMC Public Health</i> , <b>2018</b> , 18, 482	4.1	17
130	Metformin in the Management of Childhood Obesity: A Randomized Control Trial. <b>2018</b> , 14, 553-565		14
129	Anthropometric features as predictors of atherogenic dyslipidemia and cardiovascular risk in a large population of school-aged children. <i>PLoS ONE</i> , <b>2018</b> , 13, e0197922	3.7	9
128	CUT OFF VALUES FOR WAIST CIRCUMFERENCE TO PREDICT OVERWEIGHT IN BRAZILIAN ADOLESCENTS, ACCORDING TO PUBERTAL STAGING. <i>Revista Paulista De Pediatria</i> , <b>2019</b> , 37, 49-57	1.2	1
127	Utility of international normative 20 m shuttle run values for identifying youth at increased cardiometabolic risk. <b>2019</b> , 37, 507-514		11
126	Intra-abdominal fat measurement by ultrasonography: association with anthropometry and metabolic syndrome in adolescents. <b>2019</b> , 95, 342-349		3
125	Indexes of adiposity and body composition in the prediction of metabolic syndrome in obese children and adolescents: Which is the best?. <b>2019</b> , 29, 1189-1196		8
124	A feasibility study with process evaluation of a teacher led resource to improve measures of child health. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218243	3.7	
123	Intra-abdominal fat measurement by ultrasonography: association with anthropometry and metabolic syndrome in adolescents. <b>2019</b> , 95, 342-349		
122	Familial aggregation and heritability of markers of metabolic risk, physical activity, and physical fitness in nuclear families from Muzambinho (Minas Gerais, Brazil). <b>2019</b> , 63, 215-221		1
121	Evaluation of Allostatic Load as a Marker of Chronic Stress in Children and the Importance of Excess Weight. <b>2019</b> , 7, 335		9
120	Emerging Change in Body Perception During Growth and Development Among Children and Adolescents. <b>2019</b> , 23-27		
119	Fundamental Movement Skill Proficiency and Health Among a Cohort of Irish Primary School Children. <b>2019</b> , 90, 24-35		8

### (2020-2019)

118	Prevalence of vitamin D deficiency and its association with metabolic derangements among children with obesity. <i>BMC Pediatrics</i> , <b>2019</b> , 19, 186	6	11
117	Percentile Curves for Body-Mass Index, Waist Circumference, Waist-To-Height Ratio and Waist-To-Height Ratio(Exp) in Croatian Adolescents. <i>International Journal of Environmental Acesearch and Public Health</i> , <b>2019</b> , 16,	5	2
116	Accelerometer-based physical activity levels, fundamental movement skills and weight status in British preschool children from a deprived area. <b>2019</b> , 178, 1043-1052		13
115	The Effectiveness of Nutrition Specialists on Pediatric Weight Management Outcomes in Multicomponent Pediatric Weight Management Interventions: A Systematic Review and Exploratory Meta-Analysis. <b>2019</b> , 119, 799-817.e43		5
114	Project Spraoi: two year outcomes of a whole school physical activity and nutrition intervention using the RE-AIM framework. <b>2019</b> , 38, 219-243		3
113	Metabolic Abnormalities in Normal Weight Children Are Associated with Increased Visceral Fat Accumulation, Elevated Plasma Endotoxin Levels and a Higher Monosaccharide Intake. <b>2019</b> , 11,		6
112	Exposure to Gestational Diabetes Is a Stronger Predictor of Dysmetabolic Traits in Children Than Size at Birth. <b>2019</b> , 104, 1766-1776		5
111	Healthy Dads, Healthy Kids UK, a weight management programme for fathers: feasibility RCT. <b>2019</b> , 9, e033534		7
110	Decreased serum neuregulin 4 levels associated with non-alcoholic fatty liver disease in children with obesity. <b>2019</b> , 9, e12289		15
109	Comparing Measures of Obesity: Waist Circumference, Waist-Hip, and Waist-Height Ratios. <b>2019</b> , 29-40		2
108	Lifestyle Habits, Dietary Factors, and the Metabolically Unhealthy Obese Phenotype in Youth. <b>2019</b> , 204, 46-52.e1		14
107	Waist circumference, waist-to-height ratio and conicity index to evaluate android fat excess in Brazilian children. <i>Public Health Nutrition</i> , <b>2019</b> , 22, 140-146	;	7
106	Metabolic syndrome, leptin-insulin resistance and uric acid: a trinomial foe for Algerian city-dweller adolescents' health. <b>2018</b> , 31,		2
105	Motor Skills of Children and Adolescents With Obesity and Severe Obesity-A CIRCUIT Study. <b>2020</b> , 34, 3577-3586		O
104	Associations between accelerometry measured physical activity and sedentary time and the metabolic syndrome: A meta-analysis of more than 6000 children and adolescents. <b>2020</b> , 15, e12578		30
103	Can anthropometry and physical fitness testing explain physical activity levels in children and adolescents with obesity?. <b>2020</b> , 23, 580-585		8
102	Determinants of new onset cardiometabolic risk among normal weight children. <b>2020</b> , 44, 781-789		4
101	First reference curves of waist circumference and waist-to-height ratio for Tunisian children. <b>2020</b> , 27, 87-94		4

100	Elements of Effective Population Surveillance Systems for Monitoring Obesity in School Aged Children. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	0
99	Obesity and cardiovascular risk among Sri Lankan adolescents: Association of adipokines with anthropometric indices of obesity and lipid profile. <b>2020</b> , 78, 110942		O
98	The Influence of Maturity Status on Anthropometric Profile and Body Composition of Youth Goalkeepers. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,	4.6	2
97	School-based soccer practice is an effective strategy to improve cardiovascular and metabolic risk factors in overweight children. <b>2020</b> , 63, 807-812		3
96	Cardiovascular Risk in Children: Focus on Pathophysiological Aspects. <b>2020</b> , 21,		4
95	Multicomponent Exercise Training Combined with Nutritional Counselling Improves Physical Function, Biochemical and Anthropometric Profiles in Obese Children: A Pilot Study. <b>2020</b> , 12,		6
94	The prevalence of overweight and obesity in Irish children between 1990 and 2019. <i>Public Health Nutrition</i> , <b>2020</b> , 23, 2512-2520	3.3	4
93	Is Macronutrients Intake a Challenge for Cardiometabolic Risk in Obese Adolescents?. <b>2020</b> , 12,		3
92	The metabolic implications of aquaporin 7 (AQP7) promoter variants in lean children and children with obesity. <b>2020</b> , 19, 187-195		2
91	Cardiometabolic risk factor clustering in patients with deficient branched-chain amino acid catabolism: A case-control study. <b>2020</b> , 43, 981-993		1
90	PNPLA3 gene polymorphism is associated with liver steatosis in children with Down syndrome. <b>2020</b> , 30, 1564-1572		О
89	Assessment of intima-media thickness of the carotid artery and intraluminal diameter of the brachial artery as cardiovascular risk markers in Brazilian adolescents with overweight or obesity. Journal of Pediatric Endocrinology and Metabolism, 2020, 33, 339-345	1.6	1
88	Physical activity rather than sedentary behaviour is socially determined in French adolescents with overweight and obesity. <i>Preventive Medicine</i> , <b>2020</b> , 134, 106043	4.3	7
87	Beyond BMI: waist circumference and social environment is associated with motor performance ability in kindergartners. <i>BMC Pediatrics</i> , <b>2020</b> , 20, 4	2.6	1
86	Impact of a Three-Week in-Hospital Multidisciplinary Body Weight Reduction Program on Body Composition, Muscle Performance and Fatigue in a Pediatric Obese Population with or without Metabolic Syndrome. <b>2020</b> , 12,		10
85	Differences in Neuregulin 4 Expression in Children: Effects of Fat Depots and Obese Status. <b>2020</b> , 45, 190-201		1
84	Waist circumference centiles for UK South Asian children. <b>2020</b> , 105, 80-85		2
83	Association between early weight gain and later adiposity in Sri Lankan adolescents. <b>2021</b> , 12, 250-259		1

82	Effects of Three Different Family-Based Interventions in Overweight and Obese Children: The "4 Your Family" Randomized Controlled Trial. <b>2021</b> , 13,		3
81	Waist-to-height ratio and body mass index as indicators of obesity in children from Montenegro. <b>2021</b> , 38, 884-885		
80	Funcifi tiroidea en escolares con obesidad. <b>2021</b> , 62, 5-15		
79	Polygenic risk for obesity and its interaction with lifestyle and sociodemographic factors in European children and adolescents. <b>2021</b> , 45, 1321-1330		10
78	Clinical characteristics and risk factors of nonalcoholic fatty liver disease in children with obesity. <i>BMC Pediatrics</i> , <b>2021</b> , 21, 122	2.6	7
77	Equivalence Curves for Healthy Lifestyle Choices. <b>2021</b> , 147,		2
76	Metabolic Abnormalities in a Cohort of Overweight and Obese Children in an Urban Setting of Sri Lanka. <b>2021</b> , 2021, 9936889		3
75	Association of the apoptotic marker APO1/Fas with children's predisposing factors for metabolic syndrome and with mean platelet volume. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2021</b> , 34, 1393-1400	1.6	
74	Waist circumference and waist-to-height ratio in 7-year-old children-WHO Childhood Obesity Surveillance Initiative. <b>2021</b> , 22 Suppl 6, e13208		1
73	The 24-h Movement Compositions in Weekday, Weekend Day or Four-Day Periods Differentially Associate with Fundamental Movement Skills. <i>Children</i> , <b>2021</b> , 8,	2.8	1
72	Frequent Medical Supervision Increases the Effectiveness of a Longitudinal Multidisciplinary Body Weight Reduction Program: A Real-World Experience in a Population of Children and Adolescents with Obesity. <b>2021</b> , 13,		1
71	Development of muscle mass and body fat reference curves for white male UK firefighters. <b>2021</b> , 1		
70	Percentage of energy contribution according to the degree of industrial food processing and associated factors in adolescents (EVA-JF study, Brazil). <i>Public Health Nutrition</i> , <b>2021</b> , 24, 4220-4229	3.3	3
69	Reference Curves of Waist Circumference in Children and Adolescents. <b>2012</b> , 1405-1412		3
68	ErnBrungsmedizinische Untersuchungen. 2007, 1-196		3
67	Healthy lifestyle project for overweight and obese children: a pilot study. <i>Nutrition and Food Science</i> , <b>2005</b> , 35, 298-302	1.5	2
66	ROC generated thresholds for field-assessed aerobic fitness related to body size and cardiometabolic risk in schoolchildren. <i>PLoS ONE</i> , <b>2012</b> , 7, e45755	3.7	30
65	Choice of activity-intensity classification thresholds impacts upon accelerometer-assessed physical activity-health relationships in children. <i>PLoS ONE</i> , <b>2013</b> , 8, e57101	3.7	9

64	Percentile Curves for Anthropometric Measures for Canadian Children and Youth. <i>PLoS ONE</i> , <b>2015</b> , 10, e0132891	3.7	14
63	Developing waist circumference, waist-to-height ratio percentile curves for Pakistani children and adolescents aged 2-18 years using Lambda-Mu-Sigma (LMS) method. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2020</b> ,	1.6	6
62	[Waist-hip ratio and waist circumference associated with body mass index in a study with schoolchildren]. <i>Cadernos De Saude Publica</i> , <b>2004</b> , 20, 1609-16	3.2	11
61	Prevalĥcia de press® arterial elevada em crian®s e adolescentes do ensino fundamental. <i>Revista Paulista De Pediatria</i> , <b>2012</b> , 30, 79-86	1.2	8
60	Risco cardiovascular e prEica de atividade fEica em crianEis e adolescentes de Muzambinho/MG: influñcia do gñero e da idade. <i>Revista Brasileira De Medicina Do Esporte</i> , <b>2011</b> , 17, 232-236	0.5	6
59	Cartas de referñcia do crescimento som <b>l</b> ico de crianlas dos seis aos 10 anos de idade do Concelho da Maia, Portugal. <i>Revista Brasileira De Educal</i> o Faica E Esporte: RBEFE, <b>2012</b> , 26, 611-625	0.8	1
58	Vascular risks and management of obesity in children and adolescents. <i>Vascular Health and Risk Management</i> , <b>2006</b> , 2, 171-87	4.4	32
57	The use of measures of obesity in childhood for predicting obesity and the development of obesity-related diseases in adulthood: a systematic review and meta-analysis. <i>Health Technology Assessment</i> , <b>2015</b> , 19, 1-336	4.4	179
56	Randomised controlled trial evaluating the effectiveness and cost-effectiveness of 'Families for Health', a family-based childhood obesity treatment intervention delivered in a community setting for ages 6 to 11 years. <i>Health Technology Assessment</i> , <b>2017</b> , 21, 1-180	4.4	20
55	Cultural adaptation of an existing children's weight management programme: the CHANGE intervention and feasibility RCT. <i>Health Technology Assessment</i> , <b>2019</b> , 23, 1-166	4.4	4
54	Active for Life Year 5: a cluster randomised controlled trial of a primary school-based intervention to increase levels of physical activity, decrease sedentary behaviour and improve diet. <i>Public Health Research</i> , <b>2016</b> , 4, 1-156	1.7	4
53	A weight management programme for fathers of children aged 4â¶1 years: cultural adaptation and the Healthy Dads, Healthy Kids UK feasibility RCT. <i>Public Health Research</i> , <b>2020</b> , 8, 1-166	1.7	2
52	Waist Circumference Percentiles and Cut-Off Values for Obesity in a Large Sample of Students from 6 To 10 Years Old Of The SB Paulo State, Brazil. <i>Arquivos Brasileiros De Cardiologia</i> , <b>2020</b> , 114, 530-537	1.2	3
51	Prevalence of overweight and obesity in portuguese adolescents: comparison of different anthropometric methods. <i>North American Journal of Medical Sciences</i> , <b>2013</b> , 5, 653-9	0	5
50	Prevalence of obesity and central obesity among adolescent girls in a district school in Bangladesh. <i>Indian Journal of Endocrinology and Metabolism</i> , <b>2015</b> , 19, 649-52	1.7	7
49	Prevalence of overweight /obesity among adolescent girls in Salem District, India. <i>Indian Journal of Health Sciences</i> , <b>2014</b> , 7, 73		3
48	Prevalence and risk factors for nonalcoholic fatty liver disease in obese children in rural Punjab, India. <i>Journal of Family and Community Medicine</i> , <b>2020</b> , 27, 103-108	2	3
47	Dietary Fat Intake, Micronutritient and Obesity among Adolescent in Tlemcen (Western Algeria). Food and Nutrition Sciences (Print), 2015, 06, 860-868	0.4	2

46	Central body fat distribution indices in Thai preschool children. Open Journal of Pediatrics, 2012, 02, 47	-52.1	4
45	The roles of triglyceride/high-density lipoprotein cholesterol ratio and uric acid as predisposing factors for metabolic syndrome in healthy children. <i>Annals of Pediatric Endocrinology and Metabolism</i> , <b>2019</b> , 24, 172-179	2.9	11
44	Overweight perception among adolescent girls in relation to appearance of female characteristics. <b>2014</b> , 2, 1		2
43	Reference Curves of Selected Circumferential Parameters for Czech Children Aged 6 to 11 Years. <i>Children</i> , <b>2021</b> , 8,	2.8	
42	10-Year Changes in Adiposity in Cameroon School-Age Children: Evidence for Increasing Central Adiposity and Higher Adiposity Levels in Tallest-for-Age Children. <i>Journal of Obesity</i> , <b>2021</b> , 2021, 68669	91 <sup>3</sup> 1 <sup>7</sup>	О
41	Estimating trunk fat in children according to sex using basic somatic readings: an opportunity for improving evaluation among girls. <i>BMC Pediatrics</i> , <b>2021</b> , 21, 446	2.6	O
40	Treatment of growth disorders: Growth hormone deficiency. <b>2007</b> , 513-525		
39	Prevalĥcia de sfidrome metablica em amostra ambulatorial de crianfis e adolescentes com sobrepeso e obesidade: anlise comparativa de diferentes definifis clfiicas. <i>Revista Paulista De</i> <i>Pediatria</i> , <b>2011</b> , 29, 178-185	1.2	4
38	The incidence of abdominal obesity and the associated metabolic disturbances in the children aged 7-13 years. <i>Problemy Endokrinologii</i> , <b>2011</b> , 57, 15-23	О	2
37	Obesity and cardiovascular risk factors in school children from Sorocaba, SP. <i>Revista Da Associd</i> <b>o</b> <i>Mdica Brasileira</i> , <b>2011</b> , 57, 660-666	1.4	
36	References. <b>2014</b> , e1-e37		
35	Metabolic syndrome in pediatric age - A group requiring intensive review. <i>Journal of Obesity and Metabolic Research</i> , <b>2014</b> , 1, 238		1
34	Physical Activity a Determinant to Control Adolescent Obesity. <i>Advances in Obesity Weight Management &amp; Control</i> , <b>2016</b> , 4,	0.3	
33	Which Method is Superior in the Diagnosis of Nonalcoholic Fatty Liver and Steatohepatatis in Children?. <i>Hepatitis Monthly</i> , <b>2017</b> , 17,	1.8	
32	Cluster randomised controlled trial and economic and process evaluation to determine the effectiveness and cost-effectiveness of a novel intervention [Healthy Lifestyles Programme (HeLP)] to prevent obesity in school children. <i>Public Health Research</i> , <b>2018</b> , 6, 1-204	1.7	2
31	Dipeptidyl Peptidase IV: A Target for Improving Metabolic Syndrome Components in Obese Children and Adolescents. <i>Biomedical and Pharmacology Journal</i> , <b>2019</b> , 12, 1701-1713	0.9	O
30			
	A healthy childhood environment helps to combat inherited susceptibility to obesity.		

28	Use of Anthropometry Versus Ultrasound for the Assessment of Body Fat and Comorbidities in Children With Obesity. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2020</b> , 71, 782-788	2.8	2
27	Gestione del paziente con sovrappeso e obesit <sup>^</sup> . <b>2006</b> , 145-168		
26	Diagnostic Methods in Childhood Obesity.		1
25	Anthropometric indices associated with dyslipidemia in obese children and adolescents: a retrospective study in isfahan. <i>ARYA Atherosclerosis</i> , <b>2011</b> , 7, 31-9	0.7	16
24	Waist Circumference and Waist-to-Height Ratio Distributions in Polish and German Schoolchildren: Comparative Analysis. <i>International Journal of Preventive Medicine</i> , <b>2013</b> , 4, 786-96	1.6	8
23	Maternal obesity - a risk factor for metabolic syndrome in children. <i>Clujul Medical</i> , <b>2013</b> , 86, 259-65		3
22	Effects of probiotics combined with dietary and lifestyle modification on clinical, biochemical, and radiological parameters in obese children with NASH/NAFLD: a randomized clinical trial. <i>Clinical and Experimental Pediatrics</i> , <b>2021</b> ,	4.7	1
21	Effects of a physical activity intervention on schoolchildren fitness <i>Physiological Reports</i> , <b>2022</b> , 10, e1	5121. <b>6</b>	
20	The Role of Aspartate Transaminase to Platelet Ratio Index (APRI) for the Prediction of Non-Alcoholic Fatty Liver Disease (NAFLD) in Severely Obese Children and Adolescents <i>Metabolites</i> , <b>2022</b> , 12,	5.6	2
19	Behavioural risk patterns in adolescents with excess weight participating in the PRALIMAP-INS trial <i>Public Health Nutrition</i> , <b>2022</b> , 1-25	3.3	
18	Age, income and sleep-duration were associated with outcomes in children participating in weight management <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2022</b> ,	3.1	О
17	Double burden of malnutrition and its social disparities among rural Sri Lankan adolescents.		
16	Effectiveness of the "Planning Health in School" Programme on Children's Nutritional Status. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	О
15	Comparison of two classifications of metabolic syndrome in the pediatric population and the impact of cholesterol. <i>Journal of Endocrinological Investigation</i> , <b>2013</b> , 36, 466-73	5.2	3
14	Family socioeconomic status and childhood adiposity in Europe - A scoping review. <i>Preventive Medicine</i> , <b>2022</b> , 160, 107095	4.3	1
13	Predictors of central and general obesity in Iranian preschool children: which anthropometric indices can be used as screening tools?. <i>BMC Pediatrics</i> , <b>2022</b> , 22,	2.6	
12	Changing trends of obesity and lipid profiles among Bangkok school children after comprehensive management of the bright and healthy Thai kid project. <i>BMC Public Health</i> , <b>2022</b> , 22,	4.1	0
11	Plasma Levels of Neudesin and Glucose Metabolism in Obese and Overweight Children. <i>Frontiers in Endocrinology</i> , 13,	5.7	O

#### CITATION REPORT

10	High Tg/HDL-Cholesterol Ratio Highlights a Higher Risk of Metabolic Syndrome in Children and Adolescents with Severe Obesity. <b>2022</b> , 11, 4488	O
9	Efficacy of school-based intervention programs in reducing overweight: A randomized trial. 9,	O
8	Influence of Waist Circumference Measurement Site on Visceral Fat and Metabolic Risk in Youth. <b>2022</b> ,	0
7	The Impact of the âBlanning Health in SchoolâDrogramme on a Pair of Twins with Obesity. <b>2022</b> , 9, 1866	O
6	Longitudinal anthropometry and body composition in children with SARS-CoV-2-associated multisystem inflammatory syndrome. Publish Ahead of Print,	O
5	A Metabolomics-Based Investigation of the Effects of a Short-Term Body Weight Reduction Program in a Cohort of Adolescents with Obesity: A Prospective Interventional Clinical Study. <b>2023</b> , 15, 529	1
4	Second-generation antipsychotic medications and metabolic disturbance in children and adolescents. <b>2023</b> , 59,	0
3	Reference growth curves to identify weight status (underweight, overweight or obesity) in children and adolescents: systematic review. 1-13	O
2	Nutritional status of children affected by X-linked adrenoleukodystrophy.	0
1	Cross-Sectional Height-Specific Changes in Serum Lipid Concentrations in Cameroon Children. <b>2023</b> , 13, 60-72	O