

CITATION REPORT

List of articles citing

Prefrontal cortex, negative symptoms, and schizophrenia: an MRI study

DOI: 10.1016/s0925-4927(01)00109-3

Psychiatry Research - Neuroimaging, 2001, 108, 65-78.

Source: <https://exaly.com/paper-pdf/33261786/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
151	Precise segmentation of the lateral ventricles and caudate nucleus in MR brain images using anatomically driven histograms. 1998 , 17, 303-10		28
150	[PET in neurology and psychiatry I. PET with FDG in the study of the CNS]. 2002 , 21, 370-86; quiz 387-9		4
149	Cognitive performance in schizophrenia: relationship to regional brain volumes and psychiatric symptoms. <i>Psychiatry Research - Neuroimaging</i> , 2002 , 116, 1-23	2.9	98
148	Current awareness in NMR in biomedicine. 2002 , 15, 305-12		
147	Quantification of frontal and temporal lobe brain-imaging findings in schizophrenia: a meta-analysis. <i>Psychiatry Research - Neuroimaging</i> , 2003 , 122, 69-87	2.9	176
146	Total length of nerve fibers in prefrontal and global white matter of chronic schizophrenics. 2003 , 37, 539-47		30
145	Pathogenesis of schizophrenia: Part I. Symptomatology, cognitive characteristics and brain morphology. <i>Psychiatry and Clinical Neurosciences</i> , 2003 , 57, 3-8	6.2	28
144	Pathogenesis of schizophrenia: Part II. Temporo-frontal two-step hypothesis. <i>Psychiatry and Clinical Neurosciences</i> , 2003 , 57, 9-15	6.2	45
143	Recent structural and functional imaging findings in schizophrenia. 2003 , 16, 123-147		44
142	The prefrontal cortex regulates lateral amygdala neuronal plasticity and responses to previously conditioned stimuli. <i>Journal of Neuroscience</i> , 2003 , 23, 11054-64	6.6	274
141	Disruption of neurogenesis on gestational day 17 in the rat causes behavioral changes relevant to positive and negative schizophrenia symptoms and alters amphetamine-induced dopamine release in nucleus accumbens. 2004 , 29, 2052-64		163
140	Clinical features of psychotic disorders and polymorphisms in HT2A, DRD2, DRD4, SLC6A3 (DAT1), and BDNF: a family based association study. 2004 , 125B, 69-78		53
139	SSR181507, a putative atypical antipsychotic with dopamine D2 antagonist and 5-HT1A agonist activities: improvement of social interaction deficits induced by phencyclidine in rats. 2004 , 46, 1121-9		52
138	Psychometric schizotypy modulates levodopa effects on lateralized lexical decision performance. 2005 , 39, 241-50		97
137	Blinking and schizotypal thinking. <i>Journal of Psychopharmacology</i> , 2005 , 19, 513-20	4.6	15
136	Imaging frontostriatal function in ultra-high-risk, early, and chronic schizophrenia during executive processing. 2005 , 62, 254-62		168
135	Right hemispheric dysfunction in schizophrenia. 2005 , 10, 29-35		14

134	Lack of asymmetrical transfer for linguistic stimuli in schizophrenia: an ERP study. 2005 , 116, 1019-27		49
133	Cortical intercorrelations of frontal area volumes in schizophrenia. 2005 , 27, 753-70		98
132	Delusions in individuals with schizophrenia: factor structure, clinical correlates, and putative neurobiology. 2005 , 38, 338-44		46
131	M50 sensory gating predicts negative symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2005 , 73, 311-36		71
130	Symmetry of callosal information transfer in schizophrenia: a preliminary study. <i>Schizophrenia Research</i> , 2005 , 74, 171-8	3.6	52
129	Cortical intercorrelations of temporal area volumes in schizophrenia. <i>Schizophrenia Research</i> , 2005 , 76, 207-29	3.6	44
128	Negative symptoms: A review of schizophrenia, melancholic depression and Parkinson's disease. 2006 , 70, 312-21		110
127	Molecular profiling of antipsychotic drug function: convergent mechanisms in the pathology and treatment of psychiatric disorders. 2006 , 34, 109-28		33
126	Automated ROI-based brain parcellation analysis of frontal and temporal brain volumes in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2006 , 147, 153-61	2.9	33
125	Patterns of structural MRI abnormalities in deficit and nondeficit schizophrenia. <i>Schizophrenia Bulletin</i> , 2008 , 34, 393-401	1.3	73
124	Handedness and the brain: a review of brain-imaging techniques. 2007 , 6, 99-112		39
123	Morphology of the orbitofrontal cortex in first-episode schizophrenia: relationship with negative symptomatology. 2007 , 31, 510-6		58
122	Abnormal cortical folding patterns within Broca's area in schizophrenia: evidence from structural MRI. <i>Schizophrenia Research</i> , 2007 , 94, 317-27	3.6	64
121	Chronic haloperidol treatment results in a decrease in the expression of myelin/oligodendrocyte-related genes in the mouse brain. 2007 , 85, 757-65		51
120	Negative symptoms of schizophrenia: a problem that will not go away. 2007 , 115, 4-11		121
119	White matter alterations in schizophrenic patients with pronounced negative symptomatology and with positive family history for schizophrenia. 2008 , 258, 278-84		13
118	Voxel-based structural magnetic resonance imaging (MRI) study of patients with early onset schizophrenia. 2008 , 7, 25		42
117	Inhibitory control and spatial working memory: a saccadic eye movement study of negative symptoms in schizophrenia. 2008 , 157, 9-19		15

116	The evolutionary social brain: From genes to psychiatric conditions. 2008 , 31, 284-320		49
115	White matter volume changes in people who develop psychosis. 2008 , 193, 210-5		90
114	Saccadic impairment in schizophrenia with prominent negative symptoms. 2008 , 19, 1435-9		4
113	Neural correlates of automatic and controlled auditory processing in schizophrenia. 2008 , 20, 419-30		7
112	Clinical Applications of Diffusion Tensor Imaging. 2008 , 2, MRI.S952		1
111	Functional and anatomical connectivity abnormalities in left inferior frontal gyrus in schizophrenia. 2009 , 30, 4138-51		86
110	Chronic stress and sex differences on the recall of fear conditioning and extinction. 2009 , 91, 323-32		145
109	The relationship between symptom severity and regional cortical and grey matter volumes in schizophrenia. 2009 , 33, 482-90		23
108	White matter reduction in patients with schizophrenia as revealed by voxel-based morphometry: an activation likelihood estimation meta-analysis. 2009 , 33, 1390-4		62
107	Attentional set-shifting ability in first-episode and established schizophrenia: Relationship to working memory. <i>Schizophrenia Research</i> , 2009 , 112, 104-13	3.6	55
106	A selective review of volumetric and morphometric imaging in schizophrenia. 2010 , 4, 243-81		78
105	Thalamic nuclear abnormalities as a contributory factor in sudden cardiac deaths among patients with schizophrenia. 2010 , 65, 539-46		4
104	Neuroanatomical correlates of psychopathology in antipsychotic-naïve schizophrenia. 2010 , 52, 28-36		17
103	Cortical thickness and subcortical volumes in schizophrenia and bipolar disorder. 2010 , 68, 41-50		332
102	Cannabis use and progressive cortical thickness loss in areas rich in CB1 receptors during the first five years of schizophrenia. 2010 , 20, 855-65		66
101	Understanding aberrant white matter development in schizophrenia: an avenue for therapy?. 2011 , 11, 971-87		45
100	Ultrastructural alterations of myelinated fibers and oligodendrocytes in the prefrontal cortex in schizophrenia: a postmortem morphometric study. 2011 , 2011, 325789		107
99	Positive symptoms and white matter microstructure in never-medicated first episode schizophrenia. <i>Psychological Medicine</i> , 2011 , 41, 1709-19	6.9	75

98	Neurocognition and neuroimaging of persistent negative symptoms of schizophrenia. 2012 , 12, 53-69		54
97	Cortico-striatal disconnection within the cingulo-opercular network in schizophrenia revealed by intrinsic functional connectivity analysis: a resting fMRI study. 2012 , 59, 238-47		94
96	Dorsolateral prefrontal cortex volume in patients with deficit or nondeficit schizophrenia. 2012 , 37, 264-9		29
95	Longitudinal loss of gray matter volume in patients with first-episode schizophrenia: DARTEL automated analysis and ROI validation. 2012 , 59, 986-96		113
94	Thalamic-insular dysconnectivity in schizophrenia: evidence from structural equation modeling. 2012 , 33, 740-52		35
93	Hippocampal volumetrics in treatment-resistant depression and schizophrenia: the devil is in the detail. 2012 , 22, 9-16		47
92	Altered language network activity in young people at familial high-risk for schizophrenia. <i>Schizophrenia Research</i> , 2013 , 151, 229-37	3.6	20
91	Imaging structural co-variance between human brain regions. 2013 , 14, 322-36		569
90	Extensive white matter abnormalities in patients with first-episode schizophrenia: a Diffusion Tensor Imaging (DTI) study. <i>Schizophrenia Research</i> , 2013 , 143, 231-8	3.6	143
89	Alterations in the cerebral white matter of genetic high risk offspring of patients with schizophrenia spectrum disorder. 2013 , 40, 187-92		7
88	Impairments of working memory in schizophrenia and bipolar disorder: the effect of history of psychotic symptoms and different aspects of cognitive task demands. 2014 , 8, 416		26
87	A review of structural neuroimaging in schizophrenia: from connectivity to connectomics. 2014 , 8, 653		156
86	Prefrontal cortex volume deficit in schizophrenia: a new look using 3T MRI with manual parcellation. <i>Schizophrenia Research</i> , 2014 , 152, 184-90	3.6	28
85	Effects of eye dominance (left vs. right) and cannabis use on intermanual coordination and negative symptoms in schizophrenia patients. 2014 , 264, 683-95		3
84	Positive symptoms and water diffusivity of the prefrontal and temporal cortices in schizophrenia patients: a pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 224, 49-57	2.9	11
83	Cerebral white matter abnormalities and their associations with negative but not positive symptoms of schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 222, 52-9	2.9	33
82	Negative symptoms in schizophrenia show association with amygdala volumes and neural activation during affective processing. 2015 , 27, 213-20		18
81	White matter microstructure in schizophrenia: associations to neurocognition and clinical symptomatology. <i>Schizophrenia Research</i> , 2015 , 161, 42-9	3.6	35

80	Correlations between brain structure and symptom dimensions of psychosis in schizophrenia, schizoaffective, and psychotic bipolar I disorders. <i>Schizophrenia Bulletin</i> , 2015 , 41, 154-62	1.3	76
79	Investigation of white matter abnormalities in first episode psychosis patients with persistent negative symptoms. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 402-8	2.9	14
78	Insight in schizophrenia: relationship to positive, negative and neurocognitive dimensions. 2015 , 37, 5-11		19
77	Brain activation induced by psychological stress in patients with schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 313-21	3.6	12
76	Regional white matter abnormalities in drug-naive, first-episode schizophrenia patients and their healthy unaffected siblings. 2015 , 49, 246-54		23
75	Negative symptoms in schizophrenia are associated with aberrant striato-cortical connectivity in a rewarded perceptual decision-making task. 2015 , 8, 290-7		17
74	Neurobiological background of negative symptoms. 2015 , 265, 543-58		57
73	Neuroinflammation and white matter pathology in schizophrenia: systematic review. <i>Schizophrenia Research</i> , 2015 , 161, 102-12	3.6	190
72	Partitioning heritability analysis reveals a shared genetic basis of brain anatomy and schizophrenia. <i>Molecular Psychiatry</i> , 2016 , 21, 1680-1689	15.1	47
71	Neural substrates of a schizotypal spectrum in typically-developing children: Further evidence of a normal-pathological continuum. 2016 , 315, 141-6		8
70	Negative symptoms and longitudinal grey matter tissue loss in adolescents at risk of psychosis: preliminary findings from a 6-year follow-up study. 2016 , 208, 565-70		13
69	White matter integrity and symptom dimensions of schizophrenia: A diffusion tensor imaging study. <i>Schizophrenia Research</i> , 2017 , 184, 59-68	3.6	35
68	Reduced language lateralization in first episode schizophrenia: A near infrared spectroscopy study. 2017 , 78, 96-104		18
67	Two-hit model of schizophrenia induced by neonatal immune activation and peripubertal stress in rats: Study of sex differences and brain oxidative alterations. 2017 , 331, 30-37		48
66	Electroencephalogram alpha-to-theta ratio over left fronto-temporal region correlates with negative symptoms in schizophrenia. <i>Asian Journal of Psychiatry</i> , 2017 , 26, 70-76	6.7	5
65	Differential Cortical Gray Matter Deficits in Adolescent- and Adult-Onset First-Episode Treatment-Naïve Patients with Schizophrenia. 2017 , 7, 10267		13
64	Effects of transcranial direct current stimulation on working memory and negative symptoms in schizophrenia: a phase II randomized sham-controlled trial. 2018 , 12, 20-28		27
63	Shared and distinct alterations of white matter tracts in remitted and nonremitted patients with schizophrenia. 2018 , 39, 2007-2019		10

62	Non-coding RNA dysregulation in the amygdala region of schizophrenia patients contributes to the pathogenesis of the disease. <i>Translational Psychiatry</i> , 2018 , 8, 44	8.6	36
61	Cortical Dysconnectivity Measured by Structural Covariance Is Associated With the Presence of Psychotic Symptoms in 22q11.2 Deletion Syndrome. 2018 , 3, 433-442		9
60	A systematic review of the structural neuroimaging correlates of thought disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 84, 299-315	9	28
59	Relationship Between Persistent Negative Symptoms and Findings of Neurocognition and Neuroimaging in Schizophrenia. 2018 , 49, 27-35		17
58	Expression and Function of IL-33/ST2 Axis in the Central Nervous System Under Normal and Diseased Conditions. 2018 , 9, 2596		37
57	Late gestation immune activation increases IBA1-positive immunoreactivity levels in the corpus callosum of adult rat offspring. 2018 , 266, 175-185		10
56	Holistic Management of Schizophrenia Symptoms Using Pharmacological and Non-pharmacological Treatment. 2018 , 6, 166		11
55	Development of Structural Covariance From Childhood to Adolescence: A Longitudinal Study in 22q11.2DS. 2018 , 12, 327		10
54	Aberrant Middle Prefrontal-Motor Cortex Connectivity Mediates Motor Inhibitory Biomarker in Schizophrenia. 2019 , 85, 49-59		14
53	Extended multimodal whole-brain anatomical covariance analysis: detection of disrupted correlation networks related to amyloid deposition. 2019 , 5, e02074		4
52	Region specific knockdown of Parvalbumin or Somatostatin produces neuronal and behavioral deficits consistent with those observed in schizophrenia. <i>Translational Psychiatry</i> , 2019 , 9, 264	8.6	24
51	Risperidone Ameliorates Prefrontal Cortex Neural Atrophy and Oxidative/Nitrosative Stress in Brain and Peripheral Blood of Rats with Neonatal Ventral Hippocampus Lesion. <i>Journal of Neuroscience</i> , 2019 , 39, 8584-8599	6.6	16
50	Identification of the Molecular Events Involved in the Development of Prefrontal Cortex Through the Analysis of RNA-Seq Data From BrainSpan. <i>ASN Neuro</i> , 2019 , 11, 1759091419854627	5.3	2
49	Treatment-Resistant Schizophrenia: Genetic and Neuroimaging Correlates. <i>Frontiers in Pharmacology</i> , 2019 , 10, 402	5.6	18
48	Saccadic eye movements in different dimensions of schizophrenia and in clinical high-risk state for psychosis. <i>BMC Psychiatry</i> , 2019 , 19, 110	4.2	11
47	Neuroimaging and Antipsychotics. 2019 , 267-301		
46	Variation in fourteen brain structure volumes in schizophrenia: A comprehensive meta-analysis of 246 studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 98, 85-94	9	29
45	Comparison of emotional processing assessed with fear conditioning by interpersonal conflicts in patients with depression and schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 116-125	6.2	7

44	Mapping Convergent and Divergent Cortical Thinning Patterns in Patients With Deficit and Nondeficit Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 211-221	1.3	8
43	Activation of the mGlu metabotropic glutamate receptor has antipsychotic-like effects and is required for efficacy of M muscarinic receptor allosteric modulators. <i>Molecular Psychiatry</i> , 2020 , 25, 2786-2799 ^{15,1}	15.1	15
42	Sex influences in the preventive effects of N-acetylcysteine in a two-hit animal model of schizophrenia. <i>Journal of Psychopharmacology</i> , 2020 , 34, 125-136	4.6	14
41	Intersection of verbal memory and expressivity on cortical contrast and thickness in first episode psychosis. <i>Psychological Medicine</i> , 2020 , 50, 1923-1936	6.9	4
40	Effects of Mind-Body Exercises on Schizophrenia: A Systematic Review With Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2020 , 11, 819	5	3
39	Do neurobiological differences exist between paranoid and non-paranoid schizophrenia? Findings from the bipolar schizophrenia network on intermediate phenotypes study. <i>Schizophrenia Research</i> , 2020 , 223, 96-104	3.6	1
38	Traces of culture: The feedback loop between behavior, brain, and disorder. <i>Transcultural Psychiatry</i> , 2020 , 57, 387-407	2.7	1
37	An Integrative Account of Neural Network Interaction: Neuro-Messenger Theory. <i>World Journal of Neuroscience</i> , 2021 , 11, 124-136	0.4	2
36	Intermittent theta burst stimulation for negative symptoms of schizophrenia-A double-blind, sham-controlled pilot study. <i>NPJ Schizophrenia</i> , 2021 , 7, 10	5.5	3
35	Neuroimaging Biomarkers in Schizophrenia. <i>American Journal of Psychiatry</i> , 2021 , 178, 509-521	11.9	21
34	Stress and the Role of the Gut-Brain Axis in the Pathogenesis of Schizophrenia: A Literature Review. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
33	Changes in cortical gene expression in the muscarinic M1 receptor knockout mouse: potential relevance to schizophrenia, Alzheimer's disease and cognition. <i>NPJ Schizophrenia</i> , 2021 , 7, 44	5.5	0
32	Changes in negative symptoms are linked to white matter changes in superior longitudinal fasciculus in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 192-201	3.6	0
31	The Neuropathology of White Matter in Schizophrenia. 2021 , 179-219		1
30	Bedeutung der Frontallappen für die Pathophysiologie schizophrener Erkrankungen. 2005 , 213-231		1
29	Negativsymptomatik I Psychologie. 2008 , 532-538		1
28	Negativsymptomatik II Bildgebung. 2008 , 539-559		0
27	Whole brain volume changes and its correlation with clinical symptom severity in patients with schizophrenia: A DARTEL-based VBM study. <i>PLoS ONE</i> , 2017 , 12, e0177251	3.7	24

26	Blood and Brain Gene Expression in Major Psychiatric Disorders: A Search for Biomarkers. 2008 , 1-21		1
25	Gene Expression Changes and Potential Impact of Endophenotypes in Major Psychiatric Disorders. 2009 , 77-93		1
24	Negative Symptoms Across the Schizophrenia Spectrum: Phenomenological and Neurobiological Perspectives. 2011 , 1-32		
23	A human iPSC-astroglia neurodevelopmental model reveals divergent transcriptomic patterns in schizophrenia. <i>Translational Psychiatry</i> , 2021 , 11, 554	8.6	4
22	Identifying age-specific gene signatures of the human cerebral cortex with joint analysis of transcriptomes and functional connectomes. <i>Briefings in Bioinformatics</i> , 2021 , 22,	13.4	3
21	The efficacy of transcranial magnetic stimulation (TMS) for negative symptoms in schizophrenia: A systematic review and meta-analysis.		
20	Affektstörungen [Bildgebung]. 2008 , 520-531		
19	Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021 ,	2.7	0
18	Structural covariance networks in schizophrenia: A systematic review Part I.. <i>Schizophrenia Research</i> , 2021 , 240, 1-21	3.6	0
17	Comparison of Acute Followed by Maintenance ECT vs Clozapine on Psychopathology and Regional Cerebral Blood Flow in Treatment-Resistant Schizophrenia: A Randomized Controlled Trial.. <i>Schizophrenia Bulletin</i> , 2022 ,	1.3	0
16	Positive and Negative Symptoms Are Associated with Distinct Effects on Predictive Saccades.. <i>Brain Sciences</i> , 2022 , 12,	3.4	
15	Glycolytic and Krebs cycle enzymes activity in rat prefrontal cortex, hippocampus, and striatum after single and repeated NMDA inhibition by MK-801.. <i>NeuroToxicology</i> , 2022 , 90, 35-47	4.4	1
14	The efficacy of transcranial magnetic stimulation (TMS) for negative symptoms in schizophrenia: a systematic review and meta-analysis. <i>NPJ Schizophrenia</i> , 2022 , 8,	5.5	0
13	Image_1.JPEG. 2018 ,		
12	Image_2.PDF. 2018 ,		
11	Image_3.JPEG. 2018 ,		
10	Table_1.DOCX. 2018 ,		
9	Table_2.DOCX. 2018 ,		

8	Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2022 , 15, 74-87	0.2
7	Relation between Frontal Pole volumes and cognitive insight in Schizophrenia. <i>Asian Journal of Psychiatry</i> , 2022 , 103204	6.7
6	Medial Prefrontal Cortex Dysfunction Mediates Working Memory Deficits in Patients with Schizophrenia. 2022 ,	0
5	Identification of texture MRI brain abnormalities on first-episode psychosis and clinical high-risk subjects using explainable artificial intelligence. 2022 , 12,	0
4	Methylation pattern and mRNA expression of synapse-relevant genes in the MAM model of schizophrenia in the time-course of adolescence. 2022 , 8,	1
3	Proteomic signatures of schizophrenia-sourced iPSC-derived neural cells and brain organoids are similar to patients' postmortem brains. 2022 , 12,	0
2	Inhibition of Prolyl Oligopeptidase Restores Prohibitin 2 Levels in Psychosis Models: Relationship to Cognitive Deficits in Schizophrenia. 2023 , 24, 6016	0
1	Significance of an altered lncRNA landscape in schizophrenia and cognition: clues from a case-control association study.	0