Creep, Hysteresis, and Vibration Compensation for Piezoactuators: Atomic Force Microscopy Application

#	Paper	IF	Citations
533	Should model-based inverse inputs be used as feedforward under plant uncertainty?. **2002**, 47, 1865-1871		191
532	Fast closed loop control of piezoelectric transducers. **2002**, 20, 350		7
531	Preview-based optimal inversion for output tracking: application to scanning tunneling microscopy.		
530	Hysteresis, Creep, and Vibration Compensation for Piezoactuators: Feedback and Feedforward Control 1. **2002**, 35, 263-269		13
529	Model-based signal conditioning for high-speed atomic force and friction force microscopy. **2003**, 67-68, 938-944		37
528	Optimal output-transitions for linear systems. **2003**, 39, 181-192		70
527	A robust control framework for smart actuators.		0
526	Model development for piezoceramic nanopositioners.		1
525	Feedforward trajectory design for output transitions in discrete-time systems: disk-drive example.		3
524	Iterative feedforward compensation of hysteresis in piezo positioners.		19
523	Preview-based optimal inversion for output tracking: application to scanning tunneling microscopy. **2004**, 12, 375-386		91
522	Guide to the Literature of Piezoelectricity and Pyroelectricity. 21. **2004**, 300, 177-280		1
521	Experimental implementation of a model-based inverse filter to attenuate hysteresis in an atomic force microscope. **2004**,		1
520	.		3
519	The application of initial state correction in iterative learning control and the experimental validation on a piezoelectric tube scanner. **2004**, 218, 503-511		4
518	Planning and control of 3-D nano-manipulation. **2004**, 20, 117-124		5
517	Development of three-dimensional electrostatic stages for scanning probe microscope. **2004**, 114, 285-291		31

| 498 | Resonant control of structural vibration using charge-driven piezoelectric actuators. **2005**, 13, 1021-1035 | 74 |

| 497 | Sensorless vibration suppression and scan compensation for piezoelectric tube nanopositioners. **2006**, 14, 33-44 | 133 |

| 496 | Towards improving positioning accuracy of conducting polymer actuators. | 1 |

| 495 | Iterative control approach to compensate for the hysteresis and the vibrational dynamics effects of piezo actuators. **2006**, | 1 |

| 494 | EHM Based Neural Model for Hysteresis. | |

| 493 | Construction and Experimental Implementation of a Model-Based Inverse Filter to Attenuate Hysteresis in Ferroelectric Transducers. **2006**, 14, 1058-1069 | 21 |

| 492 | Design and modeling of a high-speed scanner for atomic force microscopy. **2006**, | 20 |

| 491 | Model Development for Atomic Force Microscope Stage Mechanisms. **2006**, 66, 1998-2026 | 7 |

| 490 | Precise motion control of a nanopositioning PZT microstage using integrated capacitive displacement sensors. **2006**, 16, 2747-2754 | 37 |

| 489 | Plurilinear Modeling and discrete ∞Synthesis Control of a Hysteretic and Creeped Unimorph Piezoelectric Cantilever. **2006**, | 11 |

| 488 | DESIGN AND CHARACTERIZATION OF A NOVEL SCANNER FOR HIGH-SPEED ATOMIC FORCE MICROSCOPY. **2006**, 39, 819-824 | 2 |

| 487 | Room-temperature creep of soft PZT under static electrical and compressive stress loading. **2006**, 54, 1389-1396 | 95 |

| 486 | A unified framework for modeling hysteresis in ferroic materials. **2006**, 54, 46-85 | 76 |

| 485 | Compact programmable controller for a linear piezo-stepper motor. **2006**, 16, 303-308 | 8 |

| 484 | Components for high speed atomic force microscopy. **2006**, 106, 881-7 | 196 |

| 483 | Design of hysteresis-compensating iterative learning control for piezo-positioners: Application to atomic force microscopes. **2006**, 16, 141-158 | 127 |

| 482 | Model of tip-sample interaction and image reconstruction. **2006**, 55, 507-513 | 2 |

| 481 | Reducing probe dependent drift in atomic force microscope with symmetrically supported torsion levers. **2006**, 77, 056105 | 13 |

480	Applied physics. High-speed atomic force microscopy. **2006**, 314, 601-2	148
479	Adaptive control for the systems with Prandtl-Ishlinskii hysteresis. **2006**,	2
478	Simulation of Piezoelectric Tube Actuators by Reduced Finite Element Models for Controller Design. **2007**,	3
477	Robust Control for the Uncertain Systems Preceded by Hysteresis. **2007**,	
476	Nanoscale optical imaging of pigment particles in paint with near-field scanning optical microscopy. **2007**, 25, 54	1
475	Development of Three-Dimensional Microstages Using Inclined Deep-Reactive Ion Etching. **2007**, 16, 613-621	8
474	Miniature random-access fiber scanner for in vivo multiphoton imaging. **2007**, 102, 034701	30
473	Iterative Control Approach to Compensate for Both the Hysteresis and the Dynamics Effects of Piezo Actuators. **2007**, 15, 936-944	146
472	Feedforward control of a closed-loop piezoelectric translation stage for atomic force microscope. **2007**, 78, 013702	42
471	Advanced Mechanical Design and Control Methods for Atomic Force Microscopy in Real-Time. **2007**,	11
470	A Survey of Non-Raster Scan Methods with Application to Atomic Force Microscopy. **2007**,	14
469	ADAPTIVE CONTROL FOR THE SYSTEMS WITH HYSTERESIS AND UNCERTAINTIES. **2007**, 40, 275-280	
468	Performance Quantification of Conducting Polymer Actuators for Real Applications: A Microgripping System. **2007**, 12, 73-84	78
467	Closed-loop analysis of slow adaptation in the control of unknown dynamic hysteretic systems. **2007**,	1
466	Control of Unknown Dynamic Hysteretic Systems Using Slow Adaptation: Preliminary Results. **2007**,	15
465	Robust control for the uncertain systems preceded by hysteresis and disturbances. **2007**,	
464	System modeling of an AFM System in Z-axis. **2007**,	0
463	Nonlinear modeling and estimation of force in a piezoelectric cantilever. **2007**,	12

| 462 | Hysteresis compensation of piezoelectric actuators under dynamic load condition. **2007**, | 6 |

| 461 | Design and Modeling of a High-Speed AFM-Scanner. **2007**, 15, 906-915 | 261 |

| 460 | Robust control for uncertain systems preceded by hysteresis and disturbances. **2007**, | 1 |

| 459 | Combined Feedforward/Feedback Control of Atomic Force Microscopes. **2007**, | 31 |

| 458 | A Tutorial on the Mechanisms, Dynamics, and Control of Atomic Force Microscopes. **2007**, | 101 |

| 457 | Feedback-Linearized Inverse Feedforward for Creep, Hysteresis, and Vibration Compensation in AFM Piezoactuators. **2007**, 15, 927-935 | 278 |

| 456 | Feedback based simultaneous correction of imaging artifacts due to geometrical and mechanical cross-talk and tip-sample stick in atomic force microscopy. **2007**, 78, 103706 | 10 |

| 455 | A Survey of Control Issues in Nanopositioning. **2007**, 15, 802-823 | 723 |

| 454 | Dynamic modeling and experimental verification of a piezoelectric part feeder in a structure with parallel bimorph beams. **2007**, 46, 205-18 | 19 |

| 453 | Scanning probe microscopy at video-rate. **2008**, 11, 40-48 | 107 |

| 452 | Inverse-feedforward of charge-controlled piezopositioners. **2008**, 18, 273-281 | 71 |

| 451 | Design and input-shaping control of a novel scanner for high-speed atomic force microscopy. **2008**, 18, 282-288 | 170 |

| 450 | An integrated physical model that characterizes creep and hysteresis in piezoelectric actuators. **2008**, 16, 93-110 | 36 |

| 449 | Modeling and control of an atomic force microscope using a piezoelectric tuning fork for force sensing. **2008**, 16, 768-782 | 1 |

| 448 | Iterative control approach to high-speed force-distance curve measurement using AFM: time-dependent response of PDMS example. **2008**, 108, 911-20 | 29 |

| 447 | Control Issues in High-speed AFM for Biological Applications: Collagen Imaging Example. **2004**, 6, 164-178 | 68 |

| 446 | Non-linear stable inversion-based output tracking control for a spherical inverted pendulum. **2008**, 81, 116-133 | 28 |

| 445 | Adaptive Sliding-Mode Position Control for Piezo-Actuated Stage. **2008**, 55, 3927-3934 | 118 |

426	Multichannels high voltage programmable driver for piezoelectric transducer. **2008**, 79, 035104	4
425	Tracking a magnetic nanoparticle in 3-D with a magnetic force microscope. **2008**,	3
424	Model-based vibration suppression in piezoelectric tube scanners through induced voltage feedback. **2008**,	4
423	AFM imaging of large soft samples in liquid medium using iterative inverse feedforward control. **2008**,	2
422	An integrated approach to piezoactuator positioning in high-speed atomic force microscope imaging. **2008**, 79, 073704	19
421	Semi-automatic tuning of PID gains for Atomic Force Microscopes. **2008**,	31
420	Invited review article: accurate and fast nanopositioning with piezoelectric tube scanners: emerging trends and future challenges. **2008**, 79, 071101	167
419	Hysteresis Inverse Iterative Learning Control of Piezoactuators in AFM. **2008**, 41, 8269-8274	1
418	Review of Feedforward Approaches for Nano Precision Positioning in High Speed SPM Operation. **2008**, 41, 9221-9229	2
417	A closed-loop approach to reducing scan errors in nanopositioning platforms. **2008**, 41, 11799-11804	
416	Architectures for Tracking Control in Atomic Force Microscopes. **2008**, 41, 8236-8250	8
415	Two sensor based H control of a piezoelectric tube scanner. **2008**, 41, 8251-8256	1
414	Adaptive Control of Unknown Dynamic Hysteretic Systems. **2008**, 41, 12248-12253	1
413	MultiRate Predictive Control of Piezoelectric actuators. **2008**, 41, 15774-15779	
412	Making a commercial atomic force microscope more accurate and faster using positive position feedback control. **2009**, 80, 063705	101
411	Characterizing piezoscanner hysteresis and creep using optical levers and a reference nanopositioning stage. **2009**, 80, 046102	25
410	Loop-shaping H control of a 2-DOF piezoelectric-stack actuated platform for nanoscale positioning. **2009**,	0
409	A novel learning control strategy for hysteresis and vibration of piezo-scanners. **2009**,	3

408	Improvement of accuracy and speed of a commercial AFM using positive position feedback control. **2009**,		11
407	Theory for image-based identification of SPM dynamics. **2009**,		
406	. **2009**,		
405	Two degree of freedom control for nanopositioning systems: Fundamental limitations, control design, and related trade-offs. **2009**,		5
404	Novel multirate control strategy for piezoelectric actuators. **2009**, 223, 673-682		3
403	Iterative and Feedback Control for Hysteresis Compensation in SMA. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2009**, 131,	1.6	8
402	Design and Analysis of Discrete-Time Repetitive Control for Scanning Probe Microscopes. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2009**, 131,	1.6	57
401	An Iterative-Based Feedforward-Feedback Control Approach to High-Speed Atomic Force Microscope Imaging. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2009**, 131,	1.6	10
400	A Review of Feedforward Control Approaches in Nanopositioning for High-Speed SPM. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2009**, 131,	1.6	251
399	Fast spiral-scan atomic force microscopy. **2009**, 20, 365503		100
398	High-speed atomic force microscope lithography using a piezo tube scanner driven by a sinusoidal waveform. **2009**, 109, 1052-5		15
397	A new modeling and compensation approach for creep and hysteretic loops in nanosteering by SPM▤piezotubes. **2009**, 44, 1133-1143		7
396	Linear optimal control for tracking a single fluorescent particle in a confocal microscope. **2009**, 94, 403-409		7
395	Design and testing of a long-range, precision fast tool servo system for diamond turning. **2009**, 33, 18-25		68
394	Optimal preview-based stable-inversion for output tracking of nonminimum-phase linear systems. **2009**, 45, 230-237		62
393	Pseudo-inverse-based adaptive control for uncertain discrete time systems preceded by hysteresis. **2009**, 45, 469-476		42
392	High-speed serial-kinematic SPM scanner: design and drive considerations. **2009**, 11, 144-153		87
391	Rapid AFM imaging of large soft samples in liquid with small forces. **2009**, 11, 154-165		3

390	Image-based hysteresis modeling and compensation for an AFM piezo-scanner. **2009**, 11, 166-174	20
389	A comparison of control architectures for atomic force microscopes. **2009**, 11, 175-181	44
388	Creep and hysteresis compensation for nanomanipulation using atomic force microscope. **2009**, 11, 182-187	8
387	Robust Inversion-Based 2-DOF Control Design for Output Tracking: Piezoelectric-Actuator Example. **2009**, 17, 1069-1082	50
386	Compensation of Complex Hysteresis and Creep Effects in Piezoelectrically Actuated Systems A New Preisach Modeling Approach. **2009**, 54, 537-550	93
385	. **2009**, 29, 83-99	111
384	Feedforward control of piezoactuators in atomic force microscope systems. **2009**, 29, 70-82	185
383	Time-domain adaptive feed-forward control of nanopositioning systems with periodic inputs. **2009**,	
382	Repetitive control with Prandtl-Ishlinskii hysteresis inverse for piezo-based nanopositioning. **2009**,	15
381	Quadrilateral Modelling and Robust Control of a Nonlinear Piezoelectric Cantilever. **2009**, 17, 528-539	77
380	Tracking Control of a Nanopositioner Using Complementary Sensors. **2009**, 8, 55-65	19
379	. **2009**,	1
378	Optimal Periodic Trajectories for Band-Limited Systems. **2009**, 17, 552-562	56
377	Characterization, modeling and robust control of a nonlinear 2-dof piezocantilever for micromanipulation/microassembly. **2009**,	3
376	. **2009**,	3
375	Modeling and compensation of piezoelectric ceramic hysteretic behavior. **2009**,	0
374	Hysteresis compensation and adaptive controller design for a piezoceramic actuator system in atomic force microscopy. **2009**,	
373	Fast Robust Nanopositioning A Linear-Matrix-Inequalities-Based Optimal Control Approach. **2009**, 14, 414-422	29

372   Conditions for Image-Based Identification of SPM-Nanopositioner Dynamics. **2009**, 14, 405-413   9

371   Adaptive Control for Piezo-Actuated Nano-Positioner. **2009**, 42, 1744-1749

370   Modeling and Control of a Nonlinear Dynamic Adaptive Optics System. **2010**, 43, 299-305

369   Adaptive Control for Systems Preceded by Hysteresis Represented by Preisach Model. **2010**, 43, 13-18

368   Dual-Stage Repetitive Control for High-Speed Nanopositioning. **2010**, 43, 105-110

367   High Performance Nanopositioning with Integrated Strain and Force Feedback. **2010**, 43, 117-124   1

366   Sensorless control for hysteresis compensation of AFM scanner by modified Rayleigh model. **2010**, 17, 1243-1246   10

365   Teaching Modules on Modeling and Control of Piezoactuators for System Dynamics, Controls, and Mechatronics Courses. **2010**, 53, 372-383   2

364   A review, supported by experimental results, of voltage, charge and capacitor insertion method for driving piezoelectric actuators. **2010**, 34, 692-700   88

363   Integrated strain and force feedback for high-performance control of piezoelectric actuators. **2010**, 161, 256-265   86

362   General Bond Graph model for piezoelectric actuators and methodology for experimental identification. **2010**, 20, 303-314   18

361   Active Damping of a Piezoelectric Tube Scanner using Self-Sensing Piezo Actuation. **2010**, 20, 656-665   60

360   A nonlinear finite element model of a piezoelectric tube actuator with hysteresis and creep. *Smart Materials and Structures*, **2010**, 19, 045028   3.4   6

359   Adaptive output feedback control with feedback-feedfoward compensator for piezoactuator-driven stages. **2010**,

358   A Non-linear Optimal Control Design using Narrowband Perturbation Feedback for Magnetostrictive Actuators. *Journal of Intelligent Material Systems and Structures*, **2010**, 21, 1681-1693   2.3   9

357   Model order hypothetical verification of discrete Preisach plane: Theory and atomic force microscope experiment results. **2010**,

356   A compact XYZ scanner for fast atomic force microscopy in constant force contact mode. **2010**,   10

355   Atomic force microscopy with a 12-electrode piezoelectric tube scanner. **2010**, 81, 033701   29

354	. **2010**,	
353	Model Reference Zero Vibration control of ultrahigh precision piezoelectric nanopositioner. **2010**,	
352	A model-based approach to compensate for the dynamics convolution effect on nanomechanical property measurement. **2010**, 107, 064315	7
351	Controlling a Magnetic Force Microscope to Track a Magnetized Nanosize Particle. **2010**, 9, 367-374	5
350	H2-optimal digital control of piezoelectric actuators. **2010**,	2
349	Self-manifestation and universal correction of image distortion in scanning tunneling microscopy with spiral scan. **2010**, 81, 073705	17
348	Spiral scanning: An alternative to conventional raster scanning in high-speed scanning probe microscopes. **2010**,	3
347	High frequency bandwidth polarization and strain control using a fractional derivative inverse model. *Smart Materials and Structures*, **2010**, 19, 045010	3.4	9
346	Error Sources in Atomic Force Microscopy for Dimensional Measurements: Taxonomy and Modeling. **2010**, 132,	20
345	. **2010**, 18, 1172-1179	99
344	Optimal Control Formulations of Vibration Reduction Problems. **2010**, 55, 378-394	20
343	Complete Open Loop Control of Hysteretic, Creeped, and Oscillating Piezoelectric Cantilevers. **2010**, 7, 440-450	135
342	Nanometrology Using a Quasiperiodic Pattern Diffraction Optical Ruler. **2010**, 19, 865-870	4
341	Development and Assessment of a Novel Decoupled XY Parallel Micropositioning Platform. **2010**, 15, 125-135	88
340	Adaptive high precision control for piezo-actuated nano-positioner. **2010**,	
339	A novel serial-kinematic AFM scanner: Design and characterization. **2011**,	5
338	Dual-adaptive feedforward control for raster tracking with applications to AFMs. **2011**,	10
337	Feedforward and IMC-feedback control of a nonlinear 2-DOF piezoactuator dedicated to automated micropositioning tasks. **2011**,	13

318	Analog control of a high-speed atomic force microscope scanner. **2011**,	6
317	Tracking an unknown two-frequency reference using a frequency estimator-based servocompensator. **2011**,	
316	Mutation analysis models for visual servoing in nanomanipulations. **2011**,	6
315	Study of Micro Vibration Detection Based on the Tunneling Effect. **2011**, 480-481, 883-886	
314	A robust sliding mode control of a hybrid hydraulic piezo actuator for camless internal combustion engines. **2011**,	
313	A comparison of ILC architectures for nanopositioners with applications to AFM raster tracking. **2011**,	10
312	Adaptive control for continuous-time systems in the presence of actuator and sensor hysteresis. **2011**,	1
311	Note: creep character of piezoelectric actuator under switched capacitor charge pump control. **2011**, 82, 046106	15
310	A Novel Fractional Order Model for the Dynamic Hysteresis of Piezoelectrically Actuated Fast Tool Servo. **2012**, 5, 2465-2485	13
309	Hysteresis compensation and high-performance tracking control of piezoelectric actuators. **2012**, 226, 1050-1059	3
308	Observer-based robust motion control of a piezo-actuated stage under external disturbances. **2012**, 34, 365-375	9
307	New realisation of Preisach model using adaptive polynomial approximation. **2012**, 43, 1642-1649	1
306	Modeling and Control of Rate-Dependent Hysteresis for PEA with MPI Model-Based Hammerstein System. **2012**,	
305	Harmonic analysis for hysteresis operators with application to control design for systems with hysteresis. **2012**,	2
304	Modeling and compensation of multivariable creep in multi-DOF piezoelectric actuators. **2012**,	18
303	Adaptive control for piezo-actuated stage based on continuous-time approach. **2012**,	2
302	. **2012**,	1
301	A Memory-Based Hysteresis Model in Piezoelectric Actuators. **2012**, 2012, 1-7	3

300	A Robust Cascade Sliding Mode Control for a Hybrid Piezo-Hydraulic Actuator in Camless Internal Combustion Engines. **2012**, 45, 790-795	
299	A Discrete-Time Single-Parameter Combined Feedforward/Feedback Adaptive-Delay Algorithm With Applications to Piezo-Based Raster Tracking. **2012**, 20, 416-423	13
298	A Novel Discrete ARMA-Based Model for Piezoelectric Actuator Hysteresis. **2012**, 17, 737-744	40
297	Modeling of Rate-Dependent Hysteresis for Piezoelectric Actuator with MPI Model-Based Hammerstein System. *Lecture Notes in Computer Science*, **2012**, 281-290	0.9	2
296	A Compliant Parallel XY Micromotion Stage With Complete Kinematic Decoupling. **2012**, 9, 538-553	120
295	Nanopositioning for storage applications. **2012**, 36, 244-254	17
294	Frequency Based Hysteresis Compensation for Piezoelectric Tube Scanner using Artificial Neural Networks. **2012**, 41, 757-763	10
293	Trade-off between the control bandwidth and the measurement accuracy in Atomic Force Microscopy. **2012**,	1
292	Artificial neural network based hysteresis compensation for piezoelectric tube scanner in atomic force microscopy. **2012**,	
291	A simple robust controller for hysteresis and resonance compensation of piezoelectric actuators. **2012**,	2
290	Tracking error analysis for singularly perturbed systems preceded by piecewise linear hysteresis. **2012**,	2
289	Real time measurements of hysteresis in a piezoelectric nanopositioner stage. **2012**, 55, 508-512	
288	Classical Prandtl-Ishlinskii modeling and inverse multiplicative structure to compensate hysteresis in piezoactuators. **2012**,	29
287	Integrated inversion-feedforward and PID-based-sliding-mode-control for piezoelectric actuators. **2012**,	3
286	Characterization of three-dimensional dynamics of piezo-stack actuators. **2012**, 31, 268-283	11
285	Real-time inverse hysteresis compensation of piezoelectric actuators with a modified Prandtl-Ishlinskii model. **2012**, 83, 065106	114
284	Analysis and comparison of three discrete-time feedforward model-inverse control techniques for nonminimum-phase systems. **2012**, 22, 577-587	118
283	Particle swarm optimization based feedforward controller for a XY PZT positioning stage. **2012**, 22, 614-628	32

282	Novel models for one-sided hysteresis of piezoelectric actuators. **2012**, 22, 757-765		12
281	Invited review article: high-speed flexure-guided nanopositioning: mechanical design and control issues. **2012**, 83, 121101		318
280	Nanoscale Broadband Viscoelastic Spectroscopy of Soft Materials Using Iterative Control. **2012**, 52, 757-769		6
279	Contouring accuracy improvement of a piezo-actuated micro motion stage based on fuzzy cerebellar model articulation controller. *Control Engineering Practice*, **2012**, 20, 1195-1205	3.9	3
278	Inhomogeneous Creep of Polarization and Strain Around a Circular Hole in Ferroelectrics Under Electric Field: Experiments and Modeling. **2012**, 39, 8-14		
277	Hysteresis-reduced dynamic displacement control of piezoceramic stack actuators using model predictive sliding mode control. *Smart Materials and Structures*, **2012**, 21, 055018	3.4	16
276	Hysteresis Compensation and Adaptive Controller Design for a Piezoceramic Actuator System in Atomic Force Microscopy. **2012**, 14, 1012-1027		18
275	Experimental Observation and Measurement for Domain Switching Emission Wave and its Average Velocity Emitted from the Near Tip Zone of a Static Crack in PLZT. **2012**, 52, 619-627		2
274	A variable preload device using liquid pressure for machine tools spindles. **2012**, 13, 1009-1012		11
273	Schnelle Rasterkraftmikroskopie durch moderne Regelungstechnik und mechatronische Systemintegration. **2012**, 129, 28-33		
272	Multi-dofs MEMS displacement sensors based on the Stewart platform theory. **2012**, 18, 575-579		9
271	Dual-stage repetitive control with Prandtl Ishlinskii hysteresis inversion for piezo-based nanopositioning. **2012**, 22, 271-281		33
270	Rigid Body, Flexible Body, and Micro Electromechanical Systems. **2013**, 281-433		
269	A Novel Direct Inverse Modeling Approach for Hysteresis Compensation of Piezoelectric Actuator in Feedforward Applications. **2013**, 18, 981-989		156
268	Improved charge amplifier using hybrid hysteresis compensation. **2013**, 84, 085115		6
267	. **2013**, 60, 5105-5115		66
266	A ZnO microcantilever for high-frequency nanopositioning: Modeling, fabrication and characterization. **2013**, 194, 75-83		8
265	Modeling of nano piezoelectric actuator based on block matching algorithm with optimal block size. **2013**, 56, 2649-2657		1

264	Hysteresis modeling and identification of a dielectric electro-active polymer actuator using an APSO-based nonlinear Preisach NARX fuzzy model. *Smart Materials and Structures*, **2013**, 22, 095004	3.4	13
263	Motion control of piezoceramic actuators with creep, hysteresis and vibration compensation. **2013**, 197, 76-87		43
262	Control for unknown systems preceded by hysteresis and its application to nanopositioner. **2013**,		
261	Creep, Hysteresis, and Cross-Coupling Reduction in the High-Precision Positioning of the Piezoelectric Scanner Stage of an Atomic Force Microscope. **2013**, 12, 1125-1134		40
260	. **2013**,		1
259	Design and Control for High-Speed Nanopositioning: Serial-Kinematic Nanopositioners and Repetitive Control for Nanofabrication. **2013**, 33, 86-105		41
258	. **2013**, 21, 725-738		70
257	Modeling of nano piezoelectric actuator based on block matching algorithm with optimal block size. **2013**,		
256	. **2013**, 33, 68-85		31
255	Sinusoidal trajectory for atomic force microscopy precision local scanning with auxiliary optical microscopy. **2013**,		4
254	Advanced control for magnetostrictive actuated nano-stage. **2013**,		
253	The design and new controller of a 1-DOF precision positioning platform. **2013**,		0
252	Improving the scanning speed of atomic force microscopy at the scanning range of several tens of micrometers. **2013**, 124, 102-7		9
251	Integrated design of the feedback controller and topography estimator for atomic force microscopy. *Control Engineering Practice*, **2013**, 21, 1110-1120	3.9	4
250	A robust loop-shaping approach to fast and accurate nanopositioning. **2013**, 204, 88-96		19
249	. **2013**, 12, 246-254		44
248	A Survey of Modeling and Control of Piezoelectric Actuators. **2013**, 03, 1-20		45
247	An Inversion-Based Model Predictive Control With an Integral-of-Error State Variable for Piezoelectric Actuators. **2013**, 18, 895-904		67

| 246 | Design, Modeling, and FPAA-Based Control of a High-Speed Atomic Force Microscope Nanopositioner. **2013**, 18, 1060-1071 | 84 |

| 245 | . **2013**, 18, 1113-1121 | 75 |

| 244 | An indirect adaptive servocompensator for signals of unknown frequencies with application to nanopositioning. **2013**, 49, 2006-2016 | 25 |

| 243 | Saturation Control of a Piezoelectric Actuator for Fast Settling-Time Performance. **2013**, 21, 220-228 | 17 |

| 242 | Inverse-feedforward and robust-feedback control for high-speed operation on piezo-stages. **2013**, 86, 197-209 | 9 |

| 241 | Adaptive Model Estimation of Vibration Motion for a Nanopositioner With Moving Horizon Optimized Extended Kalman Filter. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2013**, 135, | 1.6 | 6 |

| 240 | Atomic-scale movement induced in nanoridges by scanning tunneling microscopy on epitaxial graphene grown on 4H-SiC(0001). **2013**, 31, 04D101 | 2 |

| 239 | Cross-Coupling Controller for Five Degree-of-Freedom Coplanar Nanostage. **2013**, 284-287, 1788-1793 | |

| 238 | A Survey on Experimental Characterization of Hysteresis in Piezoceramic Actuators. **2013**, 694-697, 1558-1564 | 0 |

| 237 | Micro Vibration Sensor Based on the Nano Measuring Machine. **2013**, 643, 149-152 | |

| 236 | High Precision Control for Nano-stage Driven by Magnetostrictive Actuator. *Lecture Notes in Computer Science*, **2013**, 666-677 | 0.9 |

| 235 | Adaptive control for magnetostrictive actuated nano-positioner. **2013**, | |

| 234 | Low-voltage and high-performance buzzer-scanner based streamlined atomic force microscope system. **2013**, 24, 455503 | 7 |

| 233 | Control for unknown linear systems preceded by hysteresis represented by preisach model. **2013**, | |

| 232 | Encyclopedia of Systems and Control. **2013**, 1-4 | |

| 231 | Inverse compensation for hysteresis in piezoelectric actuator using an asymmetric rate-dependent model. **2013**, 84, 115003 | 17 |

| 230 | B-spline-decomposition-based approach to multi-axis trajectory tracking: Nanomanipulation example. **2013**, | |

| 229 | Component based modelling of piezoelectric ultrasonic actuators for machining applications. **2013**, 451, 012036 | |

228   Open-Loop Control Approaches to Compliant Micromanipulators. **2013**, 115-144

227   Online tuning of dither for micro-nano positioning platform: A PID based approach. **2014**,

226   A study on the development of a deformable rubber variable preload device. **2014**, 15, 2685-2688   6

225   A piezo servo hydraulic actuator for use in camless combustion engines and its control with MPC. **2014**,

224   A serial-kinematic nanopositioner for high-speed atomic force microscopy. **2014**, 85, 105104   31

223   Modelling of a servo piezo mechanical hydraulic actuator and its feed-forward control. **2014**,   1

222   Dual-Stage Nanopositioning for High-Speed Scanning Probe Microscopy. **2014**, 19, 1035-1045   50

221   Control design for ionic polymer-metal composite based actuators. **2014**,

220   Robust control for ionic polymer-metal composite actuators. **2014**,

219   The growth of ultra-thin zirconia films on Pd(3)Zr(0 0 0 1). **2014**, 26, 225003   31

218   High-precision control of piezoelectric nanopositioning stages using hysteresis compensator and disturbance observer. *Smart Materials and Structures*, **2014**, 23, 105007   3.4   29

217   Comparative experiments regarding approaches to feedforward hysteresis compensation for piezoceramic actuators. *Smart Materials and Structures*, **2014**, 23, 095029   3.4   10

216   A Modified Prandtl-Ishlinskii Model for Rate-dependent Hysteresis Nonlinearity Using mth-power Velocity Damping Mechanism. **2014**, 11, 163   14

215   Control and hysteresis reduction in prestressed curved unimorph actuators using model predictive control. *Journal of Intelligent Material Systems and Structures*, **2014**, 25, 290-307   2.3   2

214   Feedforward hysteresis calibration of piezoelectric actuator in AFM based on inverse model identification. **2014**,   0

213   Advanced Control of Atomic Force Microscope for Faster Image Scanning. **2014**, 371-388   3

212   A modified Preisach model and its inversion for hysteresis compensation in piezoelectric actuators. **2014**, 10, 122-142   4

211   Robust dahl model based Sliding Mode Control for micro/nano positioning applications. **2014**,   2

| 210 | Modeling and Inverse Compensation of Nonmonotonic Hysteresis in VO $_2$-Coated Microactuators. **2014**, 19, 579-588 | 32 |

| 209 | Error-corrected AFM: a simple and broadly applicable approach for substantially improving AFM image accuracy. **2014**, 25, 155704 | 10 |

| 208 | Inversion-free stabilization and regulation of systems with hysteresis via integral action. **2014**, 50, 1017-1025 | 21 |

| 207 | Subnanometer Positioning and Drift Compensation With Tunneling Current. **2014**, 22, 180-189 | 9 |

| 206 | A model of a servo piezo mechanical hydraulic actuator and its regulation using repetitive control. **2014**, | 2 |

| 205 | An adaptive nanoindentation system based on electric bending of a piezoelectric cantilever. **2014**, 216, 249-256 | 6 |

| 204 | H∞ based position control of a 2DOF piezocantilever using magnetic sensors. **2014**, | |

| 203 | Two modified discrete PID-based sliding mode controllers for piezoelectric actuators. **2014**, 87, 9-20 | 3 |

| 202 | A Neural-Repetitive Control Approach for High-Performance Motion Control of Piezo-Actuated Systems. **2014**, 39, 4131-4140 | 7 |

| 201 | Modeling and control of a piezoelectric microactuator with proprioceptive sensing capabilities. **2014**, 24, 590-604 | 8 |

| 200 | A survey on hysteresis modeling, identification and control. **2014**, 49, 209-233 | 257 |

| 199 | Height drift correction in non-raster atomic force microscopy. **2014**, 137, 48-54 | 15 |

| 198 | Integral resonant damping for high-bandwidth control of piezoceramic stack actuators with asymmetric hysteresis nonlinearity. **2014**, 24, 367-375 | 20 |

| 197 | Non-vector space approach for nanoscale motion control. **2014**, 50, 1835-1842 | 10 |

| 196 | Recent Advances in the Control of Piezoelectric Actuators. **2014**, 11, 182 | 28 |

| 195 | H∞ Reduced Order Control for Nanopositioning: Numerical Implementability. **2014**, 47, 6862-6869 | 1 |

| 194 | Adaptive Control for Ionic Polymer-Metal Composite Actuator Based on Continuous-Time Approach. **2014**, 47, 5073-5078 | 2 |

| 193 | Approach for improved positioning of an atomic force microscope piezoelectric tube scanner. **2014**, 9, 407-411 | 9 |

192   An LQG/LTR approach towards piezoactuator vibration reduction with observer-based hysteresis compensation. **2014**, 47, 5623-5628   6

191   Digital Control of a Camless Engine Using Lyapunov Approach with Backward Euler Approximation. **2014**, 47, 5679-5684   2

190   Modelling and control for ionic polymer-metal composite actuators. **2014**,

189   Pressure Fault Recognition and Compensation with an Adaptive Feedforward Regulator in a Controlled Hybrid Actuator within Engine Applications ? ?The project was financially supported by Ministry of the Culture and Research of Low Saxony (Germany). BMBF-Project-Nr.: 17N2111.. **2015**, 48, 925-930   1

188   An inversion-free model predictive control with error compensation for piezoelectric actuators. **2015**,   7

187   Piezoelectric actuator characteristics measurement based on harris corner location. **2015**,

186   Deformation in lead zirconate titanate ceramics under large signal electric field loading measured by digital image correlation. **2015**, 86, 113707   6

185   Fast and robust control of nanopositioning systems: Performance limits enabled by field programmable analog arrays. **2015**, 86, 085004   1

184   An incremental Hammerstein-like modeling approach for the decoupled creep, vibration and hysteresis dynamics of piezoelectric actuator. **2015**, 82, 2097-2118   9

183   Lissajous scan trajectory with internal model principle controller for fast AFM image scanning. **2015**,   1

182   On Synergistic Integration of Adaptive Dithering Based Internal Model Control for Hysteresis Compensation in Piezoactuated Nanopositioner. **2015**, 2015, 1-19   3

181   Adaptive force/position control with unknown parameters estimation for a piezo-driven micromanipulator. **2015**,

180   Modeling and creep compensation control of bellow-driven positioning stage. **2015**,

179   Adaptive control with unknown parameters estimation for motion tracking of piezo-driven micromanipulator. **2015**,   1

178   Hysteresis compensation of piezoelectric actuator using direct inverse modeling approach and adaptive projection algorithm. **2015**,   1

177   Modeling and compensating the dynamic hysteresis of piezoelectric actuators via a modified rate-dependent Prandtl₤shlinskii model. *Smart Materials and Structures*, **2015**, 24, 125006   3.4   30

176   Trying to keep it real: 25 Years of trying to get the stuff I learned in grad school to work on mechatronic systems. **2015**,   8

175   A decomposition-based learning approach to hysteresis-dynamics system control: Piezoelectric actuator example. **2015**,   3

174	High-Bandwidth Control of Nanopositioning Stages via an Inner-Loop Delayed Position Feedback. **2015**, 12, 1357-1368		19
173	Lissajous Hierarchical Local Scanning to Increase the Speed of Atomic Force Microscopy. **2015**, 14, 810-819		19
172	An Inversion-Free Predictive Controller for Piezoelectric Actuators Based on a Dynamic Linearized Neural Network Model. **2015**, 1-1		36
171	Precision Sinusoidal Local Scan for Large-Range Atomic Force Microscopy With Auxiliary Optical Microscopy. **2015**, 20, 226-236		24
170	. **2015**, 20, 73-83		60
169	Static and quasi-static behavior of an adaptive system to compensate path errors for smart fiber placement. **2015**,		
168	An enhanced physics-based model to estimate the displacement of piezoelectric actuators. *Journal of Intelligent Material Systems and Structures*, **2015**, 26, 1442-1451	2.3	6
167	Nonlinear vibration analysis of piezo-actuated flat thin membrane. **2015**, 21, 1162-1170		13
166	Model based control of dynamic atomic force microscope. **2015**, 86, 043703		6
165	Extended lumped parameter electromechanical model of piezoelectric actuators. **2015**,		2
164	A Survey of Modeling and Control Issues for Piezo-electric Actuators. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2015**, 137,	1.6	38
163	Force estimation in a 2-DoF piezoelectric actuator by using the inverse-dynamics based unknown input observer technique. **2015**,		1
162	Robust and fast non-singular terminal sliding mode control for piezoelectric actuators. **2015**, 9, 2678-2687		28
161	Feedback Linearization Control of Flexible Structures with Hysteresis. **2015**, 48, 906-911		2
160	Precision improvement in frequency-scanning interferometry based on suppressing nonlinear optical frequency sweeping. **2015**, 22, 724-730		29
159	Multi-mode vibration suppression in 2-DOF piezoelectric systems using zero placement input shaping technique. **2015**,		5
158	Simultaneous suppression of badly damped vibrations and cross-couplings in a 2-DoF piezoelectric actuator by using feedforward standard Happroach. **2015**,		6
157	Creep behavior of soft and hard PZT ceramics during mechanical loading and unloading. **2015**, 35, 3827-3834		5

156	Getting Started with PEAs-Based Flapping-Wing Mechanisms for Micro Aerial Systems. **2016**, 5, 14	5
155	Butterworth Pattern-based Simultaneous Damping and Tracking Controller Designs for Nanopositioning Systems. **2016**, 2,	5
154	Multi-Mode Vibration Suppression in MIMO Systems by Extending the Zero Placement Input Shaping Technique: Applications to a 3-DOF Piezoelectric Tube Actuator. **2016**, 5, 13	5
153	Hysteresis Modeling in Smart Actuators. **2016**, 37-59	
152	Conception of an indirectly controlled servo valve for IC engine valve position control. **2016**,	0
151	Characterization, Modeling and H☐control of n-DOF Piezoelectric Actuators: application to A 3-DOF Precise Positioner. **2016**, 18, 1239-1258	5
150	Optimized PID tracking control for piezoelectric actuators based on the Bouc-Wen model. **2016**,	6
149	A framework for reference generation and control in AFM imaging. **2016**,	1
148	Variable structure control combined with adaptive iterative learning control for motion tracking of a piezoelectric microgripper. **2016**,	1
147	Nonlinear Dynamic Models of Piezoelectric Nano-Stages. **2016**,	
146	Characterization and modeling of the temperature effect on the piezoelectric tube actuator. **2016**, 49, 354-360	8
145	Methods of analysis of automatic control systems obeying a mathematical model with cubic characteristic equation. **2016**, 77, 2150-2158	0
144	Hysteresis compensation for piezoelectric laser scanner with open-loop control method. **2016**,	
143	A combined robust terminal sliding mode controller with perturbation estimator for piezoelectric actuated positioner. **2016**,	
142	A 2-DOF H☐control strategy for a 3 axes robotic system operating at the nanometer scale. **2016**,	2
141	Experimental comparison of LQG/LTR and robust control approaches in 2D piezoactuation. **2016**,	
140	. **2016**,	1
139	Presentation and characterization of novel thick-film PZT microactuators. **2016**, 486, 17-20	3

138	A review of scanning methods and control implications for scanning probe microscopy. **2016**,		4
137	A mixed H2/H∞robust inversion based 2DOF control approach for system with uncertainty. **2016**,		
136	A novel two-axis parallel-kinematic high-speed piezoelectric scanner for atomic force microscopy. *Journal of the Korean Physical Society*, **2016**, 69, 691-696	0.6	1
135	Design of a high-bandwidth tripod scanner for high speed atomic force microscopy. **2016**, 38, 889-900		18
134	Modeling of the drift of atomic-force microscope probe for local chemical nanodiagnostics. **2016**,		
133	Error compensation in atomic force microscope scanned images. **2016**, 11, 38-40		
132	High-speed vertical positioning stage with integrated dual-sensor arrangement. **2016**, 248, 184-192		20
131	A comprehensive inversion approach for feedforward compensation of piezoactuator system at high frequency. *Smart Materials and Structures*, **2016**, 25, 095046	3.4	6
130	Modelling, identification, and compensation of fractional-order creep in frequency domain for piezoactuators. **2016**, 52, 1444-1445		1
129	Experimental nanosurface imaging with a scanning-tunneling-like device under 3D control. **2016**,		2
128	Tracking control of piezoelectric actuator using adaptive model. **2016**, 3, 5		2
127	Feedforward and output feedback control of a highly oscillating and nonlinear 2-DOF piezoelectric actuator by using input shaping compensator and a linear quadratic regulator. **2016**,		2
126	Design, modeling and simulation of a three-layer piezoelectric cantilevered actuator with collocated sensor. **2016**,		2
125	High-speed and precision control of a piezoelectric positioner with hysteresis, resonance and disturbance compensation. **2016**, 22, 2499-2509		13
124	Adaptive control for continuous-time systems with actuator and sensor hysteresis. **2016**, 64, 196-207		37
123	Integrating a piezoelectric actuator with mechanical and hydraulic devices to control camless engines. **2016**, 78, 55-70		13
122	A monolithic MEMS position sensor for closed-loop high-speed atomic force microscopy. **2016**, 27, 135705		18
121	Nanopositioning for Lithography and Data Storage. **2016**, 381-409		3

120	Nanopositioning Technologies. **2016**,		29
119	Modeling and Control of Piezo-Actuated Nanopositioning Stages: A Survey. **2016**, 13, 313-332		306
118	The effective frequency range of an active suspended handle based on the saturation effects of a piezo stack actuator. **2017**, 23, 752-769		5
117	A fast non-singular terminal sliding mode control based on perturbation estimation for piezoelectric actuators systems. **2017**, 90, 480-491		20
116	. **2017**, 14, 1265-1285		39
115	Modified Levenberg‰arquardt Algorithm for Backpropagation Neural Network Training in Dynamic Model Identification of Mechanical Systems. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2017**, 139,	1.6	9
114	Contour accuracy improvement of a flexure-based micro-motion stage for tracking repetitive trajectory. **2017**, 7, 015026		2
113	A new rate-dependent model for high-frequency tracking performance enhancement of piezoactuator system. *Smart Materials and Structures*, **2017**, 26, 055008	3.4	3
112	Vibration modelling of piezoelectric actuator (PEA) using Simulink software. **2017**,		4
111	Multivariable classical Prandtl‰shlinskii hysteresis modeling and compensation and sensorless control of a nonlinear 2-dof piezoactuator. **2017**, 89, 481-499		42
110	Positive acceleration, velocity and position feedback based damping control approach for piezo-actuated nanopositioning stages. **2017**, 47, 97-104		34
109	Budgeting of Systematic Versus Stochastic Errors in Sensor Fusion for Piezo Electric Transducers. **2017**, 50, 7651-7656		3
108	The Fundamental Bandwidth Limit of Piezoelectrically Actuated Nanopositioners With Motion Amplification. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2017**, 139,	1.6	0
107	Advances in the atomic force microscopy for critical dimension metrology. **2017**, 28, 012001		18
106	In-line metrology of nanoscale features in semiconductor manufacturing systems. **2017**, 47, 147-157		13
105	A model predictive control for a multi-axis piezo system: Development and experimental validation. **2017**,		3
104	Recursive Online Compensation of Piezoelectric Nonlinearities via a Modified Prandtl-Ishlinskii Approach. **2017**, 50, 15561-15567		3
103	Evaluating the performance of robust controllers for a nanopositioning platform under loading.. **2017**, 50, 10895-10900		3

| 102 | A Negative Imaginary Theory-based Controller Synthesis for Vibration Control of a Piezoelectric Tube Scanner. **2017**, 50, 3202-3207 | 4 |

| 101 | Automatic fourier synthesis based input-shaping for scanning piezo-electric actuators. **2017**, | |

| 100 | Contouring performance-oriented cross-coupled desired compensation adaptive robust control for a flexure-based stage. **2017**, | |

| 99 | Extremum-seeking-based adaptive scan for atomic force microscopy. **2017**, | 3 |

| 98 | The artificial neural network modelling of the piezoelectric actuator vibrations using laser displacement sensor. **2017**, 68, 371-377 | 5 |

| 97 | Piezoelectric Inertia MotorsA Critical Review of History, Concepts, Design, Applications, and Perspectives. **2017**, 6, 7 | 62 |

| 96 | Improving the tracking performance of atomic force microscope scanner with the modified rate-dependent Prandtl-Ishlinskii model. **2017**, | |

| 95 | Observer and Robust H_{∞} Control of a 2-DOF Piezoelectric Actuator Equipped With Self-Measurement. **2018**, 3, 1080-1087 | 8 |

| 94 | Multivariable Compensation of Hysteresis, Creep, Badly Damped Vibration, and Cross Couplings in Multiaxes Piezoelectric Actuators. **2018**, 15, 1639-1653 | 19 |

| 93 | A Survey of Methods Used to Control Piezoelectric Tube Scanners in High-Speed AFM Imaging. **2018**, 20, 1379-1399 | 28 |

| 92 | A comparison of scanning methods and the vertical control implications for scanning probe microscopy. **2018**, 20, 1352-1366 | 20 |

| 91 | Comparative study of two types of parallel kinematic flexure scanners for atomic force microscopy. **2018**, 46, 58-75 | 3 |

| 90 | Influence of thermal deformation in cavity mirrors on beam propagation characteristics of high-power slab lasers. **2018**, 407, 97-106 | |

| 89 | Modeling and Simulation of an Atomic Force Microscopy System in the Z Direction. **2018**, 381, 012089 | |

| 88 | Discrete-Time Adaptive Hysteresis Filter for Parallel Computing and Recursive Identification of Preisach Model. **2018**, | 0 |

| 87 | Precise, Long-Time Displacement Self-Sensing of Piezoelectric Cantilever Actuators Based on Charge Measurement Using the SawyerTower Circuit. **2018**, 35, 107701 | |

| 86 | Research on a Precise Grinding Device for Servo Valve Spool. **2018**, | |

| 85 | Tracking control for systems with slope-restricted hysteresis nonlinearities. **2018**, 28, 6038-6052 | 2 |

84	Moisture Damage Modeling in Lime and Chemically Modified Asphalt at Nanolevel Using Ensemble Computational Intelligence. **2018**, 2018, 7525789	13
83	On superposition of Hammerstein systems: Application to simultaneous hysteresis-dynamics compensation. **2018**, 28, 4075-4092	4
82	Magnetic Position Estimation in Ferromagnetic Systems Involving Significant Hysteresis. **2018**, 23, 1555-1563	5
81	Automated image segmentation-assisted flattening of atomic force microscopy images. **2018**, 9, 975-985	10
80	Experimental and theoretical studies on mechanical creep of 1⬛ piezocomposites. **2018**, 229, 4187-4198	7
79	Hysteresis Compensation and Sliding Mode Control with Perturbation Estimation for Piezoelectric Actuators. **2018**, 9,	16
78	An Integrated Magnetic Actuation System for High-Speed Atomic Force Microscopy. **2018**, 23, 2285-2294	5
77	Nonlinear and Robust Internal Model Control of a Piezoelectric Actuator Devoted to Characterization at the Micro/Nanoscale. **2018**,	2
76	Adaptive phase compensator for vibration suppression of structures with parameter perturbation. **2019**, 93, 105313	4
75	Large-area high-speed scanning probe microscopy using legacy scanners. **2019**, 90, 063706	
74	Motion Control of Piezoelectric Actuator for High-Speed AFM Systems. **2019**,	
73	Creep Modeling with Time-Dependent Damping Parameters in Piezoelectric Actuators. **2019**,	0
72	Adaptive velocity-dependent proportional-integral controller for high-speed atomic force microscopy. **2019**, 275, 107-114	0
71	A high speed X-Y nanopositioner with integrated optical motion sensing. **2019**, 90, 035002	2
70	Experimental characterization and viscoelastic modeling for thermo-mechanical creep of 1-3 piezocomposites. *Journal of Intelligent Material Systems and Structures*, **2019**, 30, 1018-1030	2.3 1
69	Robust Tracking Control of Micro/Nanopositioning Stage with High Frequency Vibrations. **2019**,	
68	Hybrid PSO-Tuned PID and Hysteresis-Observer Based Control for Piezoelectric Micropositioning Stages. **2019**,	2
67	Similarity-based Feedback Control with Reduced Capacitive Load for Linear Operation of Piezoelectric Actuators. **2019**, 52, 585-590	

66	Line of sight controller tuning using Bayesian optimisation: application to a double stage stabilisation platform. **2019**, 50, 8-22		1
65	A hybrid phenomenological model for thermo-mechano-electrical creep of 1⊟ piezocomposites. **2019**, 99, 1-21		9
64	Adaptive Scan for Atomic Force Microscopy Based on Online Optimization: Theory and Experiment. **2020**, 28, 869-883		7
63	High-Speed AFM Imaging of Nanopositioning Stages Using H$_{infty }$ and Iterative Learning Control. **2020**, 67, 2430-2439		23
62	Integral Control of Stable Negative-Imaginary Systems Preceded by Hysteresis Nonlinearity. **2020**, 65, 1333-1339		5
61	Implementation of a Sinusoidal Raster Scan for High-Speed Atomic Force Microscopy. *Journal of the Korean Physical Society*, **2020**, 77, 605-612	0.6	1
60	Use of Ferroelectric Single-crystal Bimorphs for Precise Positioning in Scanning Probe Microscope. **2020**, 26, 2980-2983		2
59	A new-designed non-raster scan and precision control for increasing AFM imaging speed. **2020**,		1
58	Adaptive Control of a Piezo-Positioning Mechanism With Hysteresis and Input Saturation Using Time Delay Estimation. **2020**, 8, 176062-176072		1
57	Active fault tolerant control for high-precision positioning of a non-contact mode uncertain atomic force microscopy. **2020**, 42, 2632-2644		1
56	30 Years of atomic force microscopy: Creep, hysteresis, cross-coupling, and vibration problems of piezoelectric tube scanners. **2020**, 159, 107776		12
55	Multibody Mechatronic Systems. *Mechanisms and Machine Science*, **2021**,	0.3	
54	Decomposition-Learning-Based Output Tracking to Simultaneous Hysteresis and Dynamics Control: High-Speed Large-Range Nanopositioning Example. **2021**, 29, 1775-1782		1
53	Encyclopedia of Systems and Control. **2021**, 2028-2034		
52	Development and Testing of a Large-Stroke Nanopositioning Stage With Linear Active Disturbance Rejection Controller. **2021**, 1-10		3
51	Three-dimensional drift correction of scan data from atomic force microscopy using Lissajous scanning paths. **2021**, 32, 115010		1
50	Inversion-Based Hysteresis Compensation Using Adaptive Conditional Servocompensator for Nanopositioning Systems. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, **2021**, 143,	1.6	0
49	Single sequence phase shifting spectrally resolved interferometry for an in-line thin film thickness measurement using spectral reflectance and phase. **2021**, 60, 9425-9431		

48	Geometric analysis of measurement errors in a surface metrology class with closed-loop probes. **2021**, 184, 109869	2
47	Development of High-Throughput Control Techniques for Tip-Based Nanofabrication. **2011**, 325-355	3
46	Improving the Imaging Speed of AFM with Modern Control Techniques. **2011**, 83-100	4
45	Commutation-Angle Iterative Learning Control for Intermittent Data: Enhancing Piezo-Stepper Actuator Waveforms. **2020**, 53, 8585-8590	1
44	New Approaches for Sample-Profile Estimation for Fast Atomic Force Microscopy. **2005**,	2
43	On Implementation of the Preisach Model: Identification and Inversion for Hysteresis Compensation. **2015**, 36, 133-142	26
42	Modeling and control of piezoelectric inertiafriction actuators: review and future research directions. **2015**, 6, 95-107	41
41	A Fundamental Study on the Development of a Variable Preload Device Using Toggle Joint Mechanism. **2013**, 30, 260-265	2
40	A Basic Study on the Application of a Variable Preload Device using Rubber Pressure for High Speed Spindle Systems. **2014**, 31, 677-682	1
39	Electrostatic Microscanner. **2007**, 23-49	
38	A study on motion analysis of 1-D.O.F MEMS manipulator. **2009**, 11, 65-72	
37	Modeling of Piezoelectric Actuators Based on a New Rate-Independent Hysteresis Model. **2011**, 01, 25-30	
36	Modeling and Robust H∞Control of a Nonlinear and Oscillating 2-dof Multimorph Cantilevered Piezoelectric Actuator. **2013**, 61-88	0
35	Kalman Filtering and State-Feedback Control of a Nonlinear Piezoelectric Cantilevered Actuator. **2013**, 149-169	1
34	Feedforward Control of Flexible and Nonlinear Piezoelectric Actuators. **2013**, 207-227	
33	Shunt Control. *Advances in Industrial Control*, **2014**, 155-174	0.3
32	Feedforward Control. *Advances in Industrial Control*, **2014**, 251-273	0.3
31	Hysteresis Modeling and Control. *Advances in Industrial Control*, **2014**, 299-316	0.3 1

| 30 | Command Shaping. *Advances in Industrial Control*, **2014**, 275-298 | 0.3 | |

| 29 | Piezoelectric Transducers. *Advances in Industrial Control*, **2014**, 17-41 | 0.3 | 1 |

| 28 | Tracking Control for Nanopositioning Systems. **2016**, 213-244 | | 0 |

| 27 | Combined Model-Free Decoupling Control and Double Resonant Control in Parallel Nanopositioning Stages for Fast and Precise Raster Scanning. *Lecture Notes in Computer Science*, **2016**, 51-62 | 0.9 | 1 |

| 26 | Control of piezoelectric actuator with hysteresis and creep. **2018**, | | 1 |

| 25 | Encyclopedia of Systems and Control. **2020**, 1-6 | | |

| 24 | Regulation of a Servo Piezo Mechanical Hydraulic Actuator for Intake Valves in Camless Combustion Engines. *WSEAS Transactions on Applied and Theoretical Mechanics*, **2020**, 15, 46-51 | 0.6 | |

| 23 | Bidomain ferroelectric crystals: properties and prospects of application. *Izvestiya Vysshikh Uchebnykh Zavedenii Materialy Elektronnoi Tekhniki = Materials of Electronics Engineering*, **2020**, 23, 5-56 | 0.2 | 1 |

| 22 | Experimental characterization and modular modeling of hystereses for smart material actuators. *Smart Materials and Structures*, | 3.4 | 1 |

| 21 | Modeling of a Piezoelectric Based Nanopositioning Stage. *Mechanisms and Machine Science*, **2021**, 257-264 | 0.3 | |

| 20 | A comparison of tracking step inputs with a piezo stage using model predictive control and saturated linear quadratic Gaussian control. *Control Engineering Practice*, **2022**, 118, 104972 | 3.9 | |

| 19 | Reliability-based topology optimization of piezoelectric smart structures with voltage uncertainty. *Journal of Intelligent Material Systems and Structures*, 1045389X2110721 | 2.3 | 1 |

| 18 | Feedforward compensation for hysteresis and dynamic behaviors of a high-speed atomic force microscope scanner. *Journal of the Korean Physical Society*, **2022**, 80, 325 | 0.6 | 1 |

| 17 | A Wiener Model Identification for Creep and Vibration Linear and Hysteresis Nonlinear Dynamics of Piezoelectric Actuator. *IEEE Sensors Journal*, **2021**, 21, 27570-27581 | 4 | 2 |

| 16 | Bidomain Ferroelectric Crystals: Properties and Prospects of Application. *Russian Microelectronics*, **2021**, 50, 571-616 | 0.5 | 1 |

| 15 | Extraction of Hidden Science from Nanoscale Images. *Journal of Physical Chemistry C*, **2022**, 126, 3-13 | 3.8 | |

| 14 | Towards High Accuracy Surface Profile Characterization in Atomic Force Microscopy. *Smart Innovation, Systems and Technologies*, **2022**, 277-284 | 0.5 | |

| 13 | A Review of Modeling and Control of Piezoelectric Stick-Slip Actuators. | | |

12	High accuracy tracking of ultrasonic motor based on PID operation of sliding surface plus inverse system compensation.. *Scientific Reports*, **2022**, 12, 6829	4.9	0
11	Modeling and verification for a 3-DOF flexure-based planar parallel micro manipulator. 1-11		
10	LSTM-Based Model Predictive Control of Piezoelectric Motion Stages for High-speed Autofocus. **2022**, 1-10		0
9	Data-Driven Feedforward Hysteresis Compensation with Genetic Algorithm for Atomic Force Microscope*. **2022**,		0
8	Control of interaction force in constant-height contact mode atomic force microscopy. **2022**, 88, 102914		0
7	A modeling method for a 6-SPS perpendicular parallel micro-manipulation robot considering the motion in multiple nonfunctional directions and nonlinear hysteresis. 1-14		0
6	Resolution adjustable Lissajous scanning with piezoelectric MEMS mirrors.		0
5	Deterministic Learning-based Generalizable Trajectory Tracking Control for Permanent-Magnet Synchronous Motors Driven Two-Axis X-Y Table. **2022**,		0
4	Nonlinearities compensation of a parallel piezostage using discrete-time sliding mode predictive control with decoupling and damping properties. **2023**, 192, 110206		0
3	Development of a three-degree-of-freedom piezoelectric actuator. **2023**, 94, 025001		0
2	Automatic drift compensation for nanoscale imaging using feature point matching. **2023**, 122, 121601		0
1	Fixed-time adaptive fuzzy control scheme with prescribed tracking accuracy for uncertain nonlinear hysteretic systems. **2023**,		0