

CITATION REPORT

List of articles citing

A comprehensive two-hybrid analysis to explore the yeast protein interactome

DOI: 10.1073/pnas.061034498

Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 4569-74.

Source: <https://exaly.com/paper-pdf/33358644/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2278	Bibliography. 255-272		
2277	Specific Unbinding Forces Between Mutated Human PSelectin Glycoprotein Ligand1 and Viral Protein1 Measured Using Force Spectroscopy.		
2276	Clinical pathologic conference; pinealoma. 1953 , 3, 226-30		
2275	Development of an optimized interaction-mating protocol for large-scale yeast two-hybrid analyses. 2001 , 2, RESEARCH0052		34
2274	Bioinformatics and data knowledge: the new frontiers for nutrition and foods. 2001 , 12, 215-229		22
2273	Cvt19 is a receptor for the cytoplasm-to-vacuole targeting pathway. 2001 , 7, 1131-41		206
2272	Mobilization of processed, membrane-tethered SPT23 transcription factor by CDC48(UFD1/NPL4), a ubiquitin-selective chaperone. 2001 , 107, 667-77		386
2271	Yeast Cbk1 and Mob2 activate daughter-specific genetic programs to induce asymmetric cell fates. 2001 , 107, 739-50		276
2270	GIMS-a data warehouse for storage and analysis of genome sequence and functional data. 2001 ,		13
2269	. 2001 ,		3
2268	The DEAD box helicase, Dhh1p, functions in mRNA decapping and interacts with both the decapping and deadenylase complexes. 2001 , 7, 1717-27		268
2267	Glutamyl transpeptidase in the yeast <i>Saccharomyces cerevisiae</i> and its role in the vacuolar transport and metabolism of glutathione. 2001 , 359, 631-637		53
2266	gamma-Glutamyl transpeptidase in the yeast <i>Saccharomyces cerevisiae</i> and its role in the vacuolar transport and metabolism of glutathione. 2001 , 359, 631-7		36
2265	Protein Structure Prediction. 2001 , 237-313		
2264	Transcriptional transactivation by selected short random peptides attached to lexA-GFP fusion proteins. 2001 , 2, 10		12
2263	Protein interaction databases. 2001 , 12, 334-9		76
2262	Mapping protein-protein interactions with combinatorial biology methods. 2001 , 12, 340-7		23

2261	Sgf1p, a new component of the Sec34p/Sec35p complex. 2001 , 2, 820-30	33
2260	Current Awareness. 2001 , 18, 995-1002	
2259	How useful will functional proteomics data be?. 2001 , 2, 301-3	2
2258	Website review: protein-protein interactions on the web. 2001 , 2, 338-43	3
2257	Current Awareness on Comparative and Functional Genomics. 2001 , 2, 401-412	78
2256	Molecular recognition: identifying compounds and their targets. 2001 , Suppl 37, 1-6	19
2255	Processing of 20S pre-rRNA to 18S ribosomal RNA in yeast requires Rrp10p, an essential non-ribosomal cytoplasmic protein. 2001 , 20, 4204-13	92
2254	Subunit interaction maps for the regulatory particle of the 26S proteasome and the COP9 signalosome. 2001 , 20, 7096-107	190
2253	The <i>Saccharomyces cerevisiae</i> Set1 complex includes an Ash2 homologue and methylates histone 3 lysine 4. 2001 , 20, 7137-48	456
2252	Synthetic cell biology. 2001 , 12, 638-44	77
2251	NEJ1 controls non-homologous end joining in <i>Saccharomyces cerevisiae</i> . 2001 , 414, 666-9	188
2250	The path not taken. 2001 , 19, 626-7	38
2249	Correlation between transcriptome and interactome mapping data from <i>Saccharomyces cerevisiae</i> . 2001 , 29, 482-6	517
2248	Networking skills. 2001 , 2, 326-326	
2247	Exploring the protein interactome using comprehensive two-hybrid projects. 2001 , 19, 23-27	52
2246	BIA ² MS ² : biomolecular interaction analysis for functional proteomics. 2001 , 19, 28-33	43
2245	Exploring the protein interactome using comprehensive two-hybrid projects. 2001 , 19, S23-7	54
2244	BIA-MS-MS: biomolecular interaction analysis for functional proteomics. 2001 , 19, S28-33	39

2243	Protein-protein interaction maps: a lead towards cellular functions. 2001 , 17, 346-52	164
2242	Golgi-to-endoplasmic reticulum (ER) retrograde traffic in yeast requires Dsl1p, a component of the ER target site that interacts with a COPI coat subunit. 2001 , 12, 3783-96	79
2241	The <i>S. cerevisiae</i> SET3 complex includes two histone deacetylases, Hos2 and Hst1, and is a meiotic-specific repressor of the sporulation gene program. 2001 , 15, 2991-3004	199
2240	Identification of potential interaction networks using sequence-based searches for conserved protein-protein interactions or "interologs". 2001 , 11, 2120-6	344
2239	A relationship between gene expression and protein interactions on the proteome scale: analysis of the bacteriophage T7 and the yeast <i>Saccharomyces cerevisiae</i> . 2001 , 29, 3513-9	170
2238	Recent advances in computational genomics. 2001 , 2, 361-72	5
2237	Cell signalling - the proteomics of it all. 2001 , 2001, pe33	6
2236	Exploiting big biology: integrating large-scale biological data for function inference. 2001 , 2, 363-74	27
2235	Clockless yeast and the gears of the clock: how do they mesh?. 2001 , 16, 516-22	1
2234	Interrelating different types of genomic data, from proteome to secretome: 'oming in on function. 2001 , 11, 1463-8	121
2233	Networking proteins in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 4277-8	11.5 78
2232	All phox homology (PX) domains from <i>Saccharomyces cerevisiae</i> specifically recognize phosphatidylinositol 3-phosphate. 2001 , 276, 44179-84	158
2231	<i>Saccharomyces cerevisiae</i> protein Pci8p and human protein eIF3e/Int-6 interact with the eIF3 core complex by binding to cognate eIF3b subunits. 2001 , 276, 34948-57	32
2230	Is there a bias in proteome research?. 2001 , 11, 1971-3	154
2229	A protein interaction map for cell polarity development. 2001 , 154, 549-71	268
2228	COMPASS: a complex of proteins associated with a trithorax-related SET domain protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 12902-7	11.5 438
2227	The coatomer-interacting protein Dsl1p is required for Golgi-to-endoplasmic reticulum retrieval in yeast. 2001 , 276, 39150-60	79
2226	Yeast PalA/AIP1/Alix homolog Rim20p associates with a PEST-like region and is required for its proteolytic cleavage. 2001 , 183, 6917-23	104

2225	Implication of a novel multiprotein Dam1p complex in outer kinetochore function. 2001 , 155, 1137-45		155
2224	Protein-protein interaction panel using mouse full-length cDNAs. 2001 , 11, 1758-65		89
2223	A DNA microarray-based genetic screen for nonhomologous end-joining mutants in <i>Saccharomyces cerevisiae</i> . 2001 , 294, 2552-6		135
2222	SPiD: a subtilis protein interaction database. <i>Bioinformatics</i> , 2001 , 17, 1209-12	7.2	17
2221	Prediction of higher order functional networks from genomic data. 2001 , 2, 373-85		10
2220	Extracting hidden information from knowledge networks. 2001 , 87, 248701		82
2219	Range-dependent random graphs and their application to modeling large small-world Proteome datasets. 2002 , 66, 066702		55
2218	Transcriptional regulation: a genomic overview. 2002 , 1, e0085		33
2217	Proteomics. 2002 ,		1
2216	Analysis of MADS box protein-protein interactions in living plant cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 2416-21	11.5	175
2215	The advantage of functional prediction based on clustering of yeast genes and its correlation with non-sequence based classifications. 2002 , 9, 193-210		12
2214	Infinite-order percolation and giant fluctuations in a protein interaction network. 2002 , 66, 055101		127
2213	Extraction of knowledge on protein-protein interaction by association rule discovery. <i>Bioinformatics</i> , 2002 , 18, 705-14	7.2	71
2212	Identification of a multifunctional binding site on Ubc9p required for Smt3p conjugation. 2002 , 277, 47938-45		105
2211	Target selection for structural genomics: a single genome approach. 2002 , 6, 349-62		3
2210	Profiling protein function with small molecule microarrays. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11139-44	11.5	157
2209	Detection of peptides, proteins, and drugs that selectively interact with protein targets. 2002 , 12, 1785-91		28
2208	Gene function: getting specific, generally speaking. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 16513-5	11.5	2

2207	Protein-protein interactions between sucrose transporters of different affinities colocalized in the same enucleate sieve element. 2002 , 14, 1567-77		123
2206	Cancer Cell Signaling. 2002 ,		0
2205	High-density cell microarrays for parallel functional determinations. 2002 , 12, 482-6		13
2204	Comparative analysis of multiple genome-scale data sets. 2002 , 12, 1564-73		19
2203	Protein-protein interactions between large proteins: two-hybrid screening using a functionally classified library composed of long cDNAs. 2002 , 12, 1773-84		80
2202	Thermoconditional modulation of the pleiotropic sensitivity phenotype by the <i>Saccharomyces cerevisiae</i> PRP19 mutant allele <i>pso4-1</i> . 2002 , 30, 4993-5003		12
2201	The Sec34/Sec35p complex, a Ypt1p effector required for retrograde intra-Golgi trafficking, interacts with Golgi SNAREs and COPI vesicle coat proteins. 2002 , 157, 631-43		183
2200	Analysis of protein-protein proximities using the split-ubiquitin system. 2002 , 1, 230-8		18
2199	An expanded view of bacterial DNA replication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 8342-7	11.5	160
2198	Transplanting allosteric control of enzyme activity by protein-protein interactions: coupling a regulatory site to the conserved catalytic core. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11115-20	11.5	19
2197	The Shq1p.Naf1p complex is required for box H/ACA small nucleolar ribonucleoprotein particle biogenesis. 2002 , 277, 45235-42		50
2196	Analysis of mammalian peroxin interactions using a non-transcription-based bacterial two-hybrid assay. 2002 , 1, 243-52		55
2195	Roles for the two-hybrid system in exploration of the yeast protein interactome. 2002 , 1, 561-6		87
2194	Genomic analysis of homotypic vacuole fusion. 2002 , 13, 782-94		142
2193	Understanding cancer through proteomics. 2002 , 1, 221-30		
2192	Classification of scale-free networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 12583-8	11.5	269
2191	Regulation of stress response signaling by the N-terminal dishevelled/EGL-10/pleckstrin domain of Sst2, a regulator of G protein signaling in <i>Saccharomyces cerevisiae</i> . 2002 , 277, 22156-67		32
2190	The <i>Saccharomyces cerevisiae</i> LSB6 gene encodes phosphatidylinositol 4-kinase activity. 2002 , 277, 47709-18		69

2189	Inferring domain-domain interactions from protein-protein interactions. 2002 , 12, 1540-8		303
2188	Production of ligand-specific mutants using a yeast two-hybrid mating assay. 2003 , 218, 269-76		1
2187	Inferring domain-domain interactions from protein-protein interactions. 2002 ,		17
2186	Chemical strategies for functional proteomics. 2002 , 1, 781-90		145
2185	The jury is out on "guilt by association" trials. 2002 , 1, 40-52		9
2184	A duplication growth model of gene expression networks. <i>Bioinformatics</i> , 2002 , 18, 1486-93	7.2	144
2183	Deciphering networks of protein interactions at the nuclear pore complex. 2002 , 1, 930-46		61
2182	Ribonucleoprotein-dependent localization of the yeast class V myosin Myo4p. 2002 , 159, 971-82		61
2181	Deciphering protein complexes and protein interaction networks by tandem affinity purification and mass spectrometry: analytical perspective. 2002 , 1, 204-12		54
2180	Identification of Sec36p, Sec37p, and Sec38p: components of yeast complex that contains Sec34p and Sec35p. 2002 , 13, 1484-500		87
2179	Interrogating protein interaction networks through structural biology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 5896-901	11.5	275
2178	FCP1 phosphorylation by casein kinase 2 enhances binding to TFIIF and RNA polymerase II carboxyl-terminal domain phosphatase activity. 2002 , 277, 36061-7		26
2177	The identification of functional modules from the genomic association of genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 5890-5	11.5	213
2176	Interaction generality, a measurement to assess the reliability of a protein-protein interaction. 2002 , 30, 1163-8		114
2175	Protein interactions: two methods for assessment of the reliability of high throughput observations. 2002 , 1, 349-56		486
2174	Protéomique fonctionnelle bactérienne: De la carte d'interactions protéine-protéine de <i>Helicobacter pylori</i> à la démonstration d'une fonction biologique. 2002 , 11, 67-83		
2173	Function of a plant stress-induced gene, HVA22. Synthetic enhancement screen with its yeast homolog reveals its role in vesicular traffic. 2002 , 130, 1121-31		57
2172	Proteomics and the kidney. 2002 , 13, 1398-408		94

2171	Charting the protein complexome in yeast by mass spectrometry. 2002 , 1, 3-10	34
2170	Describing biological protein interactions in terms of protein states and state transitions: the LiveDIP database. 2002 , 1, 104-16	31
2169	The <i>Saccharomyces cerevisiae</i> Fin1 protein forms cell cycle-specific filaments between spindle pole bodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 5390-3 ^{11.5}	29
2168	Naf1p, an essential nucleoplasmic factor specifically required for accumulation of box H/ACA small nucleolar RNPs. 2002 , 22, 7053-65	58
2167	Isolation of protein subpopulations undergoing protein-protein interactions. 2002 , 1, 253-9	8
2166	Relating whole-genome expression data with protein-protein interactions. 2002 , 12, 37-46	509
2165	Predictome: a database of putative functional links between proteins. 2002 , 30, 306-9	106
2164	Proteomics. Integrating interactomes. 2002 , 295, 284-7	65
2163	Genomics and cancer. 2002 , 14, 79-85	19
2162	Discovery of protein-protein interaction using two-hybrid systems. 2002 , 33, 209-238	1
2161	Asymmetric functional divergence of duplicate genes in yeast. 2002 , 19, 1760-8	112
2160	Novel interactions of <i>Saccharomyces cerevisiae</i> type 1 protein phosphatase identified by single-step affinity purification and mass spectrometry. 2002 , 41, 2409-20	49
2159	Quantifying the energetics of cooperativity in a ternary protein complex. 2002 , 41, 5177-84	29
2158	Basic Concepts of Gene Expression. 1-95	
2157	DIP, the Database of Interacting Proteins: a research tool for studying cellular networks of protein interactions. 2002 , 30, 303-5	1196
2156	Use of MEDUSA-based data analysis and capillary HPLC-ion-trap mass spectrometry to examine complex immunoaffinity extracts of RBAp48. 2002 , 1, 253-61	17
2155	Subcellular localization of the yeast proteome. 2002 , 16, 707-19	575
2154	Evolution of networks. 2002 , 51, 1079-1187	2037

2153	Identification and characterization of FTSJ2, a novel human nucleolar protein homologous to bacterial ribosomal RNA methyltransferase. 2002 , 79, 2-6	20
2152	Protein-protein interactions of hCsl4p with other human exosome subunits. 2002 , 315, 809-18	33
2151	Saccharomyces cerevisiae Pra1p/Yip3p interacts with Yip1p and Rab proteins. 2002 , 290, 676-81	43
2150	Genomics Applications That Facilitate the Understanding of Drug Action and Toxicity. 83-125	2
2149	Conservation of the COP9/signalosome in budding yeast. 2002 , 3, 1	1
2148	Evolutionary rate in the protein interaction network. 2002 , 296, 750-2	704
2147	The GRID: The General Repository for Interaction Datasets. 2002 , 3, preprint0013.1	
2146	The society of genes: networks of functional links between genes from comparative genomics. 2002 , 3, research0064	24
2145	ORMDL proteins are a conserved new family of endoplasmic reticulum membrane proteins. 2002 , 3, RESEARCH0027	130
2144	Screening the yeast genome for new DNA-repair genes. 2002 , 3, REVIEWS1009	10
2143	Autophagy in the eukaryotic cell. 2002 , 1, 11-21	457
2142	Regulation of gene expression by ambient pH in filamentous fungi and yeasts. 2002 , 66, 426-46, table of contents	219
2141	Prediction of protein function using protein-protein interaction data.	17
2140	Specificity and stability in topology of protein networks. 2002 , 296, 910-3	2178
2139	Target validation and drug discovery using genomic and protein-protein interaction technologies. 2002 , 6, 517-31	10
2138	Target-assisted iterative screening reveals novel interactors for PSD95, Nedd4, Src, Abl and Crk proteins. 2002 , 19, 1015-29	14
2137	Genetic approaches to the identification of interactions between membrane proteins in yeast. 2002 , 22, 471-81	12
2136	Evidence for a mediator of RNA polymerase II transcriptional regulation conserved from yeast to man. 2002 , 110, 143-51	214

2135	Protein domain analysis in the era of complete genomes. 2002 , 513, 129-34	46
2134	MINT: a Molecular INTeraction database. 2002 , 513, 135-40	561
2133	Identification of the novel proteins Yip4p and Yip5p as Rab GTPase interacting factors. 2002 , 515, 89-98	61
2132	Yeast Npi3/Bro1 is involved in ubiquitin-dependent control of permease trafficking. 2002 , 517, 103-9	53
2131	A metacaspase of <i>Trypanosoma brucei</i> causes loss of respiration competence and clonal death in the yeast <i>Saccharomyces cerevisiae</i> . 2002 , 517, 144-50	108
2130	Potential artefacts in protein-interaction networks. 2002 , 530, 253-4	59
2129	Protein interaction networks beyond artifacts. 2002 , 530, 255-6	22
2128	Mouse Apg10 as an Apg12-conjugating enzyme: analysis by the conjugation-mediated yeast two-hybrid method. 2002 , 532, 450-4	42
2127	Protein-protein interactions between human exosome components support the assembly of RNase PH-type subunits into a six-membered PNPase-like ring. 2002 , 323, 653-63	82
2126	Prediction, assessment and validation of protein interaction maps in bacteria. 2002 , 323, 763-70	80
2125	. 2002 , 90, 1848-1858	5
2124	Protein interaction verification and functional annotation by integrated analysis of genome-scale data. 2002 , 9, 1133-43	188
2123	The acidic ribosomal P proteins. 2002 , 34, 911-5	88
2122	Regulated expression of proteins in yeast using the MAL61-62 promoter and a mating scheme to increase dynamic range. 2002 , 285, 49-57	16
2121	Proteomic approaches for the global analysis of proteins. 2002 , 33, 1308-16	35
2120	Conclusions. 2002 , 107-109	
2119	Protein interaction-targeted drug discovery: evaluating critical issues. 2002 , 32, 636-8, 640, 642 passim	18
2118	Statistical methods for analysis of time course gene expression data. 2002 , 7, a90	9

2117	Evidence for a modulation of neutral trehalase activity by Ca ²⁺ and cAMP signaling pathways in <i>Saccharomyces cerevisiae</i> . 2002 , 35, 11-6		17
2116	Bioinformatics of Large-Scale Protein Interaction Networks. 2002 , 32, S16-S27		8
2115	. 2002 ,		93
2114	. 2002 ,		92
2113	Automated modelling of signal transduction networks. <i>BMC Bioinformatics</i> , 2002 , 3, 34	3.6	159
2112	FunSpec: a web-based cluster interpreter for yeast. <i>BMC Bioinformatics</i> , 2002 , 3, 35	3.6	315
2111	Bridging structural biology and genomics: assessing protein interaction data with known complexes. 2002 , 18, 529-36		235
2110	Applications of biomolecular interaction analysis in drug development. 2002 , 1, 66-73		26
2109	Signaling complexes: junctions on the intracellular information super highway. 2002 , 12, R32-40		96
2108	TRAM, LAG1 and CLN8: members of a novel family of lipid-sensing domains?. 2002 , 27, 381-3		139
2107	Analysis of membrane protein interactions using yeast-based technologies. 2002 , 27, 559-63		83
2106	The third dimension for protein interactions and complexes. 2002 , 27, 633-8		82
2105	Protein-interaction networks: from experiments to analysis. 2002 , 7, S48-54		14
2104	High-throughput cell-based assays in yeast. 2002 , 7, S125-30		21
2103	"Omic" approaches for unraveling signaling networks. 2002 , 14, 173-9		60
2102	The post-genomic era of interactive proteomics: facts and perspectives. 2002 , 2, 611-23		118
2101	Functional proteomics: The goalposts are moving. 2002 , 2, 1069-78		28
2100	Towards the molecular dissection of fertilization signaling: Our functional genomic/proteomic strategies. 2002 , 2, 1079-89		16

2099	Interaction and domain networks of yeast. 2002 , 2, 1715-23	72
2098	Scale-free networks in biology: new insights into the fundamentals of evolution?. 2002 , 24, 105-9	79
2097	The large-scale structure of metabolic networks: A glimpse at life's origin?. 2002 , 8, 15-19	9
2096	Functional interactions between the VRP1-LAS17 and RHO3-RHO4 genes involved in actin cytoskeleton organization in <i>Saccharomyces cerevisiae</i> . 2002 , 40, 317-25	9
2095	Prospects for functional genomics in <i>Schizosaccharomyces pombe</i> . 2002 , 42, 73-84	19
2094	The genomics of yeast responses to environmental stress and starvation. 2002 , 2, 181-92	309
2093	Yeast and drug discovery. 2002 , 2, 199-211	70
2092	Yeast genomic databases and the challenge of the post-genomic era. 2002 , 2, 212-37	15
2091	Two-hybrid arrays. 2002 , 6, 57-62	74
2090	Proteomics in drug discovery. 2002 , 6, 427-33	51
2089	Functional proteomics; current achievements. 2002 , 771, 89-106	70
2088	Gene function on a genomic scale. 2002 , 782, 151-63	4
2087	MAPPIT: a cytokine receptor-based two-hybrid method in mammalian cells. 2002 , 32, 1397-404	24
2086	Characterization of interaction sites in the <i>Saccharomyces cerevisiae</i> ribosomal stalk components. 2002 , 46, 719-29	36
2085	The VERNALIZATION INDEPENDENCE 4 gene encodes a novel regulator of FLOWERING LOCUS C. 2002 , 31, 663-73	93
2084	Mutants defective in secretory/vacuolar pathways in the EUROFAN collection of yeast disruptants. 2002 , 19, 351-71	34
2083	Isolation and mapping of self-assembling protein domains encoded by the <i>Saccharomyces cerevisiae</i> genome using lambda repressor fusions. 2002 , 19, 641-50	24
2082	Expanding the nitrogen regulatory protein superfamily: Homology detection at below random sequence identity. 2002 , 48, 75-84	15

2081	MULTIPROSPECTOR: an algorithm for the prediction of protein-protein interactions by multimeric threading. 2002 , 49, 350-64		211
2080	Telomerase in the human organism. 2002 , 21, 564-79		489
2079	Comparative assessment of large-scale data sets of protein-protein interactions. 2002 , 417, 399-403		1856
2078	Protein domain networking. 2002 , 20, 128-9		10
2077	Protein complexes take the bait. 2002 , 415, 123-4		137
2076	Bubbling under. 2002 , 415, 124-5		2
2075	Functional organization of the yeast proteome by systematic analysis of protein complexes. 2002 , 415, 141-7		4018
2074	Systematic identification of protein complexes in <i>Saccharomyces cerevisiae</i> by mass spectrometry. 2002 , 415, 180-3		3069
2073	Alternative nucleotide incision repair pathway for oxidative DNA damage. 2002 , 415, 183-7		246
2072	Analyzing yeast protein-protein interaction data obtained from different sources. 2002 , 20, 991-7		431
2071	Protein microarrays and proteomics. 2002 , 32 Suppl, 526-32		744
2070	Treasures and traps in genome-wide data sets: case examples from yeast. 2002 , 3, 653-61		63
2069	Transmitting the signal of excess nitrogen in <i>Saccharomyces cerevisiae</i> from the Tor proteins to the GATA factors: connecting the dots. 2002 , 26, 223-38		283
2068	Preliminary characterisation of DML1, an essential <i>Saccharomyces cerevisiae</i> gene related to <i>Drosophila melanogaster</i> . <i>FEMS Yeast Research</i> , 2002 , 2, 123-135	3.1	10
2067	An overview on glutathione in <i>Saccharomyces</i> versus non-conventional yeasts. <i>FEMS Yeast Research</i> , 2002 , 2, 295-305	3.1	151
2066	Gene expression profiling: methodological challenges, results, and prospects for addiction research. 2002 , 121, 241-56		41
2065	A Possible Role of Translation Ambiguity in Gene Evolution (A Hypothesis). 2002 , 36, 202-208		2
2064	Application of the yeast two-hybrid system in molecular gerontology. 2002 , 3, 243-56		4

2063	Network genomics--a novel approach for the analysis of biological systems in the post-genomic era. 2002 , 29, 265-80	18
2062	Integration of genomic datasets to predict protein complexes in yeast. <i>Journal of Structural and Functional Genomics</i> , 2002 , 2, 71-81	57
2061	Foreword. 2002 , 50, 819-821	
2060	Inositol polyphosphate 5-phosphatases: lipid phosphatases with flair. 2002 , 53, 25-36	47
2059	A complex prediction: three-dimensional model of the yeast exosome. 2002 , 3, 628-35	84
2058	The Paf1 complex physically and functionally associates with transcription elongation factors in vivo. 2002 , 21, 1764-74	244
2057	The yeast THO complex and mRNA export factors link RNA metabolism with transcription and genome instability. 2002 , 21, 3526-35	205
2056	Insights from yeast endosomes. 2002 , 14, 454-62	68
2055	A protein interaction map of <i>Drosophila melanogaster</i> . 2003 , 302, 1727-36	1914
2054	Computational approaches to protein-protein interaction. <i>Journal of Structural and Functional Genomics</i> , 2003 , 4, 245-55	8
2053	Retromer and the sorting nexins Snx4/41/42 mediate distinct retrieval pathways from yeast endosomes. 2003 , 22, 548-57	159
2052	Approach of the functional evolution of duplicated genes in <i>Saccharomyces cerevisiae</i> using a new classification method based on protein-protein interaction data. <i>Journal of Structural and Functional Genomics</i> , 2003 , 3, 213-224	5
2051	Glutathione metabolism of <i>Acremonium chrysogenum</i> in relation to cephalosporin C production: is gamma-glutamyltransferase in the center?. 2003 , 48, 149-55	4
2050	Search for protein partners of mitochondrial single-stranded DNA-binding protein Rim1p using a yeast two-hybrid system. 2003 , 48, 183-8	4
2049	Analysis of correlations between protein complex and protein-protein interaction and mRNA expression. 2003 , 48, 2226-2230	1
2048	Characterisation of the mating-type locus of the plant pathogenic ascomycete <i>Leptosphaeria maculans</i> . 2003 , 43, 351-7	73
2047	Revamp a model-status and prospects of the <i>Dictyostelium</i> genome project. 2003 , 44, 59-72	13
2046	Repression of transcription by Rgt1 in the absence of glucose requires Std1 and Mth1. 2003 , 44, 19-25	81

2045	Structure, function and evolution of haspin and haspin-related proteins, a distinctive group of eukaryotic protein kinases. 2003 , 60, 446-62	37
2044	Integrated analysis of yeast regulatory sequences for biologically linked clusters of genes. 2003 , 3, 125-34	25
2043	Impact of genome-wide functional analyses on cell biology research. 2003 , 15, 6-13	21
2042	Global approaches to protein-protein interactions. 2003 , 15, 199-205	86
2041	Biological networks. 2003 , 13, 193-202	247
2040	Genome-wide studies of protein-protein interaction. 2003 , 13, 383-8	37
2039	Computational methods of analysis of protein-protein interactions. 2003 , 13, 377-82	125
2038	Protein informatics towards function identification. 2003 , 13, 396-400	59
2037	Nogo and its paRTNers. 2003 , 13, 187-94	207
2036	Never say never. The NIMA-related protein kinases in mitotic control. 2003 , 13, 221-8	189
2035	Functional genomics and proteomics: charting a multidimensional map of the yeast cell. 2003 , 13, 344-56	102
2034	Proteomic approaches for generating comprehensive protein interaction maps. 2003 , 2, 85-92	5
2033	High-throughput applications of phage display in proteomic analyses. 2003 , 2, 261-270	18
2032	Challenges of structural genomics: bioinformatics. 2003 , 1, 36-41	2
2031	Beyond similarity-based methods to associate genes for the inference of function. 2003 , 1, 89-96	
2030	Autophagy: a barrier or an adaptive response to cancer. 2003 , 1603, 113-28	131
2029	Integrating 'omic' information: a bridge between genomics and systems biology. 2003 , 19, 551-60	363
2028	Protein interaction: same network, different hubs. 2003 , 19, 681-3	21

2027	An automated method for finding molecular complexes in large protein interaction networks. <i>BMC Bioinformatics</i> , 2003 , 4, 2	3.6	3136
2026	Visualisation and graph-theoretic analysis of a large-scale protein structural interactome. <i>BMC Bioinformatics</i> , 2003 , 4, 45	3.6	18
2025	A simple dependence between protein evolution rate and the number of protein-protein interactions. 2003 , 3, 11		123
2024	Apparent dependence of protein evolutionary rate on number of interactions is linked to biases in protein-protein interactions data sets. 2003 , 3, 21		104
2023	In silico and in vivo analysis reveal a novel gene in <i>Saccharomyces cerevisiae</i> trehalose metabolism. 2003 , 4, 45		18
2022	pH regulation in <i>Aspergillus</i> and parallels with higher eukaryotic regulatory systems. 2003 , 19, 224-31		105
2021	Biochemical engineering: cues from cells. 2003 , 21, 204-9		11
2020	An approach to inferring transcriptional regulation among genes from large-scale expression data. 2003 , 4, 148-54		9
2019	Understanding and predicting protein assemblies with 3D structures. 2003 , 4, 410-5		6
2018	A fusion of disciplines: chemical approaches to exploit fusion proteins for functional genomics. 2003 , 4, 803-10		42
2017	Protein fragment complementation strategies for biochemical network mapping. 2003 , 14, 610-7		69
2016	Unravelling small world networks. 2003 , 158, 61-74		24
2015	Packet transport and load distribution in scale-free network models. 2003 , 318, 72-79		23
2014	Peptide libraries: at the crossroads of proteomics and bioinformatics. 2003 , 7, 84-90		44
2013	Protein complexes and proteome organization from yeast to man. 2003 , 7, 21-7		115
2012	Genome-wide analysis of signaling domain function. 2003 , 7, 103-9		14
2011	Activity-based proteomics: enzyme chemistry redux. 2003 , 7, 78-83		38
2010	Ontologies for proteomics: towards a systematic definition of structure and function that scales to the genome level. 2003 , 7, 44-54		46

2009	Elongator's toxin-target (TOT) function is nuclear localization sequence dependent and suppressed by post-translational modification. 2003 , 49, 1297-307	87
2008	Proteome analysis of Escherichia coli K-12 by two-dimensional native-state chromatography and MALDI-MS. 2003 , 47, 383-96	26
2007	The yeast ISN1 (YOR155c) gene encodes a new type of IMP-specific 5'-nucleotidase. 2003 , 4, 4	22
2006	CAPRI: a Critical Assessment of PRedicted Interactions. 2003 , 52, 2-9	487
2005	Assessment of blind predictions of protein-protein interactions: current status of docking methods. 2003 , 52, 51-67	300
2004	Crystal structures of MTH1187 and its yeast ortholog YBL001c. 2003 , 52, 478-80	6
2003	Protein-protein interactions as a target for drugs in proteomics. 2003 , 3, 380-91	155
2002	Improved sensitivity of biomolecular interaction analysis mass spectrometry for the identification of interacting molecules. 2003 , 3, 402-12	55
2001	Saccharomyces cerevisiae QNS1 codes for NAD(+) synthetase that is functionally conserved in mammals. 2003 , 20, 995-1005	19
2000	GIMS: an integrated data storage and analysis environment for genomic and functional data. 2003 , 20, 1291-306	35
1999	The yeast two-hybrid system for identifying protein-protein interactions. 2003 , 199, 4-7	28
1998	Cooperative organization in a macromolecular complex. 2003 , 10, 718-24	18
1997	Protein analysis on a proteomic scale. 2003 , 422, 208-15	541
1996	From words to literature in structural proteomics. 2003 , 422, 216-25	412
1995	Functional proteomic identification of DNA replication proteins by induced proteolysis in vivo. 2003 , 423, 720-4	221
1994	Global analysis of protein localization in budding yeast. 2003 , 425, 686-91	3330
1993	Pharmacoproteomics in drug development. 2003 , 3, 69-76	39
1992	Global protein function prediction from protein-protein interaction networks. 2003 , 21, 697-700	494

1991	Discovery of uncharacterized cellular systems by genome-wide analysis of functional linkages. 2003 , 21, 1055-62	184
1990	Analyzing antibody specificity with whole proteome microarrays. 2003 , 21, 1509-12	248
1989	Ubp3 requires a cofactor, Bre5, to specifically de-ubiquitinate the COPII protein, Sec23. 2003 , 5, 661-7	131
1988	Does mapping reveal correlation between gene expression and protein-protein interaction?. 2003 , 33, 15-6; author reply 16-7	14
1987	Reply to "Does mapping reveal correlation between gene expression and protein-protein interaction?". 2003 , 33, 16-17	6
1986	Proteomics: the first decade and beyond. 2003 , 33 Suppl, 311-23	558
1985	Bioinformatics in the post-sequence era. 2003 , 33 Suppl, 305-10	128
1984	Massive parallelism, randomness and genomic advances. 2003 , 33 Suppl, 219-27	58
1983	The CCR4-NOT complex plays diverse roles in mRNA metabolism. 2003 , 73, 221-50	122
1982	The Structure and Function of Complex Networks. 2003 , 45, 167-256	11277
1981	Proteomics. 2003 , 72, 783-812	295
1980	Digitizing life at the level of the cell: high-performance laser-scanning microscopy and image analysis for in toto imaging of development. 2003 , 120, 1407-20	183
1979	Growing network with local rules: preferential attachment, clustering hierarchy, and degree correlations. 2003 , 67, 056104	334
1978	Genome-scale reconstruction of the <i>Saccharomyces cerevisiae</i> metabolic network. 2003 , 13, 244-53	775
1977	Metabolic networks of microbial systems. 2003 , 2, 3	6
1976	The redox domain of the Yap1p transcription factor contains two disulfide bonds. 2003 , 42, 11982-91	57
1975	On the complexity of directed biological networks. 2003 , 14, 199-214	23
1974	Facile detection of protein-protein interactions by one-dimensional NMR spectroscopy. 2003 , 42, 2774-80	42

1973	Structural characterization of yeast acidic ribosomal P proteins forming the P1A-P2B heterocomplex. 2003 , 42, 3399-408	33
1972	Topological structure analysis of the protein-protein interaction network in budding yeast. 2003 , 31, 2443-50	489
1971	Organization of mammalian cytoplasm. 2003 , 23, 9318-26	66
1970	GIN5, a novel multiprotein complex required for chromosomal DNA replication in budding yeast. 2003 , 17, 1153-65	275
1969	Identification and characterization of NIF3L1 BP1, a novel cytoplasmic interaction partner of the NIF3L1 protein. 2003 , 309, 440-8	15
1968	Changing paradigms in dermatology: proteomics: a new approach to skin disease. 2003 , 21, 370-4	6
1967	Analysing six types of protein-protein interfaces. 2003 , 325, 377-87	331
1966	How reliable are experimental protein-protein interaction data?. 2003 , 327, 919-23	346
1965	Protein feature based identification of cell cycle regulated proteins in yeast. 2003 , 329, 663-74	24
1964	Integration and cross-validation of high-throughput gene expression data: comparing heterogeneous data sets. 2003 , 546, 98-102	26
1963	New partners of acyl carrier protein detected in Escherichia coli by tandem affinity purification. 2003 , 548, 90-6	91
1962	The carboxyl terminal 17 amino acids within Apg7 are essential for Apg8 lipidation, but not for Apg12 conjugation. 2003 , 551, 71-7	14
1961	A panoramic view of yeast noncoding RNA processing. 2003 , 113, 919-33	212
1960	Global insights into protein complexes through integrated analysis of the reliable interactome and knockout lethality. 2003 , 301, 633-40	1
1959	Nucleo-mitochondrial interactions in Saccharomyces cerevisiae: characterization of a nuclear gene suppressing a defect in mitochondrial tRNA(Asp) processing. 2003 , 303, 63-8	7
1958	Identification of Gal80p-interacting proteins by Saccharomyces cerevisiae whole genome phage display. 2003 , 307, 141-9	21
1957	DEXD/H-box proteins and their partners: helping RNA helicases unwind. 2003 , 312, 1-16	162
1956	Human wild-type SEDL protein functionally complements yeast Trs20p but some naturally occurring SEDL mutants do not. 2003 , 320, 137-44	30

1955	Assigning function to yeast proteins by integration of technologies. 2003 , 12, 1353-65	236
1954	The COP9 signalosome-like complex in <i>S. cerevisiae</i> and links to other PCI complexes. 2003 , 35, 706-15	45
1953	The OSBP-related proteins: a novel protein family involved in vesicle transport, cellular lipid metabolism, and cell signalling. 2003 , 1631, 1-11	93
1952	Production of Protein Microarrays. 165-194	2
1951	A Bayesian networks approach for predicting protein-protein interactions from genomic data. 2003 , 302, 449-53	1007
1950	Functional classification of proteins for the prediction of cellular function from a protein-protein interaction network. 2003 , 5, R6	205
1949	Tackling an essential problem in functional proteomics of <i>Saccharomyces cerevisiae</i> . 2003 , 4, 230	5
1948	Probing the yeast proteome for RNA-processing factors. 2003 , 4, 229	2
1947	The GRID: the General Repository for Interaction Datasets. 2003 , 4, R23	181
1946	Yeast Stress Responses. 2003 ,	83
1945	Combining microarrays and biological knowledge for estimating gene networks via Bayesian networks.	15
1944	Detecting experimental noises in protein-protein interactions with iterative sampling and model-based clustering.	1
1943	Duplication models for biological networks. 2003 , 10, 677-87	208
1942	Comprehensive identification of human bZIP interactions with coiled-coil arrays. 2003 , 300, 2097-101	387
1941	Use of a genome-wide approach to identify new genes that control resistance of <i>Saccharomyces cerevisiae</i> to ionizing radiation. 2003 , 160, 14-24	57
1940	Modeling proteome networks with range-dependent graphs. 2003 , 3, 1-4	5
1939	Towards automated derivation of biological pathways using high-throughput biological data.	
1938	Defining interacting partners for drug discovery. 2003 , 7, 287-97	4

1937	Greedily building protein networks with confidence. <i>Bioinformatics</i> , 2003 , 19, 1869-74	7.2	49
1936	Telomeric protein distributions and remodeling through the cell cycle in <i>Saccharomyces cerevisiae</i> . 2003 , 14, 556-70		76
1935	A strategy for constructing large protein interaction maps using the yeast two-hybrid system: regulated expression arrays and two-phase mating. 2003 , 13, 2691-9		47
1934	Functional modules by relating protein interaction networks and gene expression. 2003 , 31, 6283-9		126
1933	Genetic Improvement of Baker's Yeasts. 2003 , 3, 213-240		1
1932	Ybp1 is required for the hydrogen peroxide-induced oxidation of the Yap1 transcription factor. 2003 , 278, 30896-904		108
1931	Inventories to insights. 2003 , 161, 465-9		20
1930	Membrane recognition and targeting by lipid-binding domains. 2003 , 2003, re16		108
1929	Gts1p activates SNF1-dependent derepression of HSP104 and TPS1 in the stationary phase of yeast growth. 2003 , 278, 29760-8		11
1928	Multimeric threading-based prediction of protein-protein interactions on a genomic scale: application to the <i>Saccharomyces cerevisiae</i> proteome. 2003 , 13, 1146-54		83
1927	The roles of intersubunit interactions in exosome stability. 2003 , 278, 34943-51		76
1926	From gene networks to gene function. 2003 , 13, 2568-76		125
1925	Genetics and classical genetic manipulations of industrial yeasts. 2003 , 17-55		17
1924	Far3 and five interacting proteins prevent premature recovery from pheromone arrest in the budding yeast <i>Saccharomyces cerevisiae</i> . 2003 , 23, 1750-63		84
1923	Evolution of the yeast protein interaction network. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 12820-4	11.5	66
1922	Rio2p, an evolutionarily conserved, low abundant protein kinase essential for processing of 20 S Pre-rRNA in <i>Saccharomyces cerevisiae</i> . 2003 , 278, 22537-45		68
1921	RNA-protein interactions promote asymmetric sorting of the ASH1 mRNA ribonucleoprotein complex. 2003 , 9, 1383-99		31
1920	Signal pathway integration in the switch from the mitotic cell cycle to meiosis in yeast. 2003 , 116, 2137-47		108

1919	On the number of protein-protein interactions in the yeast proteome. 2003 , 31, 4157-61		105
1918	Exhaustive identification of interaction domains using a high-throughput method based on two-hybrid screening and PCR-convergence: molecular dissection of a kinetochore subunit Spc34p. 2003 , 31, 6953-62		10
1917	How the global structure of protein interaction networks evolves. 2003 , 270, 457-66		195
1916	Differential requirements of novel A1PiZ degradation deficient (ADD) genes in ER-associated protein degradation. 2003 , 116, 2361-73		22
1915	Environmental suppression of <i>Neurospora crassa</i> cot-1 hyperbranching: a link between COT1 kinase and stress sensing. 2003 , 2, 699-707		34
1914	Assessing experimentally derived interactions in a small world. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 4372-6	11.5	318
1913	Protein complexes and functional modules in molecular networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 12123-8	11.5	1098
1912	Predicting protein functions from redundancies in large-scale protein interaction networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 12579-83	11.5	230
1911	The ALG-2-interacting protein Alix associates with CHMP4b, a human homologue of yeast Snf7 that is involved in multivesicular body sorting. 2003 , 278, 39104-13		172
1910	InterDom: a database of putative interacting protein domains for validating predicted protein interactions and complexes. 2003 , 31, 251-4		115
1909	Kinetochore protein interactions and their regulation by the Aurora kinase Ipl1p. 2003 , 14, 3342-55		100
1908	Predicting protein function from protein/protein interaction data: a probabilistic approach. <i>Bioinformatics</i> , 2003 , 19 Suppl 1, i197-204	7.2	269
1907	Global snapshot of a protein interaction network-a percolation based approach. <i>Bioinformatics</i> , 2003 , 19, 2413-9	7.2	37
1906	A reticular rhapsody: phylogenic evolution and nomenclature of the RTN/Nogo gene family. 2003 , 17, 1238-47		132
1905	YPXL/I is a protein interaction motif recognized by aspergillus PalA and its human homologue, AIP1/Alix. 2003 , 23, 1647-55		135
1904	Hierarchical assembly of the budding yeast kinetochore from multiple subcomplexes. 2003 , 17, 2902-21		231
1903	A role for <i>Saccharomyces cerevisiae</i> Cul8 ubiquitin ligase in proper anaphase progression. 2003 , 278, 22828-37		40
1902	Sequence [Evolution [Function. 2003 ,		103

1901	RAM: a conserved signaling network that regulates Ace2p transcriptional activity and polarized morphogenesis. 2003 , 14, 3782-803		182
1900	Inactivation of Cdc13p triggers MEC1-dependent apoptotic signals in yeast. 2003 , 278, 15136-41		55
1899	Extraction of correlated gene clusters from multiple genomic data by generalized kernel canonical correlation analysis. <i>Bioinformatics</i> , 2003 , 19 Suppl 1, i323-30	7.2	74
1898	Dsl1p, an essential component of the Golgi-endoplasmic reticulum retrieval system in yeast, uses the same sequence motif to interact with different subunits of the COPI vesicle coat. 2003 , 278, 51722-34		76
1897	A genomewide screen in <i>Saccharomyces cerevisiae</i> for genes that suppress the accumulation of mutations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 11529-34	11.5	226
1896	Involvement of nucleocytoplasmic shuttling of yeast Nap1 in mitotic progression. 2003 , 23, 6672-84		51
1895	Yeast Isw1p forms two separable complexes in vivo. 2003 , 23, 80-91		106
1894	Prediction of Protein Essentiality Based on Genomic Data. 2003 , 1, 19-28		60
1893	Prediction of protein function using protein-protein interaction data. 2003 , 10, 947-60		234
1892	Proteomic Informatics. 345-371		1
1891	Novel functions of the phosphatidylinositol metabolic pathway discovered by a chemical genomics screen with wortmannin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 3345-50	11.5	66
1890	Localization and roles of Ski8p protein in <i>Sordaria</i> meiosis and delineation of three mechanistically distinct steps of meiotic homolog juxtaposition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 12865-70	11.5	109
1889	Identification of novel ErbB3-interacting factors using the split-ubiquitin membrane yeast two-hybrid system. 2003 , 13, 1744-53		83
1888	The mammalian protein-protein interaction database and its viewing system that is linked to the main FANTOM2 viewer. 2003 , 13, 1534-41		18
1887	Structural basis and prediction of substrate specificity in protein serine/threonine kinases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 74-9	11.5	171
1886	Efficient mining from heterogeneous data sets for predicting protein-protein interactions.		2
1885	Intravacuolar membrane lysis in <i>Saccharomyces cerevisiae</i> . Does vacuolar targeting of Cvt17/Aut5p affect its function?. 2003 , 278, 7810-21		45
1884	Molecular characterization of Ypi1, a novel <i>Saccharomyces cerevisiae</i> type 1 protein phosphatase inhibitor. 2003 , 278, 47744-52		57

1883	Control of nutrient-sensitive transcription programs by the unconventional prefoldin URI. 2003 , 302, 1208-12		139
1882	Modular organization of cellular networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 1128-33	11.5	572
1881	High-resolution yeast phenomics resolves different physiological features in the saline response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 15724-9	11.5	178
1880	The mouse APG10 homologue, an E2-like enzyme for Apg12p conjugation, facilitates MAP-LC3 modification. 2003 , 278, 39517-26		65
1879	From feast to famine; adaptation to nutrient availability in yeast. 2003 , 305-386		19
1878	Construction of reliable protein-protein interaction networks with a new interaction generality measure. <i>Bioinformatics</i> , 2003 , 19, 756-63	7.2	91
1877	Handbook of Proteomic Methods. 2003 ,		
1876	Inferring strengths of protein-protein interactions from experimental data using linear programming. <i>Bioinformatics</i> , 2003 , 19 Suppl 2, ii58-65	7.2	17
1875	A novel Golgi membrane protein is a partner of the ARF exchange factors Gea1p and Gea2p. 2003 , 14, 2357-71		47
1874	Integrative approach for computationally inferring protein domain interactions. 2003 ,		5
1873	A comprehensive set of protein complexes in yeast: mining large scale protein-protein interaction screens. <i>Bioinformatics</i> , 2003 , 19, 1901-8	7.2	34
1872	Ady4p and Spo74p are components of the meiotic spindle pole body that promote growth of the prospore membrane in <i>Saccharomyces cerevisiae</i> . 2003 , 2, 431-45		40
1871	Asymmetric sequence divergence of duplicate genes. 2003 , 13, 2052-8		175
1870	EH and UIM: endocytosis and more. 2003 , 2003, re17		73
1869	Whole-proteome interaction mining. <i>Bioinformatics</i> , 2003 , 19, 125-34	7.2	113
1868	Integrative approach for computationally inferring protein domain interactions. <i>Bioinformatics</i> , 2003 , 19, 923-9	7.2	137
1867	Finding partners: emerging protein interaction technologies applied to signaling networks. 2003 , 2003, pe56		10
1866	Super models. 2003 , 13, 15-24		61

1865	Unravelling Nature's networks. 2003 , 31, 1457-61		16
1864	Integrating functional genomics data. 2003 , 31, 1484-7		9
1863	On the structure of protein-protein interaction networks. 2003 , 31, 1491-6		60
1862	. 2003 ,		29
1861	. 2003 ,		23
1860	Disease genes and intracellular protein networks. 2003 , 15, 223-7		18
1859	Simultaneous cloning of open reading frames into several different expression vectors. 2003 , 35, 520-2, 524-6		7
1858	. 2004 ,		20
1857	Implications of gene networks for understanding resilience and vulnerability in the kidney branching program. 2004 , 19, 339-47		27
1856	"One plate/three-reporter" assay format for the detection and validation of yeast two-hybrid interactions. 2004 , 37, 840-3		2
1855	10 Glucose regulation of HXT gene expression in the yeast <i>Saccharomyces cerevisiae</i> . 2004 , 259-275		
1854	3did: interacting protein domains of known three-dimensional structure. 2005 , 33, D413-7		127
1853	The phox homology (PX) domain protein interaction network in yeast. 2004 , 3, 1053-64		43
1852	Analysis of protein-protein interactions utilizing dual bait yeast two-hybrid system. 2004 , 261, 263-96		4
1851	An ontology for collaborative construction and analysis of cellular pathways. <i>Bioinformatics</i> , 2004 , 20, 349-56	7.2	40
1850	Physical network models. 2004 , 11, 243-62		135
1849	An integrated probabilistic model for functional prediction of proteins. 2004 , 11, 463-75		107
1848	Hierarchy measures in complex networks. 2004 , 92, 178702		95

1847	Snf7p, a component of the ESCRT-III protein complex, is an upstream member of the RIM101 pathway in <i>Candida albicans</i> . 2004 , 3, 1609-18	58
1846	Cell cycle progression in G1 and S phases is CCR4 dependent following ionizing radiation or replication stress in <i>Saccharomyces cerevisiae</i> . 2004 , 3, 430-46	48
1845	Role of the cytoskeleton in signaling networks. 2004 , 117, 2769-75	67
1844	Recruitment of the Swi/Snf complex by Ste12-Tec1 promotes Flo8-Mss11-mediated activation of STA1 expression. 2004 , 24, 9542-56	38
1843	A type V myosin (Myo2p) and a Rab-like G-protein (Ypt11p) are required for retention of newly inherited mitochondria in yeast cells during cell division. 2004 , 15, 3994-4002	95
1842	The echinocandin "target" identified by cross-linking is a homolog of Pil1 and Lsp1, sphingolipid-dependent regulators of cell wall integrity signaling. 2004 , 48, 4491	22
1841	TOR complex 1 includes a novel component, Tco89p (YPL180w), and cooperates with Ssd1p to maintain cellular integrity in <i>Saccharomyces cerevisiae</i> . 2004 , 279, 14752-62	186
1840	Global protein function annotation through mining genome-scale data in yeast <i>Saccharomyces cerevisiae</i> . 2004 , 32, 6414-24	87
1839	Identification and mapping of self-assembling protein domains encoded by the <i>Escherichia coli</i> K-12 genome by use of lambda repressor fusions. 2004 , 186, 1311-9	13
1838	The interactome as a tree--an attempt to visualize the protein-protein interaction network in yeast. 2004 , 32, 4804-11	36
1837	GermOnline, a cross-species community knowledgebase on germ cell differentiation. 2004 , 32, D560-7	22
1836	A cotranscriptional model for 3'-end processing of the <i>Saccharomyces cerevisiae</i> pre-ribosomal RNA precursor. 2004 , 10, 1572-85	21
1835	Interaction between a G-patch protein and a spliceosomal DEXD/H-box ATPase that is critical for splicing. 2004 , 24, 10101-10	90
1834	Evolution and topology in the yeast protein interaction network. 2004 , 14, 1310-4	107
1833	A novel proteomic screen for peptide-protein interactions. 2004 , 279, 10756-64	245
1832	Identification of the substrates and interaction proteins of aurora kinases from a protein-protein interaction model. 2004 , 3, 93-104	28
1831	<i>C. elegans</i> pro-1 activity is required for soma/germline interactions that influence proliferation and differentiation in the germ line. 2004 , 131, 1267-78	41
1830	The FunCat, a functional annotation scheme for systematic classification of proteins from whole genomes. 2004 , 32, 5539-45	862

1829	Genetic and biochemical interactions among Yar1, Ltv1 and Rps3 define novel links between environmental stress and ribosome biogenesis in <i>Saccharomyces cerevisiae</i> . 2004 , 168, 1877-89	49
1828	Binding of the replication terminator protein Fob1p to the Ter sites of yeast causes polar fork arrest. 2004 , 279, 1932-41	48
1827	The Database of Interacting Proteins: 2004 update. 2004 , 32, D449-51	1532
1826	Predicting protein complex membership using probabilistic network reliability. 2004 , 14, 1170-5	142
1825	14-3-3 proteins: a number of functions for a numbered protein. 2004 , 2004, re10	64
1824	ORFeome cloning and systems biology: standardized mass production of the parts from the parts-list. 2004 , 14, 2001-9	63
1823	Proteomic Studies Using Microarrays. 2004 , 1, 283-295	14
1822	Npa1p, a component of very early pre-60S ribosomal particles, associates with a subset of small nucleolar RNPs required for peptidyl transferase center modification. 2004 , 24, 6324-37	63
1821	Identification of protein complexes required for efficient sister chromatid cohesion. 2004 , 15, 1736-45	198
1820	A genome-wide screen identifies genes required for centromeric cohesion. 2004 , 303, 1367-70	226
1819	RNase H2 of <i>Saccharomyces cerevisiae</i> is a complex of three proteins. 2004 , 32, 407-14	74
1818	Pyridoxine biosynthesis in yeast: participation of ribose 5-phosphate ketol-isomerase. 2004 , 379, 65-70	23
1817	Network motifs in integrated cellular networks of transcription-regulation and protein-protein interaction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 5934-9	11.5 422
1816	Akr1p-dependent palmitoylation of Yck2p yeast casein kinase 1 is necessary and sufficient for plasma membrane targeting. 2004 , 279, 27138-47	52
1815	Interaction networks of the molecular machines that decode, replicate, and maintain the integrity of the human genome. 2004 , 3, 851-6	15
1814	Host factors that affect Ty3 retrotransposition in <i>Saccharomyces cerevisiae</i> . 2004 , 168, 1159-76	42
1813	Multivesicular body-ESCRT components function in pH response regulation in <i>Saccharomyces cerevisiae</i> and <i>Candida albicans</i> . 2004 , 15, 5528-37	144
1812	S-phase checkpoint genes safeguard high-fidelity sister chromatid cohesion. 2004 , 15, 1724-35	116

1811	Protein complex prediction via cost-based clustering. <i>Bioinformatics</i> , 2004 , 20, 3013-20	7.2	508
1810	Biochemical characterization of protein complexes from the <i>Helicobacter pylori</i> protein interaction map: strategies for complex formation and evidence for novel interactions within type IV secretion systems. 2004 , 3, 809-19		40
1809	A graph-theoretic approach to testing associations between disparate sources of functional genomics data. <i>Bioinformatics</i> , 2004 , 20, 3353-62	7.2	39
1808	Organelle DB: a cross-species database of protein localization and function. 2005 , 33, D598-604		29
1807	Global network analysis of phenotypic effects: protein networks and toxicity modulation in <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 18006-11	11.5	105
1806	Whole-genome annotation by using evidence integration in functional-linkage networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 2888-93	11.5	259
1805	Discovering protein-protein interactions. 2004 , 1, 711-41		10
1804	The small-subunit processome is a ribosome assembly intermediate. 2004 , 3, 1619-26		134
1803	PP2A phosphatase activity is required for stress and Tor kinase regulation of yeast stress response factor Msn2p. 2004 , 3, 1261-71		84
1802	RPAP1, a novel human RNA polymerase II-associated protein affinity purified with recombinant wild-type and mutated polymerase subunits. 2004 , 24, 7043-58		63
1801	The yeast Apq12 protein affects nucleocytoplasmic mRNA transport. 2004 , 10, 1352-8		16
1800	Applicability of tandem affinity purification MudPIT to pathway proteomics in yeast. 2004 , 3, 226-37		116
1799	Stm1p, a G4 quadruplex and purine motif triplex nucleic acid-binding protein, interacts with ribosomes and subtelomeric Y' DNA in <i>Saccharomyces cerevisiae</i> . 2004 , 279, 24323-33		29
1798	The spindle pole body assembly component mps3p/nep98p functions in sister chromatid cohesion. 2004 , 279, 49542-50		24
1797	Identification of Edc3p as an enhancer of mRNA decapping in <i>Saccharomyces cerevisiae</i> . 2004 , 166, 729-39		122
1796	Mrc1 is required for sister chromatid cohesion to aid in recombination repair of spontaneous damage. 2004 , 24, 7082-90		83
1795	Inner kinetochore of the pathogenic yeast <i>Candida glabrata</i> . 2004 , 3, 1154-63		11
1794	YBP1 and its homologue YBP2/YBH1 influence oxidative-stress tolerance by nonidentical mechanisms in <i>Saccharomyces cerevisiae</i> . 2004 , 3, 318-30		26

1793	A novel RING-finger-like protein Ini1 is essential for cell cycle progression in fission yeast. 2004 , 117, 967-74	13
1792	Recruitment of the Puf3 protein to its mRNA target for regulation of mRNA decay in yeast. 2004 , 10, 1625-36	58
1791	Nitrogen Acquisition and Assimilation in Higher Plants. 2004 ,	1
1790	Analyzing cellular biochemistry in terms of molecular networks. 2004 , 73, 1051-87	120
1789	A high resolution protein interaction map of the yeast Mediator complex. 2004 , 32, 5379-91	172
1788	Understanding the yeast proteome: a bioinformatics perspective. 2004 , 1, 193-205	3
1787	Recent advances in the characterization of ambient pH regulation of gene expression in filamentous fungi and yeasts. 2004 , 58, 425-51	158
1786	Integrated Molecular Analysis of the Polyamine Metabolic Pathway in Abiotic Stress Signalling. 2004 , 207-230	8
1785	Back to the biology in systems biology: what can we learn from biomolecular networks?. 2004 , 2, 279-97	85
1784	Protein interaction networks by proteome peptide scanning. 2004 , 2, E14	180
1783	Functional evolution of the yeast protein interaction network. 2004 , 21, 1171-6	56
1782	The 'scavenger' m7GpppX pyrophosphatase activity of Dcs1 modulates nutrient-induced responses in yeast. 2004 , 32, 3590-600	33
1781	PathBLAST: a tool for alignment of protein interaction networks. 2004 , 32, W83-8	293
1780	Integrative analysis of the mitochondrial proteome in yeast. 2004 , 2, e160	165
1779	Protein interaction mapping on a functional shotgun sequence of <i>Rickettsia sibirica</i> . 2004 , 32, 1059-64	36
1778	Protein-protein interactions of ESCRT complexes in the yeast <i>Saccharomyces cerevisiae</i> . 2004 , 5, 194-210	158
1777	Ten thousand interactions for the molecular biologist. 2004 , 22, 1317-21	169
1776	Principles of transcriptional control in the metabolic network of <i>Saccharomyces cerevisiae</i> . 2004 , 22, 86-92	207

1775	Unraveling protein interaction networks with near-optimal efficiency. 2004 , 22, 98-103	72
1774	Gaining confidence in high-throughput protein interaction networks. 2004 , 22, 78-85	372
1773	Dynactin is involved in a checkpoint to monitor cell wall synthesis in <i>Saccharomyces cerevisiae</i> . 2004 , 6, 861-71	39
1772	A probabilistic view of gene function. 2004 , 36, 559-64	99
1771	Network biology: understanding the cell's functional organization. 2004 , 5, 101-13	5439
1770	Implication of ZW10 in membrane trafficking between the endoplasmic reticulum and Golgi. 2004 , 23, 1267-78	149
1769	Genome-wide lethality screen identifies new PI4,5P2 effectors that regulate the actin cytoskeleton. 2004 , 23, 3747-57	113
1768	Proteomic analysis identifies a new complex required for nuclear pre-mRNA retention and splicing. 2004 , 23, 4847-56	125
1767	The yeast coexpression network has a small-world, scale-free architecture and can be explained by a simple model. 2004 , 5, 280-4	186
1766	Evidence for dynamically organized modularity in the yeast protein-protein interaction network. 2004 , 430, 88-93	1381
1765	PTK7/CCK-4 is a novel regulator of planar cell polarity in vertebrates. 2004 , 430, 93-8	383
1764	Protein interaction maps on the fly. 2004 , 22, 43-4	24
1763	Microbial H ₂ O ₂ sensors as archetypical redox signaling modules. 2004 , 29, 351-7	115
1762	Enhanced functional information from predicted protein networks. 2004 , 22, 60-2; discussion 62-3	17
1761	Protein-protein docking: is the glass half-full or half-empty?. 2004 , 22, 110-6	99
1760	Conservation of protein-protein interactions - lessons from ascomycota. 2004 , 20, 72-6	33
1759	Comparative genomics for reliable protein-function prediction from genomic data. 2004 , 20, 340-4	19
1758	Nutritional genomics in yeast models. 2004 , 20, 166-72	4

1757	Prediction of protein-protein interactions: the CAPRI experiment, its evaluation and implications. 2004 , 14, 242-9		129
1756	A structural perspective on protein-protein interactions. 2004 , 14, 313-24		221
1755	Protein interaction networks from yeast to human. 2004 , 14, 292-9		278
1754	Information assessment on predicting protein-protein interactions. <i>BMC Bioinformatics</i> , 2004 , 5, 154	3.6	111
1753	A computational approach for ordering signal transduction pathway components from genomics and proteomics Data. <i>BMC Bioinformatics</i> , 2004 , 5, 158	3.6	37
1752	Implications for domain fusion protein-protein interactions based on structural information. <i>BMC Bioinformatics</i> , 2004 , 5, 161	3.6	9
1751	Predicting co-complexed protein pairs using genomic and proteomic data integration. <i>BMC Bioinformatics</i> , 2004 , 5, 38	3.6	108
1750	Clustering proteins from interaction networks for the prediction of cellular functions. <i>BMC Bioinformatics</i> , 2004 , 5, 95	3.6	80
1749	Structure and evolution of protein interaction networks: a statistical model for link dynamics and gene duplications. 2004 , 4, 51		129
1748	Upstream plasticity and downstream robustness in evolution of molecular networks. 2004 , 4, 9		41
1747	Novel conserved domains in proteins with predicted roles in eukaryotic cell-cycle regulation, decapping and RNA stability. 2004 , 5, 45		66
1746	ISWI complexes in <i>Saccharomyces cerevisiae</i> . 2004 , 1677, 100-12		78
1745	Investigation of a protein complex network. 2004 , 41, 113-121		31
1744	Toward computational systems biology. 2004 , 40, 167-84		32
1743	Global mapping of the yeast genetic interaction network. 2004 , 303, 808-13		1700
1742	Edge vulnerability in neural and metabolic networks. 2004 , 90, 311-7		84
1741	Identification of proteins that interact with two regulators of appressorium development, adenylate cyclase and cAMP-dependent protein kinase A, in the rice blast fungus <i>Magnaporthe grisea</i> . 2004 , 270, 497-508		17
1740	Genetic interactions between an RNA polymerase II phosphatase and centromeric elements in <i>Saccharomyces cerevisiae</i> . 2004 , 271, 603-15		2

1739	Subfamily III of mammalian oxysterol-binding protein (OSBP) homologues: the expression and intracellular localization of ORP3, ORP6, and ORP7. 2004 , 315, 39-57	46
1738	Non-homologous end-joining factors of <i>Saccharomyces cerevisiae</i> . 2004 , 28, 581-601	115
1737	Mathematical models of diffusion-constrained polymerase chain reactions: basis of high-throughput nucleic acid assays and simple self-organizing systems. 2004 , 228, 31-46	11
1736	An algebra of dimerization and its implications for G-protein coupled receptor signaling. 2004 , 229, 157-68	27
1735	Transcriptional coregulator SNW/SKIP: the concealed tie of dissimilar pathways. 2004 , 61, 629-40	65
1734	Molecular evolution in large genetic networks: does connectivity equal constraint?. 2004 , 58, 203-11	121
1733	A unified representation of multiprotein complex data for modeling interaction networks. 2004 , 57, 99-108	23
1732	A map of WW domain family interactions. 2004 , 4, 643-55	114
1731	Determination of the stoichiometry of protein complexes using liquid chromatography with fluorescence and mass spectrometric detection of fluorescently labeled proteolytic peptides. 2004 , 4, 669-76	9
1730	Prediction of protein-protein interactions based on surface patch comparison. 2004 , 4, 1727-36	6
1729	RNA integrity as a quality indicator during the first steps of RNP purifications : a comparison of yeast lysis methods. 2004 , 5, 14	13
1728	The next step in systems biology: simulating the temporospatial dynamics of molecular network. 2004 , 26, 68-72	23
1727	Shared components of protein complexes--versatile building blocks or biochemical artefacts?. 2004 , 26, 1333-43	38
1726	Genome-based proteomics. 2004 , 25, 1280-8	22
1725	Induction of G1 cell cycle arrest and P15INK4b expression by ECRG1 through interaction with Miz-1. 2004 , 92, 65-76	21
1724	Studying the interactome with the yeast two-hybrid system and mass spectrometry. 2004 , 23, 350-67	51
1723	Molecular evolution in the yeast transcriptional regulation network. 2004 , 302, 392-411	30
1722	Interactome data and databases: different types of protein interaction. 2004 , 5, 173-8	28

1721	Quantitative genome-wide analysis of yeast deletion strain sensitivities to oxidative and chemical stress. 2004 , 5, 216-24	60
1720	A critical and integrated view of the yeast interactome. 2004 , 5, 382-402	14
1719	Induction of baroresistance by hydrogen peroxide, ethanol and cold-shock in <i>Saccharomyces cerevisiae</i> . 2004 , 233, 139-45	31
1718	The development and application of methods for activity-based protein profiling. 2004 , 8, 54-9	190
1717	Structural proteomics: a tool for genome annotation. 2004 , 8, 42-8	66
1716	From large networks to small molecules. 2004 , 8, 81-90	91
1715	Functional proteomics mapping of a human signaling pathway. 2004 , 14, 1324-32	228
1714	Review of uses of network and graph theory concepts within proteomics. 2004 , 1, 229-38	23
1713	Genome-scale gene function prediction using multiple sources of high-throughput data in yeast <i>Saccharomyces cerevisiae</i> . 2004 , 8, 322-33	43
1712	Estimating and improving protein interaction error rates. 2004 , 216-23	24
1711	Discovering novel interacting motif pairs from large protein-protein interaction datasets.	
1710	Systematic assessment of high-throughput experimental data for reliable protein interactions using network topology.	3
1709	Prediction of protein-protein interactions using support vector machines.	5
1708	Extracting and mining protein-protein interaction network from biomedical literature.	1
1707	Role of Pir1 in the construction of the <i>Candida albicans</i> cell wall. 2004 , 150, 3151-61	51
1706	A map of the interactome network of the metazoan <i>C. elegans</i> . 2004 , 303, 540-3	1398
1705	Use of logic relationships to decipher protein network organization. 2004 , 306, 2246-9	115
1704	Many paths to many clones: a comparative look at high-throughput cloning methods. 2004 , 14, 2020-8	100

1703	A structural perspective on protein-protein interactions. 2004 , 14, 313-313	
1702	On proteins, grids, correlations, and docking. 2004 ,	
1701	Yeast sphingolipid metabolism: clues and connections. 2004 , 82, 45-61	55
1700	Reverse two-hybrid techniques in the yeast <i>Saccharomyces cerevisiae</i> . 2004 , 261, 313-26	8
1699	The eukaryotic Ccr4-not complex: a regulatory platform integrating mRNA metabolism with cellular signaling pathways?. 2004 , 77, 289-322	108
1698	Plant genomics: the third wave. 2004 , 5, 443-77	59
1697	Proteomics. 2004 , 5, 267-93	159
1696	What do we learn from high-throughput protein interaction data?. 2004 , 1, 111-21	69
1695	Impaired PRPP-synthesizing capacity compromises cell integrity signalling in <i>Saccharomyces cerevisiae</i> . 2004 , 150, 3327-39	18
1694	A probabilistic functional network of yeast genes. 2004 , 306, 1555-8	563
1693	Combining biological networks to predict genetic interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 15682-7	11.5 190
1692	A <i>Drosophila</i> protein-interaction map centered on cell-cycle regulators. 2004 , 5, R96	148
1691	A genome annotation-driven approach to cloning the human ORFeome. 2004 , 5, R84	30
1690	Large-scale exploration of growth inhibition caused by overexpression of genomic fragments in <i>Saccharomyces cerevisiae</i> . 2004 , 5, R72	30
1689	A first-draft human protein-interaction map. 2004 , 5, R63	164
1688	Comprehensive de novo structure prediction in a systems-biology context for the archaea <i>Halobacterium</i> sp. NRC-1. 2004 , 5, R52	36
1687	System-based proteomic analysis of the interferon response in human liver cells. 2004 , 5, R54	55
1686	Modular decomposition of protein-protein interaction networks. 2004 , 5, R57	77

1685	Predicting specificity in bZIP coiled-coil protein interactions. 2004 , 5, R11	86
1684	Protein-Protein Interactions. 2004 ,	12
1683	Characteristics of Biological Networks. 2004 , 443-457	4
1682	Protein interaction networks from yeast to human. 2004 ,	2
1681	Exploration of essential gene functions via titratable promoter alleles. 2004 , 118, 31-44	475
1680	TOR regulates ribosomal protein gene expression via PKA and the Forkhead transcription factor FHL1. 2004 , 119, 969-79	365
1679	On proteins, grids, correlations, and docking. 2004 , 327, 409-20	35
1678	Network responses to DNA damaging agents. 2004 , 3, 1123-32	45
1677	Development through the eyes of functional genomics. 2004 , 14, 336-42	12
1676	Integrating a functional proteomic approach into the target discovery process. 2004 , 86, 625-32	26
1675	Selectivity and promiscuity in the interaction network mediated by protein recognition modules. 2004 , 567, 74-9	60
1674	Yeast cytochrome c is a sequence-specific DNA-binding protein. 2004 , 321, 900-4	4
1673	Saccharomyces cerevisiae CSM1 gene encoding a protein influencing chromosome segregation in meiosis I interacts with elements of the DNA replication complex. 2004 , 294, 592-602	12
1672	Increasing specificity in high-throughput yeast two-hybrid experiments. 2004 , 32, 363-70	117
1671	A cDNA library functional screening strategy based on fluorescent protein complementation assays to identify novel components of signaling pathways. 2004 , 32, 381-8	69
1670	Protein interaction networks in bacteria. 2004 , 7, 505-12	41
1669	Analyzing protein function on a genomic scale: the importance of gold-standard positives and negatives for network prediction. 2004 , 7, 535-45	139
1668	The promise of functional genomics: completing the encyclopedia of a cell. 2004 , 7, 546-54	39

1667	Protein-protein interaction affinity plays a crucial role in controlling the Sho1p-mediated signal transduction pathway in yeast. 2004 , 14, 813-23	58
1666	Targeted proteomic study of the cyclin-Cdk module. 2004 , 14, 699-711	100
1665	Targeted mRNA degradation by deadenylation-independent decapping. 2004 , 15, 5-15	117
1664	Regulation of mRNA decay: decapping goes solo. 2004 , 15, 1-2	20
1663	Hot spots for modulating toxicity identified by genomic phenotyping and localization mapping. 2004 , 16, 117-25	82
1662	Involvement of the intracellular Ca ²⁺ /calmodulin kinase activation network in the induction of bicuculline-induced epileptic discharges in hippocampal slices, and the brain informatics simulator HIPPO-STATION 2004 , 1269, 81-84	
1661	Mining the structural genomics pipeline: identification of protein properties that affect high-throughput experimental analysis. 2004 , 336, 115-30	126
1660	Comparative structural and energetic analysis of WW domain-peptide interactions. 2004 , 344, 865-81	34
1659	A domain interaction map based on phylogenetic profiling. 2004 , 344, 1331-46	72
1658	Finding community structure in very large networks. 2004 , 70, 066111	3679
1657	In silico biological function attribution: a different perspective. 2004 , 2, 30-37	1
1656	Circuits of the cell. 2004 , 2, 120-126	
1655	New genetic strategies for protein discovery based on whole-genome sequences. 2004 , 3, 57-63	
1654	Quality analysis and integration of large-scale molecular data sets. 2004 , 3, 51-56	2
1653	Target discovery using the yeast two-hybrid system. 2004 , 3, 97-103	2
1652	Analysis of a high-throughput yeast two-hybrid system and its use to predict the function of intracellular proteins encoded within the human MHC class III region. 2004 , 83, 153-67	84
1651	Specificity in signal transduction: from phosphotyrosine-SH2 domain interactions to complex cellular systems. 2004 , 116, 191-203	673
1650	Recent developments in the analysis of protein complexes. 2004 , 556, 1-6	76

1649	Genomic expression pattern in <i>Saccharomyces cerevisiae</i> cells in response to high hydrostatic pressure. 2004 , 556, 153-60	96
1648	NMR probing of protein-protein interactions using reporter ligands and affinity tags. 2004 , 126, 1636-7	16
1647	Yeast two-hybrid assay for studying protein-protein interactions. 2004 , 270, 403-22	23
1646	Functional protein microarrays for pathway mapping. 2004 , 3, 238-245	2
1645	Genetics, individuality, and medicine in the 21st century. 2004 , 74, 374-81	17
1644	Proteasomes: a complex story. 2004 , 5, 135-51	30
1643	An EA framework for biclustering of gene expression data.	37
1642	Inosine 5'-monophosphate dehydrogenase binds nucleic acids in vitro and in vivo. 2004 , 379, 243-51	66
1641	Data collection and analysis in systems biology. 2004 ,	
1640	Structure and function of human Vps20 and Snf7 proteins. 2004 , 377, 693-700	57
1639	Correlation profiles and motifs in complex networks. 2004 , 168-198	5
1638	Analyzing the biology on the system level. 2004 , 2, 6-14	7
1637	Strategies and Methods in Monitoring and Targeting Protein-Protein Interactions. 2005 , 483-557	
1636	Novel mobilizable prokaryotic two-hybrid system vectors for high-throughput protein interaction mapping in <i>Escherichia coli</i> by bacterial conjugation. 2005 , 33, e18	15
1635	The Functional Genomics of Model Organisms: Addressing Old Questions from a New Perspective. 2005 , 325-375	1
1634	The Yeast Two-Hybrid System for Detecting Interacting Proteins. 2005 , 653-682	1
1633	Unsupervised Machine Learning to Support Functional Characterization of Genes: Emphasis on Cluster Description and Class Discovery. 2005 , 175-192	
1632	Systems Biology: Applications in Drug Discovery. 2005 , 123-183	14

1631	IDENTIFYING PROTEIN COMPLEXES IN HIGH-THROUGHPUT PROTEIN INTERACTION SCREENS USING AN INFINITE LATENT FEATURE MODEL. 2005,	3
1630	The <i>C. elegans</i> interactome project. 2005,	
1629	The yeast interactome. 2005,	0
1628	Yeast Two-hybrid Technologies. 261-272	
1627	Hide-and-seek on complex networks. 2005, 69, 853-859	39
1626	Phospho-pivot modeling predicts specific interactions of protein phosphatase-1 with a phospho-inhibitor protein CPI-17. 2005, 137, 633-41	10
1625	Mining and analysing scale-free protein-protein interaction network. 2005, 1, 81-101	11
1624	Insights into biological functions across species: examining the role of Rab proteins in YIP1 family function. 2005, 33, 614-8	9
1623	Ramifications of impaired PRPP synthesis in <i>Saccharomyces cerevisiae</i> . 2005, 33, 1418-1420	4
1622	Ramifications of impaired PRPP synthesis in <i>Saccharomyces cerevisiae</i> . 2005, 33, 1418-20	6
1621	Specific interactions of PP2A and PP2A-like phosphatases with the yeast PTPA homologues, Ypa1 and Ypa2. 2005, 386, 93-102	38
1620	Amodytoxin, a secretory phospholipase A2, inhibits G2 cell-cycle arrest in the yeast <i>Saccharomyces cerevisiae</i> . 2005, 391, 383-8	14
1619	Damage, connectivity and essentiality in protein-protein interaction networks. 2005, 349, 675-684	10
1618	Characterization and modeling of protein-protein interaction networks. 2005, 352, 1-27	56
1617	Graph theoretic analysis of protein interaction networks of eukaryotes. 2005, 357, 501-512	10
1616	Computational simulation for interactions of nano-molecules: The phospho-pivot modeling algorithm for prediction of interactions between a phospho-protein and its receptor. 2005, 6, 463-467	3
1615	Identification and characterization of <i>rns4/vps32</i> mutation in the RNase T1 expression-sensitive strain of <i>Saccharomyces cerevisiae</i> : Evidence for altered ambient response resulting in transportation of the secretory protein to vacuoles. <i>FEMS Yeast Research</i> , 2005, 5, 801-12	3.1 3
1614	Protein localization studies in the age of 'Omics'. 2005, 9, 82-7	30

1613	Chemical biology on PINs and NeedLes. 2005 , 9, 31-7		3
1612	The Yeast Systems Biology Network: mating communities. 2005 , 16, 356-60		18
1611	Dynamical binding of proline-rich peptides to their recognition domains. 2005 , 1754, 232-8		14
1610	Supervised enzyme network inference from the integration of genomic data and chemical information. <i>Bioinformatics</i> , 2005 , 21 Suppl 1, i468-77	7.2	60
1609	Transcriptional regulation of the one-carbon metabolism regulon in <i>Saccharomyces cerevisiae</i> by Bas1p. 2005 , 57, 53-69		22
1608	Identification of DRG family regulatory proteins (DFRPs): specific regulation of DRG1 and DRG2. 2005 , 10, 139-50		40
1607	Eukaryotic Lsm proteins: lessons from bacteria. 2005 , 12, 1031-6		124
1606	The archaeal exosome core is a hexameric ring structure with three catalytic subunits. 2005 , 12, 575-81		182
1605	Functional annotation and network reconstruction through cross-platform integration of microarray data. 2005 , 23, 238-43		118
1604	Probabilistic model of the human protein-protein interaction network. 2005 , 23, 951-9		338
1603	Effect of sampling on topology predictions of protein-protein interaction networks. 2005 , 23, 839-44		253
1602	Miniaturization in functional genomics and proteomics. 2005 , 6, 465-76		108
1601	Crosstalk between RNA metabolic pathways: an RNOMICS approach. 2005 , 6, 423-9		7
1600	Functional link between ribosome formation and biogenesis of iron-sulfur proteins. 2005 , 24, 580-8		133
1599	Biogenesis of cytosolic ribosomes requires the essential iron-sulphur protein Rli1p and mitochondria. 2005 , 24, 589-98		194
1598	Lip1p: a novel subunit of acyl-CoA ceramide synthase. 2005 , 24, 730-41		120
1597	Degradation of Hof1 by SCF(Grr1) is important for actomyosin contraction during cytokinesis in yeast. 2005 , 24, 1440-52		98
1596	Advances in protein complex analysis using mass spectrometry. 2005 , 563, 11-21		148

1595	An array of possibilities for the study of autoimmunity. 2005 , 435, 605-11		79
1594	Global analysis of protein phosphorylation in yeast. 2005 , 438, 679-84		818
1593	Towards a proteome-scale map of the human protein-protein interaction network. 2005 , 437, 1173-8		2287
1592	Identification of ATP-NADH kinase isozymes and their contribution to supply of NADP(H) in <i>Saccharomyces cerevisiae</i> . 2005 , 272, 3337-49		57
1591	Utilizing logical relationships in genomic data to decipher cellular processes. 2005 , 272, 5110-8		32
1590	Flexible nets. The roles of intrinsic disorder in protein interaction networks. 2005 , 272, 5129-48		895
1589	Emerging tools for real-time label-free detection of interactions on functional protein microarrays. 2005 , 272, 5412-25		140
1588	High-throughput two-hybrid analysis. The promise and the peril. 2005 , 272, 5391-9		151
1587	Oral microbiology and genomics. 2005 , 38, 63-71		10
1586	Brl1p -- a novel nuclear envelope protein required for nuclear transport. 2005 , 6, 502-17		19
1585	Protein transport from the late Golgi to the vacuole in the yeast <i>Saccharomyces cerevisiae</i> . 2005 , 1744, 438-54		223
1584	Discovering reliable protein interactions from high-throughput experimental data using network topology. 2005 , 35, 37-47		31
1583	Biological networks and analysis of experimental data in drug discovery. 2005 , 10, 653-62		93
1582	Methods to reveal domain networks. 2005 , 10, 1111-7		26
1581	Structural characterization of assemblies from overall shape and subcomplex compositions. 2005 , 13, 435-45		25
1580	Discovering functional relationships: biochemistry versus genetics. 2005 , 21, 424-7		19
1579	Filtering high-throughput protein-protein interaction data using a combination of genomic features. <i>BMC Bioinformatics</i> , 2005 , 6, 100	3.6	115
1578	AVID: an integrative framework for discovering functional relationships among proteins. <i>BMC Bioinformatics</i> , 2005 , 6, 136	3.6	32

1577	Commensurate distances and similar motifs in genetic congruence and protein interaction networks in yeast. <i>BMC Bioinformatics</i> , 2005 , 6, 270	3.6	18
1576	Discover protein sequence signatures from protein-protein interaction data. <i>BMC Bioinformatics</i> , 2005 , 6, 277	3.6	15
1575	Genetic Interaction Motif Finding by expectation maximization--a novel statistical model for inferring gene modules from synthetic lethality. <i>BMC Bioinformatics</i> , 2005 , 6, 288	3.6	10
1574	The use of edge-betweenness clustering to investigate biological function in protein interaction networks. <i>BMC Bioinformatics</i> , 2005 , 6, 39	3.6	135
1573	Computational verification of protein-protein interactions by orthologous co-expression. <i>BMC Bioinformatics</i> , 2005 , 6, 40	3.6	21
1572	Structural comparison of metabolic networks in selected single cell organisms. <i>BMC Bioinformatics</i> , 2005 , 6, 8	3.6	62
1571	HomoMINT: an inferred human network based on orthology mapping of protein interactions discovered in model organisms. <i>BMC Bioinformatics</i> , 2005 , 6 Suppl 4, S21	3.6	109
1570	Effect of dataset selection on the topological interpretation of protein interaction networks. 2005 , 6, 131		18
1569	Mining new protein-protein interactions. Using a hierarchical latent-variable model to determine the function of a functionally unknown protein. 2005 , 24, 103-8		1
1568	Column chromatographic prefractionation leads to the detection of 543 different gene products in human fetal brain. 2005 , 26, 2759-78		9
1567	Detecting protein-protein interaction in live yeast by flow cytometry. 2005 , 63, 77-86		18
1566	Distributed robustness versus redundancy as causes of mutational robustness. 2005 , 27, 176-88		216
1565	Protein-interaction mapping in search of effective drug targets. 2005 , 27, 958-69		14
1564	Protein-detecting microarrays: current accomplishments and requirements. 2005 , 6, 782-99		155
1563	Diffusion NMR spectroscopy: folding and aggregation of domains in p53. 2005 , 6, 1550-65		53
1562	Molecular aptamers for real-time protein-protein interaction study. 2005 , 11, 4502-8		36
1561	Use of bimolecular fluorescence complementation to demonstrate transcription factor interaction in nuclei of living cells from the filamentous fungus <i>Acremonium chrysogenum</i> . 2005 , 47, 132-8		59
1560	Measuring information networks. 2005 , 64, 1121-1125		2

1559	Analysis and application of large-scale protein-protein interaction data sets. 2005 , 50, 2267-2272	1
1558	Assignment of the 1H, 13C and 15N resonances of Mlc1p from <i>Saccharomyces cerevisiae</i> . 2005 , 31, 367-8	3
1557	[A proteomic approach to study of the function of the Sec14p-like p45 protein]. 2005 , 31, 280-7	1
1556	Prediction of interface residues in protein-protein complexes by a consensus neural network method: test against NMR data. 2005 , 61, 21-35	213
1555	Edge-count probabilities for the identification of local protein communities and their organization. 2006 , 62, 800-18	24
1554	Locally defined protein phylogenetic profiles reveal previously missed protein interactions and functional relationships. 2006 , 62, 1115-24	31
1553	YPL.db2: the Yeast Protein Localization database, version 2.0. 2005 , 22, 213-8	26
1552	The YIG1 (YPL201c) encoded protein is involved in regulating anaerobic glycerol metabolism in <i>Saccharomyces cerevisiae</i> . 2005 , 22, 1257-68	2
1551	Cooperative evolution in protein complexes of yeast from comparative analyses of its interaction network. 2005 , 5, 3116-9	6
1550	Functional genomics in <i>Saccharomyces cerevisiae</i> . 2005 ,	
1549	Connecting genes by comparative genomics. 2005 ,	
1548	Functional inference from probabilistic protein interaction networks. 2005 ,	
1547	Molecular dissection of ARP1 regions required for nuclear migration and cell wall integrity checkpoint functions in <i>Saccharomyces cerevisiae</i> . 2005 , 30, 57-67	9
1546	Reverse engineering gene regulatory networks. 2005 ,	
1545	. 2005 ,	13
1544	References. 2005 , 499-574	
1543	Protein interaction databases. 2005 ,	
1542	Inferring gene function and biochemical networks from protein interactions. 2005 ,	

1541	Exploring Protein Structure and Function. 2005 , 45-69		
1540	Metabolic Networks. 2005 , 243-264		
1539	Two-hybrid reporter vectors for gap repair cloning. 2005 , 38, 927-34		13
1538	Spliceosome disassembly catalyzed by Prp43 and its associated components Ntr1 and Ntr2. 2005 , 19, 2991-3003		119
1537	Refining protein subcellular localization. 2005 , 1, e66		68
1536	The pleckstrin homology domain proteins Slm1 and Slm2 are required for actin cytoskeleton organization in yeast and bind phosphatidylinositol-4,5-bisphosphate and TORC2. 2005 , 16, 1883-900		109
1535	Implementing the iHOP concept for navigation of biomedical literature. <i>Bioinformatics</i> , 2005 , 21 Suppl 2, ii252-8	7.2	137
1534	Inferring protein-protein interactions through high-throughput interaction data from diverse organisms. <i>Bioinformatics</i> , 2005 , 21, 3279-85	7.2	84
1533	A high throughput screen to identify substrates for the ubiquitin ligase Rsp5. 2005 , 280, 29470-8		35
1532	Estimating gene regulatory networks and protein-protein interactions of <i>Saccharomyces cerevisiae</i> from multiple genome-wide data. <i>Bioinformatics</i> , 2005 , 21 Suppl 2, ii206-12	7.2	26
1531	A genetic screen for top3 suppressors in <i>Saccharomyces cerevisiae</i> identifies SHU1, SHU2, PSY3 and CSM2: four genes involved in error-free DNA repair. 2005 , 169, 1275-89		82
1530	The end of "naive reductionism": rise of systems biology or renaissance of physiology?. 2005 , 288, C968-74		95
1529	Systematic discovery of new recognition peptides mediating protein interaction networks. 2005 , 3, e405		257
1528	Predicting gene function through systematic analysis and quality assessment of high-throughput data. <i>Bioinformatics</i> , 2005 , 21, 1644-52	7.2	21
1527	Correlation between gene expression profiles and protein-protein interactions within and across genomes. <i>Bioinformatics</i> , 2005 , 21, 2730-8	7.2	136
1526	Genome-wide requirements for resistance to functionally distinct DNA-damaging agents. 2005 , 1, e24		136
1525	Analysis and application of large-scale protein-protein in-teraction data sets. 2005 , 50, 2267		3
1524	Drug Discovery Using Yeast as a Model System: A Functional Genomic and Proteomic View. 2005 , 2, 1-13		13

1523	Deletions of endocytic components VPS28 and VPS32 affect growth at alkaline pH and virulence through both RIM101-dependent and RIM101-independent pathways in <i>Candida albicans</i> . 2005 , 73, 7977-87		65
1522	Predicting protein functions with message passing algorithms. <i>Bioinformatics</i> , 2005 , 21, 239-47	7.2	23
1521	A role for Jsn1p in recruiting the Arp2/3 complex to mitochondria in budding yeast. 2005 , 16, 5094-102		42
1520	Prediction of protein-protein interactions by combining structure and sequence conservation in protein interfaces. <i>Bioinformatics</i> , 2005 , 21, 2850-5	7.2	155
1519	The splicing ATPase prp43p is a component of multiple preribosomal particles. 2005 , 25, 9269-82		102
1518	Esf2p, a U3-associated factor required for small-subunit processome assembly and compaction. 2005 , 25, 5523-34		30
1517	Identification of programmed translational -1 frameshifting sites in the genome of <i>Saccharomyces cerevisiae</i> . 2005 , 15, 1411-20		5
1516	The putative NTPase Fap7 mediates cytoplasmic 20S pre-rRNA processing through a direct interaction with Rps14. 2005 , 25, 10352-64		81
1515	Experimental and bioinformatic approaches for interrogating protein-protein interactions to determine protein function. 2005 , 34, 263-80		46
1514	Comprehensive interaction map of the Arabidopsis MADS Box transcription factors. 2005 , 17, 1424-33		414
1513	Transcriptional response of <i>Saccharomyces cerevisiae</i> to desiccation and rehydration. 2005 , 71, 8752-63		70
1512	The G Protein-Coupled Receptors Handbook. 2005 ,		3
1511	Mutational analysis of the pH signal transduction component PalC of <i>Aspergillus nidulans</i> supports distant similarity to BRO1 domain family members. 2005 , 171, 393-401		27
1510	Statistical analysis of domains in interacting protein pairs. <i>Bioinformatics</i> , 2005 , 21, 993-1001	7.2	73
1509	PIBASE: a comprehensive database of structurally defined protein interfaces. <i>Bioinformatics</i> , 2005 , 21, 1901-7	7.2	141
1508	ESCRT-I components of the endocytic machinery are required for Rim101-dependent ambient pH regulation in the yeast <i>Yarrowia lipolytica</i> . 2005 , 151, 3627-3637		37
1507	Gene essentiality and the topology of protein interaction networks. 2005 , 272, 1721-5		82
1506	Identification and characterization of endoplasmic reticulum-associated degradation proteins differentially affected by endoplasmic reticulum stress. 2005 , 138, 218-31		53

1505	Large-scale identification of yeast integral membrane protein interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 12123-8	11.5	224
1504	Understanding protein dispensability through machine-learning analysis of high-throughput data. <i>Bioinformatics</i> , 2005 , 21, 575-81	7.2	76
1503	Local modeling of global interactome networks. <i>Bioinformatics</i> , 2005 , 21, 3548-57	7.2	65
1502	Identification of sumoylated proteins by systematic immunoprecipitation of the budding yeast proteome. 2005 , 4, 73-83		86
1501	EFFICIENT UNSUPERVISED MINING FROM NOISY CO-OCCURRENCE DATA. 2005 , 01, 173-193		1
1500	Cell-free cotranslation and selection using in vitro virus for high-throughput analysis of protein-protein interactions and complexes. 2005 , 15, 710-7		35
1499	Binding properties and evolution of homodimers in protein-protein interaction networks. 2005 , 33, 3629-35		136
1498	The inference of protein-protein interactions by co-evolutionary analysis is improved by excluding the information about the phylogenetic relationships. <i>Bioinformatics</i> , 2005 , 21, 3482-9	7.2	126
1497	Analysis and properties of the yeast YIP1 family of Ypt-interacting proteins. 2005 , 403, 333-9		3
1496	Analysis of protein-protein interaction networks using random walks. 2005 ,		31
1495	Finding cliques in protein interaction networks via transitive closure of a weighted graph. 2005 ,		1
1494	Rapid and efficient cDNA library screening by self-ligation of inverse PCR products (SLIP). 2005 , 33, e185		19
1493	Protein microarrays as a discovery tool for studying protein-protein interactions. 2005 , 2, 13-26		20
1492	Post-Genomic Design of Bioactive Molecules. 2005 , 1, 147-162		
1491	Research in Computational Molecular Biology. 2005 ,		2
1490	Robotic cloning and Protein Production Platform of the Northeast Structural Genomics Consortium. 2005 , 394, 210-43		110
1489	Complexity in Chemistry, Biology, and Ecology. 2005 ,		63
1488	Finding local community structure in networks. 2005 , 72, 026132		459

1487	Solution for the properties of a clustered network. 2005 , 72, 026136	59
1486	Characterization of degree frequency distribution in protein interaction networks. 2005 , 71, 031901	4
1485	INFERRING PROTEIN-PROTEIN INTERACTIONS FROM MESSENGER RNA EXPRESSION PROFILES WITH SVM. 2005 , 13, 287-298	1
1484	A yeast two-hybrid knockout strain to explore thioredoxin-interacting proteins in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 16729-34	11.5 61
1483	Structural and mutational analysis of the SBDS protein family. Insight into the leukemia-associated Shwachman-Diamond Syndrome. 2005 , 280, 19221-9	89
1482	Long-chain base kinase Lcb4 Is anchored to the membrane through its palmitoylation by Akr1. 2005 , 25, 9189-97	38
1481	Gene function prediction by a combined analysis of gene expression data and protein-protein interaction data. 2005 , 3, 1371-89	13
1480	Constitutive activation of the pH-responsive Rim101 pathway in yeast mutants defective in late steps of the MVB/ESCRT pathway. 2005 , 25, 9478-90	82
1479	Cog1p plays a central role in the organization of the yeast conserved oligomeric Golgi complex. 2005 , 280, 27613-23	71
1478	Physiological characterization of the ARO10-dependent, broad-substrate-specificity 2-oxo acid decarboxylase activity of <i>Saccharomyces cerevisiae</i> . 2005 , 71, 3276-84	97
1477	Relationship of DFG16 to the Rim101p pH response pathway in <i>Saccharomyces cerevisiae</i> and <i>Candida albicans</i> . 2005 , 4, 890-9	73
1476	Changing perspectives in yeast research nearly a decade after the genome sequence. 2005 , 15, 1611-9	32
1475	Prp8 protein: at the heart of the spliceosome. 2005 , 11, 533-57	251
1474	Histone variants: deviants?. 2005 , 19, 295-310	264
1473	Interaction of the mammalian endosomal sorting complex required for transport (ESCRT) III protein hSnf7-1 with itself, membranes, and the AAA+ ATPase SKD1. 2005 , 280, 12799-809	125
1472	Protein-protein interactions: organization, cooperativity and mapping in a bottom-up Systems Biology approach. 2005 , 2, S24-35	84
1471	Cell cycle: proteomics gives it a spin. 2005 , 2, 615-25	6
1470	A data integration methodology for systems biology: experimental verification. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 17302-7	11.5 111

1469	Discover true association rates in multi-protein complex proteomics data sets. 2005 , 167-74		1
1468	Protein Interaction Inference as a MAX-SAT Problem.		1
1467	Proteomics and Protein-Protein Interactions. 2005 ,		10
1466	Microarray-based functional protein profiling using peptide nucleic acid-encoded libraries. 2005 , 2, 937-47		24
1465	Serinc, an activity-regulated protein family, incorporates serine into membrane lipid synthesis. 2005 , 280, 35776-83		122
1464	Identifying regulatory subnetworks for a set of genes. 2005 , 4, 683-92		53
1463	Architecture of basic building blocks in protein and domain structural interaction networks. <i>Bioinformatics</i> , 2005 , 21, 1479-86	7.2	24
1462	The cotranscriptional assembly of snoRNPs controls the biosynthesis of H/ACA snoRNAs in <i>Saccharomyces cerevisiae</i> . 2005 , 25, 5396-403		68
1461	Global analysis of Pub1p targets reveals a coordinate control of gene expression through modulation of binding and stability. 2005 , 25, 5499-513		67
1460	Ascospore formation in the yeast <i>Saccharomyces cerevisiae</i> . 2005 , 69, 565-84		162
1459	Interactions of the yeast SF3b splicing factor. 2005 , 25, 10745-54		35
1458	Assessing the limits of genomic data integration for predicting protein networks. 2005 , 15, 945-53		156
1457	Protein complexes of the <i>Escherichia coli</i> cell envelope. 2005 , 280, 34409-19		171
1456	Defining Viral Protein Interactomes Using the Yeast Two-Hybrid Assay. 2005 , 2, 225-231		1
1455	A novel, evolutionarily conserved protein phosphatase complex involved in cisplatin sensitivity. 2005 , 4, 1725-40		148
1454	Yeast Two-Hybrid Protein-Protein Interaction Networks. 2005 , 19-31		4
1453	Gene function prediction from congruent synthetic lethal interactions in yeast. 2005 , 1, 2005.0026		101
1452	Heteromeric protein complexes mediate zinc transport into the secretory pathway of eukaryotic cells. 2005 , 280, 28811-8		90

1451	Selective integration of multiple biological data for supervised network inference. <i>Bioinformatics</i> , 2005 , 21, 2488-95	7.2	51
1450	Conserved patterns of protein interaction in multiple species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 1974-9	11.5	586
1449	High-dimensional and large-scale phenotyping of yeast mutants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 19015-20	11.5	223
1448	Phosphotyrosine interactome of the ErbB-receptor kinase family. 2005 , 1, 2005.0008		399
1447	Systemic determinants of gene evolution and function. 2005 , 1, 2005.0021		22
1446	Dsl1p, Tip20p, and the novel Dsl3(Sec39) protein are required for the stability of the Q/t-SNARE complex at the endoplasmic reticulum in yeast. 2005 , 16, 3963-77		86
1445	The MIPS mammalian protein-protein interaction database. <i>Bioinformatics</i> , 2005 , 21, 832-4	7.2	429
1444	Comparison of cell wall localization among Pir family proteins and functional dissection of the region required for cell wall binding and bud scar recruitment of Pir1p. 2005 , 4, 1872-81		34
1443	New genes with roles in the <i>C. elegans</i> embryo revealed using RNAi of ovary-enriched ORFeome clones. 2005 , 15, 250-9		52
1442	Iterative cluster analysis of protein interaction data. <i>Bioinformatics</i> , 2005 , 21, 364-78	7.2	167
1441	Cotranscriptional recruitment of the pseudouridylsynthetase Cbf5p and of the RNA binding protein Naf1p during H/ACA snoRNP assembly. 2005 , 25, 3295-304		58
1440	Utilizing the split-ubiquitin membrane yeast two-hybrid system to identify protein-protein interactions of integral membrane proteins. 2005 , 2005, p13		64
1439	Interaction of the <i>Saccharomyces cerevisiae</i> cortical actin patch protein Rvs167p with proteins involved in ER to Golgi vesicle trafficking. 2005 , 170, 555-68		18
1438	Currently used antimycotics: spectrum, mode of action and resistance occurrence. 2005 , 6, 895-907		39
1437	Structural and functional dissection of the Abp1 ADFH actin-binding domain reveals versatile in vivo adapter functions. 2005 , 16, 3128-39		29
1436	Predicting protein-protein interactions based on protein-domain relationships.		3
1435	Gold nanoparticle-based competitive colorimetric assay for detection of protein-protein interactions. 2005 , 4273-5		133
1434	The <i>C. elegans</i> Interactome: Its Generation and Visualization. 2005 , 113-133		

1433	Essential latent knowledge for protein-protein interactions: analysis by an unsupervised learning approach. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2005 , 2, 119-30	3	7
1432	The Proteomics Protocols Handbook. 2005 ,		204
1431	Zinc in yeast: mechanisms involved in homeostasis. 2005 , 37-58		3
1430	A protein interaction verification system based on a neural network algorithm.		
1429	Searching Similar Modules in Protein Interaction Netwo. 2005 ,		
1428	Prediction of physical protein-protein interactions. 2005 , 2, S1-16		75
1427	Prediction of Protein Functions Based on Protein-Protein Interaction Networks: A Min-Cut Approach. 2005 ,		1
1426	Online predicted human interaction database. <i>Bioinformatics</i> , 2005 , 21, 2076-82	7.2	500
1425	Combining Bayesian Networks and Decision Trees to Predict <i>Drosophila melanogaster</i> Protein-Protein Interactions. 2005 ,		
1424	Interactome: gateway into systems biology. 2005 , 14 Spec No. 2, R171-81		285
1423	Disease gene discovery through integrative genomics. 2005 , 6, 381-406		62
1422	Cell wall integrity signaling in <i>Saccharomyces cerevisiae</i> . 2005 , 69, 262-91		852
1421	Whole-proteome prediction of protein function via graph-theoretic analysis of interaction maps. <i>Bioinformatics</i> , 2005 , 21 Suppl 1, i302-10	7.2	357
1420	Character and evolution of protein-protein interfaces. 2005 , 2, S36-43		24
1419	Scale-free networks in cell biology. 2005 , 118, 4947-57		812
1418	The Putative RNA Helicase Dbp4p Is Required for Release of the U14 snoRNA from Preribosomes in <i>Saccharomyces cerevisiae</i> . 2005 , 20, 53-64		75
1417	Isolation and characterization of a thylakoid membrane module showing partial light and dark reactions. 2005 , 1669, 43-52		9
1416	Overexpression of Bop3 confers resistance to methylmercury in <i>Saccharomyces cerevisiae</i> through interaction with other proteins such as Fkh1, Rts1, and Msn2. 2005 , 330, 378-85		8

1415	OVCA1: tumor suppressor gene. 2005 , 15, 49-54	21
1414	Navigating the chaperone network: an integrative map of physical and genetic interactions mediated by the hsp90 chaperone. 2005 , 120, 715-27	642
1413	Contribution of the endoplasmic reticulum to peroxisome formation. 2005 , 122, 85-95	373
1412	Cryptic pol II transcripts are degraded by a nuclear quality control pathway involving a new poly(A) polymerase. 2005 , 121, 725-37	678
1411	A human protein-protein interaction network: a resource for annotating the proteome. 2005 , 122, 957-68	1848
1410	Exploration of the function and organization of the yeast early secretory pathway through an epistatic miniarray profile. 2005 , 123, 507-19	706
1409	A skeleton of the human protein interactome. 2005 , 122, 830-2	25
1408	Protein variety and functional diversity: Swiss-Prot annotation in its biological context. 2005 , 328, 882-99	80
1407	Comparative interactomics. 2005 , 579, 1828-33	40
1406	From protein networks to biological systems. 2005 , 579, 1821-7	65
1405	Structure-based systems biology: a zoom lens for the cell. 2005 , 579, 1854-8	23
1404	Interactome modeling. 2005 , 579, 1834-8	94
1403	Some protein interaction data do not exhibit power law statistics. 2005 , 579, 5140-4	78
1402	Pairwise Local Alignment of Protein Interaction Networks Guided by Models of Evolution. 2005 , 48-65	20
1401	Blue-native PAGE in plants: a tool in analysis of protein-protein interactions. 2005 , 1, 11	108
1400	Experimental Techniques in a Nutshell. 2005 , 109-134	
1399	Protein interaction mapping: a Drosophila case study. 2005 , 15, 376-84	404
1398	Bioinformatics analysis for interactive proteomics. 2005 , Chapter 25, Unit 25.1	

1397	Genome-wide responses to DNA-damaging agents. 2005 , 59, 357-77		68
1396	The Architecture of a Proteomic Network in the Yeast. 2005 , 265-276		5
1395	Toward predictive models of mammalian cells. 2005 , 34, 319-49		69
1394	Quantitative Measures of Network Complexity. 2005 , 191-235		48
1393	Data integration and visualization system for enabling conceptual biology. <i>Bioinformatics</i> , 2005 , 21 Suppl 1, i177-85	7.2	13
1392	Proteomics: a paradigm shift. 2005 , 25, 173-98		21
1391	Simple protein complex purification and identification method for high-throughput mapping of protein interaction networks. 2005 , 4, 268-74		16
1390	In vivo dual-tagging proteomic approach in studying signaling pathways in immune response. 2005 , 4, 941-9		51
1389	Cereal Genomics. 2005 ,		3
1388	Consolidating the set of known human protein-protein interactions in preparation for large-scale mapping of the human interactome. 2005 , 6, R40		167
1387	An evolutionary and functional assessment of regulatory network motifs. 2005 , 6, R35		77
1386	A novel functional module detection algorithm for protein-protein interaction networks. 2006 , 1, 24		64
1385	Decomposition of overlapping protein complexes: a graph theoretical method for analyzing static and dynamic protein associations. 2006 , 1, 7		22
1384	How complete are current yeast and human protein-interaction networks?. 2006 , 7, 120		302
1383	Predicting domain-domain interactions using a parsimony approach. 2006 , 7, R104		62
1382	An inventory of yeast proteins associated with nucleolar and ribosomal components. 2006 , 7, R98		6
1381	The elusive yeast interactome. 2006 , 7, 223		59
1380	What properties characterize the hub proteins of the protein-protein interaction network of <i>Saccharomyces cerevisiae</i> ?. 2006 , 7, R45		281

1379	Comparative analysis of <i>Saccharomyces cerevisiae</i> WW domains and their interacting proteins. 2006 , 7, R30	48
1378	Systems Biology and Regulatory Genomics. 2006 ,	
1377	Mass Spectrometry-based Methods of Proteome Analysis. 2006 ,	
1376	Proteomic dissection of DNA polymerization. 2006 , 3, 197-211	9
1375	Data Mining Methods for Protein-Protein Interactions. 2006 ,	5
1374	Target Discovery and Validation Reviews and Protocols. 2006 ,	
1373	Protein bipartivity and essentiality in the yeast protein-protein interaction network. 2006 , 5, 2177-84	61
1372	Efficient Modularization of Weighted Protein Interaction Networks using k-Hop Graph Reduction. 2006 ,	6
1371	Proteome-scale analysis of biochemical activity. 2006 , 41, 315-27	13
1370	Biclustering Protein Complex Interactions with a Biclique Finding Algorithm. 2006 ,	17
1369	Scaling Laws in the Functional Content of Genomes. 2006 , 236-253	8
1368	Complex Systems Science in Biomedicine. 2006 ,	18
1367	Information of Binding Sites Improves Prediction of Protein-Protein Interaction. 2006 ,	4
1366	Prediction of Protein Function Using Common-Neighbors in Protein-Protein Interaction Networks. 2006 ,	7
1365	Free-energy distribution of binary protein-protein binding suggests cross-species interactome differences. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 11527-32	11,5 12
1364	Toward functional analysis of protein interactome using "in vitro virus": in silico analyses of Fos/Jun interactors. 2006 , 14, 505-11	5
1363	MMI1 (YKL056c, TMA19), the yeast orthologue of the translationally controlled tumor protein (TCTP) has apoptotic functions and interacts with both microtubules and mitochondria. 2006 , 1757, 631-8	81
1362	How scale-free are biological networks. 2006 , 13, 810-8	149

1361	PathSys: integrating molecular interaction graphs for systems biology. <i>BMC Bioinformatics</i> , 2006 , 7, 55	3.6	36
1360	A flexible representation of omic knowledge for thorough analysis of microarray data. 2006 , 2, 5		8
1359	Pathway mapping tools for analysis of high content data. 2007 , 356, 319-50		192
1358	Proteasomes from structure to function: perspectives from Archaea. 2006 , 75, 125-69		45
1357	Yeast as a model for human disease. 2006 , Chapter 15, Unit 15.6		27
1356	Proteomics and Drug Discovery. 2006 , 233-271		3
1355	The Architecture of Biological Networks. 2006 , 165-181		18
1354	Two-hybrid and its recent adaptations. 2006 , 3, 317-24		4
1353	Detecting conserved interaction patterns in biological networks. 2006 , 13, 1299-322		60
1352	A method to integrate, assess and characterize the protein-protein interactions. 2006 ,		
1351	Scale invariance in road networks. 2006 , 73, 026130		98
1350	Utilizing RNA aptamers to probe a physiologically important heme-regulated cellular network. 2006 , 1, 515-24		6
1349	Uncovering quantitative protein interaction networks for mouse PDZ domains using protein microarrays. 2006 , 128, 5913-22		59
1348	BIOREL: the benchmark resource to estimate the relevance of the gene networks. 2006 , 580, 844-8		5
1347	A protein-protein interaction network for human inherited ataxias and disorders of Purkinje cell degeneration. 2006 , 125, 801-14		637
1346	Integrated analysis of multiple data sources reveals modular structure of biological networks. 2006 , 345, 302-9		25
1345	Fcf1p and Fcf2p are novel nucleolar <i>Saccharomyces cerevisiae</i> proteins involved in pre-rRNA processing. 2006 , 346, 546-54		18
1344	Exploring candidate genes for human brain diseases from a brain-specific gene network. 2006 , 349, 1308-14		23

1343	Model of interactions in biology and application to heterogeneous network in yeast. 2006 , 329, 945-52	6
1342	Asymmetric recruitment of dynein to spindle poles and microtubules promotes proper spindle orientation in yeast. 2006 , 10, 425-39	67
1341	The peroxisomal membrane protein Inp2p is the peroxisome-specific receptor for the myosin V motor Myo2p of <i>Saccharomyces cerevisiae</i> . 2006 , 10, 587-600	117
1340	Rad33, a new factor involved in nucleotide excision repair in <i>Saccharomyces cerevisiae</i> . 2006 , 5, 683-92	17
1339	Integrated prediction of the helical membrane protein interactome in yeast. 2006 , 357, 339-49	21
1338	Inferring functional linkages between proteins from evolutionary scenarios. 2006 , 359, 1150-9	24
1337	Adrm1, a putative cell adhesion regulating protein, is a novel proteasome-associated factor. 2006 , 360, 1043-52	50
1336	Structural and functional analysis of <i>Saccharomyces cerevisiae</i> Mob1. 2006 , 362, 430-40	36
1335	Co-evolutionary analysis of domains in interacting proteins reveals insights into domain-domain interactions mediating protein-protein interactions. 2006 , 362, 861-75	99
1334	The conserved transmembrane nucleoporin NDC1 is required for nuclear pore complex assembly in vertebrate cells. 2006 , 22, 93-103	175
1333	Genome-wide occupancy profile of mediator and the Srb8-11 module reveals interactions with coding regions. 2006 , 22, 169-78	98
1332	Towards a molecular understanding of human diseases using <i>Dictyostelium discoideum</i> . 2006 , 12, 415-24	88
1331	Stm1p, a ribosome-associated protein, is important for protein synthesis in <i>Saccharomyces cerevisiae</i> under nutritional stress conditions. 2006 , 358, 1023-31	39
1330	Nucleoporins NPP-1, NPP-3, NPP-4, NPP-11 and NPP-13 are required for proper spindle orientation in <i>C. elegans</i> . 2006 , 289, 360-71	34
1329	Alterations in ribosome biogenesis cause specific defects in <i>C. elegans</i> hermaphrodite gonadogenesis. 2006 , 298, 45-58	42
1328	Capturing cellular machines by systematic screens of protein complexes. 2006 , 14, 336-9	9
1327	Cloned sequence repertoires for small- and large-scale biology. 2006 , 11, 133-41	30
1326	Exploring the ESCRTing machinery in eukaryotes. 2006 , 11, 115-23	147

1325 [Functional dissection of a new regulator of DNA replication initiation in bacteria]. **2006**, 22, 801-2

1324 Yeast-based functional genomics and proteomics technologies: the first 15 years and beyond. **2006**, 40, 625-44 69

1323 Functional partitioning of yeast co-expression networks after genome duplication. **2006**, 4, e109 106

1322 Structural organization of the 19S proteasome lid: insights from MS of intact complexes. **2006**, 4, e267 159

1321 . **2006**, 4 4

1320 Protein Repertoire, Evolution of. **2006**,

1319 . **2006**, 6 6

1318 Yeast Two-hybrid System and Related Methodology. **2006**,

1317 Molecular Entry Point: Strategies in Proteomics. **2006**,

1316 Towards Inferring Protein Interactions: Challenges and Solutions. **2006**, 2006, 1 4

1315 Transcriptional activators in yeast. **2006**, 34, 955-67 77

1314 Revealing hidden relationships among yeast genes involved in chromosome segregation using systematic synthetic lethal and synthetic dosage lethal screens. **2006**, 5, 592-5 14

1313 Yeast Protein Interactome topology provides framework for coordinated-functionality. **2006**, 34, 2812-9 33

1312 Topology of protein interaction networks and cell physiology. **2006**,

1311 BISON: Bio-Interface for the Semi-global analysis Of Network patterns. **2006**, 1, 8 5

1310 Comprehensive curation and analysis of global interaction networks in *Saccharomyces cerevisiae*. **2006**, 5, 11 246

1309 The interaction map of yeast: terra incognita?. **2006**, 5, 10 2

1308 Protein-protein interaction screening with the Ras-recruitment system. **2006**, 6, 198-208 5

1307	Optimizing the surface plasmon resonance/mass spectrometry interface for functional proteomics applications: how to avoid and utilize nonspecific adsorption. 2006 , 6, 2355-64	35
1306	Integrating forward and reverse proteomics to unravel protein function. 2006 , 6, 5467-80	16
1305	The pitfalls of proteomics experiments without the correct use of bioinformatics tools. 2006 , 6, 5577-96	77
1304	Ions of the interactome: the role of MS in the study of protein interactions in proteomics and structural biology. 2006 , 6, 5374-84	28
1303	Inferring protein interactions from experimental data by association probabilistic method. 2006 , 62, 833-7	28
1302	Evaluation of different biological data and computational classification methods for use in protein interaction prediction. 2006 , 63, 490-500	236
1301	A combinatorial score to distinguish biological and nonbiological protein-protein interfaces. 2006 , 64, 68-78	23
1300	A statistical framework to discover true associations from multiprotein complex pull-down proteomics data sets. 2006 , 64, 436-43	3
1299	Combining functional and topological properties to identify core modules in protein interaction networks. 2006 , 64, 948-59	67
1298	Yeast 14-3-3 proteins. 2006 , 23, 159-71	74
1297	Annotation of unknown yeast ORFs by correlation analysis of microarray data and extensive literature searches. 2006 , 23, 553-71	8
1296	Initial characterization of a bolA homologue from <i>Pseudomonas fluorescens</i> indicates different roles for BolA-like proteins in <i>P. fluorescens</i> and <i>Escherichia coli</i> . 2006 , 262, 48-56	12
1295	The GYF domain. 2006 , 273, 245-56	48
1294	The IClN interactome. 2006 , 187, 43-9	17
1293	Toward the systems biology of vesicle transport. 2006 , 7, 761-8	7
1292	A conserved GTPase-containing complex is required for intracellular sorting of the general amino-acid permease in yeast. 2006 , 8, 657-67	149
1291	Proteasome recruitment and activation of the Uch37 deubiquitinating enzyme by Adrm1. 2006 , 8, 994-1002	253
1290	Analysis of the human protein interactome and comparison with yeast, worm and fly interaction datasets. 2006 , 38, 285-93	381

1289	Structural systems biology: modelling protein interactions. 2006 , 7, 188-97	264
1288	Proteome chips for whole-organism assays. 2006 , 7, 617-22	61
1287	Applied systems biology and malaria. 2006 , 4, 145-51	31
1286	Global landscape of protein complexes in the yeast <i>Saccharomyces cerevisiae</i> . 2006 , 440, 637-43	2327
1285	Nuclear pore association confers optimal expression levels for an inducible yeast gene. 2006 , 441, 774-8	326
1284	Mrc1 and Srs2 are major actors in the regulation of spontaneous crossover. 2006 , 25, 2837-46	85
1283	A novel proteasome interacting protein recruits the deubiquitinating enzyme UCH37 to 26S proteasomes. 2006 , 25, 4524-36	199
1282	Subunit architecture of multimeric complexes isolated directly from cells. 2006 , 7, 605-10	164
1281	Cell growth control: little eukaryotes make big contributions. 2006 , 25, 6392-415	182
1280	Protein-protein interactions in the mammalian brain. 2006 , 575, 373-7	10
1279	Identification of functional modules in a PPI network by clique percolation clustering. 2006 , 30, 445-51	55
1278	Yeast two-hybrid contributions to interactome mapping. 2006 , 17, 387-93	195
1277	The cognitive phenotype of Down syndrome: insights from intracellular network analysis. 2006 , 3, 396-406	10
1276	Algorithms for network analysis in systems-ADME/Tox using the MetaCore and MetaDrug platforms. 2006 , 36, 877-901	110
1275	Finding biologically relevant protein domain interactions: conserved binding mode analysis. 2006 , 15, 352-61	66
1274	Computational approaches for predicting protein-protein interactions: a survey. 2006 , 30, 39-44	25
1273	Predicting Protein-Protein Interactions by Association Mining. 2006 , 8, 37-47	8
1272	BRD2 is one of BRD7-interacting proteins and its over-expression could initiate apoptosis. 2006 , 292, 205-12	17

1271	Protein interaction networks in plants. 2006 , 224, 771-81		38
1270	Accelerated evolutionary rate may be responsible for the emergence of lineage-specific genes in ascomycota. 2006 , 63, 1-11		48
1269	Systems for the detection and analysis of protein-protein interactions. 2006 , 71, 127-36		25
1268	Comparative genomics of the HOG-signalling system in fungi. 2006 , 49, 137-51		68
1267	Growing biological networks: beyond the gene-duplication model. 2006 , 241, 488-505		15
1266	Trafficking and developmental signaling: Alix at the crossroads. 2006 , 85, 925-36		17
1265	Proteomics of the peroxisome. 2006 , 1763, 1541-51		38
1264	Do Alix and ALG-2 really control endosomes for better or for worse?. 2006 , 98, 69-77		51
1263	Target selection for complex structural genomics. 2006 , 16, 385-92		21
1262	Global synthetic-lethality analysis and yeast functional profiling. 2006 , 22, 56-63		126
1261	Protein protein interactions, evolutionary rate, abundance and age. <i>BMC Bioinformatics</i> , 2006 , 7, 128	3.6	49
1260	A database and tool, IM Browser, for exploring and integrating emerging gene and protein interaction data for Drosophila. <i>BMC Bioinformatics</i> , 2006 , 7, 195	3.6	24
1259	QPath: a method for querying pathways in a protein-protein interaction network. <i>BMC Bioinformatics</i> , 2006 , 7, 199	3.6	113
1258	Genome wide prediction of protein function via a generic knowledge discovery approach based on evidence integration. <i>BMC Bioinformatics</i> , 2006 , 7, 268	3.6	22
1257	An integrated approach to the prediction of domain-domain interactions. <i>BMC Bioinformatics</i> , 2006 , 7, 269	3.6	82
1256	Functional clustering of yeast proteins from the protein-protein interaction network. <i>BMC Bioinformatics</i> , 2006 , 7, 355	3.6	36
1255	A direct comparison of protein interaction confidence assignment schemes. <i>BMC Bioinformatics</i> , 2006 , 7, 360	3.6	85
1254	PIPE: a protein-protein interaction prediction engine based on the re-occurring short polypeptide sequences between known interacting protein pairs. <i>BMC Bioinformatics</i> , 2006 , 7, 365	3.6	115

1253	Comparison of protein interaction networks reveals species conservation and divergence. <i>BMC Bioinformatics</i> , 2006 , 7, 457	3.6	29
1252	Protein kinases associated with the yeast phosphoproteome. <i>BMC Bioinformatics</i> , 2006 , 7, 47	3.6	26
1251	Evaluation of clustering algorithms for protein-protein interaction networks. <i>BMC Bioinformatics</i> , 2006 , 7, 488	3.6	577
1250	IntNetDB v1.0: an integrated protein-protein interaction network database generated by a probabilistic model. <i>BMC Bioinformatics</i> , 2006 , 7, 508	3.6	54
1249	Inferring topology from clustering coefficients in protein-protein interaction networks. <i>BMC Bioinformatics</i> , 2006 , 7, 519	3.6	37
1248	SPIDER: Saccharomyces protein-protein interaction database. <i>BMC Bioinformatics</i> , 2006 , 7 Suppl 5, S16	3.6	21
1247	Finding function: evaluation methods for functional genomic data. 2006 , 7, 187		154
1246	Parameter estimate of signal transduction pathways. 2006 , 7 Suppl 1, S6		16
1245	Detection and analysis of protein-protein interactions in organellar and prokaryotic proteomes by native gel electrophoresis: (Membrane) protein complexes and supercomplexes. 2006 , 27, 2759-81		152
1244	A systems biology approach to learning autophagy. 2006 , 2, 12-23		5
1243	Genome-wide prediction and characterization of interactions between transcription factors in <i>Saccharomyces cerevisiae</i> . 2006 , 34, 917-27		60
1242	Transitive closure and metric inequality of weighted graphs: detecting protein interaction modules using cliques. 2006 , 1, 162-77		10
1241	A rule-based detection of functional modules in protein-protein interaction networks. 2006 , 2006, 5810-3		1
1240	Condensin function in mitotic nucleolar segregation is regulated by rDNA transcription. 2006 , 5, 2260-7		39
1239	A guide to the genetics of psychiatric disease. 2006 , 69, 1-20		9
1238	Inferring functional information from domain co-evolution. <i>Bioinformatics</i> , 2006 , 22, 40-9	7.2	25
1237	Global topological features of cancer proteins in the human interactome. <i>Bioinformatics</i> , 2006 , 22, 2291-7.2		371
1236	ProtBuD: a database of biological unit structures of protein families and superfamilies. <i>Bioinformatics</i> , 2006 , 22, 2876-82	7.2	42

1235	FLIGHT: database and tools for the integration and cross-correlation of large-scale RNAi phenotypic datasets. 2006 , 34, D479-83	33
1234	Prediction of yeast protein-protein interaction network: insights from the Gene Ontology and annotations. 2006 , 34, 2137-50	159
1233	Protein complex compositions predicted by structural similarity. 2006 , 34, 2943-52	50
1232	A systematic approach to infer biological relevance and biases of gene network structures. 2006 , 34, e6	15
1231	Systematic identification and functional screens of uncharacterized proteins associated with eukaryotic ribosomal complexes. 2006 , 20, 1294-307	216
1230	Integration of Biological Data with Semantic Networks. 2006 , 1, 273-290	3
1229	Dynamical Analysis of Protein Regulatory Network in Budding Yeast Nucleus. 2006 , 23, 2307-2310	4
1228	Finding mesoscopic communities in sparse networks. 2006 , 9, p09014	10
1227	Mining Protein-Protein Interaction Data. 2006 , 1, 197-205	
1226	The CLIP-170 orthologue Bik1p and positioning the mitotic spindle in yeast. 2006 , 76, 49-87	33
1225	Assessing systems properties of yeast mitochondria through an interaction map of the organelle. 2006 , 2, e170	63
1224	Estimating the parameters of a model for protein-protein interaction graphs. 2006 , 23, 279-95	1
1223	A simple physical model for scaling in protein-protein interaction networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 311-6	11.5 85
1222	Hunting interactomes of a membrane protein: obtaining the largest set of voltage-dependent anion channel-interacting protein epitopes. 2006 , 5, 1667-80	23
1221	Preferential duplication in the sparse part of yeast protein interaction network. 2006 , 23, 2467-73	30
1220	Modularity and dynamics of cellular networks. 2006 , 2, e174	63
1219	Expression Microarray Proteomics and the Search for Cancer Biomarkers. 2006 , 7, 399-426	12
1218	3D complex: a structural classification of protein complexes. 2006 , 2, e155	256

1217	Building Biological Complexity with Limited Genes. 2006 , 7, 97-114		3
1216	The BAR domain proteins: molding membranes in fission, fusion, and phagy. 2006 , 70, 37-120		149
1215	Why do hubs tend to be essential in protein networks?. 2006 , 2, e88		473
1214	Evolutionary and physiological importance of hub proteins. 2006 , 2, e88		197
1213	Intrinsic disorder is a common feature of hub proteins from four eukaryotic interactomes. 2006 , 2, e100		435
1212	Protein-protein interactions more conserved within species than across species. 2006 , 2, e79		85
1211	Bacterial postgenomics: the promise and peril of systems biology. 2006 , 188, 7999-8004		3
1210	Protein function, connectivity, and duplicability in yeast. 2006 , 23, 30-9		69
1209	Probing genuine strong interactions and post-translational modifications in the heterogeneous yeast exosome protein complex. 2006 , 5, 1581-92		51
1208	Toward the structural genomics of complexes: crystal structure of a PE/PPE protein complex from <i>Mycobacterium tuberculosis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 8060-5	11.5	602
1207	The network of protein-protein interactions within the human U4/U6.U5 tri-snRNP. 2006 , 12, 1418-30		138
1206	Analyses of SUM1-1-mediated long-range repression. 2006 , 172, 99-112		9
1205	Genetic analysis of <i>Saccharomyces cerevisiae</i> H2A serine 129 mutant suggests a functional relationship between H2A and the sister-chromatid cohesion partners Csm3-Tof1 for the repair of topoisomerase I-induced DNA damage. 2006 , 172, 67-76		33
1204	Identification of VCP/p97, carboxyl terminus of Hsp70-interacting protein (CHIP), and amphiphysin II interaction partners using membrane-based human proteome arrays. 2006 , 5, 234-44		41
1203	The phosphatidylinositol 4,5-biphosphate and TORC2 binding proteins Slm1 and Slm2 function in sphingolipid regulation. 2006 , 26, 5861-75		105
1202	Cortical recruitment and nuclear-cytoplasmic shuttling of Scd5p, a protein phosphatase-1-targeting protein involved in actin organization and endocytosis. 2006 , 17, 251-62		14
1201	Towards an understanding of kinesin-1 dependent transport pathways through the study of protein-protein interactions. 2006 , 5, 74-86		29
1200	Oxidative stress-activated zinc cluster protein Stb5 has dual activator/repressor functions required for pentose phosphate pathway regulation and NADPH production. 2006 , 26, 6690-701		95

1199	Detecting functional modules in the yeast protein-protein interaction network. <i>Bioinformatics</i> , 2006 , 22, 2283-90	7.2	294
1198	The STE20/germinal center kinase POD6 interacts with the NDR kinase COT1 and is involved in polar tip extension in <i>Neurospora crassa</i> . 2006 , 17, 4080-92		60
1197	Characterization and prediction of protein-protein interactions within and between complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 14718-23	11.5	72
1196	Stepwise RNP assembly at the site of H/ACA RNA transcription in human cells. 2006 , 173, 207-18		136
1195	Systems biology. When proteomes collide. 2006 , 311, 187-8		11
1194	Characterization of the yeast amphiphysins Rvs161p and Rvs167p reveals roles for the Rvs heterodimer in vivo. 2006 , 17, 1306-21		46
1193	Tipin and Timeless form a mutually protective complex required for genotoxic stress resistance and checkpoint function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 18143-7	11.5	124
1192	A high efficiency strategy for binding property characterization of peptide-binding domains. 2006 , 5, 1368-81		29
1191	The Shwachman-Bodian-Diamond syndrome gene encodes an RNA-binding protein that localizes to the pseudopod of <i>Dictyostelium amoebae</i> during chemotaxis. 2006 , 119, 370-9		47
1190	PRODISTIN Web Site: a tool for the functional classification of proteins from interaction networks. <i>Bioinformatics</i> , 2006 , 22, 248-50	7.2	18
1189	Predicting the strongest domain-domain contact in interacting protein pairs. 2006 , 5, Article5		5
1188	Power Laws, Scale-Free Networks and Genome Biology. 2006 ,		22
1187	Power Laws in Biological Networks. 2006 , 1-11		6
1186	Transactions on Computational Systems Biology VI. 2006 ,		2
1185	Control of Bro1-domain protein Rim20 localization by external pH, ESCRT machinery, and the <i>Saccharomyces cerevisiae</i> Rim101 pathway. 2006 , 17, 1344-53		72
1184	Long-range cooperative binding effects in a T cell receptor variable domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 9867-72	11.5	58
1183	Yeast ntr1/spp382 mediates prp43 function in postspliosomes. 2006 , 26, 6016-23		51
1182	Ccr4 contributes to tolerance of replication stress through control of CRT1 mRNA poly(A) tail length. 2006 , 119, 5178-92		53

1181	Correlated asymmetry of sequence and functional divergence between duplicate proteins of <i>Saccharomyces cerevisiae</i> . 2006 , 23, 1068-75	59
1180	A conserved late endosome-targeting signal required for Doa4 deubiquitylating enzyme function. 2006 , 175, 825-35	37
1179	The CLIP-170 homologue Bik1p promotes the phosphorylation and asymmetric localization of Kar9p. 2006 , 17, 178-91	45
1178	Differential distribution of exosome subunits at the nuclear lamina and in cytoplasmic foci. 2006 , 17, 1399-409	64
1177	The Gcs1 Arf-GAP mediates Snc1,2 v-SNARE retrieval to the Golgi in yeast. 2006 , 17, 1845-58	68
1176	Network motif identification in stochastic networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 9404-9	11.5 34
1175	The vtc4 gene influences polyphosphate storage, morphogenesis, and virulence in the maize pathogen <i>Ustilago maydis</i> . 2006 , 5, 1399-409	28
1174	An HMG protein, Hmo1, associates with promoters of many ribosomal protein genes and throughout the rRNA gene locus in <i>Saccharomyces cerevisiae</i> . 2006 , 26, 3672-9	108
1173	MPact: the MIPS protein interaction resource on yeast. 2006 , 34, D436-41	280
1172	BioGRID: a general repository for interaction datasets. 2006 , 34, D535-9	2638
1171	Predicting disease genes using protein-protein interactions. 2006 , 43, 691-8	393
1170	DILIMOT: discovery of linear motifs in proteins. 2006 , 34, W350-5	98
1169	Towards an integrated protein-protein interaction network: a relational Markov network approach. 2006 , 13, 145-64	33
1168	Pairwise alignment of protein interaction networks. 2006 , 13, 182-99	191
1167	Connectivity and expression in protein networks: proteins in a complex are uniformly expressed. 2006 , 73, 031909	11
1166	Degree landscapes in scale-free networks. 2006 , 74, 036119	6
1165	Protein Microarrays. 2006 ,	
1164	Relative quantitation of protein-protein interaction strength within the yeast two-hybrid system via fluorescence beta-galactosidase activity detection in a high-throughput and low-cost manner. 2006 , 4, 709-19	8

1163	Small open reading frames: not so small anymore. 2006 , 16, 314-5		7
1162	Ltv1 is required for efficient nuclear export of the ribosomal small subunit in <i>Saccharomyces cerevisiae</i> . 2006 , 174, 679-91		63
1161	A gene-targeting approach for functional characterization of KIAA genes encoding extremely large proteins. 2006 , 20, 1718-20		23
1160	Inhibition of a spliceosome turnover pathway suppresses splicing defects. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 13700-5	11.5	52
1159	Mdm2-mediated NEDD8 modification of TAp73 regulates its transactivation function. 2006 , 281, 34096-103		86
1158	The zinc finger protein Ynr046w is plurifunctional and a component of the eRF1 methyltransferase in yeast. 2006 , 281, 36140-8		47
1157	SCOPPI: a structural classification of protein-protein interfaces. 2006 , 34, D310-4		130
1156	COMMUNITY FINDING IN COMPLEX NETWORKS. 2006 , 17, 1055-1066		3
1155	The tYNA platform for comparative interactomics: a web tool for managing, comparing and mining multiple networks. <i>Bioinformatics</i> , 2006 , 22, 2968-70	7.2	61
1154	Advances in Information Systems. 2006 ,		
1153	Large-scale identification of protein-protein interaction of <i>Escherichia coli</i> K-12. 2006 , 16, 686-91		320
1152	A lock-and-key model for protein-protein interactions. <i>Bioinformatics</i> , 2006 , 22, 2012-9	7.2	72
1151	The splicing factor Prp43p, a DEAH box ATPase, functions in ribosome biogenesis. 2006 , 26, 513-22		86
1150	Cotranscriptional recognition of human intronic box H/ACA snoRNAs occurs in a splicing-independent manner. 2006 , 26, 2540-9		60
1149	Inhibition of homologous recombination by a cohesin-associated clamp complex recruited to the rDNA recombination enhancer. 2006 , 20, 2887-901		129
1148	A large-scale full-length cDNA analysis to explore the budding yeast transcriptome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 17846-51	11.5	198
1147	A molecular-properties-based approach to understanding PDZ domain proteins and PDZ ligands. 2006 , 16, 1056-72		37
1146	Protein arrays: a versatile toolbox for target identification and monitoring of patient immune responses. 2007 , 360, 335-48		16

1145	Functional genomics of wine yeast <i>Saccharomyces cerevisiae</i> . 2007 , 53, 65-121		25
1144	A comprehensive analysis of the 14-3-3 interactome in barley leaves using a complementary proteomics and two-hybrid approach. 2007 , 143, 670-83		81
1143	Pairwise Global Alignment of Protein Interaction Networks by Matching Neighborhood Topology. 2007 , 16-31		145
1142	Split-ubiquitin system for identifying protein-protein interactions in membrane and full-length proteins. 2007 , Chapter 5, Unit 5.27		47
1141	Estimating the Reliability of Protein-Protein Interactions. 2007 ,		
1140	Yeast two-hybrid interaction partner screening through in vivo Cre-mediated Binary Interaction Tag generation. 2007 , 35, e141		15
1139	Automated data integration for developmental biological research. 2007 , 134, 3227-38		6
1138	The alternative pathway of glutathione degradation is mediated by a novel protein complex involving three new genes in <i>Saccharomyces cerevisiae</i> . 2007 , 175, 1137-51		58
1137	Tipin is required for stalled replication forks to resume DNA replication after removal of aphidicolin in <i>Xenopus</i> egg extracts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 14929-34	11.5	80
1136	Two zinc-cluster transcription factors control induction of alternative oxidase in <i>Neurospora crassa</i> . 2007 , 177, 1997-2006		18
1135	Approaching a complete repository of sequence-verified protein-encoding clones for <i>Saccharomyces cerevisiae</i> . 2007 , 17, 536-43		86
1134	AtPID: <i>Arabidopsis thaliana</i> protein interactome database--an integrative platform for plant systems biology. 2008 , 36, D999-1008		105
1133	A multivariate extension of the gene set enrichment analysis. 2007 , 5, 1139-53		34
1132	ATG genes involved in non-selective autophagy are conserved from yeast to man, but the selective Cvt and pexophagy pathways also require organism-specific genes. 2007 , 3, 106-16		223
1131	Function prediction of uncharacterized proteins. 2007 , 5, 1-30		70
1130	Computationally derived points of fragility of a human cascade are consistent with current therapeutic strategies. 2007 , 3, e142		84
1129	Empirical multiscale networks of cellular regulation. 2007 , 3, 1968-78		6
1128	Mutation of a ubiquitously expressed mouse transmembrane protein (Tapt1) causes specific skeletal homeotic transformations. 2007 , 175, 699-707		24

1127	Yeast genomics and drug target identification. 2007 , 10, 618-34		23
1126	Where have all the interactions gone? Estimating the coverage of two-hybrid protein interaction maps. 2007 , 3, e214		116
1125	Association analysis-based transformations for protein interaction networks. 2007 ,		13
1124	Structure-based evaluation of in silico predictions of protein-protein interactions using Comparative Docking. <i>Bioinformatics</i> , 2007 , 23, 573-81	7.2	14
1123	CGI: a new approach for prioritizing genes by combining gene expression and protein-protein interaction data. <i>Bioinformatics</i> , 2007 , 23, 215-21	7.2	87
1122	Deciphering protein-protein interactions. Part I. Experimental techniques and databases. 2007 , 3, e42		255
1121	In search of the biological significance of modular structures in protein networks. 2007 , 3, e107		84
1120	Huntingtin interacting proteins are genetic modifiers of neurodegeneration. 2007 , 3, e82		304
1119	3D-partner: a web server to infer interacting partners and binding models. 2007 , 35, W561-7		37
1118	Nap1: taking a closer look at a juggler protein of extraordinary skills. 2007 , 21, 1294-310		97
1117	Movement of endosymbiotic organelles. 2007 , 8, 426-38		10
1116	Confirmation of organized modularity in the yeast interactome. 2007 , 5, e153		78
1115	Specificity and evolvability in eukaryotic protein interaction networks. 2007 , 3, e25		97
1114	Novel roles for selected genes in meiotic DNA processing. 2007 , 3, e222		29
1113	Detection of Protein-Protein Interactions Using Protein-Fragment Complementation Assays (PCA). 2007 , 4, 17-27		7
1112	Mass Spectrometry-Based Approaches for Structural Studies on Protein Complexes at Low-Resolution. 2007 , 4, 1-16		9
1111	Modularization of Protein Interaction Networks by Incorporating Gene Ontology Annotations. 2007 ,		
1110	Calpain as a novel regulator of autophagosome formation. 2007 , 3, 235-7		33

1109	APID2NET: unified interactome graphic analyzer. <i>Bioinformatics</i> , 2007 , 23, 2495-7	7.2	64
1108	Analysing microarray data in drug discovery using systems biology. 2007 , 2, 755-68		15
1107	Systems Biology. 2007 ,		4
1106	Detecting Regulator-Target Gene Pairs from Expression Profile of Microarray. 2007 ,		
1105	Quantitative model for binary measurements of protein-protein interactions. 2007 , 14, 1011-23		
1104	6 Yeast Hybrid Approaches. 2007 , 103-137		3
1103	Multilevel approaches for large-scale proteomic networks. 2007 , 84, 683-695		6
1102	Identifying Functional Groups by Finding Cliques and Near-Cliques in Protein Interaction Networks. 2007 ,		2
1101	Inferring Strengths of Protein-Protein Interaction Using Artificial Neural Network. 2007 ,		1
1100	A large-scale protein protein interaction analysis in <i>Synechocystis</i> sp. PCC6803. 2007 , 14, 207-16		149
1099	Regulation of gluconeogenesis in <i>Saccharomyces cerevisiae</i> is mediated by activator and repressor functions of Rds2. 2007 , 27, 7895-905		47
1098	Rot1 plays an antagonistic role to Clb2 in actin cytoskeleton dynamics throughout the cell cycle. 2007 , 120, 2390-401		9
1097	Further characterization of the signaling proteolysis step in the <i>Aspergillus nidulans</i> pH signal transduction pathway. 2007 , 6, 960-70		54
1096	Using product kernels to predict protein interactions. 2008 , 110, 215-45		1
1095	Temporal patterns of genes in scientific publications. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 12052-6	11.5	37
1094	An Arabidopsis gene network based on the graphical Gaussian model. 2007 , 17, 1614-25		194
1093	Current progress in network research: toward reference networks for key model organisms. 2007 , 8, 318-32		39
1092	Phosphorylation of Slx4 by Mec1 and Tel1 regulates the single-strand annealing mode of DNA repair in budding yeast. 2007 , 27, 6433-45		82

1091	A novel approach for generating full-length, high coverage allele libraries for the analysis of protein interactions. 2007 , 6, 514-26		11
1090	Toward a comprehensive atlas of the physical interactome of <i>Saccharomyces cerevisiae</i> . 2007 , 6, 439-50		610
1089	MPS3 mediates meiotic bouquet formation in <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 8863-8	11.5	119
1088	Supervised reconstruction of biological networks with local models. <i>Bioinformatics</i> , 2007 , 23, i57-65	7.2	70
1087	The yeast PH domain proteins Slm1 and Slm2 are targets of sphingolipid signaling during the response to heat stress. 2007 , 27, 633-50		70
1086	Establishment of the ambient pH signaling complex in <i>Aspergillus nidulans</i> : Pal assists plasma membrane localization of PalH. 2007 , 6, 2365-75		81
1085	A dynamic scaffold of pre-snoRNP factors facilitates human box C/D snoRNP assembly. 2007 , 27, 6782-93		77
1084	Plant Proteomics. 2007 ,		6
1083	Comparison of human protein-protein interaction maps. <i>Bioinformatics</i> , 2007 , 23, 605-11	7.2	75
1082	An interaction between two RNA binding proteins, Nab2 and Pub1, links mRNA processing/export and mRNA stability. 2007 , 27, 6569-79		18
1081	Examining protein protein interactions using endogenously tagged yeast arrays: the cross-and-capture system. 2007 , 17, 1774-82		19
1080	MicroRNA regulation of human protein protein interaction network. 2007 , 13, 1402-8		134
1079	1 Introduction to Functional Analysis in Yeast. 2007 , 36, 1-21		1
1078	24 Bioinformatic Prediction of Yeast Gene Function. 2007 , 597-628		3
1077	g:Profiler—a web-based toolset for functional profiling of gene lists from large-scale experiments. 2007 , 35, W193-200		751
1076	TFIIS elongation factor and Mediator act in conjunction during transcription initiation in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 16062-7	11.5	57
1075	A protein interaction map of the mitotic spindle. 2007 , 18, 3800-9		81
1074	Protein interactions from complexes: a structural perspective. 2007 , 2007, 49356		12

1073	Robust protein protein interactions in crowded cellular environments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 14952-7	11.5	60
1072	Ubiquitin-dependent proteolytic control of SUMO conjugates. 2007 , 282, 34167-75		242
1071	Hse1, a component of the yeast Hrs-STAM ubiquitin-sorting complex, associates with ubiquitin peptidases and a ligase to control sorting efficiency into multivesicular bodies. 2007 , 18, 324-35		59
1070	Identification of conserved protein complexes based on a model of protein network evolution. <i>Bioinformatics</i> , 2007 , 23, e170-6	7.2	72
1069	Structural templates predict novel protein interactions and targets from pancreas tumour gene expression data. <i>Bioinformatics</i> , 2007 , 23, i115-24	7.2	16
1068	Ubiquitination screen using protein microarrays for comprehensive identification of Rsp5 substrates in yeast. 2007 , 3, 116		126
1067	A multidimensional analysis of genes mutated in breast and colorectal cancers. 2007 , 17, 1304-18		106
1066	Modeling Cell Signaling Networks. 829-860		
1065	14 Yeast Protein Microarrays. 2007 , 36, 303-705		1
1064	7 Array-Based Yeast Two-Hybrid Screening for ProteinProtein Interactions. 2007 , 36, 139-701		3
1063	SGT2 and MDY2 interact with molecular chaperone YDJ1 in <i>Saccharomyces cerevisiae</i> . 2007 , 12, 59-70		37
1062	Analyzing Protein Interaction Networks. 1121-1177		4
1061	USING INDIRECT PROTEIN-PROTEIN INTERACTIONS FOR PROTEIN COMPLEX PREDICTION. 2007 ,		14
1060	Computational Approaches to Predict ProteinProtein and DomainDomain Interactions. 2007 , 465-491		1
1059	Nonlinear Dynamic Trans/Cis Regulatory Circuit for Gene Transcription via Microarray Data. 2007 , 1, 117762500700100		
1058	Flexible web-based integration of distributed large-scale human protein interaction maps. 2007 , 4, 40-50		2
1057	Prediction of protein-protein interactions using one-class classification methods and integrating diverse biological data. 2007 , 4, 208-223		6
1056	Graph Theoretical Approaches to Delineate Dynamics of Biological Processes. 2007 , 29-54		

1055	Avl9p, a member of a novel protein superfamily, functions in the late secretory pathway. 2007 , 18, 1203-19	36
1054	Motifs and Modules in Fractured Functional Yeast Networks. 2007 ,	3
1053	Evolution at the system level: the natural history of protein interaction networks. 2007 , 22, 366-73	39
1052	Yeast acyl-CoA synthetases at the crossroads of fatty acid metabolism and regulation. 2007 , 1771, 286-98	146
1051	Synthesis and function of membrane phosphoinositides in budding yeast, <i>Saccharomyces cerevisiae</i> . 2007 , 1771, 353-404	209
1050	The telomere bouquet controls the meiotic spindle. 2007 , 130, 113-26	85
1049	Analysis of the <i>Saccharomyces cerevisiae</i> exosome architecture and of the RNA binding activity of Rrp40p. 2007 , 89, 686-91	9
1048	Getting connected: analysis and principles of biological networks. 2007 , 21, 1010-24	380
1047	Ligand-regulated peptide aptamers that inhibit the 5'-AMP-activated protein kinase. 2007 , 365, 945-57	8
1046	Mammalian TIMELESS and Tipin are evolutionarily conserved replication fork-associated factors. 2007 , 366, 36-52	113
1045	The box H/ACA RNP assembly factor Naf1p contains a domain homologous to Gar1p mediating its interaction with Cbf5p. 2007 , 371, 1338-53	34
1044	Modeling for evolving biological networks with scale-free connectivity, hierarchical modularity, and disassortativity. 2007 , 208, 454-68	16
1043	YRA1 autoregulation requires nuclear export and cytoplasmic Edc3p-mediated degradation of its pre-mRNA. 2007 , 25, 559-73	72
1042	P bodies and the control of mRNA translation and degradation. 2007 , 25, 635-46	988
1041	Mapping protein-protein interactions for the yeast ABC transporter Ycf1p by integrated split-ubiquitin membrane yeast two-hybrid analysis. 2007 , 26, 15-25	87
1040	Purification of a plant mediator from <i>Arabidopsis thaliana</i> identifies PFT1 as the Med25 subunit. 2007 , 26, 717-29	217
1039	The hard cell: from proteomics to a whole cell model. 2007 , 581, 2870-6	14
1038	Analysis of protein-protein interactions in mitochondria. 2007 , 80, 743-59	2

1037	Biological impacts and context of network theory. 2007 , 210, 1548-58	98
1036	Protein Interactions. 2007 ,	5
1035	Experimental and computational procedures for the assessment of protein complexes on a genome-wide scale. 2007 , 107, 3585-600	15
1034	Proteome Research. 2007 ,	10
1033	A new computational approach to analyze human protein complexes and predict novel protein interactions. 2007 , 8, R256	8
1032	Making the most of high-throughput protein-interaction data. 2007 , 8, 112	36
1031	All duplicates are not equal: the difference between small-scale and genome duplication. 2007 , 8, R209	123
1030	Exploration of the omics evidence landscape: adding qualitative labels to predicted protein-protein interactions. 2007 , 8, R197	3
1029	Coverage and error models of protein-protein interaction data by directed graph analysis. 2007 , 8, R186	32
1028	InSite: a computational method for identifying protein-protein interaction binding sites on a proteome-wide scale. 2007 , 8, R192	45
1027	Network motif analysis of a multi-mode genetic-interaction network. 2007 , 8, R160	10
1026	FlyMine: an integrated database for Drosophila and Anopheles genomics. 2007 , 8, R129	260
1025	A proteome-wide protein interaction map for Campylobacter jejuni. 2007 , 8, R130	185
1024	Modular organization in the reductive evolution of protein-protein interaction networks. 2007 , 8, R94	26
1023	Gene function analysis. Preface. 2007 , 408, vii-ix	2
1022	Fundamentals of Data Mining in Genomics and Proteomics. 2007 ,	69
1021	Networks in Cell Biology. 2007 , 203-226	
1020	Computational prediction of host-pathogen protein-protein interactions. <i>Bioinformatics</i> , 2007 , 23, i159-662	126

1019	UniHI: an entry gate to the human protein interactome. 2007 , 35, D590-4		92
1018	The protein network as a tool for finding novel drug targets. 2007 , 64, 191, 193-215		10
1017	Prediction of protein interactions by combining genetic algorithm with SVM method. 2007 ,		4
1016	Information flow in interaction networks. 2007 , 14, 1115-43		35
1015	Optimal flux patterns in cellular metabolic networks. 2007 , 17, 026107		11
1014	Predicting Protein-Protein Interaction Based on Fisher Scores Extracted from Domain Profiles. 2007 ,		1
1013	Reverse interactomics: decoding protein-protein interactions with combinatorial peptide libraries. 2007 , 3, 536-41		12
1012	Toward a Realistic Model for Gene Network Evolution. 2007 ,		
1011	Predicting protein-protein interactions from protein domains using a set cover approach. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2007 , 4, 78-87	3	40
1010	Novel octavalent cross-linker displays efficient trapping of protein-protein interactions. 2007 , 2512-4		1
1009	Bi-grappin: bipartite graph based protein-protein interaction network similarity search. 2007 ,		4
1008	SIGN: reliable protein interaction identification by integrating the Similarity In GO and the similarity in protein interaction Networks. 2007 ,		3
1007	Optimizing Flow-based Modularization by Iterative Centroid Search in Protein Interaction Networks. 2007 ,		3
1006	Assessing Reliability of Protein-Protein Interactions by Semantic Data Integration. 2007 ,		
1005	Bioinformatics Research and Development. 2007 ,		3
1004	Practical applications of bacterial functional genomics. 2007 , 24, 213-42		5
1003	Protein interactions and disease: computational approaches to uncover the etiology of diseases. 2007 , 8, 333-46		156
1002	Statistically inferring protein-protein associations with affinity isolation LC-MS/MS assays. 2007 , 6, 3788-95		10

1001	Can Small Laboratories Do Structural Genomics?. 2007 , 7, 2226-2238			10
1000	Research in Computational Molecular Biology. 2007 ,			1
999	Redox stress proteins are involved in adaptation response of the hyperthermoacidophilic archaeon <i>Sulfolobus solfataricus</i> to nickel challenge. 2007 , 6, 25			8
998	Modeling the two-hybrid detector: experimental bias on protein interaction networks. 2007 , 93, 2562-6			6
997	Proteomic analysis of in vivo 14-3-3 interactions in the yeast <i>Saccharomyces cerevisiae</i> . 2007 , 46, 7781-92			64
996	The Plant Mitochondrial Proteome. 2007 , 226-246			1
995	Clustering Methods in a Protein-Protein Interaction Network. 319-355			10
994	The role of mass spectrometry in structure elucidation of dynamic protein complexes. 2007 , 76, 167-93			320
993	Direct selection on genetic robustness revealed in the yeast transcriptome. <i>PLoS ONE</i> , 2007 , 2, e911	3.7		18
992	An improved, bias-reduced probabilistic functional gene network of baker's yeast, <i>Saccharomyces cerevisiae</i> . <i>PLoS ONE</i> , 2007 , 2, e988	3.7		152
991	Systems Level Modeling of the Cell Cycle Using Budding Yeast. 2007 , 3, 117693510700300			4
990	Genes2Networks: Connecting Lists of Proteins by Using Background Literature-based Mammalian Networks. 2007 ,			
989	Genes2Networks: Connecting Lists of Proteins by Using Background Literature-based Mammalian Networks. 2007 ,			
988	. 2007 ,			5
987	Chapter Three. Stochastic Models of Gene Networks. 2007 , 77-159			
986	Chapter Two. Deterministic Models of Gene Networks. 2007 , 23-76			
985	Assessing Network Structure in the Presence of Measurement Error. 419-441			
984	A combinatorial approach to studying protein complex composition by employing size-exclusion chromatography and proteome analysis. 2007 , 30, 1549-55			6

983	Annotating the human proteome: beyond establishing a parts list. 2007 , 1774, 175-91	26
982	Alternative routes and mutational robustness in complex regulatory networks. 2007 , 88, 163-72	40
981	Prevacuolar compartment morphology in vps mutants of <i>Saccharomyces cerevisiae</i> . 2007 , 31, 1237-44	4
980	Protein-protein interactions and disease: use of <i>S. cerevisiae</i> as a model system. 2007 , 1774, 838-47	9
979	Large-scale inference and graph-theoretical analysis of gene-regulatory networks in <i>B. Subtilis</i> . 2007 , 373, 796-810	15
978	Properties of asymmetrical evolving networks. 2007 , 376, 719-724	5
977	Properties of transportation dynamics on scale-free networks. 2007 , 373, 837-844	18
976	Affinity chromatography: a useful tool in proteomics studies. 2007 , 849, 81-90	55
975	An integrative in silico approach for discovering candidates for drug-targetable protein-protein interactions in interactome data. 2007 , 7, 10	16
974	Role of Gts1p in regulation of energy-metabolism oscillation in continuous cultures of the yeast <i>Saccharomyces cerevisiae</i> . 2007 , 24, 161-70	11
973	A systems biology perspective of wine fermentations. 2007 , 24, 977-91	65
972	Predicting protein domain interactions from coevolution of conserved regions. 2007 , 67, 811-20	34
971	Nine steps to proteomic wisdom: A practical guide to using protein-protein interaction networks and molecular pathways as a framework for interpreting disease proteomic profiles. 2007 , 1, 1156-68	5
970	WI-PHI: a weighted yeast interactome enriched for direct physical interactions. 2007 , 7, 932-43	72
969	Is the intrinsic disorder of proteins the cause of the scale-free architecture of protein-protein interaction networks?. 2007 , 7, 961-4	17
968	Identifying functional modules in the physical interactome of <i>Saccharomyces cerevisiae</i> . 2007 , 7, 944-60	112
967	Computational analysis of human protein interaction networks. 2007 , 7, 2541-52	57
966	Proteomic analysis of protein complexes. 2007 , 7, 2688-97	22

965	Methods for the detection and analysis of protein-protein interactions. 2007 , 7, 2833-42	421
964	SPINE: a method for the rapid detection and analysis of protein-protein interactions in vivo. 2007 , 7, 4032-5	67
963	A human phenome-interactome network of protein complexes implicated in genetic disorders. 2007 , 25, 309-16	761
962	Systematic pathway analysis using high-resolution fitness profiling of combinatorial gene deletions. 2007 , 39, 199-206	254
961	Mass spectrometry-based functional proteomics: from molecular machines to protein networks. 2007 , 4, 807-15	193
960	Identifying specificity profiles for peptide recognition modules from phage-displayed peptide libraries. 2007 , 2, 1368-86	138
959	Universal strategies in research and drug discovery based on protein-fragment complementation assays. 2007 , 6, 569-82	258
958	Exploring genetic interactions and networks with yeast. 2007 , 8, 437-49	449
957	Integrating physical and genetic maps: from genomes to interaction networks. 2007 , 8, 699-710	166
956	Analysis of protein complexes using mass spectrometry. 2007 , 8, 645-54	553
955	Cex1p is a novel cytoplasmic component of the <i>Saccharomyces cerevisiae</i> nuclear tRNA export machinery. 2007 , 26, 288-300	39
954	Coa1 links the Mss51 post-translational function to Cox1 cofactor insertion in cytochrome c oxidase assembly. 2007 , 26, 4335-46	113
953	PalC, one of two Bro1 domain proteins in the fungal pH signalling pathway, localizes to cortical structures and binds Vps32. 2007 , 8, 1346-64	59
952	Mutations in the nucleolar proteins Tma23 and Nop6 suppress the malfunction of the Nep1 protein. <i>FEMS Yeast Research</i> , 2007 , 7, 771-81	3.1 12
951	Glucose controls multiple processes in <i>Saccharomyces cerevisiae</i> through diverse combinations of signaling pathways. <i>FEMS Yeast Research</i> , 2007 , 7, 808-18	3.1 18
950	Vps4 regulates a subset of protein interactions at the multivesicular endosome. 2007 , 274, 1894-907	22
949	Differential susceptibility of <i>Plasmodium falciparum</i> versus yeast and mammalian enolases to dissociation into active monomers. 2007 , 274, 1932-45	13
948	Bayesian methods for predicting interacting protein pairs using domain information. 2007 , 63, 824-33	19

947	A protein interaction atlas for the nuclear receptors: properties and quality of a hub-based dimerisation network. 2007 , 1, 34		25
946	Reconstruction of human protein interolog network using evolutionary conserved network. <i>BMC Bioinformatics</i> , 2007 , 8, 152	3.6	27
945	Discovering functional linkages and uncharacterized cellular pathways using phylogenetic profile comparisons: a comprehensive assessment. <i>BMC Bioinformatics</i> , 2007 , 8, 173	3.6	66
944	A domain-based approach to predict protein-protein interactions. <i>BMC Bioinformatics</i> , 2007 , 8, 199	3.6	52
943	Probabilistic prediction and ranking of human protein-protein interactions. <i>BMC Bioinformatics</i> , 2007 , 8, 239	3.6	97
942	Reuse of structural domain-domain interactions in protein networks. <i>BMC Bioinformatics</i> , 2007 , 8, 259	3.6	40
941	Semantic integration to identify overlapping functional modules in protein interaction networks. <i>BMC Bioinformatics</i> , 2007 , 8, 265	3.6	110
940	Influence of degree correlations on network structure and stability in protein-protein interaction networks. <i>BMC Bioinformatics</i> , 2007 , 8, 297	3.6	27
939	PathFinder: mining signal transduction pathway segments from protein-protein interaction networks. <i>BMC Bioinformatics</i> , 2007 , 8, 335	3.6	85
938	Genes2Networks: connecting lists of gene symbols using mammalian protein interactions databases. <i>BMC Bioinformatics</i> , 2007 , 8, 372	3.6	114
937	Analysis on multi-domain cooperation for predicting protein-protein interactions. <i>BMC Bioinformatics</i> , 2007 , 8, 391	3.6	29
936	Growing functional modules from a seed protein via integration of protein interaction and gene expression data. <i>BMC Bioinformatics</i> , 2007 , 8, 408	3.6	64
935	Identifying protein complexes directly from high-throughput TAP data with Markov random fields. <i>BMC Bioinformatics</i> , 2007 , 8, 482	3.6	11
934	PARPs database: a LIMS systems for protein-protein interaction data mining or laboratory information management system. <i>BMC Bioinformatics</i> , 2007 , 8, 483	3.6	16
933	Phylogenetic tree information aids supervised learning for predicting protein-protein interaction based on distance matrices. <i>BMC Bioinformatics</i> , 2007 , 8, 6	3.6	42
932	A mixture of feature experts approach for protein-protein interaction prediction. <i>BMC Bioinformatics</i> , 2007 , 8 Suppl 10, S6	3.6	39
931	Comparison of protein coding gene contents of the fungal phyla Pezizomycotina and Saccharomycotina. 2007 , 8, 325		38
930	A DIGE-based approach to study interacting proteins. 2007 , 70, 693-5		4

929	The Bre5/Ubp3 ubiquitin protease complex from budding yeast contributes to the cellular response to DNA damage. 2007 , 6, 1471-84	24
928	Human protein-protein interaction networks and the value for drug discovery. 2007 , 12, 709-16	85
927	Large-scale regulatory network analysis from microarray data: modified Bayesian network learning and association rule mining. 2007 , 43, 1207-1225	35
926	Measles virus V protein blocks Jak1-mediated phosphorylation of STAT1 to escape IFN-alpha/beta signaling. 2007 , 368, 351-62	103
925	The arginine methyltransferase Rmt2 is enriched in the nucleus and co-purifies with the nuclear porins Nup49, Nup57 and Nup100. 2007 , 313, 1778-89	6
924	Structures in systems biology. 2007 , 17, 378-84	53
923	Functional linkages can reveal protein complexes for structure determination. 2007 , 15, 1079-89	2
922	A key role for the GINS complex at DNA replication forks. 2007 , 17, 271-8	107
921	Yeast systems biology: modelling the winemaker's art. 2007 , 25, 349-55	26
920	Advances in fungal proteomics. 2007 , 162, 193-200	42
919	Improving protein protein interaction prediction based on phylogenetic information using a least-squares support vector machine. 2007 , 1115, 154-67	8
918	19 Analysis of Gene Function of Mitochondria. 2007 , 36, 445-489	
917	Escherichia coli minimum genome factory. 2007 , 46, 157-67	77
916	Comparing classical pathways and modern networks: towards the development of an edge ontology. 2007 , 32, 320-31	49
915	Arabidopsis CBF5 interacts with the H/ACA snoRNP assembly factor NAF1. 2007 , 65, 615-26	16
914	Meiotic roles of Mec1, a budding yeast homolog of mammalian ATR/ATM. 2007 , 15, 539-50	32
913	The transcription factor Gcr1 stimulates cell growth by participating in nutrient-responsive gene expression on a global level. 2007 , 277, 171-88	21
912	Coiled coil structures and transcription: an analysis of the <i>S. cerevisiae</i> coilome. 2007 , 278, 135-47	10

911	Comparing the biological coherence of network clusters identified by different detection algorithms. 2007 , 52, 2938-2944	5
910	Approaches for systematic proteome exploration. 2007 , 24, 155-68	22
909	Protein-protein interactions: from global to local analyses. 2008 , 19, 396-403	28
908	The emerging CK2 interactome: insights into the regulation and functions of CK2. 2008 , 316, 5-14	23
907	Characterization of MYR1, a dosage suppressor of YPT6 and RIC1 deficient mutants. 2008 , 53, 235-47	5
906	Discovering implicit protein-protein interactions in the cell cycle using bioinformatics approaches. 2008 , 15, 317-31	1
905	Genome wide expression analysis of the CCR4-NOT complex indicates that it consists of three modules with the NOT module controlling SAGA-responsive genes. 2008 , 279, 323-37	43
904	Functional genomics of monensin sensitivity in yeast: implications for post-Golgi traffic and vacuolar H ⁺ -ATPase function. 2008 , 280, 233-48	16
903	Identification of cellular pathways affected by Sortin2, a synthetic compound that affects protein targeting to the vacuole in <i>Saccharomyces cerevisiae</i> . 2008 , 8, 1	17
902	The FF domains of yeast U1 snRNP protein Prp40 mediate interactions with Luc7 and Snu71. 2008 , 9, 29	27
901	Subunit-subunit interactions in the human 26S proteasome. 2008 , 8, 508-20	27
900	Protein networking: insights into global functional organization of proteomes. 2008 , 8, 799-816	62
899	Proteomics and phosphoproteomics for the mapping of cellular signalling networks. 2008 , 8, 4402-15	33
898	Quantitative assessment of the structural bias in protein-protein interaction assays. 2008 , 8, 4657-67	21
897	Quantitative proteomics and phosphoproteomics reveal novel insights into complexity and dynamics of the EGFR signaling network. 2008 , 8, 4383-401	86
896	A novel stepwise analysis procedure of genome-wide expression profiles identifies transcript signatures of thiamine genes as classifiers of mitochondrial mutants. 2008 , 25, 129-40	1
895	Crystal structure and functional analysis identify the P-loop containing protein YFH7 of <i>Saccharomyces cerevisiae</i> as an ATP-dependent kinase. 2008 , 71, 804-12	0
894	A yEGFP-based reporter system for high-throughput yeast two-hybrid assay by flow cytometry. 2008 , 73, 312-20	18

893	A computational analysis of protein interactions in metabolic networks reveals novel enzyme pairs potentially involved in metabolic channeling. 2008 , 252, 456-64	24
892	Relationship between degree-rank function and degree distribution of protein-protein interaction networks. 2008 , 32, 1-4	5
891	Two-hybrid technologies in proteomics research. 2008 , 19, 316-23	107
890	Toward chromatographic analysis of interacting protein networks. 2008 , 1178, 24-32	52
889	A weighted network evolution with traffic flow. 2008 , 387, 6177-6182	14
888	Chemical-genetic approaches for exploring the mode of action of natural products. 2008 , 66, 237, 239-71	17
887	Identification of transient hub proteins and the possible structural basis for their multiple interactions. 2008 , 17, 72-8	55
886	Advanced technologies for studies on protein interactomes. 2008 , 110, 1-24	19
885	Dynactin function in mitotic spindle positioning. 2008 , 9, 510-27	61
884	Construction of a chloroplast protein interaction network and functional mining of photosynthetic proteins in <i>Arabidopsis thaliana</i> . 2008 , 18, 1007-19	36
883	Hierarchical structure and the prediction of missing links in networks. 2008 , 453, 98-101	1294
882	Ubiquitin docking at the proteasome through a novel pleckstrin-homology domain interaction. 2008 , 453, 548-52	254
881	Proteasome subunit Rpn13 is a novel ubiquitin receptor. 2008 , 453, 481-8	485
880	Protein-protein interaction networks and biology--what's the connection?. 2008 , 26, 69-72	152
879	Targeting and tinkering with interaction networks. 2008 , 4, 666-73	80
878	Absence of yKu/Hdf1 but not myosin-like proteins alters chromosome dynamics during prophase I in yeast. 2008 , 76, 91-8	6
877	Biochemical approaches for discovering protein-protein interactions. 2008 , 53, 597-609	110
876	Molecular and cellular approaches for the detection of protein-protein interactions: latest techniques and current limitations. 2008 , 53, 610-35	142

875	High-precision high-coverage functional inference from integrated data sources. <i>BMC Bioinformatics</i> , 2008 , 9, 119	3.6	23
874	Interrogating domain-domain interactions with parsimony based approaches. <i>BMC Bioinformatics</i> , 2008 , 9, 171	3.6	22
873	Discovering functional interaction patterns in protein-protein interaction networks. <i>BMC Bioinformatics</i> , 2008 , 9, 276	3.6	10
872	Deducing topology of protein-protein interaction networks from experimentally measured sub-networks. <i>BMC Bioinformatics</i> , 2008 , 9, 301	3.6	2
871	Predicting the interactome of <i>Xanthomonas oryzae pathovar oryzae</i> for target selection and DB service. <i>BMC Bioinformatics</i> , 2008 , 9, 41	3.6	33
870	CASCADE: a novel quasi all paths-based network analysis algorithm for clustering biological interactions. <i>BMC Bioinformatics</i> , 2008 , 9, 64	3.6	18
869	A structural approach for finding functional modules from large biological networks. <i>BMC Bioinformatics</i> , 2008 , 9 Suppl 9, S19	3.6	59
868	Interspecies data mining to predict novel ING-protein interactions in human. 2008 , 9, 426		9
867	Chemical-genetic profile analysis in yeast suggests that a previously uncharacterized open reading frame, YBR261C, affects protein synthesis. 2008 , 9, 583		24
866	High-throughput mammalian two-hybrid screening for protein-protein interactions using transfected cell arrays. 2008 , 9, 68		24
865	Flexible nets: disorder and induced fit in the associations of p53 and 14-3-3 with their partners. 2008 , 9 Suppl 1, S1		425
864	Defining a modular signalling network from the fly interactome. 2008 , 2, 45		9
863	The use of Gene Ontology terms for predicting highly-connected 'hub' nodes in protein-protein interaction networks. 2008 , 2, 80		44
862	An in silico method for detecting overlapping functional modules from composite biological networks. 2008 , 2, 93		25
861	Towards a molecular characterisation of pathological pathways. 2008 , 582, 1259-65		26
860	Interaction networks for systems biology. 2008 , 582, 1220-4		55
859	Shaping dots and lines: adding modularity into protein interaction networks using structural information. 2008 , 582, 1231-6		8
858	Adaptation to hydrogen peroxide in <i>Saccharomyces cerevisiae</i> : the role of NADPH-generating systems and the SKN7 transcription factor. 2008 , 44, 1131-45		33

857	Caspase-dependent apoptosis in yeast. 2008 , 1783, 1320-7	92
856	Protein interaction predictions from diverse sources. 2008 , 13, 409-16	25
855	Increasing the reliability of protein interactomes. 2008 , 13, 652-8	59
854	Integrating metabolomics and phenomics with systems models of cardiac hypoxia. 2008 , 96, 209-25	14
853	Sticking together? Falling apart? Exploring the dynamics of the interactome. 2008 , 33, 195-200	33
852	The Ultradian Clock (~40 min) in Yeast (<i>Saccharomyces cerevisiae</i>). 2008 , 11-42	9
851	Molecular Recognition: Computational Analysis and Modelling. 2008 , 1	
850	Protein interaction data set highlighted with human Ras-MAPK/PI3K signaling pathways. 2008 , 7, 3879-89	34
849	Integrating Prediction of Structure, Function, and Interactions. 2008 , 259-279	1
848	M-TASSER: an algorithm for protein quaternary structure prediction. 2008 , 94, 918-28	50
847	In silico protein fragmentation reveals the importance of critical nuclei on domain reassembly. 2008 , 94, 1575-88	7
846	Affinity as a tool in life science. 2008 , 44, 649-54	51
845	In Silico Prediction of Human Protein Interactions Using Fuzzy SVM Mixture Models and Its Application to Cancer Research. 2008 , 16, 1087-1095	10
844	High throughput protein-protein interaction data: clues for the architecture of protein complexes. <i>Proteome Science</i> , 2008 , 6, 32	2.6 1
843	Serial ChIP as a tool to investigate the co-localization or exclusion of proteins on plant genes. 2008 , 4, 25	10
842	Identification of protein-protein interactions by mass spectrometry coupled techniques. 2008 , 110, 67-80	6
841	References. 433-459	
840	Mining the oncoproteome and studying molecular interactions for biomarker development by 2DE, ChIP and SPR technologies. 2008 , 5, 469-96	16

839	The social network of a cell: recent advances in interactome mapping. 2008 , 14, 1-28	72
838	High-quality binary protein interaction map of the yeast interactome network. 2008 , 322, 104-10	1100
837	A general system for studying protein-protein interactions in Gram-negative bacteria. 2008 , 7, 3319-28	20
836	Combining guilt-by-association and guilt-by-profiling to predict <i>Saccharomyces cerevisiae</i> gene function. 2008 , 9 Suppl 1, S7	68
835	Enhancing synchronizability of weighted dynamical networks using betweenness centrality. 2008 , 78, 016105	41
834	Accurate measurements of protein interactions in cells via improved spatial image cross-correlation spectroscopy. 2008 , 4, 672-85	41
833	Experimental Methods for Protein Interaction Identification and Characterization. 2008 , 1-32	1
832	Interaction Analysis. 295-315	
831	Development of bottom-fermenting <i>saccharomyces</i> strains that produce high SO ₂ levels, using integrated metabolome and transcriptome analysis. 2008 , 74, 2787-96	50
830	Molecular Mechanisms in Spermatogenesis. <i>Advances in Experimental Medicine and Biology</i> , 2008 ,	3.6 11
829	Integrating functional genomics data. 2008 , 453, 267-78	8
828	Genomics. 2008 ,	
827	Bimolecular fluorescence complementation: visualization of molecular interactions in living cells. 2008 , 85, 431-70	105
826	Protein [Protein Interaction. 2008 ,	5
825	On the evolution of the tRNA-dependent amidotransferases, GatCAB and GatDE. 2008 , 377, 831-44	45
824	Identification of protein interaction partners and protein-protein interaction sites. 2008 , 382, 1276-89	39
823	Plant systems biology comes of age. 2008 , 13, 165-71	143
822	Signaling networks during development: the case of asymmetric cell division in the <i>Drosophila</i> nervous system. 2008 , 321, 1-17	6

821	Genomic, evolutionary, and expression analyses of <i>cee</i> , an ancient gene involved in normal growth and development. 2008 , 91, 315-25	10
820	Toward an interaction map of the two-component signaling pathway of <i>Arabidopsis thaliana</i> . 2008 , 7, 3649-60	70
819	An in vivo map of the yeast protein interactome. 2008 , 320, 1465-70	576
818	Molecular characterization reveals that YMR278w encoded protein is environmental stress response homologue of <i>Saccharomyces cerevisiae</i> PGM2. 2008 , 366, 340-5	6
817	A protein domain-based interactome network for <i>C. elegans</i> early embryogenesis. 2008 , 134, 534-45	161
816	Computational methods for predicting protein-protein interactions. 2008 , 110, 247-67	36
815	Integration of genomic data for inferring protein complexes from global protein-protein interaction networks. 2008 , 38, 5-16	30
814	Protein networks in disease. 2008 , 18, 644-52	589
813	Analyzing protein interaction networks using structural information. 2008 , 77, 415-41	71
812	Interactive three-dimensional visualization and contextual analysis of protein interaction networks. 2008 , 7, 104-12	32
811	Gene Expression: Basic Concepts. 2008 , 1	
810	Systematic screens for human disease genes, from yeast to human and back. 2008 , 4, 18-29	35
809	The yeast two-hybrid system and its role in drug discovery. 2008 , 12, 505-15	21
808	Steps towards a repertoire of comprehensive maps of human protein interaction networks: the Human Proteome Initiative (HuPI). 2008 , 86, 149-56	5
807	myMCL: A Web Portal for Protein Complexes Prediction. 2008 ,	
806	Simple but effective methods for combining kernels in computational biology. 2008 ,	13
805	Making connections for life: an in vivo map of the yeast interactome. 2008 , 2, 244-50	2
804	Gene Networks for the Integration and Understanding of Gene Expression Characteristics. 2008 , 56, 314-321	4

803	An optimized predictive strategy for interactome mapping. 2008 , 7, 4089-94		2
802	DOMINE: a database of protein domain interactions. 2008 , 36, D656-61		96
801	Hubba: hub objects analyzer--a framework of interactome hubs identification for network biology. 2008 , 36, W438-43		186
800	Large-Scale Protein-Protein Interaction Detection Approaches: Past, Present and Future. 2008 , 22, 513-529		4
799	Network models in drug discovery and regenerative medicine. 2008 , 14, 143-70		5
798	Estimating the size of the human interactome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 6959-64	11.5	549
797	The Rim101 pathway is involved in Rsb1 expression induced by altered lipid asymmetry. 2008 , 19, 1922-31		41
796	The untiring search for the most complete proteome representation: reviewing the methods. 2008 , 7, 312-21		17
795	An assessment of the uses of homologous interactions. <i>Bioinformatics</i> , 2008 , 24, 689-95	7.2	18
794	Global alignment of multiple protein interaction networks with application to functional orthology detection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 12763-8	11.5	367
793	Network-guided genetic screening: building, testing and using gene networks to predict gene function. 2008 , 7, 217-27		22
792	A roadmap of clustering algorithms: finding a match for a biomedical application. 2009 , 10, 297-314		141
791	Protein-protein Interactions and Networks. 2008 ,		13
790	Genome-wide inference of protein interaction sites: lessons from the yeast high-quality negative protein-protein interaction dataset. 2008 , 36, 2002-11		11
789	Functional interactions between Sae2 and the Mre11 complex. 2008 , 178, 711-23		46
788	Probabilistic assembly of human protein interaction networks from label-free quantitative proteomics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 1454-9	11.5	201
787	Identification of genes that function in the biogenesis and localization of small nucleolar RNAs in <i>Saccharomyces cerevisiae</i> . 2008 , 28, 3686-99		15
786	Evidence that tRNA modifying enzymes are important in vivo targets for 5-fluorouracil in yeast. 2008 , 14, 666-74		57

785	Comprehensive analysis of the effects of Escherichia coli ORFs on protein translation reaction. 2008 , 7, 1530-40		31
784	Accelerating and focusing protein-protein docking correlations using multi-dimensional rotational FFT generating functions. <i>Bioinformatics</i> , 2008 , 24, 1865-73	7.2	146
783	A life-span extending form of autophagy employs the vacuole-vacuole fusion machinery. 2008 , 4, 874-86		63
782	Dissecting the localization and function of Atg18, Atg21 and Ygr223c. 2008 , 4, 896-910		71
781	An Improved Method Based on Maximal Clique for Predicting Interactions in Protein Interaction Networks. 2008 ,		1
780	A new approach to predict interactions between integral membrane proteins in yeast. 2008 ,		
779	Cohesive subgroup model for graph-based text mining. 2008 ,		3
778	Yeast protein-protein interaction network model based on biological experimental data. 2015 , 36, 827-834		
777	A protein interaction map of the LSU processome. 2015 , 29, 862-75		33
776	Detecting Types of Variables for Generalization in Constraint Acquisition. 2015 ,		2
775	Quantitative nature of overexpression experiments. 2015 , 26, 3932-9		64
774	Prokaryotic Systems Biology. <i>Advances in Experimental Medicine and Biology</i> , 2015 ,	3.6	1
773	Mapping the Protein-Protein Interactome Networks Using Yeast Two-Hybrid Screens. <i>Advances in Experimental Medicine and Biology</i> , 2015 , 883, 187-214	3.6	17
772	Conserved Mode of Interaction between Yeast Bro1 Family V Domains and YP(X)nL Motif-Containing Target Proteins. 2015 , 14, 976-82		6
771	Candida glabrata: new tools and technologies-expanding the toolkit. <i>FEMS Yeast Research</i> , 2015 , 15,	3.1	19
770	Lst4, the yeast Fnp1/2 orthologue, is a DENN-family protein. 2015 , 5, 150174		23
769	PETs: A Stable and Accurate Predictor of Protein-Protein Interacting Sites Based on Extremely-Randomized Trees. 2015 , 14, 882-93		12
768	Identifying binary protein-protein interactions from affinity purification mass spectrometry data. 2015 , 16, 745		9

767	Improved approach for protein function prediction by exploiting prominent proteins. 2015,		
766	Chemometrics methods for the analysis of genomics, transcriptomics, proteomics, metabolomics, and metagenomics datasets. 2015, 37-60		
765	Large-scale community detection based on node membership grade and sub-communities integration. 2015, 428, 279-294		31
764	A Comprehensive Membrane Interactome Mapping of Sho1p Reveals Fps1p as a Novel Key Player in the Regulation of the HOG Pathway in <i>S. cerevisiae</i> . 2015, 427, 2088-103		13
763	Location is everything: an educational primer for use with "genetic analysis of the ribosome biogenesis factor Ltv1 of <i>Saccharomyces cerevisiae</i> ". 2015, 199, 307-13		
762	Establishing <i>Chlamydomonas reinhardtii</i> as an industrial biotechnology host. 2015, 82, 532-546		128
761	Interactomics: toward protein function and regulation. 2015, 12, 37-60		23
760	Predicting Protein-Protein Interaction Sites with a Novel Membership Based Fuzzy SVM Classifier. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics,</i> 2015, 12, 1394-404	3	18
759	Hrr25/CK1 directed release of Ltv1 from pre-40S ribosomes is necessary for ribosome assembly and cell growth. 2015, 208, 745-59		54
758	Libraries for two-hybrid screening of yeast and hyphal growth forms in <i>Zygoascus tritici</i> . 2015, 79, 94-101		5
757	Eukaryotic Ribosome Assembly and Nuclear Export. 2015, 319, 107-40		70
756	Error-free DNA-damage tolerance in <i>Saccharomyces cerevisiae</i> . 2015, 764, 43-50		43
755	Discovering Variable-Length Patterns in Protein Sequences for Protein-Protein Interaction Prediction. 2015, 14, 409-416		12
754	Basic principles of yeast genomics, a personal recollection. <i>FEMS Yeast Research,</i> 2015, 15, fov047	3.1	9
753	A novel one-class SVM based negative data sampling method for reconstructing proteome-wide HTLV-human protein interaction networks. <i>Scientific Reports,</i> 2015, 5, 8034	4.9	21
752	Evolutionary Biology: Biodiversification from Genotype to Phenotype. 2015,		2
751	Disruption of the ribosomal P complex leads to stress-induced autophagy. 2015, 11, 1499-519		35
750	A Two-Stage Geometric Method for Pruning Unreliable Links in Protein-Protein Networks. 2015, 14, 528-34		56

749	Experimental and computational analysis of a large protein network that controls fat storage reveals the design principles of a signaling network. 2015 , 11, e1004264		7
748	Peroxisystem: harnessing systems cell biology to study peroxisomes. 2015 , 107, 89-97		3
747	The power of the yeast two-hybrid system in the identification of novel drug targets: building and modulating PPP1 interactomes. 2015 , 12, 147-58		12
746	Measuring graph similarity through continuous-time quantum walks and the quantum Jensen-Shannon divergence. 2015 , 91, 022815		29
745	Chemical cross-linking and mass spectrometry to determine the subunit interaction network in a recombinant human SAGA HAT subcomplex. 2015 , 24, 1232-46		16
744	Modelling the yeast interactome. <i>Scientific Reports</i> , 2014 , 4, 4273	4.9	10
743	Unfolding Kernel embeddings of graphs: Enhancing class separation through manifold learning. 2015 , 48, 3357-3370		8
742	Detecting Protein Complexes from Signed Protein-Protein Interaction Networks. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2015 , 12, 1333-44	3	26
741	Identification of Protein Complexes from Tandem Affinity Purification/Mass Spectrometry Data via Biased Random Walk. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2015 , 12, 455-366		3
740	The N-terminal domains determine cellular localization and functions of the Doa4 and Ubp5 deubiquitinating enzymes. 2015 , 467, 570-6		7
739	Core and peripheral connectivity based cluster analysis over PPI network. 2015 , 59 Pt B, 32-41		11
738	A density-based clustering approach for identifying overlapping protein complexes with functional preferences. <i>BMC Bioinformatics</i> , 2015 , 16, 174	3.6	21
737	Detection of Protein-Protein Interactions from Amino Acid Sequences Using a Rotation Forest Model with a Novel PR-LPQ Descriptor. 2015 , 713-720		21
736	Visualizing genome and systems biology: technologies, tools, implementation techniques and trends, past, present and future. 2015 , 4, 38		60
735	Explore the hidden treasure in protein-protein interaction networks - an iterative model for predicting protein functions. 2015 , 13, 1550026		4
734	Computational probing protein-protein interactions targeting small molecules. <i>Bioinformatics</i> , 2016 , 32, 226-34	7.2	5
733	Essentiality and centrality in protein interaction networks revisited. <i>BMC Bioinformatics</i> , 2015 , 16, 109	3.6	30
732	Predicting Protein-Protein Interactions from Amino Acid Sequences Using SaE-ELM Combined with Continuous Wavelet Descriptor and PseAA Composition. 2015 , 634-645		2

731	Promotion of presynaptic filament assembly by the ensemble of <i>S. cerevisiae</i> Rad51 paralogues with Rad52. 2015 , 6, 7834		44
730	Evolutionary and functional analysis of the invariant SWIM domain in the conserved Shu2/SWS1 protein family from <i>Saccharomyces cerevisiae</i> to <i>Homo sapiens</i> . 2015 , 199, 1023-33		25
729	Intelligent Computing Theories and Methodologies. 2015 ,		
728	Algorithms in Bioinformatics. 2015 ,		1
727	Structure, Interaction, and Evolution: Reflections on the Natural History of Proteins. 2015 , 187-201		
726	Iron-sulfur cluster biogenesis in mammalian cells: New insights into the molecular mechanisms of cluster delivery. 2015 , 1853, 1493-512		139
725	Searching for repetitions in biological networks: methods, resources and tools. 2015 , 16, 118-36		21
724	Protein-protein interaction predictions using text mining methods. 2015 , 74, 47-53		53
723	Network inference from AP-MS data: computational challenges and solutions. 2015 , 16, 658-74		20
722	Identification of Protein Complexes Using Weighted PageRank-Nibble Algorithm and Core-Attachment Structure. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2015 , 12, 179-92	3	41
721	Using the Relevance Vector Machine Model Combined with Local Phase Quantization to Predict Protein-Protein Interactions from Protein Sequences. 2016 , 2016, 4783801		16
720	Statistical Approaches for the Construction and Interpretation of Human Protein-Protein Interaction Network. 2016 , 2016, 5313050		8
719	Correlation-Based Network Generation, Visualization, and Analysis as a Powerful Tool in Biological Studies: A Case Study in Cancer Cell Metabolism. 2016 , 2016, 8313272		51
718	Ens-PPI: A Novel Ensemble Classifier for Predicting the Interactions of Proteins Using Autocovariance Transformation from PSSM. 2016 , 2016, 4563524		18
717	Replication-Associated Recombinational Repair: Lessons from Budding Yeast. <i>Genes</i> , 2016 , 7,	4.2	7
716	Detection of Interactions between Proteins through Rotation Forest and Local Phase Quantization Descriptors. 2015 , 17,		40
715	RVMAB: Using the Relevance Vector Machine Model Combined with Average Blocks to Predict the Interactions of Proteins from Protein Sequences. 2016 , 17,		13
714	Reconstruction and Application of Protein-Protein Interaction Network. 2016 , 17,		36

713	Highly Accurate Prediction of Protein-Protein Interactions via Incorporating Evolutionary Information and Physicochemical Characteristics. 2016 , 17,		30
712	Ribosomal P3 protein AtP3B of Arabidopsis acts as both protein and RNA chaperone to increase tolerance of heat and cold stresses. 2016 , 39, 1631-42		14
711	Probing the Depths of Biological Diversity During the Second Century of GENETICS. 2016 , 204, 395-400		1
710	Protein complex detection based on partially shared multi-view clustering. <i>BMC Bioinformatics</i> , 2016 , 17, 371	3.6	6
709	Chickpea transcription factor CaTLP1 interacts with protein kinases, modulates ROS accumulation and promotes ABA-mediated stomatal closure. <i>Scientific Reports</i> , 2016 , 6, 38121	4.9	4
708	Novel insights into RAD51 activity and regulation during homologous recombination and DNA replication. 2016 , 94, 407-418		73
707	Global De Novo Protein-Protein Interactome Elucidates Interactions of Drought-Responsive Proteins in Horse Gram (<i>Macrotyloma uniflorum</i>). 2016 , 15, 1794-809		9
706	Predicting Protein-Protein Interactions from the Molecular to the Proteome Level. 2016 , 116, 4884-909		192
705	Characterization of Dynamic UbR-Proteasome Subcomplexes by In vivo Cross-linking (X) Assisted Bimolecular Tandem Affinity Purification (XBAP) and Label-free Quantitation. 2016 , 15, 2279-92		23
704	Protein-protein interaction inference based on semantic similarity of Gene Ontology terms. 2016 , 401, 30-7		33
703	Techniques for the Analysis of Protein-Protein Interactions in Vivo. 2016 , 171, 727-58		125
702	The Activity-Dependent Regulation of Protein Kinase Stability by the Localization to P-Bodies. 2016 , 203, 1191-202		12
701	Cell-free Determination of Binary Complexes That Comprise Extended Protein-Protein Interaction Networks of <i>Yersinia pestis</i> . 2016 , 15, 3220-3232		
700	The Shu complex is a conserved regulator of homologous recombination. <i>FEMS Yeast Research</i> , 2016 , 16,	3.1	20
699	Structure of a Complete Mediator-RNA Polymerase II Pre-Initiation Complex. 2016 , 166, 1411-1422.e16		153
698	A yeast library-hybrid assay to screen maize- <i>Rhizoctonia</i> transcription factors and protein-protein interactions in one experimental pipeline. 2016 , 1, 15-22		1
697	The power of OMICs. 2016 , 479, 607-609		11
696	Chemical Proteomic Profiling of Human Methyltransferases. 2016 , 138, 13335-13343		60

695	DEEPN as an Approach for Batch Processing of Yeast 2-Hybrid Interactions. 2016 , 17, 303-315	11
694	Prediction of Protein-Protein Interaction via co-occurring Aligned Pattern Clusters. 2016 , 110, 26-34	8
693	Gene Regulatory Networks: Real Data Sources and Their Analysis. 2016 , 49-65	
692	The connectivity probability of edge evolving network driven by compound Poisson process. 2016 , 218, 13-16	3
691	Knr4: a disordered hub protein at the heart of fungal cell wall signalling. 2016 , 18, 1217-27	8
690	Construction of reliable protein-protein interaction networks using weighted sparse representation based classifier with pseudo substitution matrix representation features. 2016 , 218, 131-138	36
689	General strategy for understanding intracellular molecular interaction cascades that elicit stimulus-invoked biological processes. 2016 , 92, 372-385	1
688	Applications of integrative OMICs approaches to gene regulation studies. 2016 , 4, 283-301	4
687	Origin and function of stomata in the moss <i>Physcomitrella patens</i> . 2016 , 2, 16179	82
686	Mammalian Fe-S proteins: definition of a consensus motif recognized by the co-chaperone HSC20. 2016 , 8, 1032-1046	21
685	PPIPP: an online protein-protein interaction network prediction and analysis platform. 2016 , 14, 305	1
684	Improving protein-protein interactions prediction accuracy using protein evolutionary information and relevance vector machine model. 2016 , 25, 1825-33	25
683	Studies on the biological functions of CPS1 in AFB1 induced hepatocarcinogenesis. 2016 , 591, 255-261	5
682	A New Method for Identifying Essential Proteins by Measuring Co-Expression and Functional Similarity. 2016 , 15, 939-945	7
681	Edge Centrality via the Holevo Quantity. 2016 , 143-152	4
680	Weighted edge based clustering to identify protein complexes in protein-protein interaction networks incorporating gene expression profile. 2016 , 65, 69-79	22
679	An efficient method for protein function annotation based on multilayer protein networks. 2016 , 10, 33	21
678	Multiple Types of Guanine Nucleotide Exchange Factors (GEFs) for Rab Small GTPases. 2016 , 41, 61-79	42

677	PROPER: global protein interaction network alignment through percolation matching. <i>BMC Bioinformatics</i> , 2016 , 17, 527	3.6	13
676	Improved protein-protein interactions prediction via weighted sparse representation model combining continuous wavelet descriptor and PseAA composition. 2016 , 10, 120		23
675	Identification of protein complexes from multi-relationship protein interaction networks. 2016 , 10 Suppl 2, 17		13
674	Yeast two-hybrid screening identified WDR77 as a novel interacting partner of TSC22D2. 2016 , 37, 12503-12512		5
673	A two-layer integration framework for protein complex detection. <i>BMC Bioinformatics</i> , 2016 , 17, 100	3.6	15
672	Sequence-based prediction of protein-protein interactions using weighted sparse representation model combined with global encoding. <i>BMC Bioinformatics</i> , 2016 , 17, 184	3.6	94
671	High Throughput Analyses of Budding Yeast ARSs Reveal New DNA Elements Capable of Conferring Centromere-Independent Plasmid Propagation. 2016 , 6, 993-1012		7
670	Detection of overlapping protein complexes in gene expression, phenotype and pathways of <i>Saccharomyces cerevisiae</i> using Prorank based Fuzzy algorithm. 2016 , 580, 144-158		5
669	Trans-Omics: How To Reconstruct Biochemical Networks Across Multiple 'Omic' Layers. 2016 , 34, 276-290		162
668	Prediction of Protein-Protein Interaction Sites with Machine-Learning-Based Data-Cleaning and Post-Filtering Procedures. 2016 , 249, 141-53		30
667	Predicting physiologically relevant SH3 domain mediated protein-protein interactions in yeast. <i>Bioinformatics</i> , 2016 , 32, 1865-72	7.2	3
666	Wide-Ranging Effects of the Yeast Ptc1 Protein Phosphatase Acting Through the MAPK Kinase Mkk1. 2016 , 202, 141-56		15
665	Optimizing the controllability of arbitrary networks with genetic algorithm. 2016 , 447, 422-433		8
664	Regulatory roles of phosphorylation in model and pathogenic fungi. 2016 , 54, 333-52		14
663	Network-Assisted Disease Classification and Biomarker Discovery. 2016 , 1386, 353-74		8
662	Clustering and Summarizing Protein-Protein Interaction Networks: A Survey. 2016 , 28, 638-658		43
661	An overview of bioinformatics methods for modeling biological pathways in yeast. <i>Briefings in Functional Genomics</i> , 2016 , 15, 95-108	4.9	13
660	Dissecting Complex and Multifactorial Nature of Alzheimer's Disease Pathogenesis: a Clinical, Genomic, and Systems Biology Perspective. 2016 , 53, 4833-64		31

659	Prediction of Protein-Protein Interactions with Physicochemical Descriptors and Wavelet Transform via Random Forests. 2016 , 21, 368-77		9
658	Identifying Spurious Interactions in the Protein-Protein Interaction Networks Using Local Similarity Preserving Embedding. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2017 , 14, 345-352	3	25
657	Extracting Coevolutionary Features from Protein Sequences for Predicting Protein-Protein Interactions. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2017 , 14, 155-166	3	23
656	Highly Efficient Framework for Predicting Interactions Between Proteins. 2017 , 47, 731-743		85
655	An improved sequence-based prediction protocol for protein-protein interactions using amino acids substitution matrix and rotation forest ensemble classifiers. 2017 , 228, 277-282		37
654	Advancing the prediction accuracy of protein-protein interactions by utilizing evolutionary information from position-specific scoring matrix and ensemble classifier. 2017 , 418, 105-110		41
653	The ClusPro web server for protein-protein docking. 2017 , 12, 255-278		1037
652	Medizininformatik. 2017 ,		1
651	Plant Genomics. 2017 ,		2
650	Summarizing Biological Networks. 2017 ,		
649	Measuring Vertex Centrality Using the Holevo Quantity. 2017 , 154-164		3
648	Identification of factors required for m A mRNA methylation in Arabidopsis reveals a role for the conserved E3 ubiquitin ligase HAKAI. 2017 , 215, 157-172		163
647	The Mitotic Exit Network Regulates Spindle Pole Body Selection During Sporulation of. 2017 , 206, 919-937		13
646	Mapping Protein-Protein Interaction Using High-Throughput Yeast 2-Hybrid. 2017 , 1610, 217-230		10
645	Structure and energetics of pairwise interactions between proteasome subunits RPN2, RPN13, and ubiquitin clarify a substrate recruitment mechanism. 2017 , 292, 9493-9504		24
644	Information Visualization for Biological Data. 2017 , 1526, 403-415		0
643	Yeast-based assays for detecting protein-protein/drug interactions and their inhibitors. 2017 , 96, 529-541		5
642	Synchronization Over the Birkhoff Polytope for Multi-graph Matching. 2017 , 266-275		3

641	Prediction of protein-protein interactions by label propagation with protein evolutionary and chemical information derived from heterogeneous network. 2017 , 430, 9-20		15
640	A Type-2 fuzzy data fusion approach for building reliable weighted protein interaction networks with application in protein complex detection. 2017 , 88, 18-31		4
639	A scalable double-barcode sequencing platform for characterization of dynamic protein-protein interactions. 2017 , 8, 15586		21
638	Detection of Complexes in Biological Networks Through Diversified Dense Subgraph Mining. 2017 , 24, 923-941		6
637	Mapping, modeling, and characterization of protein-protein interactions on a proteomic scale. 2017 , 44, 201-210		40
636	Structure of the Rpn13-Rpn2 complex provides insights for Rpn13 and Uch37 as anticancer targets. 2017 , 8, 15540		49
635	. 2017 , 105, 256-272		5
634	LSM12 and ME31B/DDX6 Define Distinct Modes of Posttranscriptional Regulation by ATAXIN-2 Protein Complex in Drosophila Circadian Pacemaker Neurons. 2017 , 66, 129-140.e7		30
633	Modeling and analysis of modular structure in diverse biological networks. 2017 , 422, 18-30		4
632	Deficiency in Sperm-Egg Protein Interaction as a Major Cause of Fertilization Failure. 2017 , 250, 133-144		2
631	Bacterial protein meta-interactomes predict cross-species interactions and protein function. <i>BMC Bioinformatics</i> , 2017 , 18, 171	3.6	18
630	Phosphoribosyl Diphosphate (PRPP): Biosynthesis, Enzymology, Utilization, and Metabolic Significance. 2017 , 81,		67
629	Distinct complexes of yeast Snx4 family SNX-BARs mediate retrograde trafficking of Snc1 and Atg27. 2017 , 18, 134-144		40
628	A-ZIP53, a dominant negative reveals the molecular mechanism of heterodimerization between bZIP53, bZIP10 and bZIP25 involved in Arabidopsis seed maturation. <i>Scientific Reports</i> , 2017 , 7, 14343	4.9	9
627	Identifying Gene Interaction Networks. 2017 , 1666, 539-556		5
626	A Bayesian approach for estimating protein-protein interactions by integrating structural and non-structural biological data. 2017 , 13, 2592-2602		1
625	A DNA nanoscope via auto-cycling proximity recording. 2017 , 8, 696		16
624	Analysis of protein targets in pathogen-host interaction in infectious diseases: a case study on Plasmodium falciparum and Homo sapiens interaction network. <i>Briefings in Functional Genomics</i> , 2018 , 17, 441-450	4.9	13

623	Quantitative analysis of protein interaction network dynamics in yeast. 2017 , 13, 934		29
622	Non-interacting proteins may resemble interacting proteins: prevalence and implications. <i>Scientific Reports</i> , 2017 , 7, 40419	4.9	6
621	Leveraging Stacked Denoising Autoencoder in Prediction of Pathogen-Host Protein-Protein Interactions. 2017 ,		8
620	Effect of Protein Repetitiveness on Protein-Protein Interaction Prediction Results Using Support Vector Machines. 2017 , 24, 183-192		
619	Bioinformatics. 2017 ,		0
618	Efficient stepwise detection of communities in temporal networks. 2017 , 469, 438-446		8
617	Collaborative data analytics towards prediction on pathogen-host protein-protein interactions. 2017 ,		2
616	Computational Methods to Predict Protein Functions from Protein-Protein Interaction Networks. 2017 , 18, 1120-1131		6
615	OsCBSCBSPB4 is a Two Cystathionine-β-Synthase Domain-containing Protein from Rice that Functions in Abiotic Stress Tolerance. 2018 , 19, 50-59		4
614	Equine skeletal muscle adaptations to exercise and training: evidence of differential regulation of autophagosomal and mitochondrial components. 2017 , 18, 595		16
613	Predicted networks of protein-protein interactions in <i>Stegodyphus mimosarum</i> by cross-species comparisons. 2017 , 18, 716		5
612	A new two-stage method for revealing missing parts of edges in protein-protein interaction networks. <i>PLoS ONE</i> , 2017 , 12, e0177029	3.7	1
611	Identifying protein complex by integrating characteristic of core-attachment into dynamic PPI network. <i>PLoS ONE</i> , 2017 , 12, e0186134	3.7	7
610	[Dedicated to Prof. T. Okada and Prof. T. Nishioka: data science in chemistry]Centrality Values of Yeast Proteins in a PPI Network Are Related to Their Essentiality and Functions. 2017 , 18, 94-109		1
609	Reconstructing phylogenetic tree using a protein-protein interaction technique. 2017 , 11, 1005-1016		0
608	Development of an in silico method for the identification of subcomplexes involved in the biogenesis of multiprotein complexes in <i>Saccharomyces cerevisiae</i> . 2017 , 11, 67		1
607	Big Regulatory Mechanisms in the Transcriptional Regulation Control of Gene Expression Using a Stochastic System Model and Genome-Wide Experimental Data. 2017 , 87-154		1
606	An ensemble approach for large-scale identification of protein- protein interactions using the alignments of multiple sequences. 2017 , 8, 5149-5159		32

605	Detection of protein complex from protein-protein interaction network using Markov clustering. 2017 , 835, 012001		8
604	IAS: Interaction Specific GO Term Associations for Predicting Protein-Protein Interaction Networks. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2018 , 15, 1247-1258	3	11
603	The protein-protein interactions between Amsacta moorei entomopoxvirus (AMEV) protein kinases (PKs) and all viral proteins. 2018 , 248, 31-38		1
602	Bipartite graphs in systems biology and medicine: a survey of methods and applications. 2018 , 7, 1-31		64
601	Decision Tree Based Approaches for Detecting Protein Complex in Protein Protein Interaction Network (PPI) via Link and Sequence Analysis. 2018 , 6, 22108-22120		20
600	Research on complex network layout algorithm based on grid point matching method. 2018 , 6, 145-154		1
599	Localized Visualization and Autonomous Detection of Cell Surface Receptor Clusters Using DNA Proximity Circuit. 2018 , 90, 6193-6198		23
598	The connectivity of graphs of graphs with self-loops and a given degree sequence. 2018 , 6, 927-947		3
597	Identification of new disease genes from protein-protein interaction network. 2018 , 1		2
596	Angewandte Bioinformatik. 2018 ,		1
595	The RNA Polymerase II Factor RPAP1 Is Critical for Mediator-Driven Transcription and Cell Identity. 2018 , 22, 396-410		15
594	Improving prediction of heterodimeric protein complexes using combination with pairwise kernel. <i>BMC Bioinformatics</i> , 2018 , 19, 39	3.6	10
593	FunGeneNet: a web tool to estimate enrichment of functional interactions in experimental gene sets. 2018 , 19, 76		5
592	Feature selection with interactions in logistic regression models using multivariate synergies for a GWAS application. 2018 , 19, 170		4
591	A homologous mapping method for three-dimensional reconstruction of protein networks reveals disease-associated mutations. 2018 , 12, 13		1
590	Applied Bioinformatics. 2018 ,		4
589	Multi-Dimensional Scaling based grouping of known complexes and intelligent protein complex detection. 2018 , 74, 149-156		5
588	Overlapping functional modules detection in PPI network with pair-wise constrained non-negative matrix tri-factorisation. 2018 , 12, 45-54		6

587	A comprehensive catalog of predicted functional upstream open reading frames in humans. 2018 , 46, 3326-3338	40
586	Network structure from rich but noisy data. 2018 , 14, 542-545	83
585	An improved efficient rotation forest algorithm to predict the interactions among proteins. 2018 , 22, 3373-3381	27
584	Identifying the Protein Interactions of the Cytosolic Iron-Sulfur Cluster Targeting Complex Essential for Its Assembly and Recognition of Apo-Targets. 2018 , 57, 2349-2358	7
583	A common neighbor based technique to detect protein complexes in PPI networks. 2018 , 16, 227-238	7
582	The impact of protein interaction networks' characteristics on computational complex detection methods. 2018 , 439, 141-151	10
581	Current technical approaches to brain energy metabolism. 2018 , 66, 1138-1159	22
580	Performance analysis of support vector machine combined with global encoding on detection of protein-protein interaction network of HIV virus. 2018 ,	0
579	Biosensing Techniques in Yeast: G-Protein Signaling and Protein-Protein Interaction Assays for Monitoring Ligand Stimulation and Oligomer Formation of Heterologous GPCRs. 2018 ,	1
578	An Integrative Approach to Virus-Host Protein-Protein Interactions. 2018 , 1819, 175-196	4
577	An Iterative Global Structure-Assisted Labeled Network Aligner. 2018 ,	7
576	Identification of Protein Complex Based on a Novel Multi-Objective Method. 2018 ,	
575	Prediction of Protein-Protein Interaction from Amino Acid Sequence Using Ensemble Classifier. 2018 ,	2
574	Estimating network structure from unreliable measurements. 2018 , 98,	20
573	The Yeast Prefoldin Bud27. <i>Advances in Experimental Medicine and Biology</i> , 2018 , 1106, 109-118	3.6 5
572	SLX4: multitasking to maintain genome stability. 2018 , 53, 475-514	24
571	The budding-yeast RWD protein Csm1 scaffolds diverse protein complexes through a conserved structural mechanism. 2018 , 27, 2094-2100	1
570	Prokaryotic Systems Biology. 2018 , 67-136	

569	Introductory Chapter: Protein-Protein Interactions and Assays. 2018 ,		2
568	Higher-order molecular organization as a source of biological function. <i>Bioinformatics</i> , 2018 , 34, i944-i953.2		13
567	Coordination of Rad1-Rad10 interactions with Msh2-Msh3, Saw1 and RPA is essential for functional 3' non-homologous tail removal. 2018 , 46, 5075-5096		7
566	Using Two-dimensional Principal Component Analysis and Rotation Forest for Prediction of Protein-Protein Interactions. <i>Scientific Reports</i> , 2018 , 8, 12874	4.9	24
565	Two-Hybrid Systems. 2018 ,		
564	Bifunctional cross-linking approaches for mass spectrometry-based investigation of nucleic acids and protein-nucleic acid assemblies. 2018 , 144, 64-78		9
563	Making the Right Choice: Critical Parameters of the Y2H Systems. 2018 , 1794, 17-28		1
562	Disruption of Protein Complexes from Weighted Complex Networks. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2020 , 17, 102-109	3	2
561	The Ras Recruitment System (RRS) for the Identification and Characterization of Protein-Protein Interactions. 2018 , 1794, 61-73		1
560	Pathogenic Effector VmPxE1 Contributes to Full Virulence and Interacts With the Host Peroxidase MdAPX1 as a Potential Target. 2018 , 9, 821		11
559	An Ensemble Classifier with Random Projection for Predicting Protein-Protein Interactions Using Sequence and Evolutionary Information. 2018 , 8, 89		15
558	Duplication and Nuclear Envelope Insertion of the Yeast Microtubule Organizing Centre, the Spindle Pole Body. 2018 , 7,		11
557	PCLPred: A Bioinformatics Method for Predicting Protein-Protein Interactions by Combining Relevance Vector Machine Model with Low-Rank Matrix Approximation. 2018 , 19,		21
556	Prediction of Protein-Protein Interactions from Amino Acid Sequences Based on Continuous and Discrete Wavelet Transform Features. 2018 , 23,		14
555	Integrating Rio1 activities discloses its nutrient-activated network in <i>Saccharomyces cerevisiae</i> . 2018 , 46, 7586-7611		10
554	Improved flower pollination algorithm for identifying essential proteins. 2018 , 12, 46		13
553	Computational Resources for Predicting Protein-Protein Interactions. 2018 , 110, 251-275		6
552	MEGADOCK-Web: an integrated database of high-throughput structure-based protein-protein interaction predictions. <i>BMC Bioinformatics</i> , 2018 , 19, 62	3.6	14

551	Lipid trafficking by yeast Snx4 family SNX-BAR proteins promotes autophagy and vacuole membrane fusion. 2018 , 29, 2190-2200		26
550	Whi2 is a conserved negative regulator of TORC1 in response to low amino acids. 2018 , 14, e1007592		21
549	Prediction of Protein-Protein Interactions: Looking Through the Kaleidoscope. 2019 , 834-848		
548	Protein-Protein Interaction Databases. 2019 , 849-855		2
547	Protein-Protein Interactions: An Overview. 2019 , 821-833		
546	Network-Based Analysis for Biological Discovery. 2019 , 283-291		1
545	A survey of computational methods in protein-protein interaction networks. 2019 , 276, 35-87		6
544	Protein-Protein Interactions Prediction via Multimodal Deep Polynomial Network and Regularized Extreme Learning Machine. 2019 , 23, 1290-1303		19
543	A method for identifying protein complexes with the features of joint co-localization and joint co-expression in static PPI networks. 2019 , 111, 103333		2
542	A Ranking Based Technique to Predict Protein Complexes. 2019 ,		
541	Screening of Duck Tembusu Virus NS3 Interacting Host Proteins and Identification of Its Specific Interplay Domains. 2019 , 11,		4
540	Protein-Protein Interactions in. 2019 , 10, 1792		5
539	Predicting Protein-Protein Interactions from Matrix-Based Protein Sequence Using Convolution Neural Network and Feature-Selective Rotation Forest. <i>Scientific Reports</i> , 2019 , 9, 9848	4.9	33
538	The Methods Employed in Mass Spectrometric Analysis of Posttranslational Modifications (PTMs) and Protein-Protein Interactions (PPIs). <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1140, 169-198	3.6	12
537	Proteomics and Non-proteomics Approaches to Study Stable and Transient Protein-Protein Interactions. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1140, 121-142	3.6	1
536	Protein interactions study through proximity-labeling. 2019 , 16, 717-726		5
535	Physical and functional interaction between SET1/COMPASS complex component CFP-1 and a Sin3S HDAC complex in <i>C. elegans</i> . 2019 , 47, 11164-11180		18
534	A seed-extended algorithm for detecting protein complexes based on density and modularity with topological structure and GO annotations. 2019 , 20, 637		7

533 . 2019,

532	An Efficient Feature Extraction Technique Based on Local Coding PSSM and Multifeatures Fusion for Predicting Protein-Protein Interactions. 2019 , 15, 1176934319879920		5
531	Systematic Y2H Screening Reveals Extensive Effector-Complex Formation. 2019 , 10, 1437		5
530	PeSA: A software tool for peptide specificity analysis. 2019 , 83, 107145		5
529	Evolution-based screening enables genome-wide prioritization and discovery of DNA repair genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 19593-19599 ^{11.5}		11
528	Proteome-wide, Structure-Based Prediction of Protein-Protein Interactions/New Molecular Interactions Viewer. 2019 , 179, 1893-1907		21
527	The NHR1-1 of Prs1 and the pentameric motif 284KKCPK288 of Prs3 permit multi-functionality of the PRPP synthetase in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2019 , 19,	3.1	0
526	Controllability and Its Applications to Biological Networks. 2019 , 34, 16-34		15
525	Whi2: a new player in amino acid sensing. 2019 , 65, 701-709		9
524	A Label-free Mass Spectrometry Method to Predict Endogenous Protein Complex Composition. 2019 , 18, 1588-1606		19
523	Protein-protein interaction prediction using a hybrid feature representation and a stacked generalization scheme. <i>BMC Bioinformatics</i> , 2019 , 20, 308	3.6	22
522	Replication fork pausing at protein barriers on chromosomes. 2019 , 593, 1449-1458		6
521	Sequence-based Prediction of Protein-Protein Interactions Using Gray Wolf Optimizer-Based Relevance Vector Machine. 2019 , 15, 1176934319844522		10
520	ProteinProtein Interactions. 2019 , 125-144		1
519	Deep learning in bioinformatics: Introduction, application, and perspective in the big data era. 2019 , 166, 4-21		125
518	Role of integrative structural biology in understanding transcriptional initiation. 2019 , 159-160, 4-22		5
517	Analysis of the roles of phosphatidylinositol-4,5-phosphate and individual subunits in assembly, localization, and function of target of rapamycin complex 2. 2019 , 30, 1555-1574		7
516	The interaction networks of the budding yeast and human DNA replication-initiation proteins. 2019 , 18, 723-741		3

515	Comparing node degrees in probabilistic networks. 2019 , 7, 749-763		1
514	Protein complex detection algorithm based on multiple topological characteristics in PPI networks. 2019 , 489, 78-92		9
513	The Protein-Protein Interaction Network of Haemocytes. 2019 , 10, 156		4
512	iSeq 2.0: A Modular and Interchangeable Toolkit for Interaction Screening in Yeast. 2019 , 8, 338-344.e8		4
511	A Multireporter Bacterial 2-Hybrid Assay for the High-Throughput and Dynamic Assay of PDZ Domain-Peptide Interactions. 2019 , 8, 918-928		5
510	[New approaches for protein-protein interaction study]. 2019 , 35, 223-231		1
509	Interaction map of Arabidopsis Mediator complex expounding its topology. 2019 , 47, 3904-3920		12
508	A new grid- and modularity-based layout algorithm for complex biological networks. <i>PLoS ONE</i> , 2019 , 14, e0221620	3.7	2
507	Proteomics Research and Its Possibility of Application in Endometriosis. 2019 ,		1
506	Using discriminative vector machine model with 2DPCA to predict interactions among proteins. <i>BMC Bioinformatics</i> , 2019 , 20, 694	3.6	7
505	Benchmarking network algorithms for contextualizing genes of interest. 2019 , 15, e1007403		4
504	MoFap7, a ribosome assembly factor, is required for fungal development and plant colonization of. 2019 , 10, 1047-1063		3
503	. 2019 , 7, 179634-179645		
502	A Robust Algorithm for Visualization of Protein Interaction Network. 2019 , 43, 1411-1416		
501	Integrating network topology, gene expression data and GO annotation information for protein complex prediction. 2019 , 17, 1950001		7
500	The RTK Interactome: Overview and Perspective on RTK Heterointeractions. 2019 , 119, 5881-5921		31
499	Protein-protein interaction network analysis of insecticide resistance molecular mechanism in <i>Drosophila melanogaster</i> . <i>Archives of Insect Biochemistry and Physiology</i> , 2019 , 100, e21523	2.3	12
498	Septin-associated proteins Aim44 and Nis1 traffic between the bud neck and the nucleus in the yeast <i>Saccharomyces cerevisiae</i> . 2019 , 76, 15-32		5

497	Performance evaluation measures for protein complex prediction. 2019 , 111, 1483-1492		2
496	Mechanistic insights into mA RNA enzymes. 2019 , 1862, 222-229		57
495	An Efficient Ensemble Learning Approach for Predicting Protein-Protein Interactions by Integrating Protein Primary Sequence and Evolutionary Information. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2018 ,	3	20
494	Critical assessment and performance improvement of plant-pathogen protein-protein interaction prediction methods. 2019 , 20, 274-287		27
493	Essential Protein Detection by Random Walk on Weighted Protein-Protein Interaction Networks. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2019 , 16, 377-387	3	12
492	Network-based methods for predicting essential genes or proteins: a survey. 2020 , 21, 566-583		43
491	Network embedding in biomedical data science. 2018 ,		58
490	MAPT/Tau accumulation represses autophagy flux by disrupting IST1-regulated ESCRT-III complex formation: a vicious cycle in Alzheimer neurodegeneration. 2020 , 16, 641-658		50
489	Identification and analysis of a principal sigma factor interacting protein SinA, essential for growth at high temperatures in a cyanobacterium <i>Synechococcus elongatus</i> PCC 7942. 2020 , 66, 66-72		4
488	Bringing Microscopy-By-Sequencing into View. 2020 , 38, 154-162		2
487	Mechanistic Insights into the Role of Atg11 in Selective Autophagy. 2020 , 432, 104-122		23
486	Automatic generation of adaptive network models based on similarity to the desired complex network. 2020 , 545, 123353		1
485	A comprehensive review and evaluation of computational methods for identifying protein complexes from protein-protein interaction networks. 2020 , 21, 1531-1548		22
484	Protein isoelectric point distribution in the interactomes across the domains of life. 2020 , 256, 106269		6
483	Infant Respiratory Syncytial Virus Bronchiolitis and Subsequent Risk of Pneumonia, Otitis Media, and Antibiotic Utilization. 2020 , 71, 211-214		3
482	Prediction of human-virus protein-protein interactions through a sequence embedding-based machine learning method. <i>Computational and Structural Biotechnology Journal</i> , 2020 , 18, 153-161	6.8	41
481	Cross-linking Mass Spectrometry Analysis of the Yeast Nucleus Reveals Extensive Protein-Protein Interactions Not Detected by Systematic Two-Hybrid or Affinity Purification-Mass Spectrometry. 2020 , 92, 1874-1882		10
480	Genetics' Piece of the PI: Inferring the Origin of Complex Traits and Diseases from Proteome-Wide Protein-Protein Interaction Dynamics. 2020 , 42, e1900169		

479	In silico analysis of functional linkage among arsenic induced MATE genes in rice. 2020 , 26, e00390		3
478	Interaction study of dietary fibers (pectin and cellulose) with meat proteins using bioinformatics analysis: An In-Silico study. 2020 , 119, 108889		12
477	UniProt-Related Documents (UniReD): assisting wet lab biologists in their quest on finding novel counterparts in a protein network. 2020 , 2, lqaa005		3
476	Integrated Proteogenomic Characterization across Major Histological Types of Pediatric Brain Cancer. 2020 , 183, 1962-1985.e31		45
475	ClusterM: a scalable algorithm for computational prediction of conserved protein complexes across multiple protein interaction networks. 2020 , 21, 615		1
474	Amalgamation of 3D structure and sequence information for protein-protein interaction prediction. <i>Scientific Reports</i> , 2020 , 10, 19171	4.9	5
473	Inference of Protein-Protein Interaction Networks from Liquid-Chromatography Mass-Spectrometry Data by Approximate Bayesian Computation-Sequential Monte Carlo Sampling. 2020 ,		
472	Graph-based prediction of Protein-protein interactions with attributed signed graph embedding. <i>BMC Bioinformatics</i> , 2020 , 21, 323	3.6	17
471	Yeast pericentrin/Spc110 contains multiple domains required for tethering the β tubulin complex to the centrosome. 2020 , 31, 1437-1452		1
470	NetCore: a network propagation approach using node coreness. 2020 , 48, e98		8
469	An extreme-phenotype genome-wide association study identifies candidate cannabinoid pathway genes in Cannabis. <i>Scientific Reports</i> , 2020 , 10, 18643	4.9	7
468	Advances in fungal chemical genomics for the discovery of new antifungal agents. 2021 , 1496, 5-22		5
467	Pby1 is a direct partner of the Dcp2 decapping enzyme. 2020 , 48, 6353-6366		1
466	A Robust Algorithm Based on Link Label Propagation for Identifying Functional Modules from Protein-protein Interaction Networks. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2020 , PP,	3	0
465	A Feature Extraction Method in Large Scale Prediction of Human Protein-Protein Interactions using Physicochemical Properties into Bi-gram. 2020 ,		0
464	Protein interaction networks. 2020 , 133-166		
463	RPS28B mRNA acts as a scaffold promoting cis-translational interaction of proteins driving P-body assembly. 2020 , 48, 6265-6279		14
462	A heterodimeric SNX4--SNX7 SNX-BAR autophagy complex coordinates ATG9A trafficking for efficient autophagosome assembly. 2020 , 133,		8

461	Community detection-based deep neural network architectures: A fully automated framework based on Likert-scale data. 2020 , 43, 8290-8301		1
460	NAIGO: An Improved Method to Align PPI Networks Based on Gene Ontology and Graphlets. 2020 , 8, 547		1
459	Agglomerative community detection on signed networks based on community adjacency list. 2020 , 34, 2050120		
458	FCTP-WSRC: Protein-Protein Interactions Prediction Weighted Sparse Representation Based Classification. 2020 , 11, 18		8
457	Computational Systems Analysis on Polycystic Ovarian Syndrome (PCOS). 2020 ,		1
456	Association study based on topological constraints of protein-protein interaction networks. <i>Scientific Reports</i> , 2020 , 10, 10797	4.9	2
455	A coarse graining algorithm based on m-order degree in complex network. 2020 , 558, 124879		
454	Prediction of Protein-Protein Interactions with Local Weight-Sharing Mechanism in Deep Learning. 2020 , 2020, 5072520		2
453	Multiplex Protein Imaging with Secondary Ion Mass Spectrometry Using Metal Oxide Nanoparticle-Conjugated Antibodies. 2020 , 12, 18056-18064		10
452	Photo-affinity pulling down of low-affinity binding proteins mediated by post-translational modifications. 2020 , 1107, 164-171		1
451	Resolvases, Dissolvases, and Helicases in Homologous Recombination: Clearing the Road for Chromosome Segregation. <i>Genes</i> , 2020 , 11,	4.2	8
450	Using Weighted Extreme Learning Machine Combined With Scale-Invariant Feature Transform to Predict Protein-Protein Interactions From Protein Evolutionary Information. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2020 , 17, 1546-1554	3	7
449	Network of Interactions between ZIKA Virus Non-Structural Proteins and Human Host Proteins. 2020 , 9,		10
448	A framework towards data analytics on host-pathogen protein-protein interactions. 2020 , 11, 4667-4679		2
447	An Improved Genetic with Particle Swarm Optimization Algorithm Based on Ensemble Classification to Predict Protein-Protein Interaction. 2020 , 113, 1851-1870		2
446	Pan-interactomics and its applications. 2020 , 397-435		
445	Ndr/Lats Kinases Bind Specific Mob-Family Coactivators through a Conserved and Modular Interface. 2020 , 59, 1688-1700		2
444	Protein-Protein Interactions Prediction Based on Graph Energy and Protein Sequence Information. 2020 , 25,		6

443	The Multifarious Role of 14-3-3 Family of Proteins in Viral Replication. 2020 , 12,		14
442	Iron-sulfur cluster biogenesis, trafficking, and signaling: Roles for CGFS glutaredoxins and BolA proteins. 2021 , 1868, 118847		11
441	PredHPI: an integrated web server platform for the detection and visualization of host-pathogen interactions using sequence-based methods. <i>Bioinformatics</i> , 2021 , 37, 622-624	7.2	4
440	Identification of Putative Interactors of Arabidopsis Sugar Transporters. 2021 , 26, 13-22		4
439	Human Histone Interaction Networks: An Old Concept, New Trends. 2021 , 433, 166684		3
438	Prediction, Analysis, Visualization, and Storage of Protein-Protein Interactions Using Computational Approaches. 2021 , 265-346		
437	An Effective Link-based Clustering Algorithm for Detecting Overlapping Protein Complexes in Protein-protein Interaction Networks. 2021 , 1-1		6
436	Chronic Obstructive Pulmonary Disease: Molecular Basis of Pathogenesis and Targeted Therapeutic Approaches. 2021 , 163-190		
435	Deep Learning for Protein-Protein Interaction Site Prediction. 2021 , 2361, 263-288		3
434	Variation in Pleiotropic Hub Gene Expression Is Associated with Interspecific Differences in Head Shape and Eye Size in <i>Drosophila</i> . 2021 , 38, 1924-1942		6
433	Essential Protein Recognition via Community Significance. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2021 , 18, 2788-2794		3
432	Bil2 Is a Novel Inhibitor of the Yeast Formin Bnr1 Required for Proper Actin Cable Organization and Polarized Secretion. 2021 , 9, 634587		1
431	On some applications related with algebraic structures through different well known graphs. 2021 , 24, 451-471		1
430	Analysing the yeast complexome-the Complex Portal rising to the challenge. 2021 , 49, 3156-3167		1
429	A survey on computational models for predicting protein-protein interactions. 2021 , 22,		22
428	Current status and future perspectives of computational studies on human-virus protein-protein interactions. 2021 , 22,		5
427	Binary Interactome Models of Inner- Versus Outer-Complexome Organization.		0
426	Biogenesis of RNA Polymerases in Yeast. 2021 , 8, 669300		4

425	Fluorescence resonance energy transfer in revealing protein-protein interactions in living cells. 2021 , 5, 49-59	
424	ScreenGarden: A shinyR application for fast and easy analysis of plate-based high-throughput screens.	
423	Constraint-based models for dominating protein interaction networks. 2021 , 15, 148-162	1
422	Protein-fragment complementation assays for large-scale analysis of protein-protein interactions. 2021 , 49, 1337-1348	2
421	A computational framework for modeling functional protein-protein interactions. 2021 , 89, 1353-1364	0
420	Analysing Complex Oral Protein Samples: Complete Workflow and Case Analysis of Salivary Pellicles. 2021 , 10,	0
419	LSTM-PHV: prediction of human-virus protein-protein interactions by LSTM with word2vec. 2021 , 22,	7
418	An enhanced methodology for predicting protein-protein interactions between human and hepatitis C virus via ensemble learning algorithms. 2021 , 1-11	
417	Prediction of protein-protein interaction sites through eXtreme gradient boosting with kernel principal component analysis. 2021 , 134, 104516	10
416	Prediction of Protein-Protein Interactions using Deep Multi-Modal Representations. 2021 ,	2
415	BFG-PCA: tools and resources that expand the potential for binary protein interaction discovery.	
414	Arabidopsis RAB8A, RAB8B and RAB8D Proteins Interact with Several RTNLB Proteins and are Involved in the Agrobacterium tumefaciens Infection Process. 2021 , 62, 1572-1588	1
413	The small GTP-binding protein TaRop10 interacts with TaTrxh9 and functions as a negative regulator of wheat resistance against the stripe rust. 2021 , 309, 110937	0
412	Robust and accurate prediction of protein-protein interactions by exploiting evolutionary information. <i>Scientific Reports</i> , 2021 , 11, 16910	4.9 2
411	Identifying Protein Complexes With Clear Module Structure Using Pairwise Constraints in Protein Interaction Networks. 2021 , 12, 664786	3
410	Molecular characterization and expression of cyclic nucleotide gated ion channels 19 and 20 in for their potential role in salt stress. 2021 , 28, 5800-5807	2
409	as Emerging Model Organism in Fundamental Research. 2020 , 11, 607028	8
408	Graphs as Models of Large-Scale Biochemical Organization. 2005 , 155-189	1

407	Proteomics Today, Proteomics Tomorrow. 2004 , 1-17		3
406	THE ARCHITECTURE OF COMPLEXITY: FROM WWW TO CELLULAR METABOLISM. 2006 , 107-125		0
405	Prokaryotic Systems Biology. 2007 , 395-423		1
404	Towards an Integrated Protein-Protein Interaction Network. 2005 , 14-30		1
403	Using Inductive Logic Programming for Predicting Protein-Protein Interactions from Multiple Genomic Data. 2005 , 321-330		10
402	Using a Stochastic AdaBoost Algorithm to Discover Interactome Motif Pairs from Sequences. 2006 , 622-630		2
401	Nonequilibrium Model for Yeast Cell Cycle. 2006 , 786-791		4
400	Property-Driven Statistics of Biological Networks. 2006 , 1-15		1
399	Comparative Analysis of Classification Methods for Protein Interaction Verification System. 2006 , 227-236		2
398	Detection of topological patterns in protein networks. 2004 , 26, 33-47		5
397	Testicular development and spermatogenesis: harvesting the postgenomics bounty. <i>Advances in Experimental Medicine and Biology</i> , 2008 , 636, 16-41	3.6	22
396	Encyclopedia of Complexity and Systems Science. 2009 , 719-741		5
395	Surface Plasmon Resonance Biosensing in the Study of Ternary Systems of Interacting Proteins. 2007 , 97-141		4
394	From protein-protein complexes to interactomics. 2007 , 43, 135-83		16
393	Analysis of E. coli Network. 2009 , 113-132		1
392	Finding Functional Modules. 2010 , 253-273		1
391	Sumoylation as a signal for polyubiquitylation and proteasomal degradation. 2010 , 54, 195-214		51
390	Molecular systems biology of Sic1 in yeast cell cycle regulation through multiscale modeling. <i>Advances in Experimental Medicine and Biology</i> , 2012 , 736, 135-67	3.6	4

389	Graph Theoretic Clique Relaxations and Applications. 2013 , 1559-1598		11
388	Application of Random Matrix Theory to Analyze Biological Data. 2011 , 711-732		2
387	Computational approaches for human disease gene prediction and ranking. <i>Advances in Experimental Medicine and Biology</i> , 2014 , 799, 69-84	3.6	13
386	Biological information extraction and co-occurrence analysis. 2014 , 1159, 77-92		13
385	Yeast two-hybrid system for dissecting the rice MAPK interactome. 2014 , 1171, 195-216		1
384	Omics Approaches to Macrophage Biology. 2014 , 587-615		1
383	Inferring protein-protein interactions from multiple protein domain combinations. 2009 , 541, 43-59		15
382	Computational reconstruction of protein-protein interaction networks: algorithms and issues. 2009 , 541, 89-100		13
381	What can we learn from highly connected beta-rich structures for structural interface design?. 2008 , 474, 235-53		2
380	Computational analysis of the yeast proteome: understanding and exploiting functional specificity in genomic data. 2009 , 548, 273-93		1
379	The application of tandem-affinity purification to <i>Candida albicans</i> . 2009 , 499, 133-48		10
378	Visualization. 2008 , 453, 441-50		2
377	Clone-based functional genomics. 2009 , 553, 141-77		2
376	Sequential peptide affinity purification system for the systematic isolation and identification of protein complexes from <i>Escherichia coli</i> . 2009 , 564, 373-400		32
375	The evolution of protein interaction networks. 2011 , 696, 273-89		3
374	High-throughput analyses and curation of protein interactions in yeast. 2011 , 759, 381-406		5
373	Contributions of <i>Saccharomyces cerevisiae</i> to understanding mammalian gene function and therapy. 2011 , 759, 501-23		12
372	Matrix-based yeast two-hybrid screen strategies and comparison of systems. 2012 , 812, 1-20		4

371	The integration and annotation of the human interactome in the UniHI Database. 2012 , 812, 175-88	2
370	High-throughput yeast two-hybrid screening. 2012 , 812, 39-61	8
369	A stringent yeast two-hybrid matrix screening approach for protein-protein interaction discovery. 2012 , 812, 63-87	16
368	Identifying gene interaction networks. 2012 , 850, 483-94	8
367	Topological and Dynamical Properties of Protein Interaction Networks. 2008 , 115-137	1
366	Cross-Species Analysis of Protein-protein Interaction Networks. 2008 , 163-185	1
365	NESSIE: Network Example Source Supporting Innovative Experimentation. 2010 , 85-106	2
364	Data Journeys Beyond Databases in Systems Biology: Cytoscape and NDEx. 2020 , 121-143	3
363	A MapReduce-Based Parallel Random Forest Approach for Predicting Large-Scale Protein-Protein Interactions. 2020 , 400-407	1
362	A Novel Stochastic Block Model for Network-Based Prediction of Protein-Protein Interactions. 2020 , 621-632	4
361	Identifying Spurious Interactions in the Protein-Protein Interaction Networks Using Local Similarity Preserving Embedding. 2014 , 138-148	3
360	Transitive Assignment Kernels for Structural Classification. 2015 , 146-159	5
359	Using Weighted Extreme Learning Machine Combined with Scale-Invariant Feature Transform to Predict Protein-Protein Interactions from Protein Evolutionary Information. 2018 , 527-532	3
358	Prediction of Implicit Protein-Protein Interaction by Optimal Associative Feature Mining. 2004 , 85-91	4
357	Adaptive Neural Network-Based Clustering of Yeast Protein-Protein Interactions. 2004 , 49-57	3
356	A Hierarchical Clustering Strategy and Its Application to Proteomic Interaction Data. 2003 , 62-69	3
355	Improved Duplication Models for Proteome Network Evolution. 2005 , 119-137	4
354	Decomposition of Overlapping Protein Complexes: A Graph Theoretical Method for Analyzing Static and Dynamic Protein Associations. 2005 , 23-38	4

353	Combining One-Class Classification Models Based on Diverse Biological Data for Prediction of Protein-Protein Interactions. 2008 , 177-191	1
352	Weighted Cohesiveness for Identification of Functional Modules and Their Interconnectivity. 2007 , 185-198	2
351	Reconstructing the Topology of Protein Complexes. 2007 , 32-46	4
350	Probabilistic Paths for Protein Complex Inference. 2007 , 14-28	2
349	Detection of Protein Complexes in Protein Interaction Networks Using n-Clubs. 2008 , 153-164	15
348	Bootstrapping the Interactome: Unsupervised Identification of Protein Complexes in Yeast. 2008 , 3-16	27
347	Fast and Accurate Alignment of Multiple Protein Networks. 2008 , 246-256	28
346	A Hybrid Rule-Induction/Likelihood-Ratio Based Approach for Predicting Protein-Protein Interactions. 2009 , 623-637	2
345	Metric Labeling and Semi-metric Embedding for Protein Annotation Prediction. 2011 , 392-407	5
344	Management and Analysis of Protein-to-Protein Interaction Data. 2011 , 1-12	1
343	Prediction of Protein-Protein Interactions Using Local Description of Amino Acid Sequence. 2011 , 254-262	50
342	Prediction of E.coli Protein-Protein Interaction Sites Using Inter-Residue Distances and High-Quality-Index Features. 2012 , 837-844	1
341	A Novel Approach to Modelling Protein-Protein Interaction Networks. 2012 , 49-57	2
340	Approximate Axial Symmetries from Continuous Time Quantum Walks. 2012 , 144-152	8
339	A Continuous-Time Quantum Walk Kernel for Unattributed Graphs. 2013 , 101-110	10
338	Temporal Partitioning of the Yeast Cellular Network. 2014 , 323-349	6
337	Metabolic Dissipative Structures. 2014 , 179-211	6
336	Attributed Graph Similarity from the Quantum Jensen-Shannon Divergence. 2013 , 204-218	2

335	A SVM-Based System for Predicting Protein-Protein Interactions Using a Novel Representation of Protein Sequences. 2013 , 629-637	11
334	Graph-based analysis of metabolic networks. 2002 , 245-74	19
333	The Use of Protein-Protein Interaction Networks for Genome Wide Protein Function Comparisons and Predictions. 2004 , 103-124	3
332	Node Centrality for Continuous-Time Quantum Walks. 2014 , 103-112	4
331	The Topological Profile of a Model of Protein Network Evolution Can Direct Model Improvement. 2015 , 40-52	1
330	Privacy in Online Social Networks. 2013 , 3-45	2
329	Predicting Gene Function Using Omics Data: From Data Preparation to Data Integration. 2011 , 215-242	2
328	Proteomics Defines Protein Interaction Network of Signaling Pathways. 2013 , 17-38	1
327	Scale-Free Networks. 2007 ,	568
326	Graph structures: communities. 2007 , 34-59	1
325	Scale-invariance. 2007 , 60-83	1
324	Genetic control of extracellular protease synthesis in the yeast <i>Yarrowia lipolytica</i> . 2002 , 160, 417-27	58
323	Ady3p links spindle pole body function to spore wall synthesis in <i>Saccharomyces cerevisiae</i> . 2002 , 160, 1439-50	35
322	Identification of Edc3p as an Enhancer of mRNA Decapping in <i>Saccharomyces cerevisiae</i> . 2004 , 166, 729-739	17
321	Frequent Assembly of Chimeric Complexes in the Protein Interaction Network of an Interspecies Yeast Hybrid. 2021 , 38, 1384-1401	4
320	A heterodimeric SNX4:SNX7 SNX-BAR autophagy complex coordinates ATG9A trafficking for efficient autophagosome assembly.	1
319	Frequent assembly of chimeric complexes in the protein interaction network of an interspecies yeast hybrid.	1
318	Analysing the Yeast Complexome - The Complex Portal rising to the challenge.	0

317	Ndr/Lats kinases bind specific Mob-family coactivators through a conserved and modular interface.		1
316	Deep learning in bioinformatics: introduction, application, and perspective in big data era.		12
315	Annotation of novel proteins utilizing a functional genome shotgun coupled with high-throughput protein interaction mapping. 2003 , 68, 331-4		1
314	Harvesting the genome's bounty: integrative genomics. 2003 , 68, 431-43		8
313	Efficiently Detecting Protein Complexes from Protein Interaction Networks via Alternating Direction Method of Multipliers. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2019 , 16, 1922-1935	3	24
312	Functional Genomic Approaches to Fungal Pathogenesis, Drug Target Validation, and Antifungal Drug Discovery. 627-642		1
311	An integrated probabilistic model for functional prediction of proteins. 2003 ,		10
310	Conservation of the COP9/signalosome in budding yeast. 2002 , 3, 15		57
309	Rho5p downregulates the yeast cell integrity pathway. 2002 , 115, 3139-3148		34
308	Stratus not altocumulus: a new view of the yeast protein interaction network. 2006 , 4, e317		157
307	Hubs with network motifs organize modularity dynamically in the protein-protein interaction network of yeast. <i>PLoS ONE</i> , 2007 , 2, e1207	3.7	40
306	Non-uniform survival rate of heterodimerization links in the evolution of the yeast protein-protein interaction network. <i>PLoS ONE</i> , 2008 , 3, e1667	3.7	9
305	Influence of protein abundance on high-throughput protein-protein interaction detection. <i>PLoS ONE</i> , 2009 , 4, e5815	3.7	37
304	Large-scale assessment of the effect of popularity on the reliability of research. <i>PLoS ONE</i> , 2009 , 4, e59967	3.7	16
303	Accounting for redundancy when integrating gene interaction databases. <i>PLoS ONE</i> , 2009 , 4, e7492	3.7	4
302	Effective identification of conserved pathways in biological networks using hidden Markov models. <i>PLoS ONE</i> , 2009 , 4, e8070	3.7	21
301	Protein networks reveal detection bias and species consistency when analysed by information-theoretic methods. <i>PLoS ONE</i> , 2010 , 5, e12083	3.7	19
300	Failure tolerance of motif structure in biological networks. <i>PLoS ONE</i> , 2011 , 6, e20512	3.7	11

299	Nucleoporin mediated nuclear positioning and silencing of HMR. <i>PLoS ONE</i> , 2011 , 6, e21923	3.7	26
298	The metabolic core and catalytic switches are fundamental elements in the self-regulation of the systemic metabolic structure of cells. <i>PLoS ONE</i> , 2011 , 6, e27224	3.7	9
297	Genetic and physical interactions between Tel2 and the Med15 Mediator subunit in <i>Saccharomyces cerevisiae</i> . <i>PLoS ONE</i> , 2012 , 7, e30451	3.7	3
296	A directed RNAi screen based on larval growth arrest reveals new modifiers of <i>C. elegans</i> insulin signaling. <i>PLoS ONE</i> , 2012 , 7, e34507	3.7	7
295	Network compression as a quality measure for protein interaction networks. <i>PLoS ONE</i> , 2012 , 7, e35729	3.7	13
294	Robustness elasticity in complex networks. <i>PLoS ONE</i> , 2012 , 7, e39788	3.7	19
293	Systematic differences in signal emitting and receiving revealed by PageRank analysis of a human protein interactome. <i>PLoS ONE</i> , 2012 , 7, e44872	3.7	11
292	Predicting the binding patterns of hub proteins: a study using yeast protein interaction networks. <i>PLoS ONE</i> , 2013 , 8, e56833	3.7	8
291	Protein complex detection via weighted ensemble clustering based on Bayesian nonnegative matrix factorization. <i>PLoS ONE</i> , 2013 , 8, e62158	3.7	24
290	Prediction of heterodimeric protein complexes from weighted protein-protein interaction networks using novel features and kernel functions. <i>PLoS ONE</i> , 2013 , 8, e65265	3.7	13
289	The N-terminus of Vps74p is essential for the retention of glycosyltransferases in the Golgi but not for the modulation of apical polarized growth in <i>Saccharomyces cerevisiae</i> . <i>PLoS ONE</i> , 2013 , 8, e74715	3.7	5
288	Development of ultra-high-density screening tools for microbial "omics". <i>PLoS ONE</i> , 2014 , 9, e85177	3.7	22
287	An in vivo photo-cross-linking approach reveals a homodimerization domain of Aha1 in <i>S. cerevisiae</i> . <i>PLoS ONE</i> , 2014 , 9, e89436	3.7	12
286	Identification of protein partners in mycobacteria using a single-step affinity purification method. <i>PLoS ONE</i> , 2014 , 9, e91380	3.7	16
285	Exploring function prediction in protein interaction networks via clustering methods. <i>PLoS ONE</i> , 2014 , 9, e99755	3.7	11
284	Comparison of Gene Coexpression Profiles and Construction of Conserved Gene Networks to Find Functional Modules. <i>PLoS ONE</i> , 2015 , 10, e0132039	3.7	6
283	A High Affinity hRpn2-Derived Peptide That Displaces Human Rpn13 from Proteasome in 293T Cells. <i>PLoS ONE</i> , 2015 , 10, e0140518	3.7	18
282	Inter-Protein Sequence Co-Evolution Predicts Known Physical Interactions in Bacterial Ribosomes and the Trp Operon. <i>PLoS ONE</i> , 2016 , 11, e0149166	3.7	35

281	Multiple-Localization and Hub Proteins. <i>PLoS ONE</i> , 2016 , 11, e0156455	3-7	20
280	Evolution of protein-protein interaction networks in yeast. <i>PLoS ONE</i> , 2017 , 12, e0171920	3-7	13
279	On applications of bipartite graph associated with algebraic structures. 2020 , 18, 57-66		2
278	Ser/Thr protein phosphatases in fungi: structure, regulation and function. 2019 , 6, 217-256		22
277	Accurate prediction of protein-protein interactions by integrating potential evolutionary information embedded in PSSM profile and discriminative vector machine classifier. 2017 , 8, 23638-23649		33
276	Synonymous mutations in oncogenesis and apoptosis versus survival unveiled by network modeling. 2016 , 7, 34599-616		9
275	Prediction of interacting proteins from homology-modeled complex structures using sequence and structure scores. 2007 , 3, 13-26		6
274	Mapping of Protein-Protein Interactions: Web-Based Resources for Revealing Interactomes. 2019 , 26, 3890-3910		8
273	In Silico Protein Interaction Network Analysis of Virulence Proteins Associated with Invasive Aspergillosis for Drug Discovery. 2019 , 19, 146-155		4
272	Algorithmic and Stochastic Representations of Gene Regulatory Networks and Protein-Protein Interactions. 2019 , 19, 413-425		4
271	Function Analysis of Human Protein Interactions Based on a Novel Minimal Loop Algorithm. 2019 , 14, 164-173		5
270	A Survey on Computational Methods for Essential Proteins and Genes Prediction. 2019 , 14, 211-225		6
269	Combining Sequence Entropy and Subgraph Topology for Complex Prediction in Protein Protein Interaction (PPI) Network. 2019 , 14, 516-523		6
268	Display of E. coli Alkaline Phosphatase pIII or pVIII Fusions on Phagemid Surfaces Reveals Monovalent Decoration with Active Molecules. 2008 , 2, 38-43		1
267	Protein-Protein Etkilemi Tespit Yöntemleri, Veri Tabanları ve Veri Güvenilirliği 722-733		1
266	New Trends in Graph Mining. 2010 , 1, 81-99		6
265	The Role of Protein Arginine Methylation in mRNP Dynamics. 2011 , 2011, 163827		44
264	Large Scale Chemical Cross-linking Mass Spectrometry Perspectives. 2013 , 6, 001		13

263	From the sequence to cell modeling: comprehensive functional genomics in Escherichia coli. 2004 , 37, 83-92		26
262	Synergistic efficacy of LBH and alphaB-crystallin through inhibiting transcriptional activities of p53 and p21. 2010 , 43, 432-7		8
261	Predicting conformation of protein complexes by determining statistically significant domain-domain interactions. 2009 , 26, 495-501		1
260	Identification of histone deacetylase 1 protein complexes in liver cancer cells. 2013 , 14, 915-21		21
259	Molecular architecture of the yeast Mediator complex. <i>ELife</i> , 2015 , 4,	8.9	107
258	Time-gated detection of protein-protein interactions with transcriptional readout. <i>ELife</i> , 2017 , 6,	8.9	28
257	Dynamic relocalization of replication origins by Fkh1 requires execution of DDK function and Cdc45 loading at origins. <i>ELife</i> , 2019 , 8,	8.9	13
256	A large accessory protein interactome is rewired across environments. <i>ELife</i> , 2020 , 9,	8.9	7
255	Study of interaction between Papaya ringspot virus coat protein and infected Carica papaya proteins. 2021 , 16, 474-480		0
254	Protein-Protein Interaction Prediction via Graph Signal Processing. 2021 , 9, 142681-142692		0
253	Protein-protein interaction prediction based on ordinal regression and recurrent convolutional neural networks. <i>BMC Bioinformatics</i> , 2021 , 22, 485	3.6	3
252	Structures of core eukaryotic protein complexes.		7
251	A Effector Protein 1 Targets Apple () Pathogenesis-Related 10 Protein to Promote Virulence. 2021 , 12, 741342		1
250	Dedicated chaperones coordinate co-translational regulation of ribosomal protein production with ribosome assembly to preserve proteostasis.		
249	Interactome of human and SARS-CoV-2 proteins to identify human hub proteins associated with comorbidities. 2021 , 138, 104889		1
248	Antifungal Target Discovery and Evaluation. 2002 , 155-166		
247	Cell-Wall Beta-Glucans of Saccharomyces cerevisiae. 2002 ,		1
246	Estimation of Bias in Proteome Research. 2003 , 473-476		

- 245 Functional Genomics and Proteomics: Basics, Opportunities and Challenges. **2003**, 39-66 1
- 244 Computational Genomics: Prediction of Protein Functional Linkages and Networks. **2003**, 15-19
- 243 Protein Interaction Mapping by Coprecipitation and Mass Spectrometric Identification. **2003**, 295-300
- 242 Bioinformatics in Proteomics. **2003**, 419-428
- 241 In Silico Proteomics. **2003**, 193-222
- 240 Approach of the functional evolution of duplicated genes in *Saccharomyces cerevisiae* using a new classification method based on protein-protein interaction data. **2003**, 213-224
- 239 Bioinformatik. **2003**, 143-212 0
- 238 Forward and Reverse Proteomics. **2003**, 255-276
- 237 Prediction of Protein Functions Using Protein Interaction Data. **2004**, 317-324
- 236 Target discovery and validation. **2004**, 19-46
- 235 Die funktionelle Analyse von Genomen. **2004**, 137-166
- 234 Proteomics, now evolving. **2004**, 50, 355-363
- 233 BioPubMiner: Machine Learning Component-Based Biomedical Information Analysis Platform. **2004**, 11-20
- 232 GATA-Factor-Mediated Transcription and Tor1/2 in *Saccharomyces cerevisiae* from a Physiological Perspective. **2004**, 81-109 2
- 231 Yeast Two-Hybrid Technology. **2004**, 1302-1304
- 230 Structural bioinformatics in post-genomic era. **2004**, 20, 78-91
- 229 Gene Product Interaction.
- 228 Interactome.

227 Classes of the Shortest Pathway Structures in Scale Free Networks. 105-125

226 Interactome.

225 Interactome. **2004**,

224 The Specificity of Topology of the Protein-Protein Interactions in Yeast and Its Biological Characteristics. **2005**, 53, 137-141

223 Proteomics. **2005**, 413-440

222 Regulation of Damage Tolerance by the RAD6 Pathway. **2005**,

221 Application of Proteomics in Basic Biological Sciences and Cancer. **2005**, 263-288

220 Software for Genomic Data. **2005**, 489-519

219 Prediction of Protein Interaction with Neural Network-Based Feature Association Rule Mining. **2006**, 30-39

1

218 Characterization of Genes Conferring Resistance Against ISP-1/Myriocin-Induced Sphingolipid Depletion in Yeast. **2006**, 463-474

217 Genomic and Post- Genomic Tools for Studying Synapse Biology. **2006**, 279-306

216 Protein-Protein Interaction Maps.

215 Protein-Protein Interaction Reliability Enhancement System based on Feature Selection and Classification Technique. **2006**, 13B, 679-688

214 Comparison of Protein-Protein Interaction Confidence Assignment Schemes. **2007**, 39-50

213 A bacterial/yeast merged two-hybrid system: protocol for yeast screening with single or parallel baits. **2007**, 408, 257-90

212 Systems biology and its impact on anti-infective drug development. **2007**, 64, 1, 3-20

2

211 Financial networks. **2007**, 231-250

210 Geophysical networks. **2007**, 148-166

209 Introduction to graphs. **2007**, 7-33

208 Networks in the cell. **2007**, 131-147

207 Introduction. **2007**, 1-4

206 Technological networks: Internet and WWW. **2007**, 185-210

205 The origin of power-law functions. **2007**, 84-102

204 Graph generating models. **2007**, 103-128

203 Ecological networks. **2007**, 167-184

202 Social and cognitive networks. **2007**, 211-230

201 Interaction Networks of Proteins.

1

200 High-Throughput Screening of Protein Interaction Networks in the TGF β Interactome: Understanding the Signaling Mechanisms Driving Tumor Progression. **2008**, 265-284

199 Topological Metrics in Blast Data Mining: Plasmid and Nitrogen-Fixing Proteins Case Studies. **2008**, 207-220

198 Two- and Three-Hybrid Systems. 1

197 Protein-Protein Interactions. 1

196 Sequence and Genome Bioinformatics. 1812-1844

195 Analysis of Essential Proteins in Protein-Protein Interaction Networks. **2008**, 8, 74-81

194 Encyclopedia of Complexity and Systems Science. **2009**, 3964-3985

193 Encyclopedia of Complexity and Systems Science. **2009**, 5655-5667

192 Encyclopedia of Complexity and Systems Science. **2009**, 570-589

- 191 The Molecular Architecture of Protein-Protein Binding Sites. **2009**, 43-55
- 190 Diagnosis of Complex Diseases. **2010**, 347-382
- 189 Computational Methods for Predicting Domain-Domain Interactions. **2010**, 157-173
- 188 Omics Technologies and Their Input for the Comprehension of Metabolic Systems Particularly Pertaining to Yeast Organisms. **2010**, 105-122
- 187 Protein-protein interaction map is a key gateway into liver regeneration. **2010**, 16, 3491-8 1
- 186 Identification of Modules in Protein-Protein Interaction Networks. **2010**, 253-267
- 185 Strategies and Methods in Monitoring and Targeting Protein-Protein Interactions. 1
- 184 Inference of Protein Function from the Structure of Interaction Networks. **2011**, 439-461 1
- 183 Protein Function Prediction Using Protein-Protein Interaction Networks. **2011**, 243-270
- 182 Modules in Biological Networks. **2011**, 248-274
- 181 Using Machine Learning Techniques and Genomic/Proteomic Information from Known Databases for PPI Prediction. **2011**, 373-380
- 180 Optimizing Filter Processes on Protein Interaction Clustering Results Using Genetic Algorithms. **2011**, 463-470
- 179 A New Vertex Similarity Metric for Community Discovery: A Distance Neighbor Model. **2011**, 228-237
- 178 Function Prediction of Genes: From Molecular Function to Cellular Function. **2011**, 197-214
- 177 Computational Drug Target Pathway Discovery: A Bayesian Network Approach. **2011**, 501-532
- 176 Filtering and interpreting large-scale experimental protein-protein interaction data. **2011**, 781, 295-309
- 175 Incorporating Correlations among Gene Ontology Terms into Predicting Protein Functions. **2011**, 154-173
- 174 Intracellular Dissipative Structures (IDSs). **2012**, 255-268

173 Mining Multiple Biological Data for Reconstructing Signal Transduction Networks. **2012**, 163-185

172 Network module extraction with positive and negative co-regulation. **2012**,

171 Emergence of features in protein-protein interaction networks. **2012**, 61, 010203

1

170 References. 157-176

169 Using a Genetic Algorithm and Markov Clustering on Protein-Protein Interaction Graphs. **2012**, 1, 35-47

168 Applications of Protein Interaction Networks. **2013**, 57-60

167 Prioritizing Disease Genes and Understanding Disease Pathways. **2012**, 3, 31-49

166 Protein Interactions for Functional Genomics. **2012**, 3, 15-30

165 Construction of Uncertain Protein-Protein Interaction Networks and Its Applications. **2013**, 286-297

164 Characterization of Protein Complexes. 117-144

163 Wavelet Analysis Combined with Artificial Neural Network for Predicting Protein-Protein Interactions. **2014**, 47-53

162 Novel Ranking Methods Applied to Complex Membership Determination Problems. **2014**, 89-99

161 Path Finding in Biological Networks. **2014**, 289-309

160 Genome-Wide Approaches to Studying Prokaryotic Biology. 489-515

159 Function Prediction of Proteins in Yeast Networks Based on the MCL Algorithm. **2014**, 9,

158 Encyclopedia of Complexity and Systems Science. **2015**, 1-25

157 SVM Model to Predict Human Death Domain Protein-Protein Interactions Based on Amino Acid Composition. **2015**, 8, 14-25

156 Reverse two-hybrid techniques in the yeast *Saccharomyces cerevisiae*. **2015**, 1278, 433-46

155 Direct Cloning Protocol for Rapid Transformant Selection. **2015**, 10, 551-556

154 A new computational model captures fundamental architectural features of diverse biological networks.

153 Application of the ATTRACT Coarse-Grained Docking and Atomistic Refinement for Predicting Peptide-Protein Interactions. **2017**, 1561, 49-68

152 Background. **2017**, 9-21

151 Introduction. **2017**, 1-8

150 Macromolecular Interactions. **2017**, 115-137

149 Predicting Essential Proteins Based on Gene Expression Data, Subcellular Localization and PPI Data. **2017**, 92-105

3

148 Clustering PPI Networks. **2017**, 23-58

147 Time-gated detection of protein-protein interactions with transcriptional readout.

146 The Functional Analysis of Genomes. **2018**, 91-122

145 Die funktionelle Analyse von Genomen. **2018**, 95-126

144 Two-Hybrid Systems to Measure Protein-Protein Interactions. 1-6

143 Hefen. **2019**, 63-91

142 Domain-Based Approaches to Prediction and Analysis of Protein-Protein Interactions. **2019**, 406-427

141 A multi-reporter bacterial 2-hybrid assay for the fast, simple, and dynamic assay of PDZ domain-peptide interactions.

140 Dynamic relocalization of replication origins by Fkh1 requires execution of DDK function and Cdc45 loading at origins.

139 Learning Signaling Pathway Structures. **2019**, 143-199

138 PeSA: A Software Tool for Peptide Specificity Analysis.

- 137 A large accessory protein interactome is rewired across environments.
- 136 Struct2Graph: A graph attention network for structure based predictions of protein-protein interactions. 1
- 135 A framework combines supervised learning and dense subgraphs discovery to predict protein complexes. **2022**, 16, 1 1
- 134 Metric Labeling and Semimetric Embedding for Protein Annotation Prediction. **2021**, 28, 514-525
- 133 3D Genome Contributes to Protein-Protein Interactome. 0
- 132 Methods for binding analysis of small GTP-binding proteins with their effectors. **2021**, 166, 235-250 2
- 131 Protein-Protein Interactions Prediction Based on Bi-directional Gated Recurrent Unit and Multimodal Representation. **2020**, 164-171
- 130 Variation in a pleiotropic hub gene drives morphological evolution: Insights from interspecific differences in head shape and eye size in *Drosophila*. 0
- 129 An Efficient Approach for Prediction of Essential Protein from PPI Network. **2020**,
- 128 Association Study based on Topological Constraints of Protein-Protein Interaction Networks.
- 127 AE-LGBM: Sequence-Based Novel Approach To Detect Interacting Protein Pairs via Ensemble of Autoencoder and LightGBM.
- 126 Mining Protein Interactome Networks to Measure Interaction Reliability and Select Hub Proteins. 222-238
- 125 New Trends in Graph Mining. 259-278
- 124 Modules in Biological Networks. 637-663
- 123 Using a Genetic Algorithm and Markov Clustering on Protein-Protein Interaction Graphs. 805-816
- 122 Incorporating Correlations among Gene Ontology Terms into Predicting Protein Functions. 831-850
- 121 Graphical Analysis of Biocomplex Networks and Transport Phenomena. **2006**, 12-24
- 120 Large-Scale Topological Properties of Molecular Networks. **2006**, 25-39

- 119 The Connectivity of Large Genetic Networks. **2006**, 40-52
- 118 The Drosophila Protein Interaction Network May Be neither Power-Law nor Scale-Free. **2006**, 53-64
- 117 Gene Regulatory Networks. **2006**, 106-122 1
- 116 Reliable and Specific Protein Function Prediction by Combining Homology with Genomic(s) Context. **2006**, 13-29
- 115 Structures in Molecular Networks. **2004**, 181-193
- 114 Functional Genomics of Seed Development in Cereals. **2004**, 447-481
- 113 STRUCTURE AND COMMUNICATION IN COMPLEX NETWORKS. **2006**, 1-28
- 112 Metabolic Engineering. **2006**, 217-235
- 111 Protein Networks. **2006**, 247-263
- 110 Cell Signalling - The Proteomics of It All. **2001**, 2001, pe33-pe33
- 109 Protein-Protein Interaction and Macromolecular Visualization. **2009**, 79-96
- 108 GPCR Interacting Proteins. **2005**, 199-213
- 107 Annotating the Human Proteome. **2008**, 211-235
- 106 DBRF-MEGN Method: An Algorithm for Inferring Gene Regulatory Networks from Large-Scale Gene Expression Profiles. **2007**, 435-448
- 105 Methods for Protein-Protein Interaction Analysis. **2007**, 160-182
- 104 Dynamic Properties of Cell-Cycle and Life-Cycle Networks in Budding Yeast. **2007**, 217-227
- 103 Understanding Protein-Protein Interactions: From Domain Level to Motif Level. **2007**, 229-247 1
- 102 The Stochastic Model and Metastability of the Gene Network. **2007**, 271-290

- 101 Inferring Protein-Protein Interactions by Combinatorial Models. **2007**, 183-186 2
- 100 Inference of Protein-Protein Interactions by Using Co-evolutionary Information. **2007**, 322-333
- 99 The cognitive phenotype of Down syndrome: Insights from intracellular network analysis. **2006**, 3, 396-406
- 98 Investigation of RNA metabolism through large-scale genetic interaction profiling in yeast.
- 97 ProCbA: Protein Function Prediction based on Clique Analysis.
- 96 Naf1 p is a box H/ACA snoRNP assembly factor. **2002**, 8, 1502-14 60
- 95 PDGF BB purified from osteoclasts acts as osteoblastogenesis inhibitory factor (OBIF). **2002**, 13, 62-71 8
- 94 Systems level modeling of the cell cycle using budding yeast. **2007**, 3, 357-70 3
- 93 Nonlinear dynamic trans/cis regulatory circuit for gene transcription via microarray data. **2007**, 1, 151-66 1
- 92 Protein-protein interaction networks (PPI) and complex diseases. **2014**, 7, 17-31 92
- 91 Computed structures of core eukaryotic protein complexes. **2021**, 374, eabm4805 51
- 90 Chromatography-Free Purification Strategies for Large Biological Macromolecular Complexes Involving Fractionated PEG Precipitation and Density Gradients.. **2021**, 11, 1
- 89 Protein-protein interactions: Methods, databases, and applications in virus-host study.. **2021**, 10, 288-300 0
- 88 Interactions, structural aspects, and evolutionary perspectives of the yeast 'START'-regulatory network.. *FEMS Yeast Research*, **2021**, 3.1
- 87 Community Detection in Protein-Protein Interaction Networks and Applications.. *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, **2021**, PP, 3 1
- 86 Improving Protein-protein Interaction Prediction by Incorporating 3D Genome Information. **2021**, 511-520
- 85 Research on Construction Method of Protein-Protein Interaction Network Cluster Based on Hadoop. **2021**,
- 84 Barcode fusion genetics-protein-fragment complementation assay (BFG-PCA): tools and resources that expand the potential for binary protein interaction discovery.. **2022**,

83	Learning spatial structures of proteins improves protein-protein interaction prediction.. 2022,		3
82	Predicting Essential Proteins Based on Integration of Local Fuzzy Fractal Dimension and Subcellular Location Information.. <i>Genes</i> , 2022 , 13,	4.2	0
81	A heterogeneous parallel implementation of the Markov clustering algorithm for large-scale biological networks on distributed CPU/GPU clusters. <i>Journal of Supercomputing</i> , 1	2.5	
80	From communities to protein complexes: A local community detection algorithm on PPI networks.. <i>PLoS ONE</i> , 2022 , 17, e0260484	3.7	1
79	From Petri Plates to Petri Nets, a revolution in yeast biology.. <i>FEMS Yeast Research</i> , 2022,	3.1	
78	ScreenGarden: a shinyR application for fast and easy analysis of plate-based high-throughput screens.. <i>BMC Bioinformatics</i> , 2022 , 23, 60	3.6	0
77	Approach of the functional evolution of duplicated genes in <i>Saccharomyces cerevisiae</i> using a new classification method based on protein-protein interaction data. <i>Journal of Structural and Functional Genomics</i> , 2003 , 3, 213-24		3
76	Interactomes: Experimental and In Silico Approaches.. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1346, 107-117	3.6	0
75	Analyzing Effect of Multi-modality in Predicting Protein-Protein Interactions.. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2022 , PP,	3	0
74	Construction of <i>Eriocheir sinensis</i> Protein-protein Interaction Network and Extraction of Molting Sub-network. 2022,		
73	Expanding interactome analyses beyond model eukaryotes.. <i>Briefings in Functional Genomics</i> , 2022,	4.9	0
72	TransformerGO: Predicting protein-protein interactions by modelling the attention between sets of gene ontology terms.. <i>Bioinformatics</i> , 2022,	7.2	1
71	A Class of Koszul Algebra and Some Homological Invariants through Circulant Matrices and Cycles. <i>Journal of Mathematics</i> , 2022 , 2022, 1-8	1.2	
70	Predicting protein-protein interactions between banana and <i>Fusarium oxysporum</i> f. sp. <i>ubense</i> race 4 integrating sequence and domain homologous alignment and neural network verification.. <i>Proteome Science</i> , 2022 , 20, 4	2.6	
69	Computational Network Inference for Bacterial Interactomics.. <i>MSystems</i> , 2022 , e0145621	7.6	
68	Dedicated chaperones coordinate co-translational regulation of ribosomal protein production with ribosome assembly to preserve proteostasis.. <i>ELife</i> , 2022 , 11,	8.9	2
67	Systematic analysis of olfactory protein-protein interactions network of fruitfly, <i>Drosophila melanogaster</i> .. <i>Archives of Insect Biochemistry and Physiology</i> , 2022 , e21882	2.3	
66	Prioritizing Candidate eQTL Causal Genes in <i>Arabidopsis</i> using Random Forests.		

65	Mediator Complex of the Malaria Parasite Associates with Evolutionarily Novel Subunits.. <i>ACS Omega</i> , 2022 , 7, 14867-14874	3.9
64	Data_Sheet_1.zip. 2020 ,	
63	Data_Sheet_2.zip. 2020 ,	
62	Data_Sheet_3.zip. 2020 ,	
61	Table_1.DOCX. 2020 ,	
60	DataSheet_1.zip. 2020 ,	
59	Image_1.TIF. 2018 ,	
58	Image_2.TIF. 2018 ,	
57	Image_3.TIF. 2018 ,	
56	Table_1.DOCX. 2018 ,	
55	Table_1.xlsx. 2019 ,	
54	Table_1.XLSX. 2019 ,	
53	Table_2.csv. 2019 ,	
52	Table_3.XLS. 2019 ,	
51	Table_4.XLS. 2019 ,	
50	Proteome-wide prediction and analysis of the <i>Cryptosporidium parvum</i> protein-protein interaction network through integrative methods. <i>Computational and Structural Biotechnology Journal</i> , 2022 ,	6.8
49	Cell Biology: Networks, Regulation and Pathways. 2009 , 449-476	
48	Prediction of protein-protein interaction using graph neural networks.. <i>Scientific Reports</i> , 2022 , 12, 83604.9	1

47	Predicting Protein-Protein Interactions Based on Ensemble Learning-Based Model from Protein Sequence. <i>Biology</i> , 2022 , 11, 995	4.9	○
46	Prots2Net: a PPIN predictor of a proteome or a metaproteome sample.		
45	Topological analysis as a tool for detection of abnormalities in protein-protein interaction data. <i>Bioinformatics</i> ,	7.2	○
44	3D genome assisted protein-protein interaction prediction. <i>Future Generation Computer Systems</i> , 2022 ,	7.5	
43	LGCA-VHPPI: A local-global residue context aware viral-host protein-protein interaction predictor. <i>PLoS ONE</i> , 2022 , 17, e0270275	3.7	○
42	Identification of all-against-all protein-protein interactions based on deep hash learning. <i>BMC Bioinformatics</i> , 2022 , 23,	3.6	○
41	Preface. 2007 , xi-xiv		
40	Copyright Page. 2007 , iv-iv		
39	Graph quantities. 2007 , 256-261		
38	Population dynamics. 2007 , 277-282		
37	Basic statistics. 2007 , 262-274		
36	Epigraph. 2007 , v-vi		
35	Glossary. 2007 , 253-255		
34	Matrices and eigenvectors. 2007 , 275-276		
33	A deep learning framework for identifying essential proteins based on multiple biological information. 2022 , 23,		
32	The unconventional prefoldin RPB5 interactor mediates the gravitropic response by modulating cytoskeleton organization and auxin transport in Arabidopsis.		
31	New feature extraction from phylogenetic profiles improved the performance of pathogen-host interactions. 12,		
30	Exploring the eukaryotic Yip and REEP/Yop superfamily of membrane-shaping adapter proteins (MSAPs): A cacophony or harmony of structure and function?. 9,		

- 29 Computer-aided molecular modeling and structural analysis of the human centromere protein β IKM complex. **2022**, 11,
- 28 Eukaryotic mRNA decapping factors: molecular mechanisms and activity.
- 27 PPIStB: A Novel Network-Based Algorithm of Predicting Protein-Protein Interactions With Mixed Membership Stochastic Blockmodel. **2022**, 1-8
- 26 TOR complex 2 is a master regulator of plasma membrane homeostasis. **2022**, 479, 1917-1940
- 25 Graph Neural Network for Protein β rotein Interaction Prediction: A Comparative Study. **2022**, 27, 6135
- 24 Small protein complex prediction algorithm based on protein β rotein interaction network segmentation. **2022**, 23,
- 23 Prioritizing candidate eQTL causal genes in Arabidopsis using RANDOM FORESTS.
- 22 Struct2Graph: a graph attention network for structure based predictions of protein β rotein interactions. **2022**, 23,
- 21 A positive statistical benchmark to assess network agreement.
- 20 Split-Ubiquitin Two-Hybrid Screen for Proteins Interacting with slToc159-1 and slToc159-2, Two Chloroplast Preprotein Import Receptors in Tomato (*Solanum lycopersicum*). **2022**, 11, 2923
- 19 Combining deep graph convolutional networks and PRSA to enhance protein-protein interaction site prediction. **2022**,
- 18 Cost-based feature selection for network model choice. 1-17
- 17 Long-distance dependency combined multi-hop graph neural networks for protein β rotein interactions prediction. **2022**, 23,
- 16 On Bipartite Circulant Graph Decompositions Based on Cartesian and Tensor Products with Novel Topologies and Deadlock-Free Routing. **2023**, 16, 10
- 15 Proteomic screening identifies RPLp2 as a specific regulator for the translation of coronavirus. **2023**, 230, 123191
- 14 Learning spatial structures and network correlations improves unknown protein β rotein interaction prediction. **2022**,
- 13 Contrastive Self-Supervised Representation Learning for Protein Complexes Identification. **2022**,
- 12 A partially shared joint clustering framework for detecting protein complexes from multiple state-specific signed interaction networks.

- 11 Kar4, the Yeast Homolog of METTL14, is Required for mRNA m6A Methylation and Meiosis. ○
- 10 DPPIN: A Biological Repository of Dynamic Protein-Protein Interaction Network Data. **2022**, 1
- 9 Vir1p, the Yeast Homolog of Virilizer, is Required for mRNA m6A Methylation and Meiosis. ○
- 8 Machine Learning Advances in Predicting Peptide/Protein-Protein Interactions Based on Sequence Information for Lead Peptides Discovery. 2200232 ○
- 7 Proteomic analyses reveal new features of the box H/ACA RNP biogenesis. ○
- 6 Machine learning on protein-protein interaction prediction: models, challenges and trends. **2023**, 24, ○
- 5 Vir1p, the yeast homolog of virilizer, is required for mRNA m6A methylation and meiosis. ○
- 4 Comparison of hepatic responses to glucose perturbation between healthy and obese mice based on the edge type of network structures. **2023**, 13, ○
- 3 Interactome-Based Machine Learning Predicts Potential Therapeutics for COVID-19. **2023**, 8, 13840-13854 ○
- 2 Benchmarking causal reasoning algorithms for gene expression-based compound mechanism of action analysis. **2023**, 24, ○
- 1 A partially shared joint clustering framework for detecting protein complexes from multiple state-specific signed interaction networks. **2023**, 106936 ○