

# CITATION REPORT

List of articles citing

**Aneurysmal SAH: cognitive outcome and structural damage after clipping or coiling**

**DOI: 10.1212/wnl.56.12.1672**  
**Neurology, 2001, 56, 1672-7.**

**Source:** <https://exaly.com/paper-pdf/33408191/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
129	Immediate administration of tranexamic acid and reduced incidence of early rebleeding after aneurysmal subarachnoid hemorrhage: a prospective randomized study. <i>Journal of Neurosurgery</i> , <b>2002</b> , 97, 771-8	3.2	233
128	Global and domain-specific cognitive impairment and outcome after subarachnoid hemorrhage. <i>Neurology</i> , <b>2002</b> , 59, 1750-8	6.5	218
127	Predictors of cognitive dysfunction after subarachnoid hemorrhage. <b>2002</b> , 33, 200-8		235
126	Endovascular treatment for poorest-grade subarachnoid hemorrhage in the acute stage: has the outcome been improved?. <i>Neurosurgery</i> , <b>2002</b> , 50, 1199-205; discussion 205-6	3.2	16
125	Endovascular Treatment for Poorest-grade Subarachnoid Hemorrhage in the Acute Stage: Has the Outcome Been Improved?. <i>Neurosurgery</i> , <b>2002</b> , 50, 1199-1206	3.2	19
124	Cerebral Perfusion before and after Endovascular or Surgical Treatment of Acutely Ruptured Cerebral Aneurysms: A 1-Year Prospective Follow-up Study. <i>Neurosurgery</i> , <b>2002</b> , 51, 312-326	3.2	11
123	Cerebral Perfusion before and after Endovascular or Surgical Treatment of Acutely Ruptured Cerebral Aneurysms: A 1-Year Prospective Follow-up Study. <i>Neurosurgery</i> , <b>2002</b> , 51, 312-326	3.2	14
122	State of the Society for Academic Emergency Medicine: Dedication and Loyalty*. <b>2002</b> , 9, 1023-1026		
121	Readers' Comments   Surgical Neurology - Volume 59, Issue 4. <b>2003</b> , 59, 338-339		
120	Re: Ausman JI. The death of cerebral aneurysm surgery. <i>Surg Neurol</i> 2001;56;348. <b>2003</b> , 59, 338		
119	Commentary. <b>2003</b> , 59, 169-172		
118	Commentary. <b>2003</b> , 59, 172-173		2
117	Intracerebral aneurysms: a review with special attention to geriatric aspects. <b>2003</b> , 58, 520-4		6
116	Craniotomy for treatment of unruptured aneurysms is not associated with long-term cognitive dysfunction. <b>2003</b> , 34, 2195-9		46
115	[Intracranial aneurysms: pathogenesis, rupture risk, treatment options]. <b>2003</b> , 175, 1064-70		5
114	Combined microsurgical and endovascular management of complex intracranial aneurysms. <i>Neurosurgery</i> , <b>2003</b> , 52, 263-74; discussion 274-5	3.2	121
113	Predictors of cerebral infarction in aneurysmal subarachnoid hemorrhage. <b>2004</b> , 35, 1862-6		292

112	Neurological, neuropsychological, and psychosocial outcome following treatment of unruptured intracranial aneurysms: a review and commentary. <b>2004</b> , 10, 114-34		17
111	Clipping versus coiling: neuropsychological follow up after aneurysmal subarachnoid haemorrhage (SAH). <b>2004</b> , 26, 1081-92		59
110	Two-year prospective study of psychosocial outcomes and a cost-analysis of 'treatment-as-usual' versus an 'enhanced' (specialist liaison nurse) service for aneurysmal sub arachnoid haemorrhage (ASAH) patients and families. <b>2004</b> , 18, 347-56		22
109	Comparison of cohorts of elective and emergency neurosurgical patients: psychosocial outcomes of acoustic neuroma and aneurysmal sub arachnoid hemorrhage patients and carers. <b>2004</b> , 62, 7-16		14
108	Cost-benefit analysis of an integrated approach to reduce psychosocial trauma following neurosurgery compared with standard care: two-year prospective comparative study of enhanced specialist liaison nurse service for aneurysmal subarachnoid hemorrhage (ASAH) patients and carers. <b>2004</b> , 62, 17-27		7
107	Resource use after subarachnoid hemorrhage: comparison between endovascular and surgical treatment. <i>Neurosurgery</i> , <b>2004</b> , 54, 1081-6; discussion 1086-88	3.2	21
106	Cardiac injury after subarachnoid hemorrhage is independent of the type of aneurysm therapy. <i>Neurosurgery</i> , <b>2004</b> , 55, 1244-50; discussion 1250-1	3.2	42
105	Anterior and non-anterior ruptured aneurysms: memory and frontal lobe function performance following coiling. <b>2005</b> , 12, 466-74		20
104	Outcome 1 year after aneurysmal subarachnoid hemorrhage: relation between cognitive performance and neuroimaging. <b>2005</b> , 112, 76-80		32
103	Subarachnoidalblutung - Diagnostik und therapeutische Optionen. <b>2005</b> , 1, 241-259		
102	Endovaskuläre versus operative Therapie intrakranieller Aneurysmen. <b>2005</b> , 32, 33-37		
101	Interventional neuroradiology. <b>2005</b> , 76 Suppl 3, iii48-iii63		6
100	International subarachnoid aneurysm trial (ISAT) of neurosurgical clipping versus endovascular coiling in 2143 patients with ruptured intracranial aneurysms: a randomised comparison of effects on survival, dependency, seizures, rebleeding, subgroups, and aneurysm occlusion. <b>2005</b> , 366, 809-17		1942
99	Endovascular management of a patient after SAH. <b>2005</b> , 8, 108-17		4
98	Alteraciones neuropsicológicas en pacientes con aneurismas cerebrales: tratamiento quirúrgico versus tratamiento endovascular. <b>2006</b> , 17, 34-45		1
97	The aneurysm "clip or coil" debate. <b>2006</b> , 148, 115-20		11
96	Treatment of ruptured intracranial aneurysms: report from a low-volume center. <b>2006</b> , 118 Suppl 2, 6-11		3
95	Axonal damage and outcome in subarachnoid haemorrhage. <b>2006</b> , 77, 753-9		41

94 Acute Stroke. **2006**,

93	Subarachnoid hemorrhage is followed by temporomesial volume loss: MRI volumetric study. <i>Neurology</i> , <b>2006</b> , 67, 575-82	6.5	52
92	Neuropsychological evaluation of the treatments applied to intracranial aneurysms in a Spanish sample. <b>2007</b> , 29, 634-41		12
91	Ruptured cerebral aneurysm patients treated by clipping or coiling: comparison of long-term neuropsychological and personality outcomes. <b>2007</b> , 68, 169-75		10
90	Subarachnoid hemorrhage treated with clipping: long-term effects on employment, relationships, personality, and mood. <i>Neurosurgery</i> , <b>2007</b> , 60, 91-7; discussion 97-8	3.2	96
89	Coiling versus clipping for the treatment of aneurysmal subarachnoid hemorrhage: a longitudinal investigation into cognitive outcome. <i>Neurosurgery</i> , <b>2007</b> , 60, 434-41; discussion 441-2	3.2	55
88	[Long-term outcome of patients after aneurysmal SAH]. <b>2007</b> , 26, 959-64		7
87	Predictors for cognitive impairment one year after surgery for aneurysmal subarachnoid hemorrhage. <b>2008</b> , 255, 1770-6		42
86	MR imaging of the brain 1 year after aneurysmal subarachnoid hemorrhage: randomized study comparing surgical with endovascular treatment. <b>2008</b> , 246, 543-52		30
85	Cerebrovascular disease: vascular dementia and vascular cognitive impairment. 90-114		
84	Microsurgical clipping and endovascular coiling of intracranial aneurysms: a critical review of the literature. <i>Neurosurgery</i> , <b>2008</b> , 62, 1187-202; discussion 1202-3	3.2	56
83	Combined microsurgical and endovascular management of complex intracranial aneurysms. <i>Neurosurgery</i> , <b>2008</b> , 62, 1503-15	3.2	22
82	The Impact of Endovascular Coiling Versus Surgical Clipping on Functional Outcome After Intracranial Aneurysm Rupture. <b>2008</b> , 18, 16-21		1
81	Vasospasm and delayed consequences. <b>2008</b> , 14 Suppl 1, 17-22		2
80	Curcumin attenuates vascular inflammation and cerebral vasospasm after subarachnoid hemorrhage in mice. <b>2009</b> , 11, 35-45		57
79	Quality of life and brain damage after microsurgical clip occlusion or endovascular coil embolization for ruptured anterior communicating artery aneurysms: neuropsychological assessment. <i>Journal of Neurosurgery</i> , <b>2009</b> , 110, 19-29	3.2	70
78	Brain atrophy and neuropsychological outcome after treatment of ruptured anterior cerebral artery aneurysms: a voxel-based morphometric study. <i>Neuroradiology</i> , <b>2009</b> , 51, 711-22	3.2	52
77	Cognitive functioning and health related quality of life after rupture of an aneurysm on the anterior communicating artery versus middle cerebral artery. <b>2009</b> , 23, 507-15		21

76	Surgical Treatment of Anterior Communicating Artery Aneurysms. <b>2009</b> , 31, 6		
75	Surgical Treatment of Anterior Communicating Artery Aneurysms. <b>2009</b> , 31, 1-6		
74	Predictors of global cognitive impairment 1 year after subarachnoid hemorrhage. <i>Neurosurgery</i> , <b>2009</b> , 65, 1043-50; discussion 1050-1	3.2	83
73	Evaluating the recovery of cognitive impairment in subarachnoid hemorrhage taking into consideration the practice effects. <i>Neurosurgery</i> , <b>2010</b> , 67, 1497-504; discussion 1504	3.2	5
72	Neuropsychologic impact of treatment modalities in subarachnoid hemorrhage: clipping is no different from coiling. <i>World Neurosurgery</i> , <b>2010</b> , 74, 129-38	2.1	13
71	Cognitive and functional outcome after aneurysmal subarachnoid hemorrhage. <b>2010</b> , 41, e519-36		420
70	Improved cognitive outcomes with endovascular coiling of ruptured intracranial aneurysms: neuropsychological outcomes from the International Subarachnoid Aneurysm Trial (ISAT). <b>2010</b> , 41, 1743-7		105
69	Atrophic enlargement of CSF volume after subarachnoid hemorrhage: correlation with neuropsychological outcome. <i>American Journal of Neuroradiology</i> , <b>2010</b> , 31, 370-6	4.4	52
68	Elucidating novel mechanisms of brain injury following subarachnoid hemorrhage: an emerging role for neuroproteomics. <b>2010</b> , 28, E10		39
67	Natural history and medical treatment of cognitive dysfunction after spontaneous subarachnoid haemorrhage: review of current literature with respect to aneurysm treatment. <b>2010</b> , 299, 5-8		25
66	Loss of long-term potentiation in the hippocampus after experimental subarachnoid hemorrhage in rats. <b>2010</b> , 165, 418-26		29
65	Long-term MRI findings of patients with embolized cerebral aneurysms. <b>2011</b> , 52, 204-10		5
64	The patient's voice in neuro-surgery: psycho-socio-economic benefits of a patient-designed versus standard service following treatment for a subarachnoid haemorrhage. <b>2011</b> , 2, 80-96		1
63	Cognitive and functional outcomes of 5-year subarachnoid haemorrhage survivors: comparison to matched healthy controls. <b>2011</b> , 37, 31-8		39
62	Re-evaluating the National Subarachnoid Haemorrhage study (2006) from a Patient-Related-Outcome-Measure perspective: comparing fiscal outcomes of Treatment-as-Usual with an enhanced service. <b>2011</b> , 25, 376-83		7
61	Quality of life 1 year after aneurysmal subarachnoid hemorrhage in good outcome patients treated by clipping or coiling. <b>2012</b> , 73, 217-23		10
60	Evidence-based guidelines for the management of aneurysmal subarachnoid hemorrhage. English Edition. <b>2012</b> , 52, 355-429		20
59	Free recall memory performance after aneurysmal subarachnoid hemorrhage. <b>2012</b> , 18, 334-42		12

58	Decision-making impairment on the Iowa Gambling Task after endovascular coiling or neurosurgical clipping for ruptured anterior communicating artery aneurysm. <b>2012</b> , 26, 172-80		23
57	Cognitive changes in patients with aneurysmal subarachnoid hemorrhage before and early posttreatment: differences between surgical and endovascular. <i>World Neurosurgery</i> , <b>2012</b> , 78, 95-100	2.1	5
56	SAHIT Investigators--on the outcome of some subarachnoid hemorrhage clinical trials. <b>2013</b> , 4, 286-96		23
55	Evidence for direct impairment of neuronal function by subarachnoid metabolites following SAH. <b>2013</b> , 155, 255-60		10
54	Global cerebral atrophy after subarachnoid hemorrhage: a possible marker of acute brain injury and assessment of its impact on outcome. <b>2013</b> , 115, 17-21		14
53	Impact of global cerebral atrophy on clinical outcome after subarachnoid hemorrhage. <i>Journal of Neurosurgery</i> , <b>2013</b> , 119, 198-206	3.2	22
52	Subarachnoid haemorrhage (SAH): long-term cognitive outcome in patients treated with surgical clipping or endovascular coiling. <b>2013</b> , 35, 845-50		27
51	Cognitive performance following spontaneous subarachnoid haemorrhage versus other forms of intracranial haemorrhage. <b>2014</b> , 28, 68-80		14
50	Effect of intraoperative brain protection with propofol on postoperative cognition in patients undergoing temporary clipping during intracranial aneurysm surgery. <b>2014</b> , 62, 262-8		22
49	Effect of aneurysmal subarachnoid hemorrhage on word generation. <b>2014</b> , 2014, 610868		6
48	Open vs endovascular approach to intracranial aneurysms. <i>Neurosurgery</i> , <b>2014</b> , 61 Suppl 1, 121-9	3.2	8
47	Hippocampal damage and affective disorders after treatment of cerebral aneurysms. <b>2014</b> , 261, 2128-35		11
46	Treatment of aneurysmal subarachnoid hemorrhage in young patients. <i>Clinical Neurology and Neurosurgery</i> , <b>2014</b> , 117, 44	2	
45	The Behavioral Consequences of Stroke. <b>2014</b> ,		6
44	Aneurysmal subarachnoid haemorrhage from a neuroimaging perspective. <b>2014</b> , 18, 557		17
43	Endovascular perforation subarachnoid hemorrhage fails to cause Morris water maze deficits in the mouse. <b>2014</b> , 34,		77
42	Neuropsychological assessments in patients with aneurysmal subarachnoid hemorrhage, perimesencephalic SAH, and incidental aneurysms. <b>2014</b> , 37, 55-62		22
41	A need for a standardized cognitive outcome measure in subarachnoid hemorrhage clinical studies. <i>World Neurosurgery</i> , <b>2014</b> , 81, 252-4	2.1	6

40	Treatment of Ruptured Anterior Communicating Artery Aneurysms: Equipose in the Endovascular Era?. <i>Neurosurgery</i> , <b>2015</b> , 77, 566-71; discussion 571	3.2	13
39	Location, Infarct Load, and 3-Month Outcomes of Delayed Cerebral Infarction After Aneurysmal Subarachnoid Hemorrhage. <b>2015</b> , 46, 3099-104		20
38	Impact of Early Leukocytosis and Elevated High-Sensitivity C-Reactive Protein on Delayed Cerebral Ischemia and Neurologic Outcome After Subarachnoid Hemorrhage. <i>World Neurosurgery</i> , <b>2016</b> , 90, 91-95 <sup>2.1</sup>	2.1	38
37	Prevalence of Cognitive Impairments in Patients with Good Functional Outcome in Late Phase Subarachnoid Hemorrhage. <b>2016</b> , 35, 105-110		
36	Treatment of Unruptured Intracranial Aneurysms and Cognitive Performance: Preliminary Results of a Prospective Clinical Trial. <i>World Neurosurgery</i> , <b>2016</b> , 94, 145-156	2.1	10
35	Rates of local procedural-related structural injury following clipping or coiling of anterior communicating artery aneurysms. <b>2016</b> , 8, 256-64		21
34	Sociale cognitie en executieve functies na een aneurysmatische subarachnoïdale bloeding. <b>2017</b> , 21, 11-17		
33	In Individuals Following Aneurysmal Subarachnoid Haemorrhage, Hair Cortisol Concentrations Are Higher and More Strongly Associated with Psychological Functioning and Sleep Complaints than in Healthy Controls. <b>2017</b> , 75, 12-20		11
32	Patient Outcomes and Cerebral Infarction after Ruptured Anterior Communicating Artery Aneurysm Treatment. <i>American Journal of Neuroradiology</i> , <b>2017</b> , 38, 2119-2125	4.4	16
31	Magnetic Resonance Imaging in Aneurysmal Subarachnoid Hemorrhage: Current Evidence and Future Directions. <b>2018</b> , 29, 241-252		7
30	Neuropsychological function after endovascular and neurosurgical treatment of subarachnoid hemorrhage: a systematic review and meta-analysis. <i>Journal of Neurosurgery</i> , <b>2018</b> , 128, 768-776	3.2	7
29	Magnetic resonance imaging and brain injury in the chronic phase after aneurysmal subarachnoid hemorrhage: A systematic review. <i>International Journal of Stroke</i> , <b>2018</b> , 13, 24-34	6.3	2
28	Cognitive Sequelae of Unruptured and Ruptured Intracranial Aneurysms and their Treatment: Modalities for Neuropsychological Assessment. <i>World Neurosurgery</i> , <b>2018</b> , 120, 537-549	2.1	8
27	Risk Factors for Mild Cognitive Impairment in Patients with Aneurysmal Subarachnoid Hemorrhage Treated with Endovascular Coiling. <i>World Neurosurgery</i> , <b>2018</b> , 119, e527-e533	2.1	6
26	Response to the Letter to the Editor Regarding "Endovascular Coiling Versus Surgical Clipping of Very Small Ruptured Anterior Communicating Artery Aneurysms". <i>World Neurosurgery</i> , <b>2019</b> , 130, 577	2.1	
25	Hippocampus subfield volumetry after microsurgical or endovascular treatment of intracranial aneurysms-an explorative study. <i>European Radiology Experimental</i> , <b>2019</b> , 3, 13	4.5	4
24	Specific treatment of aneurysmal subarachnoid hemorrhage. <b>2019</b> , 679-722		1
23	Cognitive outcome after surgical clipping versus endovascular coiling in patients with subarachnoid hemorrhage due to ruptured anterior communicating artery aneurysm. <i>Acta Neurologica Belgica</i> , <b>2020</b> , 120, 123-132	1.5	4

22	A meta-analysis of executive functions among survivors of subarachnoid haemorrhage. <i>Neuropsychological Rehabilitation</i> , <b>2021</b> , 31, 1607-1628	3.1	2
21	Extracellular vesicle-mediated transfer of miR-21-5p from mesenchymal stromal cells to neurons alleviates early brain injury to improve cognitive function via the PTEN/Akt pathway after subarachnoid hemorrhage. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 363	9.8	26
20	Correlation between gray matter volume loss followed by aneurysmal subarachnoid hemorrhage and subarachnoid hemorrhage volume. <i>Neuroradiology</i> , <b>2020</b> , 62, 1401-1409	3.2	2
19	Comparative Analysis of Pterional, Supraorbital, Extended Supraorbital, and Transtubercular-Transplanum Approaches for Exposing the Anterior Communicating Artery Complex: A Cadaveric Study. <i>World Neurosurgery</i> , <b>2020</b> , 141, e576-e588	2.1	1
18	Aneurysmal subarachnoid hemorrhage: A pilot study for using longitudinal cognitive and neuropsychological testing for functional outcomes. <i>Clinical Neurology and Neurosurgery</i> , <b>2020</b> , 194, 105941	2	0
17	Cognitive Impairments and Risk Factors After Ruptured Anterior Communicating Artery Aneurysm Treatment in Low-Grade Patients Without Severe Complications: A Multicenter Retrospective Study. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 613785	4.1	1
16	Cognitive decline, psychological distress and brain atrophy in recovery and residual periods of aneurysmal subarachnoid hemorrhage. <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> , <b>2021</b> , 25, 101164	0.5	
15	Cerebral Aneurysms and Subarachnoid Hemorrhage. <b>2009</b> , 49-58		1
14	Safety and efficacy of anterior communicating artery compromise during endovascular coil embolization of adjoining aneurysms. <i>Journal of Neurosurgery</i> , <b>2019</b> , 132, 1068-1076	3.2	4
13	THE COMPREHENSIVE EVALUATION OF PATIENTS CONDITION IN RECOVERY AND RESIDUAL PERIODS OF ANEURYSMAL SUBARACHNOID HEMORRHAGE. <i>Wiadomości Lekarskie</i> , <b>2020</b> , 73, 777-781	0.3	1
12	Periprocedural complications. <b>2007</b> , 423-441		
11	Subarachnoid Hemorrhage: Long-Term Complications and Prevention. <b>2009</b> , 107-120		1
10	Subarachnoidalblutung. <b>2011</b> , 577-588		
9	Behavior After Aneurysmal Subarachnoid Hemorrhage: Cognition and Functional Outcome. <b>2014</b> , 177-197		
8	Cerebral Aneurysms and Subarachnoid Hemorrhage. <b>2020</b> , 81-98		
7	Long-term cognitive deficits in patients with good outcomes after aneurysmal subarachnoid hemorrhage from anterior communicating artery. <i>Croatian Medical Journal</i> , <b>2006</b> , 47, 253-63	1.6	29
6	Cognitive function, depression, and quality of life in patients with ruptured cerebral aneurysms. <i>Iranian Journal of Neurology</i> , <b>2018</b> , 17, 117-122	0.6	2
5	Guglielmi detachable coil extraction: suction generated by pusher-wire withdrawal after coil detachment within an intracranial aneurysm. <i>American Journal of Neuroradiology</i> , <b>2003</b> , 24, 982-4	4.4	2



4	Effect of dexmedetomidine on postoperative delirium in patients undergoing brain tumour resections: study protocol of a randomised controlled trial. <i>BMJ Open</i> , <b>2021</b> , 11, e051584	3	○
3	MICROSURGICAL CLIPPING AND ENDOVASCULAR COILING OF INTRACRANIAL ANEURYSMS. <i>Neurosurgery</i> , <b>2008</b> , 62, 1187-1203	3.2	
2	A Systematic Review of Neuropsychological Outcomes After Treatment of Intracranial Aneurysms. <b>2022</b> , Publish Ahead of Print,		○
1	Intraoperative infusion of dexmedetomidine for prevention of postoperative delirium in elderly patients undergoing craniotomy: a protocol of randomised clinical trial. <b>2023</b> , 13, e063976		○