

# CITATION REPORT

List of articles citing

**Mk3.5: a modular, multi-frequency successor to the Mk3a EIS/EIT system**

**DOI: 10.1088/0967-3334/22/1/307**

**Physiological Measurement, 2001, 22, 49-54.**

**Source:** <https://exaly.com/paper-pdf/33465145/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
129	Some classes of exactly soluble models of problems in quantum statistical mechanics: the method of the approximating Hamiltonian. <b>1984</b> , 39, 1-50		9
128	Constraints on tetrapolar tissue impedance measurements. <b>2001</b> , 37, 1515		14
127	Status of electrical tomography in industrial applications. <b>2001</b> , 10, 608		178
126	The number of electrodes and basis functions in EIT image reconstruction. <i>Physiological Measurement</i> , <b>2002</b> , 23, 129-40	2.9	45
125	Design and performance of the UCLH mark 1b 64 channel electrical impedance tomography (EIT) system, optimized for imaging brain function. <i>Physiological Measurement</i> , <b>2002</b> , 23, 149-58	2.9	47
124	Neonatal lungs--can absolute lung resistivity be determined non-invasively?. <b>2002</b> , 40, 388-94		34
123	Neonatal lungs: maturational changes in lung resistivity spectra. <b>2002</b> , 40, 506-11		20
122	Oral Presentations 466 - 554. <b>2003</b> , 29, S123-S145		4
121	Electrical impedance tomography (EIT): a review. <b>2003</b> , 27, 97-108		333
120	Electrical impedance tomography spectroscopy (EITS) for human head imaging. <i>Physiological Measurement</i> , <b>2003</b> , 24, 477-89	2.9	60
119	The application of the generalized vector sample pattern matching method for EIT image reconstruction. <i>Physiological Measurement</i> , <b>2003</b> , 24, 449-66	2.9	8
118	The spatial resolution improvement of EIT images by GVSPM-FOCUSS algorithm. <i>Physiological Measurement</i> , <b>2004</b> , 25, 209-25	2.9	3
117	Lung Impedance Contributions to the Total Impedance based on a FDM Model and Lead Field Theory. <b>2005</b> , 2005, 7769-72		
116	Visualization and Post-processing of 5D Brain Images. <b>2005</b> , 2005, 1083-6		3
115	Multi-frequency electrical impedance tomography (EIT) of the adult human head: initial findings in brain tumours, arteriovenous malformations and chronic stroke, development of an analysis method and calibration. <i>Physiological Measurement</i> , <b>2006</b> , 27, S147-61	2.9	93
114	Study of the optimum level of electrode placement for the evaluation of absolute lung resistivity with the Mk3.5 EIT system. <i>Physiological Measurement</i> , <b>2006</b> , 27, S129-37	2.9	19
113	Bioimpedance tomography (electrical impedance tomography). <b>2006</b> , 8, 63-91		287

112	Electrical Impedance Imaging, Injected Current. <b>2006</b> ,		1
111	The simulation of current generator design for multi-frequency electrical impedance tomograph. <b>2006</b> , 2006, 6072-5		8
110	Design and calibration of a compact multi-frequency EIT system for acute stroke imaging. <i>Physiological Measurement</i> , <b>2006</b> , 27, S199-210	2.9	88
109	Identification of a suitable current waveform for acute stroke imaging. <i>Physiological Measurement</i> , <b>2006</b> , 27, S211-9	2.9	15
108	Electrical impedance spectroscopy and the diagnosis of bladder pathology. <i>Physiological Measurement</i> , <b>2006</b> , 27, 585-96	2.9	53
107	The contribution of the lungs to thoracic impedance measurements: a simulation study based on a high resolution finite difference model. <i>Physiological Measurement</i> , <b>2007</b> , 28, S153-61	2.9	23
106	A review of errors in multi-frequency EIT instrumentation. <i>Physiological Measurement</i> , <b>2007</b> , 28, S197-215.	2.9	91
105	Analysis of resting noise characteristics of three EIT systems in order to compare suitability for time difference imaging with scalp electrodes during epileptic seizures. <i>Physiological Measurement</i> , <b>2007</b> , 28, S217-36	2.9	18
104	Frequency-division multiplexing for electrical impedance tomography in biomedical applications. <b>2007</b> , 2007, 54798		17
103	Multi-frequency EIT system with radially symmetric architecture: KHU Mark1. <i>Physiological Measurement</i> , <b>2007</b> , 28, S183-96	2.9	72
102	Calibration methods for a multi-channel multi-frequency EIT system. <i>Physiological Measurement</i> , <b>2007</b> , 28, 1175-88	2.9	44
101	Design and construction of small sized pencil probe to measure bio-impedance. <b>2007</b> , 29, 1043-8		10
100	Virtual bladder biopsy using bio-impedance spectroscopy at 62.500 Hz and 0.024 MHz. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2007</b> , 40, 585-590	4.6	14
99	Surface fluids effects on the bladder tissue characterisation using electrical impedance spectroscopy. <b>2008</b> , 30, 693-9		1
98	A simulation study on the effect of thoracic conductivity inhomogeneities on sensitivity distributions. <b>2008</b> , 36, 762-8		27
97	A DSP based multi-frequency 3D electrical impedance tomography system. <b>2008</b> , 36, 1594-603		28
96	MultiFrequency Trans-Admittance Scanner: Mathematical Framework and Feasibility. <b>2008</b> , 69, 22-36		19
95	Validation of a multi-frequency electrical impedance tomography (mfEIT) system KHU Mark1: impedance spectroscopy and time-difference imaging. <i>Physiological Measurement</i> , <b>2008</b> , 29, 295-307	2.9	70

94	A Handheld Electrical Impedance Myography probe for the assessment of neuromuscular disease. <b>2008</b> , 2008, 3566-9		6
93	Introduction of a muscular bidirectional electrical anisotropy index to quantify the structural modifications during aging in raw meat. <i>Measurement Science and Technology</i> , <b>2009</b> , 20, 075702	2	9
92	Multi-frequency time-difference complex conductivity imaging of canine and human lungs using the KHU Mark1 EIT system. <i>Physiological Measurement</i> , <b>2009</b> , 30, S149-64	2.9	19
91	In vivo imaging of irreversible electroporation by means of electrical impedance tomography. <b>2009</b> , 54, 4927-43		51
90	Suitability of a PXI platform for an electrical impedance tomography system. <i>Measurement Science and Technology</i> , <b>2009</b> , 20, 015503	2	68
89	A multi-frequency EIT system design based on telecommunication signal processors. <i>Physiological Measurement</i> , <b>2009</b> , 30, S57-71	2.9	11
88	Code-division-multiplexed electrical impedance tomography spectroscopy. <b>2009</b> , 3, 332-8		16
87	Spread spectrum EIT by code division multiplexing. <b>2010</b> , 224, 012143		2
86	Absolute electrical impedance tomography (aEIT) guided ventilation therapy in critical care patients: simulations and future trends. <b>2010</b> , 14, 641-9		19
85	A portable system for the assessment of neuromuscular diseases with electrical impedance myography. <b>2010</b> , 34, 377-85		9
84	Study of Voltage Control Current Source in Electrical Impedance Tomography System. <b>2010</b> ,		7
83	The sensitivity of focused electrical impedance measurements. <i>Physiological Measurement</i> , <b>2010</b> , 31, S97-109	2.9	24
82	Open Electrical Impedance Tomography: Computer Simulation and System Realization. <b>2010</b> , 163-170		2
81	A fully parallel multi-frequency EIT system with flexible electrode configuration: KHU Mark2. <i>Physiological Measurement</i> , <b>2011</b> , 32, 835-49	2.9	72
80	A multi-frequency bioimpedance measurement ASIC for electrical impedance tomography. <b>2011</b> ,		13
79	FPGA-based implementation of Prony demodulation in the multi-frequency EIT system. <b>2011</b> ,		
78	Bioimpedance spectroscopy: a new tool to assess early esophageal changes linked to gastroesophageal reflux disease?. <b>2011</b> , 24, 462-9		10
77	Selected Abstracts Presented at the 21st Meeting of The European Society for Computing and Technology in Anaesthesia and Intensive Care (ESCTAIC). <b>2011</b> , 25, 3		0

76	On the calculation of the D-optimal multisine excitation power spectrum for broadband impedance spectroscopy measurements. <i>Measurement Science and Technology</i> , <b>2012</b> , 23, 085702	2	19
75	Low Voltage and High Transmittance Polymer-Stabilized Blue-Phase Liquid Crystal Device by Combined In-Plane and Oblique Electric Field along the Horizontal Direction. <b>2012</b> , 51, 072201		2
74	Asymptotic analysis of the membrane structure to sensitivity of frequency-difference electrical impedance tomography. <b>2012</b> , 28, 075004		12
73	Development of a multi-frequency system for medical applications of focused electrical impedance method (FIM) appropriate for developing countries. <b>2012</b> ,		2
72	Comparison of frequency difference reconstruction algorithms for the detection of acute stroke using EIT in a realistic head-shaped tank. <i>Physiological Measurement</i> , <b>2012</b> , 33, 767-86	2.9	36
71	Electrical Impedance Tomography. <b>2012</b> , 195-249		4
70	Basics of broadband impedance spectroscopy measurements using periodic excitations. <i>Measurement Science and Technology</i> , <b>2012</b> , 23, 105501	2	49
69	Performance evaluation of wideband bio-impedance spectroscopy using constant voltage source and constant current source. <i>Measurement Science and Technology</i> , <b>2012</b> , 23, 105703	2	23
68	A novel combined regularization algorithm of total variation and Tikhonov regularization for open electrical impedance tomography. <i>Physiological Measurement</i> , <b>2013</b> , 34, 823-38	2.9	25
67	The possible use of combined electrical impedance and ultrasound velocity measurements for the non-invasive measurement of temperature during mild hyperthermia. <i>Physiological Measurement</i> , <b>2013</b> , 34, 1103-22	2.9	4
66	Electrical tissue impedance spectroscopy: a novel device to measure esophageal mucosal integrity changes during endoscopy. <b>2013</b> , 25, 574-8, e457-8		35
65	The effect of serial data collection on the accuracy of electrical impedance tomography images. <i>Physiological Measurement</i> , <b>2013</b> , 34, 659-69	2.9	11
64	Electrical impedance imaging system using FPGAs for flexibility and interoperability. <b>2014</b> , 13, 126		11
63	Multi-frequency electrical impedance tomography system with automatic self-calibration for long-term monitoring. <b>2014</b> , 8, 119-28		74
62	Wearable lung-health monitoring system with electrical impedance tomography. <b>2015</b> , 2015, 1707-10		5
61	Electrical impedance tomography. <b>2015</b> , 23-59		5
60	Feasibility of using 'lung density' values estimated from EIT images for clinical diagnosis of lung abnormalities in mechanically ventilated ICU patients. <i>Physiological Measurement</i> , <b>2015</b> , 36, 1261-71	2.9	11
59	A 10.4 mW Electrical Impedance Tomography SoC for Portable Real-Time Lung Ventilation Monitoring System. <b>2015</b> , 50, 2501-2512		29

58	FPGA-based voltage and current dual drive system for high frame rate electrical impedance tomography. <b>2015</b> , 34, 888-901		47
57	Sensitivity Analysis of the Tetrapolar Electrical Impedance Measurement Systems Using COMSOL Multiphysics for the non-uniform and Inhomogeneous Medium. <b>2016</b> , 64, 7-13		6
56	System Description and First Application of an FPGA-Based Simultaneous Multi-Frequency Electrical Impedance Tomography. <i>Sensors</i> , <b>2016</b> , 16,	3.8	18
55	Using planar electrical impedance tomography as a structural health monitoring method to detect and evaluate the damage to CFRP composite. <b>2016</b> ,		6
54	A new symmetric semi-parallel Electrical Impedance Tomography (EIT) system - i: The design. <b>2016</b> ,		4
53	A new symmetric semi-parallel Electrical Impedance Tomography (EIT) system - II: The performance. <b>2016</b> ,		1
52	Mathematical framework for multi-frequency identification of thin insulating and small conductive inhomogeneities. <b>2016</b> , 32, 105001		1
51	Current source enhancements in Electrical Impedance Spectroscopy (EIS) to cancel unwanted capacitive effects. <b>2017</b> ,		4
50	A multi-frequency electrical impedance tomography system for real-time 2D and 3D imaging. <b>2017</b> , 88, 085110		55
49	A 1.4-m $\Omega$ -Sensitivity 94-dB Dynamic-Range Electrical Impedance Tomography SoC and 48-Channel Hub-SoC for 3-D Lung Ventilation Monitoring System. <b>2017</b> , 52, 2829-2842		24
48	Wearable 3D lung ventilation monitoring system with multi frequency electrical impedance tomography. <b>2017</b> ,		0
47	Continuous bladder volume monitoring system for wearable applications. <b>2017</b> , 2017, 4435-4438		13
46	A 10 MHz Read-Out Chain for Electrical Impedance Tomography. <b>2018</b> , 12, 222-230		16
45	A new modular semi-parallel EIT system for medical application. <b>2018</b> , 39, 416-423		7
44	Conditioning Electrical Impedance Mammography System. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2018</b> , 116, 38-48	4.6	7
43	A High Accuracy and High Sensitivity System Architecture for Electrical Impedance Tomography System. <b>2018</b> ,		2
42	A High Frame Rate Wearable EIT System Using Active Electrode ASICs for Lung Respiration and Heart Rate Monitoring. <b>2018</b> , 65, 3810-3820		38
41	Wideband chirp excitation source for bioelectrical impedance spectrum tomography. <b>2018</b> ,		1

40	A Recursive Demodulator for Real-Time Measurement of Multiple Sinusoids. <b>2018</b> , 18, 6281-6289		5
39	Two electrode based healthcare device for continuously monitoring ECG and BIA signals. <b>2018</b> ,		3
38	Development of a Portable Electrical Impedance Tomography System for Biomedical Applications. <b>2018</b> , 18, 8117-8124		46
37	A floating wide-band current source for electrical impedance tomography. <b>2018</b> , 89, 085107		5
36	A 13-Channel 1.53-mW 11.28-mm Electrical Impedance Tomography SoC Based on Frequency Division Multiplexing for Lung Physiological Imaging. <b>2019</b> , 13, 938-949		11
35	Signal Demodulation Methods for Electrical Tomography: A Review. <b>2019</b> , 19, 9026-9035		8
34	Analysis of Performance of Howland AC Current Source for Electrical Impedance Spectro-Tomography. <b>2019</b> , 20, 1		2
33	. <b>2019</b> , 7, 61570-61580		3
32	Excitation Patterns in 3D Electrical Impedance Tomography for Breast Imaging. <b>2019</b> ,		1
31	The ACE1 Electrical Impedance Tomography System for Thoracic Imaging. <b>2019</b> , 68, 3137-3150		32
30	A Wideband Electrical Impedance Tomography System Based on Sensitive Bioimpedance Spectrum Bandwidth. <b>2020</b> , 69, 144-154		27
29	A Review on Electrical Impedance Tomography Spectroscopy. <i>Sensors</i> , <b>2020</b> , 20,	3.8	11
28	Use of Multi-frequency Electrical Impedance Tomography as Tactile Sensor for Material Discrimination. <b>2020</b> ,		1
27	A Parametric EIT System Spice Simulation with Phantom Equivalent Circuits. <i>Technologies</i> , <b>2020</b> , 8, 13	2.4	8
26	Parasitic capacitances estimation of an Electrical Impedance Tomography data acquisition system by Bayesian inference. <i>Measurement: Journal of the International Measurement Confederation</i> , <b>2021</b> , 174, 108992	4.6	6
25	Simultaneous Imaging of Bio- and Non-Conductive Targets by Combining Frequency and Time Difference Imaging Methods in Electrical Impedance Tomography. <i>Biosensors</i> , <b>2021</b> , 11,	5.9	1
24	Noise analysis of a driven chain with an improved Howland current source for electrical impedance tomography. <i>Measurement Science and Technology</i> , <b>2021</b> , 32, 095903	2	2
23	Evaluation of Thoracic Equivalent Multiport Circuits Using an Electrical Impedance Tomography Hardware Simulation Interface. <i>Technologies</i> , <b>2021</b> , 9, 58	2.4	1

22	Battery powered and wireless Electrical Impedance Tomography Spectroscopy Imaging using Bluetooth. <b>2007</b> , 798-801		3
21	New anomaly detection algorithm using multi-frequency trans-admittance maps. <b>2007</b> , 392-395		1
20	Measurement accuracy in pulmonary function test using electrical impedance tomography. <b>2007</b> , 539-542		2
19	Evaluation of the performance of the Multifrequency Electrical Impedance Tomography (MFEIT) intended for imaging acute stroke. <b>2007</b> , 543-547		3
18	Integrated Data Collection in Electrical Impedance Tomography. <b>2007</b> , 348-351		3
17	EIT instrumentation. <i>Series in Medical Physics and Biomedical Engineering</i> , <b>2004</b> ,		3
16	SPECTROSCOPIC ADMITTIVITY IMAGING OF BIOLOGICAL TISSUES: CHALLENGES AND FUTURE DIRECTIONS. <i>Journal of the Korean Society for Industrial and Applied Mathematics</i> , <b>2014</b> , 18, 77-105		1
15	Digital biomedical electrical impedance tomography based on FPGA. <i>Journal of Biosciences and Medicines</i> , <b>2013</b> , 01, 14-18	0.2	2
14	Design and Development of a Portable Electrical Impedance Tomography System. <i>Lecture Notes in Computer Science</i> , <b>2021</b> , 415-427	0.9	
13	Dry Wearable Textile Electrodes for Portable Electrical Impedance Tomography. <i>Sensors</i> , <b>2021</b> , 21,	3.8	2
12	Electrical tomography for industrial applications. <i>Series in Medical Physics and Biomedical Engineering</i> , <b>2004</b> ,		
11	Anomaly Estimation and Layer Potential Techniques. 251-294		
10	Performance improvements in a MF-EIT system for acute stroke: The UCL Mk2.5. <b>2007</b> , 3886-3889		2
9	Instrumentation improvements in battery powered, wireless EITS. <b>2007</b> , 3890-3892		
8	Optimization of the pattern of applied frequencies for Multifrequency EIT (MFEIT) of the head in order to minimize scalp skin stimulation. <b>2007</b> , 3915-3917		
7	Electrical Impedance Tomography: a new study method for neonatal Respiratory Distress Syndrome?. <i>Hippokratia</i> , <b>2011</b> , 15, 211-5	0.4	6
6	Evaluation of Pulmonary Structure and Function in Patients with Cystic Fibrosis from Electrical Impedance Tomography Data. <i>Methods in Molecular Biology</i> , <b>2022</b> , 2393, 733-750	1.4	
5	A Multi-Frequency Focused Impedance Measurement System Based on Analogue Synchronous Peak Detection. <b>2021</b> , 2,		2



4 Image Reconstruction for COVID-19 Using Multifrequency Electrical Impedance Tomography. **2022**, 359-405

3 Medical Decision Making for Cardiac MRI with CFD Detection of Severe Stenosis Using a 5D Model of the Descending Aorta *BioMedInformatics*, **2022**, 2, 18-42

2 Electrical impedance tomography. **2022**, 31-76

1 Compensation for Electrode Detachment in Electrical Impedance Tomography with Wearable Textile Electrodes. **2022**, 22, 9575

○