Correlation of Antipsychotic and Prolactin Concentration Acutely Treated with Haloperidol, Clozapine, or Olanza

Journal of Child and Adolescent Psychopharmacology 12, 83-91

DOI: 10.1089/104454602760219126

Citation Report

#	Article	IF	CITATIONS
2	Reply: Atypical Antipsychotics Mechanisms of Action. Canadian Journal of Psychiatry, 2003, 48, 62-64.	1.9	3
3	A Prospective Study of Hyperprolactinemia in Children and Adolescents Treated with Atypical Antipsychotic Agents. Journal of Child and Adolescent Psychopharmacology, 2004, 14, 350-358.	1.3	60
4	The Effect of Atypical Antipsychotic Agents on Prolactin Levels in Children and Adolescents. Journal of Child and Adolescent Psychopharmacology, 2004, 14, 359-371.	1.3	44
5	Benefit-Risk Assessment of Atypical Antipsychotics in the Treatment of Schizophrenia and Comorbid Disorders in Children and Adolescents. Drug Safety, 2004, 27, 1135-1156.	3.2	63
6	Metabolic side effects of atypical antipsychotics in children: a literature review. Journal of Psychopharmacology, 2005, 19, 533-550.	4.0	65
7	Elevated Prolactin Levels in Male Youths Treated with Risperidone and Quetiapine. Journal of Child and Adolescent Psychopharmacology, 2005, 15, 893-900.	1.3	35
8	Risperidone-Induced Prolactin Elevation in a Prospective Study of Children, Adolescents, and Adults with Mental Retardation and Pervasive Developmental Disorders. Journal of Child and Adolescent Psychopharmacology, 2005, 15, 885-892.	1.3	36
9	Recognizing and Monitoring Adverse Events of Second-Generation Antipsychotics in Children and Adolescents. Child and Adolescent Psychiatric Clinics of North America, 2006, 15, 177-206.	1.9	163
10	Female Puberty: Clinical Implications for the Use of Prolactin-Modulating Psychotropics. Child and Adolescent Psychiatric Clinics of North America, 2006, 15, 207-220.	1.9	16
11	Children with Schingeherrin CNS Daves 2006, 20, 941, 966		
	Children with Schizophrenia. CNS Drugs, 2006, 20, 841-866.	5.9	68
12	Endocrine and Metabolic Adverse Effects of Psychotropic Medications in Children and Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 771-791.	0.5	343
	Endocrine and Metabolic Adverse Effects of Psychotropic Medications in Children and Adolescents.		
12	Endocrine and Metabolic Adverse Effects of Psychotropic Medications in Children and Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 771-791. Risperidone-induced Symptomatic Hyperprolactinaemia in Adolescents. Journal of Clinical	0.5	343
12	Endocrine and Metabolic Adverse Effects of Psychotropic Medications in Children and Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 771-791. Risperidone-induced Symptomatic Hyperprolactinaemia in Adolescents. Journal of Clinical Psychopharmacology, 2006, 26, 167-171.	0.5	343
12 13	Endocrine and Metabolic Adverse Effects of Psychotropic Medications in Children and Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 771-791. Risperidone-induced Symptomatic Hyperprolactinaemia in Adolescents. Journal of Clinical Psychopharmacology, 2006, 26, 167-171. Childhood-Onset Schizophrenia. Archives of General Psychiatry, 2006, 63, 721. Serum Levels of Olanzapine and Its N-desmethyl and 2-hydroxymethyl Metabolites in Child and Adolescent Psychiatric Disorders: Effects of Dose, Diagnosis, Age, Sex, Smoking, and Comedication.	0.5 1.4 12.3	343 21 200
12 13 14	Endocrine and Metabolic Adverse Effects of Psychotropic Medications in Children and Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 771-791. Risperidone-induced Symptomatic Hyperprolactinaemia in Adolescents. Journal of Clinical Psychopharmacology, 2006, 26, 167-171. Childhood-Onset Schizophrenia. Archives of General Psychiatry, 2006, 63, 721. Serum Levels of Olanzapine and Its N-desmethyl and 2-hydroxymethyl Metabolites in Child and Adolescent Psychiatric Disorders: Effects of Dose, Diagnosis, Age, Sex, Smoking, and Comedication. Therapeutic Drug Monitoring, 2006, 28, 750-759. The Effect of Long-Term Antipsychotic Treatment on Prolactin. Journal of Child and Adolescent	0.5 1.4 12.3 2.0	343 21 200 36
12 13 14 15	Endocrine and Metabolic Adverse Effects of Psychotropic Medications in Children and Adolescents. Journal of the American Academy of Child and Adolescent Psychiatry, 2006, 45, 771-791. Risperidone-induced Symptomatic Hyperprolactinaemia in Adolescents. Journal of Clinical Psychopharmacology, 2006, 26, 167-171. Childhood-Onset Schizophrenia. Archives of General Psychiatry, 2006, 63, 721. Serum Levels of Olanzapine and Its N-desmethyl and 2-hydroxymethyl Metabolites in Child and Adolescent Psychiatric Disorders: Effects of Dose, Diagnosis, Age, Sex, Smoking, and Comedication. Therapeutic Drug Monitoring, 2006, 28, 750-759. The Effect of Long-Term Antipsychotic Treatment on Prolactin. Journal of Child and Adolescent Psychopharmacology, 2006, 16, 317-326.	0.5 1.4 12.3 2.0	343 21 200 36 36

#	ARTICLE	IF	CITATIONS
21	Clozapine Treatment of Childhood-Onset Schizophrenia: Evaluation of Effectiveness, Adverse Effects, and Long-Term Outcome. Journal of the American Academy of Child and Adolescent Psychiatry, 2007, 46, 1349-1356.	0.5	90
22	Management of psychiatric disorders in children and adolescents with atypical antipsychotics. European Child and Adolescent Psychiatry, 2007, 16, 104-120.	4.7	98
23	Olanzapine for the treatment of bipolar disorder in children and adolescents. Expert Opinion on Pharmacotherapy, 2008, 9, 467-474.	1.8	11
24	Side Effects of Second-Generation Antipsychotics: The Experiences, Views and Monitoring Practices of Australian Child Psychiatrists. Australasian Psychiatry, 2008, 16, 253-262.	0.7	39
25	Antipsychotic Medication in Children and Adolescents: A Descriptive Review of the Effects on Prolactin Level and Associated Side Effects. Journal of Child and Adolescent Psychopharmacology, 2009, 19, 403-414.	1.3	90
26	Efficacy, safety and tolerability of two risperidone dosing regimens in adolescent schizophrenia: double-blind study. British Journal of Psychiatry, 2009, 194, 158-164.	2.8	94
27	Short- and long-term effects on prolactin of risperidone and olanzapine treatments in children and adolescents. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 1496-1501.	4.8	38
28	Olanzapine Versus Placebo in Adolescents With Schizophrenia: A 6-Week, Randomized, Double-Blind, Placebo-Controlled Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2009, 48, 60-70.	0.5	142
29	Treating bipolar disorder in the early stages of illness. , 0, , 73-83.		0
30	Olanzapine approved for the acute treatment of schizophrenia or manic/mixed episodes associated with bipolar I disorder in adolescent patients. Neuropsychiatric Disease and Treatment, 2010, 6, 749.	2.2	14
32	Differential characteristics of the efficacy and tolerability of second-generation antipsychotics in the treatment of psychotic disorders in children and adolescents. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2010, 3, 152-167.	0.3	1
33	Antipsychotic drug toxicology in children. Expert Opinion on Drug Metabolism and Toxicology, 2011, 7, 591-608.	3.3	28
34	Management of Schizophrenia in Children and Adolescents. Drugs, 2011, 71, 179-208.	10.9	78
35	Association of DRD2 and ANKK1 polymorphisms with prolactin increase in olanzapine-treated women. Psychiatry Research, 2011, 187, 74-79.	3.3	19
36	Efficacy and safety of second-generation antipsychotics in children and adolescents with psychotic and bipolar spectrum disorders: Comprehensive review of prospective head-to-head and placebo-controlled comparisons. European Neuropsychopharmacology, 2011, 21, 621-645.	0.7	168
37	Management recommendations for metabolic complications associated with second-generation antipsychotic use in children and youth. Paediatrics and Child Health, 2011, , .	0.6	16
38	Prolactin, hyperprolactinaemia and antipsychotic treatment: a review and lessons for treatment of early psychosis. Journal of Psychopharmacology, 2012, 26, 42-51.	4.0	77
39	Efectos secundarios del tratamiento antipsicótico en niños y adolescentes naìve o quasi-naìve: diseño de un protocolo de seguimiento y resultados basales. Revista De PsiquiatrÃa Y Salud Mental, 2012, 5, 217-228.	1.8	15

3

#	Article	IF	CITATIONS
40	Secondary effects of antipsychotic treatment in naÃ-ve or quasi-naÃ-ve children and adolescents: Design of a follow-up protocol and baseline results. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2012, 5, 217-228.	0.3	8
41	Les recommandations de prise en charge des complications métaboliques associées aux antipsychotiques de deuxième génération chez les enfants et les adolescents. Paediatrics and Child Health, 2012, 17, 5B-11B.	0.6	0
42	Pharmacotherapy challenges in patients with first-episode psychosis. Journal of Affective Disorders, 2012, 138, S3-S14.	4.1	52
43	More Than Just Milk: A Review of Prolactin's Impact on the Treatment of Anorexia Nervosa. European Eating Disorders Review, 2012, 20, e85-90.	4.1	2
44	Plasma clozapine and norclozapine in relation to prescribed dose and other factors in patients aged <18 years: data from a therapeutic drug monitoring service, 1994–2010. Microbial Biotechnology, 2013, 7, 122-130.	1.7	39
45	Gynecologic and Reproductive Health Concerns of Adolescents Using Selected Psychotropic Medications. Journal of Pediatric and Adolescent Gynecology, 2013, 26, 7-15.	0.7	9
46	Toxicological assessment of drugs that affect the endocrine system in puberty-related disorders. Expert Opinion on Drug Metabolism and Toxicology, 2013, 9, 1309-1316.	3.3	4
47	Prolactin Serum Concentrations During Aripiprazole Treatment in Youth. Journal of Child and Adolescent Psychopharmacology, 2013, 23, 282-289.	1.3	23
48	Safety and Pharmacokinetics of Atypical Antipsychotics in Children and Adolescents. Paediatric Drugs, 2013, 15, 217-233.	3.1	76
49	An Open-Label Extension Study of the Safety and Efficacy of Risperidone in Children and Adolescents with Autistic Disorder. Journal of Child and Adolescent Psychopharmacology, 2013, 23, 676-686.	1.3	37
50	Systematic review of the efficacy and tolerability of Clozapine in the treatment of youth with early onset schizophrenia. European Psychiatry, 2014, 29, 1-10.	0.2	74
51	Management of Adverse Effects of Second-generation Antipsychotics in Youth. Current Treatment Options in Psychiatry, 2014, 1, 84-105.	1.9	12
52	Long-Term Safety of Paliperidone Extended Release in Adolescents with Schizophrenia: An Open-Label, Flexible Dose Study. Journal of Child and Adolescent Psychopharmacology, 2015, 25, 548-557.	1.3	15
53	Therapeutic Drug Monitoring in Children and Adolescents Under Pharmacotherapy With Olanzapine in Daily Clinical Practice. Therapeutic Drug Monitoring, 2017, 39, 273-281.	2.0	13
54	Evaluation of Potentially Prolactin-Related Adverse Events and Sexual Maturation in Adolescents with Schizophrenia Treated with Paliperidone Extended-Release (ER) for 2 Years: A Post Hoc Analysis of an Open-Label Multicenter Study. CNS Drugs, 2017, 31, 797-808.	5.9	8
55	Hormonal Risk Factors for Osteoporosis: Different Profile Among Antipsychotics. Journal of Child and Adolescent Psychopharmacology, 2018, 28, 719-726.	1.3	7
56	Exploring mechanisms of increased cardiovascular disease risk with antipsychotic medications: Risperidone alters the cardiac proteomic signature in mice. Pharmacological Research, 2020, 152, 104589.	7.1	21
57	Psychotropic drug concentrations and clinical outcomes in children and adolescents: a systematic review. Expert Opinion on Drug Safety, 2020, 19, 873-890.	2.4	13

#	Article	IF	CITATIONS
58	Metabolic Effects of Clozapine Administration Based on Sex Differences and the Relationships Between Dosage and Prolactin Levels: An Observational Study. Clinical Neuropharmacology, 2021, 44, 205-209.	0.7	2
59	The Short-Term Effects of Risperidone-Induced Hyperprolactinemia on Lipid Metabolism in Drug-Na $ ilde{A}$ -ve Children and Adolescents. Psychiatry Investigation, 2015, 12, 55.	1.6	5
60	First do no harm: promoting an evidence-based approach to atypical antipsychotic use in children and adolescents. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2010, 19, 124-37.	0.6	51
61	Management recommendations for metabolic complications associated with second generation antipsychotic use in children and youth. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2011, 20, 234-41.	0.6	20
62	Management recommendations for metabolic complications associated with second-generation antipsychotic use in children and youth. Paediatrics and Child Health, 2011, 16, 575-80.	0.6	19
65	A Meta-Analysis of Antipsychotic-Induced Hypo- and Hyperprolactinemia in Children and Adolescents. Journal of Child and Adolescent Psychopharmacology, 2022, 32, 374-389.	1.3	8
66	Sex Differences in Serum Prolactin Levels in Children and Adolescents on Antipsychotics: A Systematic Review and Meta-Analysis. Current Neuropharmacology, 2023, 21, 1319-1328.	2.9	0
67	Serious Adverse Drug Reactions to Antipsychotics in Minors with Multiple Disabilities: Preventability and Potential Cost Savings by Therapeutic Drug Monitoring. Pharmacopsychiatry, 0, , .	3.3	2
68	Clinical pharmacokinetics of antipsychotics in pediatric populations: a scoping review focusing on dosing regimen. Expert Opinion on Drug Metabolism and Toxicology, 2023, 19, 501-509.	3.3	2
69	A Systematic Review of Clozapine Concentration–Dose Ratio from Therapeutic Drug Monitoring Studies in Children and Adolescents Treated with Clozapine for Mental Disorders. Therapeutic Drug Monitoring, 0, , .	2.0	0
70	Association between olanzapine plasma concentrations and treatment response: A systematic review, meta-analysis and individual participant data meta-analysis. Biomedicine and Pharmacotherapy, 2024, 172, 116236.	5 . 6	0