

Genetic variation in the 22q11 locus and susceptibility to

Proceedings of the National Academy of Sciences of the United States of America
99, 16859-16864

DOI: [10.1073/pnas.232186099](https://doi.org/10.1073/pnas.232186099)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Velocardiofacial syndrome (chromosome 22q11.2 deletion syndrome) as a model of schizophrenia. , 0, , 309-327.		0
2	Potential use of animal models to examine antipsychotic prophylaxis for schizophrenia. <i>Clinical Neuroscience Research</i> , 2003, 3, 289-296.	0.8	15
3	Genome-wide linkage survey for genetic loci that influence the development of depressive disorders in families with recurrent, early-onset, major depression. <i>American Journal of Medical Genetics Part A</i> , 2003, 123B, 1-18.	2.4	159
4	Evidence for shared susceptibility in bipolar disorder and schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2003, 123C, 59-64.	2.4	172
5	Genome-wide scan in a large complex pedigree with predominantly male schizophrenics from the island of Kosrae: evidence for linkage to chromosome 2q. <i>Molecular Psychiatry</i> , 2003, 8, 695-705.	4.1	54
6	Genetics and genomics of behavioral and psychiatric disorders. <i>Current Opinion in Genetics and Development</i> , 2003, 13, 303-309.	1.5	65
7	New Insights into the Mechanisms of Protein Palmitoylation. <i>Biochemistry</i> , 2003, 42, 4311-4320.	1.2	192
8	Evidence for association of schizophrenia with genetic variation in the 8p21.3 gene, PPP3CC, encoding the calcineurin gamma subunit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8993-8998.	3.3	238
9	A comprehensive analysis of 22q11 gene expression in the developing and adult brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 14433-14438.	3.3	137
10	Positional Identification of Microdeletions with Genetic Markers. <i>Human Heredity</i> , 2003, 56, 107-118.	0.4	9
11	Case-control study and transmission disequilibrium test provide consistent evidence for association between schizophrenia and genetic variation in the 22q11 gene ZDHHC8. <i>Human Molecular Genetics</i> , 2004, 13, 2991-2995.	1.4	79
12	Haplotype analysis and identification of genes for a complex trait: examples from schizophrenia. <i>Annals of Medicine</i> , 2004, 36, 322-331.	1.5	12
13	The contribution of three strong candidate schizophrenia susceptibility genes in demographically distinct populations. <i>Genes, Brain and Behavior</i> , 2004, 3, 240-248.	1.1	101
14	Evidence that the gene encoding ZDHHC8 contributes to the risk of schizophrenia. <i>Nature Genetics</i> , 2004, 36, 725-731.	9.4	296
15	22q11 deletion syndrome in childhood onset schizophrenia: an update. <i>Molecular Psychiatry</i> , 2004, 9, 225-226.	4.1	83
16	Variants in the catechol-o-methyltransferase (COMT) gene are associated with schizophrenia in Irish high-density families. <i>Molecular Psychiatry</i> , 2004, 9, 962-967.	4.1	113
17	Bipolar Disorder and Schizophrenia: Convergent Molecular Data. <i>NeuroMolecular Medicine</i> , 2004, 5, 109-118.	1.8	106
18	Genetic abnormalities of chromosome 22 and the development of psychosis. <i>Current Psychiatry Reports</i> , 2004, 6, 176-182.	2.1	34

#	ARTICLE	IF	CITATIONS
19	Assessment of the frequency of the 22q11 deletion in Afrikaner schizophrenic patients. American Journal of Medical Genetics Part A, 2004, 129B, 20-22.	2.4	39
20	Evidence for association between novel polymorphisms in the PRODH gene and schizophrenia in a Chinese population. American Journal of Medical Genetics Part A, 2004, 129B, 13-15.	2.4	72
21	Functional analysis of polymorphisms in the promoter regions of genes on 22q11. Human Mutation, 2004, 24, 35-42.	1.1	41
22	Mutations of the Nogo-66 receptor (RTN4R) gene in schizophrenia. Human Mutation, 2004, 24, 534-535.	1.1	77
23	Model organisms lead the way to protein palmitoyltransferases. Journal of Cell Science, 2004, 117, 521-526.	1.2	90
24	Structures of the Escherichia coli PutA Proline Dehydrogenase Domain in Complex with Competitive Inhibitors. Biochemistry, 2004, 43, 12539-12548.	1.2	74
25	Why genetic investigation of psychiatric disorders is so difficult. Current Opinion in Genetics and Development, 2004, 14, 280-286.	1.5	45
26	The molecular genetics of the 22q11-associated schizophrenia. Molecular Brain Research, 2004, 132, 95-104.	2.5	132
27	Transcriptional and behavioral interaction between 22q11.2 orthologs modulates schizophrenia-related phenotypes in mice. Nature Neuroscience, 2005, 8, 1586-1594.	7.1	237
28	Schizophrenia genes, gene expression, and neuropathology: on the matter of their convergence. Molecular Psychiatry, 2005, 10, 40-68.	4.1	1,859
29	The neurodevelopmental model of schizophrenia: update 2005. Molecular Psychiatry, 2005, 10, 434-449.	4.1	864
30	The phenotypes of bipolar disorder: relevance for genetic investigations. Molecular Psychiatry, 2005, 10, 811-826.	4.1	86
31	ZDHHC8 as a candidate gene for schizophrenia: Analysis of a putative functional intronic marker in case-control and family-based association studies. BMC Psychiatry, 2005, 5, 35.	1.1	29
32	Structural analysis of leucine-rich-repeat variants in proteins associated with human diseases. Cellular and Molecular Life Sciences, 2005, 62, 2771-2791.	2.4	91
33	Genetic models of schizophrenia and bipolar disorder. European Archives of Psychiatry and Clinical Neuroscience, 2005, 255, 159-166.	1.8	85
34	Lower Prepulse Inhibition in Children With the 22q11 Deletion Syndrome. American Journal of Psychiatry, 2005, 162, 1090-1099.	4.0	97
35	Dissecting the genetic complexity of human 6p deletion syndromes by using a region-specific, phenotype-driven mouse screen. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 12477-12482.	3.3	28
36	Functional Consequences of PRODH Missense Mutations. American Journal of Human Genetics, 2005, 76, 409-420.	2.6	134

#	ARTICLE	IF	CITATIONS
37	No association was found between a functional SNP in ZDHHC8 and schizophrenia in a Japanese case-control population. <i>Neuroscience Letters</i> , 2005, 374, 21-24.	1.0	38
38	The ZDHHC8 gene did not associate with bipolar disorder or schizophrenia. <i>Neuroscience Letters</i> , 2005, 390, 166-170.	1.0	38
39	A survey of the 22q11 microdeletion in a large cohort of schizophrenia patients. <i>Schizophrenia Research</i> , 2005, 73, 263-267.	1.1	62
41	Temporal Lobe Anatomy and Psychiatric Symptoms in Velocardiofacial Syndrome (22q11.2 Deletion) Tj ETQq1 1 0.784314 rgBT /Over 0.3 73	0.3	73
42	Mouse Models of 22q11 Deletion Syndrome. <i>Biological Psychiatry</i> , 2006, 59, 1172-1179.	0.7	67
43	Gene regulation by hypoxia and the neurodevelopmental origin of schizophrenia. <i>Schizophrenia Research</i> , 2006, 84, 253-271.	1.1	119
44	Altered expression of hippocampal dentate granule neuron genes in a mouse model of human 22q11 deletion syndrome. <i>Schizophrenia Research</i> , 2006, 88, 251-259.	1.1	21
45	Schizophrenia susceptibility genes: emergence of positional candidates and future directions. <i>Trends in Pharmacological Sciences</i> , 2006, 27, 226-233.	4.0	97
46	Schizophrenia genetics: uncovering positional candidate genes. <i>European Journal of Human Genetics</i> , 2006, 14, 512-519.	1.4	85
47	Serine racemase binds to PICK1: potential relevance to schizophrenia. <i>Molecular Psychiatry</i> , 2006, 11, 150-157.	4.1	115
48	Subtyping schizophrenia: implications for genetic research. <i>Molecular Psychiatry</i> , 2006, 11, 815-836.	4.1	222
49	A complete genetic association scan of the 22q11 deletion region and functional evidence reveal an association between DGCR2 and schizophrenia. <i>Human Genetics</i> , 2006, 120, 160-170.	1.8	36
50	A gender-moderated effect of a functional COMT polymorphism on prefrontal brain morphology and function in velo-cardio-facial syndrome (22q11.2 deletion syndrome). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 274-280.	1.1	69
51	Chromosome 22 Deletion Syndrome And Schizophrenia. <i>International Review of Neurobiology</i> , 2006, 73, 1-27.	0.9	14
52	Complex Inheritance of the 5-Lipoxygenase Locus Influencing Atherosclerosis in Mice. <i>Genetics</i> , 2006, 173, 943-951.	1.2	36
53	Schizophrenia Susceptibility Genes: Emergence of Positional Candidates and Future Directions. <i>Focus (American Psychiatric Publishing)</i> , 2006, 4, 369-377.	0.4	0
54	Schizophrenia Susceptibility Genes: in Search of A Molecular Logic and Novel Drug Targets for A Devastating Disorder. <i>International Review of Neurobiology</i> , 2007, 78, 397-422.	0.9	14
55	Evidence for two schizophrenia susceptibility genes on chromosome 22q13. <i>Psychiatric Genetics</i> , 2007, 17, 292-298.	0.6	31

#	ARTICLE	IF	CITATIONS
56	Alterations in serum amino acid concentrations in male and female schizophrenic patients. <i>Clinica Chimica Acta</i> , 2007, 380, 186-190.	0.5	31
57	Nogo Receptor 1 (RTN4R) as a Candidate Gene for Schizophrenia: Analysis Using Human and Mouse Genetic Approaches. <i>PLoS ONE</i> , 2007, 2, e1234.	1.1	70
58	Analysis of TBX1 Variation in Patients with Psychotic and Affective Disorders. <i>Molecular Medicine</i> , 2007, 13, 407-414.	1.9	16
59	Velo-Cardio-Facial Syndrome. , 0, , 218-232.		0
60	Animal Models and Human Neuropsychiatric Disorders. <i>Behavior Genetics</i> , 2007, 37, 1-10.	1.4	19
61	No association between the genetic polymorphisms in the RTN4R gene and schizophrenia in the Chinese population. <i>Journal of Neural Transmission</i> , 2007, 114, 249-254.	1.4	21
62	Functional genomics and SNP analysis of human genes encoding proline metabolic enzymes. <i>Amino Acids</i> , 2008, 35, 655-664.	1.2	46
63	PRODH variants and risk for schizophrenia. <i>Amino Acids</i> , 2008, 35, 673-679.	1.2	54
64	Candidate genes and the behavioral phenotype in 22q11.2 deletion syndrome. <i>Developmental Disabilities Research Reviews</i> , 2008, 14, 26-34.	2.9	68
65	Altered brain microRNA biogenesis contributes to phenotypic deficits in a 22q11-deletion mouse model. <i>Nature Genetics</i> , 2008, 40, 751-760.	9.4	549
66	Strong association of de novo copy number mutations with sporadic schizophrenia. <i>Nature Genetics</i> , 2008, 40, 880-885.	9.4	752
67	Case reports: an opportunity for early intervention: velo-cardio-facial syndrome and psychosis. <i>Microbial Biotechnology</i> , 2008, 2, 262-267.	0.9	5
68	Prevalence of 22q11.2 deletions in 311 Dutch patients with schizophrenia. <i>Schizophrenia Research</i> , 2008, 98, 84-88.	1.1	32
69	Mitochondrial localization and function of a subset of 22q11 deletion syndrome candidate genes. <i>Molecular and Cellular Neurosciences</i> , 2008, 39, 439-451.	1.0	106
70	Rare Structural Variants Disrupt Multiple Genes in Neurodevelopmental Pathways in Schizophrenia. <i>Science</i> , 2008, 320, 539-543.	6.0	1,654
71	Structural Basis for the Inactivation of <i>Thermus thermophilus</i> Proline Dehydrogenase by <i>N</i> -Propargylglycine. <i>Biochemistry</i> , 2008, 47, 5573-5580.	1.2	25
72	Genetic Variants of Nogo-66 Receptor with Possible Association to Schizophrenia Block Myelin Inhibition of Axon Growth. <i>Journal of Neuroscience</i> , 2008, 28, 13161-13172.	1.7	98
73	Functional Polymorphisms in PRODH Are Associated with Risk and Protection for Schizophrenia and Fronto-Striatal Structure and Function. <i>PLoS Genetics</i> , 2008, 4, e1000252.	1.5	94

#	ARTICLE	IF	CITATIONS
74	Velocardiofacial Syndrome. <i>Journal of Mental Health Research in Intellectual Disabilities</i> , 2009, 2, 149-167.	1.3	53
75	Converging Evidence for the Nogo-66 Receptor Gene in Schizophrenia. <i>Journal of Neuroscience</i> , 2009, 29, 5045-5047.	1.7	14
76	Diminished dosage of 22q11 genes disrupts neurogenesis and cortical development in a mouse model of 22q11 deletion/DiGeorge syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 16434-16445.	3.3	149
77	Detection of disease-associated deletions in case-control studies using SNP genotypes with application to rheumatoid arthritis. <i>Human Genetics</i> , 2009, 126, 303-315.	1.8	7
78	A Conserved Active Site Tyrosine Residue of Proline Dehydrogenase Helps Enforce the Preference for Proline over Hydroxyproline as the Substrate. <i>Biochemistry</i> , 2009, 48, 951-959.	1.2	30
79	Prepulse inhibition and genetic mouse models of schizophrenia. <i>Behavioural Brain Research</i> , 2009, 204, 282-294.	1.2	184
80	Does the presenilin 2 gene predispose to schizophrenia?. <i>Schizophrenia Research</i> , 2009, 109, 121-129.	1.1	15
81	A Risk PRODHD Haplotype Affects Sensorimotor Gating, Memory, Schizotypy, and Anxiety in Healthy Male Subjects. <i>Biological Psychiatry</i> , 2009, 65, 1063-1070.	0.7	57
82	Type I hyperprolinemia: genotype/phenotype correlations. <i>Human Mutation</i> , 2010, 31, 961-965.	1.1	26
83	Association of <i>ZDHHC8</i> polymorphisms with smooth pursuit eye movement abnormality. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1167-1172.	1.1	14
84	Testing for genetic association between the <i>ZDHHC8</i> gene locus and susceptibility to schizophrenia: An integrated analysis of multiple datasets. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1266-1275.	1.1	33
85	22q11.2 microdeletions: linking DNA structural variation to brain dysfunction and schizophrenia. <i>Nature Reviews Neuroscience</i> , 2010, 11, 402-416.	4.9	417
86	Functions of Nogo proteins and their receptors in the nervous system. <i>Nature Reviews Neuroscience</i> , 2010, 11, 799-811.	4.9	332
87	Impaired hippocampal-prefrontal synchrony in a genetic mouse model of schizophrenia. <i>Nature</i> , 2010, 464, 763-767.	13.7	599
88	Constitutive Genetic Deletion of the Growth Regulator Nogo-A Induces Schizophrenia-Related Endophenotypes. <i>Journal of Neuroscience</i> , 2010, 30, 556-567.	1.7	50
89	Macro Roles for MicroRNAs in the Life and Death of Neurons. <i>Research and Perspectives in Neurosciences</i> , 2010, , .	0.4	4
90	Strong synaptic transmission impact by copy number variations in schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 10584-10589.	3.3	212
91	Signaling pathways in schizophrenia: emerging targets and therapeutic strategies. <i>Trends in Pharmacological Sciences</i> , 2010, 31, 381-390.	4.0	159

#	ARTICLE	IF	CITATIONS
92	Rare Genomic Deletions and Duplications and their Role in Neurodevelopmental Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2011, 12, 345-360.	0.8	16
93	Three phases of DiGeorge/22q11 deletion syndrome pathogenesis during brain development: Patterning, proliferation, and mitochondrial functions of 22q11 genes. <i>International Journal of Developmental Neuroscience</i> , 2011, 29, 283-294.	0.7	57
94	The 22q11.2 microdeletion: Fifteen years of insights into the genetic and neural complexity of psychiatric disorders. <i>International Journal of Developmental Neuroscience</i> , 2011, 29, 259-281.	0.7	114
95	Lack of association of the RTN4R genetic variations with risk of schizophrenia and SPEM abnormality in a Korean population. <i>Psychiatry Research</i> , 2011, 189, 312-314.	1.7	3
96	Velocardiofacial syndrome - a syndrome with many faces. <i>South African Journal of Psychiatry</i> , 2011, 17, 5.	0.2	10
97	Psychiatric genetics in South Africa: cutting a rough diamond. <i>African Journal of Psychiatry</i> , 2011, 14, 355-66.	0.1	1
98	Cognitive, Behavioural and Psychiatric Phenotype in 22q11.2 Deletion Syndrome. <i>Behavior Genetics</i> , 2011, 41, 403-412.	1.4	115
99	Association of <i>RANBP1</i> haplotype with smooth pursuit eye movement abnormality. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 67-71.	1.1	14
100	Association study of Nogo-related genes with schizophrenia in a Japanese case-control sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 581-592.	1.1	34
101	Contribution of nonprimate animal models in understanding the etiology of schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2011, 36, E5-E29.	1.4	14
102	Putting proteins in their place: Palmitoylation in Huntington disease and other neuropsychiatric diseases. <i>Progress in Neurobiology</i> , 2012, 97, 220-238.	2.8	118
103	Loss of microRNAs in pyramidal neurons leads to specific changes in inhibitory synaptic transmission in the prefrontal cortex. <i>Molecular and Cellular Neurosciences</i> , 2012, 50, 283-292.	1.0	50
104	NOGO-66 receptor deficient mice show slow acquisition of spatial memory task performance. <i>Neuroscience Letters</i> , 2012, 510, 58-61.	1.0	20
105	Human genetics of schizophrenia. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2012, 106, 37-52.	1.0	4
106	The Genetic Architecture of Schizophrenia: New Mutations and Emerging Paradigms. <i>Annual Review of Medicine</i> , 2012, 63, 63-80.	5.0	98
107	The Nogo-66 receptor family in the intact and diseased CNS. <i>Cell and Tissue Research</i> , 2012, 349, 105-117.	1.5	39
108	Human DHHC proteins: A spotlight on the hidden player of palmitoylation. <i>European Journal of Cell Biology</i> , 2012, 91, 107-117.	1.6	116
109	Copy number variation at 22q11.2: from rare variants to common mechanisms of developmental neuropsychiatric disorders. <i>Molecular Psychiatry</i> , 2013, 18, 1153-1165.	4.1	115

#	ARTICLE	IF	CITATIONS
110	Parathyroid Disorders. , 2013, , 1-34.		0
111	Hip14l-deficient mice develop neuropathological and behavioural features of Huntington disease. Human Molecular Genetics, 2013, 22, 452-465.	1.4	59
112	Heritability and genome-wide SNP linkage analysis of temperament in bipolar disorder. Journal of Affective Disorders, 2013, 150, 1031-1040.	2.0	26
113	Nogo and Nogo receptor: Relevance to schizophrenia?. Neurobiology of Disease, 2013, 54, 150-157.	2.1	42
114	Converging levels of analysis on a genomic hotspot for psychosis: Insights from 22q11.2 Deletion Syndrome. Neuropharmacology, 2013, 68, 157-173.	2.0	27
115	ZDHHC8 gene may play a role in cortical volumes of patients with schizophrenia. Schizophrenia Research, 2013, 145, 33-35.	1.1	18
116	Association of IL-12p70 and IL-6:IL-10 ratio with autism-related behaviors in 22q11.2 deletion syndrome: A preliminary report. Brain, Behavior, and Immunity, 2013, 31, 76-81.	2.0	45
117	Copy Number Variation Distribution in Six Monozygotic Twin Pairs Discordant for Schizophrenia. Twin Research and Human Genetics, 2014, 17, 108-120.	0.3	34
118	Scan statistic-based analysis of exome sequencing data identifies <i>FAN1</i> at 15q13.3 as a susceptibility gene for schizophrenia and autism. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 343-348.	3.3	86
119	Targeting protein palmitoylation: selective inhibitors and implications in disease. Expert Opinion on Drug Discovery, 2014, 9, 1005-1019.	2.5	45
120	A Functional SNP Catalog of Overlapping miRNA-Binding Sites in Genes Implicated in Prion Disease and Other Neurodegenerative Disorders. Human Mutation, 2014, 35, 1233-1248.	1.1	15
121	Development and Developmental Disorders of the Cerebral Cortex. , 2014, , 523-642.		5
122	White matter abnormalities in 22q11.2 deletion syndrome: Preliminary associations with the Nogo-66 receptor gene and symptoms of psychosis. Schizophrenia Research, 2014, 152, 117-123.	1.1	44
123	Polymorphism within a Neuronal Activity-Dependent Enhancer of <i>NgR1</i> Is Associated with Corpus Callosum Morphology in Humans. Molecular Neuropsychiatry, 2015, 1, 105-115.	3.0	3
124	Relationship between polymorphisms in the proline dehydrogenase gene and schizophrenia risk. Genetics and Molecular Research, 2015, 14, 11681-11691.	0.3	10
125	Evaluating historical candidate genes for schizophrenia. Molecular Psychiatry, 2015, 20, 555-562.	4.1	281
126	A systematic review of the effect of genes mediating neurodevelopment and neurotransmission on brain morphology: Focus on schizophrenia. Neurology Psychiatry and Brain Research, 2015, 21, 1-26.	2.0	3
127	Genetic variants in Nogo receptor signaling pathways may be associated with early life adversity in schizophrenia susceptibility. BBA Clinical, 2015, 3, 36-43.	4.1	2

#	ARTICLE	IF	CITATIONS
128	Modeling a model: Mouse genetics, 22q11.2 Deletion Syndrome, and disorders of cortical circuit development. <i>Progress in Neurobiology</i> , 2015, 130, 1-28.	2.8	82
129	Golgi post-translational modifications and associated diseases. <i>Journal of Inherited Metabolic Disease</i> , 2015, 38, 741-751.	1.7	28
130	The Physiology of Protein S-acylation. <i>Physiological Reviews</i> , 2015, 95, 341-376.	13.1	287
131	Empirical Bayes Scan Statistics for Detecting Clusters of Disease Risk Variants in Genetic Studies. <i>Biometrics</i> , 2015, 71, 1111-1120.	0.8	6
132	A Novel Role of Proline Oxidase in HIV-1 Envelope Glycoprotein-induced Neuronal Autophagy. <i>Journal of Biological Chemistry</i> , 2015, 290, 25439-25451.	1.6	28
133	A Targeted Multiplexed Proteomic Investigation Identifies Ketamine-Induced Changes in Immune Markers in Rat Serum and Expression Changes in Protein Kinases/Phosphatases in Rat Brain. <i>Journal of Proteome Research</i> , 2015, 14, 411-421.	1.8	31
135	Palmitoylation and depalmitoylation defects. <i>Journal of Inherited Metabolic Disease</i> , 2015, 38, 179-186.	1.7	40
136	Identification of genetic variants of LGI 1 and RTN 4R (NgR1) linked to schizophrenia that are defective in NgR1-mediated LGI 1 signaling. <i>Molecular Genetics & Genomic Medicine</i> , 2016, 4, 447-456.	0.6	9
137	Palmitoylation in Alzheimer's disease and other neurodegenerative diseases. <i>Pharmacological Research</i> , 2016, 111, 133-151.	3.1	102
138	Associations between neurodevelopmental genes, neuroanatomy, and ultra high risk symptoms of psychosis in 22q11.2 deletion syndrome. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 295-314.	1.1	25
139	Mapping 22q11.2 Gene Dosage Effects on Brain Morphometry. <i>Journal of Neuroscience</i> , 2017, 37, 6183-6199.	1.7	65
140	Whole-genome sequencing of monozygotic twins discordant for schizophrenia indicates multiple genetic risk factors for schizophrenia. <i>Journal of Genetics and Genomics</i> , 2017, 44, 295-306.	1.7	36
141	Genetic tests in major psychiatric disorders—integrating molecular medicine with clinical psychiatry—why is it so difficult?. <i>Translational Psychiatry</i> , 2017, 7, e1151-e1151.	2.4	44
142	Animal Models of Developmental Neuropathology in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017, 43, 1172-1175.	2.3	12
143	Brain, blood, cerebrospinal fluid, and serum biomarkers in schizophrenia. <i>Psychiatry Research</i> , 2018, 265, 25-38.	1.7	79
144	OTUD7A Regulates Neurodevelopmental Phenotypes in the 15q13.3 Microdeletion Syndrome. <i>American Journal of Human Genetics</i> , 2018, 102, 278-295.	2.6	81
145	Periventricular nodular heterotopia in 22q11.2 deletion and frontal lobe migration. <i>Annals of Clinical and Translational Neurology</i> , 2018, 5, 1314-1322.	1.7	11
146	Insights Into Protein S-Palmitoylation in Synaptic Plasticity and Neurological Disorders: Potential and Limitations of Methods for Detection and Analysis. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 175.	1.4	48

#	ARTICLE	IF	CITATIONS
147	Genetic and clinical features of social cognition in 22q11.2 deletion syndrome. <i>Journal of Neuroscience Research</i> , 2018, 96, 1631-1640.	1.3	24
148	Palmitoylation-mediated synaptic regulation of AMPA receptor trafficking and function. <i>Archives of Pharmacal Research</i> , 2019, 42, 426-435.	2.7	22
149	22q11.2 deletion syndrome and schizophrenia. <i>Acta Biochimica Et Biophysica Sinica</i> , 2020, 52, 1181-1190.	0.9	16
150	Post-translational protein modifications in schizophrenia. <i>NPJ Schizophrenia</i> , 2020, 6, 5.	2.0	38
151	Schizophrenia: a classic battle ground of nature versus nurture debate. <i>Science Bulletin</i> , 2021, 66, 1037-1046.	4.3	4
152	A sticky situation: regulation and function of protein palmitoylation with a spotlight on the axon and axon initial segment. <i>Neuronal Signaling</i> , 2021, 5, NS20210005.	1.7	7
153	Schizophrenia Genes: Searching for Common Features, Functions, and Mechanisms. , 2008, , 1-16.		1
154	Neurogenetic Analysis and Cognitive Functions in Trisomy 21. , 2009, , 175-185.		5
155	Transgenic and Knockout Models of Psychiatric Disorders. <i>Contemporary Clinical Neuroscience</i> , 2006, , 3-23.	0.3	3
156	SwissPalm: Protein Palmitoylation database. <i>F1000Research</i> , 2015, 4, 261.	0.8	209
157	CNV Analysis in Tourette Syndrome Implicates Large Genomic Rearrangements in COL8A1 and NRXN1. <i>PLoS ONE</i> , 2013, 8, e59061.	1.1	70
158	Genetics of schizophrenia (Review). <i>Experimental and Therapeutic Medicine</i> , 2020, 20, 3462-3468.	0.8	16
159	Velo-cardio-facial syndrome (deletion 22q11.2): a homogeneous neurodevelopmental model for schizophrenia. , 2004, , 121-137.		4
160	DHHC8. <i>The AFCS-nature Molecule Pages</i> , 0, , .	0.2	0
161	The Afrikaner and schizophrenia: A Genetic study. <i>South African Journal of Science and Technology</i> , 2008, 27, 73-87.	0.1	12
162	microRNA Dysregulation in Psychiatric Disorders. <i>Research and Perspectives in Neurosciences</i> , 2010, , 99-117.	0.4	0
163	Genética de la esquizofrenia: avances en el estudio de genes candidatos. <i>Revista De Biología Tropical</i> , 2014, 1, 467.	0.1	1
165	Kliniese kenmerke van Afrikaner-skisofreniepasiënte. , 2019, , 31-52.		0

#	ARTICLE	IF	CITATIONS
166	VroeÃ« afwykende niepsigotiese gedrag in skisofrenie. , 2019, , 119-144.		0
167	GeÃ«soleerde populasies. , 2019, , 103-118.		0
168	Spesifieke chromosoomgebiede en/of kandidaatgene geÃ«dentifiseer by skisofrenie. , 2019, , 53-70.		0
169	Agtergrond as rigtingaanwyser. , 2019, , xxiii-xxviii.		0
170	Sporadiese skisofrenie. , 2019, , 91-101.		0
171	Nader aan die siekbed. , 2019, , 147-189.		0
172	FamiliÃ«le skisofrenie. , 2019, , 71-90.		0
173	Vatbaarheid vir skisofrenie by 22q11.2-mikroweglatings. , 2019, , 1-29.		0
174	Proline dehydrogenase (PRODH) gene polymorphisms and the risk of schizophrenia in Iranian populations. Ukrainian Biochemical Journal, 2020, 92, 12-20.	0.1	0
175	Bipolar disorder and schizophrenia: not so distant relatives?. World Psychiatry, 2003, 2, 68-72.	4.8	35
176	A Comprehensive Analysis of Cerebellar Volumes in the 22q11.2 Deletion Syndrome. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2023, 8, 79-90.	1.1	5
177	Upregulation of DGCR8, a Candidate Predisposing to Schizophrenia in Han Chinese, Contributes to Phenotypic Deficits and Neuronal Migration Delay. Frontiers in Psychiatry, 2022, 13, 873873.	1.3	1
178	Synaptic Plasticity Dysfunctions in the Pathophysiology of 22q11 Deletion Syndrome: Is There a Role for Astrocytes?. International Journal of Molecular Sciences, 2022, 23, 4412.	1.8	8
179	Homer: A Genetic Factor in Schizophrenia?. , 0, , 29-72.		1
181	Neuroinflammation and Oxidative Stress in Individuals Affected by DiGeorge Syndrome. International Journal of Molecular Sciences, 2023, 24, 4242.	1.8	1
183	Development and Developmental Disorders of the Cerebral Cortex. , 2023, , 725-891.		0