

# Influence of Soil on Fecal Indicator Organisms in a Tidal Environment

Applied and Environmental Microbiology  
68, 1165-1172

DOI: [10.1128/aem.68.3.1165-1172.2002](https://doi.org/10.1128/aem.68.3.1165-1172.2002)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Microbial Forensics. , 1964, , 227-257.		1
2	Microbial Source Tracking: Current Methodology and Future Directions. Applied and Environmental Microbiology, 2002, 68, 5796-5803.	1.4	589
3	Growth and survival of Escherichia coli and enterococci populations in the macro-alga Cladophora (Chlorophyta). FEMS Microbiology Ecology, 2003, 46, 203-211.	1.3	192
4	Evidence for localized bacterial loading as the cause of chronic beach closings in a freshwater marina. Water Research, 2003, 37, 2700-2708.	5.3	66
5	Fecal indicator bacteria are abundant in wet sand at freshwater beaches. Water Research, 2003, 37, 3978-3982.	5.3	241
6	Bacteriological monitoring studies to identify sources of fecal pollution at Baby Beach, Dana Point Harbor, California. , 2003, , .		3
7	Ubiquity and Persistence of Escherichia coli in a Midwestern Coastal Stream. Applied and Environmental Microbiology, 2003, 69, 4549-4555.	1.4	167
8	Role of Nonhost Environments in the Lifestyles of Salmonella and Escherichia coli. Applied and Environmental Microbiology, 2003, 69, 3687-3694.	1.4	611
9	Foreshore Sand as a Source of Escherichia coli in Nearshore Water of a Lake Michigan Beach. Applied and Environmental Microbiology, 2003, 69, 5555-5562.	1.4	255
10	Occurrence of Escherichia coli and Enterococci in Cladophora (Chlorophyta) in Nearshore Water and Beach Sand of Lake Michigan. Applied and Environmental Microbiology, 2003, 69, 4714-4719.	1.4	270
11	Bacterial Source Tracking in Pathogen TMDL Development and Implementation Part II: Challenge and Opportunity. Proceedings of the Water Environment Federation, 2003, 2003, 850-868.	0.0	1
12	Development of Isotherm Equations for Partitioning Between Soil-Adsorbed and Planktonic Escherichia coli. , 2004, , .		1
13	Non-point source pollution: Determination of replication versus persistence of Escherichia coli in surface water and sediments with correlation of levels to readily measurable environmental parameters. Journal of Water and Health, 2004, 2, 103-114.	1.1	44
14	Indigenous soil bacteria and low moisture may limit but allow faecal bacteria to multiply and become a minor population in tropical soils. Water Science and Technology, 2004, 50, 27-32.	1.2	169
15	Rapid Estimation of Numbers of Fecal Bacteroidetes by Use of a Quantitative PCR Assay for 16S rRNA Genes. Applied and Environmental Microbiology, 2004, 70, 5695-5697.	1.4	157
17	Clostridium perfringens in poultry: an emerging threat for animal and public health. Avian Pathology, 2004, 33, 537-549.	0.8	493
18	Coliform dynamics and the implications for source tracking. Environmental Microbiology, 2004, 6, 501-509.	1.8	27
19	Phylogenetic Analysis of Partial Bacterial 16S rDNA Sequences of Tropical Grass Pasture Soil under Acacia tortilis subsp. raddiana in Senegal. Systematic and Applied Microbiology, 2004, 27, 238-252.	1.2	17

#	ARTICLE	IF	CITATIONS
20	The effect of two mechanical beach grooming strategies on <i>Escherichia coli</i> density in beach sand at a southwestern Lake Michigan beach. <i>Aquatic Ecosystem Health and Management</i> , 2004, 7, 425-432.	0.3	23
21	Groundwater Discharge: A Potential Association with Fecal Indicator Bacteria in the Surf Zone. <i>Environmental Science &amp; Technology</i> , 2004, 38, 3558-3566.	4.6	131
22	Monitoring marine recreational water quality using multiple microbial indicators in an urban tropical environment. <i>Water Research</i> , 2004, 38, 3119-3131.	5.3	178
23	Genetic diversity of <i>Escherichia coli</i> isolates in irrigation water and associated sediments: implications for source tracking. <i>Water Research</i> , 2004, 38, 3899-3908.	5.3	26
24	Yeast community survey in the Tagus estuary. <i>FEMS Microbiology Ecology</i> , 2005, 53, 295-303.	1.3	42
25	Enumeration and speciation of enterococci found in marine and intertidal sediments and coastal water in southern California. <i>Journal of Applied Microbiology</i> , 2005, 99, 598-608.	1.4	135
26	Application of a direct fluorescence-based live/dead staining combined with fluorescence in situ hybridization for assessment of survival rate of <i>Bacteroides</i> spp. in drinking water. <i>Biotechnology and Bioengineering</i> , 2005, 92, 356-363.	1.7	42
27	Bacteria Loads from Point and Nonpoint Sources in an Urban Watershed. <i>Journal of Environmental Engineering, ASCE</i> , 2005, 131, 1414-1425.	0.7	47
28	Discrimination Efficacy of Fecal Pollution Detection in Different Aquatic Habitats of a High-Altitude Tropical Country, Using Presumptive Coliforms, <i>Escherichia coli</i> , and <i>Clostridium perfringens</i> Spores. <i>Applied and Environmental Microbiology</i> , 2005, 71, 65-71.	1.4	62
29	Real-Time PCR Quantification of Human Adenoviruses in Urban Rivers Indicates Genome Prevalence but Low Infectivity. <i>Applied and Environmental Microbiology</i> , 2005, 71, 7426-7433.	1.4	136
30	Persistence and Differential Survival of Fecal Indicator Bacteria in Subtropical Waters and Sediments. <i>Applied and Environmental Microbiology</i> , 2005, 71, 3041-3048.	1.4	455
31	Identifying Pollutant Sources in Tidally Mixed Systems: A Case Study of Fecal Indicator Bacteria from Marinas in Newport Bay, Southern California. <i>Environmental Science &amp; Technology</i> , 2005, 39, 9083-9093.	4.6	23
32	Tidal Forcing of Enterococci at Marine Recreational Beaches at Fortnightly and Semidiurnal Frequencies. <i>Environmental Science &amp; Technology</i> , 2005, 39, 5575-5583.	4.6	76
33	Modeling the dry-weather tidal cycling of fecal indicator bacteria in surface waters of an intertidal wetland. <i>Water Research</i> , 2005, 39, 3394-3408.	5.3	72
34	An analytical model of enterococci inactivation, grazing, and transport in the surf zone of a marine beach. <i>Water Research</i> , 2005, 39, 3565-3578.	5.3	64
35	Sources and growth dynamics of fecal indicator bacteria in a coastal wetland system and potential impacts to adjacent waters. <i>Water Research</i> , 2006, 40, 475-486.	5.3	65
36	Comparison of the efficacy of an existing versus a locally developed metabolic fingerprint database to identify non-point sources of faecal contamination in a coastal lake. <i>Water Research</i> , 2006, 40, 2339-2348.	5.3	17
37	Persistence of fecal indicator bacteria in Santa Monica Bay beach sediments. <i>Water Research</i> , 2006, 40, 2593-2602.	5.3	141

#	ARTICLE	IF	CITATIONS
38	Alternative indicators of fecal pollution: Relations with pathogens and conventional indicators, current methodologies for direct pathogen monitoring and future application perspectives. <i>Water Research</i> , 2006, 40, 2463-2476.	5.3	294
39	Seasonal persistence and population characteristics of <i>Escherichia coli</i> and enterococci in deep backshore sand of two freshwater beaches. <i>Journal of Water and Health</i> , 2006, 4, 313-320.	1.1	39
40	Delineation of a chemical and biological signature for stormwater pollution in an urban river. <i>Journal of Water and Health</i> , 2006, 4, 247-262.	1.1	28
41	Seasonal persistence and population characteristics of <i>Escherichia coli</i> and enterococci in deep backshore sand of two freshwater beaches. <i>Journal of Water and Health</i> , 2006, 4, 313-320.	1.1	52
42	Population structure, persistence, and seasonality of autochthonous <i>Escherichia coli</i> in temperate, coastal forest soil from a Great Lakes watershed. <i>Environmental Microbiology</i> , 2006, 8, 504-513.	1.8	181
43	<i>Salmonella</i> spp., <i>Vibrio</i> spp., <i>Clostridium perfringens</i> , and <i>Plesiomonas shigelloides</i> in Marine and Freshwater Invertebrates from Coastal California Ecosystems. <i>Microbial Ecology</i> , 2006, 52, 198-206.	1.4	51
44	Oceans and human health: Emerging public health risks in the marine environment. <i>Marine Pollution Bulletin</i> , 2006, 53, 545-560.	2.3	208
45	Attachment of Fecal Indicator Bacteria to Particles in the Neuse River Estuary, N.C.. <i>Journal of Environmental Engineering, ASCE</i> , 2006, 132, 1338-1345.	0.7	117
46	Fecal Contamination of Agricultural Soils Before and After Hurricane-Associated Flooding in North Carolina. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2006, 41, 173-184.	0.9	46
47	Detection of Human-Derived Fecal Pollution in Environmental Waters by Use of a PCR-Based Human Polyomavirus Assay. <i>Applied and Environmental Microbiology</i> , 2006, 72, 7567-7574.	1.4	151
48	Basin-Wide Analysis of the Dynamics of Fecal Contamination and Fecal Source Identification in Tillamook Bay, Oregon. <i>Applied and Environmental Microbiology</i> , 2006, 72, 5537-5546.	1.4	89
49	Presence and Growth of Naturalized <i>Escherichia coli</i> in Temperate Soils from Lake Superior Watersheds. <i>Applied and Environmental Microbiology</i> , 2006, 72, 612-621.	1.4	440
50	Presence and Sources of Fecal Coliform Bacteria in Epilithic Periphyton Communities of Lake Superior. <i>Applied and Environmental Microbiology</i> , 2007, 73, 3771-3778.	1.4	99
51	Tracking and Investigating Microbial Sources in Gainesville's Urban Creeks. <i>Proceedings of the Water Environment Federation</i> , 2007, 2007, 885-914.	0.0	0
52	Quantitative evaluation of bacteria released by bathers in a marine water. <i>Water Research</i> , 2007, 41, 3-10.	5.3	144
53	Prevalence of yeasts in beach sand at three bathing beaches in South Florida. <i>Water Research</i> , 2007, 41, 1915-1920.	5.3	80
54	Relationships between <i>Bacteroides</i> 16S rRNA genetic markers and presence of bacterial enteric pathogens and conventional fecal indicators. <i>Water Research</i> , 2007, 41, 3615-3628.	5.3	104
55	Confirmation of putative stormwater impact on water quality at a Florida beach by microbial source tracking methods and structure of indicator organism populations. <i>Water Research</i> , 2007, 41, 3747-3757.	5.3	99

#	ARTICLE	IF	CITATIONS
56	Use of salinity mixing models to estimate the contribution of creek water fecal indicator bacteria to an estuarine environment: Newport Bay, California. <i>Water Research</i> , 2007, 41, 3595-3604.	5.3	14
57	A PCR marker for detection in surface waters of faecal pollution derived from ducks. <i>Water Research</i> , 2007, 41, 3553-3560.	5.3	27
58	Beach Sands along the California Coast Are Diffuse Sources of Fecal Bacteria to Coastal Waters. <i>Environmental Science &amp; Technology</i> , 2007, 41, 4515-4521.	4.6	175
59	Incidence and Persistence of Zoonotic Bacterial and Protozoan Pathogens in a Beef Cattle Feedlot Runoff Control "Vegetative Treatment System. <i>Journal of Environmental Quality</i> , 2007, 36, 1873-1882.	1.0	51
60	The potential for beach sand to serve as a reservoir for <i>Escherichia coli</i> and the physical influences on cell die-off. <i>Journal of Applied Microbiology</i> , 2007, 102, 1372-1381.	1.4	117
61	Field investigations on the survival of <i>Escherichia coli</i> and presence of other enteric micro-organisms in biosolids-amended agricultural soil. <i>Journal of Applied Microbiology</i> , 2007, 103, 1868-1882.	1.4	48
62	Influence of soil type, moisture content and biosolids application on the fate of <i>Escherichia coli</i> in agricultural soil under controlled laboratory conditions. <i>Journal of Applied Microbiology</i> , 2007, 103, 2122-2131.	1.4	55
63	Luminex detection of fecal indicators in river samples, marine recreational water, and beach sand. <i>Marine Pollution Bulletin</i> , 2007, 54, 521-536.	2.3	51
64	Assessment of faecal contamination and the relationship between pathogens and faecal bacterial indicators in an estuarine environment (Seine, France). <i>Marine Pollution Bulletin</i> , 2007, 54, 1441-1450.	2.3	51
65	Quantification of host-specific <i>Bacteroides</i> "Prevotella 16S rRNA genetic markers for assessment of fecal pollution in freshwater. <i>Applied Microbiology and Biotechnology</i> , 2007, 74, 890-901.	1.7	173
66	Persistence of host-specific <i>Bacteroides</i> "Prevotella 16S rRNA genetic markers in environmental waters: effects of temperature and salinity. <i>Applied Microbiology and Biotechnology</i> , 2007, 76, 935-944.	1.7	123
67	Urban Rivers as Pollutant Sinks and Sources: a Public Health Concern for Recreational River Users?. <i>Water, Air and Soil Pollution</i> , 2008, 8, 543-553.	0.8	20
68	Anthropogenic influence on trace element geochemistry of healing mud (peloid) from Makirina Cove (Croatia). <i>Environmental Geology</i> , 2008, 55, 517-537.	1.2	13
69	Mass Load-Based Pollution Management of the Han River and Its Tributaries, Korea. <i>Environmental Management</i> , 2008, 41, 12-19.	1.2	6
70	Microbiological and 16S rRNA analysis of sulphite-reducing clostridia from river sediments in central Italy. <i>BMC Microbiology</i> , 2008, 8, 171.	1.3	22
71	Sources and Sinks of <i>Escherichia coli</i> in Benthic and Pelagic Fish. <i>Journal of Great Lakes Research</i> , 2008, 34, 228-234.	0.8	21
72	Treatment of Dry Weather Urban Runoff in Tidal Saltwater Marshes: A Longitudinal Study of the Talbert Marsh in Southern California. <i>Environmental Science &amp; Technology</i> , 2008, 42, 3609-3614.	4.6	11
73	Impacts of rainfall on the water quality of the Newport River Estuary (Eastern North Carolina, USA). <i>Journal of Water and Health</i> , 2008, 6, 473-482.	1.1	58

#	ARTICLE	IF	CITATIONS
74	A generic, process-based model of microbial pollution in aquatic systems. <i>Water Resources Research</i> , 2008, 44, .	1.7	104
75	The coastal environment and human health: microbial indicators, pathogens, sentinels and reservoirs. <i>Environmental Health</i> , 2008, 7, S3.	1.7	168
76	Environmental controls, oceanography and population dynamics of pathogens and harmful algal blooms: connecting sources to human exposure. <i>Environmental Health</i> , 2008, 7, S5.	1.7	17
77	Sediment-water exchange of <i>Vibrio</i> sp. and fecal indicator bacteria: Implications for persistence and transport in the Neuse River Estuary, North Carolina, USA. <i>Water Research</i> , 2008, 42, 941-950.	5.3	90
78	Quantification of enterococci and bifidobacteria in Georgia estuaries using conventional and molecular methods. <i>Water Research</i> , 2008, 42, 4001-4009.	5.3	46
79	Quantitative PCR for Detection and Enumeration of Genetic Markers of Bovine Fecal Pollution. <i>Applied and Environmental Microbiology</i> , 2008, 74, 745-752.	1.4	183
80	Coastal Strategies to Predict <i>Escherichia coli</i> Concentrations for Beaches along a 35 km Stretch of Southern Lake Michigan. <i>Environmental Science &amp; Technology</i> , 2008, 42, 4454-4460.	4.6	37
81	Real-Time PCR Detection of Pathogenic Microorganisms in Roof-Harvested Rainwater in Southeast Queensland, Australia. <i>Applied and Environmental Microbiology</i> , 2008, 74, 5490-5496.	1.4	152
82	Detection and source identification of faecal pollution in non-sewered catchment by means of host-specific molecular markers. <i>Water Science and Technology</i> , 2008, 58, 579-586.	1.2	42
83	<i>Escherichia coli</i> in the Environment: Implications for Water Quality and Human Health. <i>Microbes and Environments</i> , 2008, 23, 101-108.	0.7	393
84	Sequential Concentration of Bacteria and Viruses from Marine Waters using a Dual Membrane System. <i>Journal of Environmental Quality</i> , 2008, 37, 1648-1655.	1.0	20
85	Survival Potential of <i>Escherichia coli</i> and Enterococci in Subtropical Beach Sand: Implications for Water Quality Managers. <i>Journal of Environmental Quality</i> , 2008, 37, 898-905.	1.0	95
86	Sediment can be a reservoir for coliform bacteria released into streams. <i>Journal of General and Applied Microbiology</i> , 2008, 54, 173-179.	0.4	28
87	Evaluation of a Filtration/Dispersion Method for Enumeration of Particle-associated <i>Escherichia coli</i> . <i>Journal of Environmental Quality</i> , 2009, 38, 980-986.	1.0	14
88	Growth of Enterococci in Unaltered, Unseeded Beach Sands Subjected to Tidal Wetting. <i>Applied and Environmental Microbiology</i> , 2009, 75, 1517-1524.	1.4	128
89	Microbiological Threats to Water Quality. , 2009, , 181-196.		3
90	A sea change ahead for recreational water quality criteria. <i>Journal of Water and Health</i> , 2009, 7, 9-20.	1.1	167
91	Contact With Beach Sand Among Beachgoers and Risk of Illness. <i>American Journal of Epidemiology</i> , 2009, 170, 164-172.	1.6	106

#	ARTICLE	IF	CITATIONS
92	Bacteria Load Estimator Spreadsheet Tool for Modeling Spatial Escherichia coli Loads to an Urban Bayou. <i>Journal of Environmental Engineering, ASCE</i> , 2009, 135, 203-217.	0.7	25
93	Detection of spatial fluctuations of non-point source fecal pollution in coral reef surrounding waters in southwestern Puerto Rico using PCR-based assays. <i>Marine Pollution Bulletin</i> , 2009, 58, 45-54.	2.3	47
94	Correlations between microbial indicators, pathogens, and environmental factors in a subtropical Estuary. <i>Marine Pollution Bulletin</i> , 2009, 58, 1374-1381.	2.3	60
95	Microbial and nutrient pollution in the coastal bathing waters of Dar es Salaam. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2009, 19, S27.	0.9	12
96	Comparison of Fecal Indicator Bacteria Densities in Marine Recreational Waters by QPCR. <i>Water Quality, Exposure, and Health</i> , 2009, 1, 203-214.	1.5	54
97	Pilot- and bench-scale testing of faecal indicator bacteria survival in marine beach sand near point sources. <i>Journal of Applied Microbiology</i> , 2009, 107, 72-84.	1.4	37
98	Application of microbial source tracking methods in a Gulf of Mexico field setting. <i>Journal of Applied Microbiology</i> , 2009, 107, 1518-1527.	1.4	40
99	Drivers of Water Quality Variability in Northern Coastal Ecuador. <i>Environmental Science &amp; Technology</i> , 2009, 43, 1788-1797.	4.6	67
100	Analysis of seawater microbiological quality data in Greece from 1997 to 2006: association of risk factors with bacterial indicators. <i>Journal of Water and Health</i> , 2009, 7, 514-526.	1.1	10
101	Distribution and survival of faecal indicator bacteria in the sediments of the Bay of Vidy, Lake Geneva, Switzerland. <i>Ecological Indicators</i> , 2009, 9, 540-547.	2.6	106
102	Prevalence and occurrence of zoonotic bacterial pathogens in surface waters determined by quantitative PCR. <i>Water Research</i> , 2009, 43, 4918-4928.	5.3	111
103	Evaluation of rapid methods and novel indicators for assessing microbiological beach water quality. <i>Water Research</i> , 2009, 43, 4900-4907.	5.3	57
104	Child dysentery in the Limpopo Valley: a cohort study of water, sanitation and hygiene risk factors. <i>Journal of Water and Health</i> , 2009, 7, 259-266.	1.1	33
105	Impact of recreation on recreational water quality of a small tropical stream. <i>Journal of Environmental Monitoring</i> , 2009, 11, 1192.	2.1	17
106	Application of the Bacteria Decision-Support Tool in the Hillsborough River Watershed. <i>Proceedings of the Water Environment Federation</i> , 2009, 2009, 307-328.	0.0	4
107	Microbiological Water Quality at Non-Human Impacted Reference Beaches in Southern California During wet Weather. <i>Proceedings of the Water Environment Federation</i> , 2009, 2009, 1193-1212.	0.0	0
108	Comparison of the presence and partitioning behavior of indicator organisms and Salmonella spp. in an urban watershed. <i>Journal of Water and Health</i> , 2010, 8, 44-59.	1.1	29
109	Comparison of Fecal Indicator Bacterial Populations in Surface Waters of the Kalamazoo River, USA. <i>Microbes and Environments</i> , 2010, 25, 41-44.	0.7	8

#	ARTICLE	IF	CITATIONS
110	Improving water quality through California's Clean Beach Initiative: an assessment of 17 projects. <i>Environmental Monitoring and Assessment</i> , 2010, 166, 95-111.	1.3	14
111	Microbiological water quality at non-human influenced reference beaches in southern California during wet weather. <i>Marine Pollution Bulletin</i> , 2010, 60, 500-508.	2.3	30
112	Effect of streambed bacteria release on <i>E. coli</i> concentrations: Monitoring and modeling with the modified SWAT. <i>Ecological Modelling</i> , 2010, 221, 1592-1604.	1.2	106
113	qPCR quantification and genetic characterization of <i>Clostridium perfringens</i> populations in biosolids composted for 2-5 years. <i>Journal of Applied Microbiology</i> , 2010, 108, 571-581.	1.4	18
114	Identification of a <i>Brevibacterium</i> marker gene specific to poultry litter and development of a quantitative PCR assay. <i>Journal of Applied Microbiology</i> , 2010, 109, 334-347.	1.4	63
115	The effects of submerged aquatic vegetation on the persistence of environmental populations of <i>Enterococcus</i> spp.. <i>Environmental Microbiology</i> , 2010, 12, 1271-1281.	1.8	60
116	Sorbitol-fermenting Bifidobacteria are indicators of very recent human faecal pollution in streams and groundwater habitats in urban tropical lowlands. <i>Journal of Water and Health</i> , 2010, 8, 466-478.	1.1	14
117	Molecular analyses of the diversity in marine bacterioplankton assemblages along the coastline of the northeastern Gulf of Mexico. <i>Canadian Journal of Microbiology</i> , 2010, 56, 853-863.	0.8	10
118	Unsuitability of Quantitative <i>Bacteroidales</i> 16S rRNA Gene Assays for Discerning Fecal Contamination of Drinking Water. <i>Applied and Environmental Microbiology</i> , 2010, 76, 4876-4881.	1.4	31
119	The BEACHES Study: health effects and exposures from non-point source microbial contaminants in subtropical recreational marine waters. <i>International Journal of Epidemiology</i> , 2010, 39, 1291-1298.	0.9	123
120	Meeting Report: Knowledge and Gaps in Developing Microbial Criteria for Inland Recreational Waters. <i>Environmental Health Perspectives</i> , 2010, 118, 871-876.	2.8	31
121	Implications of faecal indicator bacteria for the microbiological assessment of roof-harvested rainwater quality in southeast Queensland, Australia. <i>Canadian Journal of Microbiology</i> , 2010, 56, 471-479.	0.8	68
122	A molecular approach for the impact assessment of fecal pollution in river ecosystems. <i>Toxicological and Environmental Chemistry</i> , 2010, 92, 581-591.	0.6	1
123	Presence of Pathogens and Indicator Microbes at a Non-Point Source Subtropical Recreational Marine Beach. <i>Applied and Environmental Microbiology</i> , 2010, 76, 724-732.	1.4	159
124	Characterization of Environmentally Persistent <i>Escherichia coli</i> Isolates Leached from an Irish Soil. <i>Applied and Environmental Microbiology</i> , 2010, 76, 2175-2180.	1.4	61
125	Fecal indicator organism density in beach sands: Impact of sediment grain size, uniformity, and hydrologic factors on surface water loading. <i>Journal of Great Lakes Research</i> , 2010, 36, 707-714.	0.8	21
126	Survival of manure-borne <i>E. coli</i> in streambed sediment: Effects of temperature and sediment properties. <i>Water Research</i> , 2010, 44, 2753-2762.	5.3	136
127	Isolation and characterization of <i>Bacteroides</i> host strain HB-73 used to detect sewage specific phages in Hawaii. <i>Water Research</i> , 2010, 44, 3714-3724.	5.3	31



#	ARTICLE	IF	CITATIONS
128	Traditional and molecular analyses for fecal indicator bacteria in non-point source subtropical recreational marine waters. <i>Water Research</i> , 2010, 44, 3763-3772.	5.3	122
129	Large scale analysis of virulence genes in <i>Escherichia coli</i> strains isolated from Avalon Bay, CA. <i>Water Research</i> , 2010, 44, 5463-5473.	5.3	55
130	Beach Boundary Layer: A Framework for Addressing Recreational Water Quality Impairment at Enclosed Beaches. <i>Environmental Science &amp; Technology</i> , 2010, 44, 8804-8813.	4.6	19
131	Chronology-Sensitive Hierarchical Clustering of Pyrosequenced DNA Samples of <i>E. coli</i> : A Case Study. , 2011, , .		5
132	Levels of Yeast Mold and <i>Pseudomonas</i> spp. in Antalya Beaches. <i>Journal of Coastal Research</i> , 2011, 61, 452-457.	0.1	1
133	Bacteria in Beach Sands: An Emerging Challenge in Protecting Coastal Water Quality and Bather Health. <i>Environmental Science &amp; Technology</i> , 2011, 45, 370-379.	4.6	139
134	Microbial Source Tracking: Methods, Applications, and Case Studies. , 2011, , .		64
135	Impact of erosion and accretion on the distribution of enterococci in beach sands. <i>Continental Shelf Research</i> , 2011, 31, 1457-1461.	0.9	29
136	Long-term variations in abundance and distribution of sewage pollution indicator and human pathogenic bacteria along the central west coast of India. <i>Ecological Indicators</i> , 2011, 11, 318-327.	2.6	35
137	Correlation of Quantitative PCR for a Poultry-Specific <i>Brevibacterium</i> Marker Gene with Bacterial and Chemical Indicators of Water Pollution in a Watershed Impacted by Land Application of Poultry Litter. <i>Applied and Environmental Microbiology</i> , 2011, 77, 2094-2102.	1.4	36
138	<i>Escherichia Coli</i> and Fecal Coliforms in Freshwater and Estuarine Sediments. <i>Critical Reviews in Environmental Science and Technology</i> , 2011, 41, 1067-1110.	6.6	230
139	Multi-scale temporal and spatial variation in genotypic composition of <i>Cladophora</i> -borne <i>Escherichia coli</i> populations in Lake Michigan. <i>Water Research</i> , 2011, 45, 721-731.	5.3	24
140	A water quality modeling study of non-point sources at recreational marine beaches. <i>Water Research</i> , 2011, 45, 2985-2995.	5.3	65
141	Contrasts in concentrations and loads of conventional and alternative indicators of fecal contamination in coastal stormwater. <i>Water Research</i> , 2011, 45, 5229-5240.	5.3	39
142	Effective detection of human noroviruses in Hawaiian waters using enhanced RT-PCR methods. <i>Water Research</i> , 2011, 45, 5837-5848.	5.3	23
143	<i>Escherichia coli</i> virulence genes profile of surface waters as an indicator of water quality. <i>Water Research</i> , 2011, 45, 6321-6333.	5.3	44
144	Variations of Indicator Bacteria in a Large Urban Watershed. <i>Transactions of the ASABE</i> , 2011, 54, 2227-2236.	1.1	11
145	Waterfowl Abundance Does Not Predict the Dominant Avian Source of Beach <i>Escherichia coli</i> . <i>Journal of Environmental Quality</i> , 2011, 40, 1924-1931.	1.0	10

#	ARTICLE	IF	CITATIONS
146	Stationary-Phase Gene Regulation in <i>Escherichia coli</i> . <i>EcoSal Plus</i> , 2011, 4, .	2.1	48
147	Quantifying environmental reservoirs of fecal indicator bacteria associated with sediment and submerged aquatic vegetation. <i>Environmental Microbiology</i> , 2011, 13, 932-942.	1.8	73
148	Prevalence and genetic diversity of waterborne pathogenic viruses in surface waters of tropical urban catchments. <i>Journal of Applied Microbiology</i> , 2011, 110, 903-914.	1.4	30
149	Wrack promotes the persistence of fecal indicator bacteria in marine sands and seawater. <i>FEMS Microbiology Ecology</i> , 2011, 77, 40-49.	1.3	67
150	Population Dynamics of <i>Escherichia coli</i> in Surface Water1. <i>Journal of the American Water Resources Association</i> , 2011, 47, 611-619.	1.0	11
151	Survival of <i>Escherichia coli</i> in soil with modified microbial community composition. <i>Soil Biology and Biochemistry</i> , 2011, 43, 1591-1599.	4.2	25
152	Occurrence of <i>Clostridium perfringens</i> from different cultivated soils. <i>Anaerobe</i> , 2011, 17, 320-324.	1.0	27
153	Field Evaluation of Bioretention Indicator Bacteria Sequestration in Wilmington, North Carolina. <i>Journal of Environmental Engineering, ASCE</i> , 2011, 137, 1103-1113.	0.7	44
154	The inter-tidal zone is the pathway of input of enterococci to a subtropical recreational marine beach. <i>Water Science and Technology</i> , 2011, 63, 542-549.	1.2	54
155	Occurrence of Intestinal and Extraintestinal Virulence Genes in <i>Escherichia coli</i> Isolates from Rainwater Tanks in Southeast Queensland, Australia. <i>Applied and Environmental Microbiology</i> , 2011, 77, 7394-7400.	1.4	39
156	Considering Bacteria-Sediment Associations in Microbial Fate and Transport Modeling. <i>Journal of Environmental Engineering, ASCE</i> , 2011, 137, 697-706.	0.7	30
157	Long-term survival of <i>Escherichia coli</i> in lightweight aggregate filter media of constructed wastewater treatment wetlands. <i>Water Science and Technology</i> , 2011, 63, 558-564.	1.2	12
158	Daily measures of microbes and human health at a non-point source marine beach. <i>Journal of Water and Health</i> , 2011, 9, 443-457.	1.1	43
159	Irrigation Waters as a Source of Pathogenic Microorganisms in Produce: A Review. <i>Advances in Agronomy</i> , 2011, 113, 75-141.	2.4	84
160	Boiling as Household Water Treatment in Cambodia: A Longitudinal Study of Boiling Practice and Microbiological Effectiveness. <i>American Journal of Tropical Medicine and Hygiene</i> , 2012, 87, 394-398.	0.6	62
161	Survival of Host-Associated Bacteroidales Cells and Their Relationship with <i>Enterococcus</i> spp., <i>Campylobacter jejuni</i> , <i>Salmonella enterica</i> Serovar Typhimurium, and Adenovirus in Freshwater Microcosms as Measured by Propidium Monoazide-Quantitative PCR. <i>Applied and Environmental Microbiology</i> , 2012, 78, 922-932.	1.4	84
162	Pyroprinting sensitivity analysis on the GPU. , 2012, , .		1
163	Occurrence and Persistence of Bacterial Pathogens and Indicator Organisms in Beach Sand along the California Coast. <i>Applied and Environmental Microbiology</i> , 2012, 78, 1733-1745.	1.4	92

#	ARTICLE	IF	CITATIONS
164	Relationship between Enterococcal Levels and Sediment Biofilms at Recreational Beaches in South Florida. <i>Applied and Environmental Microbiology</i> , 2012, 78, 5973-5982.	1.4	59
165	Fecal Indicators in Sand, Sand Contact, and Risk of Enteric Illness Among Beachgoers. <i>Epidemiology</i> , 2012, 23, 95-106.	1.2	100
166	Evidence for Occurrence, Persistence, and Growth Potential of <i>Escherichia coli</i> and Enterococci in Hawaii's Soil Environments. <i>Microbes and Environments</i> , 2012, 27, 164-170.	0.7	56
167	Survival of <i>Escherichia coli</i> , Enterococci and <i>Campylobacter jejuni</i> in Canada Goose Faeces on Pasture. <i>Zoonoses and Public Health</i> , 2012, 59, 490-497.	0.9	26
168	Enterococci in the Environment. <i>Microbiology and Molecular Biology Reviews</i> , 2012, 76, 685-706.	2.9	502
169	Efficiency of Bark, Activated Charcoal, Foam and Sand Filters in Reducing Pollutants from Greywater. <i>Water, Air, and Soil Pollution</i> , 2012, 223, 3657-3671.	1.1	91
170	Intra-event variability of <i>Escherichia coli</i> and total suspended solids in urban stormwater runoff. <i>Water Research</i> , 2012, 46, 6661-6670.	5.3	134
171	Comparative studies on <i>Enterococcus</i> , <i>Clostridium perfringens</i> and <i>Staphylococcus aureus</i> as quality indicators in tropical seawater at a Pacific Mexican beach resort. <i>Marine Pollution Bulletin</i> , 2012, 64, 2193-2198.	2.3	16
172	Mobilization and Transport of Naturally Occurring Enterococci in Beach Sands Subject to Transient Infiltration of Seawater. <i>Environmental Science &amp; Technology</i> , 2012, 46, 5988-5996.	4.6	47
173	Spatial and temporal variation in indicator microbe sampling is influential in beach management decisions. <i>Water Research</i> , 2012, 46, 2237-2246.	5.3	65
174	Persistence of host-associated Bacteroidales gene markers and their quantitative detection in an urban and agricultural mixed prairie watershed. <i>Water Research</i> , 2012, 46, 2891-2904.	5.3	72
175	Microbial Monitoring of Surface Water in South Africa: An Overview. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 2669-2693.	1.2	35
176	Abundance of <i>Enterococcus</i> species, <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i> , essential indicators of fecal pollution, in river water. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012, 47, 1500-1505.	0.9	11
177	A model laboratory system to study the synergistic interaction and growth of environmental <i>Escherichia coli</i> with macrophytic green algae. <i>Journal of Great Lakes Research</i> , 2012, 38, 390-395.	0.8	3
178	Microbial source tracking to identify human and ruminant sources of faecal pollution in an ephemeral Florida river. <i>Journal of Applied Microbiology</i> , 2012, 113, 1396-1406.	1.4	40
179	Evaluation of two quantitative PCR assays using Bacteroidales and mitochondrial DNA markers for tracking dog fecal contamination in waterbodies. <i>Journal of Microbiological Methods</i> , 2012, 91, 459-467.	0.7	22
180	Bacterial Profiles and Physico-chemical Parameters of Water Samples from Different Sites of the New Calabar River, Nigeria. <i>Sustainable Agriculture Research</i> , 2012, 1, 162.	0.2	3
181	Land Application of Manure and Class B Biosolids: An Occupational and Public Quantitative Microbial Risk Assessment. <i>Journal of Environmental Quality</i> , 2012, 41, 2009-2023.	1.0	65

#	ARTICLE	IF	CITATIONS
182	Survival trends of <i>Staphylococcus aureus</i> , <i>Pseudomonas aeruginosa</i> , and <i>Clostridium perfringens</i> in a sandy South Florida beach. <i>Marine Pollution Bulletin</i> , 2012, 64, 1201-1209.	2.3	32
183	The population structure of <i>Escherichia coli</i> isolated from subtropical and temperate soils. <i>Science of the Total Environment</i> , 2012, 417-418, 273-279.	3.9	46
184	Environmental Influences on Faecal Indicator Organisms in Coastal Waters and Their Accumulation in Bivalve Shellfish. <i>Estuaries and Coasts</i> , 2013, 36, 834-853.	1.0	69
185	Point-of-use water disinfection using UV light-emitting diodes to reduce bacterial contamination. <i>Environmental Science and Pollution Research</i> , 2013, 20, 5441-5448.	2.7	44
186	Discharge-based QMRA for estimation of public health risks from exposure to stormwater-borne pathogens in recreational waters in the United States. <i>Water Research</i> , 2013, 47, 5282-5297.	5.3	136
187	Correlative Assessment of Fecal Indicators using Human Mitochondrial DNA as a Direct Marker. <i>Environmental Science &amp; Technology</i> , 2013, 47, 130826150654007.	4.6	10
188	Attenuation and persistence of fecal indicator bacteria in vegetated buffer strips in Southern Illinois, USA. <i>Agroforestry Systems</i> , 2013, 87, 1405-1419.	0.9	4
189	Ontological Hierarchical Clustering for Library-Based Microbial Source Tracking. , 2013, , .		1
190	<i>Escherichia coli</i> concentrations and loads in an urbanised catchment: The Yarra River, Australia. <i>Journal of Hydrology</i> , 2013, 497, 51-61.	2.3	29
191	Tracking Pathogen Transmission at the Human-Wildlife Interface: Banded Mongoose and <i>Escherichia coli</i> . <i>EcoHealth</i> , 2013, 10, 115-128.	0.9	59
192	A Coupled Modeling and Molecular Biology Approach to Microbial Source Tracking at Cowell Beach, Santa Cruz, CA, United States. <i>Environmental Science &amp; Technology</i> , 2013, 47, 130827102940009.	4.6	26
193	Distribution of Genetic Markers of Fecal Pollution on a Freshwater Sandy Shoreline in Proximity to Wastewater Effluent. <i>Environmental Science &amp; Technology</i> , 2013, 47, 3395-3402.	4.6	30
194	Microbial water quality in freshwater lakes with different land use. <i>Journal of Applied Microbiology</i> , 2013, 115, 1240-1250.	1.4	30
195	<i>Clostridium perfringens</i> Is Not Suitable for the Indication of Fecal Pollution from Ruminant Wildlife but Is Associated with Excreta from Nonherbivorous Animals and Human Sewage. <i>Applied and Environmental Microbiology</i> , 2013, 79, 5089-5092.	1.4	40
196	Insights into the low-temperature adaptation and nutritional flexibility of a soil-persistent <i>Escherichia coli</i> . <i>FEMS Microbiology Ecology</i> , 2013, 84, 75-85.	1.3	27
197	Indigenous Microbiota and Habitat Influence <i>Escherichia coli</i> Survival More than Sunlight in Simulated Aquatic Environments. <i>Applied and Environmental Microbiology</i> , 2013, 79, 5329-5337.	1.4	64
198	Evaluating the role of sediment-bacteria interactions on <i>Escherichia coli</i> concentrations at beaches in southern Lake Michigan. <i>Journal of Geophysical Research: Oceans</i> , 2013, 118, 7049-7065.	1.0	26
199	Waterborne Zoonoses: Identification, Causes and Control. <i>Water Intelligence Online</i> , 0, 12, .	0.3	7

#	ARTICLE	IF	CITATIONS
200	The Use of Multiple Tracers to Evaluate the Impact of Sewered and Non-Sewered Development on Coastal Water Quality in a Rural Area of Florida. <i>Water Environment Research</i> , 2014, 86, 445-456.	1.3	3
201	An Approach Using Non-Conventional Indicators for Detecting Microbial Water Pollution. <i>Clean - Soil, Air, Water</i> , 2014, 42, 1223-1231.	0.7	0
202	Friend Turned Foe: Evolution of Enterococcal Virulence and Antibiotic Resistance. <i>Annual Review of Microbiology</i> , 2014, 68, 337-356.	2.9	162
203	The impact of major earthquakes and subsequent sewage discharges on the microbial quality of water and sediments in an urban river. <i>Science of the Total Environment</i> , 2014, 485-486, 666-680.	3.9	24
204	Prevalence of <i>C. perfringens</i> in agricultural fields with different vegetation types. <i>Folia Microbiologica</i> , 2014, 59, 1-4.	1.1	5
205	Environmental and Animal-Associated Enterococci. <i>Advances in Applied Microbiology</i> , 2014, 87, 147-186.	1.3	45
206	Relative inactivation of faecal indicator bacteria and sewage markers in freshwater and seawater microcosms. <i>Letters in Applied Microbiology</i> , 2014, 59, 348-354.	1.0	54
207	Modeling Fecal Indicator Bacteria Concentrations in Natural Surface Waters: A Review. <i>Critical Reviews in Environmental Science and Technology</i> , 2014, 44, 2380-2453.	6.6	106
208	Discovering new indicators of fecal pollution. <i>Trends in Microbiology</i> , 2014, 22, 697-706.	3.5	136
209	Virulence Repertoire, Characterization, and Antibiotic Resistance Pattern Analysis of <i>Escherichia coli</i> Isolated from Backyard Layers and Their Environment in India. <i>Avian Diseases</i> , 2014, 58, 39-45.	0.4	32
210	Water quality, weather and environmental factors associated with fecal indicator organism density in beach sand at two recreational marine beaches. <i>Science of the Total Environment</i> , 2014, 497-498, 440-447.	3.9	22
211	Impacts of Beach Wrack Removal via Grooming on Surf Zone Water Quality. <i>Environmental Science &amp; Technology</i> , 2014, 48, 2203-2211.	4.6	21
212	Contamination of water resources by pathogenic bacteria. <i>AMB Express</i> , 2014, 4, 51.	1.4	467
213	Microbes in beach sands: integrating environment, ecology and public health. <i>Reviews in Environmental Science and Biotechnology</i> , 2014, 13, 329-368.	3.9	127
214	Receiver-Operating Characteristics Analysis: A New Approach to Predicting the Presence of Pathogens in Surface Waters. <i>Environmental Science &amp; Technology</i> , 2014, 48, 5628-5635.	4.6	6
215	Effects of full-scale beach renovation on fecal indicator levels in shoreline sand and water. <i>Water Research</i> , 2014, 48, 579-591.	5.3	28
216	Influence of resuspension on the fate of fecal indicator bacteria in large-scale flumes mimicking an oligotrophic river. <i>Water Research</i> , 2014, 48, 466-477.	5.3	28
217	Routine screening of harmful microorganisms in beach sands: Implications to public health. <i>Science of the Total Environment</i> , 2014, 472, 1062-1069.	3.9	66

#	ARTICLE	IF	CITATIONS
218	Microbial investigations of water, sediment, and algal mats in the mixed use watershed of Saginaw Bay, Michigan. <i>Journal of Great Lakes Research</i> , 2014, 40, 75-82.	0.8	8
219	Decay of genetic markers for fecal bacterial indicators and pathogens in sand from Lake Superior. <i>Water Research</i> , 2014, 59, 99-111.	5.3	37
220	Persistence of fecal indicator bacteria in sediment of an oligotrophic river: Comparing large and lab-scale flume systems. <i>Water Research</i> , 2014, 61, 276-287.	5.3	13
221	The General Stress Response in Gram-Negative Bacteria. , 0, , 251-289.		41
222	A Coupled Modeling and Molecular Biology Approach to Microbial Source Tracking at a Marine Beach: A Case Study Investigating the Role of Fecal Indicator Bacteria from Wrack and Sand. <i>Proceedings of the Water Environment Federation</i> , 2014, 2014, 4860-4888.	0.0	0
223	Natural Soil Reservoirs for Human Pathogenic and Fecal Indicator Bacteria. , 2015, , 3.3.2-1-3.3.2-12.		0
224	Fecal Indicator Organism Modeling and Microbial Source Tracking in Environmental Waters. , 0, , 3.4.6-1-3.4.6-16.		0
225	Integrated conceptual modelling of faecal contamination in an urban estuary catchment. <i>Water Science and Technology</i> , 2015, 72, 1472-1480.	1.2	9
226	Monitoring of Fecal Bacteria in Oita River, Oita, Japan. <i>Journal of Japan Society on Water Environment</i> , 2015, 38, 173-180.	0.1	1
227	Salt Marsh Reduces Fecal Indicator Bacteria Input to Coastal Waters in Southern California. <i>Bulletin (Southern California Academy of Sciences)</i> , 2015, 114, 76-88.	0.1	2
228	Quantification of Protozoa and Viruses from Small Water Volumes. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 7118-7132.	1.2	15
229	A Survey of <i>Escherichia coli</i> and <i>Salmonella</i> in the Hyporheic Zone of a Subtropical Stream: Their Bacteriological, Physicochemical and Environmental Relationships. <i>PLoS ONE</i> , 2015, 10, e0129382.	1.1	12
230	Spatiotemporal Variation and the Role of Wildlife in Seasonal Water Quality Declines in the Chobe River, Botswana. <i>PLoS ONE</i> , 2015, 10, e0139936.	1.1	18
231	To swim or not to swim? A disagreement between microbial indicators on beach water quality assessment in Hong Kong. <i>Marine Pollution Bulletin</i> , 2015, 101, 53-60.	2.3	13
232	Detection of human-derived fecal contamination in Puerto Rico using carbamazepine, HF183 Bacteroides, and fecal indicator bacteria. <i>Marine Pollution Bulletin</i> , 2015, 101, 872-877.	2.3	15
233	Temporal Stability of the Microbial Community in Sewage-Polluted Seawater Exposed to Natural Sunlight Cycles and Marine Microbiota. <i>Applied and Environmental Microbiology</i> , 2015, 81, 2107-2116.	1.4	25
234	Microbial indicators, pathogens and methods for their monitoring in water environment. <i>Journal of Water and Health</i> , 2015, 13, 319-339.	1.1	118
235	Distribution and persistence of <i>Escherichia coli</i> and <i>Enterococci</i> in stream bed and bank sediments from two urban streams in Houston, TX. <i>Science of the Total Environment</i> , 2015, 502, 650-658.	3.9	42

#	ARTICLE	IF	CITATIONS
236	Carriage of <i>Clostridium perfringens</i> by benthic crabs in a sewage-polluted estuary. <i>Marine Pollution Bulletin</i> , 2015, 97, 365-372.	2.3	6
237	Distribution of <i>Escherichia coli</i> in a coastal lagoon (Venice, Italy): Temporal patterns, genetic diversity and the role of tidal forcing. <i>Water Research</i> , 2015, 87, 155-165.	5.3	17
238	Assessing hog lagoon waste contamination in the Cape Fear Watershed using <i>Bacteroidetes</i> 16S rRNA gene pyrosequencing. <i>Applied Microbiology and Biotechnology</i> , 2015, 99, 7283-7293.	1.7	9
239	Riverbed sediments in the Apies River, South Africa: recommending the use of both <i>Clostridium perfringens</i> and <i>Escherichia coli</i> as indicators of faecal pollution. <i>Journal of Soils and Sediments</i> , 2015, 15, 2412-2424.	1.5	21
240	Geographic isolation of <i>Escherichia coli</i> genotypes in sediments and water of the Seven Mile Creek "A" constructed riverine watershed. <i>Science of the Total Environment</i> , 2015, 538, 78-85.	3.9	16
241	Impact of camping on ground and beach flow water quality on the eastern beach of K'gari-Fraser Island: a preliminary study. <i>Australasian Journal of Environmental Management</i> , 2015, 22, 216-232.	0.6	9
242	Microbial Pollution Tracking of Dairy Farm with a Combined PCR-DGGE and qPCR Approach. <i>Current Microbiology</i> , 2015, 71, 678-686.	1.0	4
243	Current Status of Marker Genes of <i>Bacteroides</i> and Related Taxa for Identifying Sewage Pollution in Environmental Waters. <i>Water (Switzerland)</i> , 2016, 8, 231.	1.2	106
244	Persistence of <i>Clostridium difficile</i> in wastewater treatment-derived biosolids during land application or windrow composting. <i>Journal of Applied Microbiology</i> , 2016, 120, 312-320.	1.4	24
245	Presence and survival of culturable <i>Campylobacter</i> spp. and <i>Escherichia coli</i> in a temperate urban estuary. <i>Science of the Total Environment</i> , 2016, 569-570, 1201-1211.	3.9	11
246	Modelling the influence of total suspended solids on <i>E. coli</i> removal in river water. <i>Water Science and Technology</i> , 2016, 73, 1320-1332.	1.2	8
247	Using probabilities of enterococci exceedance and logistic regression to evaluate long term weekly beach monitoring data. <i>Journal of Water and Health</i> , 2016, 14, 81-89.	1.1	13
248	Library-Based Microbial Source Tracking via Strain Identification. , 2016, , .		0
249	Indicator bacteria and associated water quality constituents in stormwater and snowmelt from four urban catchments. <i>Journal of Hydrology</i> , 2016, 539, 125-140.	2.3	35
250	Presence of microbial and chemical source tracking markers in roof-harvested rainwater and catchment systems for the detection of fecal contamination. <i>Environmental Science and Pollution Research</i> , 2016, 23, 16987-17001.	2.7	29
251	Effect of environmental parameters on pathogen and faecal indicator organism concentrations within an urban estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2016, 174, 18-26.	0.9	15
252	Spatial distribution of enteric viruses and somatic coliphages in a Lagoon used as drinking water source and recreation in Southern Brazil. <i>International Journal of Hygiene and Environmental Health</i> , 2016, 219, 617-625.	2.1	16
253	Occurrence of Host-Associated Fecal Markers on Child Hands, Household Soil, and Drinking Water in Rural Bangladeshi Households. <i>Environmental Science and Technology Letters</i> , 2016, 3, 393-398.	3.9	69

#	ARTICLE	IF	CITATIONS
254	The General Stress Response Is Conserved in Long-Term Soil-Persistent Strains of <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2016, 82, 4628-4640.	1.4	19
255	Epidemiologic evaluation of multiple alternate microbial water quality monitoring indicators at three California beaches. <i>Water Research</i> , 2016, 94, 371-381.	5.3	48
256	Comparison of the occurrence and survival of fecal indicator bacteria in recreational sand between urban beach, playground and sandbox settings in Toronto, Ontario. <i>Science of the Total Environment</i> , 2016, 541, 520-527.	3.9	14
257	Assessment of the biological quality of riverine water using pathogenicity islands (PAIs) of coliform bacteria as pollution indicator. <i>Water Resources</i> , 2017, 44, 150-157.	0.3	5
258	Effect of Low Energy Waves on the Accumulation and Transport of Fecal Indicator Bacteria in Sand and Pore Water at Freshwater Beaches. <i>Environmental Science &amp; Technology</i> , 2017, 51, 2786-2794.	4.6	18
259	Enrichment of stream water with fecal indicator organisms during baseflow periods. <i>Environmental Monitoring and Assessment</i> , 2017, 189, 51.	1.3	24
260	Evaluation of methods to sample fecal indicator bacteria in foreshore sand and pore water at freshwater beaches. <i>Water Research</i> , 2017, 121, 204-212.	5.3	9
261	Significance of beach geomorphology on fecal indicator bacteria levels. <i>Marine Pollution Bulletin</i> , 2017, 121, 160-167.	2.3	14
262	Challenges to Managing Microbial Fecal Pollution in Coastal Environments: Extra-Enteric Ecology and Microbial Exchange Among Water, Sediment, and Air. <i>Current Pollution Reports</i> , 2017, 3, 1-16.	3.1	27
263	Genetic characterization of fecal impacts of seagull migration on an urban scenery lake. <i>Water Research</i> , 2017, 117, 27-36.	5.3	11
264	Sources and Persistence of Fecal Indicator Bacteria and Bacteroidales in Sand as Measured by Culture-Based and Culture-Independent Methods: a Case Study at Santa Monica Pier, California. <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	1.1	4
265	Elucidation of the tidal influence on bacterial populations in a monsoon influenced estuary through simultaneous observations. <i>Environmental Monitoring and Assessment</i> , 2017, 189, 41.	1.3	28
266	Integrated Multivariate Analysis with Nondetects for the Development of Human Sewage Source-Tracking Tools Using Bacteriophages of <i>Enterococcus faecalis</i> . <i>Environmental Science &amp; Technology</i> , 2017, 51, 2235-2245.	4.6	23
267	Tidal fluctuations influence <i>E. coli</i> concentrations in urban estuaries. <i>Marine Pollution Bulletin</i> , 2017, 119, 226-230.	2.3	7
268	Spatial and temporal microbial pollution patterns in a tropical estuary during high and low river flow conditions. <i>Marine Pollution Bulletin</i> , 2017, 114, 952-961.	2.3	26
269	Monitoring bacterial indicators of water quality in a tidally influenced delta: A Sisyphean pursuit. <i>Science of the Total Environment</i> , 2017, 578, 346-356.	3.9	16
270	Noroviruses Surrogate Detection Using Loop-Mediated Isothermal Amplification (LAMP), Conventional RT-PCR and Quantitative RT-PCR in Sg. Tekala and Sg. Gabai Stream Water. <i>MATEC Web of Conferences</i> , 2017, 103, 05013.	0.1	2
271	Distribution of Diverse <i>Escherichia coli</i> between Cattle and Pasture. <i>Microbes and Environments</i> , 2017, 32, 226-233.	0.7	31



#	ARTICLE	IF	CITATIONS
272	Using <i>Bacteroidales</i> genetic markers to assess fecal pollution sources in coastal waters. <i>Water and Environment Journal</i> , 2018, 32, 84-93.	1.0	6
273	Metagenomic profiling of ARGs in airborne particulate matters during a severe smog event. <i>Science of the Total Environment</i> , 2018, 615, 1332-1340.	3.9	84
274	Assessment of fecal pollution in Lake Pontchartrain, Louisiana. <i>Marine Pollution Bulletin</i> , 2018, 129, 655-663.	2.3	14
275	<i>Salmonella enterica</i> Serovar Typhimurium and <i>Escherichia coli</i> Survival in Estuarine Bank Sediments. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2597.	1.2	3
276	Integrating MFT-qPCR techniques in constructed wetland faecal bacterial purification monitoring; a case of a typical tropical hybrid constructed wetland system. <i>Water Science and Technology</i> , 2018, 78, 2008-2018.	1.2	1
277	The Ecology of Bacterial Agents of Foodborne Illness. <i>Advances in Environmental Microbiology</i> , 2018, , 115-161.	0.1	1
278	The Connections Between Ecology and Infectious Disease. <i>Advances in Environmental Microbiology</i> , 2018, , .	0.1	2
279	Evidence of Genetic Fecal Marker Interactions between Water Column and Periphyton in Artificial Streams. <i>ACS Omega</i> , 2018, 3, 10107-10113.	1.6	3
280	<i>Escherichia coli</i> survival and transfer in estuarine bed sediments. <i>River Research and Applications</i> , 2018, 34, 606-614.	0.7	5
281	Persistence of bacterial pathogens, antibiotic resistance genes, and enterococci in tidal creek tributaries. <i>Environmental Pollution</i> , 2018, 240, 875-883.	3.7	2
282	Growth and Extended Survival of <i>Escherichia coli</i> O157:H7 in Soil Organic Matter. <i>Frontiers in Microbiology</i> , 2018, 9, 762.	1.5	30
283	Enterococcal Concentrations in a Coastal Ecosystem Are a Function of Fecal Source Input, Environmental Conditions, and Environmental Sources. <i>Applied and Environmental Microbiology</i> , 2018, 84, .	1.4	21
284	Stationary and portable sequencing-based approaches for tracing wastewater contamination in urban stormwater systems. <i>Scientific Reports</i> , 2018, 8, 11907.	1.6	24
285	Fecal Fingerprints of Enteric Pathogen Contamination in Public Environments of Kisumu, Kenya, Associated with Human Sanitation Conditions and Domestic Animals. <i>Environmental Science &amp; Technology</i> , 2018, 52, 10263-10274.	4.6	61
286	Letter to the Editor RE: High levels of faecal contamination in drinking groundwater and recreational water due to poor sanitation, in the sub-rural neighbourhoods of Kinshasa, Democratic Republic of the Congo by Kayembe et al. 2018. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 260-261.	2.1	0
287	Effects of environmental storage conditions on survival of indicator organisms in a blend of surface water and dual disinfected reclaimed water. <i>Journal of Applied Microbiology</i> , 2019, 126, 985-994.	1.4	5
289	Riverbed Sediments Control the Spatiotemporal Variability of <i>E. coli</i> in a Highly Managed, Arid River. <i>Frontiers in Water</i> , 2019, 1, .	1.0	20
290	Detection of a microbial source tracking marker by isothermal helicase-dependent amplification and a nucleic acid lateral-flow strip test. <i>Scientific Reports</i> , 2019, 9, 393.	1.6	27

#	ARTICLE	IF	CITATIONS
291	Clostridium perfringens testing improves the reliability of detecting non-point source sewage contamination in Hawaiian coastal waters compared to using Enterococci alone. Marine Pollution Bulletin, 2019, 144, 36-47.	2.3	6
292	Human and animal microbial source tracking in a tropical river with multiple land use activities. International Journal of Hygiene and Environmental Health, 2019, 222, 645-654.	2.1	24
293	Removal of fecal indicator bacteria and antibiotic resistant genes in constructed wetlands. Environmental Science and Pollution Research, 2019, 26, 10188-10197.	2.7	27
294	CrAssphage as a Potential Human Sewage Marker for Microbial Source Tracking in Southeast Asia. Environmental Science and Technology Letters, 2019, 6, 159-164.	3.9	56
295	The Effect of Temperature Oscillations and Sediment Texture on Fecal Indicator Bacteria Survival in Sediments. Water, Air, and Soil Pollution, 2019, 230, 1.	1.1	8
296	Elucidating the Effects of Land Cover and Usage on Background <i>Escherichia coli</i> Sources in Edge-of-a-Field Runoff. Journal of Environmental Quality, 2019, 48, 1800-1808.	1.0	7
297	Southern California Bight. , 2019, , 465-482.		3
298	Patterns of sediment-associated fecal indicator bacteria in an urban estuary: Benthic-pelagic coupling and implications for shoreline water quality. Science of the Total Environment, 2019, 656, 1168-1177.	3.9	34
299	Fecal indicator bacteria levels at beaches in the Florida Keys after Hurricane Irma. Marine Pollution Bulletin, 2019, 138, 266-273.	2.3	19
300	Fecal contamination of storm sewers: Evaluating wastewater micropollutants, human-specific Bacteroides 16S rRNA, and mitochondrial DNA genetic markers as alternative indicators of sewer cross connections. Science of the Total Environment, 2019, 659, 548-560.	3.9	15
301	Comparative decay of sewage-associated marker genes in beach water and sediment in a subtropical region. Water Research, 2019, 149, 511-521.	5.3	56
302	The Environmental Impact of Cattle Access to Watercourses: A Review. Journal of Environmental Quality, 2019, 48, 340-351.	1.0	41
303	Assessment of roughing and slow sand filter modified with slag and clinker ash for removal of microorganisms from secondary effluent. Environmental Technology (United Kingdom), 2020, 41, 3004-3015.	1.2	4
304	Salmonella from a Microtidal Estuary Are Capable of Invading Human Intestinal Cell Lines. Microbial Ecology, 2020, 79, 259-270.	1.4	3
305	Proliferation of microalgae and enterococci in the Lake Okeechobee, St. Lucie, and Loxahatchee watersheds. Water Research, 2020, 171, 115441.	5.3	10
306	Potential microbial transmission pathways in rural communities using multiple alternative water sources in semi-arid Brazil. International Journal of Hygiene and Environmental Health, 2020, 224, 113431.	2.1	6
307	Fecal indicator bacteria from environmental sources; strategies for identification to improve water quality monitoring. Water Research, 2020, 185, 116204.	5.3	64
308	Spatial and temporal distribution of E. coli contamination on three inland lake and recreational beach systems in the upper Midwestern United States. Science of the Total Environment, 2020, 722, 137846.	3.9	5

#	ARTICLE	IF	CITATIONS
309	Possible health impacts due to animal and human fecal pollution in water intended for drinking water supply of Rio de Janeiro, Brazil. <i>Journal of Water Supply: Research and Technology - AQUA</i> , 2020, 69, 70-84.	0.6	9
310	Modeling the Effect of Tylosin Phosphate on Macrolide-Resistant Enterococci in Feedlots and Reducing Resistance Transmission. <i>Foodborne Pathogens and Disease</i> , 2021, 18, 85-96.	0.8	3
311	Relationships among microbial indicators of fecal pollution, microbial source tracking markers, and pathogens in Costa Rican coastal waters. <i>Water Research</i> , 2021, 188, 116507.	5.3	40
312	Effectiveness of Groundwater Boiling as Household Water Treatment in Metro and Bekasi Cities, Indonesia. <i>E3S Web of Conferences</i> , 2021, 277, 04002.	0.2	4
313	Evaluation of <i>C. perfringens cpe</i> -positive Strain as a Source Tracking Indicator of Human Contamination in Freshwater Environments. <i>Journal of Water and Environment Technology</i> , 2021, 19, 1-12.	0.3	2
314	Microbial Indicators of Coastal Water in Albania. <i>WSEAS Transactions on Environment and Development</i> , 2021, 17, 232-236.	0.3	0
316	Performance of faecal indicator bacteria, microbial source tracking, and pollution risk mapping in tropical water. <i>Environmental Pollution</i> , 2021, 276, 116693.	3.7	9
317	Microbial faecal pollution of river water in a watershed of tropical Ethiopian highlands is driven by diffuse pollution sources. <i>Journal of Water and Health</i> , 2021, 19, 575-591.	1.1	6
318	Quantitative detection of human- and canine-associated <i>Bacteroides</i> genetic markers from an urban coastal lagoon. <i>Water Science and Technology</i> , 2021, 84, 1732-1744.	1.2	4
319	Variability of <i>E. coli</i> in streambed sediment and its implication for sediment sampling. <i>Journal of Contaminant Hydrology</i> , 2021, 242, 103859.	1.6	3
321	Marine and Freshwater Fecal Indicators and Source Identification. , 2013, , 199-235.		3
322	Prevalence and Fate of Gut-Associated Human Pathogens in the Environment. , 0, , 217-240.		2
323	Taxonomy, Phylogeny, and Physiology of Fecal Indicator Bacteria. , 0, , 23-38.		4
324	Environmental Sources of Fecal Bacteria. , 0, , 93-110.		13
325	Physical and Biological Factors Influencing Environmental Sources of Fecal Indicator Bacteria in Surface Water. , 0, , 111-134.		5
326	Growth Kinetics of Wildlife &lt;i>E. coli</i> Isolates in Soil and Water. <i>Journal of Environmental Protection</i> , 2012, 03, 838-846.	0.3	10
327	Survival of Epidemic, Clinical, Faecal and Recreational Beach Enterococci Strains with Putative Virulence Genes in Marine and Fresh Waters. <i>Journal of Environmental Protection</i> , 2014, 05, 482-492.	0.3	2
328	Effect of Neighborhood Sanitation Coverage on Fecal Contamination of the Household Environment in Rural Bangladesh. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 100, 717-726.	0.6	11

#	ARTICLE	IF	CITATIONS
329	Microbiological Quality of River Sediments and Primary Prevention. , 0, , .		3
330	Transcriptomic and rRNA:rDNA Signatures of Environmental versus Enteric <i>Enterococcus faecalis</i> Isolates under Oligotrophic Freshwater Conditions. <i>Microbiology Spectrum</i> , 2021, 9, e0081721.	1.2	0
332	Enteric bacteria build-up in effluent irrigated plantations. <i>Microbiology Australia</i> , 2009, 30, 40.	0.1	0
333	Beaches and Coastal Environments. , 2011, , 451-483.		0
334	The Environmental Impact of Urbanization within Abu Dhabi on the Microbial Profile of Man-Made Beaches. <i>International Journal of Environmental Pollution and Remediation</i> , 0, , .	0.0	1
335	Marine and Freshwater Fecal Indicators and Source Identification. , 2014, , 1-33.		0
336	Monitoring of fecal contamination in a partly restored urban stream in Seoul, Korea. <i>Environmental Engineering Research</i> , 2016, 21, 211-218.	1.5	4
339	Use of the particle tracking method for modelling the transport and deceasing of <i>Escherichia coli</i> in the sea. <i>Acta Hydrotechnica</i> , 2018, , 119-142.	0.4	1
340	A Pilot Study of Microbial Contamination of Subtropical Recreational Waters. <i>Florida Journal of Environmental Health</i> , 2004, 184, 29.	0.0	7
342	Occurrence of Host-Associated Fecal Markers on Child Hands, Household Soil, and Drinking Water in Rural Bangladeshi Households. <i>Environmental Science and Technology Letters</i> , 2016, 3, 393-398.	3.9	26
343	Culturable antibiotic resistant fecal coliform bacteria in soil and surface runoff following liquid dairy manure surface application and subsurface injection. <i>Journal of Environmental Quality</i> , 2022, , .	1.0	1
344	Temporal variations in fecal indicator bacteria in bathing water and sediment in a coastal ecosystem (Aytr� Bay, Charente-Maritime, France). <i>Marine Pollution Bulletin</i> , 2022, 175, 113360.	2.3	3
345	Prevalence, Distribution, and Genotypes of Adenovirus and Norovirus in the Puzi River and Its Tributaries and the Surrounding Areas in Taiwan. <i>GeoHealth</i> , 2021, 5, e2021GH000465.	1.9	6
346	Impacts of anthropogenic contaminants and elevated temperature on prevalence and proliferation of <i>Escherichia coli</i> in the wild-caught American oyster, <i>Crassostrea virginica</i> in the southern Gulf of Mexico coast. <i>Marine Biology Research</i> , 2021, 17, 775-793.	0.3	6
349	Relationships between SARS-CoV-2 in Wastewater and COVID-19 Clinical Cases and Hospitalizations, with and without Normalization against Indicators of Human Waste. <i>ACS ES&amp;T Water</i> , 2022, 2, 1992-2003.	2.3	51
350	Advancement in the use of microbes as primers for monitoring water quality. , 2022, , 227-236.		0
351	Fecal Indicator Bacteria Levels at a Marine Beach Before, During, and after the COVID-19 Shutdown Period and Associations with Decomposing Seaweed and Human Presence. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
352	Fecal indicator bacteria levels at a marine beach before, during, and after the COVID-19 shutdown period and associations with decomposing seaweed and human presence. <i>Science of the Total Environment</i> , 2022, 851, 158349.	3.9	10

#	ARTICLE	IF	CITATIONS
353	Distribution of faecal indicator bacteria in tropical waters of Peninsular Malaysia and their decay rates in tropical seawater. <i>Marine Pollution Bulletin</i> , 2022, 185, 114297.	2.3	2
354	Detection and genetic analysis of <i>Escherichia coli</i> from Tonle Sap Lake and its tributaries in Cambodia: Spatial distribution, seasonal variation, pathogenicity, and antimicrobial resistance. <i>Environmental Pollution</i> , 2022, 315, 120406.	3.7	4
355	Contributions of pathogens from agricultural water to fresh produce. , 2023, , 357-377.		0
357	A novel fungal agent for straw returning to enhance straw decomposition and nutrients release. <i>Environmental Technology and Innovation</i> , 2023, 30, 103064.	3.0	5
358	Survival behavior of six enterotoxigenic <i>Escherichia coli</i> strains in soil and biochar-amended soils. <i>Environmental Research</i> , 2023, 223, 115443.	3.7	0
359	Risk of Gastroenteritis from Swimming at a Wastewater-Impacted Tropical Beach Varies across Localized Scales. <i>Applied and Environmental Microbiology</i> , 2023, 89, .	1.4	1