Longitudinal Association of Glycemia and Microalbumin Study

Diabetes Care 25, 977-983

DOI: 10.2337/diacare.25.6.977

Citation Report

#	Article	IF	CITATIONS
1	HRT does not improve urinary albumin excretion in postmenopausal diabetic women. Diabetes Research and Clinical Practice, 2003, 60, 33-39.	1.1	32
2	Is Type 2 Diabetes Mellitus a Vascular Condition?. Arteriosclerosis, Thrombosis, and Vascular Biology, 2003, 23, 1715-1716.	1.1	38
3	Avaliação quanto à presença de microalbuminúria e hiperfiltração glomerular no estágio de tolerância à glicose diminuÃda. Arquivos Brasileiros De Endocrinologia E Metabologia, 2003, 47, 158-165.	1.3	1
4	Disappearance of Microalbuminuria in a Patient With Type 2 Diabetes and the Metabolic Syndrome in the Setting of an Intense Exercise and Dietary Program With Sustained Weight Reduction. Diabetes Care, 2004, 27, 1754-1755.	4.3	22
5	Prevalence and clinical characteristics of metabolic syndrome in a rural population of South Korea. Diabetic Medicine, 2004, 21, 1141-1143.	1.2	40
7	New insights into the significance of microalbuminuria. Current Opinion in Nephrology and Hypertension, 2004, 13, 83-91.	1.0	44
8	Genome-wide linkage analysis to urinary microalbuminuria in a community-based sample: The Framingham Heart Study. Kidney International, 2005, 67, 70-74.	2.6	44
9	Effect of childhood obesity and obesity-related cardiovascular risk factors on glomerular and tubular protein excretion. European Journal of Pediatrics, 2005, 164, 44-49.	1.3	72
10	Identifying patients with chronic kidney disease from general practice computer records. Family Practice, 2005, 22, 234-241.	0.8	128
11	Long-Term Impact of Systolic Blood Pressure and Glycemia on the Development of Microalbuminuria in Essential Hypertension. Hypertension, 2005, 45, 1125-1130.	1.3	59
12	Renal manifestations of the metabolic syndrome. Nephrology Dialysis Transplantation, 2005, 20, 861-864.	0.4	24
13	Waist circumference and the metabolic syndrome predict the development of elevated albuminuria in non-diabetic subjects: the DESIR Study. Journal of Hypertension, 2006, 24, 1157-1163.	0.3	103
14	Determinants of urinary albumin excretion reduction in essential hypertension: a long-term follow-up study. Journal of Hypertension, 2006, 24, 2277-2284.	0.3	23
15	3–5 year longitudinal follow-up of pediatric patients after acute renal failure. Kidney International, 2006, 69, 184-189.	2.6	393
16	Gender and Elevated Albumin Excretion in the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications (DCCT/EDIC) Cohort: Role of Central Obesity. American Journal of Kidney Diseases, 2006, 47, 223-232.	2.1	56
17	Microalbuminuria in pediatric obesity: prevalence and relation to other cardiovascular risk factors. International Journal of Obesity, 2006, 30, 273-280.	1.6	65
18	Obesity, Metabolic Syndrome, and Cardiovascular Disease. Pediatric Research, 2007, 61, 653-659.	1.1	98
19	Frequency of albuminuria in primary care: a cross-sectional study. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 107-113.	3.1	25

#	Article	IF	CITATIONS
20	Change in prevalence and 6-year incidence of diabetes and impaired fasting glucose in Korean subjects living in a rural area. Diabetes Research and Clinical Practice, 2007, 78, 378-384.	1.1	20
21	Genome-wide association with diabetes-related traits in the Framingham Heart Study. BMC Medical Genetics, 2007, 8, S16.	2.1	80
22	The prevalence of retinopathy in impaired glucose tolerance and recent-onset diabetes in the Diabetes Prevention Program. Diabetic Medicine, 2007, 24, 137-144.	1.2	306
23	Relation of Low Glomerular Filtration Rate to Metabolic Disorders in Individuals without Diabetes and with Normoalbuminuria. Clinical Journal of the American Society of Nephrology: CJASN, 2008, 3, 783-789.	2.2	18
24	An Evaluation of Glucose Tolerance in Essential Hypertension. Yonsei Medical Journal, 2009, 50, 195.	0.9	3
25	Quantification of Urinary Albumin by Using Protein Cleavage and LC-MS/MS. Clinical Chemistry, 2009, 55, 1100-1107.	1.5	66
26	Changes in Albumin Excretion in the Diabetes Prevention Program. Diabetes Care, 2009, 32, 720-725.	4.3	22
27	Determinants of urinary albumin excretion within the normal range in patients with type 2 diabetes: the Randomised Olmesartan and Diabetes Microalbuminuria Prevention (ROADMAP) study. Diabetologia, 2010, 53, 49-57.	2.9	53
28	Short-term hyperglycaemia causes non-reversible changes in arterial gene expression in a fully â€~switchable' in vivo mouse model of diabetes. Diabetologia, 2010, 53, 2676-2687.	2.9	5
29	Predictors of Incident Albuminuria in the Framingham Offspring Cohort. American Journal of Kidney Diseases, 2010, 56, 852-860.	2.1	48
30	Review: Hyperglycaemia and the vascular glycocalyx: the key to microalbuminuria and cardiovascular disease in diabetes mellitus?. British Journal of Diabetes and Vascular Disease, 2010, 10, 66-70.	0.6	6
31	2010 ACCF/AHA Guideline for Assessment of Cardiovascular Risk in Asymptomatic Adults. Circulation, 2010, 122, e584-636.	1.6	1,009
32	2010 ACCF/AHA Guideline for Assessment of Cardiovascular Risk in Asymptomatic Adults. Journal of the American College of Cardiology, 2010, 56, e50-e103.	1.2	1,150
33	A propÃ ³ sito de la adecuaciÃ ³ n de la demanda. NefropatÃa diabética. Revista Del Laboratorio ClÃnico, 2010, 3, 63-68.	0.1	0
34	Rapamycin-induced glucose intolerance: Hunger or starvation diabetes. Cell Cycle, 2011, 10, 4217-4224.	1.3	54
35	Diabetes and Cardiovascular Disease Following Kidney Transplantation. Current Diabetes Reviews, 2011, 7, 221-234.	0.6	19
36	C-reactive Protein Is Directly Associated with Urinary Albumin-to-Creatinine Ratio. Archives of Medical Research, 2011, 42, 451-456.	1.5	12
37	Status of Copper and Magnesium Levels in Diabetic Nephropathy Cases: a Case-Control Study from South India. Biological Trace Element Research, 2011, 142, 29-35.	1.9	19

#	Article	IF	CITATIONS
38	Methodological evaluation and comparison of five urinary albumin measurements. Journal of Clinical Laboratory Analysis, 2011, 25, 324-329.	0.9	17
40	Race and the Insulin Resistance Syndrome. Seminars in Nephrology, 2013, 33, 457-467.	0.6	7
41	Physical Function Limitations Among Middle-Aged and Older Adults With Prediabetes. Diabetes Care, 2013, 36, 3076-3083.	4.3	37
42	Correlation Between Prediabetes Conditions and Microalbuminuria. Nephro-Urology Monthly, 2013, 5, 741-4.	0.0	27
43	TOR-centric view on insulin resistance and diabetic complications: perspective for endocrinologists and gerontologists. Cell Death and Disease, 2013, 4, e964-e964.	2.7	97
44	Lack of interaction of beta-cell-function-associated variants with hypertension on change in fasting glucose and diabetes risk. Journal of Hypertension, 2013, 31, 1001-1009.	0.3	0
45	Acute cardiometabolic responses facilitating a state of chronic hyperglycemia and renal impairment. Cardiovascular Endocrinology, 2014, 3, 98-106.	0.8	2
46	A Family History of Diabetes Modifies the Association between Elevated Urine Albumin Concentration and Hyperglycemia in Nondiabetic Mexican Adolescents. Journal of Diabetes Research, 2015, 2015, 1-10.	1.0	1
47	Awareness of Prediabetes and Engagement in Diabetes Riskâ€"Reducing Behaviors. American Journal of Preventive Medicine, 2015, 49, 512-519.	1.6	69
48	Increased prevalence of albuminuria in individuals with higher range of impaired fasting glucose: the 2011 Korea National Health and Nutrition Examination Survey. Journal of Diabetes and Its Complications, 2015, 29, 50-54.	1.2	8
49	Relationship between dyslipidemia and albuminuria in prediabetic adults: The Korea National Health and Nutrition Examination Survey 2011–2012. Endocrine, 2015, 48, 557-565.	1.1	12
50	Low-grade Albuminuria Associated with Subclinical Left Ventricular Diastolic Dysfunction and Left Ventricular Remodeling. Experimental and Clinical Endocrinology and Diabetes, 2015, 123, 515-523.	0.6	10
51	All Components of Metabolic Syndrome Are Associated with Microalbuminuria in a Chinese Population. PLoS ONE, 2016, 11, e0157303.	1.1	10
52	Comparison of Acarbose and Metformin on Albumin Excretion in Patients With Newly Diagnosed Type 2 Diabetes. Medicine (United States), 2016, 95, e3247.	0.4	17
53	Predictive modeling using a nationally representative database to identify patients at risk of developing microalbuminuria. International Urology and Nephrology, 2016, 48, 249-256.	0.6	2
54	Effect of Glycemic Regulation on Endocan Levels in Patients With Diabetes. Angiology, 2016, 67, 239-244.	0.8	39
55	Effect of 21-day head down bed rest on urine proteins related to endothelium: Correlations with changes in carbohydrate metabolism. Acta Astronautica, 2017, 137, 122-127.	1.7	7
56	Cigarette smoking and chronic kidney disease in the general population: a systematic review and meta-analysis of prospective cohort studies. Nephrology Dialysis Transplantation, 2017, 32, 475-487.	0.4	156

#	Article	IF	Citations
57	Virus-Enabled Biosensor for Human Serum Albumin. Analytical Chemistry, 2017, 89, 1373-1381.	3.2	36
58	Prediabetes and Cardiovascular Disease. Endocrinology and Metabolism Clinics of North America, 2018, 47, 33-50.	1.2	157
59	Prediabetes is associated with microalbuminuria, reduced kidney function and chronic kidney disease in the general population. Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 234-242.	1.1	42
60	Ambient air pollution, adipokines, and glucose homeostasis: The Framingham Heart Study. Environment International, 2018, 111, 14-22.	4.8	44
61	Changes in Trace Elements During Early Stages of Chronic Kidney Disease in Type 2 Diabetic Patients. Biological Trace Element Research, 2018, 186, 330-336.	1.9	14
62	Prediction of Type 2 Diabetes by Hemoglobin A1cin Two Community-Based Cohorts. Diabetes Care, 2018, 41, 60-68.	4.3	21
63	Serum Selenium and Lead Levels: a Possible Link with Diabetes and Associated Proteinuria. Biological Trace Element Research, 2020, 193, 342-347.	1,9	5
64	Risk Assessment for Longitudinal Trajectories of Modifiable Lifestyle Factors on Chronic Kidney Disease Burden in China: A Population-based Study. Journal of Epidemiology, 2022, 32, 449-455.	1.1	2
65	Metabolic Consequences of Obesity. , 2008, , 149-173.		6
66	Poor Lower Extremity Function Was Associated with Pre-Diabetes and Diabetes in Older Chinese People. PLoS ONE, 2014, 9, e115883.	1.1	38
67	Association of prediabetes-associated single nucleotide polymorphisms with microalbuminuria. PLoS ONE, 2017, 12, e0171367.	1.1	8
68	A systematic review of the effects of impaired glucose tolerance (IGT) on the incidence of chronic kidney disease (CKD) in young adults. British Journal of Diabetes, 2016, 16, 162.	0.1	1
69	Hexosamine pathway but not interstitial changes mediates glucotoxicity in pancreatic \hat{l}^2 -cells as assessed by cytosolic Ca2+ response to glucose. Aging, 2014, 6, 207-214.	1.4	8
70	Association of Microalbuminuria with Ischemic Heart Disease, Dyslipidemia and Obesity among Diabetic Patients: Experience from 5 Year Follow up Study of 1415 Patients. Bioenergetics: Open Access, 2014, 03,	0.1	3
71	Effect of AT1 receptor blockers on plasma lipid profiles in type 1 diabetic patients with incipient diabetic nephropathy. Journal of Medical Biochemistry, 2005, 24, 21-26.	0.1	1
72	Metabolic syndrome and kidney disease. , 2022, , 763-777.		0
73	A window of opportunity against diabetes: frequency of microvascular and macrovascular complications in prediabetes. The European Research Journal, 0, , .	0.1	0
74	Impaired fasting blood glucose is associated with incident albuminuria: Data from a Chinese community-based cohort. Journal of Diabetes and Its Complications, 2022, 36, 108125.	1.2	3

#	Article	IF	CITATIONS
75	Synergistic Associations of Depressive Symptoms and Executive Functions with Longitudinal Trajectories of Diabetes Biomarkers Among Urban Dwelling Adults Without Diabetes. Psychosomatic Medicine, 2022, Publish Ahead of Print, .	1.3	0
76	Associations among biomarkers of inflammation, tubular injury and lipid metabolism with GDM status, microalbuminuria and retinopathy in the Microalbuminuria and Retinopathy in Gestational Diabetes (MARIGOLD) study. Canadian Journal of Diabetes, 2022, , .	0.4	1