

CITATION REPORT

List of articles citing

Cereal grains and coronary heart disease

DOI: 10.1038/sj.ejcn.1601283

European Journal of Clinical Nutrition, 2002, 56, 1-14.

Source: <https://exaly.com/paper-pdf/33760401/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
435	References. 2001 , 173-216		
434	Wheat bran, whole grain, and food synergy. 2002 , 25, 1652-3		8
433	Associations between perceived cooking ability, dietary intake and meal patterns among older women. 2002 , 46, 31-39		12
432	Abstracts of Original Communications. 2002 , 61, 98A-152A		
431	Field methods for body composition assessment are valid in healthy chinese adults. 2002 , 132, 310-7		29
430	In defense of the Mediterranean diet. <i>European Journal of Clinical Nutrition</i> , 2002 , 56, 928-9; author reply 930-1	5.2	19
429	Dietary fiber and coronary disease: does the evidence support an association?. 2003 , 5, 500-5		22
428	Effects of barley intake on glucose tolerance, lipid metabolism, and bowel function in women. 2003 , 19, 926-9		95
427	Prevalence of overweight among children in Europe. 2003 , 4, 195-200		524
426	The scored Patient-generated Subjective Global Assessment (PG-SGA) and its association with quality of life in ambulatory patients receiving radiotherapy. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 305-9	5.2	170
425	Spanish children's diet: compliance with nutrient and food intake guidelines. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 930-9	5.2	38
424	Tracing the Mediterranean diet through principal components and cluster analyses in the Greek population. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 1378-85	5.2	88
423	Measurement of total energy expenditure in grossly obese women: comparison of the bicarbonate-urea method with whole-body calorimetry and free-living doubly labelled water. 2003 , 27, 641-7		13
422	Benefits of Dietary Fiber for Cardiovascular Disease and Diabetes. 2003 , 227-241		
421	Combined effect of coenzyme Q10 and fenofibrate on forearm microcirculatory function in type 2 diabetes. 2003 , 168, 169-79		72
420	The dietary hydroxycinnamate caffeic acid and its conjugate chlorogenic acid increase vitamin e and cholesterol concentrations in Sprague-Dawley rats. 2003 , 51, 2526-31		29
419	Impact of nutrition behaviour research on nutrition programmes and nutrition policy. 2003 , 41, 239-44		5

418	Blood pressure reduced by whole grain diet containing barley or whole wheat and brown rice in moderately hypercholesterolemic men. 2003 , 23, 1631-1642	33
417	Why whole grains are protective: biological mechanisms. 2003 , 62, 129-34	412
416	Selenium. 2003 , 49, 609-614	1
415	Greater dietary variety is associated with better biochemical nutritional status in Spanish children: the Four Provinces Study. 2003 , 13, 357-64	27
414	[Dietary variety and diversity of Spanish children: Four Provinces Study]. 2003 , 120, 167-71	2
413	Levels of Avenanthramides and Activity of Hydroxycinnamoyl-CoA:Hydroxyanthranilate N-Hydroxycinnamoyl Transferase (HHT) in Steeped or Germinated Oat Samples. 2003 , 80, 356-360	27
412	Right atrial thrombus following closure of an atrial septal defect. 2003 , 89, 726-726	6
411	Rye, lignans and human health. 2003 , 62, 193-9	50
410	Effect of an oat bran enriched diet on the atherogenic lipid profile in patients with an increased coronary heart disease risk. A controlled randomized lifestyle intervention study. 2003 , 47, 306-11	76
409	Carbohydrates, dietary glycaemic load and glycaemic index, and risk of acute myocardial infarction. 2003 , 89, 722-6	45
408	Hydroxytyrosol disposition in humans. 2003 , 49, 945-52	241
407	Advances in dietary fibre characterisation. 1. Definition of dietary fibre, physiological relevance, health benefits and analytical aspects. 2003 , 16, 71-82	127
406	Wholegrain health claims in Europe. 2003 , 62, 161-9	51
405	Diet and cardiovascular disease in the UK: are the messages getting across?. 2003 , 62, 583-9	29
404	Whole grains protect against atherosclerotic cardiovascular disease. 2003 , 62, 135-42	164
403	Development of databases for use in validation studies of probabilistic models of dietary exposure to food chemicals and nutrients. 2003 , 20 Suppl 1, S27-35	12
402	Food sources of nutrients in the diet of Spanish children: the Four Provinces Study. 2003 , 89, 105-14	38
401	Butyrate is only one of several growth inhibitors produced during gut flora-mediated fermentation of dietary fibre sources. 2003 , 90, 1057-70	84

400	Absorption of dietary alkylresorcinols in ileal-cannulated pigs and rats. 2003 , 90, 787-94	48
399	Behavioural, attitudinal and dietary responses to the consumption of wholegrain foods. 2003 , 62, 455-67	45
398	Session: whole cereal grains, fibre and human cancer wholegrain cereals and cancer in Italy. 2003 , 62, 45-9	51
397	Physiological Responses of Men and Women to Barley and Oat Extracts (Nu-trimX). I. Breath Hydrogen, Methane, and Gastrointestinal Symptoms. 2003 , 80, 76-79	7
396	Animal source foods and human health during evolution. 2003 , 133, 3893S-3897S	85
395	Associations of whole-grain, refined-grain, and fruit and vegetable consumption with risks of all-cause mortality and incident coronary artery disease and ischemic stroke: the Atherosclerosis Risk in Communities (ARIC) Study. 2003 , 78, 383-90	379
394	Cereal alkylresorcinols are absorbed by humans. 2003 , 133, 2222-4	69
393	Isoflavone intake in four different European countries: the VENUS approach. 2003 , 89 Suppl 1, S25-30	106
392	Variations in APOE genotype distribution in children from areas with different adult cardiovascular disease mortality in Spain. 2004 , 76, 615-21	8
391	Yeast-leavened oat breads with high or low molecular weight beta-glucan do not differ in their effects on blood concentrations of lipids, insulin, or glucose in humans. 2004 , 134, 1384-8	66
390	Dietary intake and nutritional status of children and adolescents in Europe. 2004 , 92 Suppl 2, S147-211	120
389	A novel high-amylose barley cultivar (<i>Hordeum vulgare</i> var. Himalaya 292) lowers plasma cholesterol and alters indices of large-bowel fermentation in pigs. 2004 , 92, 607-15	56
388	Diet, nutrition and the prevention of hypertension and cardiovascular diseases. 2004 , 7, 167-86	310
387	Nutrition intervention is beneficial in oncology outpatients receiving radiotherapy to the gastrointestinal or head and neck area. 2004 , 91, 447-52	333
386	Nutritional aspects of cereals. 2004 , 29, 111-142	240
385	Cereal grains, legumes and diabetes. <i>European Journal of Clinical Nutrition</i> , 2004 , 58, 1443-61	5.2 298
384	Dietary alkylresorcinols: absorption, bioactivities, and possible use as biomarkers of whole-grain wheat- and rye-rich foods. 2004 , 62, 81-95	237
383	Effects of fiber intake on the blood pressure, lipids, and heart rate in Goto Kakizaki rats. 2004 , 20, 1003-7	28

382	Nutritional support with nucleotide addition favors immune response in severely malnourished infants. 2004 , 35, 284-8	6
381	Food technology: challenge for health promotion. 2004 , 22, 279-87	5
380	[Dietary fibre: more than a matter of dietetics. II. Preventative and therapeutic uses]. 2004 , 116, 511-22	4
379	Identification of cereal alkylresorcinol metabolites in human urine-potential biomarkers of wholegrain wheat and rye intake. 2004 , 809, 125-30	69
378	Chromatographic analysis of alkylresorcinols and their metabolites. 2004 , 1054, 157-64	59
377	Carbohydrate and fiber recommendations for individuals with diabetes: a quantitative assessment and meta-analysis of the evidence. 2004 , 23, 5-17	241
376	Lipids significantly reduced by diets containing barley in moderately hypercholesterolemic men. 2004 , 23, 55-62	86
375	Évaluation des dépenses énergétiques et des apports énergétiques conseillés pour les enfants et les adolescents sportifs de haut niveau de performance. 2004 , 39, 33-40	4
374	Whole grains and human health. 2004 , 17, 99-110	371
373	Oats, antioxidants and endothelial function in overweight, dyslipidemic adults. 2004 , 23, 397-403	14
372	Promises and problems of functional foods. 2004 , 44, 369-77	53
371	Public health issues related with the consumption of food obtained from genetically modified organisms. 2004 , 10, 85-122	25
370	Proposal for a dietary "phytochemical index". 2004 , 63, 813-7	59
369	Cereal alkylresorcinols elevate gamma-tocopherol levels in rats and inhibit gamma-tocopherol metabolism in vitro. 2004 , 134, 506-10	73
368	Diets containing barley significantly reduce lipids in mildly hypercholesterolemic men and women. 2004 , 80, 1185-93	183
367	Whole grains and coronary heart disease: the whole kernel of truth. 2004 , 80, 1459-60	56
366	Metabolic syndrome: dietary interventions. 2004 , 19, 473-9	25
365	Metabolic syndrome: contributing factors and treatment strategies. 2005 , 37, 220-3	9

364	Dietary Flavonoids and Health Broadening the Perspective. 2005 , 319-370		3
363	Opinion of the Scientific Committee on a request from EFSA related to Exposure Assessments. 2005 , 3, 249		10
362	β -Glucan and mineral nutrient contents of cereals grown in Turkey. 2005 , 90, 773-777		75
361	Poor nutritional status prior to peripheral blood stem cell transplantation is associated with increased length of hospital stay. 2005 , 35, 1113-6		74
360	Healthy Eating Index and C-reactive protein concentration: findings from the National Health and Nutrition Examination Survey III, 1988-1994. <i>European Journal of Clinical Nutrition</i> , 2005 , 59, 278-83	5.2	62
359	Transgenic wheat: where do we stand after the first 12 years?. 2005 , 147, 1-14		53
358	Malnutrition determined by the patient-generated subjective global assessment is associated with poor outcomes in acute stroke patients. 2005 , 24, 1073-7		132
357	The potential use of cereal (1- β ,1-4)-D-glucans as functional food ingredients. 2005 , 42, 1-13		361
356	In vitro procedure to predict apparent antioxidant release from wholegrain foods measured using three different analytical methods. 2005 , 85, 1177-1185		40
355	Dietary fiber as a versatile food component: an industrial perspective. <i>Molecular Nutrition and Food Research</i> , 2005 , 49, 521-35	5.9	87
354	The gut fermentation product butyrate, a chemopreventive agent, suppresses glutathione S-transferase theta (hGSTT1) and cell growth more in human colon adenoma (LT97) than tumor (HT29) cells. 2005 , 131, 692-700		45
353	. 2005 ,		17
352	References. 312-370		
351	Two hiatuses in human bone radiocarbon dates in Britain (17 000 to 5000 cal BP). 2005 , 79, 505-513		6
350	Consumption of ready-to-eat cereals in relation to health and diet indicators among school adolescents in Crete, Greece. 2005 , 49, 165-72		32
349	Carbohydrates and dietary fiber. 2005 , 231-61		23
348	Food Amylose Content Affects Postprandial Glucose and Insulin Responses. 2005 , 82, 654-659		37
347	Phenolic Compounds in Oat Grains (<i>Avena sativa</i> L.) Grown in Conventional and Organic Systems. 2005 , 34, 331-337		51

346	Carry-over effects of dietary yeast RNA as a source of nucleotides on lymphoid organs and immune responses in Leghorn-type chickens. 2005 , 46, 673-8		11
345	Closer to the gold standard: an appraisal of formulae available in Italy for use in formula-fed infants. 2005 , 33, 595-611		8
344	Extraction of rye bran by supercritical carbon dioxide: influence of temperature, CO ₂ , and cosolvent flow rates. 2005 , 53, 7432-7		10
343	Interactions of vitamin D3 with bovine beta-lactoglobulin A and beta-casein. 2005 , 53, 8003-9		91
342	Impact of nucleotides and nutritional support on growth and body composition of severely malnourished infants. 2005 , 25, 727-736		4
341	Phenolic Compounds in Oat Grains (<i>Avena sativa</i> L.) Grown in Conventional and Organic Systems. 2005 , 34, 331-337		2
340	Effects of solid-state enzymatic treatments on the antioxidant properties of wheat bran. 2006 , 54, 9032-45		68
339	Alimentation, activité physique et surpoids chez des enfants de l'Est Algérien. 2006 , 41, 46-54		6
338	The contribution of ready-to-eat cereals to daily nutrient intake and breakfast quality in a Mediterranean setting. 2006 , 25, 135-43		65
337	Cereal grains and legumes in the prevention of coronary heart disease and stroke: a review of the literature. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 1145-59	5.2	219
336	Nucleotide supplementation: a randomised double-blind placebo controlled trial of IntestAidIB in people with Irritable Bowel Syndrome [ISRCTN67764449]. 2006 , 5, 16		15
335	Nucleotide nutrition in fish: Current knowledge and future applications. 2006 , 251, 141-152		178
334	Saturated fat in the diet of Spanish children: relationship with anthropometric, alimentary, nutritional and lipid profiles. 2006 , 9, 429-35		18
333	Whole grains, bran, and germ in relation to homocysteine and markers of glycemic control, lipids, and inflammation 1. 2006 , 83, 275-83		169
332	Dietary Fiber. 2006 , 629-663		3
331	NMR-based metabonomic studies reveal changes in the biochemical profile of plasma and urine from pigs fed high-fibre rye bread. 2006 , 95, 955-62		59
330	Kinetics of the appearance of cereal alkylresorcinols in pig plasma. 2006 , 95, 282-7		23
329	Fiber and cardiovascular disease risk: how strong is the evidence?. 2006 , 21, 3-8		100

328	Measuring the full economic costs of diet, physical activity and obesity-related chronic diseases. 2006 , 7, 271-93		193
327	Effect of dietary nucleotide supplementation on growth and immune function in term infants: a randomized controlled trial. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 254-64	5.2	49
326	Health and nutrition in Eastern Europe and the former Soviet Union during the decade of transition: a review of the literature. 2006 , 4, 104-46		57
325	Ferulic acid and its position among the phenolic compounds of wheat. 2006 , 46, 639-47		66
324	Nutrition and inflammatory load. 2006 , 1083, 214-38		21
323	Morphological and molecular diversity of Nordic oat through one hundred years of breeding. 2006 , 150, 327-337		31
322	The behavioral ecology of sympatric African apes: implications for understanding fossil hominoid ecology. 2006 , 47, 91-101		29
321	Mechanism by which avenanthramide-c, a polyphenol of oats, blocks cell cycle progression in vascular smooth muscle cells. 2006 , 41, 702-8		49
320	Consumption of whole-grain cereals during weight loss: effects on dietary quality, dietary fiber, magnesium, vitamin B-6, and obesity. 2006 , 106, 1380-8; quiz 1389-90		79
319	Genetic variability of carotenoid concentration, and lipoxygenase and peroxidase activities among cultivated wheat species and bread wheat varieties. 2006 , 25, 170-176		105
318	Population health and Mediterranean diet in southern Mediterranean countries. 2006 , 9, 1130-5		53
317	Breakfast cereals and risk of heart failure in the physicians' health study I. 2007 , 167, 2080-5		52
316	Dietary Factors in Reducing Risk of Cardiovascular Diseases. 2007 , 1, 24-28		2
315	Bioactivity of oats as it relates to cardiovascular disease. 2007 , 20, 147-62		50
314	A comparison of the prevalence of the metabolic syndrome and its components among native Japanese and Japanese Brazilians residing in Japan and Brazil. 2007 , 14, 508-14		14
313	Intake of whole grains, refined grains, and cereal fiber measured with 7-d diet records and associations with risk factors for chronic disease. 2007 , 86, 1745-53		127
312	Vitamin D3 fortification and quantification in processed dairy products. 2007 , 17, 753-759		79
311	Extraction of Antioxidants from Wheat Bran Using Conventional Solvent and Microwave-Assisted Methods. 2007 , 84, 125-129		39

310	Food pattern analysis and prevalence of cardiovascular disease risk factors among elderly people from Mediterranean islands. 2007 , 10, 615-21		20
309	Phenolic acids from plant foods can increase or decrease the mutation frequency to antibiotic resistance. 2007 , 55, 10183-6		8
308	Effects of solid-state yeast treatment on the antioxidant properties and protein and fiber compositions of common hard wheat bran. 2007 , 55, 10173-82		62
307	Diet, energy expenditure, and body composition of lactating Ribeirinha women in the Brazilian Amazon. 2007 , 19, 722-34		40
306	Dietary carbohydrate: relationship to cardiovascular disease and disorders of carbohydrate metabolism. <i>European Journal of Clinical Nutrition</i> , 2007 , 61 Suppl 1, S100-11	5.2	72
305	Comparison of soybean oils, gum, and defatted soy flour extract in stabilizing menhaden oil during heating. 2008 , 73, C19-23		8
304	Nutritional status and length of stay in patients admitted to an Acute Assessment Unit. 2007 , 20, 320-8		36
303	Self-perceived health among older women living in their own residence. 2007 , 2, 111-8		4
302	Nutrition support using the American Dietetic Association medical nutrition therapy protocol for radiation oncology patients improves dietary intake compared with standard practice. 2007 , 107, 404-12		120
301	Meat in the human diet: An anthropological perspective. 2007 , 64, S102-S107		22
300	Cardiovascular diseases and red meat. 2007 , 64, S162-S168		2
299	Cereal complex carbohydrates and their contribution to human health. 2007 , 46, 220-229		198
298	Comparison of national food supply, household food availability and individual food consumption data in Portugal. 2007 , 15, 447-455		19
297	Lisosan G, a powder of grain, does not interfere with the drug metabolizing enzymes and has a protective role on carbon tetrachloride-induced hepatotoxicity. 2007 , 29, 1155-9		13
296	HELENA. 2007 , 1, 17-22		2
295	Dietary factors and risk of heart failure: A systematic review. 2007 , 1, 330-334		5
294	Free and bound phenolic compounds in leaves of pak choi (<i>Brassica campestris</i> L. ssp. <i>chinensis</i> var. <i>communis</i>) and Chinese leaf mustard (<i>Brassica juncea</i> Coss). 2008 , 110, 838-46		52
293	PERFORMANCE OF PETRIFILM AEROBIC COUNT PLATES ON ENUMERATION OF LACTIC ACID BACTERIA IN FERMENTED MILKS. 2008 , 16, 132-139		11

292	Cereals Current and emerging nutritional issues. 2008 , 33, 169-185	17
291	Comparison of composition and antioxidant capacity of some cereals and pseudocereals. 2008 , 43, 629-637	71
290	Structure and physicochemical properties of defatted and pin-milled oat bran concentrate fractions separated by air-classification ⁴ . 2008 , 43, 995-1003	15
289	Avenanthramides, polyphenols from oats, inhibit IL-1beta-induced NF-kappaB activation in endothelial cells. 2008 , 44, 415-29	93
288	Is the in vitro antioxidant potential of whole-grain cereals and cereal products well reflected in vivo?. 2008 , 48, 258-276	255
287	Nutritional value of bread: Influence of processing, food interaction and consumer perception. 2008 , 48, 243-257	284
286	Direct measurement of the total antioxidant capacity of cereal products. 2008 , 48, 816-820	136
285	Effects of wheat antioxidants on oxygen diffusion-concentration products in liposomes and mRNA levels of HMG-CoA reductase and cholesterol 7alpha-hydroxylase in primary rat hepatocytes. 2008 , 56, 5033-42	13
284	Prevalencia de sobrepeso y obesidad en la adolescencia. 2008 , 55, 11-19	
283	Water-soluble dietary fibers and cardiovascular disease. 2008 , 94, 285-92	311
282	Chitosan-coated electrodes for bimodal sensing: selective post-electrode film reaction for spectroelectrochemical analysis. 2008 , 24, 7223-31	25
281	Health Benefits of Barley Foods. 178-203	3
280	Purposive Social Selection and the Evolution of Human Altruism. 2008 , 42, 319-352	93
279	Wholegrain foods made from a novel high-amylose barley variety (Himalaya 292) improve indices of bowel health in human subjects. 2008 , 99, 1032-40	88
278	Novel high-fibre and whole grain breads. 2008 , 184-214	13
277	State of the Art Reviews: The Oatmeal-Cholesterol Connection: 10 Years Later. 2008 , 2, 51-57	26
276	Labelling and regulatory issues related to functional cereal products. 2008 , 23-45	
275	Micronutrients in cereal products: their bioactivities and effects on health. 2008 , 86-111	2

274	Dietary fiber intake in relation to coronary heart disease and all-cause mortality over 40 y: the Zutphen Study. 2008 , 88, 1119-25		108
273	Crown rust pathotypes determined on oats in the Czech Republic from 2004 to 2006 and reaction to oat cultivars. 2008 , 44, 60-65		6
272	The effect of seamustard on blood lipid profiles and glucose level of rats fed diet with different energy composition. 2009 , 3, 31-7		7
271	. 2009 ,		6
270	Dietary factors and oral and pharyngeal cancer risk. 2009 , 45, 461-7		78
269	Variation in maternal strategies during lactation: the role of the biosocial context. 2009 , 21, 817-27		18
268	NMR-based metabonomics reveals that plasma betaine increases upon intake of high-fiber rye buns in hypercholesterolemic pigs. <i>Molecular Nutrition and Food Research</i> , 2009 , 53, 1055-62	5.9	25
267	Malnutrition in a home-living older population: prevalence, incidence and risk factors. A prospective study. 2009 , 18, 1354-64		99
266	Migration and differences in dietary habits-a cross sectional study of Finnish twins in Sweden. <i>European Journal of Clinical Nutrition</i> , 2009 , 63, 312-22	5.2	15
265	Potential health benefits of avenanthramides of oats. 2009 , 67, 731-5		132
264	Sampling of bread for added sodium as determined by flame photometry. 2009 , 113, 621-628		23
263	Volatile compounds produced by the probiotic strain <i>Lactobacillus plantarum</i> NCIMB 8826 in cereal-based substrates. 2009 , 117, 265-271		39
262	Lack of evidence for antiatherogenic effects of wheat bran or corn bran in apolipoprotein E-knockout mice. 2009 , 57, 6455-60		7
261	Nutritional importance and effect of processing on tocots in cereals. 2009 , 20, 511-520		69
260	Consumer perception of bread quality. 2009 , 53, 16-23		42
259	Could rice be used as an anticaking agent in table salt?. 2009 , 60, 95-9		1
258	The Evolution of Hominin Diets. 2009 ,		8
257	Nutritive Value and Antioxidant Properties of Cereal Gruels Produced from Fermented Maize and Sorghum. 2009 , 23, 17-31		13

256	Dietary β -Glucan and Nucleotide Effects on Growth, Survival and Immune Responses of Pacific White Shrimp, <i>Litopenaeus vannamei</i> . 2009 , 21, 160-168	40
255	Modern Human Physiology with Respect to Evolutionary Adaptations that Relate to Diet in the Past. 2009 , 43-57	6
254	Dietary Fiber and Associated Phytochemicals in Prevention and Reversal of Diabetes. 2009 , 97-125	3
253	References. 250-343	
252	Health Aspects of Fermented Foods. 2010 , 391-414	17
251	Molecular interactions between cereal soluble dietary fibre polymers and a model bile salt deduced from ^{13}C NMR titration. 2010 , 52, 444-449	33
250	Whole-grain consumption is associated with diet quality and nutrient intake in adults: the National Health and Nutrition Examination Survey, 1999-2004. 2010 , 110, 1461-8	88
249	Soluble Dietary Fiber. 2010 , 9, 178-196	172
248	Phenolic compounds and the antioxidant activity of the bran, flour and whole grain of different wheat varieties. 2010 , 2, 76-82	130
247	β -Glucan from barley and its lipid-lowering capacity: a meta-analysis of randomized, controlled trials. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 1472-80	5.2 106
246	Dietary lignans: physiology and potential for cardiovascular disease risk reduction. 2010 , 68, 571-603	204
245	. 2010 ,	16
244	Epidemiología del sobrepeso y obesidad infanto-juvenil en las comunas de Concepción, Coronel y Hualpén, VIII Región de Chile. 2010 , 138, 1365-1372	
243	Epidemiology, Pathogenesis, and Prevention of Head and Neck Cancer. 2010 ,	5
242	Ready-to-eat cereals and the burden of obesity in the context of their nutritional contribution: are all ready-to-eat cereals equally healthy? A systematic review. 2010 , 23, 314-22	24
241	Markers of cardiovascular risk are not changed by increased whole-grain intake: the WHOLEheart study, a randomised, controlled dietary intervention. 2010 , 104, 125-34	180
240	REVIEW: Variability in Fine Structures of Noncellulosic Cell Wall Polysaccharides from Cereal Grains: Potential Importance in Human Health and Nutrition. 2010 , 87, 272-282	125
239	Effects of short-term consumption of bread obtained by an old Italian grain variety on lipid, inflammatory, and hemorheological variables: an intervention study. 2010 , 13, 615-20	28

238	Objective and subjective nutritional assessment of patients with cancer in palliative care. 2010 , 27, 117-26	14
237	New hypotheses for the health-protective mechanisms of whole-grain cereals: what is beyond fibre?. 2010 , 23, 65-134	671
236	Structural makeup, biopolymer conformation, and biodegradation characteristics of a newly developed super genotype of oats (CDC SO-I versus conventional varieties): a novel approach. 2010 , 58, 2377-87	19
235	Adequacy of wholegrain non-wheat flours for layer cake elaboration. 2010 , 43, 507-513	30
234	Dynamics of polyphenolics formation in different plant parts and different growth phases of selected buckwheat cultivars. 2010 , 95,	5
233	Mechanisms underlying the cholesterol-lowering properties of soluble dietary fibre polysaccharides. 2010 , 1, 149-55	304
232	Antioxidant activity of alkylresorcinols from rye bran and their protective effects on cell viability of PC-12 AC cells. 2011 , 59, 11473-82	28
231	The quantitative analysis of thiamin and riboflavin and their respective vitamers in fermented alcoholic beverages. 2011 , 59, 12278-85	26
230	Bioactive food components and health properties of rice bran. 2011 , 238, 593-600	71
229	Dietary administration of nucleotides to enhance growth, humoral immune responses, and disease resistance of the rainbow trout (<i>Oncorhynchus mykiss</i>) fingerlings. 2011 , 30, 189-93	79
228	Cisplatin induced toxicity in rat tissues: the protective effect of Lisosan G. 2011 , 49, 233-7	30
227	Results of a 90-day safety assessment study in mice fed a glucan produced by <i>Agrobacterium</i> sp. ZX09. 2011 , 49, 2377-84	40
226	Evaluation of Antioxidant, Lipid, and Protein Fractions of Accessions of <i>Oryza</i> Species. 2011 , 88, 283-290	3
225	Over-expression of specific HvCslF cellulose synthase-like genes in transgenic barley increases the levels of cell wall (1,3;1,4)- β -D-glucans and alters their fine structure. 2011 , 9, 117-35	131
224	Lipid removal enhances separation of oat grain cell wall material from starch and protein. 2011 , 54, 104-109	52
223	Red yeast barley reduces plasma glucose levels and activates AMPK phosphorylation in db/db mice. 2011 , 20, 1265-1270	2
222	Exogenous nucleosides modulate expression and activity of transcription factors in Caco-2 cells. 2011 , 22, 595-604	7
221	Evaluation of value-added components of dried distiller's grain with solubles from triticale and wheat. 2011 , 102, 6920-7	14

220	Laboratory Milling Method for Whole Grain Soft Wheat Flour Evaluation. 2011 , 88, 1-5	7
219	Wholegrain cereals and bread: a duet of the Mediterranean diet for the prevention of chronic diseases. 2011 , 14, 2316-22	98
218	Consumption of whole grains is associated with improved diet quality and nutrient intake in children and adolescents: the National Health and Nutrition Examination Survey 1999-2004. 2011 , 14, 347-55	52
217	Sensitivity of humoral immune parameters of poultry to minor macro- and micronutrient differences in two nutritionally complete layer feeds. 2011 , 27, 241-260	1
216	Dietary fibers and cardiometabolic diseases. 2012 , 13, 1524-40	24
215	Selection of Optimal Sensory Properties for the Recognition of Wholemeal Bread. 2012 , 15, 748-757	2
214	An arabinoxylan-rich fraction from wheat enhances caecal fermentation and protects colonocyte DNA against diet-induced damage in pigs. 2012 , 107, 1274-82	33
213	Intake of whole grain in Scandinavia: intake, sources and compliance with new national recommendations. 2012 , 40, 76-84	83
212	Immune stimulant effects of a nucleotide-rich baker's yeast extract in the kuruma shrimp, <i>Marsupenaeus japonicus</i> . 2012 , 366-367, 40-45	22
211	Hematological, serum biochemical parameters, and physiological responses to acute stress of Beluga sturgeon (<i>Huso huso</i> , Linnaeus 1785) juveniles fed dietary nucleotide. 2012 , 21, 1043-1048	35
210	Comparison of milling fractions of tartary buckwheat for their phenolics and antioxidant properties. 2012 , 49, 53-59	62
209	Effects of dietary supplementation of inosine monophosphate on growth performance, innate immunity and disease resistance of olive flounder (<i>Paralichthys olivaceus</i>). 2012 , 33, 1050-4	52
208	Cereal based functional food of Indian subcontinent: a review. 2012 , 49, 665-72	103
207	Wheat aleurone: separation, composition, health aspects, and potential food use. 2012 , 52, 553-68	157
206	Protective potentials of wild rice (<i>Zizania latifolia</i> (Griseb) Turcz) against obesity and lipotoxicity induced by a high-fat/cholesterol diet in rats. 2012 , 50, 2263-9	31
205	Population effects and variability. 2012 , 929, 521-81	5
204	Beta glucan: a valuable functional ingredient in foods. 2012 , 52, 201-12	129
203	Sublingual nucleotides and immune response to exercise. 2012 , 9, 31	3

202	Plant Foods and Health. 2012 , 1-51	3
201	The role of nucleotides in the immune and gastrointestinal systems: potential clinical applications. 2012 , 27, 281-94	82
200	Computational Toxicology. 2012 ,	9
199	Cardiovascular Disease Risk Factors. 2012 ,	4
198	Effects of Dietary Fiber Intake on Cardiovascular Risk Factors. 2012 ,	
197	Microbiological evaluation of sachet water and street-vended yoghurt and "obob"drinks sold in Nsukka metropolis. 2012 , 6,	
196	Vitamins, Minerals, and Nutritional Value of Durum Wheat 1 Cynthia Grant is an employee of Agriculture and Agri-Food Canada. * Her Majesty the Queen in Right of Canada, as represented by the Minister of Agriculture and Agri-Food Canada.. 2012 , 125-137	2
195	Dietary oats and modulation of atherogenic pathways. <i>Molecular Nutrition and Food Research</i> , 2012 , 56, 1003-13	5.9 28
194	Biodiversity and Nutraceutical Quality of Some Indian Millets. 2012 , 82, 265-273	26
193	Oat fibre: overview on their main biological properties. 2012 , 234, 563-569	11
192	Evaluation of the evidence between consumption of refined grains and health outcomes. 2012 , 70, 80-99	52
191	Effects of brewer's yeast extract on growth performance and health of juvenile pikeperch <i>Sander lucioperca</i> (L.). 2012 , 18, 457-464	17
190	Development and validation of an HPLC-method for determination of free and bound phenolic acids in cereals after solid-phase extraction. 2012 , 134, 1624-32	106
189	Non-isoflavone phytoestrogenic compound contents of various legumes. 2013 , 236, 523-530	11
188	Millet Grains: Nutritional Quality, Processing, and Potential Health Benefits. 2013 , 12, 281-295	366
187	Bound phytophenols from ready-to-eat cereals: comparison with other plant-based foods. 2013 , 141, 2880-6	15
186	Elicitation of pharmacologically active phenolic compounds from <i>Rauvolfia serpentina</i> Benth. Ex. Kurtz.. 2013 , 45, 406-415	17
185	Impact of Dietary Fiber Enrichment on the Sensory Characteristics and Acceptance of French Baguettes. 2013 , 36, 324-333	12

184	Cereals and Legumes. 2013 , 3-48	10
183	Pharmacognostic standardization, antioxidant and free radical scavenging activity of the seeds of <i>Triticum aestivum</i> L - A dietary staple. 2013 , 5, 54-9	4
182	The potential for enhancement of immunity in cats by dietary supplementation. 2013 , 152, 333-40	6
181	Dietary nucleotide supplements influence the growth, haemato-immunological parameters and stress responses in endangered Caspian brown trout (<i>Salmo trutta caspius</i> Kessler, 1877). 2013 , 19, 54-63	40
180	Effects of nucleotide supplementation on growth, immune responses and intestinal morphology in juvenile turbot fed diets with graded levels of soybean meal (<i>Scophthalmus maximus</i> L.). 2013 , 392-395, 51-58	99
179	Suitability of Oat, Millet and Sorghum in Breadmaking. 2013 , 6, 1486-1493	25
178	Hemicellulose biosynthesis. 2013 , 238, 627-42	226
177	<i>Avena sativa</i> (Oat), a potential nutraceutical and therapeutic agent: an overview. 2013 , 53, 126-44	125
176	Effect of antioxidant activity of mixture obtained from brown seaweed and wheat germ oils using different extraction methods. 2013 , 22, 9-17	7
175	Dietary fibre intake and risk of cardiovascular disease: systematic review and meta-analysis. 2013 , 347, f6879	381
174	Effects of wheat and oat-based whole grain foods on serum lipoprotein size and distribution in overweight middle aged people: a randomised controlled trial. 2013 , 8, e70436	12
173	Composition and Antioxidant Capacity of Flour and Hull Extracts from Different Tartary Buckwheat Cultivars. 2013 , 864-867, 289-294	
172	Characterization of Khorasan wheat (Kamut) and impact of a replacement diet on cardiovascular risk factors: cross-over dietary intervention study. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 190-5 ⁵⁻²	47
171	A Critical Appraisal of the Individual Constituents of Indian Diet in Modulating Cardiovascular Risk. 2013 , 443-464	1
170	[Dietary fiber--adequate intake and effects on metabolism health]. 2013 , 57, 397-405	35
169	Effects of dietary carbohydrate replaced with wild rice (<i>Zizania latifolia</i> (Griseb) Turcz) on insulin resistance in rats fed with a high-fat/cholesterol diet. <i>Nutrients</i> , 2013 , 5, 552-64	6.7 24
168	Whole Grains. 2013 ,	
167	Polydextrose in Lipid Metabolism. 2013 ,	

166	Utilisation of non-traditional forms of cereals in bakery production . 2014 , 32, 296-301	1
165	Rye as a Source of Phytosterols, Tocopherols, and Tocotrienols. 2014 , 131-158	2
164	Effects of fat replacement on properties of whole wheat bread. 2014 , 50, 703-712	6
163	Study of the Chemical Changes and Evolution of Microbiota During Sourdoughlike Fermentation of Wheat Bran. 2014 , 91, 342-349	27
162	Finger millet bran supplementation alleviates obesity-induced oxidative stress, inflammation and gut microbial derangements in high-fat diet-fed mice. 2014 , 112, 1447-58	37
161	Effects of Yeast-Derived Protein vs Spray-Dried Porcine Plasma Supplementation on Growth Performance, Metabolism and Immune Response of Weanling Piglets. 2014 , 13, 3154	5
160	The benefits of breakfast cereal consumption: a systematic review of the evidence base. 2014 , 5, 636S-673S	98
159	Probing interactions between β -glucan and bile salts at atomic detail by ^1H - ^{13}C NMR assays. 2014 , 62, 11472-8	13
158	Electrostatic separation combined with ultra-fine grinding to produce β -glucan enriched ingredients from oat bran. 2014 , 26, 445-455	25
157	Immunomodulatory efficacy of yeast cell products in poultry: a current review. 2014 , 70, 57-68	18
156	Development of Functional Foods (Enzyme-Treated Rice Fiber) from Rice By-products. 2014 , 521-532	1
155	Biodiversity of Lactic Acid Bacteria. 2014 , 103-203	31
154	Fat-soluble nutraceuticals and their composition in heat-processed wheat germ and wheat bran. 2014 , 65, 327-34	9
153	Transgenic barley: a prospective tool for biotechnology and agriculture. 2014 , 32, 137-57	32
152	Manipulating dietary fibre: Gum Arabic making friends of the colon and the kidney. 2014 , 3, 71-76	10
151	Lactic Acid Bacteria. 2014 ,	15
150	Abstracts of the 10th International ISSX meeting, September 29-October 3, 2013, Toronto, Ontario, Canada. 2014 , 45 Suppl 1, 1-286	3
149	Bioaccessibility of polyphenols from wheat (<i>Triticum aestivum</i>), sorghum (<i>Sorghum bicolor</i>), green gram (<i>Vigna radiata</i>), and chickpea (<i>Cicer arietinum</i>) as influenced by domestic food processing. 2014 , 62, 11170-9	67

148	Profile of nucleosides and nucleotides in donkey's milk. 2014 , 33, 656-67		5
147	The combination of daily breakfast consumption and optimal breakfast choices in childhood is an important public health message. 2014 , 65, 273-9		9
146	Barley, Maize, Sorghum, Millet, and Other Cereal Grains. 2014 , 107-126		2
145	Processing Effects on Functional Components in Cereals and Grains. 2014 , 61-89		
144	Using Fourier Transform near Infrared Spectroscopy to Estimate the Nutritional Value in Whole and Milled Naked Oats. 2014 , 22, 93-101		2
143	Bread Supplementation with Hemp Seed Cake: A By-Product of Hemp Oil Processing. 2015 , 38, 431-440		47
142	Antioxidant properties and consumer acceptability of pearl millet tiger nut biscuits. 2015 , 45, 818-828		6
141	Role of oats in celiac disease. 2015 , 21, 11825-31		48
140	Beneficial Effect of Higher Dietary Fiber Intake on Plasma HDL-C and TC/HDL-C Ratio among Chinese Rural-to-Urban Migrant Workers. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 4726-38	4.6	27
139	Anthropometric Status and Nutritional Intake in Children (6-9 Years) in Valencia (Spain): The ANIVA Study. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 16082-95	4.6	12
138	Extraction and Determination of Phenolic Acids and Vitamin B of Sieved and Unsieved Wheat Grain by MEKC. 2015 , 38, 143-152		4
137	The effects of fermented wheat powder (Lisosan G) on the blood lipids and oxidative status of healthy rabbits. 2015 , 84, 1-7		11
136	Brewer's spent grain: source of value-added polysaccharides for the food industry in reference to the health claims. 2015 , 241, 303-315		69
135	Wheat Bran Proteins: A Review of Their Uses and Potential. 2015 , 31, 279-293		55
134	Chapter 12. 2015 , 249-269		4
133	Nutritional impacts on fish mucosa: immunostimulants, pre- and probiotics. 2015 , 211-272		23
132	Modeling Demonstrates That Folic Acid Fortification of Whole-Wheat Flour Could Reduce the Prevalence of Folate Inadequacy in Canadian Whole-Wheat Consumers. 2015 , 145, 2622-9		3
131	The effects of dietary nucleotide mixture on growth performance, haematological and immunological parameters of Nile tilapia. 2015 , 46, 987-993		17

130	Enhancement of attributes of cereals by germination and fermentation: a review. 2015 , 55, 1575-89	105
129	Impact of processing on the phenolic profiles of small millets: evaluation of their antioxidant and enzyme inhibitory properties associated with hyperglycemia. 2015 , 169, 455-63	91
128	Health Effects of β -Glucans Found in Cereals. 2016 , 236-240	2
127	Nutraceutical-prophylactic and Therapeutic Role of Functional Food in Health. 2016 , 6,	13
126	Nutraceutical aspects of β -glucan with application in food products. 2016 , 387-425	2
125	Health Effects of β -Glucans Found in Cereals. 2016 ,	
124	Rye and Wheat Bran Extracts Isolated with Pressurized Solvents Increase Oxidative Stability and Antioxidant Potential of Beef Meat Hamburgers. 2016 , 81, H519-27	7
123	Utilization of Heat-Moisture Treated Proso Millet Flour in Production of Gluten-Free Pound Cake. 2016 , 39, 611-619	9
122	Alkylresorcinol content in whole grains and pearled fractions of wheat and barley. 2016 , 70, 38-46	18
121	Whole-grain intake and total, cardiovascular, and cancer mortality: a systematic review and meta-analysis of prospective studies. 2016 , 104, 164-72	90
120	Plant-based milk alternatives an emerging segment of functional beverages: a review. 2016 , 53, 3408-3423	296
119	Characterization and Quantitation of Triterpenoid Saponins in Raw and Sprouted <i>Chenopodium berlandieri</i> spp. (Huauzontle) Grains Subjected to Germination with or without Selenium Stress Conditions. 2016 , 81, C19-26	19
118	Brewers' spent grain: a review with an emphasis on food and health. 2016 , 122, 553-568	266
117	Textural characterization of foxtail millet gels: effect of cations and hydrocolloids. 2016 , 53, 257-68	5
116	Yeast extract on growth, nutrient utilization and haemato-immunological responses of Nile tilapia. 2016 , 47, 2650-2660	13
115	Nutraceuticals and Functional Foods: The Foods for the Future World. 2016 , 56, 2617-27	163
114	Effect of primary processing of cereals and legumes on its nutritional quality: A comprehensive review. 2016 , 2,	85
113	The impact of raw materials and baking conditions on Maillard reaction products, thiamine, folate, phytic acid and minerals in white bread. 2016 , 7, 2498-507	20

112	Exploration of millet models for developing nutrient rich graminaceous crops. 2016 , 242, 89-97		92
111	Over-expression of (1,3;1,4)-D-glucanase isoenzyme EII gene results in decreased (1,3;1,4)-D-glucan content and increased starch level in barley grains. 2017 , 97, 122-127		5
110	Dietary corn fractions reduce atherogenesis in low-density lipoprotein receptor knockout mice. 2017 , 37, 87-96		4
109	Nutritional Qualities & Value Addition of Millets. 2017 , 323-340		
108	Changes in the phenolic acids composition during pancake preparation: Whole and refined grain flour and processed food classification by UV and NIR spectral fingerprinting methodProof of concept. 2017 , 60, 10-16		8
107	Ancient wheat and health: a legend or the reality? A review on KAMUT khorasan wheat. 2017 , 68, 278-286		37
106	Higher intake of fish and fat is associated with lower plasma s-adenosylhomocysteine: a cross-sectional study. 2017 , 46, 78-87		1
105	NutraceuticalsProphylactic and Therapeutic Role of Functional Food in Health. 2017 , 119-132		
104	Perspectives in Translational Research in Life Sciences and Biomedicine. 2017 ,		1
103	Availability and dose response of phytochemicals from a wheat bran rich cereal product in healthy human volunteers. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600202	5.9	16
102	Cardiovascular benefits from ancient grain bread consumption: findings from a double-blinded randomized crossover intervention trial. 2017 , 68, 97-103		14
101	. 2017 ,		7
100	In Vitro and In Vivo Antioxidant and Anti-Hyperglycemic Activities of Moroccan Oat Cultivars. 2017 , 6,		17
99	Oats: Grain-Quality Characteristics and Management of Quality Requirements. 2017 , 235-256		3
98	Metabolic variation and cooking qualities of millet cultivars grown both organically and conventionally. 2018 , 106, 825-833		4
97	Influence of hydrothermal treatment on the structural modification of spent grain specific carbohydrates and the formation of degradation products using model compounds. 2018 , 184, 315-322		9
96	Evaluating the 10:1 wholegrain criterion in identifying nutrient quality and health implications of UK breads and breakfast cereals. 2018 , 21, 1186-1193		4
95	High Levels of Avenanthramides in Oat-Based Diet Further Suppress High Fat Diet-Induced Atherosclerosis in Ldlr Mice. 2018 , 66, 498-504		26

94	Effects of concentrated and dephytinized wheat bran and rice bran addition on bread properties. 2018 , 49, 84-93	24
93	Gum Arabic and Kidney Failure: An Exceptional Panacea. 2018 , 245-260	
92	Role for Value Addition in Processing Foods of Traditional Varieties of Grains. 2018 , 423-454	
91	Distribution of Phenolic Acids and Antioxidant Activities of Different Bran Fractions from Three Pigmented Wheat Varieties. 2018 , 2018, 1-9	17
90	Vitamins, Nutraceuticals, Food Additives, Enzymes, Anesthetic Aids, and Cosmetics. 2018 , 407-534	3
89	Phenolic composition and antioxidant activity of colored oats. 2018 , 268, 153-161	22
88	Bioaccessible phenolics and flavonoids from wheat flour products subjected to different processing variables. 2019 , 96, 1068-1078	2
87	Functional Foods and Their Health Benefits. 2019 , 127-145	2
86	Participatory Plant Breeding: Concept and Applications. 2019 ,	3
85	Cereals. 2019 , 129-173	1
84	Traditions, health and environment as bread purchase drivers: A choice experiment on high-quality artisanal Italian bread. 2019 , 221, 249-260	23
83	Barley. 2019 , 135-167	
82	Rapid UHPLC-MS metabolite profiling and phenotypic assays reveal genotypic impacts of nitrogen supplementation in oats. 2019 , 15, 42	11
81	Infant Cereals: Current Status, Challenges, and Future Opportunities for Whole Grains. <i>Nutrients</i> , 2019 , 11,	6.7 19
80	Fibers: Healthy Component in Whole Wheat and Rye Flours. 2019 ,	0
79	The Influence of Health Messages in Nudging Consumption of Whole Grain Pasta. <i>Nutrients</i> , 2019 , 11,	6.7 17
78	Bioactive components of malted millet (<i>Pennisetum glaucum</i>), Soy Residue Bkara and wheat flour and their antioxidant properties. 2019 , 22, 1886-1898	3
77	. 2019 ,	2

76	Seeds of <i>Plantago psyllium</i> and <i>Plantago ovata</i> : Mineral composition, grinding, and use for gluten-free bread as substitutes for hydrocolloids. 2019 , 42, e12931		18
75	Interaction of vitamin D3 with beta-lactoglobulin at high vitamin/protein ratios: Characterization of size and surface charge of nanoparticles. 2019 , 90, 182-188		11
74	Glucose Appearance Rate Rather than the Blood Glucose Concentrations Explains Differences in Postprandial Insulin Responses between Wholemeal Rye and Refined Wheat Breads-Results from A Cross-Over Meal Study. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1800959	5.9	4
73	Biotechnological Tools in the Production of Functional Cereal-Based Beverages. 2020 , 149-193		4
72	Comparative evaluation of physicochemical, nutritional and molecular interactions of flours from different cereals as affected by germination duration. 2020 , 14, 1147-1157		6
71	Quantitative Analysis and Anti-inflammatory Activity Evaluation of the A-Type Avenanthramides in Commercial Sprouted Oat Products. 2020 , 68, 13068-13075		9
70	Development of New Bread and Cheese. 2020 , 8, 1541		8
69	Going to the roots of reduced magnesium dietary intake: A tradeoff between climate changes and sources. 2020 , 6, e05390		15
68	Effect of Innovative Food Processing Technologies on the Physicochemical and Nutritional Properties and Quality of Non-Dairy Plant-Based Beverages. 2020 , 9,		52
67	Bioactive Components and Health Beneficial Properties of Whole Wheat Foods. 2020 , 68, 12904-12915		12
66	Alternatives to increase the antioxidant capacity of bread with phenolics. 2021 , 311-341		
65	Volatile bioactive compounds: source and activity. 2021 , 435-441		
64	The consumption of wholegrain is related to depressive symptoms among Chinese adults: a cross-sectional study. <i>European Journal of Clinical Nutrition</i> , 2021 ,	5.2	1
63	Addition of Whole Barley Flour as a Partial Substitute of Wheat Flour to Enhance the Nutritional Value of Biscuits. 2021 , 14, 103112		7
62	Novel Steroidal Saponins in Oat Identified by Molecular Networking Analysis and Their Levels in Commercial Oat Products. 2021 , 69, 7084-7092		4
61	Value of Wholegrain Rice in a Healthy Human Nutrition. 2021 , 11, 720		5
60	Practical application of some common agro-processing wastes in poultry diets. 1-15		5
59	Biochemical and genomic identification of novel thermophilic <i>Bacillus licheniformis</i> strains YNP1-TSU, YNP2-TSU, and YNP3-TSU with potential in 2,3-butanediol production from non-sterile food waste fermentation. 2021 , 129, 34-45		1

58	Nutritional Composition of Millets. 2021 , 101-119	0
57	Lipoprotein Genes and Diet in the Evolution of Human Intelligence and Longevity. 2003 , 33-67	3
56	Serum metabolomics analysis of the intervention effect of whole grain oats on insulin resistance induced by high-fat diet in rats. 2020 , 135, 109297	3
55	Triterpenoid Saponins in Oat Bran and Their Levels in Commercial Oat Products. 2020 , 68, 6381-6389	5
54	Intake of whole grains, refined grains, and cereal fiber measured with 7-d diet records and associations with risk factors for chronic disease. 2007 , 86, 1745-1753	68
53	Minor Changes in the Composition and Function of the Gut Microbiota During a 12-Week Whole Grain Wheat or Refined Wheat Intervention Correlate with Liver Fat in Overweight and Obese Adults. 2021 , 151, 491-502	9
52	CHAPTER 7: Micronutrients and Phytochemicals in Wheat Grain. 2009 , 179-222	29
51	CHAPTER 12: Oats as a Functional Food for Health. 2011 , 255-273	4
50	Effects of Ready-to-Eat-Cereals on Key Nutritional and Health Outcomes: A Systematic Review. 2016 , 11, e0164931	32
49	Determining the functional properties of food components in the gastrointestinal tract. 2008 , 126-156	1
48	Colored grain of wheat and barley as a new breeding strategy of crops with grain of high nutritional value. 2020 , 52, 95-127	2
47	Antioxidants in grains, vegetables and fruits. 2009 , 5, 61-70	1
46	Dietary approaches that delay age-related diseases. 2006 , 1, 11-31	108
45	Effect of Natural Fermentation on Antioxidant Activity of Pearl Millet (<i>Pennisetum glaucum</i>). <i>Current Nutrition and Food Science</i> , 2020 , 16, 306-313	0.7 2
44	Effects of immature wheat on the nutritional and antinutritional quality of leavened and unleavened bread. 2016 , 8, 583-592	3
43	Folate Enrichment of <i>Ogi</i> (a Fermented Cereal Gruel) Using Folate Producing Starter Cultures. 2019 , 09, 177-193	5
42	Analysis of flavonoids in double haploid population derived from microspore culture of F1 hybrid of <i>Brassica rapa</i> . 2017 , 44, 35-41	3
41	Assessment of antioxidant properties of grain concentrate and oxidant-antioxidant status pigs after its inclusion in ration feeding. 2018 , 12,	2

40	Quality Characteristics of Bread Added with Oat Flours. 2011 , 56, 107-112	2
39	Healthy Food Versus Phytosterol-Fortified Foods for Primary Prevention of Coronary Artery Disease. 2003 ,	
38	DIETARY FIBER Potential Role in Etiology of Disease. 2005 , 578-585	1
37	Antioxidant Phytochemicals and Potential Synergistic Activities at Reducing Risk of Cardiovascular Disease. 2005 , 27-62	1
36	Z. 2005 , 505-507	
35	Bran. 2007 , 1-3	0
34	Functionality and nutraceutical use of wheat or wheat products. <i>Journal for the Integrated Study of Dietary Habits</i> , 2008 , 19, 116-123	0
33	Antioxidant Capabilities of Defatted Soy Flour Extracts. <i>ACS Symposium Series</i> , 2010 , 201-215	0.4
32	Dietary Factors. 2010 , 117-136	
31	Coronary Heart Disease, Diet and Neurocognitive Functioning. 2011 , 1555-1566	
30	Dietary oats and modulation of atherogenic pathways. <i>Molecular Nutrition and Food Research</i> , 2012 , n/a-n/a	0.5
29	Effects of Dietary Supplementation with Nucleotide on Growth Performance, Feed Utilization, and Non-Specific Immune Responses of Nile Tilapia <i>Oreochromis niloticus</i> . <i>Hantguk Susan Hakhoe Chi = Bulletin of the Korean Fisheries Society</i> , 2012 , 45, 648-653	1
28	Significance of nutrient composition of spelt (triticum aestivum ssp. Spelt) for human diet. <i>Hrana / Ishrana</i> , 2017 , 58, 39-44	0.1 1
27	Convergence led livelihood security: A case study in Chittoor district of Andhra Pradesh. <i>Agriculture Update</i> , 2017 , 12, 581-586	0
26	Indigenous Products of the Indian Subcontinent Containing Cereals and Dairy: From Tradition to Commercialization. <i>Current Nutrition and Food Science</i> , 2019 , 15, 536-547	0.7
25	CHARACTERISTICS OF BREAD DOUGH MADE WITH THE USE OF VARIOUS MILLET FLOURS CHARACTERISTICS OF BREAD DOUGH MADE WITH THE USE OF VARIOUS MILLET FLOURS. <i>Harġva Nauka i Tehnologġi</i> , 2021 , 14,	0.6
24	Improved nutritional and dietary quality of breads. 2020 , 619-646	
23	Dietary Fiber and Hyperlipidemia and Cardiovascular Disease. <i>Food Engineering Series</i> , 2020 , 219-239	0.5

22	Increased brain volume from higher cereal and lower coffee intake: Shared genetic determinants and impacts on cognition and metabolism.		
21	Soda Bread Making Process Decreases Protein Efficacy Ratio and Causes Debilitation of Hematological Parameters in Male Rats. <i>Health Scope</i> , 2020 , 9,	1.1	
20	Prevention of cardiovascular diseases: Role of exercise, dietary interventions, obesity and smoking cessation. <i>Experimental and Clinical Cardiology</i> , 2005 , 10, 229-49		130
19	Nutraceuticals as a natural alternative for preventive and proactive health care. 2022 , 603-618		0
18	The Gluten-Free Diet for Celiac Disease and Beyond. <i>Nutrients</i> , 2021 , 13,	6.7	9
17	Increased brain volume from higher cereal and lower coffee intake: shared genetic determinants and impacts on cognition and metabolism.. <i>Cerebral Cortex</i> , 2022 ,	5.1	2
16	The Quality Aspect and Safety of Some Traditional Fermented Product from Sorghum and millet. 2022 , 511-523		
15	Cereal-Based Functional Foods. 2022 , 55-90		
14	Overview of the Composition of Whole Grains' Phenolic Acids and Dietary Fibre and Their Effect on Chronic Non-Communicable Diseases.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	6
13	Finger Millet (<i>Eleusine coracana</i> (L.) Gaertn): Nutritional Importance and Nutrient Transporters. <i>Critical Reviews in Plant Sciences</i> , 1-31	5.6	4
12	The methods of brewers' spent grain treatment towards the recovery of valuable ingredients contained therein and comprehensive management of its residues. <i>Chemical Engineering Research and Design</i> , 2022 ,	5.5	1
11	Nutritional Profile of Small Millets. 2022 , 15-47		
10	Associations Between the Modified Food Standard Agency Nutrient Profiling System Dietary Index and Cardiovascular Risk Factors in an Elderly Population. <i>Frontiers in Nutrition</i> , 9,	6.2	
9	Are all fibres created equal with respect to lipid lowering? Comparing the effect of viscous dietary fibre to non-viscous fibre from cereal sources: a systematic review and meta-analysis of randomised controlled trials. 1-13		0
8	Cereal Grain-Based Milks and Their Potential Health Properties. 2022 , 251-288		0
7	The Functionality of β -Glucans and Fibers in Cereals. 2022 , 139-160		0
6	Quality Standards for Millets. 2022 , 315-342		0
5	A study on the structural, physicochemical, rheological and thermal properties of high hydrostatic pressurized pearl millet starch. 2022 , 223, 511-523		2

- 4 Physical and Sensory Evaluation of Foxtail Millet (*Setaria italica*) Beverage. 21-28 o
- 3 Cereal intake and mortality in older Chinese: a 15-year follow-up of a prospective cohort study. o
- 2 Processing colored grains to optimize product quality. **2023**, 267-286 o
- 1 Comparative study illustrating the efficacy of novel ultrasonication-assisted heat treatment over conventional heat treatment in functional smoothie. o