

# CITATION REPORT

List of articles citing

The malnutrition, inflammation, and atherosclerosis (MIA) syndrome -- the heart of the matter

DOI: 10.1093/ndt/17.suppl\_11.28

Nephrology Dialysis Transplantation, 2002, 17 Suppl 11, 28-31.

**Source:** <https://exaly.com/paper-pdf/33784262/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
439	Low dosages of bromocriptine added to levodopa in Parkinson's disease. <b>1985</b> , 35, 199-206		65
438	Malnutrition-inflammation complex syndrome in dialysis patients: causes and consequences. <b>2003</b> , 42, 864-81		676
437	Supplemented very low protein diet ameliorates responsiveness to erythropoietin in chronic renal failure. <b>2003</b> , 64, 1822-8		69
436	Management of secondary hyperparathyroidism of dialysis patients. <b>2003</b> , 8 Suppl, S53-7		8
435	Fibrinogen, inflammation and concentric left ventricular hypertrophy in chronic renal failure. <b>2003</b> , 33, 561-6		28
434	Leptin, ghrelin, and proinflammatory cytokines: compounds with nutritional impact in chronic kidney disease?. <b>2003</b> , 10, 332-45		31
433	Middle molecules and small-molecular-weight proteins in ESRD: properties and strategies for their removal. <b>2003</b> , 10, 270-8		15
432	Beta-2 microglobulin in ESRD: an in-depth review. <b>2003</b> , 10, 279-309		48
431	Stimulation of protein degradation by low pH in L6G8C5 skeletal muscle cells is independent of apoptosis but dependent on differentiation state. <i>Nephrology Dialysis Transplantation</i> , <b>2003</b> , 18, 1466-74 <sup>4.3</sup>		5
430	Renal replacement therapy in Bosnia and Herzegovina: report of the Society of Nephrology, Dialysis and Transplantation of Bosnia and Herzegovina. <i>Nephrology Dialysis Transplantation</i> , <b>2003</b> , 18, 661-3	4.3	3
429	Current World Literature. <b>2003</b> , 12, 323-346		
428	Current World Literature. <b>2003</b> , 12, 659-682		
427	Current World Literature. <b>2003</b> , 12, 463-482		
426	Current World Literature. <b>2003</b> , 12, 201-220		
425	Impairment of small intestinal protein assimilation in patients with end-stage renal disease: extending the malnutrition-inflammation-atherosclerosis concept. <b>2004</b> , 80, 1536-43		50
424	The clinical consequences of secondary hyperparathyroidism: focus on clinical outcomes. <i>Nephrology Dialysis Transplantation</i> , <b>2004</b> , 19 Suppl 5, V2-8	4.3	69
423	Association between cholesterol level and mortality in dialysis patients: role of inflammation and malnutrition. <b>2004</b> , 291, 451-9		505

422	Can we ask the lab how much extra fluid patients carry?. <b>2004</b> , 97, c123-4	2
421	The role of oxidative stress-altered lipoprotein structure and function and microinflammation on cardiovascular risk in patients with minor renal dysfunction. <b>2004</b> , 15, 538-48	138
420	Atherosclerosis in dialyzed patients. <b>2004</b> , 22, 28-37	23
419	Prevalence of coronary artery disease using thallium-201 single photon emission computed tomography among patients newly undergoing chronic peritoneal dialysis and its association with mortality. <b>2004</b> , 24, 448-52	14
418	Chronic systemic inflammation in dialysis patients: an update on causes and consequences. <b>2004</b> , 50, lii-lvii	41
417	The critical role of SRC homology domain 2-containing tyrosine phosphatase-1 in recombinant human erythropoietin hyporesponsive anemia in chronic hemodialysis patients. <b>2004</b> , 15, 3215-24	19
416	Lack of relation between serum parathyroid hormone levels and erythrocyte osmotic fragility in pediatric patients on peritoneal dialysis. <b>2004</b> , 26, 683-7	2
415	Inflammation as a cause of malnutrition, atherosclerotic cardiovascular disease, and poor outcome in hemodialysis patients. <b>2004</b> , 8, 118-29	57
414	Cardiovascular risk in chronic kidney disease. <b>2004</b> , S11-5	63
413	The vulnerability of middle-aged and elderly patients to hepatitis C virus infection in a high-prevalence hospital-based hemodialysis setting. <b>2004</b> , 52, 242-6	9
412	The evidence against malnutrition as a prominent problem for chronic dialysis patients. <i>Seminars in Dialysis</i> , <b>2004</b> , 17, 427-31	2.5 16
411	Urea Kinetics and Clinical Chemistry Parameters in Patients on Twice-Weekly Hemodialysis. <b>2004</b> , 6, 43-51	1
410	Does atorvastatin influence serum C-reactive protein levels in patients on long-term hemodialysis?. <b>2004</b> , 43, 471-8	60
409	Diagnosis, assessment, and treatment of bone turnover abnormalities in renal osteodystrophy. <b>2004</b> , 43, 558-65	122
408	Acute and "chronic" phase reaction-a mother of disease. <b>2004</b> , 23, 1256-66	43
407	Preparation of novel mesoporous carbons for the adsorption of an inflammatory cytokine (IL-1 beta). <b>2004</b> , 25, 2933-40	31
406	Improved anemia and reduced erythropoietin need by medical or surgical intervention of secondary hyperparathyroidism in hemodialysis patients. <b>2004</b> , 26, 289-95	23
405	Matrix metalloproteinases in renal development. <b>2004</b> , 45, 73-85	8

404	Traditional and non-traditional risk factors as contributors to atherosclerotic cardiovascular disease in end-stage renal disease. <b>2004</b> , 38, 405-16		95
403	Optimal dialysis for the end-stage renal disease patient with cardiovascular disease. <b>2004</b> , 11, 261-73		3
402	Management of calcium and bone abnormalities in hemodialysis patients. <b>2004</b> , 24, 446-8		6
401	Comparison of the effects of calcitriol and maxacalcitol on secondary hyperparathyroidism in patients on chronic haemodialysis: a randomized prospective multicentre trial. <i>Nephrology Dialysis Transplantation</i> , <b>2004</b> , 19, 2067-73	4.3	31
400	Vitamin D analogs: actions and role in the treatment of secondary hyperparathyroidism. <b>2004</b> , 24, 456-9		38
399	Sorbents in acute renal failure and end-stage renal disease: middle molecule and cytokine removal. <b>2004</b> , 22, 73-7		34
398	Nutrition for the post-renal transplant recipients. <b>2004</b> , 36, 1650-4		39
397	Medical and surgical treatment for secondary and tertiary hyperparathyroidism. <b>2004</b> , 93, 288-97		29
396	Which vitamin D derivative to prescribe for renal patients. <b>2005</b> , 14, 343-9		30
395	Complications of chronic kidney disease: a close look at renal osteodystrophy, nutritional disturbances, and inflammation. <b>2005</b> , 105, 40-9; quiz 50		4
394	Are inflammatory cytokines the "evil humors" that increase morbidity and cardiovascular mortality in chronic kidney disease?. <i>Seminars in Dialysis</i> , <b>2005</b> , 18, 441-3	2.5	2
393	Uremic toxins: a new focus on an old subject. <i>Seminars in Dialysis</i> , <b>2005</b> , 18, 203-11	2.5	55
392	Effects of the calcimimetic cinacalcet HCl on cardiovascular disease, fracture, and health-related quality of life in secondary hyperparathyroidism. <b>2005</b> , 68, 1793-800		413
391	Hormonal adjuvants for the treatment of renal anaemia. <b>2005</b> , 35 Suppl 3, 75-84		22
390	Maxacalcitol is a possible less phosphatemic vitamin D analog. <i>Therapeutic Apheresis and Dialysis</i> , <b>2005</b> , 9, 352-4	1.9	7
389	Comparison of 3 automated assays for C-reactive protein in end-stage renal disease: clinical and epidemiological implications. <b>2005</b> , 145, 305-8		11
388	Chronic kidney disease and inflammation in pediatric patients: from bench to playground. <b>2005</b> , 20, 714-20		37
387	Pretreatment plasma intact parathyroid hormone and serum calcium levels, but not serum phosphate levels, predict the response to maxacalcitol therapy in dialysis patients with secondary hyperparathyroidism. <i>Clinical and Experimental Nephrology</i> , <b>2005</b> , 9, 142-7	2.5	5

386	Assessment of therapeutic effect in patients with secondary hyperparathyroidism using bone scintigraphy. <b>2005</b> , 19, 367-72		5
385	Dialysis water treated by reverse osmosis decreases the levels of C-reactive protein in uremic patients. <b>2005</b> , 38, 789-94		5
384	The Time Course of Serum C-Reactive Protein is More Predictive of Mortality than its Baseline Level in Peritoneal Dialysis Patients. <b>2005</b> , 25, 256-268		17
383	Altered morphologic properties of large arteries in children with chronic renal failure and after renal transplantation. <b>2005</b> , 16, 1494-500		217
382	Low-dose atorvastatin in severe chronic kidney disease patients: a randomized, controlled endpoint study. <b>2005</b> , 39, 489-97		34
381	Water treatment for hemodialysis: a 2005 update. <b>2005</b> , 149, 42-50		8
380	Interaction between nutrition and inflammation in hemodialysis patients. <b>2005</b> , 149, 200-207		9
379	Noncalcemic actions of vitamin D receptor ligands. <b>2005</b> , 26, 662-87		674
378	Treatment of uremic hyperparathyroidism with percutaneous ethanol injection. <b>2005</b> , 101, c53-7		9
377	Erythropoietin in heart failure and other cardiovascular diseases: hematopoietic and pleiotropic effects. <b>2005</b> , 5, 355-75		23
376	Renal redox stress and remodeling in metabolic syndrome, type 2 diabetes mellitus, and diabetic nephropathy: paying homage to the podocyte. <b>2005</b> , 25, 553-69		68
375	Reverse epidemiology: a spurious hypothesis or a hardcore reality?. <b>2005</b> , 23, 57-63		75
374	Effect of maternal administration of selective cyclooxygenase (COX)-2 inhibitors on renal size, growth factors, proteinases, and COX-2 secretion in the fetal rabbit. <b>2005</b> , 87, 246-53		5
373	Optimal treatment of renal anaemia (OPTA): improving the efficacy and efficiency of renal anaemia therapy in haemodialysis patients receiving intravenous epoetin. <i>Nephrology Dialysis Transplantation</i> , <b>2005</b> , 20 Suppl 3, iii25-32	4-3	17
372	Switching from subcutaneous to intravenous erythropoietin alpha in haemodialysis patients requires a major dose increase. <i>Nephrology Dialysis Transplantation</i> , <b>2005</b> , 20, 1956-62	4-3	12
371	Epoetin responsiveness in peritoneal dialysis patients: a multi-center Slovenian study. <i>Therapeutic Apheresis and Dialysis</i> , <b>2005</b> , 9, 228-32	1-9	7
370	Functional interface between cathepsins and growth factors in the kidney development. <b>2005</b> , 27, 615-22		
369	Complications of chronic kidney disease: anemia, mineral metabolism, and cardiovascular disease. <b>2005</b> , 89, 549-61		20

368	A low-protein diet does not necessarily lead to malnutrition in peritoneal dialysis patients. <i>Journal of Renal Nutrition</i> , <b>2005</b> , 15, 298-303	3	16
367	Cachexia in Chronic Kidney Disease: Malnutrition-Inflammation Complex and Reverse Epidemiology. <b>2006</b> , 305-325		2
366	Pathogenesis of renal anemia. <b>2006</b> , 26, 261-8		123
365	Associations between changes in hemoglobin and administered erythropoiesis-stimulating agent and survival in hemodialysis patients. <b>2006</b> , 17, 1181-91		532
364	Malnutrition after vascular surgery: are patients with chronic renal failure at increased risk?. <b>2006</b> , 192, e22-7		17
363	Fuzzy role of hyperhomocysteinemia in hemodialysis patientsPmortality. <b>2006</b> , 60, 200-7		5
362	Compensated kidney donation: an ethical review of the Iranian model. <b>2006</b> , 16, 269-82		30
361	Anémie de l'insuffisance rénale chronique. <b>2006</b> , 1, 1-12		
360	Diagnostic, facteurs de risque et traitement de l'insuffisance rénale chronique de l'adulte. <b>2006</b> , 1, 1-15		
359	Increased expression of monocytic angiotensin-converting enzyme in dialysis patients with cardiovascular disease. <i>Nephrology Dialysis Transplantation</i> , <b>2006</b> , 21, 1596-602	4.3	40
358	Low triiodothyronine and cardiomyopathy in patients with end-stage renal disease. <b>2006</b> , 24, 2039-46		41
357	Vascular access and cardiac disease: is there a relationship?. <b>2006</b> , 15, 577-82		16
356	Cardiac calcifications: Fetuin-A and other risk factors in hemodialysis patients. <b>2006</b> , 52, 150-6		37
355	Aminopeptidase N during the ontogeny of the chick. <b>2006</b> , 74, 119-28		4
354	Heart valve calcifications in patients with end-stage renal disease: analysis for risk factors. <b>2006</b> , 11, 494-6		29
353	Lipid abnormalities associated with end-stage renal disease. <i>Seminars in Dialysis</i> , <b>2006</b> , 19, 32-40	2.5	45
352	Is the volume of the parathyroid gland a predictor of Maxacalcitol response in advanced secondary hyperparathyroidism?. <i>Therapeutic Apheresis and Dialysis</i> , <b>2006</b> , 10, 198-204	1.9	37
351	Free serum concentrations of the protein-bound retention solute p-cresol predict mortality in hemodialysis patients. <b>2006</b> , 69, 1081-7		281

350	Vascular defect beyond the endothelium in type II diabetic patients with overt nephropathy and moderate renal insufficiency. <b>2006</b> , 70, 711-6		18
349	Comparative mechanisms of branching morphogenesis in diverse systems. <b>2006</b> , 11, 213-28		63
348	Cappuccino mutation in an autoimmune-prone strain of mice suggests a role of platelet function in the progression of immune complex crescentic glomerulonephritis. <b>2006</b> , 54, 2934-43		6
347	The importance of water quality and haemodialysis fluid composition. <b>2006</b> , 24, 11-8		29
346	N-acetylglucosamine reduces inflammatory response during acute peritonitis in uremic rats. <b>2006</b> , 24, 274-81		7
345	Haematopoietic stem cells--role of calcium-sensing receptor in bone marrow homing. <i>Nephrology Dialysis Transplantation</i> , <b>2006</b> , 21, 2072-4	4-3	18
344	Left ventricular geometry in children with mild to moderate chronic renal insufficiency. <b>2006</b> , 17, 218-26		207
343	Hematocrit, independent of chronic kidney disease, predicts adverse cardiovascular outcomes in chinese patients with type 2 diabetes. <b>2006</b> , 29, 2439-44		51
342	Collagenase-2 and -3 mediate epidermal growth factor receptor transactivation by bradykinin B2 receptor in kidney cells. <b>2006</b> , 318, 1033-43		18
341	Vitamin D3-triggered Antimicrobial Response--Another Pleiotropic Effect beyond Mineral and Bone Metabolism. <b>2006</b> , 17, 2949-2953		6
340	Platelet nitric oxide synthesis in uremia and malnutrition: a role for L-arginine supplementation in vascular protection?. <b>2007</b> , 73, 359-67		43
339	Assessment of management and treatment responses in haemodialysis patients from Tehran province, Iran. <i>Nephrology Dialysis Transplantation</i> , <b>2008</b> , 23, 288-93	4-3	27
338	Low levels of triiodothyronine as an independent risk factor for death in hemodialysis patients. <b>2007</b> , 3, 74-5		
337	Dietary protein intake and kidney disease in Western diet. <b>2007</b> , 155, 102-112		14
336	The impact of pre-dialytic endurance training on nutritional status and quality of life in stable hemodialysis patients (Sawada study). <b>2007</b> , 29, 587-93		21
335	Ghrelin variants influence development of body mass index and plasma levels of total cholesterol in dialyzed patients. <b>2007</b> , 45, 1121-3		6
334	Anti-inflammatory effect of sulodexide during acute peritonitis in rats. <b>2007</b> , 25, 510-4		21
333	Insulin resistance and protein catabolism in non-diabetic hemodialysis patients. <b>2007</b> , 71, 98-100		7

332	Ang-2 and PDGF-BB cooperatively stimulate human peripheral blood monocyte fibrinolysis. <b>2007</b> , 81, 1496-503		13
331	Effect of N-acetylcysteine on endothelial dysfunction in dialysis patients. <b>2007</b> , 25, 309-15		32
330	Association between vitamin D receptor gene polymorphisms and susceptibility to chronic kidney disease and periodontitis. <b>2007</b> , 25, 411-9		42
329	Vitamin D analogs for secondary hyperparathyroidism: what does the future hold?. <b>2007</b> , 103, 578-83		22
328	Experimentally induced metabolic acidosis in rabbits modulates the interaction of aortic glycosaminoglycan with plasma low-density lipoprotein--an interesting observation about the association of acidosis and atherosclerosis. <b>2007</b> , 192, 33-9		5
327	Drug insight: vitamin D analogs in the treatment of secondary hyperparathyroidism in patients with chronic kidney disease. <b>2007</b> , 3, 134-44		60
326	Matrix metalloproteinases in kidney disease progression and repair: a case of flipping the coin. <b>2007</b> , 27, 352-62		37
325	Diabetes: changing the fate of diabetics in the dialysis unit. <b>2007</b> , 25, 39-47		31
324	The presence of erythropoietin receptor in parathyroid cells. <b>2007</b> , 30, RC35-7		3
323	Inflammation in Peritoneal Dialysis: A Latin-American Perspective. <b>2007</b> , 27, 347-352		9
322	Comprehensive malnutrition inflammation score as a marker of nutritional status in Chinese peritoneal dialysis patients. <b>2007</b> , 12, 130-4		22
321	Disturbances of acquired immunity in hemodialysis patients. <i>Seminars in Dialysis</i> , <b>2007</b> , 20, 440-51	2.5	223
320	Effects of 22-oxacalcitriol and calcitriol on PTH secretion and bone mineral metabolism in a crossover trial in hemodialysis patients with secondary hyperparathyroidism. <i>Therapeutic Apheresis and Dialysis</i> , <b>2007</b> , 11, 202-9	1.9	7
319	Clinical features and hyperplastic patterns of parathyroid glands in hemodialysis patients with advanced secondary hyperparathyroidism refractory to maxacalcitol treatment and required parathyroidectomy. <i>Therapeutic Apheresis and Dialysis</i> , <b>2007</b> , 11, 266-73	1.9	31
318	The malnutrition and inflammation axis in pediatric patients with chronic kidney disease. <b>2007</b> , 22, 864-73		43
317	Changes in prealbumin, nutrient intake, and systemic inflammation in elderly recuperative care patients. <b>2008</b> , 56, 1270-5		35
316	The NCEP-ATPIII but not the IDF criteria for the metabolic syndrome identify Type 2 diabetic patients at increased risk of chronic kidney disease. <b>2008</b> , 25, 1419-25		18
315	The association of race with erythropoietin dose in patients on long-term hemodialysis. <b>2008</b> , 52, 1104-14		24



314	Effect of parathyroidectomy on anemia and erythropoietin dosing in end-stage renal disease patients with hyperparathyroidism. <b>2008</b> , 144, 915-8; discussion 919		35
313	A proposed nomenclature and diagnostic criteria for protein-energy wasting in acute and chronic kidney disease. <b>2008</b> , 73, 391-8		1135
312	Diabetic nephropathy--what are the unmet needs?. <b>2008</b> , 82 Suppl 1, S15-20		20
311	Low total plasma homocysteine level in relation to malnutrition, inflammation, and outcome in hemodialysis patients. <i>Journal of Renal Nutrition</i> , <b>2008</b> , 18, 338-46	3	11
310	Endothelial function in patients with proteinuric primary glomerulonephritis. <b>2008</b> , 109, c40-7		1
309	Potential interplay between nutrition and inflammation in dialysis patients. <b>2008</b> , 161, 76-82		18
308	Role of prohepcidin, inflammatory markers and iron status in resistance to rhEPO therapy in hemodialysis patients. <b>2008</b> , 28, 677-83		31
307	Putative role of endothelial lipase in dialysis patients with hypoalbuminemia and inflammation. <b>2008</b> , 28, 974-81		11
306	Cinacalcet HCl and concurrent low-dose vitamin D improves treatment of secondary hyperparathyroidism in dialysis patients compared with vitamin D alone: the ACHIEVE study results. <b>2008</b> , 3, 1718-25		122
305	Endotoxemia is related to systemic inflammation and atherosclerosis in peritoneal dialysis patients. <b>2008</b> , 3, 431-6		148
304	Vitamin C deficiency and secondary hyperparathyroidism in chronic haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , <b>2008</b> , 23, 2058-63	4-3	39
303	Plasma adiponectin levels and clinical outcomes among haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , <b>2008</b> , 23, 2619-28	4-3	51
302	Analysis of plasma adipocytokines related to clinical and laboratory data in the maintenance hemodialysis patients. <b>2008</b> , 47, 1379-86		6
301	Intermittent doses of statin in hemodialysis patients with spontaneous low LDL cholesterol levels. <b>2008</b> , 90, 104-11		2
300	Oral health in Brazilian patients with chronic renal disease. <b>2008</b> , 136,		22
299	Treatment of secondary hyperparathyroidism in kidney disease: what we know and do not know about use of calcimimetics and vitamin D analogs. <b>2008</b> , 1, 5-17		6
298	Identification of Inflamed Atherosclerotic Plaque using 123I-Labeled Interleukin-2 Scintigraphy in High-Risk Peritoneal Dialysis Patients: A Pilot Study. <b>2009</b> , 29, 568-574		10
297	Impact of anemia on aortic pulse wave velocity in hemodialysis patients. <b>2009</b> , 32, 210-6		5

296	Suppression subtractive hybridization analysis of gene expression during late kidney development identifies the developmentally regulated gene rPEA3. <b>2009</b> , 111, e103-15		4
295	N-terminal pro-brain natriuretic peptide independently predicts protein energy wasting and is associated with all-cause mortality in prevalent HD patients. <b>2009</b> , 29, 516-23		16
294	Prospective evaluation of an in-centre conversion from conventional haemodialysis to an intensified nocturnal strategy. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 2232-40	4.3	40
293	Hemodialysis-induced cardiac injury: determinants and associated outcomes. <b>2009</b> , 4, 914-20		449
292	Nutritional status evaluation and survival in haemodialysis patients in one centre from Romania. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 2536-40	4.3	54
291	Apolipoprotein E polymorphism in hemodialyzed patients and healthy controls. <b>2009</b> , 47, 688-93		10
290	Associations between nutritional markers and inflammation in hemodialysis patients. <b>2009</b> , 41, 1003-9		22
289	Nephropathie bei Diabetes mellitus. <b>2009</b> , 5, 563-575		2
288	Malnutrition-inflammation complex syndrome and hepatitis C in maintenance hemodialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , <b>2009</b> , 13, 113-20	1.9	2
287	How does short-term low-dose simvastatin influence serum prohepcidin levels in patients with end-stage renal disease? A pilot study. <i>Therapeutic Apheresis and Dialysis</i> , <b>2010</b> , 14, 308-14	1.9	4
286	The general picture of uremia. <i>Seminars in Dialysis</i> , <b>2009</b> , 22, 329-33	2.5	31
285	Iron-refractory iron deficiency anemia: new molecular mechanisms. <b>2009</b> , 76, 1137-41		26
284	Patogénesis de la malnutrición en pacientes en diálisis con énfasis en los aspectos más específicos de la diálisis peritoneal. <b>2009</b> , 30, 57-62		
283	Nutritional Surveillance After Renal Transplant: Review. <b>2009</b> , 3, 5-12		4
282	Effects of unsaturated fat dietary supplements on blood lipids, and on markers of malnutrition and inflammation in hemodialysis patients. <i>Journal of Renal Nutrition</i> , <b>2009</b> , 19, 401-11	3	22
281	Serum amyloid-A rather than C-reactive protein is a better predictor of mortality in hemodialysis patients. <b>2009</b> , 219, 121-7		10
280	High-calorie diet with moderate protein restriction prevents cachexia and ameliorates oxidative stress, inflammation and proteinuria in experimental chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , <b>2010</b> , 14, 536-47	2.5	26
279	Secondary hyperparathyroidism and anemia in children treated by hemodialysis. <b>2010</b> , 55, 326-34		9

278	Cognitive impairment and 7-year mortality in dialysis patients. <b>2010</b> , 56, 693-703		157
277	Prediction of influenza vaccination outcome by neural networks and logistic regression. <b>2010</b> , 43, 774-81		26
276	AGEs/RAGE in CKD: irreversible metabolic memory road toward CVD?. <b>2010</b> , 40, 623-35		38
275	Comparison of nutritional status in hemodialysis patients with and without failed renal allografts. <b>2010</b> , 24, 481-7		12
274	Brachial-ankle pulse wave velocity predicts silent cerebrovascular diseases in patients with end-stage renal diseases. <b>2010</b> , 17, 165-72		22
273	Desnutri�, inflama� e outros fatores de risco para doen� cardiovascular em pacientes sob di�lise peritoneal. <b>2010</b> , 23, 335-345		0
272	Iron, inflammation, dialysis adequacy, nutritional status, and hyperparathyroidism modify erythropoietic response. <b>2010</b> , 5, 576-81		46
271	Prognostic value of reduced left ventricular ejection fraction at start of hemodialysis therapy on cardiovascular and all-cause mortality in end-stage renal disease patients. <b>2010</b> , 5, 1793-8		65
270	Fatigue is a predictor for cardiovascular outcomes in patients undergoing hemodialysis. <b>2010</b> , 5, 659-66		75
269	The story of continuous ambulatory peritoneal dialysis in Iran. <b>2010</b> , 30, 430-3		15
268	Cost-benefit of steroid avoidance in renal transplant patients: a prospective randomized study. <b>2010</b> , 44, 175-82		8
267	Body composition in home haemodialysis versus conventional haemodialysis: a cross-sectional, matched, comparative study. <i>Nephrology Dialysis Transplantation</i> , <b>2010</b> , 25, 568-73	4.3	8
266	Long-term control of parathyroid hormone and calcium-phosphate metabolism after parathyroidectomy in children with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , <b>2010</b> , 25, 2590-5	4.3	18
265	The circulating soluble TRAIL is a negative marker for inflammation inversely associated with the mortality risk in chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , <b>2010</b> , 25, 2596-602 <sup>4.3</sup>		42
264	Lacking evidence for calcium-binding protein fetuin-A to be linked with chronic kidney disease-related pruritus (CKD-rP). <b>2010</b> , 3, 104-5		4
263	New-onset diabetes after hemodialysis initiation: impact on survival. <b>2010</b> , 31, 239-46		18
262	Predictors of mortality in patients returning to dialysis after allograft loss. <b>2010</b> , 30, 56-63		11
261	Prognostic values of C-reactive protein levels on clinical outcome after endovascular therapy in hemodialysis patients with peripheral artery disease. <b>2010</b> , 52, 854-9		18

260	Inflammatory cytokines in saliva: early signs of metabolic disorders in chronic kidney disease. A controlled cross-sectional study. <b>2010</b> , 110, 597-604		24
259	Principles of Hemodialysis. <b>2010</b> , 277-302		1
258	Could the level of serum albumin be a method for assessing malnutrition in hemodialysis patients?. <b>2011</b> , 26, 607-13		9
257	Marine n-3 polyunsaturated fatty acids in patients with end-stage renal failure and in subjects without kidney disease: a comparative study. <i>Journal of Renal Nutrition</i> , <b>2011</b> , 21, 169-75	3	35
256	Influence of inflammation on total energy expenditure in hemodialysis patients. <i>Journal of Renal Nutrition</i> , <b>2011</b> , 21, 387-93	3	26
255	Effects of conventional versus biocompatible peritoneal dialysis solutions on peritoneal and systemic inflammation, malnutrition and atherosclerosis in CAPD patients. <b>2011</b> , 76, 314-22		17
254	Deficient degradation of homotrimeric type I collagen, $\alpha(1)3$ glomerulopathy in oim mice. <b>2011</b> , 104, 373-82		8
253	Poly(ADP-ribose) polymerase-1 mediates angiotensin II-induced expression of plasminogen activator inhibitor-1 and fibronectin in rat mesangial cells. <b>2011</b> , 34, 320-7		5
252	Malnutrition-inflammation-atherosclerosis syndrome in patients with end-stage renal disease. <b>2011</b> , 37, 12-5		34
251	[Surgical treatment of secondary hyperparathyroidism in patients with chronic renal failure]. <b>2011</b> , 7, 105-10		6
250	[Secondary hyperparathyroidism and anemia. Effects of a calcimimetic on the control of anemia in chronic hemodialysed patients. Pilot Study]. <b>2011</b> , 7, 229-36		11
249	Elevated osteoprotegerin is associated with inflammation, malnutrition and new onset cardiovascular events in peritoneal dialysis patients. <b>2011</b> , 219, 925-30		17
248	Resistance to Recombinant Human Erythropoietin Therapy in Haemodialysis Patients. <b>2011</b> ,		
247	Relationship between erythropoietin responsiveness, insulin resistance, and malnutrition-inflammation-atherosclerosis (MIA) syndrome in hemodialysis patients with diabetes. <b>2011</b> , 34, 16-25		27
246	[Inflammation in chronic kidney disease: the role of cytokines]. <b>2011</b> , 33, 351-64		42
245	Membrane-type 4 matrix metalloproteinase (MT4-MMP) modulates water homeostasis in mice. <i>PLoS ONE</i> , <b>2011</b> , 6, e17099	3-7	9
244	Has the incidence of end-stage renal disease in the USA and other countries stabilized?. <b>2011</b> , 20, 241-5		80
243	Experience of Iranian persons receiving hemodialysis: a descriptive, exploratory study. <b>2011</b> , 13, 88-93		39

242	Does it matter how parathyroid hormone levels are suppressed in secondary hyperparathyroidism?. <i>Seminars in Dialysis</i> , <b>2011</b> , 24, 298-306	2.5	15
241	Wasting and sudden cardiac death in hemodialysis patients: a post hoc analysis of 4D (Die Deutsche Diabetes Dialyse Studie). <b>2011</b> , 58, 599-607		23
240	High mobility group box protein-1 correlates with microinflammatory state and nutritional status in continuous ambulatory peritoneal dialysis patients. <b>2011</b> , 14, 125-32		12
239	Diseases of the parathyroid gland in chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , <b>2011</b> , 15, 797-809	2.5	38
238	Cox proportional hazard model analysis of survival in end-stage renal disease patients with small-sized high-density lipoprotein particles. <b>2011</b> , 44, 635-41		9
237	Handgrip strength is an independent predictor of renal outcomes in patients with chronic kidney diseases. <i>Nephrology Dialysis Transplantation</i> , <b>2011</b> , 26, 3588-95	4.3	91
236	Markers of inflammation predict the long-term risk of developing chronic kidney disease: a population-based cohort study. <b>2011</b> , 80, 1231-8		134
235	Effects of unfractionated heparin and low-molecular-weight heparin on osteoprotegerin and RANKL plasma levels in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , <b>2011</b> , 26, 646-52	4.3	9
234	Role of residual renal function in phosphate control and anemia management in chronic hemodialysis patients. <b>2011</b> , 6, 281-9		66
233	The relationship between epicardial adipose tissue and malnutrition, inflammation, atherosclerosis/calcification syndrome in ESRD patients. <b>2011</b> , 6, 1920-5		50
232	Increased calcification and protein nitration in arteries of chronic kidney disease patients. <b>2011</b> , 32, 296-302		16
231	Nasal carriage of methicillin-resistant <i>Staphylococcus aureus</i> is associated with higher all-cause mortality in hemodialysis patients. <b>2011</b> , 6, 167-74		39
230	Cardiorenal syndrome type 4-cardiovascular disease in patients with chronic kidney disease: epidemiology, pathogenesis, and management. <b>2011</b> , 2011, 938651		19
229	Studies on Renal Disorders. <b>2011</b> ,		3
228	Effects of AST-120 on left ventricular mass in predialysis patients. <b>2011</b> , 33, 218-23		29
227	Nutritional state alters the association between free triiodothyronine levels and mortality in hemodialysis patients. <b>2011</b> , 33, 305-12		45
226	Restless legs syndrome enhances cardiovascular risk and mortality in patients with end-stage kidney disease undergoing long-term haemodialysis treatment. <i>Nephrology Dialysis Transplantation</i> , <b>2011</b> , 26, 1976-83	4.3	109
225	TLR-4+ peripheral blood monocytes and cardiovascular events in patients with chronic kidney disease--a prospective follow-up study. <i>Nephrology Dialysis Transplantation</i> , <b>2011</b> , 26, 1421-4	4.3	13

224	Recent insights in inflammation-associated wasting in patients with chronic kidney disease. <b>2011</b> , 171, 120-126		29
223	Outcome of patients on haemodialysis in Khuzestan, Iran. <b>2011</b> , 4, 143-4		8
222	Upper extremity axillary loop grafts: an opportunity in hemodialysis access. <b>2013</b> , 5, 697-701		4
221	Echocardiographic parameters are independently associated with increased cardiovascular events in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 1064-70	4-3	47
220	Pentoxifylline decreases serum levels of tumor necrosis factor alpha, interleukin 6 and C-reactive protein in hemodialysis patients: results of a randomized double-blind, controlled clinical trial. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 2023-8	4-3	40
219	Effect of statins on chronic inflammation and nutrition status in renal dialysis patients: a systematic review and meta-analysis. <b>2012</b> , 17, 545-51		25
218	Study on the relationship between serum 25-hydroxyvitamin D levels and vascular calcification in hemodialysis patients with consideration of seasonal variation in vitamin D levels. <b>2012</b> , 220, 563-8		11
217	A hazardous link between malnutrition, inflammation and oxidative stress in renal patients. <b>2012</b> , 45, 1202-5		18
216	Role of homocysteine in end-stage renal disease. <b>2012</b> , 45, 1286-94		35
215	Health-related quality of life in different stages of chronic kidney disease and at initiation of dialysis treatment. <b>2012</b> , 10, 71		120
214	Malnutrition and co-morbidity in diabetic kidney disease patients. <b>2012</b> , 1, 138-143		1
213	Review of oxidative stress in relevance to uremia. <b>2012</b> , 1, 215-221		2
212	Flaxseed oil supplementation decreases C-reactive protein levels in chronic hemodialysis patients. <b>2012</b> , 32, 921-7		44
211	Prevalence and risk factors of sleep disturbance in continuous ambulatory peritoneal dialysis patients in Guangzhou, southern China. <b>2012</b> , 44, 929-36		26
210	Conversion from conventional in-centre thrice-weekly haemodialysis to short daily home haemodialysis ameliorates uremia-associated clinical parameters. <b>2012</b> , 44, 883-90		8
209	Perilipin-1 in hemodialyzed patients: association with history of coronary heart disease and lipid profile. <i>Therapeutic Apheresis and Dialysis</i> , <b>2012</b> , 16, 355-60	1-9	1
208	Postnatal early overnutrition dysregulates the intrarenal renin-angiotensin system and extracellular matrix-linked molecules in juvenile male rats. <b>2012</b> , 23, 937-45		18
207	Selenium for malnutrition in hemodialysis patients: have we considered all of the elements?. <i>Nephrology Dialysis Transplantation</i> , <b>2013</b> , 28, 498-500	4-3	4

206	Oral disease in adults treated with hemodialysis: prevalence, predictors, and association with mortality and adverse cardiovascular events: the rationale and design of the ORAL Diseases in hemodialysis (ORAL-D) study, a prospective, multinational, longitudinal, observational, cohort study. <b>2013</b> , 14, 90			13
205	Searching the optimal PTH target range in children undergoing peritoneal dialysis: new insights from international cohort studies. <b>2013</b> , 28, 537-45			34
204	Validity of malnutrition scores for predicting mortality in chronic hemodialysis patients. <b>2013</b> , 45, 1747-52			16
203	Endothelial dysfunction, inflammation and malnutrition markers as predictors of mortality in dialysis patients: multimarker approach. <b>2013</b> , 45, 1715-24			14
202	Oxidative stress in patients treated with continuous ambulatory peritoneal dialysis (CAPD) and the significant role of vitamin C and E supplementation. <b>2013</b> , 45, 1137-44			34
201	Peri-aortic fat tissue and malnutrition-inflammation-atherosclerosis/calcification syndrome in end-stage renal disease patients. <b>2013</b> , 45, 857-67			11
200	Anti-inflammatory interventions in end-stage kidney disease: a randomized, double-blinded, controlled and crossover clinical trial on the use of pravastatin in continuous ambulatory peritoneal dialysis. <b>2013</b> , 44, 633-7			12
199	Anti-Inflammatory and Anti-Oxidative Nutrition in Hypoalbuminemic Dialysis Patients (AIONID) study: results of the pilot-feasibility, double-blind, randomized, placebo-controlled trial. <b>2013</b> , 4, 247-57			22
198	Altered Lipid Metabolism and Serum Lipids in Kidney Disease and Kidney Failure. <b>2013</b> , 31-48			1
197	Infrequent dialysis: a new paradigm for hemodialysis initiation. <i>Seminars in Dialysis</i> , <b>2013</b> , 26, 720-7	2.5		56
196	Effect of dialysate sodium reduction on body water volume, blood pressure, and inflammatory markers in hemodialysis patients--a prospective randomized controlled study. <b>2013</b> , 35, 742-7			19
195	Cytokines in chronic kidney disease: potential link of MCP-1 and dyslipidemia in glomerular diseases. <b>2013</b> , 28, 463-9			30
194	Sertraline decreases serum level of interleukin-6 (IL-6) in hemodialysis patients with depression: results of a randomized double-blind, placebo-controlled clinical trial. <b>2013</b> , 17, 917-23			51
193	Differential effect of baseline adiponectin on all-cause mortality in hemodialysis patients depending on initial body mass index. Long-term follow-up data of 4.5 years. <i>Journal of Renal Nutrition</i> , <b>2013</b> , 23, 45-56	3		16
192	Nutritional management of renal transplant patients. <b>2013</b> , 7, 88-93			1
191	Correlates of exercise capacity in pediatric patients on chronic hemodialysis. <i>Journal of Renal Nutrition</i> , <b>2013</b> , 23, 380-6	3		4
190	Nutritional and inflammatory axis of racial survival disparities. <i>Seminars in Dialysis</i> , <b>2013</b> , 26, 36-9	2.5		4
189	Mechanisms of epoxyeicosatrienoic acids to improve cardiac remodeling in chronic renal failure disease. <b>2013</b> , 701, 33-9			9

188	Clinical practice guidelines for healthy eating for the prevention and treatment of metabolic and endocrine diseases in adults: cosponsored by the American Association of Clinical Endocrinologists/the American College of Endocrinology and the Obesity Society. <b>2013</b> , 19 Suppl 3, 1-82		67
187	Determinants of cardiovascular risk in haemodialysis patients: post hoc analyses of the AURORA study. <b>2013</b> , 37, 144-51		22
186	Gene expression changes in venous segment of overflow arteriovenous fistula. <b>2013</b> , 2013, 980923		1
185	Quality of life in dialysis patients from the United Arab Emirates. <b>2013</b> , 20, 106-12		21
184	The association between peritoneal charge barrier dysfunction and protein lost during continuous ambulatory peritoneal dialysis. <b>2013</b> , 37, 252-8		2
183	Circulating levels of soluble receptor for advanced glycation end product are inversely associated with vascular calcification in patients on haemodialysis independent of S100A12 (EN-RAGE) levels. <b>2013</b> , 18, 777-82		21
182	Leukocyte-derived MMP9 is crucial for the recruitment of proinflammatory macrophages in experimental glomerulonephritis. <b>2013</b> , 83, 865-77		32
181	Nutrition in kidney transplantation. <b>2013</b> , 36, 677-86		3
180	Prevalence and risk factors of fluid overload in Southern Chinese continuous ambulatory peritoneal dialysis patients. <i>PLoS ONE</i> , <b>2013</b> , 8, e53294	3-7	43
179	Impact of living environment on 2-year mortality in elderly maintenance hemodialysis patients. <i>PLoS ONE</i> , <b>2013</b> , 8, e74358	3-7	10
178	Health-related quality-of-life after percutaneous coronary intervention in patients with UA/NSTEMI and STEMI: the Korean multicenter registry. <b>2013</b> , 28, 848-54		14
177	Oxidative Stress and Antioxidant Therapy in Chronic Kidney and Cardiovascular Disease. <b>2013</b> ,		2
176	The association of uremic toxins and inflammation in hemodialysis patients. <i>PLoS ONE</i> , <b>2014</b> , 9, e102691	3,7	16
175	Long Dialysis Time is the More Important Factor of Erythropoietin Response in Hemodialysis Patients with Diabetes than Kt/V. <b>2014</b> , 05,		
174	A Review of Chronic Kidney Disease and the Immune System: A Special Form of Immunosenescence. <b>2014</b> , 03,		2
173	Factors affecting effectiveness of vaccination against hepatitis B virus in hemodialysis patients. <b>2014</b> , 20, 12018-25		20
172	A comparison of markers of myocardial injury and their relation to nutritional parameters in hemodialysis patients. <b>2014</b> , 36, 1060-6		
171	Vitamins in dialysis: who, when and how much?. <b>2014</b> , 36, 638-50		13



170	Association of small, dense low-density lipoprotein cholesterol and galectin-3 in patients with chronic kidney disease. <b>2014</b> , 74, 637-43		9
169	Increased dialysate MCP-1 is associated with cardiovascular mortality in peritoneal dialysis patients: a prospective observational study. <b>2014</b> , 40, 291-9		6
168	Insulin resistance is associated with new-onset cardiovascular events in nondiabetic patients undergoing peritoneal dialysis. <b>2014</b> , 33, 192-8		7
167	Reply to letter to the editor: adiponectin levels in hemodialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , <b>2014</b> , 18, 216-7	1.9	
166	The level of C-reactive protein in chronic hemodialysis patients: a comparative study between patients with noninfected catheters and arteriovenous fistula in two large Gulf hemodialysis centers. <b>2014</b> , 18, 674-9		5
165	Plasma adiponectin levels for prediction of cardiovascular risk among hemodialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , <b>2014</b> , 18, 185-92	1.9	10
164	Chronic graft loss and death in patients with post-transplant malignancy in living kidney transplantation: a competing risk analysis. <b>2014</b> , 6, e14302		5
163	Role of dyslipidemia in impairment of energy metabolism, oxidative stress, inflammation and cardiovascular disease in chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , <b>2014</b> , 18, 265-8	2.5	59
162	Effect of dietary sodium restriction on body water, blood pressure, and inflammation in hemodialysis patients: a prospective randomized controlled study. <b>2014</b> , 46, 91-7		36
161	Assessment of nutritional status in children with chronic kidney disease and on dialysis. <b>2014</b> , 29, 1349-58		25
160	Comparison of novel risk factors for cardiovascular disease between hemodialysis patients with and without protein-energy wasting. <b>2014</b> , 46, 2015-20		4
159	Association among oral health parameters, periodontitis, and its treatment and mortality in patients undergoing hemodialysis. <b>2014</b> , 85, e169-78		35
158	Body-mass index and mortality in incident dementia: a cohort study on 11,398 patients from SveDem, the Swedish Dementia Registry. <b>2014</b> , 15, 447.e1-7		43
157	Parvovirus B19 (B19) and cytomegalovirus (CMV) infections and anti-erythropoietin (anti-EPO) antibodies in patients on dialysis hypo-responsive to erythropoietin therapy. <b>2014</b> , 431, 52-7		5
156	Active vitamin D analogs, maxacalcitol and alfacalcidol, as maintenance therapy for mild secondary hyperparathyroidism in hemodialysis patients - a randomized study. <b>2014</b> , 52, 360-8		0
155	Calcification of the aortic arch predicts cardiovascular and all-cause mortality in chronic hemodialysis patients. <b>2014</b> , 4, 34-42		23
154	Periaortic Fat Tissue: A Predictor of Cardiac Valvular Calcification, Malnutrition, Inflammation, and Atherosclerosis Components in Hemodialysis Patients. <b>2015</b> , 39, 748-55		4
153	Epicardial adipose tissue in patients with end-stage renal disease on haemodialysis. <b>2015</b> , 24, 517-24		8

152	Association of malnutrition-inflammation score, dialysis-malnutrition score and serum albumin with novel risk factors for cardiovascular diseases in hemodialysis patients. <b>2015</b> , 37, 113-6		6
151	Phenotypes influencing low physical activity in maintenance dialysis. <i>Journal of Renal Nutrition</i> , <b>2015</b> , 25, 31-9	3	30
150	Resistance of dialyzed patients to erythropoietin. <b>2015</b> , 37, 190-7		26
149	Physical methods for evaluating the nutrition status of hemodialysis patients. <b>2015</b> , 28, 523-30		15
148	Haemodialysis-induced hypoglycaemia and glycaemic disarrays. <b>2015</b> , 11, 302-13		80
147	Pretransplant malnutrition, inflammation, and atherosclerosis affect cardiovascular outcomes after kidney transplantation. <b>2015</b> , 16, 109		17
146	Thresholds of iron markers for iron deficiency erythropoiesis-finding of the Japanese nationwide dialysis registry. <b>2015</b> , 5, 23-32		20
145	Risk factors for mortality in Chinese patients on continuous ambulatory peritoneal dialysis. <b>2015</b> , 35, 199-205		15
144	Inflammation and L-carnitine therapy in hemodialysis patients: a review. <i>Clinical and Experimental Nephrology</i> , <b>2015</b> , 19, 331-5	2.5	17
143	Periodontal status, inflammation, and malnutrition in hemodialysis patients - is there a link?. <i>Journal of Renal Nutrition</i> , <b>2015</b> , 25, 67-74	3	12
142	Asociaci3n entre niveles de hormonas tiroideas y grosor de la 3ntima-media de la car3tida interna en pacientes con insuficiencia renal cr3nica en hemodi3lisis. <b>2016</b> , 27, 75		
141	Malnutrition in pre-dialysis chronic kidney disease patients in a teaching hospital in Southern Nigeria. <b>2016</b> , 16, 234-41		7
140	The role of nutraceuticals, functional foods and value added food products in the prevention and treatment of chronic diseases. <b>2016</b> , 10, 185-193		25
139	Serum C-reactive protein levels in pre-dialysis chronic kidney disease patients in southern Nigeria. <b>2016</b> , 50, 31-8		13
138	Transcriptomics: A Step behind the Comprehension of the Polygenic Influence on Oxidative Stress, Immune Deregulation, and Mitochondrial Dysfunction in Chronic Kidney Disease. <b>2016</b> , 2016, 9290857		12
137	Dialysis vintage stratified comparison of body composition, hydration and nutritional state in peritoneal dialysis and hemodialysis patients. <b>2018</b> , 14, 807-817		6
136	Resistance to Recombinant Human Erythropoietin Therapy in a Rat Model of Chronic Kidney Disease Associated Anemia. <b>2015</b> , 17,		6
135	Hemodialysis-induced regional left ventricular systolic dysfunction. <b>2016</b> , 20, 564-572		9

134	Linagliptin monotherapy compared with voglibose monotherapy in patients with type 2 diabetes undergoing hemodialysis: a 12-week randomized trial. <b>2016</b> , 4, e000265	7
133	Malnutrition, renal dysfunction and left ventricular hypertrophy synergistically increase the long-term incidence of cardiovascular events. <b>2016</b> , 39, 633-9	19
132	The role of mineral and bone disorders in the development and progression of cardiac and renal pathology in patients with type 1 diabetes mellitus of long duration. <b>2016</b> , 118, 29-37	3
131	Antibodies to hepatitis B virus surface antigen and survival of hemodialysis patients - a prospective study. <b>2016</b> , 15, 1063-74	7
130	The Influence of Hemodialysis on T Regulatory Cells: A Meta-Analysis and Systematic Review. <b>2016</b> , 42, 307-313	8
129	Heart failure and kidney dysfunction: epidemiology, mechanisms and management. <b>2016</b> , 12, 610-23	227
128	Risk factors associated with secondary hyperparathyroidism in patients with chronic kidney disease. <b>2016</b> , 12, 1206-1212	6
127	Recurrent Vascular Access Dysfunction as a Novel Marker of Cardiovascular Outcome and Mortality in Hemodialysis Patients. <b>2016</b> , 44, 71-80	6
126	The Determinants of Hemoglobin Variability in Hemodialysis Patients. <b>2016</b> , 14, 77-83	
125	Sleep quality and risk factors of atherosclerosis in predialysis chronic kidney disease. <b>2017</b> , 39, 563-569	5
124	Changes in the ankle-brachial blood pressure index among hemodialysis patients. <b>2016</b> , 2,	2
123	Budget impact of secondary hyperparathyroidism treatment in chronic kidney disease in an Ecuadorian social security hospital. <b>2016</b> , 16, 443	2
122	Response to active hepatitis B vaccination and mortality in incident dialysis patients. <b>2017</b> , 35, 814-820	13
121	Management of secondary hyperparathyroidism: how and why?. <i>Clinical and Experimental Nephrology</i> , <b>2017</b> , 21, 37-45	2.5 31
120	The Use of Vitamin D Metabolites and Analogues in the Treatment of Chronic Kidney Disease. <b>2017</b> , 46, 983-1007	19
119	Associations Between Chronic Kidney Disease and Outcomes With Use of Prasugrel Versus Clopidogrel in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention: A Report From the PROMETHEUS Study. <b>2017</b> , 10, 2017-2025	27
118	Folic Acid and Homocysteine in Chronic Kidney Disease and Cardiovascular Disease Progression: Which Comes First?. <b>2017</b> , 7, 255-266	48
117	Periodontitis and early mortality among adults treated with hemodialysis: a multinational propensity-matched cohort study. <b>2017</b> , 18, 166	11

116	Relationship between Anemia and Serum Concentrations of Calcium and Phosphorus in Advanced Non-Dialysis-Dependent Chronic Kidney Disease. <b>2017</b> , 135, 97-104		7
115	Associations among Serum Beta 2 Microglobulin, Malnutrition, Inflammation, and Advanced Cardiovascular Event in Patients with Chronic Kidney Disease. <b>2017</b> , 31,		12
114	Epidemiological Transition of End-Stage Kidney Disease in Oman. <b>2017</b> , 2, 27-35		13
113	The Diet and Haemodialysis Dyad: Three Eras, Four Open Questions and Four Paradoxes. A Narrative Review, Towards a Personalized, Patient-Centered Approach. <i>Nutrients</i> , <b>2017</b> , 9,	6.7	29
112	Proportions of Proinflammatory Monocytes Are Important Predictors of Mortality Risk in Hemodialysis Patients. <b>2017</b> , 2017, 1070959		8
111	Nutritional Status in Adults with Predialysis Chronic Kidney Disease: KNOW-CKD Study. <b>2017</b> , 32, 257-263		23
110	Lower serum potassium associated with increased mortality in dialysis patients: A nationwide prospective observational cohort study in Korea. <i>PLoS ONE</i> , <b>2017</b> , 12, e0171842	3.7	24
109	Effect of dialysis modality on frailty phenotype, disability, and health-related quality of life in maintenance dialysis patients. <i>PLoS ONE</i> , <b>2017</b> , 12, e0176814	3.7	31
108	Association between periodontal disease and mortality in people with CKD: a meta-analysis of cohort studies. <b>2017</b> , 18, 269		11
107	Comparison of the CHADS, CHADS-VASc and RCHADS Scores in Japanese Patients with Non-valvular Paroxysmal Atrial Fibrillation Not Receiving Anticoagulation Therapy. <b>2017</b> , 56, 2827-2836		2
106	Administration of pentoxifylline to improve anemia of hemodialysis patients. <b>2017</b> , 6, 61-64		0
105	Parathyroidectomy decreases neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios. <b>2018</b> , 224, 169-175		8
104	Can we manage lupus nephritis without chronic corticosteroids administration?. <b>2018</b> , 17, 4-10		24
103	Association of Uremic Toxins and Inflammatory Markers with Physical Performance in Dialysis Patients. <b>2018</b> , 10,		10
102	. <b>2018</b> ,		
101	Intradialytic aerobic training improves inflammatory markers in patients with chronic kidney disease: a randomized clinical trial. <b>2018</b> , 24,		3
100	Nursing educational intervention for the identification of Adverse Events in hemodialysis. <b>2018</b> , 71, 1507-1513		2
99	Design and methodology of the screening for CKD among older patients across Europe (SCOPE) study: a multicenter cohort observational study. <b>2018</b> , 19, 260		11

98	Impact of Objective Malnutrition Status on the Clinical Outcomes in Patients With Peripheral Artery Disease Following Endovascular Therapy. <b>2018</b> , 82, 847-856		34
97	Vascular Calcification in Chronic Kidney Disease: The Role of Inflammation. <b>2018</b> , 2018, 4310379		27
96	The Association between Intradialytic Hypertension and Metabolic Disorders in End Stage Renal Disease. <b>2018</b> , 2018, 1681056		6
95	Serum albumin, inflammation, and nutrition in end-stage renal disease: C-reactive protein is needed for optimal assessment. <i>Seminars in Dialysis</i> , <b>2018</b> , 31, 435-439	2.5	13
94	Precision Medicine in the Transition to Dialysis and Personalized Renal Replacement Therapy. <b>2018</b> , 38, 325-335		14
93	Association between abnormal thalamic metabolites and sleep disturbance in patients with end-stage renal disease. <b>2018</b> , 33, 1641-1648		5
92	Increased prevalence of peripheral arterial disease in patients with obese sarcopenia undergoing hemodialysis. <b>2018</b> , 15, 5148-5152		2
91	The higher mortality associated with low serum albumin is dependent on systemic inflammation in end-stage kidney disease. <i>PLoS ONE</i> , <b>2018</b> , 13, e0190410	3.7	54
90	Variability of red blood cell size predicts all-cause mortality, but not progression to dialysis, in patients with chronic kidney disease: A 13-year pre-ESRD registry-based cohort. <b>2019</b> , 497, 163-171		6
89	Triglyceride Glucose Index Predicting Cardiovascular Mortality in Chinese Initiating Peritoneal Dialysis: A Cohort Study. <b>2019</b> , 44, 669-678		8
88	Functional iron deficiency in patients on hemodialysis: prevalence, nutritional assessment, and biomarkers of oxidative stress and inflammation. <b>2019</b> , 41, 472-480		3
87	Correlation of anti-heat shock protein 70 antibodies serum level with malnutrition-inflammation score in hemodialysis patients. <b>2019</b> , 51, 1849-1854		
86	Factors associated with erythropoiesis-stimulating agent hyporesponsiveness anemia in chronic kidney disease patients. <b>2019</b> , 11, 8183		2
85	Redox Balance Correlates with Nutritional Status among Patients with End-Stage Renal Disease Treated with Maintenance Hemodialysis. <b>2019</b> , 2019, 6309465		2
84	Geriatric indexes and malnutrition in dialysis patients. Are we actually speaking of nutritional issues?. <b>2019</b> , 38, 2471-2472		1
83	GREATER LOW-DENSITY LIPOPROTEIN CHOLESTEROL VARIABILITY INCREASES THE RISK OF CARDIOVASCULAR EVENTS IN PATIENTS WITH TYPE 2 DIABETES MELLITUS. <b>2019</b> , 25, 918-925		9
82	Factors related to peripheral arterial disease in patients undergoing hemodialysis: the potential role of monocyte chemoattractant protein-1. <b>2019</b> , 42, 1528-1535		1
81	Clinical implications of fetuin-A. <b>2019</b> , 89, 79-130		15

80	Folic Acid and Vitamin B12 Administration in CKD, Why Not?. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	43
79	Etiology of Renal Replacement Therapy in Iran. <b>2019</b> , 2019, 5010293		1
78	Combined Predictive Value of Extracellular Fluid/Intracellular Fluid Ratio and the Geriatric Nutritional Risk Index for Mortality in Patients Undergoing Hemodialysis. <i>Nutrients</i> , <b>2019</b> , 11,	6.7	7
77	Principles of Hemodialysis. <b>2019</b> , 339-360.e7		
76	Chronic dialysis in patients with end-stage renal disease: Relevance to kidney xenotransplantation. <b>2019</b> , 26, e12471		14
75	Andrographis paniculata diterpenoids and ethanolic extract inhibit TNF $\alpha$ -induced ICAM-1 expression in EA.hy926 cells. <b>2019</b> , 52, 157-167		9
74	Inflammation and nutritional status assessment by malnutrition inflammation score and its outcome in pre-dialysis chronic kidney disease patients. <b>2019</b> , 38, 341-347		26
73	Therapeutic targets of vitamin D receptor ligands and their pharmacokinetic effects by modulation of transporters and metabolic enzymes. <b>2020</b> , 50, 1-16		4
72	High-Flux versus High-Retention-Onset Membranes: In vivo Small and Middle Molecules Kinetics in Convective Dialysis Modalities. <b>2020</b> , 49, 8-15		7
71	Chronic Kidney Disease. <b>2020</b> ,		1
70	The effect of aerobic and resistance exercise training on the health related quality of life, physical function, and muscle strength among hemodialysis patients with Type 2 diabetes. <b>2020</b> , 24, 98-103		9
69	Cardiovascular Protection of Nephropathic Male Patients by Oral Food Supplements. <b>2020</b> , 2020, 1807941		15
68	Protective Effects and Metabolic Regulatory Mechanisms of Shenyang Fangshuai Recipe on Chronic Kidney Disease in Rats. <b>2020</b> , 2020, 5603243		1
67	Prevalence of malnutrition inflammation complex syndrome among patients on maintenance haemodialysis at Muhimbili National Hospital in Tanzania: a cross-sectional study. <b>2020</b> , 21, 521		2
66	The influence of postoperative albumin levels on the outcome of cardiac surgery. <b>2020</b> , 15, 78		11
65	Intradialytic Nutrition and Hemodialysis Prescriptions: A Personalized Stepwise Approach. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	11
64	Hemodialysis Does Not Induce Detectable Activation of the Contact System of Coagulation. <b>2020</b> , 5, 831-838		3
63	Is There a Gender Difference in Clinical Presentation of Renal Hyperparathyroidism and Outcome after Parathyroidectomy?. <b>2020</b> , 36, 34-40		3

62	Three compartment bioimpedance spectroscopy in the nutritional assessment and the outcome of patients with advanced or end stage kidney disease: What have we learned so far?. <b>2020</b> , 24, 148-161		8
61	A tRial Evaluating Mid Cut-Off Value Membrane Clearance of Albumin and Light Chains in HemoDialysis Patients: A Safety Device Study. <b>2020</b> , 49, 468-478		21
60	Racial differences of early vascular aging in children and adolescents. <b>2021</b> , 36, 1087-1108		6
59	Relationship between serum phosphate levels and survival in chronic hemodialysis patients: interactions with age, malnutrition and inflammation. <b>2021</b> , 14, 348-357		5
58	Time evolution of restless legs syndrome in haemodialysis patients. <b>2021</b> , 14, 341-347		1
57	Effect of parathyroidectomy on bone tissue biomarkers and body composition in patients with chronic kidney disease and secondary hyperparathyroidism. <b>2021</b> , 75, 1126-1133		1
56	Impact of preoperative nutritional scores on 1-year postoperative mortality in patients undergoing valvular heart surgery. <b>2021</b> ,		8
55	Clinical relevance of abstruse transport phenomena in haemodialysis.. <b>2021</b> , 14, i85-i97		0
54	CE-MS-Based Identification of Uremic Solutes Specific to Hemodialysis Patients. <b>2021</b> , 13,		0
53	Maintenance of Skeletal Muscle to Counteract Sarcopenia in Patients with Advanced Chronic Kidney Disease and Especially Those Undergoing Hemodialysis. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	2
52	Possible benefits of exogenous melatonin for individuals on dialysis: a narrative review on potential mechanisms and clinical implications. <b>2021</b> , 394, 1599-1611		
51	Non-high-density lipoprotein cholesterol and mortality among peritoneal dialysis patients. <b>2021</b> ,		1
50	Biomarkers of Uremic Cardiotoxicity. <b>2021</b> , 13,		2
49	Toward an individualized determination of dialysis adequacy: a narrative review with special emphasis on incremental hemodialysis. <b>2021</b> , 21, 1119-1137		0
48	Herbal antioxidants in dialysis patients: a review of potential mechanisms and medical implications. <b>2021</b> , 43, 351-361		8
47	Oxidative Stress and Chronic Renal Disease [Clinical Aspects]. <b>2014</b> , 2625-2644		1
46	Association of hsCRP, white blood cell count and ferritin with renal outcome in chronic kidney disease patients. <i>PLoS ONE</i> , <b>2012</b> , 7, e52775	3.7	18
45	Higher peritoneal protein clearance as a risk factor for cardiovascular disease in peritoneal dialysis patient. <i>PLoS ONE</i> , <b>2013</b> , 8, e56223	3.7	19

44	Hyponatremia Predicts New-Onset Cardiovascular Events in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , <b>2015</b> , 10, e0129480	3.7	11
43	The Predictive Role of Serum Triglyceride to High-Density Lipoprotein Cholesterol Ratio According to Renal Function in Patients with Acute Myocardial Infarction. <i>PLoS ONE</i> , <b>2016</b> , 11, e0165484	3.7	9
42	Extracellular Fluid/Intracellular Fluid Volume Ratio as a Novel Risk Indicator for All-Cause Mortality and Cardiovascular Disease in Hemodialysis Patients. <i>PLoS ONE</i> , <b>2017</b> , 12, e0170272	3.7	41
41	Effect of selenium supplementation on lipid profile in hemodialysis patients. <b>2016</b> , 5, 179-82		10
40	Interleukine 6 and C-reactive protein predict growth impairment and acute malnutrition in children and adolescents with chronic kidney disease. <b>2019</b> , 36, 1248-1253		1
39	Proatherogenic Importance of Carbamylation-induced Protein Damage and Type 2 Diabetes Mellitus: A Systematic Review. <i>Current Diabetes Reviews</i> , <b>2020</b> , 16, 608-618	2.7	1
38	Association Rule Mining and Prognostic Stratification of 2-Year Longevity in Octogenarians Undergoing Endovascular Therapy for Lower Extremity Arterial Disease: Observational Cohort Study. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e17487	7.6	2
37	Dynamic thiol/disulfide homeostasis and oxidant status in patients with hypoparathyroidism. <i>Journal of Medical Biochemistry</i> , <b>2020</b> , 39, 231-239	1.9	4
36	Advancing age and the risk of nasal carriage of <i>Staphylococcus aureus</i> among patients on long-term hospital-based hemodialysis. <i>Annals of Saudi Medicine</i> , <b>2004</b> , 24, 337-42	1.6	15
35	Nutritional Strategies for the Patient with Diabetic Nephropathy. <i>Nutrition and Disease Prevention</i> , <b>2006</b> , 149-170		
34	An overview of dialysis treatment in Juntendo Koto Geriatric Medical Center (KGMC) for the first five years of operation.. <i>Juntendo Igaku</i> , <b>2008</b> , 54, 318-323	1	1
33	Drug-Nutrient Interactions in Transplantation. <b>2009</b> , 751-765		
32	Cardiovascular Complications in Renal Failure: Implications of Advanced Glycation End Products and Their Receptor RAGE. <b>2011</b> , 257-292		
31	Knowledge Discovery and Expert Knowledge for Creating a Chart-Model of a Biological Network - Introductory to Research in Chronic Diseases and Comorbidity. <i>Lecture Notes in Computer Science</i> , <b>2011</b> , 337-348	0.9	1
30	Insuffisance R�nale et Vaisseaux. <b>2011</b> , 553-579		
29	Cardiovascular Risk Factors for Calcific Aortic Valve Disease. <b>2013</b> , 9-15		
28	?????????????????. <i>Nihon Toseki Igakkai Zasshi</i> , <b>2016</b> , 49, 813-816	0.3	
27	Body mass index mortality paradox in chronic kidney disease patients with suspected cardiac chest pain.. <i>JCSM Clinical Reports</i> , <b>2017</b> , 2,	1.5	1



26	Effects of statin therapy on clinical outcomes after acute myocardial infarction in patients with advanced renal dysfunction: A propensity score-matched analysis. <i>PLoS ONE</i> , <b>2017</b> , 12, e0183059	3.7	0
25	The role of suPAR in kidney diseases. <i>Annales Academiae Medicae Silesiensis</i> , <b>2017</b> , 71, 265-274	0.1	
24	Glucose Homeostasis and the Burnt-Out Diabetes Phenomenon in Patients with Kidney Disease. <b>2019</b> , 27-38		
23	Quality of life and regular diet in patients with chronic kidney disease. <i>Scripta Scientifica Medica</i> , <b>2019</b> , 51, 12	0.1	
22	Association Rule Mining and Prognostic Stratification of 2-Year Longevity in Octogenarians Undergoing Endovascular Therapy for Lower Extremity Arterial Disease: Observational Cohort Study (Preprint).		
21	Prevalence and predictors of heart failure among patients on maintenance hemodialysis therapy at Muhimbili National Hospital in Tanzania: a cross-sectional study. <i>Egyptian Heart Journal</i> , <b>2021</b> , 73, 97	1.3	1
20	Altered lipid metabolism and serum lipids in chronic kidney disease. <b>2022</b> , 43-60		1
19	Malnutrition and Clopidogrel Non-Use Worsen Prognosis of Critical Limb Ischemia Patients After Revascularization. <i>Circulation Reports</i> , <b>2019</b> , 2, 121-127	0.7	1
18	RELATED FACTORS OF POOR SLEEP QUALITY IN CHRONIC KIDNEY PATIENTS AND ITS EFFECT ON KIDNEY PROGRESS. <i>Journal of Contemporary Medicine</i> ,	0.1	
17	Annual change in the extracellular fluid/intracellular fluid ratio and mortality in patients undergoing maintenance hemodialysis.. <i>Scientific Reports</i> , <b>2022</b> , 12, 242	4.9	0
16	ASSOCIATION OF NUTRITION STATUS AT DIALYSIS START WITH LONG TERM SURVIVAL: A 10-YEAR RETROSPECTIVE STUDY.. <i>Journal of Renal Nutrition</i> , <b>2022</b> ,	3	0
15	Predictive role of fluctuating biochemical parameters for mortality in hemodialysis patients.. <i>Therapeutic Apheresis and Dialysis</i> , <b>2022</b> ,	1.9	
14	Chronic Kidney Disease, Metabolic Syndrome and Cardiovascular Risk: Insights and Associated Mechanistic Pathways. <i>Current Nutrition and Food Science</i> , <b>2022</b> , 18,	0.7	
13	Vitamin B12 and chronic kidney disease.. <i>Vitamins and Hormones</i> , <b>2022</b> , 119, 325-353	2.5	1
12	Cyanidin-3--Glucoside Supplement Improves Sperm Quality and Spermatogenesis in a Mice Model of Ulcerative Colitis.. <i>Nutrients</i> , <b>2022</b> , 14,	6.7	1
11	Total iron binding capacity is a predictor for muscle loss in maintenance hemodialysis patients.. <i>Clinical and Experimental Nephrology</i> , <b>2022</b> , 1	2.5	0
10	Impact of medium cut-off membranes on S100A12 and soluble receptor for advanced glycation end products. <i>Seminars in Dialysis</i> ,	2.5	
9	Randomized, double-blinded, controlled clinical trial of the effect of captopril, telmisartan and their combination on systemic inflammation of patients on hemodialysis. <b>2022</b> , 12,		0

- 8 Association of aortic arch and aortic valve calcifications with cardiovascular risk in patients on maintenance hemodialysis. 9,
- 7 Indoxyl sulfate mediates low handgrip strength and is predictive of high hospitalization rates in patients with end-stage renal disease. 10,
- 6 Ratio of extracellular water to intracellular water and simplified creatinine index as predictors of all-cause mortality for patients receiving hemodialysis. **2023**, 18, e0282864
- 5 C-reactive protein-to-albumin ratio and six-month mortality in incident hemodialysis patients. **2023**, 45,
- 4 Physiological Associations between Vitamin B Deficiency and Diabetic Kidney Disease. **2023**, 11, 1153
- 3 Intra-dialytic blood pressure variability is a greater predictor of cardiovascular events in hemodialysis patients. **2023**, 24,
- 2 Adipose tissue metabolic changes in chronic kidney disease. **2023**, 5, e00023
- 1 Impact of geriatric nutritional risk index on prognosis in peripheral artery disease patients undergoing endovascular therapy. **2023**, 25, 497-503