

CITATION REPORT

List of articles citing

Gcn4p, a master regulator of gene expression, is controlled at multiple levels by diverse signals of starvation and stress

DOI: 10.1128/ec.01.1.22-32.2002
Eukaryotic Cell, 2002, 1, 22-32.

Source: <https://exaly.com/paper-pdf/33799119/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
292	Nutrient-regulated protein kinases in budding yeast. 2002 , 111, 155-8		86
291	Controlling transcription by destruction: the regulation of yeast Gcn4p stability. <i>Current Genetics</i> , 2003 , 44, 8-18	2.9	32
290	Conducting the initiation of protein synthesis: the role of eIF4G. 2003 , 95, 141-56		161
289	Initiation of protein biosynthesis in eukaryotes. <i>Biochemistry and Molecular Biology Education</i> , 2003 , 31, 378-385	1.3	10
288	A DNA region of <i>Torulaspora delbrueckii</i> containing the HIS3 gene: sequence, gene order and evolution. <i>Yeast</i> , 2003 , 20, 1359-68	3.4	2
287	The crystal structure of the N-terminal region of the alpha subunit of translation initiation factor 2 (eIF2alpha) from <i>Saccharomyces cerevisiae</i> provides a view of the loop containing serine 51, the target of the eIF2alpha-specific kinases. 2003 , 334, 187-95		35
286	All roads lead to ATF4. 2003 , 4, 442-4		163
285	Baker's yeast: challenges and future prospects. 2003 , 57-97		19
284	Translational control by TOR and TAP42 through dephosphorylation of eIF2alpha kinase GCN2. 2003 , 17, 859-72		228
283	Phagocytosis by neutrophils induces an amino acid deprivation response in <i>Saccharomyces cerevisiae</i> and <i>Candida albicans</i> . 2003 , 100, 11007-12		192
282	Amino acid starvation and Gcn4p regulate adhesive growth and FLO11 gene expression in <i>Saccharomyces cerevisiae</i> . 2003 , 14, 4272-84		84
281	Global transcription analysis of Krebs tricarboxylic acid cycle mutants reveals an alternating pattern of gene expression and effects on hypoxic and oxidative genes. 2003 , 14, 958-72		93
280	Rapamycin-induced translational derepression of GCN4 mRNA involves a novel mechanism for activation of the eIF2 alpha kinase GCN2. <i>Journal of Biological Chemistry</i> , 2003 , 278, 20457-60	5.4	81
279	The immunosuppressant FK506 uncovers a positive regulatory cross-talk between the Hog1p and Gcn2p pathways. <i>Journal of Biological Chemistry</i> , 2003 , 278, 33887-95	5.4	12
278	PERK eIF2alpha kinase regulates neonatal growth by controlling the expression of circulating insulin-like growth factor-I derived from the liver. 2003 , 144, 3505-13		45
277	7 Regulation of the yeast general amino acid control pathway in response to nutrient stress. 2004 , 171-199		13
276	11 Integration of nutrient signalling pathways in the yeast <i>Saccharomyces cerevisiae</i> . 2004 , 277-318		5

275	DBRF-MEGN method: an algorithm for deducing minimum equivalent gene networks from large-scale gene expression profiles of gene deletion mutants. <i>Bioinformatics</i> , 2004 , 20, 2662-75	7.2	17
274	Differential activation of eIF2 kinases in response to cellular stresses in <i>Schizosaccharomyces pombe</i> . <i>Genetics</i> , 2004 , 168, 1867-75	4	75
273	Translational profiling: the genome-wide measure of the nascent proteome. 2004 , 3, 103-11		47
272	Translation reinitiation at alternative open reading frames regulates gene expression in an integrated stress response. 2004 , 167, 27-33		652
271	Loss of translational control in yeast compromised for the major mRNA decay pathway. 2004 , 24, 2998-3010		74
270	Translational regulation via 5' mRNA leader sequences revealed by mutational analysis of the <i>Arabidopsis</i> translation initiation factor subunit eIF3h. 2004 , 16, 3341-56		82
269	Activating transcription factor 3 is integral to the eukaryotic initiation factor 2 kinase stress response. 2004 , 24, 1365-77		373
268	TOR controls transcriptional and translational programs via Sap-Sit4 protein phosphatase signaling effectors. 2004 , 24, 8332-41		66
267	A Gcn4p homolog is essential for the induction of a ribosomal protein L41 variant responsible for cycloheximide resistance in the yeast <i>Candida maltosa</i> . <i>Journal of Biological Chemistry</i> , 2004 , 279, 23030-574		5
266	Nuclear localization destabilizes the stress-regulated transcription factor Msn2. <i>Journal of Biological Chemistry</i> , 2004 , 279, 55425-32	5.4	57
265	<i>Saccharomyces cerevisiae</i> Aqr1 is an internal-membrane transporter involved in excretion of amino acids. <i>Eukaryotic Cell</i> , 2004 , 3, 1492-503		61
264	Post-transcriptional expression regulation in the yeast <i>Saccharomyces cerevisiae</i> on a genomic scale. 2004 , 3, 1083-92		186
263	In vitro phosphorylation of initiation factor 2 alpha (eIF2 alpha) from hyperthermophilic archaeon <i>Pyrococcus horikoshii</i> OT3. 2004 , 135, 479-85		39
262	Disruption of the mouse mTOR gene leads to early postimplantation lethality and prohibits embryonic stem cell development. 2004 , 24, 9508-16		375
261	Reinitiation involving upstream ORFs regulates ATF4 mRNA translation in mammalian cells. 2004 , 101, 11269-74		1088
260	Cdc123 and checkpoint forkhead associated with RING proteins control the cell cycle by controlling eIF2gamma abundance. <i>Journal of Biological Chemistry</i> , 2004 , 279, 44656-66	5.4	37
259	Identification of a novel one-carbon metabolism regulon in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004 , 279, 7072-81	5.4	24
258	Tor signaling and nutrient-based signals converge on Mks1p phosphorylation to regulate expression of Rtg1.Rtg3p-dependent target genes. <i>Journal of Biological Chemistry</i> , 2004 , 279, 46527-35	5.4	66

257	Inhibition of 5' to 3' mRNA degradation under stress conditions in <i>Saccharomyces cerevisiae</i> : from GCN4 to MET16. 2004 , 10, 458-68		16
256	Dimerization is required for activation of eIF2 kinase Gcn2 in response to diverse environmental stress conditions. <i>Journal of Biological Chemistry</i> , 2004 , 279, 22820-32	5.4	64
255	The <i>Aspergillus fumigatus</i> transcriptional activator CpcA contributes significantly to the virulence of this fungal pathogen. 2004 , 52, 785-99		103
254	Characterization of IDI-4, a bZIP transcription factor inducing autophagy and cell death in the fungus <i>Podospora anserina</i> . 2004 , 53, 1625-40		41
253	MK2-induced tristetraprolin:14-3-3 complexes prevent stress granule association and ARE-mRNA decay. <i>EMBO Journal</i> , 2004 , 23, 1313-24	13	410
252	Nutritional genomics in yeast models. 2004 , 20, 166-72		4
251	Solution structure of the RWD domain of the mouse GCN2 protein. 2004 , 13, 2089-100		56
250	Nuclear import of yeast Gcn4p requires karyopherins Srp1p and Kap95p. 2004 , 271, 257-66		8
249	FK506 sensitizes mammalian cells to high osmolarity by modulating p38 MAP kinase activation. 2004 , 61, 700-8		9
248	Targets of programmed destruction: a primer to regulatory proteolysis in yeast. 2004 , 61, 1615-32		13
247	Lessons from the genome sequence of <i>Neurospora crassa</i> : tracing the path from genomic blueprint to multicellular organism. <i>Microbiology and Molecular Biology Reviews</i> , 2004 , 68, 1-108	13.2	492
246	Cap-dependent and cap-independent translation in eukaryotic systems. <i>Gene</i> , 2004 , 332, 1-11	3.8	190
245	Sense and sensibility: nutritional response and signal integration in yeast. 2004 , 7, 624-30		88
244	Parasite-specific eIF2 (eukaryotic initiation factor-2) kinase required for stress-induced translation control. <i>Biochemical Journal</i> , 2004 , 380, 523-31	3.8	72
243	Metabolic and stress adaptation by <i>Mycosphaerella graminicola</i> during sporulation in its host revealed through microarray transcription profiling. 2005 , 6, 527-40		34
242	A putative stimulatory role for activator turnover in gene expression. 2005 , 438, 113-6		156
241	Heightened stress response in primary fibroblasts expressing mutant eIF2B genes from CACH/VWM leukodystrophy patients. 2005 , 118, 99-106		69
240	A proteome analysis of the yeast response to the herbicide 2,4-dichlorophenoxyacetic acid. 2005 , 5, 1889-901		41

239	PKR and GCN2 kinases and guanine nucleotide exchange factor eukaryotic translation initiation factor 2B (eIF2B) recognize overlapping surfaces on eIF2alpha. 2005 , 25, 3063-75		56
238	Global role of the protein kinase Gcn2 in the human pathogen <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2005 , 4, 1687-96		51
237	Amino acids mediate mTOR/raptor signaling through activation of class 3 phosphatidylinositol 3OH-kinase. 2005 , 102, 14238-43		622
236	Stress-activated protein kinase pathway functions to support protein synthesis and translational adaptation in response to environmental stress in fission yeast. <i>Eukaryotic Cell</i> , 2005 , 4, 1785-93		48
235	DNA-binding specificity of the IDI-4 basic leucine zipper factor of <i>Podospora anserina</i> defined by systematic evolution of ligands by exponential enrichment (SELEX). <i>Eukaryotic Cell</i> , 2005 , 4, 476-83		15
234	Molecular mechanism of temperature sensing by the circadian clock of <i>Neurospora crassa</i> . 2005 , 19, 1968-73		89
233	Have tRNA, will travel. 2005 , 102, 11127-8		16
232	Retrograde response to mitochondrial dysfunction is separable from TOR1/2 regulation of retrograde gene expression. <i>Journal of Biological Chemistry</i> , 2005 , 280, 42528-35	5.4	68
231	Depletion of <i>Saccharomyces cerevisiae</i> tRNA(His) guanylyltransferase Thg1p leads to uncharged tRNA ^{His} with additional m(5)C. 2005 , 25, 8191-201		78
230	Modulation of yeast genome expression in response to defective RNA polymerase III-dependent transcription. 2005 , 25, 8631-42		28
229	Severe adenine starvation activates Ty1 transcription and retrotransposition in <i>Saccharomyces cerevisiae</i> . 2005 , 25, 7459-72		40
228	Evolution of 3-deoxy-D-arabino-heptulosonate-7-phosphate synthase-encoding genes in the yeast <i>Saccharomyces cerevisiae</i> . 2005 , 102, 9784-9		35
227	Starvation-induced cleavage of the tRNA anticodon loop in <i>Tetrahymena thermophila</i> . <i>Journal of Biological Chemistry</i> , 2005 , 280, 42744-9	5.4	163
226	Inhibition of translation initiation by volatile anesthetics involves nutrient-sensitive GCN-independent and -dependent processes in yeast. 2005 , 16, 3727-39		28
225	GCN2 whets the appetite for amino acids. 2005 , 18, 141-2		44
224	Bioactive small molecules reveal antagonism between the integrated stress response and sterol-regulated gene expression. 2005 , 2, 361-71		62
223	The yeast eIF4E-associated protein Eap1p attenuates GCN4 translation upon TOR-inactivation. <i>FEBS Letters</i> , 2005 , 579, 2433-8	3.8	19
222	Nitrogen metabolism of <i>Aspergillus</i> and its role in pathogenicity. 2005 , 43 Suppl 1, S31-40		58

221	Design principles of molecular networks revealed by global comparisons and composite motifs. 2006 , 7, R55		19
220	Fungal Genomics. 2006 ,		5
219	Childhood ataxia with CNS hypomyelination/vanishing white matter disease--a common leukodystrophy caused by abnormal control of protein synthesis. 2006 , 88, 7-15		57
218	Nutritional homeostasis and indispensable amino acid sensing: a new solution to an old puzzle. 2006 , 29, 91-9		50
217	DhARO4, an amino acid biosynthetic gene, is stimulated by high salinity in <i>Debaryomyces hansenii</i> . <i>Yeast</i> , 2006 , 23, 725-34	3-4	6
216	Direct ribosomal binding by a cellular inhibitor of translation. 2006 , 13, 103-11		34
215	Coordinate regulation of multiple and distinct biosynthetic pathways by TOR and PKA kinases in <i>S. cerevisiae</i> . <i>Current Genetics</i> , 2006 , 49, 281-93	2.9	40
214	Common features and interesting differences in transcriptional responses to secretion stress in the fungi <i>Trichoderma reesei</i> and <i>Saccharomyces cerevisiae</i> . 2006 , 7, 32		75
213	daf-16 protects the nematode <i>Caenorhabditis elegans</i> during food deprivation. 2006 , 61, 444-60		119
212	Eukaryotic initiation factor 2B and its role in alterations in mRNA translation that occur under a number of pathophysiological and physiological conditions. 2006 , 81, 271-96		14
211	Sodium-induced GCN4 expression controls the accumulation of the 5' to 3' RNA degradation inhibitor, 3'-phosphoadenosine 5'-phosphate. <i>Journal of Biological Chemistry</i> , 2006 , 281, 3276-82	5-4	15
210	Multiple endoplasmic reticulum-to-nucleus signaling pathways coordinate phospholipid metabolism with gene expression by distinct mechanisms. <i>Journal of Biological Chemistry</i> , 2006 , 281, 24070-83	5-4	47
209	Activation of <i>Saccharomyces cerevisiae</i> HIS3 results in Gcn4p-dependent, SWI/SNF-dependent mobilization of nucleosomes over the entire gene. 2006 , 26, 8607-22		48
208	Pair of unusual GCN5 histone acetyltransferases and ADA2 homologues in the protozoan parasite <i>Toxoplasma gondii</i> . <i>Eukaryotic Cell</i> , 2006 , 5, 62-76		46
207	Heterologous expression of membrane and soluble proteins derepresses GCN4 mRNA translation in the yeast <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2006 , 5, 248-61		12
206	Comparative genomics of transcriptional regulation in yeasts and its application to identification of a candidate alpha-isopropylmalate transporter. 2006 , 4, 981-98		7
205	Transcriptional profiling of cross pathway control in <i>Neurospora crassa</i> and comparative analysis of the Gcn4 and CPC1 regulons. <i>Eukaryotic Cell</i> , 2007 , 6, 1018-29		65
204	Identification of the cadmium-inducible <i>Hansenula polymorpha</i> SEO1 gene promoter by transcriptome analysis and its application to whole-cell heavy-metal detection systems. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 5990-6000	4.8	45

203	Endosperm. 2007 ,	4
202	SCFCdc4-mediated degradation of the Hac1p transcription factor regulates the unfolded protein response in <i>Saccharomyces cerevisiae</i> . 2007 , 18, 426-40	25
201	The <i>Saccharomyces</i> homolog of mammalian RACK1, Cpc2/Asc1p, is required for FLO11-dependent adhesive growth and dimorphism. 2007 , 6, 1968-79	47
200	Genetics and the Mechanisms of Action of Inhaled Anesthetics. 2007 , 5, 125-141	4
199	Impaired tRNA nuclear export links DNA damage and cell-cycle checkpoint. 2007 , 131, 915-26	77
198	Gal11p dosage-compensates transcriptional activator deletions via Taf14p. 2007 , 374, 9-23	20
197	Metabolic mechanisms of cancer-induced inhibition of immune responses. 2007 , 17, 309-16	30
196	The Structure and Expression of Cereal Storage Protein Genes. 2007 , 195-218	9
195	Amino Acid-Sensing Mechanisms: Biochemistry and Behavior. 2007 , 249-269	2
194	Mechanisms of food intake repression in indispensable amino acid deficiency. 2007 , 27, 63-78	102
193	Bradyzoite Development. 2007 , 341-366	20
192	Genetic basis of proteome variation in yeast. 2007 , 39, 1369-75	722
191	Signal integration in the endoplasmic reticulum unfolded protein response. 2007 , 8, 519-29	4695
190	Differential Flo8p-dependent regulation of FLO1 and FLO11 for cell-cell and cell-substrate adherence of <i>S. cerevisiae</i> S288c. 2007 , 66, 1276-89	60
189	Inference of transcription modification in long-live yeast strains from their expression profiles. 2007 , 8, 219	29
188	Cytoplasmatic post-transcriptional regulation and intracellular signalling. 2007 , 277, 341-55	14
187	Machine learning for regulatory analysis and transcription factor target prediction in yeast. 2007 , 1, 25-46	16
186	The <i>Aspergillus nidulans</i> stress response transcription factor StzA is ascomycete-specific and shows species-specific polymorphisms in the C-terminal region. 2008 , 112, 1435-46	23

185	How <i>Saccharomyces</i> responds to nutrients. 2008 , 42, 27-81		407
184	Translational Control Mechanisms in Synaptic Plasticity and Memory. 2008 , 675-694		1
183	A proteomic view of <i>Candida albicans</i> yeast cell metabolism in exponential and stationary growth phases. 2008 , 298, 291-318		53
182	Role of Gcn4 for adaptation to methylglyoxal in <i>Saccharomyces cerevisiae</i> : methylglyoxal attenuates protein synthesis through phosphorylation of eIF2alpha. 2008 , 376, 738-42		10
181	Amino acid and codon usage profiles: adaptive changes in the frequency of amino acids and codons. <i>Gene</i> , 2008 , 407, 30-41	3.8	38
180	Dephosphorylation of translation initiation factor 2alpha enhances glucose tolerance and attenuates hepatosteatosis in mice. 2008 , 7, 520-32		329
179	Pharmacological interference with protein-protein interactions mediated by coiled-coil motifs. 2008 , 461-82		39
178	Translational control of gene expression from transcripts to transcriptomes. 2008 , 271, 199-251		40
177	Despite increased ATF4 binding at the C/EBP-ATF composite site following activation of the unfolded protein response, system A transporter 2 (SNAT2) transcription activity is repressed in HepG2 cells. <i>Journal of Biological Chemistry</i> , 2008 , 283, 27736-27747	5.4	28
176	Fission yeast mitogen-activated protein kinase Sty1 interacts with translation factors. <i>Eukaryotic Cell</i> , 2008 , 7, 328-38		21
175	Phosphorylation of eIF2 directs ATF5 translational control in response to diverse stress conditions. <i>Journal of Biological Chemistry</i> , 2008 , 283, 7064-73	5.4	190
174	Dynamics and design principles of a basic regulatory architecture controlling metabolic pathways. 2008 , 6, e146		39
173	A chemical genomics study identifies Snf1 as a repressor of GCN4 translation. <i>Journal of Biological Chemistry</i> , 2008 , 283, 35889-98	5.4	41
172	C/EBP homology protein (CHOP) interacts with activating transcription factor 4 (ATF4) and negatively regulates the stress-dependent induction of the asparagine synthetase gene. <i>Journal of Biological Chemistry</i> , 2008 , 283, 35106-17	5.4	118
171	Disrupting vesicular trafficking at the endosome attenuates transcriptional activation by Gcn4. 2008 , 28, 6796-818		19
170	Understanding mechanisms and the role of differentiation in pathogenesis of <i>Toxoplasma gondii</i> : a review. 2009 , 104, 155-61		32
169	Human protein phosphatase PP6 regulatory subunits provide Sit4-dependent and rapamycin-sensitive sap function in <i>Saccharomyces cerevisiae</i> . <i>PLoS ONE</i> , 2009 , 4, e6331	3.7	17
168	Genome-wide analysis of tRNA charging and activation of the eIF2 kinase Gcn2p. <i>Journal of Biological Chemistry</i> , 2009 , 284, 25254-67	5.4	93

167	Depletion of the cullin Cdc53p induces morphogenetic changes in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2009 , 8, 756-67		18
166	The new yeast is a mouse. 2009 , 7, e1000106		3
165	Discovery of protein-DNA interactions by penalized multivariate regression. <i>Nucleic Acids Research</i> , 2009 , 37, 5246-54	20.1	9
164	Transcriptomic response of the mycoparasitic fungus <i>Trichoderma atroviride</i> to the presence of a fungal prey. 2009 , 10, 567		118
163	tRNAs as regulators in gene expression. 2009 , 52, 245-52		20
162	Yeast protein expression profile during acetic acid-induced apoptosis indicates causal involvement of the TOR pathway. 2009 , 9, 720-32		71
161	ATF4-dependent transcription mediates signaling of amino acid limitation. 2009 , 20, 436-43		377
160	Translational control of long-lasting synaptic plasticity and memory. 2009 , 61, 10-26		684
159	Translational regulation mechanisms of AP-1 proteins. 2009 , 682, 7-12		161
158	Interaction of genetic and environmental factors in <i>Saccharomyces cerevisiae</i> meiosis: the devil is in the details. 2009 , 557, 3-20		16
157	Evolutionary roles of upstream open reading frames in mediating gene regulation in fungi. 2009 , 63, 385-409		87
156	Peroxisome deficiency causes a complex phenotype because of hepatic SREBP/Insig dysregulation associated with endoplasmic reticulum stress. <i>Journal of Biological Chemistry</i> , 2009 , 284, 7232-45	5.4	47
155	Translational regulatory mechanisms in synaptic plasticity and memory storage. 2009 , 90, 293-311		33
154	Differential Yeast Gene Transcription during Brewery Propagation. 2010 , 68, 21-29		5
153	Retrotransposon expression in ethanol-stressed <i>Saccharomyces cerevisiae</i> . 2010 , 87, 1447-54		14
152	Phosphorylation of eIF2 alpha in Sf9 cells: a stress, survival and suicidal signal. 2010 , 15, 679-92		18
151	Autophagy in cellular growth control. <i>FEBS Letters</i> , 2010 , 584, 1417-26	3.8	124
150	Quantitative proteomic analysis of ribosomal protein L35b mutant of <i>Saccharomyces cerevisiae</i> . 2010 , 1804, 676-83		2

149	Control of immune response by amino acid metabolism. 2010 , 236, 243-64		196
148	Network-based genomic discovery: application and comparison of Markov random field models. 2010 , 59, 105-125		15
147	Phosphoproteomic analysis reveals interconnected system-wide responses to perturbations of kinases and phosphatases in yeast. <i>Science Signaling</i> , 2010 , 3, rs4	8.8	229
146	Post-transcriptional regulation in the myo1 Δ mutant of <i>Saccharomyces cerevisiae</i> . 2010 , 11, 690		4
145	Expression profiling after activation of amino acid deprivation response in HepG2 human hepatoma cells. 2010 , 41, 315-27		43
144	Boron stress activates the general amino acid control mechanism and inhibits protein synthesis. <i>PLoS ONE</i> , 2011 , 6, e27772	3.7	35
143	Gcn4p-mediated transcriptional repression of ribosomal protein genes under amino-acid starvation. <i>EMBO Journal</i> , 2011 , 30, 859-72	13	36
142	Differential chromatin proteomics of the MMS-induced DNA damage response in yeast. 2011 , 9, 62		13
141	Translational control of cyclins. 2011 , 6, 5		28
140	Maf1 protein, repressor of RNA polymerase III, indirectly affects tRNA processing. <i>Journal of Biological Chemistry</i> , 2011 , 286, 39478-88	5.4	38
139	Virus-induced ER stress and the unfolded protein response. 2012 , 3, 293		101
138	<i>Plasmodium falciparum</i> responds to amino acid starvation by entering into a hibernatory state. 2012 , 109, E3278-87		110
137	A novel role for protein kinase Gcn2 in yeast tolerance to intracellular acid stress. <i>Biochemical Journal</i> , 2012 , 441, 255-64	3.8	31
136	Transcriptional repression of ATF4 gene by CCAAT/enhancer-binding protein [C/EBP] differentially regulates integrated stress response. <i>Journal of Biological Chemistry</i> , 2012 , 287, 21936-49	5.4	27
135	Mediator phosphorylation prevents stress response transcription during non-stress conditions. <i>Journal of Biological Chemistry</i> , 2012 , 287, 44017-26	5.4	26
134	Driving the cell cycle through metabolism. 2012 , 28, 59-87		94
133	Lysophosphatidic acid differentially regulates axonal mRNA translation through 5'UTR elements. 2012 , 50, 136-46		25
132	Metabolic remodeling in iron-deficient fungi. 2012 , 1823, 1509-20		76

131	Molecular Signaling Cascades and Gene Regulation. 2012 , 273-299		
130	The brain's response to an essential amino acid-deficient diet and the circuitous route to a better meal. 2012 , 46, 332-48		27
129	Regulation of amino acid, nucleotide, and phosphate metabolism in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2012 , 190, 885-929	4	296
128	Identification of genes related to nitrogen uptake in wine strains of <i>Saccharomyces cerevisiae</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2012 , 28, 1107-13	4.4	12
127	The GCN2 homologue in <i>Arabidopsis thaliana</i> interacts with uncharged tRNA and uses <i>Arabidopsis</i> eIF2 γ molecules as direct substrates. 2013 , 15, 13-8		36
126	Discovering RNA-protein interactome by using chemical context profiling of the RNA-protein interface. 2013 , 3, 1703-13		22
125	Five conditions commonly used to down-regulate tor complex 1 generate different physiological situations exhibiting distinct requirements and outcomes. <i>Journal of Biological Chemistry</i> , 2013 , 288, 27243-27262	5.4	24
124	Influence of nitrogen supply on the production of higher alcohols/esters and expression of flavour-related genes in cacha \tilde{m} fermentation. 2013 , 138, 701-8		30
123	Translational control by eIF2 γ kinases in long-lasting synaptic plasticity and long-term memory. 2013 , 105, 93-9		62
122	The eIF2 γ kinases: their structures and functions. 2013 , 70, 3493-511		487
121	The Cpc1 regulator of the cross-pathway control of amino acid biosynthesis is required for pathogenicity of the vascular pathogen <i>Verticillium longisporum</i> . 2013 , 26, 1312-24		32
120	Tanshinones extend chronological lifespan in budding yeast <i>Saccharomyces cerevisiae</i> . 2014 , 98, 8617-28		16
119	The TAF9 C-terminal conserved region domain is required for SAGA and TFIID promoter occupancy to promote transcriptional activation. 2014 , 34, 1547-63		16
118	Discrimination between thermodynamic models of cis-regulation using transcription factor occupancy data. <i>Nucleic Acids Research</i> , 2014 , 42, 2224-34	20.1	8
117	Evolution and genetic architecture of chromatin accessibility and function in yeast. <i>PLoS Genetics</i> , 2014 , 10, e1004427	6	13
116	Metabolism in fungal pathogenesis. 2014 , 4, a019695		65
115	Bradyzoite Development. 2014 , 521-549		9
114	Heavy transcription of yeast genes correlates with differential loss of histone H2B relative to H4 and queued RNA polymerases. <i>Nucleic Acids Research</i> , 2014 , 42, 12512-22	20.1	39

113	Fungal Genomics. 2014 ,		0
112	Gcn4p and the Crabtree effect of yeast: drawing the causal model of the Crabtree effect in <i>Saccharomyces cerevisiae</i> and explaining evolutionary trade-offs of adaptation to galactose through systems biology. <i>FEMS Yeast Research</i> , 2014 , 14, 654-62	3.1	11
111	Glucose- and nitrogen sensing and regulatory mechanisms in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2014 , 14, 683-96	3.1	59
110	The ICY1 gene from <i>Saccharomyces cerevisiae</i> affects nitrogen consumption during alcoholic fermentation. 2014 , 17, 150-155		4
109	IRES-dependent translated genes in fungi: computational prediction, phylogenetic conservation and functional association. 2015 , 16, 1059		6
108	Aging in the Single-Celled Eukaryote, <i>S. cerevisiae</i> . 2015 , 19-49		
107	What Makes a Transcriptional Master Regulator? A Systems Biology Approach. 2015 , 161-174		2
106	Less is more: Nutrient limitation induces cross-talk of nutrient sensing pathways with NAD homeostasis and contributes to longevity. 2015 , 10, 333-357		9
105	Transcriptional master regulator analysis in breast cancer genetic networks. 2015 , 59 Pt B, 67-77		39
104	Amino Acid Starvation Enhances Programmed Ribosomal Frameshift in Metavirus Ty3 of <i>Saccharomyces cerevisiae</i> . 2016 , 2016, 1-6		
103	Transfer RNA. 2016 , 309-340		1
102	Chromatin Association of Gcn4 Is Limited by Post-translational Modifications Triggered by its DNA-Binding in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2016 , 204, 1433-1445	4	14
101	Asymmetry in inward- and outward-affinity constant of transport explain unidirectional lysine flux in <i>Saccharomyces cerevisiae</i> . <i>Scientific Reports</i> , 2016 , 6, 31443	4.9	15
100	The integrated stress response. 2016 , 17, 1374-1395		922
99	Upstream Open Reading Frames Differentially Regulate Gene-specific Translation in the Integrated Stress Response. <i>Journal of Biological Chemistry</i> , 2016 , 291, 16927-35	5.4	185
98	The transcription factor GCN4 regulates PHM8 and alters triacylglycerol metabolism in <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 2016 , 62, 841-851	2.9	4
97	On the Dependency of Cellular Protein Levels on mRNA Abundance. 2016 , 165, 535-50		1235
96	Yeast factories for the production of aromatic compounds: from building blocks to plant secondary metabolites. 2016 , 43, 1611-1624		53

95	Phenotypic Profiling Reveals that <i>Candida albicans</i> Opaque Cells Represent a Metabolically Specialized Cell State Compared to Default White Cells. <i>MBio</i> , 2016 , 7,	7.8	28
94	Reconfiguration of Transcriptional Control of Lysine Biosynthesis in <i>Candida albicans</i> Involves a Central Role for the Gcn4 Transcriptional Activator. 2016 , 1,		5
93	Control of <i>Candida albicans</i> morphology and pathogenicity by post-transcriptional mechanisms. 2016 , 73, 4265-4278		23
92	Gene- and genome-based analysis of significant codon patterns in yeast, rat and mice genomes with the CUT Codon UTILization tool. <i>Methods</i> , 2016 , 107, 98-109	4.6	12
91	A Plasma Membrane Association Module in Yeast Amino Acid Transporters. <i>Journal of Biological Chemistry</i> , 2016 , 291, 16024-37	5.4	11
90	Nutrient sensing and TOR signaling in yeast and mammals. <i>EMBO Journal</i> , 2017 , 36, 397-408	13	367
89	Stressing <i>Escherichia coli</i> to educate students about research: A CURE to investigate multiple levels of gene regulation. <i>Biochemistry and Molecular Biology Education</i> , 2017 , 45, 449-458	1.3	4
88	Multilevel engineering of the upstream module of aromatic amino acid biosynthesis in <i>Saccharomyces cerevisiae</i> for high production of polymer and drug precursors. <i>Metabolic Engineering</i> , 2017 , 42, 134-144	9.7	51
87	Ribosome Biogenesis Modulates Ty1 Copy Number Control in. <i>Genetics</i> , 2017 , 207, 1441-1456	4	6
86	Sequence2Vec: a novel embedding approach for modeling transcription factor binding affinity landscape. <i>Bioinformatics</i> , 2017 , 33, 3575-3583	7.2	29
85	Translation Initiation from Conserved Non-AUG Codons Provides Additional Layers of Regulation and Coding Capacity. <i>MBio</i> , 2017 , 8,	7.8	13
84	Multiprotein-bridging factor 1 regulates vegetative growth, osmotic stress, and virulence in <i>Magnaporthe oryzae</i> . <i>Current Genetics</i> , 2017 , 63, 293-309	2.9	12
83	Translational Control Mechanisms in Synaptic Plasticity and Memory ?. 2017 , 311-328		
82	Involvement of the Transcriptional Coactivator ThMBF1 in the Biocontrol Activity of. <i>Frontiers in Microbiology</i> , 2017 , 8, 2273	5.7	11
81	Ksp1-dependent phosphorylation of eIF4G modulates post-transcriptional regulation of specific mRNAs under glucose deprivation conditions. <i>Nucleic Acids Research</i> , 2018 , 46, 3047-3060	20.1	8
80	Mutational analysis of TAF6 revealed the essential requirement of the histone-fold domain and the HEAT repeat domain for transcriptional activation. <i>FEBS Journal</i> , 2018 , 285, 1491-1510	5.7	2
79	The Gcn2-eIF2 pathway connects iron and amino acid homeostasis in. <i>Biochemical Journal</i> , 2018 , 475, 1523-1534	3.8	4
78	Regulation of Sensing, Transportation, and Catabolism of Nitrogen Sources in <i>Saccharomyces cerevisiae</i> . <i>Microbiology and Molecular Biology Reviews</i> , 2018 , 82,	13.2	49

77	Role of the unfolded protein response in determining the fate of tumor cells and the promise of multi-targeted therapies. <i>Cell Stress and Chaperones</i> , 2018 , 23, 317-334	4	15
76	tRNA dynamics between the nucleus, cytoplasm and mitochondrial surface: Location, location, location. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2018 , 1861, 373-386	6	46
75	THR1 mediates GCN4 and CDC4 to link morphogenesis with nutrient sensing and the stress response in <i>Candida albicans</i> . <i>International Journal of Molecular Medicine</i> , 2018 , 42, 3193-3208	4.4	6
74	TORC1-signalling is down-regulated in <i>Saccharomyces cerevisiae</i> hsp30 Δ cells by SNF1-dependent mechanisms. <i>Yeast</i> , 2018 , 35, 653-667	3.4	2
73	Physiological and Molecular Mechanisms of Methionine Restriction. <i>Frontiers in Endocrinology</i> , 2018 , 9, 217	5.7	12
72	Adaptive Evolution Relieves Nitrogen Catabolite Repression and Decreases Urea Accumulation in Cultures of the Chinese Rice Wine Yeast Strain <i>Saccharomyces cerevisiae</i> XZ-11. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 9061-9069	5.7	20
71	The regulation of the sulfur amino acid biosynthetic pathway in <i>Cryptococcus neoformans</i> : the relationship of Cys3, Calcineurin, and Gpp2 phosphatases. <i>Scientific Reports</i> , 2019 , 9, 11923	4.9	11
70	Regulation and metabolic engineering strategies for permeases of <i>Saccharomyces cerevisiae</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2019 , 35, 112	4.4	2
69	Regulation of Amino Acid Transport in <i>Saccharomyces cerevisiae</i> . <i>Microbiology and Molecular Biology Reviews</i> , 2019 , 83,	13.2	24
68	Accessibility of promoter DNA is not the primary determinant of chromatin-mediated gene regulation. <i>Genome Research</i> , 2019 , 29, 1985-1995	9.7	21
67	Engineering the Yeast for the Production of L-(+)-Ergothioneine. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019 , 7, 262	5.8	14
66	Structural basis for the inhibition of translation through eIF2 γ phosphorylation. <i>Nature Communications</i> , 2019 , 10, 2640	17.4	28
65	Diet modulates the relationship between immune gene expression and functional immune responses. <i>Insect Biochemistry and Molecular Biology</i> , 2019 , 109, 128-141	4.5	26
64	Metabolic regulatory mechanisms and physiological roles of functional amino acids and their applications in yeast. <i>Bioscience, Biotechnology and Biochemistry</i> , 2019 , 83, 1449-1462	2.1	17
63	Desumoylation of RNA polymerase III lies at the core of the Sumo stress response in yeast. <i>Journal of Biological Chemistry</i> , 2019 , 294, 18784-18795	5.4	9
62	Coupling efficiency of secondary active transporters. <i>Current Opinion in Biotechnology</i> , 2019 , 58, 62-71	11.4	24
61	Protective mechanisms and responses of micro-fungi towards ultraviolet-induced cellular damage. <i>Polar Science</i> , 2019 , 20, 19-34	2.3	15
60	Mechanism and role of the intra-axonal Calreticulin translation in response to axonal injury. <i>Experimental Neurology</i> , 2020 , 323, 113072	5.7	9

59	Overexpression of the transcription factor HAC1 improves nerolidol production in engineered yeast. <i>Enzyme and Microbial Technology</i> , 2020 , 134, 109485	3.8	7
58	Influence of tetraconazole on the proteome profile of <i>Saccharomyces cerevisiae</i> Lalvin T73B strain. <i>Journal of Proteomics</i> , 2020 , 227, 103915	3.9	1
57	Transcription factors and ABC transporters: from pleiotropic drug resistance to cellular signaling in yeast. <i>FEBS Letters</i> , 2020 , 594, 3943-3964	3.8	8
56	Nonoptimal Codon Usage Is Critical for Protein Structure and Function of the Master General Amino Acid Control Regulator CPC-1. <i>MBio</i> , 2020 , 11,	7.8	5
55	Hypomodified tRNA in evolutionarily distant yeasts can trigger rapid tRNA decay to activate the general amino acid control response, but with different consequences. <i>PLoS Genetics</i> , 2020 , 16, e1008893	6	3
54	Short-term cold stress and heat shock proteins in the crustacean <i>Artemia franciscana</i> . <i>Cell Stress and Chaperones</i> , 2020 , 25, 1083-1097	4	3
53	The Target of Rapamycin Signalling Pathway in Ageing and Lifespan Regulation. <i>Genes</i> , 2020 , 11,	4.2	22
52	A protein kinase A-regulated network encodes short- and long-lived cellular memories. <i>Science Signaling</i> , 2020 , 13,	8.8	7
51	Adaptation of codon usage to tRNA I34 modification controls translation kinetics and proteome landscape. <i>PLoS Genetics</i> , 2020 , 16, e1008836	6	11
50	Quantitative analysis of transcription factor binding and expression using calling cards reporter arrays. <i>Nucleic Acids Research</i> , 2020 , 48, e50	20.1	2
49	Bradyzoite and sexual stage development. 2020 , 807-857		1
48	In silico identification of key regulators instigating the pre-meiotic phase during respiration in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2021 , 21,	3.1	
47	The yeast eIF2 kinase Gcn2 facilitates H ₂ O ₂ -mediated feedback inhibition of both protein synthesis and ER oxidative folding during recombinant protein production.		
46	Iron Deficiency and Recovery in Yeast: A Quantitative Proteomics Approach. <i>Journal of Proteome Research</i> , 2021 , 20, 2751-2761	5.6	0
45	Selectivity of mRNA degradation by autophagy in yeast. <i>Nature Communications</i> , 2021 , 12, 2316	17.4	6
44	PERK Signaling Controls Myoblast Differentiation by Regulating MicroRNA Networks. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 670435	5.7	3
43	The leucine-NH ₄ ⁺ uptake regulator Any1 limits growth as part of a general amino acid control response to loss of La protein by fission yeast. <i>PLoS ONE</i> , 2021 , 16, e0253494	3.7	0
42	GCN4 Regulates Secondary Metabolism through Activation of Antioxidant Gene Expression under Nitrogen Limitation Conditions in <i>Ganoderma lucidum</i> . <i>Applied and Environmental Microbiology</i> , 2021 , 87, e0015621	4.8	1

41	Phenotypic and genomic differences among <i>S. cerevisiae</i> strains in nitrogen requirements during wine fermentations. <i>Food Microbiology</i> , 2021 , 96, 103685	6	4
40	Reprogramming mRNA Expression in Response to Defect in RNA Polymerase III Assembly in the Yeast. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
39	The Yeast eIF2 Kinase Gcn2 Facilitates HO-Mediated Feedback Inhibition of Both Protein Synthesis and Endoplasmic Reticulum Oxidative Folding during Recombinant Protein Production. <i>Applied and Environmental Microbiology</i> , 2021 , 87, e0030121	4.8	4
38	Cowpea NAC Transcription Factors Positively Regulate Cellular Stress Response and Balance Energy Metabolism in Yeast Reprogramming of Biosynthetic Pathways. <i>ACS Synthetic Biology</i> , 2021 , 10, 2286-2307	5.7	3
37	Integration of Metabolism with Virulence in <i>Candida albicans</i> . 2006 , 185-203		2
36	The Genetics and Biochemistry of Maize Zein Storage Proteins. 2009 , 715-730		1
35	14 Integration of Metabolism with Virulence in <i>Candida albicans</i> . 2014 , 349-370		0
34	Molecular Biology of Fungal Amino Acid Biosynthesis Regulation. 2004 , 239-269		4
33	Global translational landscape of the <i>Candida albicans</i> morphological transition. <i>G3: Genes, Genomes, Genetics</i> , 2021 , 11,	3.2	2
32	DNA accessibility is not the primary determinant of chromatin-mediated gene regulation.		2
31	A Genetic Incompatibility Accelerates Adaptation in Yeast. <i>PLoS Genetics</i> , 2015 , 11, e1005407	6	18
30	RNA Polymerase III Output Is Functionally Linked to tRNA Dimethyl-G26 Modification. <i>PLoS Genetics</i> , 2015 , 11, e1005671	6	58
29	Lack of 2'-O-methylation in the tRNA anticodon loop of two phylogenetically distant yeast species activates the general amino acid control pathway. <i>PLoS Genetics</i> , 2018 , 14, e1007288	6	34
28	The role of master regulators in gene regulatory networks. <i>Papers in Physics</i> , 2015 , 7,		1
27	Rbs1 protein, involved in RNA polymerase III complex assembly in the yeast <i>Saccharomyces cerevisiae</i> , induces a Gcn4 response and forms aggregates when overproduced. <i>Gene</i> , 2022 , 809, 146034 ^{3.8}		
26	Principles and Practice of DNA Microarray Technology. 978-994		
25	Translational control through differential ribosome pausing during amino acid limitation in mammalian cells.		
24	Structural basis for the inhibition of translation through eIF2 γ phosphorylation.		

23	A Protein Kinase A-Regulated Network Encodes Short- and Long-Lived Cellular Memory.		
22	Engineering the yeast <i>Saccharomyces cerevisiae</i> for the production of L-(+)-ergothioneine.		
21	Genome-scale reconstruction of Gcn4/ATF4 networks driving a growth program.		1
20	Hypomodified tRNA in evolutionarily distant yeasts can trigger rapid tRNA decay to activate the general amino acid control response, but with different consequences.		
19	Genome-scale reconstruction of Gcn4/ATF4 networks driving a growth program. <i>PLoS Genetics</i> , 2020 , 16, e1009252	6	1
18	Non-optimal codon usage is critical for protein structure and function of the master general amino acid control regulator CPC-1.		
17	Protein multifunctionality: principles and mechanisms. <i>Translational Oncogenomics</i> , 2008 , 3, 99-136		4
16	Endoplasmic reticulum stress-regulated degradation of a translocon-associated protein is independent of integrated stress response transcription factor Gcn4p. <i>MicroPublication Biology</i> , 2020 , 2020,	0.8	
15	Nucleoporin TPR promotes tRNA nuclear export and protein synthesis in lung cancer cells. <i>PLoS Genetics</i> , 2021 , 17, e1009899	6	3
14	Effects of Abolishing Whi2 on the Proteome and Nitrogen Catabolite Repression-Sensitive Protein Production.. <i>G3: Genes, Genomes, Genetics</i> , 2021 ,	3.2	
13	Table_1.DOCX. 2019 ,		
12	Amino acids control blood glucose levels through mTOR signaling. <i>European Journal of Cell Biology</i> , 2022 , 101, 151240	6.1	0
11	FUN-PROSE: A Deep Learning Approach to Predict Condition-Specific Gene Expression in Fungi.		
10	Glutamine transport as a possible regulator of nitrogen catabolite repression in <i>Saccharomyces cerevisiae</i> .		
9	Phenotypic response of yeast metabolic network to availability of proteinogenic amino acids. 9,		
8	The amino acid sensor GCN2 controls red blood cell clearance and iron metabolism through regulation of liver macrophages. 2022 , 119,		0
7	Ethanol-Lactate Transition of <i>Lachancea thermotolerans</i> Is Linked to Nitrogen Metabolism.		0
6	Ethanol-lactate transition of <i>Lachancea thermotolerans</i> is linked to nitrogen metabolism. 2022 , 104167		0

- 5 GCN4 Enhances the Transcriptional Regulation of AreA by Interacting with SKO1 To Mediate Nitrogen Utilization in Ganoderma lucidum. ○
- 4 A non-canonical sensing pathway mediates Plasmodium adaptation to AA deficiency. ○
- 3 Transfer RNA. **2016**, 407-438 ○
- 2 A non-canonical sensing pathway mediates Plasmodium adaptation to amino acid deficiency. **2023**, 6, ○
- 1 Functional similarity of non-coding regions is revealed in phylogenetic average motif score representations. ○