

CITATION REPORT

List of articles citing

Protein composition of human prespliceosomes isolated by a tobramycin affinity-selection method

DOI: 10.1073/pnas.262483899

Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 16719-24.

Source: <https://exaly.com/paper-pdf/33836885/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
251	Coupling transcription, splicing and mRNA export. 2003 , 15, 326-31		215
250	Subcellular proteomics. 2003 , 22, 27-56		136
249	The spliceosome: the most complex macromolecular machine in the cell?. 2003 , 25, 1147-9		289
248	A homologue of cysteine-rich secretory proteins induces premature degradation of vitelline envelopes and hatching of <i>Xenopus laevis</i> embryos. 2003 , 120, 937-48		19
247	DExD/H-box proteins and their partners: helping RNA helicases unwind. 2003 , 312, 1-16		162
246	Pre-mRNA splicing: awash in a sea of proteins. 2003 , 12, 5-14		802
245	The dsRNA binding protein family: critical roles, diverse cellular functions. 2003 , 17, 961-83		300
244	Sequence information for the splicing of human pre-mRNA identified by support vector machine classification. 2003 , 13, 2637-50		88
243	The U1 snRNP base pairs with the 5' splice site within a penta-snRNP complex. 2003 , 23, 3442-55		37
242	Analysis of site-specific protein-RNA cross-links in isolated RNP complexes, combining affinity selection and mass spectrometry. <i>Rna</i> , 2003 , 9, 1542-51	5.8	21
241	An unusual mechanism of bacterial gene expression revealed for the RNase P protein of <i>Thermus</i> strains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 5724-9	11.5	23
240	Interactions of Arabidopsis RS domain containing cyclophilins with SR proteins and U1 and U11 small nuclear ribonucleoprotein-specific proteins suggest their involvement in pre-mRNA Splicing. 2004 , 279, 33890-8		49
239	Multiple functions of nuclear DNA helicase II (RNA helicase A) in nucleic acid metabolism. 2004 , 36, 177-83		41
238	Tobramycin affinity tag purification of spliceosomes. <i>Methods in Molecular Biology</i> , 2004 , 257, 47-64	1.4	32
237	The human 18S U11/U12 snRNP contains a set of novel proteins not found in the U2-dependent spliceosome. <i>Rna</i> , 2004 , 10, 929-41	5.8	107
236	YB-1 promotes strand separation in vitro of duplex DNA containing either mispaired bases or cisplatin modifications, exhibits endonucleolytic activities and binds several DNA repair proteins. <i>Nucleic Acids Research</i> , 2004 , 32, 316-27	20.1	108
235	Recycling of the U12-type spliceosome requires p110, a component of the U6atac snRNP. 2004 , 24, 1700-8		15

234	Effects of the U1C L13 mutation and temperature regulation of yeast commitment complex formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 14841-6	11.5	15
233	A survey of splice variants of the human hypoxanthine phosphoribosyl transferase and DNA polymerase beta genes: products of alternative or aberrant splicing?. <i>Nucleic Acids Research</i> , 2004 , 32, 6557-64	20.1	16
232	Modified nucleotides at the 5' end of human U2 snRNA are required for spliceosomal E-complex formation. <i>Rna</i> , 2004 , 10, 1925-33	5.8	101
231	Human U4/U6 snRNP recycling factor p110: mutational analysis reveals the function of the tetratricopeptide repeat domain in recycling. 2004 , 24, 7392-401		34
230	Structural basis for the interaction of Escherichia coli NusA with protein N of phage lambda. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 13762-7	11.5	27
229	Recognition sequences for the GYF domain reveal a possible spliceosomal function of CD2BP2. 2004 , 279, 28292-7		29
228	Dissecting the human spliceosome through bioinformatics and proteomics approaches. 2004 , 1, 743-50		1
227	How did alternative splicing evolve?. 2004 , 5, 773-82		429
226	A subset of human 35S U5 proteins, including Prp19, function prior to catalytic step 1 of splicing. <i>EMBO Journal</i> , 2004 , 23, 2381-91	13	145
225	Biochemical analysis of TREX complex recruitment to intronless and intron-containing yeast genes. <i>EMBO Journal</i> , 2004 , 23, 2620-31	13	132
224	Regulation of alternative RNA splicing by exon definition and exon sequences in viral and mammalian gene expression. 2004 , 11, 278-94		125
223	Transcriptional coregulator SNW/SKIP: the concealed tie of dissimilar pathways. 2004 , 61, 629-40		65
222	Hcc-1 is a novel component of the nuclear matrix with growth inhibitory function. 2004 , 61, 2264-73		31
221	Phosphorylation of p68 RNA helicase regulates RNA binding by the C-terminal domain of the protein. 2004 , 314, 622-30		20
220	Bacterially expressed recombinant p68 RNA helicase is phosphorylated on serine, threonine, and tyrosine residues. 2004 , 35, 327-33		15
219	Study of RNA-Protein Interactions and RNA Structure in Ribonucleoprotein Particles. 172-204		2
218	Protein-RNA Crosslinking in Native Ribonucleoprotein Particles. 354-373		
217	Approaches to Identify Novel Non-messenger RNAs in Bacteria and to Investigate their Biological Functions: Functional Analysis of Identified Non-mRNAs. 614-642		7

216	Quality control of messenger ribonucleoprotein particles in the nucleus and at the pore. 2005 , 17, 294-301	50
215	Signaling to the DEAD box--regulation of DEAD-box p68 RNA helicase by protein phosphorylations. <i>Cellular Signalling</i> , 2005 , 17, 1495-504	4.9 17
214	Structure of the hepatitis C virus IRES bound to the human 80S ribosome: remodeling of the HCV IRES. 2005 , 13, 1695-706	148
213	The GYF Domain. 2005 , 103-116	
212	Proteomic analysis of reaper 5' untranslated region-interacting factors isolated by tobramycin affinity-selection reveals a role for La antigen in reaper mRNA translation. 2005 , 5, 1645-55	11
211	Role of the 5'cap in the biogenesis of spliceosomal snRNPs. 2005 , 179-204	4
210	The role of RNA interference in drug target validation: Application to Hepatitis C. 2005 , 318-330	1
209	The splicing ATPase prp43p is a component of multiple preribosomal particles. 2005 , 25, 9269-82	102
208	Proteomic analysis of SRm160-containing complexes reveals a conserved association with cohesin. 2005 , 280, 42227-36	26
207	RNA-Protein Interactions in vitro. 666-675	
206	Biotin-based Affinity Purification of RNA-Protein Complexes. 676-693	2
205	A subset of nuclear receptor coregulators act as coupling proteins during synthesis and maturation of RNA transcripts. 2005 , 25, 5307-16	81
204	ATPase/helicase activities of p68 RNA helicase are required for pre-mRNA splicing but not for assembly of the spliceosome. 2005 , 25, 7484-93	55
203	Novel interaction partners of the CD2BP2-GYF domain. 2005 , 280, 33397-402	15
202	Characterization of the cleavage site and function of resulting cleavage fragments after limited proteolysis of Clostridium difficile toxin B (TcdB) by host cells. 2005 , 151, 199-208	83
201	Prp8 protein: at the heart of the spliceosome. <i>Rna</i> , 2005 , 11, 533-57	5.8 251
200	Tudor domains bind symmetrical dimethylated arginines. 2005 , 280, 28476-83	194
199	Phosphorylations of DEAD box p68 RNA helicase are associated with cancer development and cell proliferation. 2005 , 3, 355-63	70

198	Exon inclusion is dependent on predictable exonic splicing enhancers. 2005 , 25, 7323-32	97
197	RNA splicing capability of live neuronal dendrites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 16859-64	11.5 85
196	GYF domain proteomics reveals interaction sites in known and novel target proteins. 2005 , 4, 1797-811	33
195	SNEV is an evolutionarily conserved splicing factor whose oligomerization is necessary for spliceosome assembly. <i>Nucleic Acids Research</i> , 2005 , 33, 6868-83	20.1 41
194	Splicing of a rare class of introns by the U12-dependent spliceosome. 2005 , 386, 713-24	113
193	Biochemical characterization and crystal structure of a Dim1 family associated protein: Dim2. 2005 , 44, 11997-2008	6
192	Polypyrimidine tract binding protein blocks the 5' splice site-dependent assembly of U2AF and the prespliceosomal E complex. 2005 , 19, 485-96	127
191	Splicing-active nuclear extracts from rat brain. 2005 , 37, 323-30	14
190	Functional analysis of seven genes encoding eight translation initiation factor 4E (eIF4E) isoforms in <i>Drosophila</i> . 2005 , 122, 529-43	75
189	Protein composition and electron microscopy structure of affinity-purified human spliceosomal B complexes isolated under physiological conditions. 2006 , 26, 5528-43	225
188	U2 snRNA-protein contacts in purified human 17S U2 snRNPs and in spliceosomal A and B complexes. 2006 , 26, 2803-16	37
187	Comparative analysis identifies exonic splicing regulatory sequences--The complex definition of enhancers and silencers. 2006 , 22, 769-781	254
186	PP1/PP2A phosphatases are required for the second step of Pre-mRNA splicing and target specific snRNP proteins. 2006 , 23, 819-29	84
185	Organization of core spliceosomal components U5 snRNA loop I and U4/U6 Di-snRNP within U4/U6.U5 Tri-snRNP as revealed by electron cryomicroscopy. 2006 , 24, 267-78	67
184	Diversity of human U2AF splicing factors. 2006 , 273, 4807-16	33
183	Isolation of specific RNA-binding proteins using the streptomycin-binding RNA aptamer. 2006 , 1, 637-40	43
182	Nonspecific and specific interactions of Y-box-binding protein 1 (YB-1) with mRNA and posttranscriptional regulation of protein synthesis in animal cells. 2006 , 40, 551-563	12
181	Nuclear translocation of the calcium-binding protein ALG-2 induced by the RNA-binding protein RBM22. 2006 , 1763, 1335-43	27

180	An evaluation of human protein-protein interaction data in the public domain. 2006 , 7 Suppl 5, S19		168
179	XE7: a novel splicing factor that interacts with ASF/SF2 and ZNF265. <i>Nucleic Acids Research</i> , 2006 , 34, 4976-86	20.1	16
178	Immunoprecipitation of spliceosomal RNAs by antisera to galectin-1 and galectin-3. <i>Nucleic Acids Research</i> , 2006 , 34, 5166-74	20.1	31
177	Drosophila SPF45: a bifunctional protein with roles in both splicing and DNA repair. <i>PLoS Genetics</i> , 2006 , 2, e178	6	24
176	Association of RNA helicase a with human immunodeficiency virus type 1 particles. 2006 , 281, 12625-35		79
175	Functional spliceosomal A complexes can be assembled in vitro in the absence of a penta-snRNP. <i>Rna</i> , 2006 , 12, 1738-46	5.8	30
174	The network of protein-protein interactions within the human U4/U6.U5 tri-snRNP. <i>Rna</i> , 2006 , 12, 1418-30	30	138
173	Identification, cloning, and functional analysis of the human U6 snRNA-specific terminal uridylyl transferase. <i>Rna</i> , 2006 , 12, 1494-504	5.8	112
172	Functional links between the Prp19-associated complex, U4/U6 biogenesis, and spliceosome recycling. <i>Rna</i> , 2006 , 12, 765-74	5.8	23
171	Cryo-electron microscopy of spliceosomal components. 2006 , 35, 435-57		79
170	Alternatively Spliced Genes. 2006 ,		
169	Protein composition of human mRNPs spliced in vitro and differential requirements for mRNP protein recruitment. <i>Rna</i> , 2007 , 13, 116-28	5.8	130
168	Heterogeneous nuclear ribonucleoprotein P2 is an autoantibody target in mice deficient for Mer, Axl, and Tyro3 receptor tyrosine kinases. 2006 , 176, 68-74		20
167	Prp43p is a DEAH-box spliceosome disassembly factor essential for ribosome biogenesis. 2006 , 26, 523-34		88
166	The splicing factor Prp43p, a DEAH box ATPase, functions in ribosome biogenesis. 2006 , 26, 513-22		86
165	High-molecular-mass APOBEC3G complexes restrict Alu retrotransposition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 15588-93	11.5	210
164	p54nrb is a component of the snRNP-free U1A (SF-A) complex that promotes pre-mRNA cleavage during polyadenylation. <i>Rna</i> , 2006 , 12, 111-21	5.8	41
163	18 RNA Gene Analysis. 2007 , 36, 415-444		

162	RNA-based affinity purification reveals 7SK RNPs with distinct composition and regulation. <i>Rna</i> , 2007 , 13, 868-80	5.8	114
161	Overview of Proteomics. 1-61		1
160	A novel splicing factor, Yju2, is associated with NTC and acts after Prp2 in promoting the first catalytic reaction of pre-mRNA splicing. 2007 , 27, 5403-13		56
159	Nuclear factors are involved in hepatitis C virus RNA replication. <i>Rna</i> , 2007 , 13, 1675-92	5.8	129
158	Analytical biochemistry of DNA--protein assemblies from crude cell extracts. <i>Nucleic Acids Research</i> , 2007 , 35, e92	20.1	8
157	Redundant role of DEAD box proteins p68 (Ddx5) and p72/p82 (Ddx17) in ribosome biogenesis and cell proliferation. <i>Nucleic Acids Research</i> , 2007 , 35, 3590-601	20.1	101
156	Xenopus as a model to study alternative splicing in vivo. 2007 , 99, 55-65		7
155	Nuclear protein profiling of Jurkat cells during heat stress-induced apoptosis by 2-DE and MS/MS. 2007 , 28, 2018-26		17
154	Composition and three-dimensional EM structure of double affinity-purified, human prespliceosomal A complexes. <i>EMBO Journal</i> , 2007 , 26, 1737-48	13	164
153	Alternative splicing regulation by interaction of phosphatase PP2Cgamma with nucleic acid-binding protein YB-1. 2007 , 14, 630-8		51
152	Tau exon 10 alternative splicing and tauopathies. 2008 , 3, 8		177
151	Alternative splicing: current perspectives. 2008 , 30, 38-47		151
150	Isolation of an active step I spliceosome and composition of its RNP core. 2008 , 452, 846-50		294
149	Differential subnuclear localisation of hnRNPs A/B is dependent on transcription and cell cycle stage. 2008 , 1783, 1972-80		11
148	The strand separation and nuclease activities associated with YB-1 are dispensable for cisplatin resistance but overexpression of YB-1 in MCF7 and MDA-MB-231 breast tumor cells generates several chemoresistance signatures. 2008 , 40, 2492-507		16
147	Structure and catalytic mechanism of eukaryotic selenocysteine synthase. 2008 , 283, 5849-65		41
146	Minor spliceosome components are predominantly localized in the nucleus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 8655-60	11.5	26
145	Stalling of spliceosome assembly at distinct stages by small-molecule inhibitors of protein acetylation and deacetylation. <i>Rna</i> , 2009 , 15, 153-75	5.8	68

144	Ribotrap : targeted purification of RNA-specific RNPs from cell lysates through immunoaffinity precipitation to identify regulatory proteins and RNAs. <i>Methods in Molecular Biology</i> , 2008 , 419, 69-91	1.4	25
143	Drosophila MFAP1 is required for pre-mRNA processing and G2/M progression. 2008 , 283, 31256-67		30
142	Splicing factor SPF30 bridges an interaction between the prespliceosome protein U2AF35 and tri-small nuclear ribonucleoprotein protein hPrp3. 2008 , 283, 8145-52		14
141	Functioning of the Drosophila Wilms'-tumor-1-associated protein homolog, Fl(2)d, in Sex-lethal-dependent alternative splicing. 2008 , 178, 737-48		28
140	. 2008 ,		20
139	Nuclear and Cytoplasmic Localization of Galectin-1 and Galectin-3 and Their Roles in Pre-mRNA Splicing. 87-95		
138	TFIP11, CCNL1 and EWSR1 Protein-protein Interactions, and Their Nuclear Localization. 2008 , 9, 1504-14		12
137	Blom7alpha is a novel heterogeneous nuclear ribonucleoprotein K homology domain protein involved in pre-mRNA splicing that interacts with SNEVPrp19-Pso4. 2009 , 284, 29193-204		11
136	Proline-rich sequence recognition: I. Marking GYF and WW domain assembly sites in early spliceosomal complexes. 2009 , 8, 2461-73		21
135	The zinc fingers of the SR-like protein ZRANB2 are single-stranded RNA-binding domains that recognize 5' splice site-like sequences. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 5581-6	11.5	56
134	Isolation and characterization of post-splicing lariat-intron complexes. <i>Nucleic Acids Research</i> , 2009 , 37, 891-902	20.1	68
133	In vivo expression and purification of aptamer-tagged small RNA regulators. <i>Nucleic Acids Research</i> , 2009 , 37, e133	20.1	78
132	IGF2BP1 enhances HCV IRES-mediated translation initiation via the 3'UTR. <i>Rna</i> , 2009 , 15, 1528-42	5.8	71
131	Native purification of protein and RNA-protein complexes using a novel affinity procedure. 2009 , 3, 223-231		8
130	Rational design of antisense oligomers to induce dystrophin exon skipping. 2009 , 17, 1418-26		37
129	Plant SMU-1 and SMU-2 homologues regulate pre-mRNA splicing and multiple aspects of development. 2009 , 151, 1498-512		29
128	Spliceosome assembly pathways for different types of alternative splicing converge during commitment to splice site pairing in the A complex. 2009 , 29, 1072-82		22
127	Conservation of the protein composition and electron microscopy structure of Drosophila melanogaster and human spliceosomal complexes. 2009 , 29, 281-301		125

126	Adenovirus E1B 55-kilodalton protein: multiple roles in viral infection and cell transformation. 2009 , 83, 4000-12		75
125	The influence of calcium signaling on the regulation of alternative splicing. 2009 , 1793, 979-84		13
124	Nuclear functions of heterogeneous nuclear ribonucleoproteins A/B. 2009 , 66, 1239-56		195
123	Exon, intron and splice site locations in the spliceosomal B complex. <i>EMBO Journal</i> , 2009 , 28, 2283-92	13	45
122	A mechanism for incorporation of galectin-3 into the spliceosome through its association with U1 snRNP. 2009 , 48, 7705-12		20
121	The spliceosome: design principles of a dynamic RNP machine. 2009 , 136, 701-18		1800
120	The evolutionarily conserved RNA binding protein SMOOTH is essential for maintaining normal muscle function. 2009 , 3, 235-46		9
119	The function of the NineTeen Complex (NTC) in regulating spliceosome conformations and fidelity during pre-mRNA splicing. 2010 , 38, 1110-5		65
118	Impact of gentamicin-supplemented polyvinylidenefluoride mesh materials on MMP-2 expression and tissue integration in a transgenic mice model. 2010 , 395, 413-20		16
117	The spliceosomal proteome: at the heart of the largest cellular ribonucleoprotein machine. 2010 , 10, 4128-41		59
116	Cotranscriptional exon skipping in the genotoxic stress response. 2010 , 17, 1358-66		122
115	Release of SF3 from the intron branchpoint activates the first step of pre-mRNA splicing. <i>Rna</i> , 2010 , 16, 516-28	5.8	130
114	Overlapping splicing regulatory motifs--combinatorial effects on splicing. <i>Nucleic Acids Research</i> , 2010 , 38, 3318-27	20.1	13
113	The function of spliceosome components in open mitosis. 2010 , 1, 447-59		32
112	Nonmuscle myosin-dependent synthesis of type I collagen. <i>Journal of Molecular Biology</i> , 2010 , 401, 564-78		33
111	TDP-43 and FUS/TLS: emerging roles in RNA processing and neurodegeneration. 2010 , 19, R46-64		695
110	Unraveling the mysteries of aging through a Hutchinson-Gilford progeria syndrome model. 2011 , 14, 133-41		4
109	Characterization of a family of RanBP2-type zinc fingers that can recognize single-stranded RNA. <i>Journal of Molecular Biology</i> , 2011 , 407, 273-83	6.5	75

108	Y-box-binding protein 1 (YB-1) and its functions. 2011 , 76, 1402-33		237
107	Spliceosomal genes in the <i>D. discoideum</i> genome: a comparison with those in <i>H. sapiens</i> , <i>D. melanogaster</i> , <i>A. thaliana</i> and <i>S. cerevisiae</i> . 2011 , 2, 395-409		7
106	Targeting zinc finger domains with small molecules: solution structure and binding studies of the RanBP2-type zinc finger of RBM5. 2011 , 12, 2837-45		10
105	The emerging role of pre-messenger RNA splicing in stress responses: sending alternative messages and silent messengers. <i>RNA Biology</i> , 2011 , 8, 740-7	4.8	70
104	Networking in a global world: establishing functional connections between neural splicing regulators and their target transcripts. <i>Rna</i> , 2011 , 17, 775-91	5.8	59
103	RNA helicase p68 (DDX5) regulates tau exon 10 splicing by modulating a stem-loop structure at the 5' splice site. 2011 , 31, 1812-21		79
102	The translation initiation factor eIF4E regulates the sex-specific expression of the master switch gene <i>Sxl</i> in <i>Drosophila melanogaster</i> . <i>PLoS Genetics</i> , 2011 , 7, e1002185	6	19
101	Efficient detection of RNA-protein interactions using tethered RNAs. <i>Nucleic Acids Research</i> , 2011 , 39, e53	20.1	57
100	Utp23p is required for dissociation of snR30 small nucleolar RNP from preribosomal particles. <i>Nucleic Acids Research</i> , 2012 , 40, 3641-52	20.1	16
99	YB-1 binds to CAUC motifs and stimulates exon inclusion by enhancing the recruitment of U2AF to weak polypyrimidine tracts. <i>Nucleic Acids Research</i> , 2012 , 40, 8622-36	20.1	65
98	Antisense-targeted immuno-EM localization of the pre-mRNA path in the spliceosomal C complex. <i>Rna</i> , 2012 , 18, 1347-57	5.8	6
97	Functional mammalian spliceosomal complex E contains SMN complex proteins in addition to U1 and U2 snRNPs. <i>Nucleic Acids Research</i> , 2012 , 40, 2639-52	20.1	37
96	Solution structure of the second RRM domain of RBM5 and its unusual binding characters for different RNA targets. 2012 , 51, 6667-78		19
95	Ultracentrifugation in the Analysis and Purification of Spliceosomes Assembled In Vitro. 2012 , 147-153		1
94	Architecture of the spliceosome. 2012 , 51, 3321-33		48
93	Molecular architecture of zinc chelating small molecules that inhibit spliceosome assembly at an early stage. <i>Rna</i> , 2012 , 18, 1605-11	5.8	3
92	Investigation of protein-RNA interactions by mass spectrometry--Techniques and applications. 2012 , 75, 3478-94		37
91	New insights into pre-mRNA processing factor 19: A multi-faceted protein in humans. 2012 , 104, 695-705		15

90	Post-transcriptional spliceosomes are retained in nuclear speckles until splicing completion. <i>Nature Communications</i> , 2012 , 3, 994	17.4	148
89	SCA1-phosphorylation, a regulator of Ataxin-1 function and pathogenesis. 2012 , 99, 179-85		28
88	Assembly and Isolation of Spliceosomal Complexes In Vitro. 2012 , 330-340		
87	Recombinant and In Vitro RNA Synthesis. <i>Methods in Molecular Biology</i> , 2012 ,	1.4	0
86	DDX5 (DEAD (Asp-Glu-Ala-Asp) box polypeptide 5). 2012 ,		
85	Tumor suppressor RBM5 directly interacts with the DExD/H-box protein DHX15 and stimulates its helicase activity. 2012 , 586, 977-83		38
84	TEG-1 CD2BP2 regulates stem cell proliferation and sex determination in the C. elegans germ line and physically interacts with the UAF-1 U2AF65 splicing factor. 2012 , 241, 505-21		19
83	Converging mechanisms in ALS and FTD: disrupted RNA and protein homeostasis. 2013 , 79, 416-38		1038
82	Perturbations of RNA helicases in cancer. 2013 , 4, 333-49		34
81	Identification of DEAD-box RNA helicase 6 (DDX6) as a cellular modulator of vascular endothelial growth factor expression under hypoxia. 2013 , 288, 5815-27		38
80	YB-1 stabilizes HIV-1 genomic RNA and enhances viral production. 2013 , 4, 591-7		12
79	Preparation of N-GST fusion protein for affinity immobilization of RNA. <i>Methods in Molecular Biology</i> , 2012 , 941, 123-35	1.4	3
78	Rapid purification of ribosomal particles assembled on histone H4 mRNA: a new method based on mRNA-DNA chimaeras. 2013 , 449, 719-28		11
77	RNA binding mediates neurotoxicity in the transgenic Drosophila model of TDP-43 proteinopathy. 2013 , 22, 4474-84		61
76	Spliceosome database: a tool for tracking components of the spliceosome. <i>Nucleic Acids Research</i> , 2013 , 41, D132-41	20.1	70
75	RNA protein interactions governing expression of the most abundant protein in human body, type I collagen. 2013 , 4, 535-45		30
74	Re-evaluation of the role of calcium homeostasis endoplasmic reticulum protein (CHERP) in cellular calcium signaling. 2013 , 288, 355-67		67
73	RNA-protein analysis using a conditional CRISPR nuclease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 5416-21	11.5	58

72	Targeting SR proteins improves SMN expression in spinal muscular atrophy cells. <i>PLoS ONE</i> , 2014 , 9, e115205	34
71	Cancer-relevant splicing factor CAPER β engages the essential splicing factor SF3b155 in a specific ternary complex. 2014 , 289, 17325-37	30
70	An optimized streptavidin-binding RNA aptamer for purification of ribonucleoprotein complexes identifies novel ARE-binding proteins. <i>Nucleic Acids Research</i> , 2014 , 42, e13	20.1 87
69	Proteomic analysis of <i>Entamoeba histolytica</i> in vivo assembled pre-mRNA splicing complexes. 2014 , 111, 30-45	10
68	YB-1 protein: functions and regulation. 2014 , 5, 95-110	181
67	Identification and Characterization of Small Non-coding RNAs in Bacteria. 2014 , 719-786	
66	NKAP is a novel RS-related protein that interacts with RNA and RNA binding proteins. <i>Nucleic Acids Research</i> , 2014 , 42, 3177-93	20.1 25
65	An unanticipated early function of DEAD-box ATPase Prp28 during commitment to splicing is modulated by U5 snRNP protein Prp8. <i>Rna</i> , 2014 , 20, 46-60	5.8 15
64	The role of FUS gene variants in neurodegenerative diseases. 2014 , 10, 337-48	180
63	Genetics of essential tremor: from phenotype to genes, insights from both human and mouse studies. 2014 , 119-120, 1-19	23
62	Protein-RNA Crosslinking in Native Ribonucleoprotein Particles. 2014 , 1029-1054	1
61	Study of RNA-Protein Interactions and RNA Structure in Ribonucleoprotein Particles (RNPs). 2014 , 975-1016	
60	Affinity Purification of Spliceosomal and Small Nuclear Ribonucleoprotein Complexes. 2014 , 957-974	
59	Biotin-Based Affinity Purification of RNA-Protein Complexes. 2014 , 935-956	
58	Use of RNA Affinity Matrices for the Isolation of RNA Binding Proteins. 2014 , 919-934	
57	Methods for comprehensive experimental identification of RNA-protein interactions. 2014 , 15, 203	117
56	The adipogenic transcriptional cofactor ZNF638 interacts with splicing regulators and influences alternative splicing. 2014 , 55, 1886-96	20
55	Functional analysis of Kaposi's sarcoma-associated herpesvirus vFLIP expression reveals a new mode of IRES-mediated translation. <i>Rna</i> , 2014 , 20, 1803-14	5.8 15

54	Nuclear cyclophilins affect spliceosome assembly and function in vitro. 2015 , 469, 223-33		9
53	shRNA-Mediated Silencing of Y-Box Binding Protein-1 (YB-1) Suppresses Growth of Neuroblastoma Cell SH-SY5Y In Vitro and In Vivo. <i>PLoS ONE</i> , 2015 , 10, e0127224	3.7	5
52	The 35S U5 snRNP Is Generated from the Activated Spliceosome during In vitro Splicing. <i>PLoS ONE</i> , 2015 , 10, e0128430	3.7	2
51	Oncogenic fusion protein EWS-FLI1 is a network hub that regulates alternative splicing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E1307-16	11.5	85
50	An unbiased proteomics approach to identify human cytomegalovirus RNA-associated proteins. <i>Virology</i> , 2015 , 481, 13-23	3.6	23
49	A spliceosome intermediate with loosely associated tri-snRNP accumulates in the absence of Prp28 ATPase activity. <i>Nature Communications</i> , 2016 , 7, 11997	17.4	42
48	ARiBo pull-down for riboproteomic studies based on label-free quantitative mass spectrometry. <i>Rna</i> , 2016 , 22, 1760-1770	5.8	5
47	A 10S galectin-3-U1 snRNP complex assembles into active spliceosomes. <i>Nucleic Acids Research</i> , 2016 , 44, 6391-7	20.1	4
46	Minor intron splicing is regulated by FUS and affected by ALS-associated FUS mutants. <i>EMBO Journal</i> , 2016 , 35, 1504-21	13	69
45	Identifying proteins that bind to specific RNAs - focus on simple repeat expansion diseases. <i>Nucleic Acids Research</i> , 2016 , 44, 9050-9070	20.1	31
44	Cajal bodies are linked to genome conformation. <i>Nature Communications</i> , 2016 , 7, 10966	17.4	96
43	A mass spectrometry-based method for direct determination of pseudouridine in RNA. <i>Nucleic Acids Research</i> , 2016 , 44, e59	20.1	20
42	Establishment of In Vitro FUS-Associated Familial Amyotrophic Lateral Sclerosis Model Using Human Induced Pluripotent Stem Cells. <i>Stem Cell Reports</i> , 2016 , 6, 496-510	8	53
41	Specific RNP capture with antisense LNA/DNA mixmers. <i>Rna</i> , 2017 , 23, 1290-1302	5.8	31
40	PKR activation and eIF2 γ phosphorylation mediate human globin mRNA splicing at spliceosome assembly. <i>Cell Research</i> , 2017 , 27, 688-704	24.7	22
39	Cytosolic YB-1 and NSUN2 are the only proteins recognizing specific motifs present in mRNAs enriched in exosomes. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2017 , 1865, 664-673	4	59
38	Nineteen complex-related factor Prp45 is required for the early stages of cotranscriptional spliceosome assembly. <i>Rna</i> , 2017 , 23, 1512-1524	5.8	3
37	Purification of mRNA Processing Complexes Using an RNA Affinity Approach. <i>Methods in Molecular Biology</i> , 2017 , 1648, 53-63	1.4	1

36	Mitochondrial DNA repair and damage tolerance. <i>Frontiers in Bioscience - Landmark</i> , 2017 , 22, 920-943	2.8	42
35	Beyond Transcription: Roles of Transcription Factors in Pre-mRNA Splicing. <i>Chemical Reviews</i> , 2018 , 118, 4339-4364	68.1	22
34	Exploiting differential RNA splicing patterns: a potential new group of therapeutic targets in cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2018 , 22, 107-121	6.4	16
33	Structural features of the interaction of the 3'-untranslated region of mRNA containing exosomal RNA-specific motifs with YB-1, a potential mediator of mRNA sorting. <i>Biochimie</i> , 2018 , 144, 134-143	4.6	22
32	Current approaches for RNA-labelling to identify RNA-binding proteins. <i>Biochemistry and Cell Biology</i> , 2020 , 98, 31-41	3.6	8
31	Tandem RNA isolation reveals functional rearrangement of RNA-binding proteins on 3'UTRs in cisplatin treated cells. <i>RNA Biology</i> , 2020 , 17, 33-46	4.8	4
30	The splicing component ISY1 regulates APE1 in base excision repair. <i>DNA Repair</i> , 2020 , 86, 102769	4.3	3
29	RNA Binding Motif 5 (RBM5) in the CNS-Moving Beyond Cancer to Harness RNA Splicing to Mitigate the Consequences of Brain Injury. <i>Frontiers in Molecular Neuroscience</i> , 2020 , 13, 126	6.1	4
28	Interactome analysis reveals that lncRNA HULC promotes aerobic glycolysis through LDHA and PKM2. <i>Nature Communications</i> , 2020 , 11, 3162	17.4	45
27	Y-Box Binding Proteins in mRNP Assembly, Translation, and Stability Control. <i>Biomolecules</i> , 2020 , 10,	5.9	37
26	U2AF2 binds IL7R exon 6 ectopically and represses its inclusion. <i>Rna</i> , 2021 ,	5.8	0
25	Coupling of spliceosome complexity to intron diversity.		0
24	CLIP and complementary methods. <i>Nature Reviews Methods Primers</i> , 2021 , 1,		28
23	RNA Proximity Labeling: A New Detection Tool for RNA-Protein Interactions. <i>Molecules</i> , 2021 , 26,	4.8	3
22	Transcription factor-like 5 is a potential DNA/RNA-binding protein essential for maintaining male fertility in mice.		0
21	The RNA-binding protein Igf2bp3 is critical for embryonic and germline development in zebrafish. <i>PLoS Genetics</i> , 2021 , 17, e1009667	6	0
20	A comprehensive review of the functions of YB-1 in cancer stemness, metastasis and drug resistance. <i>Cellular Signalling</i> , 2021 , 85, 110073	4.9	6
19	Coupling of spliceosome complexity to intron diversity. <i>Current Biology</i> , 2021 , 31, 4898-4910.e4	6.3	2

18	Aptamers in Affinity Separations: Stationary Separation. 2009 , 271-286		2
17	Analyzing the protein assembly and dynamics of the human spliceosome with SILAC. <i>Methods in Molecular Biology</i> , 2014 , 1188, 227-44	1.4	3
16	The dual use of RNA aptamer sequences for affinity purification and localization studies of RNAs and RNA-protein complexes. <i>Methods in Molecular Biology</i> , 2011 , 714, 423-44	1.4	12
15	Conformational Dynamics from Ambiguous Zinc Coordination in the RanBP2-Type Zinc Finger of RBM5. <i>Journal of Molecular Biology</i> , 2020 , 432, 4127-4138	6.5	1
14	The RNA-binding protein Igf2bp3 is critical for embryonic and germline development in zebrafish.		0
13	Regulation of alternative RNA splicing by exon definition and exon sequences in viral and mammalian gene expression. 2004 , 11, 278-94		81
12	Phosphorylation of S776 and 14-3-3 binding modulate ataxin-1 interaction with splicing factors. <i>PLoS ONE</i> , 2009 , 4, e8372	3.7	49
11	Purification of Messenger Ribonucleoprotein Particles via a Tagged Nascent Polypeptide. <i>PLoS ONE</i> , 2016 , 11, e0148131	3.7	1
10	The biology of DHX9 and its potential as a therapeutic target. <i>Oncotarget</i> , 2016 , 7, 42716-42739	3.3	82
9	RNA-Binding Proteins: Splicing Factors and Disease. <i>Biomolecules</i> , 2015 , 5, 893-909	5.9	43
8	Functional Interactions in Transcription and Splicing of Ewing's Sarcoma. <i>ISRN Genetics</i> , 2013 , 2013, 1-6		1
7	Human Nup98 regulates the localization and activity of DEXH/D-box helicase DHX9. <i>ELife</i> , 2017 , 6,	8.9	21
6	Large-scale remodeling of a repressed exon ribonucleoprotein to an exon definition complex active for splicing. <i>ELife</i> , 2016 , 5,	8.9	15
5	Spliceosomal Machinery.		
4	Chapter 4. The Biology of DEAH/RHA Proteins and Their Mechanism of Action. <i>RSC Biomolecular Sciences</i> , 2010 , 99-120		1
3	Transcription factor-like 5 is a potential DNA/RNA-binding protein essential for maintaining male fertility in mice.. <i>Journal of Cell Science</i> , 2021 ,	5.3	1
2	Splicing quality control mediated by DHX15 and its G-patch activator, SUGP1.		0
1	Diversity of MLE Helicase Functions in the Regulation of Gene Expression in Higher Eukaryotes. 2023 , 57, 7-18		0

