

# CITATION REPORT

List of articles citing

Selective serotonin reuptake inhibitors and the risk of stroke: a population-based case-control study

DOI: 10.1161/01.str.0000018589.56991.ba  
Stroke, 2002, 33, 1465-73.

**Source:** <https://exaly.com/paper-pdf/33876795/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
127	Use of selective serotonin reuptake inhibitors and the risk of stroke: is there reason for concern?. <i>Stroke</i> , <b>2002</b> , 33, 1448-9	6.7	8
126	Dopaminergic agonists and driving performance. <b>2002</b> , &NA;; 5		
125	Pharmacoepidemiology and drug safety. <b>2002</b> , 11, 727-42		
124	The future of consultation-liaison psychiatry. <b>2003</b> , 37, 150-9		26
123	Poststroke depression: prevalence, diagnosis, treatment, and disease progression. <b>2003</b> , 54, 376-87		351
122	Effect of selective serotonin reuptake inhibitors on platelet activation: can they prevent acute myocardial infarction?. <b>2003</b> , 3, 149-62		40
121	Sertraline for social anxiety disorder. <b>2003</b> , 3, 787-95		5
120	Depression and cardiovascular disease. <b>2003</b> , 16, 221-225		6
119	. <b>2003</b> , 16, 349-367		1
118	Current World Literature. <b>2003</b> , 16, 91-113		
117	Bibliography Current World Literature. <b>2003</b> , 16, 349-367		
116	Current World Literature. <b>2003</b> , 16, 233-260		
115	Platelets and anti-platelet therapy. <b>2003</b> , 93, 381-96		80
114	Risk of Stroke Associated With Nonsteroidal Anti-Inflammatory Drugs. <i>Stroke</i> , <b>2003</b> , 34, 379-386	6.7	78
113	SSRI treatment-associated stroke: causality assessment in two cases. <b>2004</b> , 38, 1197-201		8
112	Transient ischemic attack reported with paroxetine use. <b>2004</b> , 38, 617-20		6
111	Hemorrhagic stroke after spinal anesthesia and minor surgery. <b>2004</b> , 16, 293-5		2

110	Reply: Depression, Stroke Diagnosis, and SSRI Discontinuation Syndrome. <b>2004</b> , 49, 345-346		
109	Association of risk of abnormal bleeding with degree of serotonin reuptake inhibition by antidepressants. <b>2004</b> , 164, 2367-70		173
108	Past use of selective serotonin reuptake inhibitors and the risk of cerebrovascular events in the elderly. <b>2005</b> , 20, 169-71		14
107	Selective serotonin re-uptake inhibitors and the risk of bleeding. <b>2005</b> , 4, 337-44		68
106	SSRI and statin use increases the risk for vasospasm after subarachnoid hemorrhage. <i>Neurology</i> , <b>2005</b> , 64, 1008-13	6.5	83
105	Monoaminergic-based Pharmacotherapy for Depression. <b>2005</b> , 87-209		8
104	SSRIs and upper gastrointestinal bleeding: what is known and how should it influence prescribing?. <i>CNS Drugs</i> , <b>2006</b> , 20, 143-51	6.7	56
103	Preventing depression after stroke. <b>2006</b> , 18, 471-81		20
102	Depressive symptoms and risk of stroke: the Framingham Study. <i>Stroke</i> , <b>2007</b> , 38, 16-21	6.7	169
101	Selective serotonin reuptake inhibitors and risk of hemorrhagic stroke. <i>Stroke</i> , <b>2007</b> , 38, 3049-51	6.7	73
100	Depression after stroke. 548-570		3
99	Antidepressant prophylaxis for poststroke depression: a meta-analysis. <b>2007</b> , 22, 159-66		54
98	Potential medical and surgical complications of serotonergic antidepressant medications. <b>2007</b> , 48, 1-9		48
97	Cerebral haemorrhage induced by warfarin - the influence of drug-drug interactions. <b>2007</b> , 16, 309-15		26
96	Clinical impact of selective serotonin reuptake inhibitors therapy with bleeding risks. <b>2007</b> , 261, 205-13		52
95	Medically serious adverse effects of newer antidepressants. <b>2008</b> , 10, 249-57		23
94	Risk of upper gastrointestinal bleeding and the degree of serotonin reuptake inhibition by antidepressants: a case-control study. <i>Drug Safety</i> , <b>2008</b> , 31, 159-68	5.1	36
93	Use of a prescribed ephedrine/caffeine combination and the risk of serious cardiovascular events: a registry-based case-crossover study. <b>2008</b> , 168, 966-73		43

92	Risk of cerebrovascular events associated with antidepressant use in patients with depression: a population-based, nested case-control study. <b>2008</b> , 42, 177-84	64
91	Risk of upper gastrointestinal tract bleeding associated with selective serotonin reuptake inhibitors and venlafaxine therapy: interaction with nonsteroidal anti-inflammatory drugs and effect of acid-suppressing agents. <b>2008</b> , 65, 795-803	135
90	The risk of postpartum hemorrhage with selective serotonin reuptake inhibitors and other antidepressants. <b>2008</b> , 28, 230-4	46
89	Epidemiology and treatment of post-stroke depression. <b>2008</b> , 4, 145-54	150
88	Antidepressant use and risk of incident cardiovascular morbidity and mortality among postmenopausal women in the Women's Health Initiative study. <b>2009</b> , 169, 2128-39	182
87	[Correlation of depression with stroke. Pathophysiological mechanisms]. <b>2009</b> , 80, 772, 774-6, 778-80	6
86	Hemorrhagic stroke associated with antidepressant use in patients with depression: does degree of serotonin reuptake inhibition matter?. <b>2009</b> , 18, 196-202	20
85	The use of selective serotonin reuptake inhibitors in elderly patients. <b>2009</b> , 17, 242-53	15
84	The Maudsley Prescribing Guidelines. <b>2009</b> ,	110
83	An association between selective serotonin reuptake inhibitor use and serious upper gastrointestinal bleeding. <b>2009</b> , 7, 1314-21	81
82	Antidepressant drug prescription and risk of abnormal bleeding: a case-control study. <b>2009</b> , 29, 33-8	19
81	Recent advances in the biological treatment of mood disorders. <b>2009</b> , 26, i-ix	2
80	Risk of ischemic stroke associated with antidepressant drug use in elderly persons. <b>2010</b> , 30, 252-8	42
79	Antidepressant drugs. <b>2010</b> , 29-40	
78	Use of serotonergic antidepressants and bleeding risk in orthopedic patients. <b>2010</b> , 112, 631-6	53
77	[SSRI - treatment and bleeding. What risks do we take?]. <b>2010</b> , 81, 549-55	14
76	There is an association between selective serotonin reuptake inhibitor use and uncomplicated peptic ulcers: a population-based case-control study. <b>2010</b> , 32, 1383-91	19
75	Antidepressant medication use for primary care patients with and without medical comorbidities: a national electronic health record (EHR) network study. <b>2010</b> , 23, 499-508	35

74	Effects of selective serotonin reuptake inhibitors on platelet function: mechanisms, clinical outcomes and implications for use in elderly patients. <b>2011</b> , 28, 345-67		122
73	Selective serotonin reuptake inhibitors and oral bleeding complications after invasive dental treatment. <b>2011</b> , 112, 463-7		12
72	Selective serotonin reuptake inhibitors and gastrointestinal bleeding: a case-control study. <i>PLoS ONE</i> , <b>2011</b> , 6, e19819	3.7	17
71	Escitalopram and ischemic stroke: causal or chance association?. <b>2011</b> , 23, E38-9		1
70	The use of antidepressants and the risk of haemorrhagic stroke: a nested case control study. <b>2011</b> , 71, 116-20		33
69	Use of serotonergic drugs and the risk of bleeding. <b>2011</b> , 89, 89-96		41
68	Association of cerebrovascular events with antidepressant use: a case-crossover study. <b>2011</b> , 168, 511-21		109
67	Depression and incident stroke in women. <i>Stroke</i> , <b>2011</b> , 42, 2770-5	6.7	78
66	Timing of stroke in patients undergoing total hip replacement and matched controls: a nationwide cohort study. <i>Stroke</i> , <b>2012</b> , 43, 3225-9	6.7	33
65	Incident user cohort study of risk for gastrointestinal bleed and stroke in individuals with major depressive disorder treated with antidepressants. <b>2012</b> , 2, e000544		36
64	Antidepressants and bleeding risk after face-lift surgery. <i>Archives of Facial Plastic Surgery</i> , <b>2012</b> , 14, 248-52		16
63	Les effets indésirables des psychotropes chez le sujet âgé: étude rétrospective de 35 cas. <b>2012</b> , 170, 251-255		2
62	Clinically significant drug interactions with newer antidepressants. <i>CNS Drugs</i> , <b>2012</b> , 26, 39-67	6.7	104
61	Citalopram is a more potent platelet function inhibitor than paroxetine in a case-control study. <i>Journal of Thrombosis and Haemostasis</i> , <b>2012</b> , 10, 1177-9	15.4	8
60	Psychological and Psychiatric Triggers and Risk Factors for Stroke. <b>2013</b> , 255-297		2
59	Drug-induced thrombosis: an update. <i>Drug Safety</i> , <b>2013</b> , 36, 585-603	5.1	36
58	Pharmacological management of depression in patients with cancer: practical considerations. <b>2013</b> , 73, 1131-45		12
57	Post stroke use of selective serotonin reuptake inhibitors and clinical outcome among patients with ischemic stroke: a nationwide propensity score-matched follow-up study. <i>Stroke</i> , <b>2013</b> , 44, 420-6	6.7	51

56	The association of selective serotonin reuptake inhibitors use and stroke in geriatric population. <b>2013</b> , 21, 811-5		18
55	Poststroke depression: a review emphasizing the role of prophylactic treatment and synergy with treatment for motor recovery. <b>2013</b> , 20, 139-50		47
54	Predictors for recurrent primary intracerebral hemorrhage: a retrospective population-based study. <i>Stroke</i> , <b>2013</b> , 44, 585-90	6.7	31
53	Neuropsychiatric Symptoms of Cerebrovascular Diseases. <b>2013</b> ,		4
52	Effects of selective serotonin reuptake inhibitors versus tricyclic antidepressants on cerebrovascular events: a nationwide population-based cohort study. <b>2013</b> , 33, 782-9		25
51	Measuring psychotropic drug exposures in register-based studies--validity of a dosage assumption of one unit per day in older Finns. <b>2013</b> , 22, 155-65		8
50	The association between use of serotonergic antidepressants and perioperative bleeding during total hip arthroplasty--a cohort study. <b>2014</b> , 115, 277-81		15
49	Association between warfarin combined with serotonin-modulating antidepressants and increased case fatality in primary intracerebral hemorrhage: a population-based study. <b>2014</b> , 120, 1358-63		14
48	Use of selective serotonin reuptake inhibitors and risk of stroke: a systematic review and meta-analysis. <b>2014</b> , 261, 686-95		60
47	Inhibition of serotonin reuptake by antidepressants and cerebral microbleeds in the general population. <i>Stroke</i> , <b>2014</b> , 45, 1951-7	6.7	22
46	Association between depression and risk of atrial fibrillation and stroke in patients with psoriasis: a Danish nationwide cohort study. <b>2015</b> , 173, 471-9		14
45	Risk of intracranial haemorrhage in antidepressant users with concurrent use of non-steroidal anti-inflammatory drugs: nationwide propensity score matched study. <b>2015</b> , 351, h3517		50
44	Safety of selective serotonin reuptake inhibitor treatment in recovering stroke patients. <b>2015</b> , 14, 911-9		20
43	Using antidepressants and the risk of stroke recurrence: report from a national representative cohort study. <b>2015</b> , 15, 86		27
42	Preadmission use of selective serotonin reuptake inhibitors and short-term mortality in diabetic patients hospitalized due to stroke. <b>2016</b> , 280, 407-18		1
41	Panic Disorder. <b>2016</b> ,		0
40	The Risk of Thromboembolism in Users of Antidepressants and Antipsychotics. <i>Advances in Experimental Medicine and Biology</i> , <b>2017</b> , 906, 351-361	3.6	5
39	Selective serotonin re-uptake inhibitors (SSRIs). <b>2016</b> , 317-337		

38	Antidepressants are associated with hospital admitted intracranial bleeds in people taking other medication associated with bleeding. <b>2016</b> , 19, 24		5
37	Risk of Stroke Among Older Medicare Antidepressant Users With Traumatic Brain Injury. <b>2017</b> , 32, E42-E49		7
36	Use of antidepressants and the risk of cardiovascular and cerebrovascular disease: a meta-analysis of observational studies. <b>2017</b> , 73, 487-497		38
35	Cerebrovascular, Cardiovascular, and Mortality Events in New Users of Selective Serotonin Reuptake Inhibitors and Serotonin Norepinephrine Reuptake Inhibitors: A Propensity Score-Matched Population-Based Study. <b>2017</b> , 37, 332-340		11
34	Association of Selective Serotonin Reuptake Inhibitors With the Risk for Spontaneous Intracranial Hemorrhage. <b>2017</b> , 74, 173-180		72
33	Long-term sertraline treatment and depression effects on carotid artery atherosclerosis in premenopausal female primates. <b>2017</b> , 24, 1175-1184		4
32	Effects of psychopharmacological treatment with antidepressants on the vascular system. <b>2017</b> , 96-98, 11-18		17
31	Strategies for dementia prevention: latest evidence and implications. <b>2017</b> , 8, 121-136		77
30	Anti-inflammatory treatment for major depressive disorder: implications for patients with an elevated immune profile and non-responders to standard antidepressant therapy. <b>2017</b> , 31, 1149-1165		113
29	Bleeding risk under selective serotonin reuptake inhibitor (SSRI) antidepressants: A meta-analysis of observational studies. <b>2017</b> , 118, 19-32		61
28	Thrombosis and Embolism: from Research to Clinical Practice. <i>Advances in Experimental Medicine and Biology</i> , <b>2017</b> ,	3.6	0
27	Effect of fluoxetine on three-year recurrence in acute ischemic stroke: A randomized controlled clinical study. <i>Clinical Neurology and Neurosurgery</i> , <b>2018</b> , 168, 1-6	2	11
26	Risk of Intracranial Hemorrhage Associated with the Use of Antidepressants Inhibiting Serotonin Reuptake: A Systematic Review. <i>CNS Drugs</i> , <b>2018</b> , 32, 321-334	6.7	18
25	Use of Antidepressants and Risk of Incident Stroke: A Systematic Review and Meta-Analysis. <i>Neuroepidemiology</i> , <b>2019</b> , 53, 142-151	5.4	20
24	Serotonin Reuptake Inhibitor Drugs Are Associated with Contrast Extravasation and Clinical Outcome in Patients with Intracerebral Haemorrhage. <i>European Neurology</i> , <b>2019</b> , 81, 254-261	2.1	
23	Degree of serotonin reuptake inhibition of antidepressants and ischemic risk: A cohort study. <i>Neurology</i> , <b>2019</b> , 93, e1010-e1020	6.5	15
22	The impact of selective serotonin reuptake inhibitors on the risk of intracranial haemorrhage: A systematic review and meta-analysis. <i>European Stroke Journal</i> , <b>2019</b> , 4, 144-152	5.6	7
21	Treatment Approaches to Lacunar Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2019</b> , 28, 2055-2078	2078	17

20	Antidepressants and the Risk of Hemorrhagic Stroke in the Elderly: a Nested Case-Control Study. <i>Drug Safety</i> , <b>2019</b> , 42, 1081-1089	5.1	5
19	Antidepressant drug use and subdural hematoma risk. <i>Journal of Thrombosis and Haemostasis</i> , <b>2020</b> , 18, 318-327	15.4	4
18	Association Between Cerebral Small Vessel Disease With Antidepressant Use and Depression: 3C Dijon Magnetic Resonance Imaging Study. <i>Stroke</i> , <b>2020</b> , 51, 402-408	6.7	1
17	Clinically relevant drug interactions between newer antidepressants and oral anticoagulants. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , <b>2020</b> , 16, 31-44	5.5	14
16	Selective Serotonin Reuptake Inhibitors and Intracerebral Hemorrhage Risk and Outcome. <i>Stroke</i> , <b>2020</b> , 51, 1135-1141	6.7	2
15	Influences of antidepressant medications on the risk of developing hyperlipidemia in patients with depression by a population-based cohort study and on in vitro hepatic lipogenic-related gene expression. <i>Journal of Affective Disorders</i> , <b>2021</b> , 295, 271-283	6.6	
14	Antidepressants and Bleeding Risk After Face-lift Surgery. <i>Archives of Facial Plastic Surgery</i> , <b>2012</b> , 14, 248-252		2
13	Depression and anxiety. <b>2005</b> , 135-203		2
12	Use of Selective Serotonin Reuptake Inhibitors and Risks of Stroke in Patients with Obsessive Compulsive Disorder: A Population-Based Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0162239	3.7	5
11	SSRIs & the risk of abnormal bleeding. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , <b>2007</b> , 45, 15-21	1.1	8
10	Use of Psychotropic Medications in Geriatric Pain Management. <b>2006</b> , 239-261		
9	Pharmacotherapy of Late-Life Depression: Evidence-Based Recommendations. <i>Medical Psychiatry</i> , <b>2008</b> , 239-290		2
8	Psychopharmaka in Geriatrie und Gerontopsychiatrie. <b>2010</b> , 521-536		
7	Psychopharmaka im Alter. <b>2012</b> , 1173-1183		
6	Pharmacological Treatment with the Selective Serotonin Reuptake Inhibitors. <b>2016</b> , 223-236		
5	The Risk of Thromboembolism in Users of Antidepressants and Antipsychotics. <i>Advances in Experimental Medicine and Biology</i> , <b>2016</b> ,	3.6	
4	Psychopharmaka im Alter. <b>2008</b> , 1081-1091		3
3	Selective Serotonin Reuptake Inhibitors and Risk of Noncardioembolic Ischemic Stroke: A Nested Case-Control Study.. <i>Stroke</i> , <b>2022</b> , STROKEAHA121036661	6.7	0



2 Drug-induced intracerebral hemorrhage. **2022**, 55-68

1 Risk for intracranial hemorrhage in individuals after mild traumatic brain injury who are taking serotonergic antidepressants. 13,

o