
CITATION REPORT List of articles citing



DOI: 10.1097/00042752-200211000-00012 Clinical Journal of Sport Medicine, 2002, 12, 391-9.

Source: https://exaly.com/paper-pdf/33891838/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
123	. 2003 , 6, 427-434		3
122	Fluid replacement during marathon running. Clinical Journal of Sport Medicine, 2003, 13, 309-18	3.2	125
121	Nutritional aspects in ultra-endurance exercise. 2003 , 6, 427-34		31
120	An Open Randomized Controlled Study on the Efficacy of Low-Sodium Water Intake Evaluated by Non-Invasive Methods in Patients with Cellulite. 2003 , 1, 43-48		O
119	The dipsomania of great distance: water intoxication in an Ironman triathlete. <i>British Journal of Sports Medicine</i> , 2004 , 38, E16	10.3	47
118	Weight changes, medical complications, and performance during an Ironman triathlon. <i>British Journal of Sports Medicine</i> , 2004 , 38, 718-24	10.3	102
117	The ACE gene and endurance performance during the South African Ironman Triathlons. 2004 , 36, 1314	-20	73
116	Study of hematological and biochemical parameters in runners completing a standard marathon. <i>Clinical Journal of Sport Medicine</i> , 2004 , 14, 344-53	3.2	81
115	Fluid replacement during marathon running. <i>Clinical Journal of Sport Medicine</i> , 2004 , 14, 248; author reply 248-50	3.2	1
114	Response to the Letter to the Editor by Douglas W. Stoddard, MD, M Sport Med, Dip Sport Med, ES. <i>Clinical Journal of Sport Medicine</i> , 2004 , 14, 248-250	3.2	1
113	The effects of different air velocities on heat storage and body temperature in humans cycling in a hot, humid environment. 2005 , 183, 241-55		154
112	Hemodynamic and autonomic changes induced by Ironman: prediction of competition time by blood pressure variability. 2005 , 99, 1728-35		61
111	Hyponatraemic encephalopathy despite a modest rate of fluid intake during a 109 km cycle race. British Journal of Sports Medicine, 2005 , 39, e38; discussion e38	10.3	27
110	Three independent biological mechanisms cause exercise-associated hyponatremia: evidence from 2,135 weighed competitive athletic performances. 2005 , 102, 18550-5		277
109	Serum electrolytes in Ironman triathletes with exercise-associated muscle cramping. 2005 , 37, 1081-5		62
108	Training principles and issues for ultra-endurance athletes. Current Sports Medicine Reports, 2005, 4, 16.	5-17.0)	115
107	Exercise-associated hyponatraemia: a mathematical review. 2005 , 35, 899-922		35

106	Medical problems of marathon runners. 2006 , 24, 608-15		58
105	Growth hormone 1 (GH1) gene and performance and post-race rectal temperature during the South African Ironman triathlon. <i>British Journal of Sports Medicine</i> , 2006 , 40, 145-50; discussion 145-50	10.3	3
104	Dipsogenic genes associated with weight changes during Ironman Triathlons. 2006 , 15, 2980-7		24
103	Core temperature and hydration status during an Ironman triathlon. <i>British Journal of Sports Medicine</i> , 2006 , 40, 320-5; discussion 325	10.3	72
102	Case proven: exercise associated hyponatraemia is due to overdrinking. So why did it take 20 years before the original evidence was accepted?. <i>British Journal of Sports Medicine</i> , 2006 , 40, 567-72	10.3	46
101	Cycling and running performance, not anthropometric factors, are associated with race performance in a Triple Iron Triathlon. 2007 , 15, 257-69		31
100	Commentary on Influence of anthropometry on race performance in extreme endurance triathletes: World Challenge Deca Iron Triathlon 2006Influence of anthropometry on race performance in extreme endurance triathletes: World Challenge Deca Iron Triathlon 2006[British	10.3	78
99	Journal of Sports Medicine, 2007 , 41, 648-648 Exercise-associated hyponatremia. 2007 , 2, 151-61		126
98	Ibuprofen does not affect serum electrolyte concentrations after an ultradistance run. <i>British Journal of Sports Medicine</i> , 2007 , 41, 492-6; discussion 496	10.3	11
97	Fluid and food intake during professional men's and women's road-cycling tours. 2007 , 2, 58-71		20
96	Maintenance of plasma volume and serum sodium concentration despite body weight loss in ironman triathletes. <i>Clinical Journal of Sport Medicine</i> , 2007 , 17, 116-22	3.2	54
95	Drinking guidelines for exercise: what evidence is there that athletes should drink "as much as tolerable", "to replace the weight lost during exercise" or "ad libitum"?. <i>Journal of Sports Sciences</i> , 2007 , 25, 781-96	3.6	58
94	Effect of a multistage ultra-endurance triathlon on body composition: World Challenge Deca Iron Triathlon 2006. <i>British Journal of Sports Medicine</i> , 2008 , 42, 121-5; discussion 125	10.3	47
93	Influence of anthropometry on race performance in extreme endurance triathletes: World Challenge Deca Iron Triathlon 2006. <i>British Journal of Sports Medicine</i> , 2007 , 41, 644-8; discussion 648	10.3	28
92	A physiological and psychological basis for anti-pronation taping from a critical review of the literature. 2008 , 38, 617-31		39
91	Upper arm circumference is associated with race performance in ultra-endurance runners. <i>British Journal of Sports Medicine</i> , 2008 , 42, 295-9; discussion 299	10.3	47
90	Decrease in body fat during an ultra-endurance triathlon is associated with race intensity. <i>British Journal of Sports Medicine</i> , 2008 , 42, 609-13	10.3	31
89	Anthropometric characteristics of ultramarathoners. <i>International Journal of Sports Medicine</i> , 2008 , 29, 808-11	3.6	64

88	Exercise-associated hyponatremia. 2008 , 36, 55-61		9
87	Effects of a Deca Iron Triathlon on body composition: a case study. <i>International Journal of Sports Medicine</i> , 2008 , 29, 343-51	3.6	27
86	An ultratriathlon leads to a decrease of body fat and skeletal muscle massthe Triple Iron Triathlon Austria 2006. 2008 , 16, 97-110		29
85	Strategies to Prevent Hyponatremia During Prolonged Exercise. <i>Current Sports Medicine Reports</i> , 2008 , 7, S28-S35	1.9	4
84	Athletic performance and serial weight changes during 12- and 24-hour ultra-marathons. <i>Clinical Journal of Sport Medicine</i> , 2008 , 18, 155-8	3.2	63
83	Skin-fold thickness and training volume in ultra-triathletes. <i>International Journal of Sports Medicine</i> , 2009 , 30, 343-7	3.6	15
82	Running performance, not anthropometric factors, is associated with race success in a Triple Iron Triathlon. <i>British Journal of Sports Medicine</i> , 2009 , 43, 437-41	10.3	36
81	Athletic performance and weight changes during the "Marathon of Sands" in athletes well-trained in endurance. <i>International Journal of Sports Medicine</i> , 2009 , 30, 516-21	3.6	25
80	Body mass and circumference of upper arm are associated with race performance in ultraendurance runners in a multistage racethe Isarrun 2006. 2009 , 80, 262-8		43
79	No change of body mass, fat mass, and skeletal muscle mass in ultraendurance swimmers after 12 hours of swimming. 2009 , 80, 62-70		15
78	Exercise-associated hyponatremia. 2009 , 29, 271-81		45
77	Urine output and performance of runners in a 12-hour ultramarathon. <i>Clinical Journal of Sport Medicine</i> , 2009 , 19, 120-4	3.2	5
76	Fluid Intake and Changes in Blood Biochemistry, Running Speed and Body Mass During an 80 km Mountain Trail Race. 2009 , 13, 108-115		19
75	Bike Transalp 2008: liquid intake and its effect on the body's fluid homeostasis in the course of a multistage, cross-country, MTB marathon race in the central Alps. <i>Clinical Journal of Sport Medicine</i> , 2010 , 20, 47-52	3.2	24
74	A study of serum sodium level among Hong Kong runners. <i>Clinical Journal of Sport Medicine</i> , 2010 , 20, 482-7	3.2	8
73	Can changes in body mass and total body water accurately predict hyponatremia after a 161-km running race?. <i>Clinical Journal of Sport Medicine</i> , 2010 , 20, 193-9	3.2	70
72	Osteocalcin as a negative regulator of serum leptin concentration in humans: insight from triathlon competitions. 2010 , 110, 635-43		13
71	Sodium replacement and plasma sodium drop during exercise in the heat when fluid intake matches fluid loss. 2010 , 45, 547; author reply 548		1

70	Is drinking to thirst optimum?. 2010 , 57 Suppl 2, 9-17		36
69	ATriple Iron triathlon leads to a decrease in total body mass but not to dehydration. 2010 , 81, 319-27		24
68	Ad libitum adjustments to fluid intake during cool environmental conditions maintain hydration status during a 3-day mountain bike race. <i>British Journal of Sports Medicine</i> , 2010 , 44, 430-6	10.3	15
67	Exercise-associated hyponatremia during winter sports. 2010 , 38, 101-6		8
66	Personal best time, percent body fat, and training are differently associated with race time for male and female ironman triathletes. 2010 , 81, 62-8		51
65	Intravenous versus oral rehydration in athletes. 2010 , 40, 327-46		8
64	Changes in total body water content during running races of 21.1 km and 56 km in athletes drinking ad libitum. <i>Clinical Journal of Sport Medicine</i> , 2011 , 21, 218-25	3.2	41
63	Examining the influence of hydration status on physiological responses and running speed during trail running in the heat with controlled exercise intensity. <i>Journal of Strength and Conditioning Research</i> , 2011 , 25, 2944-54	3.2	38
62	Factors associated with a self-reported history of exercise-associated muscle cramps in Ironman triathletes: a case-control study. <i>Clinical Journal of Sport Medicine</i> , 2011 , 21, 204-10	3.2	31
61	De Gruyter. 2011 , 12,		2
60	De Gruyter. 2011, 12, Plyometric training as an intervention to correct altered neuromotor control during running after cycling in triathletes: a preliminary randomised controlled trial. 2011, 12, 15-21		15
	Plyometric training as an intervention to correct altered neuromotor control during running after		
60	Plyometric training as an intervention to correct altered neuromotor control during running after cycling in triathletes: a preliminary randomised controlled trial. 2011 , 12, 15-21 Low prevalence of exercise-associated hyponatremia in male 100 km ultra-marathon runners in	10.3	15
60 59	Plyometric training as an intervention to correct altered neuromotor control during running after cycling in triathletes: a preliminary randomised controlled trial. 2011 , 12, 15-21 Low prevalence of exercise-associated hyponatremia in male 100 km ultra-marathon runners in Switzerland. 2011 , 111, 1007-16 Increased running speed and pre-race muscle damage as risk factors for exercise-associated muscle cramps in a 56 km ultra-marathon: a prospective cohort study. <i>British Journal of Sports Medicine</i> ,	10.3	15 32
605958	Plyometric training as an intervention to correct altered neuromotor control during running after cycling in triathletes: a preliminary randomised controlled trial. 2011 , 12, 15-21 Low prevalence of exercise-associated hyponatremia in male 100 km ultra-marathon runners in Switzerland. 2011 , 111, 1007-16 Increased running speed and pre-race muscle damage as risk factors for exercise-associated muscle cramps in a 56 km ultra-marathon: a prospective cohort study. <i>British Journal of Sports Medicine</i> , 2011 , 45, 1132-6 Prevalence of hyponatremia, renal dysfunction, and other electrolyte abnormalities among runners	10.3	15 32 25
60595857	Plyometric training as an intervention to correct altered neuromotor control during running after cycling in triathletes: a preliminary randomised controlled trial. 2011, 12, 15-21 Low prevalence of exercise-associated hyponatremia in male 100 km ultra-marathon runners in Switzerland. 2011, 111, 1007-16 Increased running speed and pre-race muscle damage as risk factors for exercise-associated muscle cramps in a 56 km ultra-marathon: a prospective cohort study. British Journal of Sports Medicine, 2011, 45, 1132-6 Prevalence of hyponatremia, renal dysfunction, and other electrolyte abnormalities among runners before and after completing a marathon or half marathon. 2011, 3, 145-51 Protection of total body water content and absence of hyperthermia despite 2% body mass loss ('voluntary dehydration') in soldiers drinking ad libitum during prolonged exercise in cool		15 32 25 20
6059585756	Plyometric training as an intervention to correct altered neuromotor control during running after cycling in triathletes: a preliminary randomised controlled trial. 2011, 12, 15-21 Low prevalence of exercise-associated hyponatremia in male 100 km ultra-marathon runners in Switzerland. 2011, 111, 1007-16 Increased running speed and pre-race muscle damage as risk factors for exercise-associated muscle cramps in a 56 km ultra-marathon: a prospective cohort study. British Journal of Sports Medicine, 2011, 45, 1132-6 Prevalence of hyponatremia, renal dysfunction, and other electrolyte abnormalities among runners before and after completing a marathon or half marathon. 2011, 3, 145-51 Protection of total body water content and absence of hyperthermia despite 2% body mass loss ('voluntary dehydration') in soldiers drinking ad libitum during prolonged exercise in cool environmental conditions. British Journal of Sports Medicine, 2011, 45, 1106-12 Increased running speed and previous cramps rather than dehydration or serum sodium changes predict exercise-associated muscle cramping: a prospective cohort study in 210 Ironman triathletes.	10.3	15 32 25 20 26

52	Intravenous fluid use in athletes. 2012 , 4, 333-9	3
51	Regulation of electrolyte and fluid metabolism in multi-stage ultra-marathoners. 2012 , 44, 919-26	17
50	Body mass change and ultraendurance performance: a decrease in body mass is associated with an increased running speed in male 100-km ultramarathoners. <i>Journal of Strength and Conditioning</i> 3.2 <i>Research</i> , 2012 , 26, 1505-16	27
49	Hyponatremia in the 2009 161-km Western States Endurance Run. 2012 , 7, 6-10	47
48	Observations on saliva osmolality during progressive dehydration and partial rehydration. 2012 , 112, 3227-37	22
47	A faster running speed is associated with a greater body weight loss in 100-km ultra-marathoners. <i>Journal of Sports Sciences</i> , 2012 , 30, 1131-40 3.6	27
46	An increased fluid intake leads to feet swelling in 100-km ultra-marathoners - an observational field study. 2012 , 9, 11	24
45	Ad libitum fluid intake leads to no leg swelling in male Ironman triathletes - an observational field study. 2012 , 9, 40	8
44	The TransEurope FootRace Project: longitudinal data acquisition in a cluster randomized mobile MRI observational cohort study on 44 endurance runners at a 64-stage 4,486 km transcontinental ultramarathon. 2012 , 10, 78	37
43	Avoid adding insult to injury - correct management of sick female endurance athletes. 2012 , 102, 927-30	12
42	No case of exercise-associated hyponatraemia in top male ultra-endurance cyclists: the 'Swiss Cycling Marathon'. 2012 , 112, 689-97	27
41	The quantification of body fluid allostasis during exercise. 2013 , 43, 1289-99	11
40	Hyponatremia. 2013,	2
39	What do athletes drink during competitive sporting activities?. 2013 , 43, 539-64	54
38	Exercise-Associated Hyponatremia. 2013 , 175-192	3
37	Exercise-associated hyponatremia and hydration status in 161-km ultramarathoners. 2013, 45, 784-91	86
36	Hydration strategies, weight change and performance in a 161 km ultramarathon. 2014 , 22, 213-25	57
35	Exercise-induced dehydration does not alter time trial or neuromuscular performance. <i>International Journal of Sports Medicine</i> , 2014 , 35, 725-30	10

34	Fluid replacement strategy during a 27-Km trail run in hot and humid conditions. <i>International Journal of Sports Medicine</i> , 2014 , 35, 147-52	3.6	10
33	Analysis of weight change and Borg rating of perceived exertion as measurements of runner health and safety during a 6-day, multistage, remote ultramarathon. <i>Clinical Journal of Sport Medicine</i> , 2014 , 24, 245-50	3.2	5
32	Relationship between physiological parameters and performance during a half-ironman triathlon in the heat. <i>Journal of Sports Sciences</i> , 2014 , 32, 1680-7	3.6	27
31	Acute changes to biomarkers as a consequence of prolonged strenuous running. 2014 , 51, 137-50		32
30	Fluid and electrolyte balance during two different preseason training sessions in elite rugby union players. <i>Journal of Strength and Conditioning Research</i> , 2014 , 28, 520-7	3.2	11
29	Body Weight, Serum Sodium Levels, and Renal Function in an Ultra-Distance Mountain Run. <i>Clinical Journal of Sport Medicine</i> , 2015 , 25, 341-6	3.2	16
28	Peso corporal e estado harico de triatletas no Ironman Brasil: Um fator de corre B. 2015 , 21, 284-286		
27	What predicts performance in ultra-triathlon races? - a comparison between Ironman distance triathlon and ultra-triathlon. 2015 , 6, 149-59		10
26	Variables that influence Ironman triathlon performance - what changed in the last 35 years?. 2015 , 6, 277-90		17
25	Statement of the Third International Exercise-Associated Hyponatremia Consensus Development Conference, Carlsbad, California, 2015. <i>Clinical Journal of Sport Medicine</i> , 2015 , 25, 303-20	3.2	132
24	Comparison of body composition techniques before and after a 161-km ultramarathon using DXA, BIS and BIA. <i>International Journal of Sports Medicine</i> , 2015 , 36, 169-74	3.6	8
23	Changes in Kidney Functions during Middle-distance Triathlon in Male Athletes. <i>International Journal of Sports Medicine</i> , 2015 , 36, 979-83	3.6	6
22	Statement of the 3rd International Exercise-Associated Hyponatremia Consensus Development Conference, Carlsbad, California, 2015. <i>British Journal of Sports Medicine</i> , 2015 , 49, 1432-46	10.3	64
21	A variant within the AQP1 3'-untranslated region is associated with running performance, but not weight changes, during an Ironman Triathlon. <i>Journal of Sports Sciences</i> , 2015 , 33, 1342-8	3.6	8
20	Effects of Body Composition on Race Time in Triathletes. <i>Anthropologist</i> , 2016 , 23, 406-413	1	О
19	Comparison of Two Fluid Replacement Protocols During a 20-km Trail Running Race in the Heat. Journal of Strength and Conditioning Research, 2016 , 30, 2609-16	3.2	13
18	Body Mass Changes Across a Variety of Running Race Distances in the Tropics. <i>Sports Medicine - Open</i> , 2015 , 2, 26	6.1	7
17	Fueling the Triathlete: Evidence-Based Practical Advice for Athletes of All Levels. <i>Current Sports Medicine Reports</i> , 2017 , 16, 240-246	1.9	10

16	Exercise-Associated Hyponatremia: 2017 Update. Frontiers in Medicine, 2017, 4, 21	4.9	49
15	Hydration Status, Executive Function, and Response to Orthostatism After a 118-km Mountain Race: Are They Interrelated?. <i>Journal of Strength and Conditioning Research</i> , 2018 , 32, 441-449	3.2	10
14	Cardiac function measurements by electrical cardiometry in 24-hour ultra-marathoners. 2018 , 1, 1-1		
13	Serum sodium changes in marathon participants who use NSAIDs. <i>BMJ Open Sport and Exercise Medicine</i> , 2018 , 4, e000364	3.4	2
12	Exercise-Associated Hyponatremia in Endurance and Ultra-Endurance Performance-Aspects of Sex, Race Location, Ambient Temperature, Sports Discipline, and Length of Performance: A Narrative Review. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	15
11	Cystic Fibrosis in Primary Care. 2020 ,		
10	Exercise-Associated Collapse. 2020 , 27-37		
9	Long distance triathlon: demands, preparation and performance. <i>Journal of Human Sport and Exercise</i> , 2011 , 6, 247-263	1.5	13
8	Pre-race characteristics and race performance in hyponatremic and normonatremic finishers of Czech ultra-races. <i>Acta Gymnica</i> , 2016 , 46, 109-116	0.6	2
7	Fluid Intake, Body Water Balance, and Inflammatory Responses during Simulated Olympic Distance Triathlon in Elite Triathletes. <i>Korean Journal of Sport Science</i> , 2012 , 23, 422-430	0.1	
6	[Exercise-Associated Hyponatremia in Endurance Performance]. <i>Praxis</i> , 2019 , 108, 615-632	0.1	3
5	Electrolyte Abnormalities in CF. 2020 , 127-139		
4	Running 338 Kilometres within Five Days has no Effect on Body Mass and Body Fat But Reduces Skeletal Muscle Mass - the Isarrun 2006. <i>Journal of Sports Science and Medicine</i> , 2007 , 6, 401-7	2.7	32
3	A Preliminary Study on Female Runners and Their Body Composition. <i>Design Science and Innovation</i> , 2022 , 1-8	0.2	
2	Exercise-Induced Hyponatremia: An Assessment of the International Hydration Recommendations Followed During the Gran Trail De Pellara and Vitoria-Gasteiz Ironman Competitions <i>Frontiers in Nutrition</i> , 2021 , 8, 781229	6.2	
1	Running in Ironman Triathlon. 2022 , 209-214		