
# CITATION REPORT List of articles citing



DOI: 10.1097/00003246-200209000-00016 Critical Care Medicine, 2002, 30, 2051-8.

Source: https://exaly.com/paper-pdf/33896988/citation-report.pdf

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2015	Quality of life and dialysis decisions in critically ill patients with acute renal failure. <b>2003</b> , 29, 1589-93		33
2014	Die Niere im akuten Nierenversagen: Vom Opfer zum Tler. <b>2003</b> , 40, 356-360		
2013	Gastrointestinal disorders of the critically ill. Systemic consequences of ileus. <b>2003</b> , 17, 445-56		88
2012	The provision and practice of renal replacement therapy on adult intensive care units in the United Kingdom. <b>2003</b> , 58, 1063-9		25
2011	Outcomes research in acute renal failure. <b>2003</b> , 23, 283-94		49
2010	A drug to prevent renal failure?. <b>2003</b> , 362, 589-90		14
2009	Tolfance et efficacit des sances dâβuration extrarhale. <b>2003</b> , 12, 318-326		1
2008	DGEM-Leitlinie Enterale Ernfirung:Nephrologie. <b>2003</b> , 28, 93-102		8
2007	Serum interleukin-8 as a predictive marker for a comparative neurologic outcome analysis of patients resuscitated after cardiopulmonary arrest. <i>Critical Care Medicine</i> , <b>2003</b> , 31, 2415-6; author reply 2416-7	1.4	8
2006	Editorial overview: current opinion in critical care-renal problems. 2003, 9, 465-7		
2005	Cost-effectiveness of drotrecogin alfa (activated). <i>Critical Care Medicine</i> , <b>2003</b> , 31, 2414-5; author reply 2415	1.4	
2004	Molecular mechanisms of recovery from acute renal failure. <i>Critical Care Medicine</i> , <b>2003</b> , 31, S572-81	1.4	36
2003	Testing the utility of an intervention. <i>Critical Care Medicine</i> , <b>2003</b> , 31, 2413; author reply 2413-4	1.4	
2002	Current world literature. 2003, 16, 227-48		
2001	Intermittent or continuous treatment of acute renal failure?. Critical Care Medicine, 2003, 31, 2417	1.4	1
2000	Less agreement is noted between the visual analog scale and the faces scale for patients with moderate pain than for those with severe pain. <i>Critical Care Medicine</i> , <b>2003</b> , 31, 2417-8; author reply 2418	1.4	1
1999	Epidemiology and outcome in renal failure. <b>2004</b> , 27, 1013-8		13

1998 Prevention of acute renal failure: role of vaso-active drugs, mannitol and diuretics. <b>2004</b> , 27, 1049-53	11
1997 Glucose control in the critically ill. <b>2004</b> , 144, 119-31	3
A practical tool for determining the adequacy of renal replacement therapy in acute renal failure patients. <b>2004</b> , 144, 329-49	8
1995 High volume hemofiltration in critically ill patients: why, when and how?. <b>2004</b> , 144, 362-75	17
Prognostic value of tubular proteinuria and enzymuria in nonoliguric acute tubular necrosis. <b>2004</b> , 50, 552-8	218
1993 Acute renal failure in the critically ill: impact on morbidity and mortality. <b>2004</b> , 144, 1-11	39
Minimal changes of serum creatinine predict prognosis in patients after cardiothoracic surgery: a prospective cohort study. <b>2004</b> , 15, 1597-605	1108
1991 Protective role of heme oxygenase-1 in renal ischemia. <b>2004</b> , 6, 867-77	39
1990 Enteral nutrition in patients with acute renal failure. <b>2004</b> , 65, 999-1008	65
1989 Plasma cytokine levels predict mortality in patients with acute renal failure. <b>2004</b> , 65, 1357-65	313
Plasma cytokine levels predict mortality in patients with acute renal failure. <b>2004</b> , 65, 1357-65  1988 Early detection of acute renal failure by serum cystatin C. <b>2004</b> , 66, 1115-22	313 598
1988 Early detection of acute renal failure by serum cystatin C. <b>2004</b> , 66, 1115-22	598
Early detection of acute renal failure by serum cystatin C. <b>2004</b> , 66, 1115-22  1987 Spectrum of acute renal failure in the intensive care unit: the PICARD experience. <b>2004</b> , 66, 1613-21	598 612
1988 Early detection of acute renal failure by serum cystatin C. <b>2004</b> , 66, 1115-22  1987 Spectrum of acute renal failure in the intensive care unit: the PICARD experience. <b>2004</b> , 66, 1613-21  1986 Renal replacement therapy in acute renal failure. <b>2004</b> , 18, 145-57	598 612 15
1988 Early detection of acute renal failure by serum cystatin C. 2004, 66, 1115-22  1987 Spectrum of acute renal failure in the intensive care unit: the PICARD experience. 2004, 66, 1613-21  1986 Renal replacement therapy in acute renal failure. 2004, 18, 145-57  1985 Renal protection strategies in the perioperative period. 2004, 18, 645-60	598 612 15
1988 Early detection of acute renal failure by serum cystatin C. 2004, 66, 1115-22  1987 Spectrum of acute renal failure in the intensive care unit: the PICARD experience. 2004, 66, 1613-21  1986 Renal replacement therapy in acute renal failure. 2004, 18, 145-57  1985 Renal protection strategies in the perioperative period. 2004, 18, 645-60  1984 More interventions do not necessarily improve outcome in critically ill patients. 2004, 30, 1586-93  Effect of bicarbonate and lactate buffer on glucose and lactate metabolism during	598 612 15 30 27

1980	Acute renal failure - definition, outcome measures, animal models, fluid therapy and information technology needs: the Second International Consensus Conference of the Acute Dialysis Quality Initiative (ADQI) Group. <b>2004</b> , 8, R204-12		4473
1979	The incidence and risk of acute renal failure after cardiac surgery. <b>2004</b> , 18, 442-5		197
1978	Acute renal failure and diuretics: propensity, equipoise, and the need for a clinical trial. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1794-5	1.4	15
1977	The survival benefit of intensive care. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1791-2	1.4	1
1976	Recombinant human atrial natriuretic peptide in ischemic acute renal failure: a randomized placebo-controlled trial. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1310-5	1.4	241
1975	Lac-time?. Critical Care Medicine, 2004, 32, 1785-6	1.4	9
1974	Extracorporeal endotoxin adsorption in septic patientsdoes it work?. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1792-3	1.4	3
1973	Evolution of B-type natriuretic peptide in evaluation of intensive care unit shock. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1787-9	1.4	18
1972	Adjunctive therapies in sepsis: an evidence-based review. <i>Critical Care Medicine</i> , <b>2004</b> , 32, S562-70	1.4	62
1971	Programmed neuronal death in sepsis: caught in a crossfire or a planned sacrifice?. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1804-5	1.4	2
1970	Unidentified acids in severe malaria: lessons for critical care. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1795-6	1.4	2
1969	Fluid overload in multiple organ dysfunction syndrome: a prediction of survival. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1805-6	1.4	7
1968	Complicated acute myocardial infarction requiring mechanical ventilation in the intensive care unit: prognostic factors of clinical outcome in a series of 157 patients. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 100-5	1.4	47
1967	Recombinant tissue plasminogen activator in children with meningococcal purpura fulminansrole uncertain. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1806-7	1.4	3
1966	Multiple converging mechanisms for postburn intestinal barrier dysfunction. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1803-4	1.4	11
1965	Medication vehicle injuryusing the proper restraint?. Critical Care Medicine, 2004, 32, 1800-1	1.4	1
1964	Sonographic assessment of the hypotensive patient: is this Jones a winner?. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1798-800	1.4	4
1963	Reflections on the definition, classification, and diagnostic evaluation of acute renal failure. <b>2004</b> , 10, 468-75		82

1962	A single-pass batch dialysis system: an ideal dialysis method for the patient in intensive care with acute renal failure. <b>2004</b> , 10, 483-8		36
1961	Nurse-assessed tool for evaluating death in the intensive care unit. Critical Care Medicine, 2004, 32, 178	19 <u>19</u> 1	2
1960	Current World Literature. 2004, 7, 213-248		
1959	Early tracheostomyhas its time arrived?. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1796-7	1.4	40
1958	Procalcitonin mode of action: new pieces in a complex puzzle. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1801-2	1.4	8
1957	Influence of underlying disease on the outcome of critically ill patients with acute renal failure. <b>2004</b> , 21, 848-853		4
1956	Nutritional support in acute renal failure. <b>2004</b> , 7, 207-12		15
1955	Sepsis and vascular dysfunction: connections with endothelial connexin 40. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1442-3	1.4	3
1954	Lower cortisol concentrations in patients with liver disease: more adrenal failure or more confusion?. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1431-2	1.4	6
1953	Caught in the act: observation of polymorphonuclear neutrophils for the regulation of tumor necrosis factor-alpha release by tumor necrosis factor-alpha converting enzyme in patients with secondary peritonitis. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1454-5	1.4	1
1952	Plasma platelet-activating factor acetylhydrolase is a dynamic variable in critical illness: In the end, is change good for you?. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1462-3	1.4	4
1951	Real-time ultrasonographyshould this be available to every critical care physician?. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1425-6	1.4	9
1950	Mechanical ventilation and acute renal failure. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1408-15	1.4	171
1949	Catheter-related infection can be preventedif we take the arterial line seriously too!. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1437-9	1.4	12
1948	The importance of understanding the costs of critical care and mechanical ventilation. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1434-5	1.4	10
1947	Heparins in sepsis-induced disseminated intravascular coagulation: low weight-high impact?. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1455-7	1.4	6
1946	Dementia: a justification for limiting intensive care?. Critical Care Medicine, 2005, 33, 1457-8	1.4	2
1945	Delirium: Out of one, manyâ <sup>®</sup> . <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1433-1434	1.4	2

1944	Blood transfusion and the development of acute respiratory distress syndrome: more evidence that blood transfusion in the intensive care unit may not be benign. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 142	: <del>₫:4</del>	8
1943	Fast hug, Cartesians, and the World Series. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1424-5	1.4	1
1942	Consensus development in acute renal failure: The Acute Dialysis Quality Initiative. <b>2005</b> , 11, 527-32		22
1941	Carbon monoxide and ileus: inhaled gas to prevent retained gas?. Critical Care Medicine, 2005, 33, 1445-	61.4	3
1940	The answer is always NO. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1448-9	1.4	2
1939	In search of the silver bullet: fast and safe cooling for brain injury?. Critical Care Medicine, 2005, 33, 1452	2=134	1
1938	Slow response times: is it the pneumonia or the physician?. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1429-30	1.4	3
1937	Lung injury and renal failure: from protective ventilation to renal protection. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1460-1	1.4	1
1936	Toward directed therapy for amphetamine-mediated hyperthermia: is carvedilol worth raving about?. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1443-5	1.4	3
1935	Renal-dose dopamine: another nail in the coffin. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1447-8	1.4	1
1934	Should we add stem cells to the code cart in resuscitation of heatstroke?. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1458-9	1.4	4
1933	Early induction of hypothermia: will sooner be better?. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1449-52	1.4	27
1932	Determination of troponin in the intensive care unit patient: please avoid "troponinitis"!. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1439-41	1.4	2
1931	Limitation and withdrawal practice patterns in India. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1436-7	1.4	2
1930	Water, water, everywherebut how do we measure it?. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1428-9	1.4	0
1929	Prophylactic fenoldopam for renal protection? No, thank you, not for menot yet at least. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 2681-3	1.4	18
1928	Acute renal failure in the critically ill. <b>2005</b> , 18, 117-22		
1927	Jumpers, fallers, and stumblers: children should not drop and elders should not trip. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1426-8	1.4	

## (2005-2005)

1926	Peptidoglycan: just another marker of postoperative infections or a mediator of disease?. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1441-2	1.4	
1925	Glutamine and heat shock proteins: one more approach to lung injury. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1422-4	1.4	4
1924	Immunosuppression after trauma. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1453-4	1.4	5
1923	Outcome in critically ill medical patients treated with renal replacement therapy for acute renal failure: comparison between patients with and those without haematological malignancies. <b>2005</b> , 20, 552-8		103
1922	Considerations in the nutritional management of patients with acute renal failure. <b>2005</b> , 9, 135-42		12
1921	Acute renal failure independently predicts mortality after myeloablative allogeneic hematopoietic cell transplant. <b>2005</b> , 67, 1999-2005		61
1920	Dendrimer-enhanced MRI as a diagnostic and prognostic biomarker of sepsis-induced acute renal failure in aged mice. <b>2005</b> , 67, 2159-67		48
1919	The diagnosis of acute renal failure in intensive care: mongrel or pedigree?. 2005, 60, 903-14		20
1918	Use of EPO in critically ill patients with acute renal failure requiring renal replacement therapy. <b>2005</b> , 46, 791-8		22
1917	The outcome of acute renal failure in the intensive care unit according to RIFLE: model application, sensitivity, and predictability. <b>2005</b> , 46, 1038-48		240
1916	Survival and quality of life of patients requiring acute renal replacement therapy. <b>2005</b> , 31, 1222-8		145
1915	Long term prognosis of patients with acute renal failure: is intensive care worth it?. 2005, 31, 1145-7		26
1914	Impact of anemia on outcome in critically ill patients with severe acute renal failure. 2005, 31, 1529-36		43
1913	The attributable mortality of acute renal failure in critically ill patients with liver cirrhosis. 2005, 31, 1693	3-9	641
1912	Effect of acute renal failure on outcome in children with severe septic shock. <b>2005</b> , 20, 1177-81		39
1911	Continuous renal replacement therapy improves renal recovery from acute renal failure. <b>2005</b> , 52, 327-3	2	81
1910	Metabolic and nutritional aspects of acute renal failure in critically ill patients requiring continuous renal replacement therapy. <b>2005</b> , 20, 176-91		81
1909	Optimal follow-up time after continuous renal replacement therapy in actual renal failure patients stratified with the RIFLE criteria. <b>2005</b> , 20, 354-60		142

1908	Effects of different energy intakes on nitrogen balance in patients with acute renal failure: a pilot study. <b>2005</b> , 20, 1976-80	69
1907	Prognosis of acute renal failure: an evaluation of proposed consensus criteria. <b>2005</b> , 31, 250-6	27
1906	Nutritional management of acute renal failure. <b>2005</b> , 15, 63-70	59
1905	Renal replacement II: dialysis dose. <b>2005</b> , 21, 357-66	11
1904	pidmiologie et pronostic des insuffisances rhales aigu® en ranimation. <b>2005</b> , 14, 472-482	2
1903	Prevention of acute renal failure. <b>2005</b> , 21, 281-9	7
1902	La dose de dialyse en ranimation. <b>2005</b> , 14, 499-507	1
1901	Insuffisance rħale aiguſċhez le malade d'oncohħatologie. <b>2005</b> , 14, 508-518	2
1900	Hmofiltration vs hmodialyse intermittente. <b>2005</b> , 14, 491-498	
1899	Prognosis for long-term survival and renal recovery in critically ill patients with severe acute renal failure: a population-based study. <b>2005</b> , 9, R700-9	414
		38
1898	failure: a population-based study. <b>2005</b> , 9, R700-9	
1898 1897	failure: a population-based study. <b>2005</b> , 9, R700-9  Early veno-venous haemodiafiltration for sepsis-related multiple organ failure. <b>2005</b> , 9, R755-63	38
1898 1897	Failure: a population-based study. 2005, 9, R700-9  Early veno-venous haemodiafiltration for sepsis-related multiple organ failure. 2005, 9, R755-63  [Acute tumor lysis syndrome: update on therapy]. 2005, 26, 27-32	38
1898 1897 1896	Failure: a population-based study. 2005, 9, R700-9  Early veno-venous haemodiafiltration for sepsis-related multiple organ failure. 2005, 9, R755-63  [Acute tumor lysis syndrome: update on therapy]. 2005, 26, 27-32  Has mortality from acute renal failure decreased? A systematic review of the literature. 2005, 118, 827-32  [Can the strategies of management of acute renal failure modify its prognostic and evolution?].	38 4 312
1898 1897 1896	Early veno-venous haemodiafiltration for sepsis-related multiple organ failure. 2005, 9, R755-63  [Acute tumor lysis syndrome: update on therapy]. 2005, 26, 27-32  Has mortality from acute renal failure decreased? A systematic review of the literature. 2005, 118, 827-32  [Can the strategies of management of acute renal failure modify its prognostic and evolution?]. 2005, 24, 222-6  La protection rhale phiophatoire. Perioperative acute renal failure. Recommandations du jury âll	38 4 312 1
1898 1897 1896 1895 1894	Early veno-venous haemodiafiltration for sepsis-related multiple organ failure. 2005, 9, R755-63  [Acute tumor lysis syndrome: update on therapy]. 2005, 26, 27-32  Has mortality from acute renal failure decreased? A systematic review of the literature. 2005, 118, 827-32  [Can the strategies of management of acute renal failure modify its prognostic and evolution?]. 2005, 24, 222-6  La protection rhale phiophatoire. Perioperative acute renal failure. Recommandations du jury âll Texte long. 2005, 24, 87-119	38 4 312 1

1890	Yearbook of Intensive Care and Emergency Medicine. 2006,	2
1889	Continuous venovenous haemodiafiltration versus intermittent haemodialysis for acute renal failure in patients with multiple-organ dysfunction syndrome: a multicentre randomised trial. <b>2006</b> , 368, 379-85	505
1888	Patients with ischaemic, mixed and nephrotoxic acute tubular necrosis in the intensive care unita homogeneous population?. <b>2006</b> , 10, R68	55
1887	RIFLE criteria for acute kidney injury are associated with hospital mortality in critically ill patients: a cohort analysis. <b>2006</b> , 10, R73	1013
1886	Causes of death and determinants of outcome in critically ill patients. <b>2006</b> , 10, R154	136
1885	Acute renal failure after cardiac surgery: evaluation of the RIFLE classification. <b>2006</b> , 81, 542-6	340
1884	Use of drotrecogin alpha (recombinant human activated protein C, rhAPC) in the treatment of severe sepsis induced by graft pancreatitis after simultaneous pancreas and kidney transplantation: a case report. <b>2006</b> , 38, 276-9	5
1883	Risk factors for death among critically ill patients with acute renal failure. <b>2006</b> , 124, 257-63	25
1882	The long-term outcome after acute renal failure. <b>2006</b> , 12, 561-6	64
1881	Insuffisance et agression rĥales aiguಔ pĥiopĥatoires. <b>2006</b> , 1, 1-11	
1880	The epidemiology of acute renal failure: 1975 versus 2005. <b>2006</b> , 12, 557-60	54
1879	The epidemiology of acute renal failure in the world. <b>2006</b> , 12, 538-43	100
1878	Perioperative acute renal failure. <b>2006</b> , 19, 332-8	8
1877	RIFLE criteria provide robust assessment of kidney dysfunction and correlate with hospital mortality. <i>Critical Care Medicine</i> , <b>2006</b> , 34, 2016-7	110
1876	Development of renal failure during the initial 24 h of intensive care unit stay correlates with hospital mortality in trauma patients. <b>2006</b> , 50, 828-32	22
1875	Dialysis modality and dosing strategy in acute renal failure. <b>2006</b> , 19, 165-70	35
1874	Renal replacement therapy in the treatment of acute renal failure-intermittent and continuous. <b>2006</b> , 19, 455-64	12
1873	Survival to discharge among patients treated with continuous renal replacement therapy. <b>2006</b> , 10, 82-7	30

1872	Adding a dialysis dose to continuous hemofiltration increases survival in patients with acute renal failure. <b>2006</b> , 70, 1312-7	286
1871	Do we know the optimal dose for renal replacement therapy in the intensive care unit?. <b>2006</b> , 70, 1202-4	33
1870	Sepsis und Akutes Nierenversagen. <b>2006</b> , 92-105	
1869	Sepsis und Akutes Nierenversagen. <b>2006</b> , 43, 175-188	4
1868	Transpyloric enteral nutrition in the critically ill child with renal failure. <b>2006</b> , 32, 1599-605	19
1867	Role of routine blood cultures in detecting unapparent infections during continuous renal replacement therapy. <b>2006</b> , 32, 1802-7	3
1866	âExtended dialysisâlauf der Intensivstation. <b>2006</b> , 1, 97-102	3
1865	[Epidemiology of acute kidney failure in Spanish ICU. Multicenter prospective study FRAMI]. <b>2006</b> , 30, 260-7	44
1864	ESPEN Guidelines on Enteral Nutrition: Adult renal failure. <b>2006</b> , 25, 295-310	196
1863	Catheter colonization in acute renal failure patients: comparison of central venous and dialysis catheters. <b>2006</b> , 47, 879-87	27
1862	Daily evaluation of organ function during renal replacement therapy in intensive care unit patients with acute renal failure. <b>2006</b> , 21, 179-83	18
1861	Epidemiology and prognostic factors of critically ill patients treated with hemodiafiltration. <b>2006</b> , 21, 66-72	24
1860	What's my mother's SOFA today, doc? Commentary on: Daily evaluation of organ function during renal replacement therapy in ICU patients with acute renal failure. <b>2006</b> , 21, 183-4	1
1859	Recent clinical advances in the management of critically ill patients with acute renal failure. <b>2006</b> , 24, 487-98	28
1858	Technology Insight: treatment of renal failure in the intensive care unit with extended dialysis. <b>2006</b> , 2, 32-9	77
1857	Acute renal failure in the intensive care unit. <b>2006</b> , 27, 262-73	37
1856	[Acute renal failure: diagnosis and treatment]. 2006, 131, 2475-9	1
1855	Dose of dialysis in acute renal failure. <b>2006</b> , 1, 380-8	23

1854	Epidemiology of acute renal failure: the tip of the iceberg. <b>2006</b> , 1, 6-7		34
1853	Evolving practices in critical care and potential implications for management of acute kidney injury. <b>2006</b> , 1, 869-73		17
1852	Acute uremia but not renal inflammation attenuates aseptic acute lung injury: a critical role for uremic neutrophils. <b>2006</b> , 17, 3124-31		60
1851	An assessment of the RIFLE criteria for acute renal failure in hospitalized patients. <i>Critical Care Medicine</i> , <b>2006</b> , 34, 1913-7	1.4	734
1850	Management of acute renal failure. <b>2006</b> , 82, 106-16		43
1849	'Renal-dose' fenoldopam for early-stage renal dysfunction in critically ill patients. <b>2006</b> , 2, 548-9		1
1848	Intensive Care Medicine. 2006,		
1847	Epidemiology and outcomes of acute renal failure in hospitalized patients: a national survey. <b>2006</b> , 1, 43-51		376
1846	The evaluation of effects of demographic features, biochemical parameters, and cytokines on clinical outcomes in patients with acute renal failure. <b>2007</b> , 29, 503-8		11
1845	Pharmacologic treatment of acute kidney injury: why drugs haven't worked and what is on the horizon. <b>2007</b> , 2, 356-65		196
1844	Acute renal failure after bilateral nephrectomy is associated with cytokine-mediated pulmonary injury. <b>2007</b> , 18, 155-64		224
1843	Machine-generated bicarbonate dialysate for continuous therapy: a prospective, observational cohort study. <b>2007</b> , 22, 2304-15		27
1842	Why do patients die of acute kidney injury?. <b>2007</b> , 62 Suppl 2, 326-31		41
1841	The kidney in the critically ill. <b>2007</b> , 62, 195-207		
1840	Acute kidney injury, length of stay, and costs in patients hospitalized in the intensive care unit. <b>2007</b> , 62 Suppl 2, 341-5		28
1839	Improving outcomes of acute kidney injury: report of an initiative. <b>2007</b> , 3, 439-42		106
1838	Diagnose, Prllention und Therapie des akuten Nierenversagens. <b>2007</b> , 3, 173-188		
1837	Ernfirung in der internistischen Intensivmedizin. <b>2007</b> , 22, 133-141		

1836	Pre-renal azotemia: a flawed paradigm in critically ill septic patients?. 2007, 156, 1-9		62
1835	Predictive capacity of severity scoring systems in the ICU. <b>2007</b> , 156, 92-100		7
1834	Nutritional support during renal replacement therapy. <b>2007</b> , 156, 267-74		14
1833	Acute renal failure in patients with severe sepsis and septic shocka significant independent risk factor for mortality: results from the German Prevalence Study. <b>2008</b> , 23, 904-9		194
1832	Insuffisance rhale aigu⊡dfinition, þidmiologie et pronostic. <b>2007</b> , 13-30		
1831	Comparing dialysis modalities for critically ill patients: are we barking up the wrong tree?. <b>2007</b> , 2, 413-	4	4
1830	A multi-centre evaluation of the RIFLE criteria for early acute kidney injury in critically ill patients. <b>2008</b> , 23, 1203-10		349
1829	Risk index for perioperative renal dysfunction/failure: critical dependence on pulse pressure hypertension. <b>2007</b> , 115, 733-42		168
1828	Improving outcomes from acute kidney injury. <b>2007</b> , 18, 1992-4		67
1827	Improving Outcomes from Acute Kidney Injury (AKI): Report on an Initiative. 2007, 30, 373-376		39
1826	Salt in the vein, good for the brain. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 659-60	1.4	
1825	Timing of renal replacement therapy in critically ill patients with acute kidney injury. 2007, 13, 656-61		11
1824	Treatment of acute kidney injury: an update on the management of renal replacement therapy. <b>2007</b> , 16, 64-70		27
1823	To be or not to be (in the intensive care unit)is that a question?. Critical Care Medicine, 2007, 35, 647-8	1.4	
1822	Effect of acute kidney injury on weaning from mechanical ventilation in critically ill patients. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 184-91	1.4	173
1821	Oxidative need and oxidative capacity following traumatic brain injury. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 663-4	1.4	5
1820	Nurse-physician collaboration in intensive care units. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 641-2	1.4	14
1819	Antibiotic therapy for ventilator-associated pneumonia: de-escalation in the real world. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 632-3	1.4	12

1818	Nonuse of statinsa new risk factor for infectious death in cardiovascular patients?. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 631-2	1.4	4
1817	Prediction of outcome after pediatric cardiac arrest: No crystal ball yet. <b>2007</b> , 8, 72-3		1
1816	Pediatric Index of Mortality 2 (PIM2)A prognostic tool for developing countries: Easy, efficient, and free!. <b>2007</b> , 8, 77-8		7
1815	Nitric oxide-based therapies in sickle cell disease: the evidence continues to mount. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 654-5	1.4	2
1814	Prevention of ventilator-associated pneumonia: do not forget to disinfect the mouth. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 668-9	1.4	1
1813	Sic transit acetylcysteine?. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 644-5	1.4	
1812	Improving the reliability of healthcare systems' responsiveness to the needs of acutely ill patients. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 637-9	1.4	2
1811	Moving beyond Babel. <b>2007</b> , 8, 73-5		1
1810	Renal failure in the critically ill child: Incidence, risk factors, and association with bad outcome. <b>2007</b> , 8, 75-6		1
1809	The incidence and prognostic significance of acute kidney injury. <b>2007</b> , 16, 227-36		90
	The incidence and prognostic significance of acute kidney injury. <b>2007</b> , 16, 227-36  Glucose-6-phosphate dehydrogenase and sepsis: the jury is still out. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 65	55 <b>-6</b> 4	90
		55 <b>-6</b> 4	
1808	Glucose-6-phosphate dehydrogenase and sepsis: the jury is still out. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 65.  Critically appraise before you believe: the quality of meta-analyses in critical care medicine. <i>Critical</i>	·	
1808	Glucose-6-phosphate dehydrogenase and sepsis: the jury is still out. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 65.  Critically appraise before you believe: the quality of meta-analyses in critical care medicine. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 666-7  Viral pneumonia and respiratory sepsis: association, causation, or it depends?. <i>Critical Care Medicine</i>	1.4	1
1808 1807 1806	Glucose-6-phosphate dehydrogenase and sepsis: the jury is still out. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 65.  Critically appraise before you believe: the quality of meta-analyses in critical care medicine. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 666-7  Viral pneumonia and respiratory sepsis: association, causation, or it depends?. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 639-40  Alveolar hemostasis in patients with species-specific bacterial-mediated ventilator-associated	1.4	2
1808 1807 1806 1805	Glucose-6-phosphate dehydrogenase and sepsis: the jury is still out. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 65.  Critically appraise before you believe: the quality of meta-analyses in critical care medicine. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 666-7  Viral pneumonia and respiratory sepsis: association, causation, or it depends?. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 639-40  Alveolar hemostasis in patients with species-specific bacterial-mediated ventilator-associated pneumonia. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 652-3	1.4	2 20
1808 1807 1806 1805 1804	Glucose-6-phosphate dehydrogenase and sepsis: the jury is still out. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 65.  Critically appraise before you believe: the quality of meta-analyses in critical care medicine. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 666-7  Viral pneumonia and respiratory sepsis: association, causation, or it depends?. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 639-40  Alveolar hemostasis in patients with species-specific bacterial-mediated ventilator-associated pneumonia. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 652-3  Alcohol and the intensive care unit: it's not just an antiseptic. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 627-8	1.4 1.4 1.4	1 2 20 5

1800	The peritonitis dilemma: better safe than sorry or wait for the cat to jump?. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 648-9	1.4	
1799	Silent myocardial ischemia in the noncoronary intensive care unit: a new frontier?. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 629-30	1.4	
1798	Prognostic information provided during family meetings in the intensive care unit. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 646-7	1.4	1
1797	"Search and destroy" for methicillin-resistant Staphylococcus aureus in the intensive care unit: should this now be the standard of care?. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 642-4	1.4	2
1796	Reducing blood loss in burn care. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 665	1.4	5
1795	Deconstructing donation after cardiac death. <b>2007</b> , 8, 76-7		2
1794	Chlamydia and myocarditis: an old bug bugging seriously. Critical Care Medicine, 2007, 35, 670-2	1.4	
1793	Biomarkers of cardiac injury in acute respiratory distress syndrome: getting to the heart of the matter. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 2638-9	1.4	O
1792	Predictive and pathogenetic value of plasma biomarkers for acute kidney injury in patients with acute lung injury*. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 2755-2761	1.4	68
1791	Why are clinical trials in pediatric head injury so difficult?. <b>2007</b> , 8, 71		8
1790	Prevention of acute renal failure. <b>2007</b> , 131, 300-8		52
1790 1789			52 51
,,		1.4	
1789	Renal replacement strategies in the ICU. <b>2007</b> , 132, 1379-88  How do we get from here to there? A pathway for trial design in complex systems analysis. <i>Critical</i>	1.4	51
1789 1788	Renal replacement strategies in the ICU. 2007, 132, 1379-88  How do we get from here to there? A pathway for trial design in complex systems analysis. <i>Critical Care Medicine</i> , 2007, 35, 656-8  Family care in the intensive care unit: the Golden Rule, evidence, and resources. <i>Critical Care</i>	, 	51
1789 1788 1787	Renal replacement strategies in the ICU. 2007, 132, 1379-88  How do we get from here to there? A pathway for trial design in complex systems analysis. <i>Critical Care Medicine</i> , 2007, 35, 656-8  Family care in the intensive care unit: the Golden Rule, evidence, and resources. <i>Critical Care Medicine</i> , 2007, 35, 669-70  How should we use prokinetic drugs in patients who are intolerant to enteral feeding?. <i>Critical Care</i>	1.4	51 4 6
1789 1788 1787 1786	Renal replacement strategies in the ICU. 2007, 132, 1379-88  How do we get from here to there? A pathway for trial design in complex systems analysis. <i>Critical Care Medicine</i> , 2007, 35, 656-8  Family care in the intensive care unit: the Golden Rule, evidence, and resources. <i>Critical Care Medicine</i> , 2007, 35, 669-70  How should we use prokinetic drugs in patients who are intolerant to enteral feeding?. <i>Critical Care Medicine</i> , 2007, 35, 650-1	1.4	51 4 6

1782	Epidemiology of AKI in the ICU. <b>2007</b> , 62 Suppl 2, 314-7	15
1781	[Extracorporeal blood purification in the intensive care units]. 2007, 3, 126-32	2
1780	Proteomics for biomarker discovery in acute kidney injury. <b>2007</b> , 27, 637-51	78
1779	Hîmodialyse intermittente et hîmofiltration continue en rânimation : que choisir ?. <b>2007</b> , 11, 365-374	
1778	Acute Kidney Injury Network: report of an initiative to improve outcomes in acute kidney injury. <b>2007</b> , 11, R31	4688
1777	Changes in the incidence and outcome for early acute kidney injury in a cohort of Australian intensive care units. <b>2007</b> , 11, R68	168
1776	Clinical review: timing and dose of continuous renal replacement therapy in acute kidney injury. <b>2007</b> , 11, 232	23
1775	Insuffisance rhale aigulthez les patients cirrhotiques en ranimation : incidence et pronostic. 2007, 16, 595-604	1
1774	The prognostic importance of a small acute decrement in kidney function in hospitalized patients: a systematic review and meta-analysis. <b>2007</b> , 50, 712-20	174
1773	Acute renal failure and the critically ill surgical patient. <b>2007</b> , 89, 22-9	13
1772	ARF, ATN or AKI? It's now acute kidney injury. <b>2007</b> , 35, 843-4	19
1771	Prognosis and serum creatinine levels in acute renal failure at the time of nephrology consultation: an observational cohort study. <b>2007</b> , 8, 14	28
1770	Use of dopamine in acute renal failure. <b>2007</b> , 17, 117-126	16
1769	Acute renal failure. <b>2007</b> , 25, 391-398	1
1768	Beneficial impact of fenoldopam in critically ill patients with or at risk for acute renal failure: a meta-analysis of randomized clinical trials. <b>2007</b> , 49, 56-68	185
1767	Improving outcomes from acute kidney injury: report of an initiative. <b>2007</b> , 50, 1-4	104
1766	Ionic dialysance: a new valid parameter for quantification of dialysis efficiency in acute renal failure?. <b>2007</b> , 33, 460-5	26
1765	RIFLE classification in patients with acute kidney injury in need of renal replacement therapy. <b>2007</b> , 33, 597-605	82

1764	Classification of acute kidney injury: are we there yet?. <b>2007</b> , 33, 572-4	17
1763	Replacement of 24-h creatinine clearance by 2-h creatinine clearance in intensive care unit patients: a single-center study. <b>2007</b> , 33, 1900-6	583
1762	CRRT - still far from being a standardised BEST treatment?. <b>2007</b> , 33, 1503-5	
1761	[Acute renal failure. Still a cause of increased mortality]. 2007, 56, 1103-4	2
1760	[Acute renal failure. Extracorporeal therapy]. <b>2007</b> , 48, 786-94	
1759	Improving outcomes from acute kidney injury: report of an initiative. <b>2007</b> , 22, 1655-8	59
1758	[Prevention and therapy of acute renal failure: the importance of metabolic intervention]. <b>2007</b> , 119, 201-4	2
1757	High-dose amino acid infusion preserves diuresis and improves nitrogen balance in non-oliguric acute renal failure. <b>2007</b> , 119, 218-22	37
1756	Comparison between early and delayed acute kidney injury secondary to infectious disease in the intensive care unit. <b>2008</b> , 40, 731-9	18
1755	A pilot randomized study comparing high and low volume hemofiltration on vasopressor use in septic shock. <b>2008</b> , 34, 1646-53	100
1754	Kontinuierliche Nierenersatztherapie in der Behandlung des akuten Nierenversagens: Geschichte und Entwicklung. <b>2008</b> , 45, 194-204	
1753	Epidemiology and outcome of acute kidney injury in New Zealand children. 2008, 44, 642-6	36
1752	The contrasting characteristics of acute kidney injury in developed and developing countries. <b>2008</b> , 4, 138-53	140
1751	Utility of N-acetylcysteine to prevent acute kidney injury after cardiac surgery: a randomized controlled trial. <b>2008</b> , 155, 1143-9	59
1750	The patient with acute kidney injury. <b>2008</b> , 35, 239-64, vi	12
1749	Renal replacement therapy in acute kidney injury: intermittent versus continuous? How much is enough?. <b>2008</b> , 15, 235-47	9
1748	Long-term outcomes of acute kidney injury. <b>2008</b> , 15, 297-307	86
1747	Pulmonary complications after acute kidney injury. <b>2008</b> , 15, 284-96	67

1746	Short- and long-term survival after acute kidney injury. <b>2008</b> , 23, 2126-8	50
1745	Impact of mild acute kidney injury (AKI) on outcome after open repair of aortic aneurysms. <b>2008</b> , 30, 287-96	26
1744	Acute kidney injury: epidemiology and assessment. <b>2008</b> , 241, 6-11	41
1743	Early acute kidney injury and sepsis: a multicentre evaluation. 2008, 12, R47	410
1742	A positive fluid balance is associated with a worse outcome in patients with acute renal failure. <b>2008</b> , 12, R74	639
1741	Bench-to-bedside review: metabolism and nutrition. <b>2008</b> , 12, 222	37
1740	Acute kidney injury on admission to the intensive care unit: where to go from here?. 2008, 12, 189	6
1739	Determinants and impact of multidrug antibiotic resistance in pathogens causing ventilator-associated-pneumonia. <b>2008</b> , 12, R142	70
1738	Renal replacement therapy in patients with acute renal failure: a systematic review. <b>2008</b> , 299, 793-805	217
1737	New insights on intravenous fluids, diuretics and acute kidney injury. <b>2008</b> , 109, c206-16	15
1736	Diagnosis, epidemiology and outcomes of acute kidney injury. <b>2008</b> , 3, 844-61	345
1735	A comparison of the RIFLE and AKIN criteria for acute kidney injury in critically ill patients. <b>2008</b> , 23, 1569-74	395
1734	Oxidative stress and 'monocyte reprogramming' in septic patients with acute kidney injury requiring CRRT. <b>2008</b> , 26, 188-92	11
1733	Intensity of renal support in critically ill patients with acute kidney injury. 2008, 359, 7-20	1294
1732	Tight blood glucose control is renoprotective in critically ill patients. 2008, 19, 571-8	103
1731	Early diagnosis of acute kidney injury in critically ill patients. <b>2008</b> , 8, 455-64	6
1730	Emerging urinary biomarkers in the diagnosis of acute kidney injury. <b>2008</b> , 2, 387-398	76
1729	Withholding and withdrawing dialysis in the intensive care unit: benefits derived from consulting the renal physicians association/american society of nephrology clinical practice guideline, shared decision-making in the appropriate initiation of and withdrawal from dialysis. <b>2008</b> , 3, 587-93	20

1728	Kidney-Lung Interactions. 2008, 195-206		O
1727	Intermittent hemodialysis versus continuous renal replacement therapy for acute renal failure in the intensive care unit: an observational outcomes analysis. <b>2008</b> , 23, 195-203		38
1726	[Acute renal failure - how and when to treat?]. <b>2008</b> , 43, 286-91; quiz 292		1
1725	Serum cystatin C in mouse models: a reliable and precise marker for renal function and superior to serum creatinine. <b>2009</b> , 24, 1157-61		62
1724	Renal impairment and amphotericin B formulations in patients with invasive fungal infections. <b>2008</b> , 46, 97-112		72
1723	A multi-center evaluation of early acute kidney injury in critically ill trauma patients. <b>2008</b> , 30, 581-9		114
1722	Choc septique. <b>2008</b> , 5, 1-16		
1721	Do-not-resuscitate orders in the critically ill patientan observational study with special emphasis on withholding of renal replacement therapy. <b>2008</b> , 63, 221-6		3
1720	Acute kidney injury criteria predict outcomes of critically ill patients. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1397-403	1.4	678
1719	Role of sedation and analgesia in mechanical ventilation. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1366-7	1.4	2
1718	Renal ischemia: does sex matter?. <b>2008</b> , 107, 239-49		72
1717	Can we prevent acute kidney injury?. <i>Critical Care Medicine</i> , <b>2008</b> , 36, S166-71	1.4	59
1716	End-of-life organ donation for transplantation: stretching the ethical and legal boundaries of medical practice in society. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1364-6	1.4	
1715	Right data, wrong conclusions. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1383-4	1.4	7
1714	Acquired deficit of antithrombin and role of supplementation in septic patients during continuous veno-venous hemofiltration. <b>2008</b> , 54, 124-8		14
1713	Clinical practice guidelines: culture eats strategy for breakfast, lunch, and dinner. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1360-1	1.4	10
1712	From acute renal failure to acute kidney injury: emerging concepts. Critical Care Medicine, 2008, 36, 164	11:24	13
1711	Bull's eye missed by the magic bullet: preclinical investigations, publication bias, and promising new interventions. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1361-3	1.4	4

1710	Monkey see, monkey do: adhering to scientific principles. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1374-5	1.4	1
1709	The latest in resting energy expenditure prediction: New! Improved! Better?. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1375-6	1.4	
1708	Managing acute renal failure. <b>2008</b> , 3, 32-42		
1707	Indications and timing of renal replacement therapy in acute kidney injury. <i>Critical Care Medicine</i> , <b>2008</b> , 36, S224-8	1.4	50
1706	"The truth, if it exists, is in the details". <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1368-9	1.4	5
1705	Serum neutrophil gelatinase-associated lipocalin (NGAL) as a marker of acute kidney injury in critically ill children with septic shock. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1297-303	1.4	260
1704	Where do we go from here? Cardiac output determination in pediatrics. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1377-8	1.4	3
1703	Validating predictive models of mortality: more than meets the eye. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1357-8	1.4	2
1702	Epidemiology of acute kidney injury: how big is the problem?. Critical Care Medicine, 2008, 36, S146-51	1.4	312
1701	Conventional markers of kidney function. <i>Critical Care Medicine</i> , <b>2008</b> , 36, S152-8	1.4	94
1700	Oliguria, volume overload, and loop diuretics. <i>Critical Care Medicine</i> , <b>2008</b> , 36, S172-8	1.4	118
1699	Donation after cardiac death: should we fear the reaper?. Critical Care Medicine, 2008, 36, 1363-4	1.4	2
1698	Critical care workforce crisis: time to look in the mirror. Critical Care Medicine, 2008, 36, 1385-6	1.4	8
1697	Lung-protective higher frequency oscillatory ventilation. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1358-60	1.4	3
1696	Critical illness myopathy: a direct role for endotoxin. Critical Care Medicine, 2008, 36, 1381-2	1.4	
1695	Since when did sedatives start to save lives?. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1378-9	1.4	1
1694	Electrical impedance tomographya new toy for boys or the future for mechanically ventilated patients?. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1380-1	1.4	20
1693	The search for a good deathare there quality insights accessible from medical records?. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1372-3	1.4	2

1692	The generic septic response. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1369-70	1.4	9
1691	Redefine acute renal failure? Not yet, thanks. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1370-2	1.4	
1690	Angiotensin converting enzyme insertion/deletion genetic polymorphism: its impact on renal function in critically ill patients. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 3178-83	1.4	40
1689	Investigating the role of bacterial zinc-containing metalloproteases in the pathogenesis of complicated pneumococcal pneumonia. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 1382-3	1.4	1
1688	Tidal peritoneal dialysis for acute renal failure. 2008,		1
1687	What if the ATN trial?. <b>2008</b> , 31, 379-81		3
1686	AminoglycosidesâEngineering important patient-centered outcomes with antibiotics *. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2855-2856	1.4	
1685	Associaß do RIFLE com letalidade e tempo de internaß em pacientes cr£icos com lesß renal aguda. <b>2009</b> , 21, 359-368		1
1684	Acute renal failure in hospitalized patients in China: a prospective study. 2009, 31, 431-7		3
1683	Clinical Evaluation of Acute Kidney Injury in Children. <b>2009</b> , 1603-1618		5
1683 1682	Clinical Evaluation of Acute Kidney Injury in Children. 2009, 1603-1618  Urine neutrophil gelatinase-associated lipocalin moderately predicts acute kidney injury in critically ill adults. 2009, 20, 1823-32		188
1682	Urine neutrophil gelatinase-associated lipocalin moderately predicts acute kidney injury in critically		
1682	Urine neutrophil gelatinase-associated lipocalin moderately predicts acute kidney injury in critically ill adults. <b>2009</b> , 20, 1823-32		188
1682 1681	Urine neutrophil gelatinase-associated lipocalin moderately predicts acute kidney injury in critically ill adults. <b>2009</b> , 20, 1823-32  Kidney-lung crosstalk in the critically ill patient. <b>2009</b> , 28, 75-83  Continuous hemofiltration in 2009: what is new for clinicians regarding pathophysiology, preferred		188 73
1682 1681 1680	Urine neutrophil gelatinase-associated lipocalin moderately predicts acute kidney injury in critically ill adults. 2009, 20, 1823-32  Kidney-lung crosstalk in the critically ill patient. 2009, 28, 75-83  Continuous hemofiltration in 2009: what is new for clinicians regarding pathophysiology, preferred technique and recommended dose?. 2009, 28, 135-43		188 73 15
1682 1681 1680 1679	Urine neutrophil gelatinase-associated lipocalin moderately predicts acute kidney injury in critically ill adults. 2009, 20, 1823-32  Kidney-lung crosstalk in the critically ill patient. 2009, 28, 75-83  Continuous hemofiltration in 2009: what is new for clinicians regarding pathophysiology, preferred technique and recommended dose?. 2009, 28, 135-43  Early diagnosis of acute kidney injury: the promise of novel biomarkers. 2009, 28, 165-74  Outcomes of critically ill patients with acute kidney injury and end-stage renal disease requiring		188 73 15 118
1682 1681 1680 1679	Urine neutrophil gelatinase-associated lipocalin moderately predicts acute kidney injury in critically ill adults. 2009, 20, 1823-32  Kidney-lung crosstalk in the critically ill patient. 2009, 28, 75-83  Continuous hemofiltration in 2009: what is new for clinicians regarding pathophysiology, preferred technique and recommended dose?. 2009, 28, 135-43  Early diagnosis of acute kidney injury: the promise of novel biomarkers. 2009, 28, 165-74  Outcomes of critically ill patients with acute kidney injury and end-stage renal disease requiring renal replacement therapy: a case-control study. 2009, 24, 1925-30  Interactive effects of mechanical ventilation and kidney health on lung function in an in vivo mouse		188 73 15 118 33

### (2009-2009)

1674	Acute renal failure and mechanical ventilation: reality or myth?. <b>2009</b> , 29, 62-75; quiz 76	13
1673	Antimicrobial dosing concepts and recommendations for critically ill adult patients receiving continuous renal replacement therapy or intermittent hemodialysis. <b>2009</b> , 29, 562-77	123
1672	Prognosis for children with acute kidney injury in the intensive care unit. <b>2009</b> , 24, 537-44	36
1671	Acute kidney injury in children. <b>2009</b> , 24, 253-63	139
1670	[Acute renal failure: the fundamental change in a syndrome from simple organ failure to systemic disease process]. <b>2009</b> , 121, 8-12	2
1669	Dialyse auf der Intensivstation. <b>2009</b> , 46, 228-234	
1668	Nierenersatztherapie mittels SLEDD. <b>2009</b> , 46, 490-495	2
1667	Akutes Nierenversagen bei Sepsis. <b>2009</b> , 46, 549-556	2
1666	Acute kidney injury requiring dialysis in obstetric patients: a series of 55 cases in Brazil. <b>2009</b> , 279, 131-7	22
1665	Acute kidney injury in septic shock: clinical outcomes and impact of duration of hypotension prior to initiation of antimicrobial therapy. <b>2009</b> , 35, 871-81	275
1664	Acute kidney injury in critically ill patients classified by AKIN versus RIFLE using the SAPS 3 database. <b>2009</b> , 35, 1692-702	364
1663	Evaluation of "Loss" and "End stage renal disease" after acute kidney injury defined by the Risk, Injury, Failure, Loss and ESRD classification in critically ill patients. <b>2009</b> , 35, 2087-95	36
1662	Point of care measurement of plasma creatinine in critically ill patients with acute kidney injury. <b>2009</b> , 64, 403-7	30
1661	Outcome among patients with acute renal failure needing continuous renal replacement therapy: A single center study. <b>2009</b> , 13, 205-14	13
1660	Continuous renal replacement therapy in sepsis and multisystem organ failure. <b>2009</b> , 22, 160-4	49
1659	Serum interleukin-6 and interleukin-8 are early biomarkers of acute kidney injury and predict prolonged mechanical ventilation in children undergoing cardiac surgery: a case-control study. <b>2009</b> , 13, R104	141
1658	Late initiation of renal replacement therapy is associated with worse outcomes in acute kidney injury after major abdominal surgery. <b>2009</b> , 13, R171	123
1657	Pediatric Nephrology in the ICU. <b>2009</b> ,	4

1656	[Acute renal dysfunction: it's time to speak appropriately!]. 2009, 28, 711-2		1
1655	High-volume hemofiltration in sepsis and SIRS: current concepts and future prospects. <b>2009</b> , 28, 1-11		64
1654	Acute renal failure due to pericardial tamponade in a 60-year-old male patient. 2009, 43, 509-11		5
1653	Shock sptico. <b>2009</b> , 35, 1-18		
1652	Acute renal failure: methods of treatment in the intensive care unit. <b>2009</b> , 35, 60-6		1
1651	Quelles techniques pour le traitement de la dfaillance rhale aigulen ranimation ?. <b>2009</b> , 18, 397-406		
1650	Shock settico. <b>2009</b> , 14, 1-16		
1649	Pertes de nutriments lors de procdures dâpuration extrarhale. <b>2009</b> , 18, 518-523		
1648	Citrate anticoagulation for continuous venovenous hemofiltration. Critical Care Medicine, 2009, 37, 545	-5:24	291
1647	Increasing power in randomized controlled trials. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2840-1	1.4	1
1646	Could insulin sensitization be used as an alternative to intensive insulin therapy to improve the survival of intensive care unit patients with stress-induced hyperglycemia?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2856-8	1.4	4
1645	Ventilator-associated pneumonia and mortality: the controversy continues. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2845-6	1.4	5
1644	Did we learn anything from Humpty Dumpty?. Critical Care Medicine, 2009, 37, 2851-2	1.4	
1643	Impact of new technologies on metabolic care in the intensive care unit. <b>2009</b> , 12, 196-200		10
1642	Furosemide does not improve renal recovery after hemofiltration for acute renal failure in critically ill patients: a double blind randomized controlled trial. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 533-8	1.4	92
1641	Point-of-care glucose testing in critically ill patients: visual logistics and a glycemic variability hypothesis. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2841-3	1.4	3
1640	No brain, no pain: does the injured brain stack up opioids?. Critical Care Medicine, 2009, 37, 2853-4	1.4	
1639	Lactate: finally ready for prime time?. Critical Care Medicine, 2009, 37, 2858-9	1.4	7

1638	Nutritional assessment and support in acute kidney injury. <b>2009</b> , 15, 474-80		20
1637	Epidemiology of infection in critically ill patients with acute renal failure. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2203-9	1.4	47
1636	Consequences of ventilator asynchrony: why can't we all get along?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2848-9	1.4	2
1635	Pulmonary artery catheter redux: physical findings in acute respiratory distress syndrome/acute lung injury. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2846-8	1.4	
1634	Is it time for intensivists to learn genomics?. Critical Care Medicine, 2009, 37, 2852-3	1.4	22
1633	HLA-DR monitoring in the intensive care unitmore than a tool for the scientist in the laboratory?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2849-50	1.4	5
1632	Acute kidney injury: turning the tide. <b>2009</b> , 10, 1165-8		
1631	Two decades of simulation-based training: have we made progress?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2843-4	1.4	4
1630	Aminoglycosidesengineering important patient-centered outcomes with antibiotics. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2855-6	1.4	
1629	Epidemiology of septic acute kidney injury. <b>2009</b> , 10, 1169-78		44
1629 1628	Epidemiology of septic acute kidney injury. 2009, 10, 1169-78  Serum creatinine as stratified in the RIFLE score for acute kidney injury is associated with mortality and length of stay for children in the pediatric intensive care unit. <i>Critical Care Medicine</i> , 2010, 38, 933-50.	9 <sup>1.4</sup>	236
1628	Serum creatinine as stratified in the RIFLE score for acute kidney injury is associated with mortality	9 <sup>1.4</sup>	
1628	Serum creatinine as stratified in the RIFLE score for acute kidney injury is associated with mortality and length of stay for children in the pediatric intensive care unit. <i>Critical Care Medicine</i> , <b>2010</b> , 38, 933-9.  Urinary L-type fatty acid-binding protein as a new renal biomarker in critical care. <b>2010</b> , 16, 545-9.	9 <sup>1.4</sup>	236
1628	Serum creatinine as stratified in the RIFLE score for acute kidney injury is associated with mortality and length of stay for children in the pediatric intensive care unit. <i>Critical Care Medicine</i> , <b>2010</b> , 38, 933-9.  Urinary L-type fatty acid-binding protein as a new renal biomarker in critical care. <b>2010</b> , 16, 545-9.	9 <sup>1.4</sup>	236 27
1628 1627 1626	Serum creatinine as stratified in the RIFLE score for acute kidney injury is associated with mortality and length of stay for children in the pediatric intensive care unit. <i>Critical Care Medicine</i> , <b>2010</b> , 38, 933-9.  Urinary L-type fatty acid-binding protein as a new renal biomarker in critical care. <b>2010</b> , 16, 545-9.  Evolving use of biomarkers for kidney injury in acute care settings. <b>2010</b> , 16, 399-407.  Acute kidney injury in the intensive care unit: an update and primer for the intensivist. <i>Critical Care</i>		236 27 15
1628 1627 1626	Serum creatinine as stratified in the RIFLE score for acute kidney injury is associated with mortality and length of stay for children in the pediatric intensive care unit. <i>Critical Care Medicine</i> , <b>2010</b> , 38, 933-9.  Urinary L-type fatty acid-binding protein as a new renal biomarker in critical care. <b>2010</b> , 16, 545-9.  Evolving use of biomarkers for kidney injury in acute care settings. <b>2010</b> , 16, 399-407.  Acute kidney injury in the intensive care unit: an update and primer for the intensivist. <i>Critical Care Medicine</i> , <b>2010</b> , 38, 261-75.  Nosocomial methicillin-resistant Staphylococcus aureus (MRSA) pneumonia: linezolid or		<ul><li>236</li><li>27</li><li>15</li><li>137</li></ul>
1628 1627 1626 1625	Serum creatinine as stratified in the RIFLE score for acute kidney injury is associated with mortality and length of stay for children in the pediatric intensive care unit. <i>Critical Care Medicine</i> , <b>2010</b> , 38, 933-9.  Urinary L-type fatty acid-binding protein as a new renal biomarker in critical care. <b>2010</b> , 16, 545-9  Evolving use of biomarkers for kidney injury in acute care settings. <b>2010</b> , 16, 399-407  Acute kidney injury in the intensive care unit: an update and primer for the intensivist. <i>Critical Care Medicine</i> , <b>2010</b> , 38, 261-75  Nosocomial methicillin-resistant Staphylococcus aureus (MRSA) pneumonia: linezolid or vancomycin? - Comparison of pharmacology and clinical efficacy. <b>2010</b> , 15, 507-13  Can circuit lifetime be a quality indicator in continuous renal replacement therapy in the critically		236 27 15 137 38

1620	Clinical course and mortality risk factors in critically ill children requiring continuous renal replacement therapy. <b>2010</b> , 36, 843-9	47
1619	Outcome of acute kidney injury in severe burns: a systematic review and meta-analysis. <b>2010</b> , 36, 915-25	96
1618	Direct thrombin inhibitors: pharmacology and application in intensive care medicine. <b>2010</b> , 36, 1127-37	25
1617	Hypoalbuminemia and acute kidney injury: a meta-analysis of observational clinical studies. <b>2010</b> , 36, 1657-65	137
1616	Akutes Nierenversagen. <b>2010</b> , 47, 417-421	
1615	The dark side of high-intensity renal replacement therapy of acute kidney injury in critically ill patients. <b>2010</b> , 42, 435-40	12
1614	Acute kidney injury in critically ill patients infected with 2009 pandemic influenza A(H1N1): report from a Canadian Province. <b>2010</b> , 55, 848-55	39
1613	Atrial natriuretic peptide enhances recovery from ischemia/reperfusion-induced renal injury in rats. <b>2010</b> , 109, 526-30	16
1612	The SPARK Study: a phase II randomized blinded controlled trial of the effect of furosemide in critically ill patients with early acute kidney injury. <b>2010</b> , 11, 50	18
1611	Acute kidney injury in severe trauma assessed by RIFLE criteria: a common feature without implications on mortality?. <b>2010</b> , 18, 1	52
1610	Effect of renal and non-renal ischemia/reperfusion on cell-mediated immunity in organs and plasma. <b>2010</b> , 118, 101-7	1
1609	Dialytic Management for Acute Renal Failure. <b>2010</b> , 687-699	
1608	Causes and Outcome of Acute Kidney Injury: Gezira Experience. <b>2010</b> , 5,	Ο
1607	Emergency Dialysis and Ultrafiltration. <b>2010</b> , 644-651	
1606	Clinical biomarkers in kidney diseases. <b>2010</b> , 2, 591-615	5
1605	Metabolic and Nutritional Complications of Acute Kidney Injury. <b>2010</b> , 654-667	
1604	Outcome of acute kidney injury with different treatment options: long-term follow-up. <b>2010</b> , 5, 1755-62	41
1603	Specific nutritional problems in acute kidney injury, treated with non-dialysis and dialytic modalities. <b>2010</b> , 3, 1-7	13

Elevated urinary IL-18 levels at the time of ICU admission predict adverse clinical outcomes. <b>2010</b> , 5, 1497-505	89
1601 Can Radiographic Contrast Nephropathy Be Prevented?. <b>2010</b> , 382-388	
1600 Anticoagulation for renal replacement therapy: different methods to improve safety. <b>2010</b> , 165, 251	-262 <sub>4</sub>
Haemorrhagic complications in paediatric dialysis-dependent acute kidney injury: Incidence and impact on outcome. <b>2010</b> , 25, 1140-6	11
1598 [Renal replacement therapy in acute renal failure]. <b>2010</b> , 135, 2341-6	
SAPS 3 scores at the start of renal replacement therapy predict mortality in critically ill patients with acute kidney injury. <b>2010</b> , 77, 51-6	20
1596 Quelle dfinition pour lâ[hsuffisance rhale aigulen ranimation?. <b>2010</b> , 19, 431-440	2
Antimicrobial treatment of nosocomial meticillin-resistant Staphylococcus aureus (MRSA) pneumonia: current and future options. <b>2010</b> , 36, 391-400	61
Novel aspects of pharmacological therapies for acute renal failure. <b>2010</b> , 70, 1099-114	33
Ventilator-associated pneumonia caused by Pseudomonas aeruginosa and respiratory colonization by Candida spp. <b>2010</b> , 14, P87	78
Abstracts of the 30th International Symposium on Intensive Care and Emergency Medicine.  Brussels, Belgium. March 9-12, 2010. <b>2010</b> , 14 Suppl 1, P1-602	
Sodium 4-phenylbutylate protects against myocardial ischemia-reperfusion injury by reducing unfolded protein response-mediated apoptosis in mice. <b>2010</b> , 14, P2	78
Time-dependent effects of intravenous H2S during long-term, resuscitated porcine hemorrhagic shock. <b>2010</b> , 14, P3	1
1589 An ovine intensive care model of septic shock. <b>2010</b> , 14, P4	1
Effects of temperature and H2S inhalation on glucose metabolism in murine resuscitated septic shock. <b>2010</b> , 14, P5	78
Mitochondrial respiration and cytochrome c inhibition by sulfide in peritoneal macrophages in vitro: effects of temperature and pH. <b>2010</b> , 14, P6	2
Alterations of caspase 9 mRNA gene expression in survivors and nonsurvivors of severe sepsis. <b>2010</b> , 14, P7	78
The TLR4 antagonist CRX-526 reduces LPS-induced leukocyte activation and improves capillary perfusion of the rat intestine. <b>2010</b> , 14, P8	78

1584	Effects of lipopolysaccharide on isolated muscle mitochondrial respiration are dose and time dependent. <b>2010</b> , 14, P9	78
1583	Clinical severity and local inflammatory responses in animal models of sepsis. <b>2010</b> , 14, P10	78
1582	Adenosine increases during human experimental endotoxemia, but does not influence the immune response and subsequent organ injury. <b>2010</b> , 14, P11	78
1581	Bacterial load plays a crucial role for survival in experimental peritonitis and modulates immunoparalysis of monocytes. <b>2010</b> , 14, P12	78
1580	Decreased whole blood TNF production capacity after acute alcohol exposure and LPS stimulation ex vivo. <b>2010</b> , 14, P13	3
1579	Leukocyte immunophenotyping: methodological aspects. <b>2010</b> , 14, P14	78
1578	Phenotypical analysis of peripheral human T lymphocytes in early sepsis. <b>2010</b> , 14, P15	78
1577	CD64, a marker of leucocyte activation kinetics after uncomplicated cardiac surgery. <b>2010</b> , 14, P16	78
1576	Interferon-gamma reverses sepsis-induced immunoparalysis of monocytes in vitro. <b>2010</b> , 14, P17	78
1575	Early hydrocortisone treatment counteracts circulatory derangement but not cytokine response in porcine endotoxemia. <b>2010</b> , 14, P18	78
1574	CD40L is selectively expressed on platelets from thrombocytopenic septic patients. <b>2010</b> , 14, P19	1
1573	Neuronal NOS-inhibition in the setting of septic cardiomyopathy. <b>2010</b> , 14, P20	78
1572	Urinary albumin excretion is elevated in sepsis, but does not correlate with circulating VEGF-A levels. <b>2010</b> , 14, P21	1
1571	High mobility group box protein-1 preconditions isolated rat hearts and protects human pulmonary and renal cells against hypoxic injury. <b>2010</b> , 14, P22	78
1570	Intravenous immunoglobulins prevent breakdown of the blood-brain barrier in experimental sepsis. <b>2010</b> , 14, P24	1
1569	Early use of immunoglobulin in septic shock. <b>2010</b> , 14, P25	1
1568	Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. <b>2010</b> , 14, P26	2
1567	Background factors in patients receiving immunoglobulin administration and changes in sepsis markers. <b>2010</b> , 14, P27	78

1566 C1-esterase inhibitor (C1INH) implication in systemic inflammation in sepsis. <b>2010</b> , 14, P28	1
Prognostic value of B-type natriuretic peptide in critically ill patients with new onset of fever: preliminary study. <b>2010</b> , 14, P29	78
1564 Microalbuminuria evaluated as a biomarker in patients with septic shock. <b>2010</b> , 14, P30	78
Evaluation of automated hematologic VCS parameters in severe sepsis and septic shock: a case-control study. <b>2010</b> , 14, P31	1
1562 Use of CD64 for the diagnosis of sepsis: a case-control study. <b>2010</b> , 14, P32	1
Endotoxin assay with endotoxin scattering photometry is one of the diagnostic markers of sepsis. <b>2010</b> , 14, P33	78
1560 Immature platelet fraction as predictive index of sepsis. <b>2010</b> , 14, P34	1
Serial estimation of cytokine markers and their correlation with mortality in elderly patients with sepsis. <b>2010</b> , 14, P35	78
1558 Influence of TIMP-1/MMP-9 ratio on the severity and mortality in sepsis. <b>2010</b> , 14, P36	78
1557 Cytokine response in severe sepsis: predicting and modelling the course of illness. <b>2010</b> , 14, P37	78
Time course of IL-6 and LBP, candidate biomarkers of sepsis in surgical critical care. <b>2010</b> , 14, P38	78
Prognostic value of melatonin in patients with sepsis: a comparison of survivors and nonsurvivors. <b>2010</b> , 14, P39	1
Serum C-reactive protein as a prognostic variable in elective surgery ICU patients: especially valuable following esophagectomy. <b>2010</b> , 14, P40	78
Role of procalcitonin as a diagnostic and prognostic marker of infectious diseases in the emergency department: preliminary data. <b>2010</b> , 14, P41	<sub>7</sub> 8
1552 Evaluation of procalcitonin at James Paget Intensive Care Unit. <b>2010</b> , 14, P42	78
1551 Procalcitonin facing the postoperative culture results after liver transplantation. <b>2010</b> , 14, P43	78
Efficiency diagnostic and advantages of procalcitonin and C-reactive protein in the early diagnosis of sepsis. <b>2010</b> , 14, P45	78
1549 Biomarkers of sepsis in burn patients. <b>2010</b> , 14, P46	1

1548	Age-related differences of outcomes in patients hospitalized with community-acquired pneumonia are not explained by differences in immune response. <b>2010</b> , 14, P47	78
1547	A multicentre study of bacteraemia using a new commercial universal 16S rDNA PCR test. <b>2010</b> , 14, P49	78
1546	Time to antibiotics in sepsis. <b>2010</b> , 14, P50	4
1545	Utility of an antibiotic guideline in hospital-associated infections. <b>2010</b> , 14, P51	78
1544	Assessment of antibiotic prescriptions in two French intensive care units. <b>2010</b> , 14, P52	78
1543	Occurrence of alert pathogens in the clinical materials and consumption of antibiotics in the ICU, in the years 2007 and 2008. <b>2010</b> , 14, P53	78
1542	Treatment cost of secondary peritonitis in Germany: a comparative study of medical cost incurred for tigecycline therapy and standard regimens. <b>2010</b> , 14, P54	78
1541	Efficacy and safety of once daily dosing of colistin to critically ill patients. <b>2010</b> , 14, P56	78
1540	A comparison of the effect on renal function of flucloxacillin and vancomycin antibiotic prophylaxis in cardiac surgery patients. <b>2010</b> , 14, P57	78
1539	Microdialysis study of meropenem cerebral distribution in patients with acute brain injury. <b>2010</b> , 14, P58	78
1538	Effects of two regimens of antibiotic prophylaxis on colonizing flora of the respiratory tract in patients with cardiovascular surgery. <b>2010</b> , 14, P59	78
1537	Prevalence of infections among patients admitted to ICUs in Nordic countries and the Netherlands in comparison with Mediterranean countries: a report from the EPIC II study. <b>2010</b> , 14, P60	78
1536	Risk factors for the development of carbapenem-resistant Klebsiella pneumoniae infections in critically ill patients. <b>2010</b> , 14, P61	78
1535	Outcome of unimicrobial versus polymicrobial sepsis. <b>2010</b> , 14, P62	2
1534	De-escalation practice pattern in an Indian intensive care unit. <b>2010</b> , 14, P63	1
1533	Incidence, identification of multidrug-resistant pathogens and impact on the outcome after cardiac surgery. <b>2010</b> , 14, P64	2
1532	Surveillance of ICU-acquired infections in Belgium: 2008 reference data. <b>2010</b> , 14, P65	78
1531	Risk of acquiring drug-resistant (MDR) Gram-negative isolates with previous exposure to antibiotic. <b>2010</b> , 14, P66	78

## (2010-2010)

1530	Ozone fumigation successfully controlled and eradicated multidrug-resistant Acinetobacter baumanii from an intensive care unit. <b>2010</b> , 14, P67	О
1529	Viral infections in the ICU: should we search for them?. <b>2010</b> , 14, P68	78
1528	Oseltamivir dosing with haemofiltration. <b>2010</b> , 14, P69	6
1527	Efficacy and utility of a protocol for pre-emptive antimycotic therapy. <b>2010</b> , 14, P70	2
1526	Amphotericin B used as a continuous infusion is safer. <b>2010</b> , 14, P71	78
1525	Anidulafungin compared with fluconazole therapy in critically ill patients. <b>2010</b> , 14, P72	5
1524	Increase in systolic blood pressure and improvement in laboratory parameters following polymyxin B-immobilized fiber treatment in septic shock. <b>2010</b> , 14, P73	78
1523	Selection of acute blood purification therapy according to lipid mediator adsorption and blood purification in patients with septic shock. <b>2010</b> , 14, P74	78
1522	Prognostic assessment in community-acquired pneumonia by pneumonia severity scores and biomarkers. <b>2010</b> , 14, P75	78
1521	Current progress in pneumonia research. <b>2010</b> , 14, P76	78
1520	Bacterial colonization and infections of the lower respiratory tract in an interdisciplinary ICU. <b>2010</b> , 14, P77	78
1519	Rehydration does not affect pulmonary immune responses to influenza or susceptibility to secondary bacterial pneumonia. <b>2010</b> , 14, P78	78
1518	Bacteremic nosocomial pneumonia cases from the ATTAIN studies. <b>2010</b> , 14, P79	78
1517	Late ventilator-associated pneumonia: analysis of baseline characteristics and clinical outcomes in the ATTAIN studies. <b>2010</b> , 14, P80	1
1516	On the diagnosis of acute respiratory distress syndrome in nosocomial pneumonias. <b>2010</b> , 14, P81	78
1515	Genetic variability at the surfactant proteins A and D in susceptibility and severity of pneumonia. <b>2010</b> , 14, P82	1
1514	Successful strategy to reduce ventilator-associated pneumonia. <b>2010</b> , 14, P83	78
1513	Ventilator-associated pneumonia rate and ventilator bundle compliance in a district general hospital. <b>2010</b> , 14, P84	78

1512	Oral chlorhexidine to prevent nosocomial pneumonia in critically ill patients: a systematic review and meta-analysis. <b>2010</b> , 14, P85	78
1511	Impact of routine multiple site decontamination in intubated patients on ICU-acquired infections. <b>2010</b> , 14, P86	78
1510	Time course of RT-PCR positivity in H1N1-induced ARDS. <b>2010</b> , 14, P88	78
1509	Novel swine influenza A: most frequent ultrasonographic lung patterns. <b>2010</b> , 14, P89	78
1508	Outcome and prognostic factors in patients with HIV-negative pneumocystis pneumonia requiring mechanical ventilation. <b>2010</b> , 14, P90	78
1507	Acute respiratory failure from pandemic influenza A (H1N1) in an intensive care unit in southern Brazil. <b>2010</b> , 14, P91	4
1506	Extracorporeal membrane oxygenation for influenza A (H1N1): experience in a regional referral center. <b>2010</b> , 14, P92	78
1505	Budd-Chiari syndrome complicated by abdominal compartment syndrome: evidence of central hypovolaemia?. <b>2010</b> , 14, P93	78
1504	Adenosine signalling has a protective role in intestinal ischemia and reperfusion injury. <b>2010</b> , 14, P94	78
1503	Threshold levels of extreme body surface area that may cause a misrepresentation of cardiac performance. <b>2010</b> , 14, P96	78
1502	Cardiac output measurement is feasible in the presence of left-to-right shunt with ultrasound dilution method: a validation study in lambs. <b>2010</b> , 14, P97	2
1501	The PAPIKAS trial: a comparative clinical trial of pulmonary catheter versus the PiCCO device during therapy of patients with acute heart failure and cardiogenic shock. <b>2010</b> , 14, P98	1
1500	Bioreactance versus PICCOTD/PC in critically ill septic shock patients. <b>2010</b> , 14, P99	1
1499	NICOM vs LiDCOâlplus during changes in cardiac output in critically ill patients. <b>2010</b> , 14, P100	78
1498	PulseCO consistency: variation in calibration factor over 24 and 48 hours. <b>2010</b> , 14, P102	5
1497	Comparison of cardiac output values; pulse contour methods against thermodilution technique. <b>2010</b> , 14, P105	78
1496	Continuous cardiac output measurement: effect of time. <b>2010</b> , 14, P106	78
1495	A comparison in cardiac output data: a random effects model for repeated measures. <b>2010</b> , 14, P107	78

## (2010-2010)

1494	In vivo validation of a new transpulmonary thermodilution method to assess global end-diastolic volume and extravascular lung water. <b>2010</b> , 14, P108	78
1493	Cardiac index derived from arterial pressure waveform: uncalibrated analysis vs once-only calibrated analysis. <b>2010</b> , 14, P109	78
1492	Cardiac output monitoring during abdominal aortic cross clamping: a comparison between Vigileo/FloTrac system and transoesophageal Doppler. <b>2010</b> , 14, P110	78
1491	Stroke volume index assessment using two minimal invasive devices during hemodynamic postoperative optimization. <b>2010</b> , 14, P111	78
1490	Non-invasive cardiac output monitoring in children: clinical validation. <b>2010</b> , 14, P112	2
1489	Global end-diastolic volume and its correlation to cardiac index inside and outside normal values. <b>2010</b> , 14, P114	78
1488	Relationship of stroke volume variation, pulse pressure variation and global end-diastolic volume in patients undergoing brain surgery. <b>2010</b> , 14, P115	78
1487	The value of pulse pressure variation to predict volume response in patients ventilated with low VT. <b>2010</b> , 14, P116	1
1486	Pre-ejection period is a reliable parameter to estimate cardiac preload in a hemorrhagic shock. <b>2010</b> , 14, P117	78
1485	Predictive value of pulse pressure variation for fluid responsiveness after maneuver to change tidal volume in patients with protective ventilatory strategy. <b>2010</b> , 14, P118	1
1484	Does stroke volume increase after a fluid challenge? A study on the management of patients undergoing major head and neck free flap surgery: preliminary data. <b>2010</b> , 14, P119	1
1483	Optimizing stroke volume and oxygen delivery in elective abdominal aortic surgery. <b>2010</b> , 14, P120	78
1482	Oxygen saturation determined from the mouth is an early indicator of central hypovolemia in humans. <b>2010</b> , 14, P121	78
1481	Plethysmographic indices as predictors of fluid responsiveness: a meta-analysis. <b>2010</b> , 14, P122	1
1480	Maintenance of cardiac index within normal range is associated with mortality reduction in patients undergoing major urological surgery. <b>2010</b> , 14, P123	2
1479	Effect of a preload challenge on peripheral perfusion in critically ill patients. <b>2010</b> , 14, P124	78
1478	Distensibility index of inferior vena cava diameter in ventilated septic and trauma patients with shock. <b>2010</b> , 14, P125	1
1477	Aortic dP/dtmax accurately reflects left ventricular contractility when effective preload independence is achieved. <b>2010</b> , 14, P126	78

1476	Cardiac cycle efficiency: a new index for cardiac work estimation tested during aortic valve plasty. <b>2010</b> , 14, P127	1
1475	Nonocclusive mesenteric ischemia following cardiothoracic surgery. <b>2010</b> , 14, P128	78
1474	Etiology, comorbidity and prognosis of hospitalized patients with congestive heart failure. <b>2010</b> , 14, P129	1
1473	Factors associated with intensive care morbidity following surgical repair of tetralogy of fallot. <b>2010</b> , 14, P130	78
1472	Sildenafil attenuates pulmonary vascular remodeling and upregulates Kv1.5 mRNA expression in pulmonary hypertension secondary to left-to-right shunt in rats. <b>2010</b> , 14, P131	78
1471	Validation of echocardiographic indices of right ventricular afterload: an experimental, open pericardium pig model. <b>2010</b> , 14, P132	78
1470	Activation of apoptotic pathways in experimental acute afterload-induced right ventricular failure. <b>2010</b> , 14, P133	78
1469	High incidence of severely prolonged QT interval after cardiac surgery. <b>2010</b> , 14, P134	2
1468	Endothelial protein C receptor expression after cardiopulmonary bypass in adult cardiac surgical patients. <b>2010</b> , 14, P135	78
1467	Urapidyl for hypertension control in severe pre-eclampsia: a comparative study with nicardipine. <b>2010</b> , 14, P136	2
1466	Comparison of the effects of furosemide, captopril and lorazepam on noncomplicated hypertensive patients in the emergency department. <b>2010</b> , 14, P137	78
1465	Incidence, risk factors and outcome of hypertensive crises in critically ill patients: a retrospective survey. <b>2010</b> , 14, P138	78
1464	Comparative study to evaluate blood pressure levels measured by an invasive method versus a non-invasive method in patients in an intensive care unit. <b>2010</b> , 14, P139	78
1463	Chronic atrial fibrillation in intensive care unit treated with electrical cardioversion: is it appropriate?. <b>2010</b> , 14, P140	78
1462	Applanation tonometry application in ICU patients with acute cardiogenic edema. 2010, 14, P141	78
1461	A better prognosis for septic patients with left ventricular dysfunction?. <b>2010</b> , 14, P142	78
1460	Microvascular effects of pulsatile versus nonpulsatile perfusion during cardiopulmonary bypass. <b>2010</b> , 14, P143	78
1459	Microcirculation and intravascular coagulopathy in patients with severe sepsis and septic shock. <b>2010</b> , 14, P144	78

## (2010-2010)

1458	Prevalence and prognostic significance of cardiac abnormalities in the ICU: an echocardiographic study. <b>2010</b> , 14, P145	78
1457	BNP and NT-proBNP in patients with acute myocardial infarction complicated by cardiogenic shock: results from the IABP Shock trial. <b>2010</b> , 14, P146	6
1456	Understanding vital-sign abnormalities in critical care patients. <b>2010</b> , 14, P147	78
1455	Tissue microdialysis in critically ill septic patients: associations with sepsis severity and mortality. <b>2010</b> , 14, P148	1
1454	Delayed increase in inflammation and thenar VO2 in marathon runners. <b>2010</b> , 14, P149	78
1453	Value of peripheral tissue oxygen tension in animal experimental models of haemorrhagic and septic shock. <b>2010</b> , 14, P150	78
1452	Incidence of a low tissue oxygen saturation in a mixed population of critically ill patients. 2010, 14, P151	2
1451	Use of near-infrared spectroscopy during a vascular occlusion test to assess the microcirculatory response during fluid responsiveness. <b>2010</b> , 14, P152	1
1450	Influence of mechanical ventilation on intestinal microcirculation and inflammation in septic rats. <b>2010</b> , 14, P153	78
1449	ScvO2 and Pcv-aCO2 as complementary tools for goal-directed therapy during high-risk surgery. <b>2010</b> , 14, P154	3
1448	Prognostic value of central venous-arterial pCO2 difference in severe sepsis and septic shock patients. <b>2010</b> , 14, P155	78
1447	Veno-arterial carbon dioxide gradient at the early stage of septic shock. <b>2010</b> , 14, P156	2
1446	Venous-arterial PCO2 difference as an early predictor of organ dysfunction in the ICU. <b>2010</b> , 14, P157	78
1445	Lactate and ScvO2 combinations do not predict mortality in ICU patients. <b>2010</b> , 14, P158	78
1444	Early changes in lactate and central venous saturation combinations do not predict subsequent changes in organ performance. <b>2010</b> , 14, P159	78
1443	Regional lactate and oxygen saturation gradients: preliminary experimental data. <b>2010</b> , 14, P160	78
1442	Metformin increases platelet lactate production by inhibiting mitochondrial function. <b>2010</b> , 14, P162	1
1441	Artifactual lactic acidosis from point of care analysis: mind the gap. <b>2010</b> , 14, P163	78

1440	Physicochemical acid-base parameters and mortality in 1,070 ICU patients: a retrospective cohort study. <b>2010</b> , 14, P165	78
1439	Accuracy of predicting arterial blood gases following mechanical ventilator adjustment. <b>2010</b> , 14, P166	78
1438	Use of capnography and the availability of airway equipment on UK intensive care units. 2010, 14, P167	78
1437	Combined oximetry and transcutaneous capnography is a reliable non-invasive monitoring in patients after cardiac surgery. <b>2010</b> , 14, P168	1
1436	Computerized lung sound monitoring to assess effectiveness of physiotherapy and secretion removal: a feasibility study. <b>2010</b> , 14, P169	3
1435	Analysis of sound waves recorded with the VRI pulmonary acoustic monitoring system in critically ill mechanically ventilated patients. <b>2010</b> , 14, P170	78
1434	Lung tissue properties obtained by optical alveolar elastometry. <b>2010</b> , 14, P171	1
1433	Combined monitoring of functional residual capacity and compliance may avoid hyperinflation and cardiac depression in ARDS. <b>2010</b> , 14, P172	78
1432	Electrical impedance tomography at two thoracic levels provides detailed information about ventilation distribution in the cranial to caudal direction. <b>2010</b> , 14, P173	78
1431	Changes in regional ventilation determined by volume and pressure-controlled ventilation as assessed by electrical impedance tomography in an experimental model of acid-induced acute lung injury. <b>2010</b> , 14,	78
1430	Changes in lung tidal distribution assessed by electrical impedance tomography in a model of hemorrhagic shock with endotoxemia and resuscitation. <b>2010</b> , 14,	78
1429	Estimating the intratidal compliance profile with the new gliding-SLICE method. <b>2010</b> , 14, P176	1
1428	Atelectasis and overdistension are detected by heartbeat-induced disturbances in the pressure-volume loop. <b>2010</b> , 14, P177	78
1427	Transpulmonary pressure and ventilation distribution measured with EIT during a PEEP trial in porcine acute lung injury. <b>2010</b> , 14, P178	1
1426	A prospective pilot study of the effect of neutrophil elastase on the pulmonary vascular permeability in patients with pneumonia. <b>2010</b> , 14, P179	78
1425	Evaluating the fibroproliferative response to ventilator-induced lung injury. <b>2010</b> , 14, P180	78
1424	Effects of severe hemorrhage on pulmonary mechanics in ventilated pigs with ARDS. <b>2010</b> , 14, P181	78
1423	Higher versus lower positive end-expiratory pressure in acute lung injury and acute respiratory distress syndrome: systematic review and individual patient data meta-analysis. <b>2010</b> , 14, P182	1

1422	Effect of different recruitment maneuvers on bacterial translocation. <b>2010</b> , 14, P183	78
1421	Nonlinear recruitment model with viscoelastic component fit respiratory mechanics in ARDS. <b>2010</b> , 14, P184	2
1420	Lung recruitment and PEEP response in ARDS-related H1N1 virus patients. <b>2010</b> , 14, P185	78
1419	Maximal recruitment strategy minimizes tidal recruitment in severe ARDS: a CT scan study. <b>2010</b> , 14, P186	78
1418	Mechanical ventilation with different alveolar pressures improves alveolar recruitment: a model study. <b>2010</b> , 14, P187	78
1417	Decreasing tidal volume from 6 to 4 ml/kg: feasibility and effects on repeated opening and closing. <b>2010</b> , 14, P188	78
1416	Barriers to providing lung-protective ventilation to patients with ALI/ARDS. 2010, 14, P189	1
1415	Influence of aetiology of acute respiratory distress syndrome and early differences in oxygenation on outcome. <b>2010</b> , 14, P190	78
1414	Acute lung injury in TBI patients with SIRS: role of vascular endothelial damage. <b>2010</b> , 14, P191	1
1413	Mechanical ventilation aggravates transfusion-related acute lung injury induced by MHC class I antibodies. <b>2010</b> , 14, P192	78
1412	Adaptive support ventilation may be inappropriate for patients with ALI/ARDS after recruitment: an observational study. <b>2010</b> , 14, P193	78
1411	Receptor for advanced glycation end products is associated with systemic and organ-specific severity of acute lung injury and acute respiratory distress syndrome. <b>2010</b> , 14, P194	1
1410	Mild hypothermia was protective in a physiological model of ventilator-induced lung injury by reducing inflammation but not by reducing the respiratory rate. <b>2010</b> , 14, P195	78
1409	Effect of induced hypothermia on respiratory parameters in mechanically ventilated patients. <b>2010</b> , 14, P196	78
1408	Extracorporeal life support service in a regional referral center: the Florence experience. <b>2010</b> , 14, P197	78
1407	Interhospital ground transportation of severe acute respiratory distress syndrome patients on extracorporeal membrane oxygenation: Monza's experience. <b>2010</b> , 14, P198	78
1406	Effects of hypertonic saline on a pig model of acute lung injury induced by hydrochloric acid instillation. <b>2010</b> , 14,	78
1405	Conventional mechanical ventilation can injury intact lungs in severe trauma patients. <b>2010</b> , 14, P200	1

	Protective effect of methylprednisolone on ventilator-induced diaphragm dysfunction is dose dependent. <b>2010</b> , 14, P201	78
	Alveolar recruitment with non-invasive mechanical ventilation (C-PAP) in patients with non-invasive mechanical ventilation (C-PAP) in patients with nonobstructive respiratory failure. <b>2010</b> , 14, P202	78
1402 l	N-acetylcysteine attenuates ventilator-induced diaphragm dysfunction in rats. <b>2010</b> , 14, P203	78
1401 l	In vitro muscle contraction force measurements on isolated and entire rat diaphragms. <b>2010</b> , 14, P204	1
1400 \	Useful of implementation of neurally adjusted ventilatory assist in critically ill patients. <b>2010</b> , 14, P205	1
	Twenty-four-hour neurally adjusted ventilatory assist and volume cycled ventilation have similar effects on respiratory neuromuscular function in a porcine model of fecal peritonitis. <b>2010</b> , 14, P206	78
	Effects of conventional and closed-loop neurally adjusted ventilatory assist in intubated spinal cord injured patients. <b>2010</b> , 14, P207	78
1397	A level of neurally adjusted ventilatory assist corresponds to low levels of continuous positive airway pressure and pressure support ventilation in patients preparing to be extubated from mechanical ventilation. <b>2010</b> , 14, P208	78
	Towards partially automated ventilation: adapting decision-making according to medical preferences. <b>2010</b> , 14, P209	78
	Postoperative pulmonary complications in adult elective surgery patients in the US: severity, outcomes and resources use. <b>2010</b> , 14, P210	10
	Increased duration of mechanical ventilation is associated with decreased diaphragmatic force. <b>2010</b> , 14, P211	1
	Haemodynamics and volhaemic stage in patients with respiratory disorders to thermal injury. <b>2010</b> , 14, P212	78
	Invasive mechanical ventilation in cancer patients: prior non-invasive ventilation is a poor prognostic factor. <b>2010</b> , 14, P213	78
1391	Laryngeal angioedema: do we need a new treatment algorithm in the ER?. <b>2010</b> , 14, P214	78
	Comparison of two insertion techniques of the ProSeal laryngeal mask airway: standard versus 90° rotation in pediatric patients. <b>2010</b> , 14, P215	78
1389 l	Endotracheal intubation in the critically ill: complication rate and use of intubation aids. 2010, 14, P216	78
1388 I	Intensity and adequacy of laryngoscope light in seven intensive care units. <b>2010</b> , 14, P217	78
1387 /	Airtraq: new device in patients at increased risk for difficult tracheal intubation. <b>2010</b> , 14, P218	78

1386	Evaluation of a new tracheostomy technique for morbidly obese patients on an intensive care unit. <b>2010</b> , 14, P219	2
1385	Our percutaneous tracheostomy experiences using the rotation-dilatation screw method. <b>2010</b> , 14, P220	78
1384	Single-step vs balloon dilatation tracheostomy: a pilot study on 20 tracheostomies. <b>2010</b> , 14, P221	78
1383	Recruitment maneuver for prevention of alevolar derecruitment during percutaneous dilation tracheostomy. <b>2010</b> , 14, P222	78
1382	An audit of timing of tracheostomy formation in neurosurgical patients: how long should we wait?. <b>2010</b> , 14, P223	78
1381	Percutaneous dilational tracheotomy in adult burn patients. <b>2010</b> , 14, P224	2
1380	Safety of percutaneous tracheostomy in trauma patients. <b>2010</b> , 14, P225	3
1379	Safety of balloon dilatational tracheostomy with the Ciaglia Blue Dolphin device. <b>2010</b> , 14, P226	78
1378	Influence of the cuff pressure on the swallowing reflex in tracheostomized ICU patients. 2010, 14, P227	78
1377	Microaspirations during mechanical ventilation: polyurethane versus polyvinyl cuffed endotracheal tubes. <b>2010</b> , 14, P228	78
1376	Do endotracheal tubes prevent microaspiration?. <b>2010</b> , 14, P229	4
1375	A cuff -leak pressure test is a simple method for assessing severe laryngeal edema in postoperative patients. <b>2010</b> , 14, P230	78
1374	Code critical airway teams improves patient safety. <b>2010</b> , 14, P231	3
1373	A prospective evaluation of hemodynamic indexes to predict weaning from mechanical ventilation in patients after cardiac surgery. <b>2010</b> , 14, P232	78
1372	Rapid shallow breathing index predicts readiness to wean?. <b>2010</b> , 14, P233	78
1371	Increasing pressure support during vibrocompression is useful during respiratory therapy?. <b>2010</b> , 14, P234	78
1370	Predicting success in weaning from mechanical ventilation in patients with and without cardiac disease. <b>2010</b> , 14, P235	78
1369	Implementation of a standardised weaning protocol in patients with prolonged mechanical ventilation in a post-acute care ICU. <b>2010</b> , 14, P236	O

1368	Comparison of pressure control and pressure support modes for non-invasive mechanical ventilation in acute hypercapnic respiratory failure. <b>2010</b> , 14, P237	1
1367	Non-invasive CPAP with face mask: comparison between different devices. <b>2010</b> , 14, P238	1
1366	Effects of non-invasive mechanical ventilation on hemodynamic and gas exchanges parameters after cardiac surgery in patients with 300 >PaO2/FiO2 >150. <b>2010</b> , 14, P239	78
1365	Non-invasive positive pressure ventilation in burns. <b>2010</b> , 14, P240	78
1364	Non-invasive mechanical ventilation in the weaning process: continuous hemodynamic monitoring. <b>2010</b> , 14, P241	78
1363	Influence of severe obesity on non-invasive ventilation strategies and responses in patients with acute hypercapnic respiratory failure in ICU. <b>2010</b> , 14, P242	1
1362	A simple predictive scoring system for prolonged mechanical ventilation in severe sepsis and septic shock. <b>2010</b> , 14, P243	78
1361	Simplified approach to ICU severity scoring with MPM and EUROSCORE. <b>2010</b> , 14, P244	78
1360	Validation of a computerised system to calculate the sequential organ failure assessment score. <b>2010</b> , 14, P245	3
1359	Sequential Organ Failure Assessment scores and mortality. <b>2010</b> , 14, P246	78
1358	Bacteremia, APACHE II and need for renal replacement therapy are independent predictors of mortality in critically ill transplanted patients with cirrhosis. <b>2010</b> , 14, P247	78
1357	External validation of six mortality prediction systems for intensive care unit patients. <b>2010</b> , 14, P248	78
1356	Prognostic accuracy of severity score for prolonged ICU length of stay >72 hours in general surgical ICU: a prospective study. <b>2010</b> , 14, P249	78
1355	Perioperative scores to predict mortality in surgical oncologic patients: a review of 1,362 cases. <b>2010</b> , 14,	78
1354	Scoring patients with a suspected infection in the emergency department (ED): comparison of the ED-specific MEDS score with APACHE II and SOFA score. <b>2010</b> , 14, P251	1
1353	Validation of the new proposed Emergency Trauma Score (EMTRAS). <b>2010</b> , 14, P252	2
1352	A new severity score for community-acquired pneumonia: PARB score. <b>2010</b> , 14, P253	2
1351	Modified Early Warning Score and identification of patients with severe sepsis. <b>2010</b> , 14, P254	78

1350	Impact of a systematic MEWS introduction on preoperative and postoperative evaluation in urgent/emergency surgery. <b>2010</b> , 14, P255	2
1349	Clinical predictors of physiological deterioration. <b>2010</b> , 14, P256	78
1348	Modified Early Warning Scores: inaccurate summation or inaccurate assignment of score?. <b>2010</b> , 14, P257	8
1347	Analysis of Modified Early Warning System scores and intraoperative factors on the incidence of sepsis and septic shock after elective major surgery. <b>2010</b> , 14, P258	2
1346	Temporal variability of medical emergency team calls. <b>2010</b> , 14, P259	78
1345	Medical emergency team use and outcomes in an Australian private hospital. <b>2010</b> , 14, P260	1
1344	Continuously improving patient safety by a rapid response system. <b>2010</b> , 14, P261	78
1343	Role of critical care outreach to provide the intention to treat of hematological disorders: a pilot study. <b>2010</b> , 14, P262	78
1342	Score to door time: a benchmarking tool for rapid response systems. <b>2010</b> , 14, P263	1
1341	A comparison of injected lidocaine 2% and no analgesia for peripheral intravenous cannula insertion in the emergency department. <b>2010</b> , 14, P264	78
1340	High-sensitive troponin T measurement for patients with acute chest pain: improvement of diagnostics?. <b>2010</b> , 14, P265	78
1339	Correlation of lung comet score with decreased gas exchange in patients with acute pulmonary edema: a pilot study. <b>2010</b> , 14, P267	78
1338	Magnitude of first medical contact in the long-term prognosis of patients treated with STEMI. <b>2010</b> , 14, P268	78
1337	Ultrasound-guided hematoma block and fracture reduction: a new way to go forward. <b>2010</b> , 14, P269	2
1336	Pulmonary edema in the prehospital setting: the importance of early treatment. <b>2010</b> , 14, P270	78
1335	Efficacy of bedside ultrasonography in early diagnosis of patients admitted to the emergency department with dyspnea. <b>2010</b> , 14, P271	78
1334	Auscultation in flight: comparison of amplified and traditional stethoscopes. <b>2010</b> , 14, P272	1
1333	Performance of ventilators at simulated altitude: study of fraction of inspired oxygen. <b>2010</b> , 14, P273	78

1332	Aeromedical evacuation of the French Army: survey of the past 10 years. <b>2010</b> , 14, P274	1
1331	Comparison of two disaster drills' management performed by trained and not-trained students: key times evaluation. <b>2010</b> , 14, P275	78
1330	Acute severe asthma: performance of ventilator at simulated altitude. <b>2010</b> , 14, P276	78
1329	Validation of a new French-language triage algorithm: the ELISA scale. <b>2010</b> , 14, P277	1
1328	Examining the suitability of medical admissions to the emergency short stay ward of a large UK hospital. <b>2010</b> , 14, P278	3
1327	A study on reliability of a new triage emergency method among nursing students. <b>2010</b> , 14, P279	78
1326	Aggression and violence against staff of ambulance services. <b>2010</b> , 14, P280	78
1325	Analysis of the disease spectrum of treated patients after Wenchuan earthquake. <b>2010</b> , 14, P281	78
1324	Large-scale implementation of a critical care surge capacity management program. <b>2010</b> , 14, P282	78
1323	Standard X-rays for the victims of severe trauma: time for a change. <b>2010</b> , 14, P283	78
1323	Standard X-rays for the victims of severe trauma: time for a change. <b>2010</b> , 14, P283  Focused assessment with sonography for trauma in the prehospital setting. <b>2010</b> , 14, P284	78 0
1322	Focused assessment with sonography for trauma in the prehospital setting. <b>2010</b> , 14, P284  Clinicopathogenetic aspects of systemic inflammatory response development in polytrauma. <b>2010</b> ,	0
1322	Focused assessment with sonography for trauma in the prehospital setting. 2010, 14, P284  Clinicopathogenetic aspects of systemic inflammatory response development in polytrauma. 2010, 14, P285  Diagnostic and prognostic significance of serum apoptosis markers in the patients with severe	o 78
1322 1321 1320	Focused assessment with sonography for trauma in the prehospital setting. 2010, 14, P284  Clinicopathogenetic aspects of systemic inflammatory response development in polytrauma. 2010, 14, P285  Diagnostic and prognostic significance of serum apoptosis markers in the patients with severe trauma injury. 2010, 14, P286	o 78 78
1322 1321 1320	Focused assessment with sonography for trauma in the prehospital setting. 2010, 14, P284  Clinicopathogenetic aspects of systemic inflammatory response development in polytrauma. 2010, 14, P285  Diagnostic and prognostic significance of serum apoptosis markers in the patients with severe trauma injury. 2010, 14, P286  Predictors of mechanical ventilation after burn injury. 2010, 14, P287  Impact of regional imaging guidelines for head injury and unconscious polytrauma patients. 2010,	o 78 78 78
1322 1321 1320 1319	Focused assessment with sonography for trauma in the prehospital setting. 2010, 14, P284  Clinicopathogenetic aspects of systemic inflammatory response development in polytrauma. 2010, 14, P285  Diagnostic and prognostic significance of serum apoptosis markers in the patients with severe trauma injury. 2010, 14, P286  Predictors of mechanical ventilation after burn injury. 2010, 14, P287  Impact of regional imaging guidelines for head injury and unconscious polytrauma patients. 2010, 14, P288  Blunt vascular injuries of the carotid and vertebral arteries: should we screen the asymptomatic	<ul> <li>78</li> <li>78</li> <li>78</li> <li>78</li> <li>78</li> </ul>

1314	Use of transcranial Doppler in patients with severe traumatic brain injury. <b>2010</b> , 14, P292	2
1313	Effect of hyperbaric oxygen on cerebral oxygen saturation in patients with sub-acute traumatic brain injury. <b>2010</b> , 14, P294	78
1312	Brain biomarkers and brain tissue oxygenation: changes and correlations following severe head injury. <b>2010</b> , 14, P295	78
1311	Cortex and deep grey matter have different sensitivities to hypoxia-hypotension and traumatic brain injury: a combined PtiO2 and microdialysis study in rats. <b>2010</b> , 14, P296	78
1310	Diagnosis of carotid and vertebral artery injury in major trauma with head injury. <b>2010</b> , 14, P297	78
1309	Decompressive craniectomy in severe intracranial hypertension after brain injury: early or late?. <b>2010</b> , 14, P298	78
1308	Optic nerve ultrasound for detecting intracranial hypertension. <b>2010</b> , 14, P300	1
1307	Measurement of neuronal specific enolase as a predictor of outcome in patients suffering from severe traumatic brain injury. <b>2010</b> , 14, P301	78
1306	Hyperphosphorylated neurofilament NF-H, S100land NSE as indicators of severity of brain injury in children. <b>2010</b> , 14, P302	78
1305	A simple hospital discharge score predicts Glasgow Outcome Scale at 12 months in patients with traumatic brain injury. <b>2010</b> , 14, P303	78
1304	Outcome of aggressive treatment for blunt and penetrating traumatic cardiac arrest. <b>2010</b> , 14, P304	78
1303	Using flow-rate limiting bag-valve-mask device without training. <b>2010</b> , 14, P305	78
1302	Out-of-hospital cardiac arrest and resource utilisation in the ICU. <b>2010</b> , 14, P306	78
1301	Comparison of external cardiac compression on the floor and in a dental chair. <b>2010</b> , 14, P307	78
1300	Time factors rather than type and/or nature of CPR modify the prognosis of out-of-hospital cardiac arrests witnessed by bystanders. <b>2010</b> , 14, P309	78
1299	Use of the laryngeal tube by paramedics during prehospital resuscitation: an observational study. <b>2010</b> , 14, P310	78
1298	The i-gel supraglottic airway as an alternative in the preclinical emergency medical aid? A comparative study on a manikin. <b>2010</b> , 14, P311	78
1297	Retention of skills during emergency airway management training: a 12-month follow-up. <b>2010</b> , 14, P312	2

1296	Factors correlated with the advanced life support simulation performance of senior medical students. <b>2010</b> , 14, P313	78
1295	Aging augments unwllingness to the initial three links in chains of survival. <b>2010</b> , 14, P314	78
1294	Prediction of the success of cardiac resuscitation: a pattern classification approach based on ECG spectral and temporal features. <b>2010</b> , 14, P315	78
1293	Dispatcher-assisted telephone cardiopulmonary resuscitation using a French compression-only protocol: performance of volunteers with or without prior life support training. <b>2010</b> , 14, P316	78
1292	CPR team members' attitudes towards family presence during cardiopulmonary resuscitation. <b>2010</b> , 14, P317	78
1291	Prehospital therapeutic hypothermia induced with cold infusions improves haemodynamic stability in nonshockable cardiac arrest patients. <b>2010</b> , 14, P318	1
1290	Trans-nasal cooling during CPR: a single-center experience. <b>2010</b> , 14, P319	1
1289	Intra-arrest cooling using a novel intra-nasal cooling method for immediate induction of therapeutic hypothermia in Germany. <b>2010</b> , 14, P320	78
1288	Therapeutic hypothermia after cardiac arrest: implementation in UK intensive care units. 2010, 14, P321	78
1287	Hospital-wide therapeutic hypothermia protocol significantly reduces the time to induce hypothermia but does not improve outcomes. <b>2010</b> , 14, P322	78
1286	Induced hypothermia after cardiac arrest for 12 hours: single-centre experience. <b>2010</b> , 14, P323	78
1285	Survival following adult cardiac arrest in intensive care units: a 5-year retrospective analysis. <b>2010</b> , 14, P324	78
1284	Effects of bed height and time on the quality of chest compressions during cardiopulmonary resuscitation. <b>2010</b> , 14, P325	78
1283	New results about early therapeutic hypothermia in sudden cardiac death and following return of spontaneous circulation. <b>2010</b> , 14, P326	78
1282	Infection rates among cooled patients post cardiac arrest. <b>2010</b> , 14, P327	78
1281	Strategies to implement a therapeutic hypothermia program. <b>2010</b> , 14, P328	78
1280	A comparison of core and tympanic temperature measurement in the critically ill. <b>2010</b> , 14, P329	1
1279	Can we predict neurological prognoses with computed tomography just after resuscitation?. <b>2010</b> , 14, P330	78

1278	Unintended consequences of technology improvement. <b>2010</b> , 14, P331	78
1277	Bispectral Index Scale alterations in brain death patients. <b>2010</b> , 14, P332	78
1276	Prognosis in patients presenting with nontraumatic coma. <b>2010</b> , 14, P333	2
1275	Dynamic changes in cerebral oxygenation by two methods during cardiac surgery and postoperative cognitive decline. <b>2010</b> , 14, P334	1
1274	Acetazolamide-induced cerebrovascular reactivity is impaired in sepsis-associated encephalopathy. <b>2010</b> , 14, P335	1
1273	Epidemiological analysis of patients with cerebral aneurysms submitted to embolization at Sö Jos'do AvalHospital. <b>2010</b> , 14, P336	78
1272	Frequency/prevalence analysis of risk factors on aneurysmal subarachnoid hemorrhage. <b>2010</b> , 14, P337	1
1271	Monitoring regional brain oxygen saturation in patients with clipped aneurysms of the anterior circle of Willis. <b>2010</b> , 14, P338	78
1270	Early prognosis value of the first 24 hours mean plasma S100[protein level after subarachnoid aneurysmal hemorrhage. <b>2010</b> , 14, P339	78
1269	Altered aortic stiffness associated with stress cardiomyopathy in patients with aneurysmal subarachnoid haemorrhage. <b>2010</b> , 14, P340	78
1268	Effect of packed red blood cell transfusion on cerebral oxygenation and metabolism after subarachnoid hemorrhage. <b>2010</b> , 14, P341	1
1267	Comparison of surgical or endovascular treated aneurismal SAH patients with a special emphasis on cerebral vasospasm. <b>2010</b> , 14, P342	78
1266	Prediction of cerebral vasospasm in patients with aneurysmal subarachnoid hemorrhage using jugular bulb oximetry monitoring: preliminary results. <b>2010</b> , 14, P343	O
1265	Magnesium use on prophylaxis of vasospasm morbidity and mortality rate in subarachnoid hemorrhage. <b>2010</b> , 14, P344	78
1264	Effects of sinvastatin in prevention of vasospasm in nontraumatic subarachnoid hemorrhage: preliminary data. <b>2010</b> , 14, P345	78
1263	Addition of new criteria to Sequential Organ Failure Assessment for patients with subarachnoid hemorrhage. <b>2010</b> , 14, P346	78
1262	Cardiac output augmentation with fluid resuscitation improves brain tissue oxygenation after severe brain injury. <b>2010</b> , 14, P347	78
1261	Multicentre experience of using ICM+ for investigations of cerebrovascular dynamics with near-infrared spectroscopy. <b>2010</b> , 14, P348	2

1260	Cerebral oxygen saturation and cerebral blood flow are relatively stable during single-lung ventilation, if normocapnia is maintained. <b>2010</b> , 14, P349	78
1259	Factors affecting the transient hyperaemic response test of the cerebral autoregulation. <b>2010</b> , 14, P350	78
1258	Infection associated with the external ventricular derivation catheter: preliminary data. 2010, 14, P351	78
1257	fMRI default mode connectivity in vegetative state and locked-in syndrome patients. <b>2010</b> , 14, P352	78
1256	Incidence of cerebral salt wasting syndrome: comparison in subarachnoid haemorrhagic compared with head trauma. <b>2010</b> , 14, P353	78
1255	Sodium dysbalances in neurointensive care: results of a 5-year prospective study. <b>2010</b> , 14, P354	78
1254	Impact of hypernatremia on patients with severe traumatic brain injury. <b>2010</b> , 14, P355	5
1253	Prevalence and clinical setting of SIADH in neurosurgery: comparison between subarachnoid haemorrhage and head trauma. <b>2010</b> , 14, P356	78
1252	Risk factors for venous thromboembolism in Japanese patients with severe blunt trauma. <b>2010</b> , 14, P357	78
1251	Safety of heparin prophylaxis for venous thromboembolism in patients with neurotrauma. <b>2010</b> , 14, P358	78
1250	Prevalence and incidence of proximal deep vein thrombosis in critically ill patients. <b>2010</b> , 14, P359	78
1249	Trauma patients with prophylactic IVC filter and chemical prophylaxis: a descriptive study. <b>2010</b> , 14, P360	78
1248	Clinical signs and risk factors of acute deep vein thrombosis of lower extremities in patients after abdominal surgery for cancer: efficiency and safety of different types of anticoagulant therapy. <b>2010</b> , 14, P361	78
1247	Multidrug sedation as a risk factor for deep vein thrombosis in the intensive care unit. <b>2010</b> , 14, P362	78
1246	New method diagnostics for coagulation disorders after surgery. <b>2010</b> , 14, P363	78
1245	Thrombocytopenia in surgical ICU patients. <b>2010</b> , 14, P364	78
1244	Platelet count as a prognostic marker in intensive care. <b>2010</b> , 14, P365	1
1243	66 Evaluation of the particle immunofiltration anti-platelet factor 4 rapid assay in MICU patients with thrombocytopenia. <b>2010</b> , 14, P366	78

1242	Heparin-induced thrombocytopenia incidence in the ICU: preliminary results. 2010, 14, P367	78
1241	Treatment of the coagulation deficit during extracorporeal circulation in a porcine model by a prothrombin complex concentrate. <b>2010</b> , 14, P368	78
1240	Fibrinogen in dilutional coagulopathy: a dose study in pigs. <b>2010</b> , 14, P369	78
1239	Tranexamic acid reduces blood loss in postpartum haemorrhage. <b>2010</b> , 14, P370	6
1238	Regional variation of the off-licence use of rFVIIa for patients with uncontrolled haemorrhage in England. <b>2010</b> , 14, P371	78
1237	Early use of factor VIIa in cardiac surgery is associated with lower rates of blood transfusions without impact on outcome. <b>2010</b> , 14,	78
1236	Low-frequency hemoviscoelastography in monitoring coagulation disorders after abdominal surgery for cancer. <b>2010</b> , 14, P373	78
1235	Reliability of the HemoCue <sup>[]</sup> hemoglobinometer in critically ill patients. <b>2010</b> , 14, P374	78
1234	Effect of transfusion, leukocyte-depleted blood product on onset of new septic shock and mortality in septic shock. <b>2010</b> , 14, P375	78
1233	Transfusion Requirements After Cardiac Surgery (TRACS) study: preliminary data of a randomized controlled clinical trial. <b>2010</b> , 14,	3
1232	Analysis of red cell transfusion practices in patients without active haemorrhage over a 12-month period in a UK intensive care unit. <b>2010</b> , 14, P377	78
1231	Effects of red blood cell transfusion in central venous saturation and lactate levels in patients with septic shock. <b>2010</b> , 14, P378	78
1230	Massive transfusion in paediatric trauma: a single-centre experience. <b>2010</b> , 14, P379	78
1229	Cytokine levels evaluation during acute isovolemic anemia. <b>2010</b> , 14,	78
1228	Haemodynamic alterations in community-acquired sepsis at early stage. <b>2010</b> , 14, P381	3
1227	Epidemiology of severe sepsis in India: an update. <b>2010</b> , 14, P382	18
1226	Systemic inflammatory response syndrome is reduced by inline filtration in intensive care patients. <b>2010</b> , 14, P383	78
1225	Review of central venous catheter-related infections in neurointensive care patients in a tertiary referral centre. <b>2010</b> , 14, P384	78

1224	Clinical impact of diagnosis methods for catheter-related bloodstream infection in ICU patients. <b>2010</b> , 14, P385	78
1223	Catheter-related bacteremia in a jugular site with tracheostomy and in a femoral site. <b>2010</b> , 14, P386	78
1222	A comparative study between conventional and antiseptic impregnated central venous catheters in neurocritical patients. <b>2010</b> , 14, P387	78
1221	Comparison between peripherally inserted central venous catheters and short-term central venous catheter in patients discharged from the ICU. <b>2010</b> , 14, P388	1
1220	Vacuum-assisted closure of laparostomy, an efficient strategy for complicated intra-abdominal infection. <b>2010</b> , 14, P389	78
1219	Comparison between left ventricular tissue Doppler strain imaging and the sequential organ failure assessment score (SOFA score) in patients with severe sepsis or septic shock. <b>2010</b> , 14, P390	78
1218	Systolic and diastolic function and survival in severe sepsis and septic shock: clinical, echocardiographic, biochemical correlation. <b>2010</b> , 14, P391	78
1217	Frequency and clinical spectrum of myocardial dysfunction in severe sepsis and septic shock. <b>2010</b> , 14, P392	78
1216	Effects of nitroglycerin on intestinal microcirculatory blood flow in patients with abdominal sepsis. <b>2010</b> , 14, P393	78
1215	Diastolic dysfunction in septic shock is an independent predictor of elevated B-type natriuretic peptide and hospital mortality. <b>2010</b> , 14, P394	1
1214	Cardiac-specific troponin I and cardiovascular dysfunction in post-traumatic sepsis. <b>2010</b> , 14, P395	78
1213	Both systolic and diastolic functions are impaired in critically ill patients with community-acquired sepsis. <b>2010</b> , 14, P396	78
1212	Selective V1a agonism reduces vascular leakage and cardiopulmonary dysfunction in methicillin-resistant Staphylococcus aureus sepsis. <b>2010</b> , 14, P397	2
1211	Sepsis resuscitation bundle compliance in septic shock: improves survival and yet better late than never. <b>2010</b> , 14, P398	78
1210	Effect of myocardial preservation of early goal-directed therapy on severe sepsis/septic shock patients in the ICU. <b>2010</b> , 14, P399	1
1209	Impact of the sepsis bundle strategy on the outcomes of the patients suffering from severe sepsis and septic shock. <b>2010</b> , 14, P400	78
1208	Impact of Surviving Sepsis Campaign implementation in Brazil. <b>2010</b> , 14, P401	78
1207	Effect of synthetic vasopressin in septic shock using eosphageal Doppler. <b>2010</b> , 14, P402	78

1206	Effects of sepsis resuscitation bundle in cirrhotic patients with septic shock. <b>2010</b> , 14, P403	78
1205	Outcomes and incidence of bleeding events associated with drotrecogin alfa: a single-centre experience of 440 patients. <b>2010</b> , 14, P404	78
1204	Activated protein C: cost matters!. <b>2010</b> , 14, P405	78
1203	Outcome of patients receiving two or more infusions of activated protein C: a single-centre experience. <b>2010</b> , 14, P406	78
1202	Drotrecogin alfa (activated): a single-centre experience of 110 patients. <b>2010</b> , 14, P407	78
1201	Efficacy of recombinant human soluble thrombomodulin in disseminated intravascular coagulation. <b>2010</b> , 14, P408	78
1200	Clinical experience with lipopolysaccharide adsorber in cancer patients with severe sepsis and septic shock. <b>2010</b> , 14, P409	78
1199	Apheresis of activated leukocytes with an immobilized polymyxin B filter. <b>2010</b> , 14, P410	O
1198	Therapeutic blood purification using functionalized core/shell nanomagnets. 2010, 14, P411	78
1197	Coupled plasma filtration and adsorption in septic shock: a multicentric experience. <b>2010</b> , 14, P412	2
1196	Patients admitted to the ICU for extra-abdominal disease and operated on for emergency laparotomy have significant survival. <b>2010</b> , 14, P413	78
1195	Can ICU admission be predicted?. <b>2010</b> , 14, P414	78
1194	Unsuitable for ICU: what happens next?. <b>2010</b> , 14, P415	78
1193	Admission pattern and outcome in a UK weaning centre. <b>2010</b> , 14, P416	78
1192	Referral to intensive care: who and when?. <b>2010</b> , 14, P417	78
1191	Acute drug overdose in an ICU: 15 years experience. <b>2010</b> , 14, P418	3
1190	Prognostic factors for very short-term mortality in severe sepsis. <b>2010</b> , 14, P419	78
1189	Is sepsis mortality rate driven by differences in Brazilian healthcare systems?. <b>2010</b> , 14, P420	78

1188	Prognoses indicators of HIV patients admitted to the ICU. <b>2010</b> , 14, P421	78
1187	Outcomes of cancer patients admitted to intensive care units with severe acute kidney injury. <b>2010</b> , 14, P422	78
1186	Is intensive care beneficial for patients with haematologic malignancies?. <b>2010</b> , 14, P423	78
1185	Postoperative mortality in the Netherlands: identifying high-risk surgery. <b>2010</b> , 14, P424	O
1184	Outcomes of 1,000 patients with cancer admitted to the intensive care unit: a Brazilian prospective study. <b>2010</b> , 14,	1
1183	Trend in outcome of critically ill patients with co-morbidity: a 15-year study. <b>2010</b> , 14, P426	78
1182	Clinical profile, maternal and fetal mortality analysis of severe gestosis admitted to the ICU. <b>2010</b> , 14, P427	78
1181	Obstetric critical care in developing countries: a comparison between two intensive care units. <b>2010</b> , 14, P428	78
1180	Co-morbidity, demographic and social factors as predictors of outcome from intensive care: an observational cohort study. <b>2010</b> , 14, P429	78
1179	C-Reactive protein and albumin as prognostic markers in intensive care. <b>2010</b> , 14, P430	1
1178	Statin therapy on admission to intensive care and outcome: an observational cohort study. <b>2010</b> , 14, P431	78
1177	How did you sleep in the ICU?. <b>2010</b> , 14, P432	1
1176	Factors associated with longer stay on a surgical intensive care unit. <b>2010</b> , 14, P433	78
1175	Social support: a significant factor for health-related quality of life after critical illness?. <b>2010</b> , 14, P434	78
1174	Quality of the evaluations of clinical studies in adult critical care and emergency medicine on a specialized Internet site. <b>2010</b> , 14, P435	0
1173	Functional status and quality of life in patients suffering severe cranioencephalic trauma at the time of discharge from the intensive care unit and 1 year after. <b>2010</b> , 14, P436	2
1172	Long-term (>6 years) quality of life after surgical intensive care admission. <b>2010</b> , 14, P437	78
1171	Children's self-reported health-related quality of life after intensive care treatment. <b>2010</b> , 14, P438	4

1170 Activities of daily living (Barthel Index) at discharge from the intensive care unit. <b>2010</b> , 14, P439	4
A comparison of Short Form 36 and Hospital Anxiety and Depression Scale based on patients 1 month after discharge from the intensive care unit. <b>2010</b> , 14, P440	78
1168 Post-traumatic stress disorder after surgical ICU admission. <b>2010</b> , 14, P441	78
1167 Health-related quality of life before intensive care. <b>2010</b> , 14, P442	78
Nursing staff development: strategies for success in a unique critical care unit in a developing country. <b>2010</b> , 14, P443	78
1165 Implementing the Leapfrog standard in a developing country. <b>2010</b> , 14, P444	78
Impact of thiopental use on cerebral perfusion pressure in severe brain trauma: an example of caregivers' adaptation. <b>2010</b> , 14, P445	78
$_{ m 1163}$ Knowledge of ICU nurses regarding selected care areas commonly guided by protocols. <b>2010</b> , 14, P446	78
1162 Pharmacist clinical interventions in the ICU. <b>2010</b> , 14, P447	5
	/
1161 Adverse drug events in the critical care unit. <b>2010</b> , 14, P448	78
Adverse drug events in the critical care unit. <b>2010</b> , 14, P448  Evaluation of appropriateness of intensive care unit admissions: the GIVITI's StART approach. <b>2010</b> , 14, P449	78 1
Evaluation of appropriateness of intensive care unit admissions: the GIVITI's StART approach. <b>2010</b> ,	, , , , , , , , , , , , , , , , , , ,
Evaluation of appropriateness of intensive care unit admissions: the GIVITI's StART approach. <b>2010</b> , 14, P449	1
Evaluation of appropriateness of intensive care unit admissions: the GIVITI's StART approach. <b>2010</b> , 14, P449  Noise in the critical care environment. <b>2010</b> , 14, P450	1
Evaluation of appropriateness of intensive care unit admissions: the GIVITI's StART approach. 2010, 14, P449  Noise in the critical care environment. 2010, 14, P450  Allergy documentation and transfer within critical care. 2010, 14, P451	1 1 78
Evaluation of appropriateness of intensive care unit admissions: the GIVITI's StART approach. 2010, 14, P449  Noise in the critical care environment. 2010, 14, P450  Allergy documentation and transfer within critical care. 2010, 14, P451  Use of an anonymous medication incident reporting system on a critical care unit. 2010, 14, P452	1 1 78
Evaluation of appropriateness of intensive care unit admissions: the GIVITI's StART approach. 2010, 14, P449  Noise in the critical care environment. 2010, 14, P450  Allergy documentation and transfer within critical care. 2010, 14, P451  Use of an anonymous medication incident reporting system on a critical care unit. 2010, 14, P452  Three years experience of a quality improvement programme. 2010, 14, P453	1 1 78 1 78

1152	Use of the FAST HUG checklist in Mexican critically ill patients. <b>2010</b> , 14, P457	78
1151	Bay rooms vs single-bed rooms in intensive care unit nosocomial infections: a case-control study. <b>2010</b> , 14, P458	2
1150	Impact of quality improvement process on healthcare-associated infection in the ICU in a tertiary care hospital in India. <b>2010</b> , 14, P459	78
1149	Teaching airway resuscitation to novices: a randomized controlled simulator mannequin study. <b>2010</b> , 14, P460	78
1148	Impact of ultrasound guidance in central venous catheterization by inexperienced trainees: a prospective observational study. <b>2010</b> , 14, P461	78
1147	Performance analysis of an ICU according to GiViTI's StART approach. <b>2010</b> , 14, P462	78
1146	Simulation training at the point of care to decrease the incidence of airway complications on the intensive care unit. <b>2010</b> , 14, P463	78
1145	Management of needle stick injuries from incapacitated patients. <b>2010</b> , 14, P464	78
1144	Stress and fatigue among anaesthesia and intensive care doctors in Lithuania. <b>2010</b> , 14, P465	78
1143	Implementation of daily goals in the ICU reduces length of ICU stay and errors of omission in patient care. <b>2010</b> , 14, P466	1
1142	Use of single patient rooms to decrease acquisition of antibiotic-resistant bacteria in the ICU. <b>2010</b> , 14, P467	78
1141	Time to first review of new admissions to critical care by the consultant intensivist. <b>2010</b> , 14, P468	78
1140	Analysis of critical care referrals. <b>2010</b> , 14, P469	2
1139	Communication with intensive care patients. <b>2010</b> , 14, P470	78
1138	Quality of transfers of critically ill patients within the hospital. <b>2010</b> , 14, P471	78
1137	Are bariatric patients putting a strain on intensive care beds?. <b>2010</b> , 14, P472	78
1136	Five-year evolution of drug prescribing in a university adult intensive care unit. <b>2010</b> , 14, P473	78
1135	A semiquantitative assessment of the effects of delayed discharge from the intensive care unit of survivors of critical illness. <b>2010</b> , 14, P474	78

1134 Rol	otics telepresence in acute care facilities during influenza AH1N1 outbreak in Mexico. <b>2010</b> , 14, P475	78
1133 Ass	ociation between out of hours discharge from the ICU and subsequent readmission. <b>2010</b> , 14, P476	3
1132 Sec	uential Organ Failure Assessment in pandemic planning. <b>2010</b> , 14, P477	2
	ure mode and effect analysis in interhospital transport of critically ill patients: a tool to design cklists for handovers in the mobile intensive care unit. <b>2010</b> , 14, P478	78
	ective neurogenic blockades and perioperative immune reactivity in patients undergoing lung ection. <b>2010</b> , 14, P479	78
	erse effects of beta adrenergic blockers during spinal anesthesia with 0.5% bupivacaine. <b>2010</b> , P480	2
1128 <b>Re</b> r	nifentanil for postoperative analgo-sedation: effects on glycaemia and HOMA score. <b>2010</b> , 14, P481	78
	ling ultralow-dose oral naltrexone to morphine: a double-blind, randomized clinical trial. <b>2010</b> , P482	78
1126 Fou	r-day sedation using sevoflurane: fluoride and renal function. <b>2010</b> , 14, P483	78
1125 Ber	eficial effect of sevoflurane on endotoxin-induced pulmonary hypertension. <b>2010</b> , 14, P484	1
1124 Do	es etomidate affect prognosis in septic shock patients treated with hydrocortisone?. <b>2010</b> , 14, P485	78
	of methyl-naltrexone for the treatment of opioid-induced constipation in critical care patients. <b>0</b> , 14, P486	78
	ety and efficacy of a nurse-driven sedation protocol with daily sedation interruption in the ICU. <b>0</b> , 14, P487	78
	ects of propofol and midazolam on indocyanine green elimination assessed with LiMON for early sis patients. <b>2010</b> , 14, P488	78
	essment of correlation between Bispectral Index monitorization and sedation scales used in the ensive care unit. <b>2010</b> , 14, P489	0
1119 <b>Sec</b>	ation and analgesia: early results from a web-based survey of UK practice. <b>2010</b> , 14, P490	4
1118 <b>Se</b> v	ere alcohol withdrawal syndrome in ICU: is propofol a safe option?. <b>2010</b> , 14, P491	1

Pain evaluation in the intensive care unit: listen to the patient, a new approach!. <b>2010</b> , 14, P493	Ο
1115 Pharmacokinetics of orally administered melatonin in critically ill patients. <b>2010</b> , 14, P494	78
1114 Manifestations and clinical course of delirium tremens in the ICU. <b>2010</b> , 14, P495	1
Comparison of two methods for diagnosing delirium conducted in a mixed medical ICU and the concordance between two independent nurse assessors. <b>2010</b> , 14, P496	78
Quetiapine in prolonged ICU delirium. <b>2010</b> , 14, P497	2
PREDICT, Prediction of Delirium in ICU Patients: development and validation of a prediction model.  2010, 14, P498	2
1110 Hospital anxiety depression scale in our surgical ICU. <b>2010</b> , 14, P499	1
Fluid therapy change from synthetic colloids to only crystalloids in patients with severe sepsis.  2010, 14, P500	78
Effects of balanced and unbalanced colloid and crystalloid solutions on renal microvascular perfusion in endotoxemic rats. <b>2010</b> , 14, P501	78
Effects of balanced and unbalanced colloid and crystalloid solutions on renal oxygenation in a rat model of hemorrhagic shock and resuscitation. <b>2010</b> , 14, P502	78
Effect of rapidly infused crystalloids on acid-base status of dehydrated patients in the emergency department. <b>2010</b> , 14, P503	78
Impact of saline-based tetrastarch vs balanced tetrastarch and crystalloid solutions on hyperchloraemic acidosis in endotoxaemic sheep. <b>2010</b> , 14, P504	78
Are different hydroxyethyl starch solutions an independent risk factor for acute kidney injury in surgical critically ill patients? A retrospective analysis of 3,591 patients. <b>2010</b> , 14, P505	78
Role of early continuous venovenous hemodiafiltration in septic shock and multiorgan failure. <b>2010</b> $1103$ , 14, P506	78
Effect of intravenous H2S on porcine aortic occlusion-induced systemic inflammation and kidney ischemia/reperfusion injury. <b>2010</b> , 14, P507	78
Survival improvement in pigs with liver failure and superimposed sepsis by a new liver support system (Hepa Wash 1). <b>2010</b> , 14, P508	1
Increased glomerular filtration in the critically ill patient receiving anti-infective treatment. <b>2010</b> , 14, P509	4
Therapeutic plasma exchange in children with acute liver failure: assessment of laboratory parameters. <b>2010</b> , 14, P510	2

1098	New markers of inflammation-induced renal injury subside when endotoxin tolerance develops in humans as measured by urine proteomics. <b>2010</b> , 14, P511	78
1097	Extraction and purification of 1-hydroxymidazolam glucuronide from ultrafiltrate. <b>2010</b> , 14, P512	78
1096	Continuous renal replacement therapy: are we getting the dose right?. <b>2010</b> , 14, P513	78
1095	Use of CRRT-CVVH in a hemato-oncological ICU in patients treated with defibrotide for veno-occlusive disease in patients after allogeneic hematopoetic stem cell transplantation: single-center experience. <b>2010</b> , 14, P514	1
1094	Comparison of the efficacy and safety of two regional citrate anticoagulation protocols using acid citrate dextrose A or Prismocitrate 10/2, in patients with acute renal failure undergoing continuous venovenous haemodiafiltration. <b>2010</b> , 14, P515	2
1093	Addition of prostacyclin to heparin does not prolong circuit life during continuous haemofiltration. <b>2010</b> , 14, P516	78
1092	Recurrent early filter clotting in regional citrate anticoagulated continuous venovenous hemodialysis due to undetected antibodies to heparin-platelet factor 4 complexes. <b>2010</b> , 14, P517	1
1091	Pilot study on a regional citrate anticoagulated continuous venovenous hemodiafiltration protocol with variable treatment dose. <b>2010</b> , 14, P518	1
1090	Characteristics and outcome of patients treated with renal replacement therapy: single-center, 2-year experience. <b>2010</b> , 14, P519	78
1089	Renal function in living related kidney donors above the age of 70. <b>2010</b> , 14, P520	78
	Renal function in living related kidney donors above the age of 70. <b>2010</b> , 14, P520  Augmented renal clearance in traumatic brain injury. <b>2010</b> , 14, P521	78 2
1088		
1088	Augmented renal clearance in traumatic brain injury. <b>2010</b> , 14, P521	2.
1088	Augmented renal clearance in traumatic brain injury. <b>2010</b> , 14, P521  Pressure-controlled hemorrhagic shock in mice: a new model of acute kidney injury. <b>2010</b> , 14, P522	78
1088	Augmented renal clearance in traumatic brain injury. 2010, 14, P521  Pressure-controlled hemorrhagic shock in mice: a new model of acute kidney injury. 2010, 14, P522  Continuous urinary electrolyte measurement in a swine model of mechanical ventilation. 2010, 14, P523	2 78 78
1088 1087 1086	Augmented renal clearance in traumatic brain injury. 2010, 14, P521  Pressure-controlled hemorrhagic shock in mice: a new model of acute kidney injury. 2010, 14, P522  Continuous urinary electrolyte measurement in a swine model of mechanical ventilation. 2010, 14, P523  Impact of positive fluid balance on survival in critically ill cancer patients. 2010, 14, P524  Fluid accumulation has an adverse effect on outcome of ICU patients with acute kidney injury. 2010	2 78 78 78
1088 1087 1086 1085	Augmented renal clearance in traumatic brain injury. 2010, 14, P521  Pressure-controlled hemorrhagic shock in mice: a new model of acute kidney injury. 2010, 14, P522  Continuous urinary electrolyte measurement in a swine model of mechanical ventilation. 2010, 14, P523  Impact of positive fluid balance on survival in critically ill cancer patients. 2010, 14, P524  Fluid accumulation has an adverse effect on outcome of ICU patients with acute kidney injury. 2010, 14, P525  Significant microalbuminuria, on admission to the ICU, may indicate AKI in patients with sepsis.	2 78 78 78 78

1080 Urinary and plasma NGAL levels reflect the severity of acute kidney injury. <b>2010</b> , 14, P529	78
Economic impact and cost-effectiveness of urine neutrophil gelatinase-associated lipocalin following cardiac surgery. <b>2010</b> , 14, P530	2
Neutrophil gelatinase-associated lipocalin predicts acute kidney injury in critically ill patients. <b>2010</b> , 14, P531	78
Study of serum vancomycin levels in different modalities of hemodialysis in Indian patients. <b>2010</b> , 14, P532	78
RIFLE criteria for acute kidney dysfunction following liver transplantation: incidence and risk factors. <b>2010</b> , 14, P533	78
1075 Prophylactic use of laxative for constipation in critically ill patients. <b>2010</b> , 14, P534	1
1074 Study of intra-abdominal hypertension in the medical intensive care unit. <b>2010</b> , 14, P535	78
Intra-abdominal pressure values of emergency department intensive care unit patients and clinical outcomes. <b>2010</b> , 14, P536	78
Advanced haemodynamic assessment of patients with liver disease and abdominal compartment syndrome. <b>2010</b> , 14, P537	78
Molecular adsorbent recirculating system in hepatic failure patients with a ventricular assist device.  2010, 14, P538	78
Molecular adsorbent recirculating system in patients with acute liver failure: prospective follow-up. <b>2010</b> , 14, P539	78
A study of patients with cirrhosis admitted to nontransplant general intensive care in the UK: prevalence, case mix, outcomes and evaluation of critical illness and disease-specific scoring systems. <b>2010</b> , 14, P540	1
1068 Acute liver failure: a European perspective. <b>2010</b> , 14, P541	78
$_{1067}$ Intracranial pressure monitoring in acute liver failure: a review of 10 years experience. <b>2010</b> , 14, P542	8
1066 Microdialysis catheters in liver transplants detect vascular complications and rejection. <b>2010</b> , 14, P543	78
1065 Drug-induced hepatic cholestasis in the ICU: a case-control study. <b>2010</b> , 14, P544	78
1064 Diagnosis of acute cholecystitis in septic patients. <b>2010</b> , 14, P545	78
Bleeding and pneumonia in intensive care unit patients given PPIs and H2RAs for prevention of stress ulcer: a meta analysis. <b>2010</b> , 14, P546	78

1062	Influence of septic shock on energy expenditure in critically ill ICU patients, estimated with indirect calorimetry. <b>2010</b> , 14, P547	78
1061	Evaluation of a novel motility capsule for gastric emptying in a porcine model of acute lung injury. <b>2010</b> , 14, P548	78
1060	Preliminary results on the validation of a novel method for measuring intra-abdominal pressure and gastric residual volume. <b>2010</b> , 14, P549	78
1059	Monitoring enteral nutrition efficacy in ICU patients: is there a place for the Brix value-derived fraction of enteral formula in gastric residual volume?. <b>2010</b> , 14, P550	O
1058	Initial gastric volume, nasogastric tube and pneumonia incidence in trauma patients. <b>2010</b> , 14, P551	78
1057	Achieving nutritional targets in the ICU. <b>2010</b> , 14, P552	78
1056	Evaluation of studies of nutritional support team: 2 years' experience. <b>2010</b> , 14, P553	78
1055	Are we feeding our critically ill patients appropriately?. <b>2010</b> , 14, P554	78
1054	Effect of increased enteral nutrition on ICU-acquired infections: a multicenter observational study. <b>2010</b> , 14, P555	78
1053	Impact of early enteral nutrition up to goal on the prognosis of patients with different severity of illness in the ICU. <b>2010</b> , 14, P556	78
1052	Benefit of supplemental parenteral nutrition in the critically ill patient? Results of a multicenter observational study. <b>2010</b> , 14, P557	2
1051	Role of fiber diet formula in surgical critically ill septic patients. <b>2010</b> , 14, P558	78
1050	Effect of oral supplementation with immunonutrients on radiation-induced hematologic toxicity in cancer patients. <b>2010</b> , 14, P559	1
1049	Impact of multichamber bag parenteral nutrition (OliClinomel) upon inflammatory markers (EPICOS Study). <b>2010</b> , 14, P560	78
1048	Effect of n-3 fatty acids on cerebral markers and the inflammatory response in sepsis. <b>2010</b> , 14, P561	78
1047	Effects of an olive oil-based lipid emulsion (ClinOleic) versus LCT/MCT-based lipid emulsions upon the inflammatory markers of critically ill patients (EPICOS Study). <b>2010</b> , 14, P562	78
1046	Does a fish-oil-containing lipid emulsion improve liver function in comparison with a soybean oil lipid emulsion?. <b>2010</b> , 14, P565	78
1045	Therapy of compartmentalization of the proinflammatory and anti-inflammatory cytokines in sepsis. <b>2010</b> , 14, P566	1

Intensive insulin therapy and brief hypoglycemia do not increase neurological injury markers in critically ill children. <b>2010</b> , 14, P567	78
A cluster-controlled implementation project of intensive insulin therapy: effects on blood glucose control and incidence of severe hypoglycemia. <b>2010</b> , 14, P568	78
Incidence of hypoglycemia in NICE sugar not so nice after consideration of the treatment period.  2010, 14, P569	78
Comparison of a planned versus emergent approach implementation of tight glycemic control therapy on an ICU: an experimental design. <b>2010</b> , 14, P570	78
1040 Coagulation profile in hyperglycemic septic shock patients. <b>2010</b> , 14, P571	78
1039 Impact of glycemic control on survival in critical care patients with sepsis. <b>2010</b> , 14, P572	1
Therapeutic impact on intravenous insulin dosing with three new point-of-care glucose meters in an adult ICU. <b>2010</b> , 14, P573	78
Significance of blood glucose variability in the early phase for predicting survival in acutely ill patients with glucose intolerance. <b>2010</b> , 14, P574	78
Blood glucose amplitude variation: effects of intensive insulin therapy and relative association with mortality. <b>2010</b> , 14, P575	78
Prevention of fatal and disabling neuroglycopaenia: a comparison of arterial blood sampling methods. <b>2010</b> , 14, P576	78
Impact of real-time continuous glucose monitoring on glucose variability in critically ill patients.  2010, 14, P577	78
Automated blood glucose monitor is insensitive to hematocrit variation and common saccharide interferents. <b>2010</b> , 14, P578	78
1032 Performance of an automated blood glucose monitor in the OR/ICU. <b>2010</b> , 14, P579	78
1031 ICU glucose monitoring measured in plasma using mid-infrared spectroscopy. <b>2010</b> , 14, P580	1
1030 Validation of HbA1c as a diagnostic marker for diabetes in the critically ill. <b>2010</b> , 14, P581	1
1029 Effect of intravenous glucocorticoids on the efficiency of tight glycaemic control. <b>2010</b> , 14, P582	78
1028 Chronic critical illness: high levels of estrogens and mortality. <b>2010</b> , 14, P583	78
Estrogen decreases inflammation and apoptotic signaling in the heart following severe burn injury.  2010, 14, P584	78

1026 Dexamethasone treatment during cardiac surgery and postoperative lactate levels. <b>2010</b> , 14, P585	78
1025 Risk factors for hypertriglyceridemia in the intensive care unit: an exploratory study. <b>2010</b> , 14, P586	78
Septic patients show significantly lower 1,25-dihydroxy vitamin D levels than trauma patients. <b>2010</b> , 14, P587	1
1023 High prevalence of severe vitamin D deficiency in intensive care patients. <b>2010</b> , 14, P588	3
Vitamin D, parathyroid hormone and serum calcium levels and their association with hospital mortality in critically ill patients. <b>2010</b> , 14, P589	5
Effect of restoration of 25OHD3 status in prolonged critical illness on serum innate immunity parameters LL-37 and sCD163. <b>2010</b> , 14, P590	10
1020 Alterations in adipose tissue during critical illness: an adaptive and protective response?. <b>2010</b> , 14, P591	1
1019 Impact of collection method and sample handling on measured levels of circulating ACTH. <b>2010</b> , 14, P59	2 1
1018 Prognostic value of serum zinc levels in critically ill patients. <b>2010</b> , 14, P593	1
High stress during admission predicts the impact of a PICU follow-up clinic on parents' psychological outcome. <b>2010</b> , 14, P594	1
1016 Patient's contact person in the intensive care unit: is it really important?. <b>2010</b> , 14, P595	78
1015 Evaluating the quality of communication with patients' relatives in critical care. <b>2010</b> , 14, P596	78
1014 Family satisfaction on the intensive care unit. <b>2010</b> , 14, P597	78
Survey into bereavement of family members of patients who died in the intensive care unit. <b>2010</b> , 14, P598	78
Exploration of the needs and experiences of family members of a patient being admitted to a neurosurgery intensive care unit in Shiraz, Iran. <b>2010</b> , 14, P599	78
1011 Deciding the end of life for patients with disorders of consciousness: a European survey. <b>2010</b> , 14, P600	78
Evaluation of a new limitations and withdrawal of care framework order form in the intensive care unit. <b>2010</b> , 14, P601	78
1009 Fluid accumulation, recognition and staging of acute kidney injury in critically-ill patients. <b>2010</b> , 14, R82	272

1008	Attenuation of renal ischemia and reperfusion injury by human adrenomedullin and its binding protein. <b>2010</b> , 163, 110-7		21
1007	Examination of the utility of serum lactate and base deficit in hemorrhagic shock. <b>2010</b> , 14, P161		78
1006	Response of NICOM stroke volume to passive leg raising to predict fluid responsiveness in critically ill patients with spontaneous breathing activity. <b>2010</b> , 14, P113		2
1005	Prognostic significance of acute renal injury in acute tumor lysis syndrome. <b>2010</b> , 51, 221-7		65
1004	Development of inpatient risk stratification models of acute kidney injury for use in electronic health records. <b>2010</b> , 30, 639-50		65
1003	The dose of continuous renal replacement therapy for acute renal failure: a systematic review and meta-analysis. <b>2010</b> , 32, 555-61		5
1002	In critically ill patients requiring CRRT, AKI is associated with increased respiratory failure and death versus ESRD. <b>2011</b> , 33, 935-42		22
1001	Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. <b>2011</b> , 15, R134		76
1000	Biological markers of acute kidney injury. <b>2011</b> , 22, 810-20		230
999	Biomarkers in Acute Kidney Injury. <b>2011</b> , 177-232		4
998	Surgical sepsis and organ crosstalk: the role of the kidney. <b>2011</b> , 167, 306-15		44
997	Acute kidney injury in critical ill patients affected by influenza A (H1N1) virus infection. <b>2011</b> , 15, R66		33
996	Diagnostic performance of fractional excretion of urea in the evaluation of critically ill patients with acute kidney injury: a multicenter cohort study. <b>2011</b> , 15, R178		49
995	Too early initiation of renal replacement therapy may be harmful. <b>2011</b> , 15, 112		5
994	The outcomes of critically ill patients with acute kidney injury receiving renal replacement therapy. <b>2011</b> , 34, 2-9		13
993	Evaluation of new acute kidney injury biomarkers in a mixed intensive care unit. <i>Critical Care Medicine</i> , <b>2011</b> , 39, 2464-9	1.4	134
992	Pulmonary endothelial cell activation during experimental acute kidney injury. 2011, 36, 170-6		21

### (2011-2011)

990	The effects of isoflurane anesthesia and mechanical ventilation on renal function during endotoxemia. <b>2011</b> , 55, 401-10	14
989	Acute dialysis in HIV-positive patients in Cape Town, South Africa. <b>2011</b> , 16, 39-44	13
988	High brain-natriuretic peptide level predicts cirrhotic cardiomyopathy in liver transplant patients. <b>2011</b> , 24, 425-32	45
987	Nutritional assessment and delivery in renal replacement therapy patients. <b>2011</b> , 24, 169-75	35
986	Regional citrate anticoagulation reduces polymorphonuclear cell degranulation in critically ill patients treated with continuous venovenous hemofiltration. <b>2011</b> , 15, 556-64	40
985	Risk factors for prolonged intensive care unit stay and hospital mortality in acute drug-poisoned patients: an evaluation of the physiologic and laboratory parameters on admission. <b>2011</b> , 26, 160-5	30
984	[Guidelines for specialized nutritional and metabolic support in the critically-ill patient. Update. Consensus of the Spanish Society of Intensive Care Medicine and Coronary Units-Spanish Society of Parenteral and Enteral Nutrition (SEMICYUC-SENPE): acute renal failure]. <b>2011</b> , 35 Suppl 1, 22-7	10
983	Nierenersatztherapie: Wann? Wie? Wie lange?. <b>2011</b> , 48, 264-269	1
982	Die akute Nierenschäligung. <b>2011</b> , 48, 468-473	O
981	Predictors of acute kidney injury post-cardiopulmonary bypass in children. <b>2011</b> , 15, 529-34	49
980	Lung injury following acute kidney injury: kidney-lung crosstalk. <b>2011</b> , 15, 464-70	57
979	Diagnostic accuracy of Doppler renal resistive index for reversibility of acute kidney injury in critically ill patients. <b>2011</b> , 37, 68-76	132
978	Insuffisance rhale aigulen ranimation âlMcanismes et diagnostic. <b>2011</b> , 20, 546-551	
977	Nierenersatztherapie in der Intensivmedizin. <b>2011</b> , 6, 135-142	O
976	Amino acid removal in high-flow and conventional continuous hemodiafiltration. <b>2011</b> , 40, 110-117	
975	Outcomes of cancer and non-cancer patients with acute kidney injury and need of renal replacement therapy admitted to general intensive care units. <b>2011</b> , 26, 537-43	34
974	Regional citrate versus systemic heparin for anticoagulation in critically ill patients on continuous venovenous haemofiltration: a prospective randomized multicentre trial. <b>2011</b> , 26, 232-9	612
973	Renal Association Clinical Practice Guidelines on acute kidney injury. <b>2011</b> , 118 Suppl 1, c349-90	50

972	Acute kidney insufficiency in the critically ill. <b>2011</b> , 24, 61-9	6
971	Urinary Neutrophil Gelatinase-Associated Lipocalin Measured on Admission to the Intensive Care Unit Accurately Discriminates between Sustained and Transient Acute Kidney Injury in Adult Critically Ill Patients. <b>2011</b> , 1, 9-23	32
970	Serum urea concentration is probably not related to outcome in ICU patients with AKI and renal replacement therapy. <b>2011</b> , 26, 3211-8	12
969	Nutrition disorders during acute renal failure and renal replacement therapy. <b>2011</b> , 35, 217-22	41
968	Neutrophil gelatinase-associated lipocalin at ICU admission predicts for acute kidney injury in adult patients. <b>2011</b> , 183, 907-14	739
967	Risk factors for acute kidney injury by non-steroidal anti-inflammatory drugs in patients with hyperuricaemia. <b>2011</b> , 50, 2278-82	16
966	B-type natriuretic Peptide in the critically ill with acute kidney injury. <b>2011</b> , 2011, 951629	11
965	Acute kidney injury: controversies revisited. <b>2011</b> , 2011, 762634	13
964	Risk factors for development of acute kidney injury in critically ill patients: a systematic review and meta-analysis of observational studies. <b>2012</b> , 2012, 691013	82
963	Short and long-term outcome of patients with severe acute kidney injury requiring renal replacement therapy. <b>2012</b> , 105, 33-9	24
962	Biomarkers for the prediction of acute kidney injury: a narrative review on current status and future challenges. <b>2012</b> , 5, 102-108	123
961	New therapy options for MRSA with respiratory infection/pneumonia. <b>2012</b> , 25, 159-65	10
960	Ongoing clinical trials in AKI. <b>2012</b> , 7, 861-73	66
960 959	Ongoing clinical trials in AKI. <b>2012</b> , 7, 861-73  Additional role of urine output criterion in defining acute kidney injury. <b>2012</b> , 27, 161-5	66 25
959	Additional role of urine output criterion in defining acute kidney injury. <b>2012</b> , 27, 161-5  Long-term outcome of cats and dogs with acute kidney injury treated with intermittent	25
959 958	Additional role of urine output criterion in defining acute kidney injury. <b>2012</b> , 27, 161-5  Long-term outcome of cats and dogs with acute kidney injury treated with intermittent hemodialysis: 135 cases (1997-2010). <b>2012</b> , 241, 1471-8	25

954	Inflammatory Mechanisms of Organ Crosstalk during Ischemic Acute Kidney Injury. 2012, 2012, 505197	59
953	Macrophages mediate lung inflammation in a mouse model of ischemic acute kidney injury. <b>2012</b> , 302, F421-32	33
952	Insuffisance rhale aigulde la personne ĝè hospitalisè en rànimation. <b>2012</b> , 181-193	
951	Validity of the International Classification of Diseases, Tenth Revision code for acute kidney injury in elderly patients at presentation to the emergency department and at hospital admission. <b>2012</b> , 2,	62
950	Fluid overload at initiation of renal replacement therapy is associated with lack of renal recovery in patients with acute kidney injury. <b>2012</b> , 27, 956-61	145
949	Cytokine production increases and cytokine clearance decreases in mice with bilateral nephrectomy. <b>2012</b> , 27, 4339-47	59
948	A comparison of the time from sepsis to inception of continuous renal replacement therapy versus RIFLE criteria in patients with septic acute kidney injury. <b>2012</b> , 38, 30-6	19
947	Intermittent high-volume predilution on-line haemofiltration versus standard intermittent haemodialysis in critically ill patients with acute kidney injury: a prospective randomized study. <b>2012</b> , 27, 4348-56	8
946	Observation of changes in model-based insulin sensitivity during haemodialysis transitions for critically ill patients. <b>2012</b> , 45, 349-354	
945	High-volume hemofiltration in the intensive care unit: a blood purification therapy. <b>2012</b> , 116, 1377-87	58
944	Renal resistive index better predicts the occurrence of acute kidney injury than cystatin C. <b>2012</b> , 38, 592-7	63
943	A comparison of acute kidney injury classifications in patients with severe sepsis and septic shock. <b>2012</b> , 344, 350-6	23
942	Poster Abstracts. <b>2012</b> , 67, 24-85	2
941	Association of ICU size and annual case volume of renal replacement therapy patients with mortality. <b>2012</b> , 56, 1175-82	13
940	Acute kidney injury: definition controversies and epidemiology. <b>2012</b> , 1, 1-5	1
939	Population-based incidence, mortality and quality of life in critically ill patients treated with renal replacement therapy: a nationwide retrospective cohort study in Finnish intensive care units. <b>2012</b> , 16, R13	43
938	Efficacy of renal replacement therapy in critically ill patients: a propensity analysis. 2012, 16, R236	34
937	Marking renal injury: can we move beyond serum´creatinine?. <b>2012</b> , 159, 277-89	81

936	Perioperative acute kidney injury. <b>2012</b> , 1, 6	48
935	Encyclopedia of Intensive Care Medicine. <b>2012,</b> 5-5	
934	Encyclopedia of Intensive Care Medicine. <b>2012</b> , 16-25	
933	Encyclopedia of Intensive Care Medicine. <b>2012</b> , 48-48	
932	Nutritional imbalances during extracorporeal life support. <b>2013</b> , 105, 154-159	7
931	Personnes Bes et ranimation. <b>2012</b> ,	
930	Contemporary Coloproctology. <b>2012</b> ,	6
929	Acute kidney injury and extrarenal organ dysfunction: new concepts and experimental evidence. <b>2012</b> , 116, 1139-48	129
928	The impact of dialysis-requiring acute kidney injury on long-term prognosis of patients requiring prolonged mechanical ventilation: nationwide population-based study. <i>PLoS ONE</i> , <b>2012</b> , 7, e50675	36
927	Blood culture collection in patients with acute kidney injury receiving renal replacement therapy: an observational study. <b>2012</b> , 40, 813-9	3
926	Survival in Critically Ill Patients with Acute Kidney Injury Treated with Early Hemodiafiltration. <b>2012</b> , 35, 1039-1046	7
925	Late Initiation of Continuous Veno-Venous Hemofiltration Therapy is Associated with a Lower Survival Rate in Surgical Critically Ill Patients with Postoperative Acute Kidney Injury. <b>2012</b> , 78, 235-242	8
924	11.3 Flŝsigkeitsmanagement. <b>2012</b> ,	
923	Assessing Renal Dysfunction in Septic Patients. <b>2012</b> , 73-90	
922	Estrogen protects renal endothelial barrier function from ischemia-reperfusion in vitro and in vivo. <b>2012</b> , 303, F377-85	77
921	Les effets dlttes de lâpuration extrarhale dans le traitement de lâthsuffisance rhale aigull <b>2012</b> , 21, 429-439	1
920	[Acute kidney injury]. <b>2012</b> , 107, 141-6	
919	Development of demographics and outcome of very old critically ill patients admitted to intensive care units. <b>2012</b> , 38, 620-6	53

918	Acute kidney injury and CKD: chicken or egg?. <b>2012</b> , 59, 485-91	46
917	Enabling innovative translational research in acute kidney injury. <b>2012</b> , 5, 93-101	32
916	Is time on cardiopulmonary bypass during cardiac surgery associated with acute kidney injury requiring dialysis?. <b>2012</b> , 16, 252-8	5
915	Short-term prognosis of critically ill surgical patients: the impact of duration of invasive organ support therapies. <b>2012</b> , 27, 73-82	6
914	Tumour lysis syndrome and acute kidney injury in high-risk haematology patients in the rasburicase era. A prospective multicentre study from the Groupe de Recherche en Ranimation Respiratoire et Onco-Hmatologique. <b>2013</b> , 162, 489-97	63
913	High-volume versus standard-volume haemofiltration for septic shock patients with acute kidney injury (IVOIRE study): a multicentre randomized controlled trial. <b>2013</b> , 39, 1535-46	270
912	The kidney in critical illness: how to monitor a pivotal organ system. 2013, 27, 271-7	5
911	A window into diaphragm kinetics: feasibility, precision, and physiological meaning of ultrasound measurements of diaphragm thickness. <b>2013</b> , 17,	1
910	[Nutrition and renal insufficiency]. 2013, 108, 384-90	
909	Serum procalcitonin predicts development of acute kidney injury in patients with suspected infection. <b>2013</b> , 51, 1655-61	21
908	Profilassi e gestione dellâ[hsufficienza renale acuta in rianimazione. <b>2013</b> , 18, 1-15	
907	Patients enrolled in randomised clinical trials are not representative of critically ill patients in clinical practice: observational study focus on tigecycline. <b>2013</b> , 42, 436-42	10
906	Characteristics and outcomes in community-acquired versus hospital-acquired acute kidney injury. <b>2013</b> , 18, 183-7	60
905	Patients with chronic kidney disease. <b>2013</b> , 97, 1109-22	12
904	ErnBrung und Niereninsuffizienz. <b>2013</b> , 16, 26-31	
903	Five-year risk of end-stage renal disease among intensive care patients surviving dialysis-requiring acute kidney injury: a nationwide cohort study. <b>2013</b> , 17, R145	59
902	Diagnostic accuracy of early urinary index changes in differentiating transient from persistent acute kidney injury in critically ill patients: multicenter cohort study. <b>2013</b> , 17, R56	46
901	Diagnosis, evaluation, and management of acute kidney injury: a KDIGO summary (Part 1). <b>2013</b> , 17, 204	1111

900	Abstracts of the 33rd International Symposium on Intensive Care and Emergency Medicine. Brussels, Belgium. March 19-22, 2013. <b>2013</b> , 17 Suppl 2, P1-545	5
899	Reversible depressive effect of TNF® a model of isolated perfused rat heart. 2013, 17,	78
898	Effect of cdp-choline on microcirculatory alterations during endotoxemia. 2013, 17,	78
897	Immune response after stimulation with wall components of Gram-positive bacteria. 2013, 17,	78
896	Correlation of the oxygen radical activity and antioxidants and severity in critically ill surgical patients: preliminary report. <b>2013</b> , 17,	78
895	Simultaneous analysis of the expression of CD64 and HLA-DR in the peripheral blood and bronchoalveolar lavage fluid in sepsis. <b>2013</b> , 17,	78
894	Anti-inflammatory effects of Kupffer cells through ∰-nicotinic acetylcholine receptors. <b>2013</b> , 17,	1
893	Prevention of sepsis by correcting apoptosis. <b>2013</b> , 17,	78
892	Immune paralysis in trauma patients; implications for prehospital intervention. 2013, 17,	2
891	Is hemoglobin concentration affected by sepsis in the acute phase?. <b>2013</b> , 17,	3
891 890	Is hemoglobin concentration affected by sepsis in the acute phase?. <b>2013</b> , 17,  Do changes in red blood cell deformability in patients with septic shock correlate with changes in SOFA scores?. <b>2013</b> , 17,	3 78
	Do changes in red blood cell deformability in patients with septic shock correlate with changes in	
890	Do changes in red blood cell deformability in patients with septic shock correlate with changes in SOFA scores?. <b>2013</b> , 17,  Do erythrocytes subjected to cardiopulmonary bypass exhibit changes in their membrane	78
890 889	Do changes in red blood cell deformability in patients with septic shock correlate with changes in SOFA scores?. <b>2013</b> , 17,  Do erythrocytes subjected to cardiopulmonary bypass exhibit changes in their membrane mechanical properties?. <b>2013</b> , 17,  Platelet-associated oxidative stress and ADAMTS-13 levels are inversely associated with a poor	78 78
890 889 888	Do changes in red blood cell deformability in patients with septic shock correlate with changes in SOFA scores?. 2013, 17,  Do erythrocytes subjected to cardiopulmonary bypass exhibit changes in their membrane mechanical properties?. 2013, 17,  Platelet-associated oxidative stress and ADAMTS-13 levels are inversely associated with a poor prognosis in septic shock. 2013, 17,  Neutrophil gelatinase-associated lipocalin/lipocalin2, derived from gut crypt cells, exerts intestinal	78 78 78
890 889 888 887	Do changes in red blood cell deformability in patients with septic shock correlate with changes in SOFA scores?. 2013, 17,  Do erythrocytes subjected to cardiopulmonary bypass exhibit changes in their membrane mechanical properties?. 2013, 17,  Platelet-associated oxidative stress and ADAMTS-13 levels are inversely associated with a poor prognosis in septic shock. 2013, 17,  Neutrophil gelatinase-associated lipocalin/lipocalin2, derived from gut crypt cells, exerts intestinal antimicrobial effect via bacterial stimulation of Toll-like receptor 4 and 9. 2013, 17,  Lethal influenza virus A H1N1 infection in two relatives with autosomal dominant GATA-2	78 78 78 78
890 889 888 887 886	Do changes in red blood cell deformability in patients with septic shock correlate with changes in SOFA scores?. 2013, 17,  Do erythrocytes subjected to cardiopulmonary bypass exhibit changes in their membrane mechanical properties?. 2013, 17,  Platelet-associated oxidative stress and ADAMTS-13 levels are inversely associated with a poor prognosis in septic shock. 2013, 17,  Neutrophil gelatinase-associated lipocalin/lipocalin2, derived from gut crypt cells, exerts intestinal antimicrobial effect via bacterial stimulation of Toll-like receptor 4 and 9. 2013, 17,  Lethal influenza virus A H1N1 infection in two relatives with autosomal dominant GATA-2 deficiency. 2013, 17,  Bacterial translocation primes proinflammatory responses and is connected to early death in an	78 78 78 78 2

# (2013-2013)

882	Hypogammaglobulinemia in sepsis is not correlated to high circulating angiopoietin-2 levels. <b>2013</b> , 17,	1
881	TREM-1 levels are elevated in patients with liver cirrhosis. <b>2013</b> , 17,	78
880	Effects of different doses and serotypes of LPS on blood-brain barrier permeability in Sprague-Dawley rats. <b>2013</b> , 17,	1
879	Bioenergetic imbalance and oxidative stress in the pathophysiology of septic encephalopathy. <b>2013</b> , 17,	78
878	Pathophysiology of sepsis-associated brain dysfunction: an experimental study of cerebral microdialysis and mitochondrial function. <b>2013</b> , 17,	78
877	Cholinergic modulation of hippocampal activity during septic encephalopathy. 2013, 17,	1
876	Neutrophil-lymphocyte count ratio as a biomarker of severe sepsis in Escherichia coli infections in adults. <b>2013</b> , 17,	3
875	Obesity and inflammatory markers in severe sepsis. <b>2013</b> , 17,	78
874	Cytokine gene expression can predict infectious complications following severe trauma. 2013, 17,	3
873	A cohort study of routinely used sepsis biomarkers and 28-day mortality. <b>2013</b> , 17,	78
872	Procalcitonin as prognostic marker of mortality. <b>2013</b> , 17,	78
871	Changes in circulating procalcitonin versus C-reactive protein in predicting evolution of infectious disease in febrile, critically ill patients. <b>2013</b> , 17,	78
870	Procalcitonin-guided antibiotic therapy in patients with congestive heart failure and suspicion of lower respiratory tract infection: results from a randomized trial. <b>2013</b> , 17,	2
869	Pro-adrenomedullin as a clinical predictor after cardiac surgery. <b>2013</b> , 17,	78
868	Pro-adrenomedullin as prognostic biomarker in the sepsis. <b>2013</b> , 17,	78
867	Early IL-6 response in sepsis is correlated with mortality and severity score. <b>2013</b> , 17,	6
866	Compared values of presepsin (sCD14-ST) and procalcitonin as early markers of outcome in severe sepsis and septic shock: a preliminary report from the Albumin Italian Outcome Sepsis (ALBIOS) study. <b>2013</b> , 17,	78
865	Usefulness of presepsin in the diagnosis of sepsis in acute kidney injury patients. <b>2013</b> , 17,	78

864	Serum levels of presepsin reffects the APACHE II and SOFA scores in patients with sepsis. 2013, 17,	1
863	Relationship between serum nitrite/nitrate levels in the early phase of septic acute lung injury and prognosis. <b>2013</b> , 17,	78
862	Simple and fast prediction of Legionella sp. in community-acquired pneumonia: validation of a prediction rule. <b>2013</b> , 17,	78
861	Host genetic variants associated with community-acquired pneumonia. <b>2013</b> , 17,	1
860	Outcome of severe community-acquired pneumonia: the impact of comorbidities. <b>2013</b> , 17,	1
859	Prognostic scores and infective endocarditis. <b>2013</b> , 17,	78
858	Effectiveness of early ureteric stenting for urosepsis associated with urinary tract calculi. 2013, 17,	78
857	Outcomes in urinary sepsis. <b>2013</b> , 17,	78
856	Nosocomial pneumonia in the postoperative period after heart transplantation. 2013, 17,	2
855	Abdominal infection plays a role in the incidence of ventilator-associated pneumonia. 2013, 17,	78
854	Incidence and risk factors for ventilator-associated pneumonia in Siriraj Hospital. 2013, 17,	78
853	Hospital-acquired bloodstream infection: Indian perspective. <b>2013</b> , 17,	78
852	Risk factors for catheter-related bloodstream infections in a surgical ICU. <b>2013</b> , 17,	78
851	Analysis of risk factors for catheter-related bloodstream infection in a parenteral nutrition population. <b>2013</b> , 17,	78
850	Can we predict the postoperative infections?. <b>2013</b> , 17,	78
849	Results for introduction of a new hand hygiene program in the ICU. <b>2013</b> , 17,	78
848	Improving hand hygiene performance in a surgical ICU: a novel method for data collection to change physician behavior. <b>2013</b> , 17,	78
847	Compliance with the implementation of an ICU cluster-randomized trial assessing the benefits and potential harms of universal glove and gowning. <b>2013</b> , 17,	1

846	Fighting hospital sepsis. <b>2013</b> , 17,	78
845	Sinks as a correctable source of ESBL contamination for patients in the ICU. <b>2013</b> , 17,	78
844	Hemodynamic and mitochondrial effects of enalapril in experimental sepsis. 2013, 17,	78
843	Effects of intraperitoneal immunoglobulin therapy on behavior and cognitive functions in CLP-induced sepsis model in rats. <b>2013</b> , 17,	78
842	Clinical efficacy of recombinant human soluble thrombomodulin in patients with septic disseminated intravascular coagulation. <b>2013</b> , 17,	78
841	Antithrombin III concentrate therapy may have an efficacy in sepsis. <b>2013</b> , 17,	78
840	A clinical randomized trial on the use of atorvastatin in patients with sepsis or septic shock: effects on endothelial function. <b>2013</b> , 17,	3
839	A multicenter randomized controlled study of an extracorporeal cytokine hemoadsorption device in septic patients. <b>2013</b> , 17,	26
838	Continuous renal replacement therapy with the adsorbent membrane oXiris in septic patients: a clinical experience. <b>2013</b> , 17,	5
837	Combined use of pumpless extracorporeal lung assist system and continuous renal replacement therapy with citrate anticoagulation in polytrauma patients. <b>2013</b> , 17,	78
836	Abstract withdrawn. <b>2013</b> , 17,	78
835	Use of extracorporeal endotoxin elimination therapy for septic shock. <b>2013</b> , 17,	1
834	Selective adsorption of lipopolysaccharide in the complex treatment of patients with severe sepsis. <b>2013</b> , 17,	78
833	Alteco endotoxin hemoadsorption in Gram-negative septic shock patients. <b>2013</b> , 17,	78
832	Steroid therapy in septic shock: survey of practice amongst UK critical care physicians. <b>2013</b> , 17,	78
831	Need for restoration of cortisol serum levels for successful antimicrobial therapy in experimental sepsis. <b>2013</b> , 17,	78
830	Impact of time to initiation of appropriate antibiotic therapy on early mortality of patients with septic shock. <b>2013</b> , 17,	1
829	Comparison of survivors and nonsurvivors in 27 confirmed injectional anthrax cases from the 2009 outbreak in Scotland. <b>2013</b> , 17,	3

828	Efficacy and utility of preemptive anti-Gr(+) coverage in selected critically ill patients. 2013, 17,	78
827	Gram-negative resistance and need for ICU among urinary tract infections in the United States. <b>2013</b> , 17,	1
826	Multidrug resistance among P. aeruginosa and Enterobacteriaceae in US hospitals, 2000 to 2009. <b>2013</b> , 17,	78
825	Prevalence of multidrug resistance, extensive drug resistance and pandrug resistance among multiple Gram-negative isolates: experience in a tertiary-care hospital ICU in North India. <b>2013</b> , 17,	78
824	Risk factors associated with Acinetobacter baumannii septicemia and its mortality rates in critically ill patients. <b>2013</b> , 17,	O
823	Prevalence of colonization by multiresistant bacteria on admission to the ICU in the French military hospital in Kabul, Afghanistan. <b>2013</b> , 17,	78
822	Extended-spectrum Elactamase Providencia stuartii in a general ICU. <b>2013</b> , 17,	78
821	High-dose tigecycline use in severe infections. <b>2013</b> , 17,	1
820	In vitro efficiency of Amikacin Inhale, a novel drug-device delivery system. 2013, 17,	4
819	Analysis of parameters in critically ill patients influencing amikacin peak levels. 2013, 17,	78
818	Cost implication of antibiotic-associated diarrhoea and the financial impact of probiotic use in its prevention. <b>2013</b> , 17,	1
818 817		1
	prevention. <b>2013</b> , 17,	
817	prevention. 2013, 17,  Empirical versus preemptive antimycotic therapy in terms of outcome benefit. 2013, 17,  Impact of echinocandins as first-choice therapy in cardiothoracic high-risk patients with candidemia.	1
817 816	prevention. 2013, 17,  Empirical versus preemptive antimycotic therapy in terms of outcome benefit. 2013, 17,  Impact of echinocandins as first-choice therapy in cardiothoracic high-risk patients with candidemia. 2013, 17,  Fungal ventricular assist device infections occur in colonized patients and are associated with high	1 78
817 816 815	Empirical versus preemptive antimycotic therapy in terms of outcome benefit. 2013, 17,  Impact of echinocandins as first-choice therapy in cardiothoracic high-risk patients with candidemia. 2013, 17,  Fungal ventricular assist device infections occur in colonized patients and are associated with high mortality rate. 2013, 17,	1 78 78
817 816 815 814	Empirical versus preemptive antimycotic therapy in terms of outcome benefit. 2013, 17,  Impact of echinocandins as first-choice therapy in cardiothoracic high-risk patients with candidemia. 2013, 17,  Fungal ventricular assist device infections occur in colonized patients and are associated with high mortality rate. 2013, 17,  Cost-effectiveness analysis of anidulafungin in the treatment of candidaemia. 2013, 17,	1 78 78 78

810	Use of high-flow nasal canulae: effect on alveolar pressure and its limitation. 2013, 17,	3
809	Relation between PaO2/FiO2 ratio, SpO2/FiO2 ratio, oxygenation index and ventilation ratio in critically ill patients. <b>2013</b> , 17,	78
808	Decreased respiratory complexity during apnea in acute respiratory distress syndrome. 2013, 17,	78
807	Acute respiratory distress syndrome - the Berlin definition: impact on an ICU of a university hospital. <b>2013</b> , 17,	78
806	Extravascular lung water, B-type natriuretic peptide and blood volume contraction for diagnosing weaning-induced pulmonary edema. <b>2013</b> , 17,	1
805	Pressure support ventilation with minimal sedation as the main ventilatory mode in critically ill patients with lung injury: effect on mortality and incidence of complications. <b>2013</b> , 17,	78
804	Comparison of a fully automatic ARDSNet protocol and a feedback-controlled open lung management concept. <b>2013</b> , 17,	78
803	Comparison of an entirely automated ventilation mode, Intellivent-ASV, with conventional ventilation in ARDS patients: a 48-hour study. <b>2013</b> , 17,	1
802	Difference in pulmonary permeability between indirect and direct acute respiratory distress syndrome assessed by the transpulmonary thermodilution technique. <b>2013</b> , 17,	78
801	Biomarkers for early stage of acute respiratory distress syndrome in septic patients: surfactant protein D and Clara cell protein. <b>2013</b> , 17,	1
800	Intravenous perfluorocarbons for prevention of ventilator-associated ARDS. 2013, 17,	78
799	Effect of angiotensin-converting enzyme gene I/D polymorphism and its expression on clinical outcome in acute respiratory distress syndrome. <b>2013</b> , 17,	78
798	End-expiratory esophageal pressure versus lower inflection point in acute lung injury. 2013, 17,	78
797	Lung recruitment induced by Sigh in hypoxemic intubated critically ill patients. 2013, 17,	78
796	Quantification of stress raisers in ARDS. <b>2013</b> , 17,	4
795	Recruited lung tissue does not resume normal mechanical properties. <b>2013</b> , 17,	2
794	Intraoperative management of hypoxemia with recruitment maneuvers: are the benefits worth the costs?. <b>2013</b> , 17,	78
793	Haemodynamic changes during alveolar recruitment manoeuvre in patients with diastolic dysfunction. <b>2013</b> , 17,	78

792	Alveolar Recruitment for ARDS Trial: preliminary results. <b>2013</b> , 17,	1
791	Reliability of pressure measurements via balloon catheters is high: an evaluation of six esophageal catheters. <b>2013</b> , 17,	78
790	Effect of protective ventilation on organ-specific cytokine production in an experimental postoperative sepsis model. <b>2013</b> , 17,	78
789	Time required for gas exchange equilibration after a change of positive end-expiratory pressure in acute respiratory distress syndrome. <b>2013</b> , 17,	78
788	Comparison between the standard and low-dose chest CT scans on the lung quantitative analysis in critically ill patients. <b>2013</b> , 17,	78
787	Preliminary experience with airway pressure release ventilation on hemodynamics in patients with septic shock in a medical/surgical ICU. <b>2013</b> , 17,	78
786	Feasibility and effectiveness of prone position in morbidly obese ARDS patients: a case-control clinical study. <b>2013</b> , 17,	78
785	Provision of mechanical ventilation to pregnant/postpartum women with H1N1 influenza: a case-control study. <b>2013</b> , 17,	78
784	Inhalation injury in critical burn patients. <b>2013</b> , 17,	78
783	Beneficial effects of intrapulmonary percussive ventilation in patients with respiratory insufficiency in the ICU. <b>2013</b> , 17,	1
782	High-frequency ventilation for acute traumatic and nontraumatic lung injury. 2013, 17,	78
781	Improvement in oxygenation with high-frequency oscillatory ventilation combined with tracheal gas insufflation is correlated to the extravascular lung water index. <b>2013</b> , 17,	78
780	Physiologic effects and regional ventilation of high-frequency positive-pressure ventilation using a conventional ventilator in a severe ARDS animal model associated with an inspiratory pause or recruitment maneuvers. <b>2013</b> , 17,	78
779	High-frequency percussive ventilation at altitude: study in a hypobaric chamber with a mechanical test lung. <b>2013</b> , 17,	78
778	Recruitable volume is comparable in acute respiratory distress syndrome and in healthy lungs. <b>2013</b> , 17,	78
777	Nosocomial bloodstream infection and venovenous extracorporeal membrane oxygenation: a retrospective cohort study. <b>2013</b> , 17,	2
776	Monitoring anticoagulation during extracorporeal membrane oxygenation in patients with acute respiratory failure. <b>2013</b> , 17,	3
775	Extracorporeal membrane oxygenation: the MOTOR of cytokine production?. <b>2013</b> , 17,	78

### (2013-2013)

774	Effect of extracorporeal CO2 removal on respiratory rate in spontaneously breathing patients with chronic obstructive pulmonary disease exacerbation. <b>2013</b> , 17,	8
773	ECCO2 removal with a phosphorylcholine-coated membrane oxygenator in difficult respiratory weaning patients. <b>2013</b> , 17,	2
772	Lung elastance can be determined without esophageal pressure measurements. 2013, 17,	1
771	Feasibility of minimally invasive stimulation of the phrenic nerves for supporting ventilation in fully anesthetized swine. <b>2013</b> , 17,	78
770	Prehospital management of COPD patients in respiratory failure and short-term outcome. 2013, 17,	78
769	N-terminal pro-brain natriuretic peptide as a prognostic marker in patients with exacerbation of chronic obstructive pulmonary disease. <b>2013</b> , 17,	78
768	Novel biomarkers for prediction of mortality after acute exacerbation of chronic obstructive pulmonary disease. <b>2013</b> , 17,	78
767	High incidence of respiratory viruses in critically ill adult patients with respiratory failure. <b>2013</b> , 17,	78
766	Role of bronchoscopy during non-invasive ventilation in hypercapnic respiratory failure. <b>2013</b> , 17,	78
765	SMART-COP score for patients admitted with community-acquired pneumonia (CAP) to an ICU in a district general hospital: a smarter way of identifying patients with severe CAP?. <b>2013</b> , 17,	78
764	Effects of steroid therapies to severe streptococcal pneumoniae that required mechanical ventilation. <b>2013</b> , 17,	78
763	Risk factors for ventilator-associated pneumonia in a surgical ICU. <b>2013</b> , 17,	78
762	Ventilation distribution measured with electrical impedance tomography at varying levels of assist during pressure support versus neurally adjusted ventilatory assist in ICU patients. <b>2013</b> , 17,	78
761	Analysis of bilevel positive airway pressure therapy in children based on weight. <b>2013</b> , 17,	78
760	Determinants of non-invasive ventilation success or failure in morbidly obese patients in acute respiratory failure. <b>2013</b> , 17,	78
759	Non-invasive ventilation in patients with a clinical diagnosis of pneumonia: a clinical audit. <b>2013</b> , 17,	78
758	Analysis of management of non-invasive ventilation support in prehospital care for COPD patients and short-term outcome. <b>2013</b> , 17,	1
757	Retrospective review of utilisation and outcomes of diaphragmatic EMG monitoring and neurally adjusted ventilatory assist in a central London teaching hospital over a 3-year period. <b>2013</b> , 17,	78

756	Validation of a lung ultrasound protocol in acute respiratory failure: preliminary results. 2013, 17,	2
755	Risk of weaning failure with PAOP âll 5 versus PAOP âll 8. <b>2013</b> , 17,	O
754	Impact of continuous positive airway pressure on the treatment of acute exacerbation of asthma: a randomised controlled trial. <b>2013</b> , 17,	1
753	Novel method to confirm tracheal intubation based on airway pressures: validation in patients with lung disease. <b>2013</b> , 17,	78
75 <sup>2</sup>	Main indications, diagnostic and therapeutic yield of bronchoscopy in the ICU. 2013, 17,	78
751	Benchtop study comparing leakages across cuffs of three endotracheal tubes. <b>2013</b> , 17,	1
750	Endotracheal tube with tapered-type cuff for preventing ventilator-associated pneumonia: a randomized clinical trial. <b>2013</b> , 17,	1
749	Effect of body position changes on endotracheal tube cuff pressure in ventilated patients. <b>2013</b> , 17,	78
748	Towards safer airway management in the critically ill: lessons from National Audit Project 4. <b>2013</b> , 17,	78
747	Quantitative assessment of endotracheal tube (ETT) biofilm by micro-CT scan: evaluation of the effectiveness of ETT cleaning devices. <b>2013</b> , 17,	78
746	Early identification of patients at risk of difficult intubation in the ICU: development and validation of the MACOCHA score in a multicenter cohort study. <b>2013</b> , 17,	0
745	Incidence of major complications related to endotracheal intubation in ICUs of nonacademic Brazilian public hospitals. <b>2013</b> , 17,	78
744	Tracheal intubation for a difficult airway using Airway scope[], KingVision[] and McGRATH[]: a comparative manikin study of inexperienced personnel. <b>2013</b> , 17,	4
743	Resistance of neonatal endotracheal tubes: a comparison of four commercially available types. <b>2013</b> , 17,	2
742	NT-proBNP and cardiac cycle efficiency changes during extubation process in critically ill patients. <b>2013</b> , 17,	78
741	Comparison of outcomes between early and late tracheostomy for critically ill patients. 2013, 17,	3
740	Ultrasound scanning for percutaneous dilatational tracheostomy: a systematic review. 2013, 17,	78
739	Evaluation of a new device for emergency transcricoid ventilation in a manikin model. <b>2013</b> , 17,	2

738	Device for measuring bronchodilator delivery and response in resource-limited settings. <b>2013</b> , 17,	78
737	Evidence-based guidelines and protocols for the management of adult patients with a tracheostomy: a systematic review. <b>2013</b> , 17,	78
736	Survey of emergency tracheostomy management in the East of England region. 2013, 17,	78
735	Can we keep neck breathers safe? A survey on training adequacy of medical staff caring for tracheostomy/laryngectomy patients. <b>2013</b> , 17,	78
734	Laryngeal mask as a safe and effective ventilatory device during Blue Dolphin tracheostomy in the ICU. <b>2013</b> , 17,	78
733	Real-time ultrasound-guided balloon dilatational percutaneous tracheostomy is a safe procedure in critically ill patients: an evaluation study. <b>2013</b> , 17,	16
732	Right ventricular restriction in interventional lung assist for acute respiratory distress syndrome. <b>2013</b> , 17,	78
731	Left ventricular electromechanical dyssynchrony and mortality in cardiothoracic intensive care. <b>2013</b> , 17,	78
730	Safety of ultrasound-guided central venous access in critically ill patients with uncorrected coagulopathy. <b>2013</b> , 17,	78
729	Cyanoacrylate glue prevents early bleeding of the exit site after CVC or PICC placement. <b>2013</b> , 17,	-
, ,	eganously, take green prevented early breeding or the exiculties are entreed at the process and all the	7
728	Intracardiac ECG for confirmation of correct positioning of central venous catheters is safe and cost-effective. <b>2013</b> , 17,	78 78
	Intracardiac ECG for confirmation of correct positioning of central venous catheters is safe and	
728	Intracardiac ECG for confirmation of correct positioning of central venous catheters is safe and cost-effective. <b>2013</b> , 17,  Is automated brachial cuff measurement of arterial pressure less accurate in cases of arrhythmia?.	78
728 727	Intracardiac ECG for confirmation of correct positioning of central venous catheters is safe and cost-effective. <b>2013</b> , 17,  Is automated brachial cuff measurement of arterial pressure less accurate in cases of arrhythmia?. <b>2013</b> , 17,  Cardiac output monitoring in brain-stem-dead potential organ donors: an audit of current UK	78 78
728 727 726	Intracardiac ECG for confirmation of correct positioning of central venous catheters is safe and cost-effective. 2013, 17,  Is automated brachial cuff measurement of arterial pressure less accurate in cases of arrhythmia?. 2013, 17,  Cardiac output monitoring in brain-stem-dead potential organ donors: an audit of current UK practice. 2013, 17,  Indocyanine green plasma disappearance rate for assessment of liver function: re-evaluation of	78 78 78
728 727 726 725	Intracardiac ECG for confirmation of correct positioning of central venous catheters is safe and cost-effective. 2013, 17,  Is automated brachial cuff measurement of arterial pressure less accurate in cases of arrhythmia?. 2013, 17,  Cardiac output monitoring in brain-stem-dead potential organ donors: an audit of current UK practice. 2013, 17,  Indocyanine green plasma disappearance rate for assessment of liver function: re-evaluation of normal ranges and impact of biometric data. 2013, 17,  Prediction of 28-day mortality by indocyanine green disappearance rate, other markers of hepatic function and transpulmonary thermodilution parameters: a prospective study in 154 patients. 2013,	78 78 78
728 727 726 725 724	Intracardiac ECG for confirmation of correct positioning of central venous catheters is safe and cost-effective. 2013, 17,  Is automated brachial cuff measurement of arterial pressure less accurate in cases of arrhythmia?. 2013, 17,  Cardiac output monitoring in brain-stem-dead potential organ donors: an audit of current UK practice. 2013, 17,  Indocyanine green plasma disappearance rate for assessment of liver function: re-evaluation of normal ranges and impact of biometric data. 2013, 17,  Prediction of 28-day mortality by indocyanine green disappearance rate, other markers of hepatic function and transpulmonary thermodilution parameters: a prospective study in 154 patients. 2013, 17,  Mixed and central venous oxygen saturation are not interchangeable in patients with cardiogenic	78 78 78 2 78

720	Cardiopulmonary monitoring in Thai ICUs: results of ICU-RESOURCE I surveys. 2013, 17,	O
719	Establishing a critical care echocardiography laboratory. <b>2013</b> , 17,	78
718	Contrast-enhanced ultrasonography in the ICU: promising tool or exciting toy?. 2013, 17,	1
717	Hemodynamic disclosure of septic shock patients by intensive care ultrasound. <b>2013</b> , 17,	78
716	Influence of positive end-expiratory pressure on four-chamber longitudinal strain analysis by speckle tracking echocardiography. <b>2013</b> , 17,	78
715	Evaluation of a new calibration index suggesting recalibration of the pulse contour cardiac index by transpulmonary thermodilution: a prospective study. <b>2013</b> , 17,	78
714	Validation of less-invasive hemodynamic monitoring with Pulsioflex in critically ill patients: interim results of a multicentre study. <b>2013</b> , 17,	1
713	Interim results of an ongoing study on the use of non-invasive hemodynamic monitoring with Nexfin in critically ill patients. <b>2013</b> , 17,	78
712	Cost-effectiveness analysis of stroke volume variation guided perioperative hemodynamic optimization. <b>2013</b> , 17,	78
711	EV1000/VolumeView: a new device for a more reliable measurement of extravascular lung water index in patients with lung resections. <b>2013</b> , 17,	78
710	Goal-directed resuscitation therapy in high-risk patients undergoing cardiac surgery (GRICS study): a randomized controlled trial - preliminary results. <b>2013</b> , 17,	1
709	Perioperative volume management for esophageal cancer surgery. <b>2013</b> , 17,	78
708	Treatment-related cardiac complications associated with goal-directed therapy in high-risk surgical patients: a meta-analysis. <b>2013</b> , 17,	2
707	Estimation of potential cost-savings related to the implementation of perioperative hemodynamic goal-directed therapy. <b>2013</b> , 17,	78
706	Cardiac output estimation: Vigileo and Mostcare versus echocardiography. 2013, 17,	78
705	Brachial pulse waveform characteristics predict development of organ failure in septic patients. <b>2013</b> , 17,	78
704	Computerized decision support system improves consistency of haemodynamic assessment amongst ICU team members. <b>2013</b> , 17,	78
703	Volume quantification by contrast-enhanced ultrasound and thermodilution: an in vitro comparison. <b>2013</b> , 17,	78

702	Successful introduction of cardiac index, fluid responsiveness and oxygen delivery data into the primary survey at a central London major trauma centre and impact on time to CT, fluid resuscitation and disposal. <b>2013</b> , 17,	78
701	Fluid responsiveness in pressure support ventilation: role of asynchrony. <b>2013</b> , 17,	1
700	Comparison of pulse pressure variation with radial arterial systolic, diastolic and pulse transit time interval variation in pediatric patients undergoing liver transplantation. <b>2013</b> , 17,	78
699	Mini-fluid challenge: how much fluid and what parameter to use?. <b>2013</b> , 17,	1
698	Looking for the inflexion point of the Frank-Starling curve. <b>2013</b> , 17,	O
697	Prediction of stroke volume response to fluid bolus in 100 children. <b>2013</b> , 17,	2
696	Microcirculatory changes during goal-directed or mean arterial pressure-guided fluid therapy in abdominal surgery. <b>2013</b> , 17,	78
695	Postoperative imaging of the intestinal microcirculation. <b>2013</b> , 17,	1
694	Monitoring microcirculatory blood flow with a new sublingual tonometer in a porcine model of haemorrhagic shock. <b>2013</b> , 17,	78
693	Sublingual microcirculatory changes during transient intra-abdominal hypertension: a study in laparoscopic surgery patients. <b>2013</b> , 17,	78
692	Changes in microcirculatory perfusion during cardiac surgery are paralleled by alterations in glycocalyx integrity. <b>2013</b> , 17,	5
691	Microvascular response to cold stress in healthy humans. <b>2013</b> , 17,	78
690	Microcirculatory response to experimentally-induced whole body heat stress in healthy humans. <b>2013</b> , 17,	78
689	Observational study of the effects of age, diabetes mellitus, cirrhosis and chronic kidney disease on sublingual microvascular flow. <b>2013</b> , 17,	78
688	Lactate clearance as a determinant of mortality in surgical patients. 2013, 17,	78
687	Assessment of the mottling score as a mortality predictor in critically ill patients. 2013, 17,	3
686	Impact of different haemodynamic resuscitation strategies on brain perfusion and tissue oedema markers in a model of severe haemorrhagic shock. <b>2013</b> , 17,	78
685	Accuracy of the shock index and various modified shock indexes to predict early mortality in patients suffering from gastrointestinal haemorrhage. <b>2013</b> , 17,	3

684	Inhaled carbon monoxide or nebulized sodium nitrite protect against hemorrhagic shock-induced mitochondrial dysfunction. <b>2013</b> , 17,	78
683	Is norepinephrine more effective than other vasopressors for septic shock? A systematic review and meta-analysis. <b>2013</b> , 17,	78
682	Vasopressin Versus Norepinephrine for the Management of Shock After Cardiac Surgery (VaNCS study): a randomized controlled trial. <b>2013</b> , 17,	1
681	Intraaortic counterpulsation in a second-level institution: indications, management and outcome. <b>2013</b> , 17,	78
680	Impact of left ventricular ejection fraction and elevated filling pressures on mortality in mechanically ventilated patients in severe sepsis or septic shock. <b>2013</b> , 17,	78
679	Effect of Eblockers and calcium channel blockers on shock index predictability in patients suffering from urosepsis. <b>2013</b> , 17,	78
678	Levosimendan in critically ill adults: a utilisation review. <b>2013</b> , 17,	78
677	Levosimendan versus dobutamine in Tako-tsubo cardiomyopathy. <b>2013</b> , 17,	2
676	Combined effects of ivabradine with dobutamine or levosimendan in isolated perfused hearts. <b>2013</b> , 17,	78
675	Influence of temperature on the cardiac action of dobutamine and levosimendan in isolated perfused hearts. <b>2013</b> , 17,	78
674	Conflicting results between V/Q SPECT and angioscan in pulmonary embolism: what to do?. <b>2013</b> , 17,	78
673	Intraabdominal hypertension and abdominal compartment syndrome in patients admitted to a medical and surgical ICU at a third referral university hospital. <b>2013</b> , 17,	1
672	Red cell distribution width predicts cardiovascular complications after high-risk surgery. 2013, 17,	78
671	Consequences of obesity in outcomes after cardiac surgery: analysis of the ARIAM registry. <b>2013</b> , 17,	78
670	Myocardial injury in critically ill patients admitted with noncardiac diagnoses. 2013, 17,	78
669	Validation of the GRACE score risk in our population. <b>2013</b> , 17,	78
668	Outcomes of incomplete and complete revascularization in ACS. 2013, 17,	78
667	Non-invasive valve implantation with TAVI versus conventional aortic valve replacement. <b>2013</b> , 17,	78

666	Time to recover from shock is determinant of a positive fluid balance in septic shock. 2013, 17,	78
665	Lactate clearance is a predictor of sustained bleeding in emergency room patients with moderate upper gastrointestinal bleeding. <b>2013</b> , 17,	78
664	Muscular glucose assessed by microdialysis and blood glucose can predict mortality in septic shock. <b>2013</b> , 17,	78
663	Constipation in critically ill patients and its relationship to feeding and weaning from respiratory support. <b>2013</b> , 17,	2
662	Nasogastric tube dislodgement: a problem on our ICU. <b>2013</b> , 17,	78
661	Handling of dietary protein in critically ill patients. <b>2013</b> , 17,	1
660	Confirmation of nasogastric tube placement in critical care. <b>2013</b> , 17,	Ο
659	pH testing to confirm nasogastric tube position on the ICU: are we wasting our time?. <b>2013</b> , 17,	78
658	Effect of probiotic containing lactobacillus, bifidobacterium and streptococcus thermophilus in critically ill patients. <b>2013</b> , 17,	78
657	Selenium levels in patients with different sources of sepsis. <b>2013</b> , 17,	1
656	Is a combined i.v. and enteral glutamine regimen superior to a single i.v. glutamine regimen in severe thoracic trauma?. <b>2013</b> , 17,	78
655	Clinical effect of altered lipid emulsion composition containing fish oil in postoperative patients following abdominal surgery: a prospective, randomized, open-label, comparative, multicenter phase 3 clinical study. <b>2013</b> , 17,	1
654	Influence of fat-based versus glucose-based enteral nutrition formulas on glucose homeostasis. <b>2013</b> , 17,	3
653	Effect of hypocaloric versus normocaloric parenteral nutrition on whole body protein kinetics in critically ill neurosurgical patients. <b>2013</b> , 17,	78
652	Withholding parenteral nutrition for 1 week reduces ICU-acquired weakness. 2013, 17,	2
651	Impact of early parenteral nutrition on muscle and adipose tissue compartments during critical illness. <b>2013</b> , 17,	1
650	Withholding parenteral nutrition during the first week of critical illness increases plasma bilirubin but lowers the incidence of cholestasis and gallbladder sludge. <b>2013</b> , 17,	0
649	Impact of early parenteral nutrition on catabolism. <b>2013</b> , 17,	78

648	Impact of early versus late parenteral nutrition on morphological and molecular markers of atrophy and autophagy in skeletal muscle of critically ill patients. <b>2013</b> , 17,	1
647	Impact of closing an emergency department on a neighbouring teaching hospital: the concentrate effect. <b>2013</b> , 17,	78
646	Overcrowding estimation in the emergency department: is the simplest score the best?. <b>2013</b> , 17,	2
645	GP-led walk-in centre in the UK: another way for urgent healthcare provision. 2013, 17,	2
644	Establishing a new emergency department: effects on patient flow. <b>2013</b> , 17,	78
643	Prehospital EKG evaluation in Rio de Janeiro ambulances. <b>2013</b> , 17,	78
642	Technique of ultrasound-guided peripheral venous access in the emergency room. 2013, 17,	78
641	FIB the fractured femur. <b>2013</b> , 17,	78
640	Abdominal pain in adolescent females: a single-centre audit and review of management. 2013, 17,	78
639	Multidisciplinary approach to improving documentation of visual acuity in patients presenting with ocular trauma. <b>2013</b> , 17,	78
638	BiPAP for treating moderate and severe asthma exacerbations in a PED. 2013, 17,	78
637	Report of an outbreak of toxicity from a novel drug of abuse in the UK: Eric-3. <b>2013</b> , 17,	78
636	Abstract withdrawn. 2013, 17,	78
635	Thallium group poisoning incident in Japan 2011. <b>2013</b> , 17,	1
634	Heart rate variability in children with tricyclic antidepressant intoxication. 2013, 17,	78
633	Diagnosing anisakiasis in the emergency department. <b>2013</b> , 17,	1
632	Implementation of a sepsis protocol in a community hospital using a Telemedicine Program. <b>2013</b> , 17,	1
631	Initial Brazilian experience of Telestroke for thrombolysis in a community hospital. 2013, 17,	1

630	Analysis of emergency calls achieved in a French emergency dispatching centre: what resources for which patients. <b>2013</b> , 17,	78
629	Reform of emergency services: immediate effects on cardiac care unit and ICU patient intake. <b>2013</b> , 17,	78
628	Overtriage and undertriage in a prehospital system over 7 years. 2013, 17,	1
627	Lorca's hospital evacuation and medical attention by the emergency department. 2013, 17,	78
626	War injuries and civilian accidents in Afghan children. <b>2013</b> , 17,	O
625	Intensive care and disaster medicine: the role of a compendium. <b>2013</b> , 17,	78
624	Factors involved in ICU mortality following medical retrieval: identifying differences between ICU survivors and nonsurvivors. <b>2013</b> , 17,	78
623	Algorithm for the resuscitation of traumatic cardiac arrest patients in a physician-staffed helicopter emergency medical service. <b>2013</b> , 17,	1
622	Are physicians required during HEMS winch rescue missions?. <b>2013</b> , 17,	78
621	Improving maintenance of critical care land and aeromedical transfer equipment. 2013, 17,	78
620	Safety standards for intrahospital transfer of critical care patients. 2013, 17,	78
619	Prehospital hyperoxemia does not influence the functional neurological outcome in polytraumatized patients with traumatic head injury. <b>2013</b> , 17,	78
618	Innate immune response-mediated late increase in SuPAR in multi-trauma patients. 2013, 17,	78
617	Single-dose estrogen infusion can amplify brain levels of Sonic hedgehog, a signal protein for neuro stem cells and repair following the indirect brain injury resulting after severe torso burns. <b>2013</b> , 17,	2
616	Feasibility and experience of using exception from informed consent in a pilot study of immediate estrogen infusion for hypotensive trauma patients. <b>2013</b> , 17,	78
615	Early administration of a single dose of parenteral estrogen decreases inflammation in the heart for 45 days after severe burns. <b>2013</b> , 17,	78
614	Accuracy of FAST scan in blunt abdominal trauma in a major London trauma centre. 2013, 17,	5
613	Level of lipopolysaccharide-binding protein and microbial landscape with account of severity of sepsis syndromes in polytrauma. <b>2013</b> , 17,	78

612	Risk factors for the development of complications following blunt chest trauma: a new risk stratification tool. <b>2013</b> , 17,	О
611	Guidelines for chest drain insertion do not protect relevant anatomical structures. <b>2013</b> , 17,	78
610	Prediction score of indications for whole body computed tomography in blunt trauma patients. <b>2013</b> , 17,	78
609	Prehospital blood transfusion: 5-year experience of an Australian helicopter emergency medical service. <b>2013</b> , 17,	15
608	Severe hyperkalemia is prevalent and can be detected by quantitative electrocardiographic findings and medication history of calcium channel blocker among the patients with symptomatic or extreme bradycardia. <b>2013</b> , 17,	1
607	Prehospital risk stratification following out-of-hospital cardiac arrest. <b>2013</b> , 17,	<del>7</del> 8
606	Multidisciplinary Medical Emergency Team System increases survival in cancer patients undergoing cardiopulmonary resuscitation. <b>2013</b> , 17,	78
605	Focused cardiac ultrasound in resuscitation. <b>2013</b> , 17,	78
604	Acute intrathoracic gastric herniation as a rare cause of cardiac arrest. 2013, 17,	O
603	Implementation of dispatcher-assisted cardiopulmonary instructions using the ALERT protocol: preliminary results in Belgium. <b>2013</b> , 17,	<sub>7</sub> 8
602	Prehospital epinephrine administration and survival among patients with unshockable initial rhythm after out-of-hospital cardiac arrest. <b>2013</b> , 17,	78
601	Impact of termination of resuscitation for out-of-hospital cardiopulmonary arrest in Japan. <b>2013</b> , 17,	78
600	Survival from cardiopulmonary arrest after regular working hours in a tertiary-care hospital: retrospective study. <b>2013</b> , 17,	1
599	Cognitive performance and capacity to return home following out-of-hospital cardiac arrest. <b>2013</b> , 17,	78
598	Start value of cerebral saturation in prehospital cardiac arrest patients: does it mean something?. <b>2013</b> , 17,	78
597	Intensive care admission after cardiac arrest: cardiac versus noncardiac causes and consequences for treatment. <b>2013</b> , 17,	78
596	Comparison of 1-year neurological outcome between intra-hospital and extra-hospital cardiac arrest survivors submitted to mild therapeutic hypothermia in a community-based setting in Brazil. <b>2013</b> , 17,	78
595	Primary percutaneous coronary angioplasty and therapeutic hypothermia in out-of-hospital cardiac arrest. <b>2013</b> , 17,	78

594	Infrared pupillometry for outcome prediction after cardiac arrest and therapeutic hypothermia. <b>2013</b> , 17,	78
593	Effect of moderate hyperventilation and induced hypertension on cerebral tissue oxygen saturation in comatose post-cardiac arrest patients treated with hypothermia. <b>2013</b> , 17,	1
592	Effects of viscosity on cerebral blood flow after cardiac arrest. <b>2013</b> , 17,	1
591	Therapeutic mild hypothermia after cardiac arrest in shockable and nonshockable rhythms: does it improve both survival and neurological outcome?. <b>2013</b> , 17,	78
590	Agreement between temperature measurements during cooling and warming through the esophagus. <b>2013</b> , 17,	78
589	Association between oxygenation and 6-month mortality during post-cardiac arrest care. <b>2013</b> , 17,	78
588	Neuron-specific enolase and bispectral index/suppression ratio for prognostication after cardiac arrest. <b>2013</b> , 17,	78
587	Motor scores, therapeutic hypothermia and neurological outcome after cardiac arrest. 2013, 17,	78
586	Differences of calcium binding protein immunoreactivities in the young hippocampal CA1 region from the adult following transient ischemic damage. <b>2013</b> , 17,	78
585	Early hypothermia improves survival and reduces the rise of serum biomarkers after traumatic brain injury in swine. <b>2013</b> , 17,	78
584	Epidemiology of moderate and severe traumatic brain injury in Cairo University Hospital in 2010. <b>2013</b> , 17,	1
583	Alcohol intoxication impedes the recognition of traumatic brain injury in the prehospital setting and may worsen 6-month outcome. <b>2013</b> , 17,	78
582	Predictive ability of the IMPACT-TBI prognostic model is improved by adding markers of coagulation. <b>2013</b> , 17,	78
581	Nonischemic endogenous lactate production in humans with severe traumatic brain injury. <b>2013</b> , 17,	78
580	Japan Coma Scale used in the prehospital setting can predict clinical outcome in severe pediatric trauma. <b>2013</b> , 17,	10
579	Effect of positive end-expiratory pressure on ultrasound measurement of optical sheath nerve diameter: preliminary study. <b>2013</b> , 17,	78
578	National survey of current protocols and management of the traumatic brain injury patients in UK ICUs. <b>2013</b> , 17,	78
577	Low-frequency autoregulation index for calculation of optimal cerebral perfusion pressure in severe traumatic brain injury. <b>2013</b> , 17,	1

576	Cerebral rSO2 monitoring in pediatric altered mental status patients. <b>2013</b> , 17,	78
575	Intravenous paracetamol for fever control in acute brain-injured patients: cerebral and hemodynamic effects. <b>2013</b> , 17,	2
574	Retrospective analysis of the hemodynamic effects of induction of barbiturate coma in patients with refractory elevated intracranial pressure. <b>2013</b> , 17,	78
573	Hospital readmissions following traumatic brain injury. <b>2013</b> , 17,	4
572	Risk factors of pituitary disorders following traumatic brain injury. <b>2013</b> , 17,	78
571	Vasopressin reduces the cumulative epinephrine dose in hypothermic swine with traumatic brain injury. <b>2013</b> , 17,	78
570	Long-term functional outcome in adults with severe TBI: a meta-analysis. 2013, 17,	O
569	Monitoring of severe traumatic brain injury patients in UK ICUs: a national survey. 2013, 17,	1
568	Survival analysis after head injury: is a normal INR reassuring?. <b>2013</b> , 17,	1
567	One-year extended Glasgow Outcome Scale and hospital mortality predictors in patients with severe traumatic brain injury in Brazil. <b>2013</b> , 17,	78
566	Early respiratory deterioration predicts poor outcome after aneurysmal subarachnoid hemorrhage. <b>2013</b> , 17,	78
565	Evaluation of proximal-distal velocity gradient in spastic middle cerebral artery after aneurismal subarachnoid hemorrhage. <b>2013</b> , 17,	78
564	Microparticles in aneurismal subarachnoid hemorrhage: role in acute and delayed cerebral ischemia. <b>2013</b> , 17,	78
563	Intracranial pressure after subarachnoid hemorrhage. <b>2013</b> , 17,	78
562	Prevalence of pituitary disorders associated with aneurysmal subarachnoid hemorrhage. 2013, 17,	78
561	Correlation between the timing of endovascular coiling or microsurgical clipping and long-term outcomes of patients after aneurysmal subarachnoid haemorrhage. <b>2013</b> , 17,	78
560	Time course of neuropsychological functioning after aneurysmal subarachnoid hemorrhage. <b>2013</b> , 17,	O
559	Neuroprotective effect of a new synthetic aspirin-decursinol adduct in a rat model of ischemic stroke. <b>2013</b> , 17,	78

558	Prevalence of acute critical neurological disease in children: a global epidemiological assessment (PANGEA). <b>2013</b> , 17,	4
557	Survival analysis of patients taking dabigatran who consulted an emergency department for acute bleeding: a first alarm. <b>2013</b> , 17,	78
556	Bedside anti-Xa measurement for therapeutic assessment of a prophylactic anticoagulation regimen. <b>2013</b> , 17,	78
555	Effective dosage of enoxaparin for intensive care patients. 2013, 17,	78
554	Anti-Xa activities following 5,000 IU and 7,500 IU of s.c. dalteparin in critically ill patients and 5,000 IU in medical patients: a prospective randomized study. <b>2013</b> , 17,	78
553	Randomized double-blind placebo-controlled PK/PD study on the effects of a single intravenous dose of the anti-hepcidin Spiegelmer NOX-H94 on serum iron during experimental human endotoxemia. <b>2013</b> , 17,	6
552	Haemoglobin concentration on admission to intensive care influences hospital mortality rates and length of stay: a retrospective study. <b>2013</b> , 17,	78
551	Influence of epidural anesthesia on the hemocoagulation disorders and quantity of septic complications in patients with acute necrotizing pancreatitis. <b>2013</b> , 17,	O
550	Hemoviscoelastography: a new method of hemostasis monitoring. <b>2013</b> , 17,	78
549	Thromboelastographic monitoring of fondaparinux in surgical patients. <b>2013</b> , 17,	2
548	Urokinase-induced fibrinolysis in thromboelastography (UKIF-TEG) to assess fibrinolysis in critically ill patients. <b>2013</b> , 17,	78
547	Bleeding complications after central line insertions and the relevance of pre-procedure coagulation tests and blood component therapy. <b>2013</b> , 17,	O
546	Efficacy of tranexamic acid in decreasing blood loss during cesarean section. 2013, 17,	78
545	Dose-response of fibrinogen and factor XIII concentrate for correcting albumin-induced coagulopathy. <b>2013</b> , 17,	78
544	Intraoperative cell savage for life-threatening haemorrhagic caesarean section. 2013, 17,	78
543	Does protamine infusion reduce postoperative blood loss and heparin rebound in cardiac surgery patients? A retrospective analysis of 240 patients on the cardiac ICU. <b>2013</b> , 17,	78
542	Transfusion Requirements in Surgical Oncology Patients (TRISOP): a randomized, controlled trial. <b>2013</b> , 17,	2
541	Red blood cell transfusion is a predictor of mortality and morbidity in children undergoing cardiac surgery. <b>2013</b> , 17,	78

540	Red blood cell transfusion results in worse outcomes in patients with left ventricular dysfunction undergoing on-pump cardiac surgery. <b>2013</b> , 17,	78
539	Defining the need for a massive transfusion in severe blunt traumatic patients. <b>2013</b> , 17,	1
538	Association between red blood cell transfusions and clinical outcome in critically ill children. <b>2013</b> , 17,	78
537	Microcirculation and blood transfusions during sepsis: leukoreduced (LR) versus non-LR red blood cells. <b>2013</b> , 17,	78
536	Massive blood transfusion for obstetric haemorrhage. <b>2013</b> , 17,	78
535	Blood transfusion practices in the ICU of a level 1 trauma centre and tertiary cardiac unit. <b>2013</b> , 17,	1
534	C1 inhibitor attenuates pulmonary inflammation in an in vivo model of transfusion-related acute lung injury. <b>2013</b> , 17,	78
533	Incidence, risk factors and outcome of TRALI after cardiac surgery. <b>2013</b> , 17,	2
532	Albumin-induced coagulopathy is less severe and more effectively reversed with fibrinogen concentrate than is synthetic colloid-induced coagulopathy. <b>2013</b> , 17,	78
531	Network meta-analysis of clinical trials of fluid treatments in sepsis demonstrates improved survival with albumin compared with crystalloid and hydroxyethyl starch. <b>2013</b> , 17,	78
530	Assessing the economic impact of catheter-related bloodstream infections when switching from open to closed system delivery of human albumin solutions in ICUs. <b>2013</b> , 17,	78
529	Comparing the hemodynamic effects of six different colloids. <b>2013</b> , 17,	78
528	Strong ion difference and arterial bicarbonate concentration as cornerstones of the impact of fluid therapy on acid-base balance. <b>2013</b> , 17,	78
527	Microcirculatory response to fluid challenge: should we prefer balanced colloids to rebalance tissue perfusion?. <b>2013</b> , 17,	78
526	Procedural sedation in the emergency department. <b>2013</b> , 17,	78
525	Impact of an age, kidney and liver function adjusted sedation protocol in critically ill patients. <b>2013</b> , 17,	78
524	Risk and benefit of protocol sedation and daily interruption of sedation for mechanically ventilated patients: a systematic review. <b>2013</b> , 17,	78
523	Chemical and physical compatibility of continuous intravenous drug infusion combinations used in paediatric intensive care. <b>2013</b> , 17,	78

522	Abstract withdrawn. 2013, 17,	78
521	Benzodiazepines induce hyperglycemia in rats by affecting peripheral disposal of glucose. <b>2013</b> , 17,	78
520	Prolonged sedation in ARDS patients with inhaled anesthetics: our experience. <b>2013</b> , 17,	2
519	Involvement of mitochondrial ATP-sensitive K+ channels in fentanyl-induced mitochondrial dysfunction of cultured human hepatocytes. <b>2013</b> , 17,	78
518	Effects of clonidine on microcirculatory alterations during endotoxemia. 2013, 17,	1
517	Conjunctival administration of S+ketamine in rabbits. <b>2013</b> , 17,	78
516	Use of propofol for procedural sedation reduces length of stay in the emergency department. <b>2013</b> , 17,	78
515	Pre-PRIS? Prospective monitoring for early markers of propofol infusion syndrome. <b>2013</b> , 17,	O
514	Safety profile of 1,008 cases of propofol sedation in the emergency department. <b>2013</b> , 17,	78
513	Use of physical restraint in Dutch ICUs: prevalence and motives. <b>2013</b> , 17,	78
512	Factors influencing the use of physical restraints in Canadian ICUs. 2013, 17,	1
511	Current practices in ICU delirium management: a prospective multicenter study in the Netherlands. <b>2013</b> , 17,	78
510	Intraoperative dexamethasone and delirium after cardiac surgery: a randomized clinical trial. <b>2013</b> , 17,	1
509	Current perspectives, beliefs and practices concerning delirium in critically ill patients: a multicenter survey among Dutch healthcare professionals. <b>2013</b> , 17,	1
508	International validation of the delirium prediction model for ICU patients (PREDELIRIC): a multicenter observational study. <b>2013</b> , 17,	1
507	Delirium in ICU patients is associated with increased temperature variability. <b>2013</b> , 17,	1
506	Long-term outcome of delirium in critically ill patients. <b>2013</b> , 17,	1
	Gastrointestinal symptoms in the ICU: a comparison of primary and secondary acute	

504	Effects of proton pump inhibitor versus H2-receptor antagonist stress ulcer prophylaxis on ventilator-associated pneumonia: a pilot study. <b>2013</b> , 17,	4
503	Early diagnosis of liver failure in septic patients using the maximal liver function capacity test (LiMAx test): comparison with conventional methods. <b>2013</b> , 17,	78
502	Impact of liver resection on portal venous pressure and renal function. <b>2013</b> , 17,	78
501	Value of the preoperative Model for End-stage Liver Disease score in predicting postoperative outcome in living donor liver transplantation recipients. <b>2013</b> , 17,	78
500	Does just fungal evidence increase the mortality of critically ill patients with liver cirrhosis? A retrospective analysis. <b>2013</b> , 17,	78
499	Predictors of persistent organ failure in ICU patients with severe acute pancreatitis. 2013, 17,	78
498	Increased plasma levels of thrombopoietin in patients with severe acute pancreatitis. 2013, 17,	1
497	Severe renal dysfunction measured by pRIFLE in children is an independent factor associated with death and not predicted by PIM2. <b>2013</b> , 17,	78
496	Thorough evaluation for the new acute kidney injury criteria by Kidney Disease Improving Global Outcomes. <b>2013</b> , 17,	2
495	Urinary neutrophil gelatinase-associated lipocalin as an early predictor of acute kidney injury in cardiac surgery patients. <b>2013</b> , 17,	O
494	Atrial natriuretic peptide attenuates metabolic acidosis and inflammation of the kidney, lung and heart in a rat model of renal ischemia-reperfusion injury. <b>2013</b> , 17,	78
493	Perioperative sodium bicarbonate to prevent acute kidney injury after cardiac surgery: a multicenter double-blind randomized controlled trial. <b>2013</b> , 17,	78
492	Tubular damage biomarkers linked to inflammation or iron metabolism predict acute kidney injury. <b>2013</b> , 17,	1
491	Renal response and acid-base balance alterations during furosemide administration. <b>2013</b> , 17,	2
490	Red cell distribution width is not a predictor of mortality in acute kidney injury. 2013, 17,	78
489	Value of Tc-99m DMSA renal scan in assessing the prognosis and outcome of acute renal failure due to sepsis. <b>2013</b> , 17,	78
488	Estimated glomerular filtration rate based on hospital discharge creatinine may significantly overestimate renal function and underestimate chronic kidney disease in survivors of critical illness. <b>2013</b> , 17,	1
487	Varying models of intra-abdominal hypertension and their effect on renal function in a porcine model. <b>2013</b> , 17,	78

486	Renal resistive index can predict response to furosemide in septic patients with oliguria. 2013, 17,	78
485	Urinary chitinase 3-like 1, a novel biomarker for acute kidney injury in adult cardiac intensive care patients: a pilot study. <b>2013</b> , 17,	1
484	Use, type and duration of cardiopulmonary bypass are related to acute kidney injury occurrence and urinary NGAL concentrations. <b>2013</b> , 17,	1
483	Symmetrical dimethylarginine is a more sensitive biomarker of renal dysfunction than creatinine. <b>2013</b> , 17,	8
482	Prognostic value of neutrophil gelatinase-associated lipocalin and transpulmonary thermodilution-derived parameters within 48 hours after admission. <b>2013</b> , 17,	1
481	Assessment of neutrophil gelatinase-associated lipocalin as a biomarker of acute kidney injury in acute heart failure patients. <b>2013</b> , 17,	O
480	Neutrophil gelatinase-associated lipocalin predicts postoperative fluid overload after cardiac surgery. <b>2013</b> , 17,	78
479	Survivors of acute kidney injury requiring renal replacement therapy rarely receive follow-up: identification of an unmet need. <b>2013</b> , 17,	78
478	Aetiology and outcomes for dialysis-dependent acute kidney injury patients on the ICU. 2013, 17,	78
477	Efficiency of substitutive renal therapy in the complex intensive care of multiple organ failure in patients with polytrauma. <b>2013</b> , 17,	78
476	Can treatment with the molecular adsorbent recirculation system be the solution for type-1 hepatorenal syndrome?. <b>2013</b> , 17,	78
475	Effect of continuous high-volume hemofiltration on patients with acute respiratory distress syndrome. <b>2013</b> , 17,	2
474	Dialyzer clearance of myoglobin with middle molecule filter and low blood flow CVVHD in patients with rhabdomyolysis-associated acute kidney injury. <b>2013</b> , 17,	78
473	Daily fluid balance predicts hospital mortality in critically ill patients receiving continuous renal replacement therapy. <b>2013</b> , 17,	78
472	Fluid balance and renal outcomes in patients requiring renal replacement therapy in the ICU. <b>2013</b> , 17,	78
471	Pharmacokinetics and pharmacodynamics of esomeprazole and ranitidine during continuous venovenous hemodiafiltration. <b>2013</b> , 17,	78
470	Pharmacokinetics of gentamicin and vancomycin during continuous venovenous hemofiltration in critically ill septic patients with acute kidney injury. <b>2013</b> , 17,	1
469	Effects of two different regional citrate anticoagulation CVVH protocols on acid-base status and phosphate supplementation. <b>2013</b> , 17,	78

468	Abstract withdrawn. <b>2013</b> , 17,	78
467	Muscle wasting in the ICU can be reliably monitored using ultrasound. <b>2013</b> , 17,	78
466	Critical illness induces nutrient-independent adipogenesis and accumulation of alternatively activated tissue macrophages. <b>2013</b> , 17,	78
465	Abstract withdrawn. <b>2013</b> , 17,	78
464	Hypocalcemia during magnesium therapy for obstetric ICU admissions. 2013, 17,	О
463	Hyponatremia and intensive care outcome. <b>2013</b> , 17,	78
462	Strong ion gap can be accurately estimated with a simple bedside equation. <b>2013</b> , 17,	78
461	Relative adrenal insufficiency in burns. <b>2013</b> , 17,	78
460	Albumin-adjusted calcium concentration should not be used to identify hypocalcaemia in critical illness. <b>2013</b> , 17,	2
459	Vitamin D status and overall and sepsis mortality in critically ill patients. <b>2013</b> , 17,	2
458	Etiology of low testosterone levels in male patients with severe sepsis requiring mechanical ventilation. <b>2013</b> , 17,	4
457	Efficacy of calcium replacement in hypocalcaemia. <b>2013</b> , 17,	78
456	Endogenous melatonin in critically ill patients. <b>2013</b> , 17,	78
455	Succinate ameliorates mitochondrial oxygen consumption of metformin-intoxicated human platelets. <b>2013</b> , 17,	78
454	Does chronic metformin therapy offer cardiomyoprotection in coronary artery bypass grafting surgery patients? A case-control study. <b>2013</b> , 17,	78
453	Metformin-associated lactic acidosis: risk factors and prognostic factors. <b>2013</b> , 17,	1
452	Multiscale modeling of acute insulin resistance in critical care. <b>2013</b> , 17,	78
451	Impact of a real-time electronic persistent hyperglycemia alert on glucose control in the ICU. <b>2013</b> , 17,	1

450	Individualized targeted glucose control to avoid hypoglycemia. <b>2013</b> , 17,	78
449	Hyperglycemia in intensive care identifies patients at high risk of developing diabetes: preliminary data of a multicentre study. <b>2013</b> , 17,	78
448	Association between average glucose levels and hospital mortality among critically ill patients. <b>2013</b> , 17,	1
447	Continuous glucose monitoring in critically ill adults: comparison of two different calibration protocols. <b>2013</b> , 17,	1
446	Root cause analysis of hypoglycemic events in critically ill patients. <b>2013</b> , 17,	78
445	Continuous arterial and venous glucose monitoring by quenched chemical fluorescence in ICU patients after cardiac surgery. <b>2013</b> , 17,	2
444	Performance of the Medtronic Sentrino continuous glucose management system in the cardiac ICU. <b>2013</b> , 17,	2
443	Intensive insulin therapy in critically ill children: impact on blood glucose dynamics and its relation with mortality. <b>2013</b> , 17,	78
442	Implementation of evidence-based protocols improves survival: a 15-year surgical ICU experience in 10,172 patients. <b>2013</b> , 17,	78
441	Decubitus ulcers are associated with prolonged length of stay in critically ill patients. <b>2013</b> , 17,	78
440	HIV patients admitted to an ICU of a university hospital - experience of 15 years: 1995 to 2009. <b>2013</b> , 17,	78
439	Prevalence and prognosis of organ dysfunctions of AIDS critically ill patients. 2013, 17,	78
438	Mortality predictors in septic HIV patients in the ICU. <b>2013</b> , 17,	78
437	Outcome of intensive care treatment for lung cancer patients. <b>2013</b> , 17,	78
436	Outcome of older patients with cancer requiring ICU admission. 2013, 17,	78
435	Identifying risk factors for readmission to the ICU: a qualitative approach. 2013, 17,	78
434	Clinical and laboratory postoperative impact on outcome of living donor liver transplantation recipients. <b>2013</b> , 17,	78
433	Are APACHE II scores better predictors of mortality than routine laboratory values?. <b>2013</b> , 17,	78

432	Complementarity of prognosis models SAPS 3 and EuroSCORE in cardiac surgery. 2013, 17,	3
431	Comparing intensive care treated primary, secondary and tertiary sepsis with respect to length of stay, organ failure and mortality: a pilot study. <b>2013</b> , 17,	78
430	Survival of older patients after critical care. <b>2013</b> , 17,	78
429	Eldicus scores for admission to our ICU: a retrospective study. <b>2013</b> , 17,	78
428	Developing a screening instrument for predicting psychological morbidity after critical illness. <b>2013</b> , 17,	78
427	Prediction of sequences of organ dysfunction in critical patients studied with Bayesian analysis. <b>2013</b> , 17,	78
426	Comparison of IGS 2 score and a new neural network biomarker score performance in predicting 1-year mortality. <b>2013</b> , 17,	78
425	Significance of preadmission quality of life for mortality in the ICU: a prospective cohort study. <b>2013</b> , 17,	78
424	Predicting physical function and mental health in trauma intensive care patients 2 years after hospitalisation. <b>2013</b> , 17,	78
423	Do ICU patients' discharge characteristics change with Swiss Diagnosis Related Groups?. <b>2013</b> , 17,	78
422	Do Diagnosis Related Groups change admission practice to a large Swiss ICU?. 2013, 17,	1
421	Variable cost of a Greek ICU. <b>2013</b> , 17,	78
		,
420	Audit of the medical staffing of and referrals to a mixed adult ICU in a teaching hospital. <b>2013</b> , 17,	78
420	Audit of the medical staffing of and referrals to a mixed adult ICU in a teaching hospital. <b>2013</b> , 17, Impact of the time elapsed between ICU request and actual admission on mortality and length of stay. <b>2013</b> , 17,	
	Impact of the time elapsed between ICU request and actual admission on mortality and length of	78
419	Impact of the time elapsed between ICU request and actual admission on mortality and length of stay. <b>2013</b> , 17,	78 78
419 418	Impact of the time elapsed between ICU request and actual admission on mortality and length of stay. <b>2013</b> , 17,  Medical problems: review from the major nuclear incidents. <b>2013</b> , 17,	78 78 78

414	Standards of referrals and admissions of critically ill patients to the ICU. <b>2013</b> , 17,	78
413	Knowledge of confidentiality, consent and information disclosure is not affected by position or experience in adult critical care. <b>2013</b> , 17,	78
412	Survey of alcohol-related admissions to critical care and the resource and financial implications. <b>2013</b> , 17,	78
411	Association of sleep disordered breathing with clinical trajectories in patients undergoing cardiac surgery. <b>2013</b> , 17,	78
410	Can massage therapy help cardiac patients? A literature review plus a case study. 2013, 17,	78
409	Ischemic stroke in different ICU types. <b>2013</b> , 17,	78
408	Development of a severe influenza critical care curriculum and training materials for resource-limited settings. <b>2013</b> , 17,	3
407	Quality assurance in severe sepsis: an individualised audit/feedback system results in substantial improvements at a UK teaching hospital. <b>2013</b> , 17,	O
406	Safety climate perception for staff nurses in an ICU. <b>2013</b> , 17,	78
405	Physico-technical medicine: teaching technical skills to the intensivist. <b>2013</b> , 17,	78
404	First-hour protocol clarifies resource management and nursing staff education in the ICU. 2013, 17,	78
403	Influence of critical care nurse education and work environment on outcomes of mechanically ventilated older adults. <b>2013</b> , 17,	78
402	Activity and case-mix changes in a medical ICU after the geographical transfer of a third-level university hospital. <b>2013</b> , 17,	78
401	Are general wards sufficiently staffed to care for level 1 patients?. <b>2013</b> , 17,	78
400	Sleep quality among ICU workers. <b>2013</b> , 17,	78
399	Work-related stress amongst doctors in intensive care, anaesthetics, accident and emergency and general medicine. <b>2013</b> , 17,	78
398	Audit of obstetric critical care admissions in a high-risk population. <b>2013</b> , 17,	78
397	Influence of adverse drug events on the mortality and the length of hospital stay in ICUs in Japan: the JADE Study. <b>2013</b> , 17,	78

396	Attitude and knowledge of intensive care staff concerning donation in Hungary: it is the first step to change. <b>2013</b> , 17,	78
395	Specialist nurse for organ donation in an emergency department will increase organ donation. <b>2013</b> , 17,	78
394	Sepsis in HIV patients admitted to the ICU. <b>2013</b> , 17,	78
393	Mortality related to respiratory failure among pediatric hematology patients requiring intensive care. <b>2013</b> , 17,	78
392	Survival of critically ill patients with haematological malignancies compared with patients without haematological malignancy. <b>2013</b> , 17,	78
391	Outcome of critically ill patients with haematological malignancy admitted to the ICU as an emergency. <b>2013</b> , 17,	78
390	Effect of organizational structure of the ICU on the prognosis: open format versus semi-closed format. <b>2013</b> , 17,	2
389	Use of defaults on an electronic prescribing tool influences the type of fluid received by patients. <b>2013</b> , 17,	78
388	Automated, electronic monitoring for early detection of sepsis. 2013, 17,	2
387	Admission to the ICU overnight: is it really a bad thing?. <b>2013</b> , 17,	78
386	Assessing the quality of interdisciplinary rounds. <b>2013</b> , 17,	1
385	Leadership training and quality improvement of interdisciplinary rounds in the ICU. <b>2013</b> , 17,	1
384	Let's go round again! Quality improvement through intentional rounding. 2013, 17,	78
383	Prospective observational study of handover in a medical ICU. <b>2013</b> , 17,	78
382	Impact of knowledge transfer through the implementation of a telemedicine program in a community hospital in Brazil. <b>2013</b> , 17,	78
381	Utilization of telemedicine to improve burn care in a developing country. 2013, 17,	78
380	Different aspects of therapy limitation: a comparative study of the nurse's view. 2013, 17,	78
379	Alternative to improve palliative care for all patients and families in critical care units: development and preliminary evaluation following MRC guidance of the King's Psychosocial, Assessment and Care tool 2013 17	78

378	End-of life thoughts in the ICU: results of a survey. <b>2013</b> , 17,	78
377	End-of-life decisions in Slovenian ICUs: a cross-sectional survey. <b>2013</b> , 17,	78
376	Attitudes of intensivists in the UK to withdrawal of futile therapy. <b>2013</b> , 17,	78
375	Parent's perception on end-of-life care in Brazil. <b>2013</b> , 17,	78
374	Getting critical care patients home for end-of-life care. <b>2013</b> , 17,	78
373	Project PIX (Post Intensive care eXercise): impact on physical fitness and focus group analysis of quality of life following exercise rehabilitation. <b>2013</b> , 17,	78
372	Feasibility of neuromuscular electrical stimulation in critically ill patients. 2013, 17,	1
371	Follow-up and counseling service in trauma patients: needs and goals - a preliminary study. <b>2013</b> , 17,	
370	Post-traumatic stress disorder - are we doing all we can? A UK national-based survey. <b>2013</b> , 17,	78
369	Implementation of an ICU follow-up clinic: outcomes and patient satisfaction after 1 year. 2013, 17,	2
368	Acute exercise response in the critically ill. 2013, 17,	78
367	Randomized, controlled pilot study of early rehabilitation strategies in acute respiratory failure. <b>2013</b> , 17,	5
366	Early results of a 6-week exercise programme in post-ICU patients. <b>2013</b> , 17,	4
365	Recognition of the primary stressors affecting intensive care patients: a systematic review. <b>2013</b> , 17,	78
364	Quality of care in the ICU from the perspective of relatives. <b>2013</b> , 17,	1
363	Family satisfaction in the ICU: enhancing patient experience. 2013, 17,	O
362	Family satisfaction with patient care in ICUs of nonacademic Brazilian public hospitals. 2013, 17,	78
361	Renal replacement therapy: to treat, or not to treat, that is the question. <b>2013</b> , 17, 125	4

360	Sustained low efficiency dialysis as standard renal replacement therapy in an interdisciplinary intensive care unit â[A five year cost-benefit analysis. <b>2013</b> , 41, 88-96	
359	Risk factors for acute kidney injury after radical nephrectomy and inferior vena cava thrombectomy for renal cell carcinoma. <b>2013</b> , 58, 1021-7	15
358	A critical appraisal of the accuracy of the RIFLE and AKIN classifications in defining "acute kidney insufficiency" in critically ill patients. <b>2013</b> , 28, 116-25	23
357	Dilisis sostenida de baja eficiencia en una unidad de cuidados intensivos interdisciplinarios: un anlisis costo-beneficio a 5 aês. <b>2013</b> , 41, 88-96	
356	Prevenciñ y tratamiento de la insuficiencia renal aguda en la unidad de cuidados intensivos. <b>2013</b> , 39, 1-17	
355	Acute kidney injury and edaravone in acute ischemic stroke: the Fukuoka Stroke Registry. <b>2013</b> , 22, e470-6	20
354	Nutritional evaluation and management of AKI patients. <b>2013</b> , 23, 255-8	22
353	Can population pharmacokinetic modelling guide vancomycin dosing during continuous renal replacement therapy in critically ill patients?. <b>2013</b> , 41, 564-8	35
352	Abstract withdrawn. <b>2013</b> , 17,	78
351	Plasma NGAL similarly predicts acute kidney injury in sepsis and nonsepsis. 2013, 7, 415-21	21
350	Outcomes and characteristics of intermittent hemodialysis for acute kidney injury in an intensive care unit. <b>2013</b> , 23, 30-3	4
350 349		1
	care unit. <b>2013</b> , 23, 30-3	
349	Nutritional Management of Acute Kidney Injury. 2013, 605-627	1
349 348	Care unit. 2013, 23, 30-3  Nutritional Management of Acute Kidney Injury. 2013, 605-627  Epidemiology of acute kidney injury in the intensive care unit. 2013, 2013, 479730  Specialized nutritional support interventions in critically ill patients on renal replacement therapy.	1 160
349 348 347	Nutritional Management of Acute Kidney Injury. 2013, 605-627  Epidemiology of acute kidney injury in the intensive care unit. 2013, 2013, 479730  Specialized nutritional support interventions in critically ill patients on renal replacement therapy. 2013, 16, 217-24  Implementing the Kidney Disease: Improving Global Outcomes/acute kidney injury guidelines in ICU	1 160 37
349 348 347 346	Nutritional Management of Acute Kidney Injury. 2013, 605-627  Epidemiology of acute kidney injury in the intensive care unit. 2013, 2013, 479730  Specialized nutritional support interventions in critically ill patients on renal replacement therapy. 2013, 16, 217-24  Implementing the Kidney Disease: Improving Global Outcomes/acute kidney injury guidelines in ICU patients. 2013, 19, 544-53	1 160 37 20

342	Ultrastructural pathology of rat lung injury induced by ischemic acute kidney injury. <b>2013</b> , 37, 433-9		6
341	Impact of haemodialysis on insulin sensitivity of acute renal failure (ARF) patients with sepsis in critical care. <b>2013</b> , 2013, 3503-6		2
340	Timing of continuous renal replacement therapy initiation for acute kidney injury. 2013,		3
339	Intensity of continuous renal replacement therapy for acute kidney injury. 2013,		5
338	In vitro correction of hypothermic and dilutive crystalloid andcolloid rotational thromboelastography-monitored coagulopathywith fi brinogen and factor XIII. <b>2013</b> , 17,		78
337	Erratum to: Urinary neutrophil gelatinase-associated lipocalin as an early predictor of acute kidney injury in cardiac surgery patients. <b>2013</b> , 17,		78
336	Correction: The use, type and duration of cardiopulmonary bypass are related to acute kidney injury occurrence and urinary NGAL concentrations. <b>2013</b> , 17, P547		78
335	Correction: Current perspectives, beliefs and practices concerning delirium in critically ill patients: a multicenter survey among Dutch healthcare professionals. <b>2013</b> , 17, P549		78
334	Severity of acute kidney injury and two-year outcomes in critically ill patients. 2013, 144, 866-875		26
333	Editorial (Hot Topic: Pharmacokinetic and Pharmacodynamic Considerations in the Treatment of Severe Infections). <b>2013</b> , 8, 3-4		
332	Nafamostat mesilate for anticoagulation in continuous renal replacement therapy. <b>2013</b> , 36, 208-16		21
331	Intratracheal IL-6 protects against lung inflammation in direct, but not indirect, causes of acute lung injury in mice. <i>PLoS ONE</i> , <b>2013</b> , 8, e61405	3.7	56
330	Sustained low efficiency dialysis as standard renal replacement therapy in an interdisciplinary intensive care unit - A five year cost-benefit analysis?. <b>2013</b> , 41, 88-96		
329	1.1.15 Stflungen der Nierenfunktion/akutes Nierenversagen. <b>2013</b> ,		
328	INJRIA RENAL AGUDA: ESTUDO DE 179 CASOS INTERNADOS NO HOSPITAL DE CLÍNICAS DA UNIVERSIDADE FEDERAL DO PARANI(UFPR). <b>2014</b> , 1, 92		
327	Prognostic value of acute kidney injury after cardiac surgery according to kidney disease: improving global outcomes definition and staging (KDIGO) criteria. <i>PLoS ONE</i> , <b>2014</b> , 9, e98028	3.7	85
326	Etiological factors, prognostic assessment, and outcomes of patients with acute kidney injury and multiple organ dysfunction syndrome. <b>2014</b> , 13, 8378-84		3
325	Risk of death and the economic accessibility at the dialysis therapy for the renal insufficient patients in Lubumbashi city, Democratic Republic of Congo. <b>2014</b> , 19, 61		7

324	Do acute elevations of serum creatinine in primary care engender an increased mortality risk?. <b>2014</b> , 15, 206	14
323	Fluid balance, intradialytic hypotension, and outcomes in critically ill patients undergoing renal replacement therapy: a cohort study. <b>2014</b> , 18, 624	63
322	The high-mobility group protein B1-Toll-like receptor 4 pathway contributes to the acute lung injury induced by bilateral nephrectomy. <b>2014</b> , 86, 316-26	47
321	Telavancin for hospital-acquired pneumonia: clinical response and 28-day survival. <b>2014</b> , 58, 2030-7	49
320	Red ginseng ameliorates acute cisplatin-induced nephropathy. <b>2014</b> , 80, 645-54	26
319	CDK4/6 inhibition induces epithelial cell cycle arrest and ameliorates acute kidney injury. <b>2014</b> , 306, F379-88	72
318	Acute kidney injury: arterial spin labeling to monitor renal perfusion impairment in mice-comparison with histopathologic results and renal function. <b>2014</b> , 270, 117-24	61
317	Multiple organ dysfunction syndrome in humans and animals. <b>2014</b> , 28, 1141-51	59
316	Prolonged acute kidney injury exacerbates lung inflammation at 7 days post-acute kidney injury. <b>2014</b> , 2, e12084	26
315	Lung/Kidney Interactions: From Experimental Evidence to Clinical Uncertainty. <b>2014</b> , 529-540	
314	Nonleg venous thrombosis in critically ill adults: a nested prospective cohort study. <b>2014</b> , 174, 689-96	34
313	Acute renal failure is associated with higher death and disability in patients with acute ischemic stroke: analysis of nationwide inpatient sample. <b>2014</b> , 45, 1478-80	41
312	The lower limit of intensity to control uremia during continuous renal replacement therapy. <b>2014</b> , 18, 539	10
311	Systemic consequences of acute kidney injury. <b>2014</b> , 20, 613-9	35
310	Mesenteric lymph diversion abrogates 5-lipoxygenase activation in the kidney following trauma and hemorrhagic shock. <b>2014</b> , 76, 1214-21	16
309	Recurrent kidney injury in critically ill surgical patients is common and associated with worse outcomes. <b>2014</b> , 76, 1397-401	17
308	Clinical Practice Poster Presentations. <b>2014</b> , 15, S-23-S-81	1
307	Comparison of circuit patency and exchange rates between 2 different continuous renal replacement therapy machines. <b>2014</b> , 29, 272-7	3

306	[Perioperative acute kidney injury and failure]. <b>2014</b> , 10, 121-31	3
305	Prediction of the renal replacement therapy requirement in mechanically ventilated critically ill patients by combining biomarkers for glomerular filtration and tubular damage. <b>2014</b> , 29, 692.e7-13	14
304	Practical Issues in Anesthesia and Intensive Care 2013. <b>2014</b> ,	
303	Angiotensin-converting enzyme inhibitor usage and acute kidney injury: a secondary analysis of RENAL study outcomes. <b>2014</b> , 19, 617-22	16
302	Application of carbon monoxide for treatment of acute kidney injury. <b>2014</b> , 1, 127-134	10
301	Acute respiratory distress syndrome and risk of AKI among critically ill patients. <b>2014</b> , 9, 1347-53	92
300	Proteinuria and hematuria are associated with acute kidney injury and mortality in critically ill patients: a retrospective observational study. <b>2014</b> , 15, 93	23
299	What is the real impact of acute kidney injury?. <b>2014</b> , 15, 95	59
298	Plasma inflammatory and apoptosis markers are associated with dialysis dependence and death among critically ill patients receiving renal replacement therapy. <b>2014</b> , 29, 1854-64	49
297	Patients with faecal peritonitis admitted to European intensive care units: an epidemiological survey of the GenOSept cohort. <b>2014</b> , 40, 202-10	32
296	Massive blood transfusion after the first cut in liver transplantation predicts renal outcome and survival. <b>2014</b> , 399, 429-40	15
295	Patients with community acquired pneumonia admitted to European intensive care units: an epidemiological survey of the GenOSept cohort. <b>2014</b> , 18, R58	71
294	Annual Update in Intensive Care and Emergency Medicine 2014. <b>2014</b> ,	3
293	Nephrologie auf der Intensivstation. <b>2014</b> , 9, 278-283	1
292	The significance of post-operative creatinine in predicting prognosis in cardiac surgery patients. <b>2014</b> , 70, 587-91	3
291	Incidence and consequence of acute kidney injury in unselected emergency admissions to a large acute UK hospital trust. <b>2014</b> , 15, 84	46
290	Hippocampal transcriptional dysregulation after renal ischemia and reperfusion. <b>2014</b> , 1582, 197-210	15
289	Acute kidney injury in an internal medicine ward in a Portuguese quaternary hospital. <b>2014</b> , 25, 169-72	2

288	Improving the management of Acute Kidney Injury in a District General Hospital: Introduction of the DONUT bundle. <b>2014</b> , 2,		16
287	Acute Kidney Injury in Intensive Care. <b>2014</b> , 647-686		
286	Timing of continuous renal replacement therapy and mortality in critically ill children*. <i>Critical Care Medicine</i> , <b>2014</b> , 42, 943-53	1.4	68
285	Anemia Is a Risk Factor for Acute Kidney Injury and Long-Term Mortality in Critically Ill Patients. <b>2015</b> , 237, 287-95		24
284	The Differences in the Epidemiology and Predictors of Death between Candidemia Acquired in Intensive Care Units and Other Hospital Settings. <b>2015</b> , 54, 3009-16		16
283	Long-term remote organ consequences following acute kidney injury. <b>2015</b> , 19, 438		51
282	Neutrophil gelatinase-associated lipocalin attenuates injury in the rat cecal ligation and puncture model of sepsis via apoptosis inhibition. <b>2015</b> , 20, 646-53		5
281	Novel therapy for renal protection. <b>2015</b> , 28, 431-8		11
280	Assessing Feasibility (and Increasing Simplicity) in Extracorporeal Rescue Therapy for Acute Respiratory Distress Syndrome: The Pulmonary and Renal Support in Acute Respiratory Distress Syndrome Study. <i>Critical Care Medicine</i> , <b>2015</b> , 43, 2683-5	1.4	
279	9.8 Akute Nierenersatztherapie. <b>2015</b> ,		
278	Protective effect of penehyclidine hydrochloride on lipopolysaccharide-induced acute kidney injury in rat. <b>2015</b> , 14, 9334-42		7
277	Hyperglycemia is an independent predictor of in-hospital mortality in critically ill patients with acute kidney injury-a cohort study. <b>2015</b> , 2, 102		
276	Incidence And Outcome of Acute Kidney Injury in Critically ill Children at Dr. Soetomo Hospital Surabaya. <b>2015</b> , 38, 120-123		1
275	Acute kidney injury in cardiac surgery. <b>2015</b> , 28, 50-9		49
274	Acute kidney injury: an acceptable risk of treatment with renin-angiotensin system blockade in		6
	primary care?. <b>2015</b> , 2, 14		
273	Kidney-Organ Interaction. 2015, 69-85		1
273 272			1

## (2016-2015)

270	Predictors of outpatient kidney function recovery among patients who initiate hemodialysis in the hospital. <b>2015</b> , 65, 592-602	45
269	Unnecessary renal replacement therapy for acute kidney injury is harmful for renal recovery. <b>2015</b> , 28, 6-11	19
268	Acute kidney injury in septic patients admitted to emergency clinical room: risk factors and outcome. <b>2015</b> , 19, 859-66	30
267	A Prospective International Multicenter Study of AKI in the Intensive Care Unit. <b>2015</b> , 10, 1324-31	141
266	Short-term Effects of Acute Kidney Injury. <b>2015</b> , 31, 751-62	35
265	Doppler-based renal resistive index for prediction of renal dysfunction reversibility: A systematic review and meta-analysis. <b>2015</b> , 30, 629-35	61
264	Health-related quality of life in survivors of acute kidney injury: The Prolonged Outcomes Study of the Randomized Evaluation of Normal versus Augmented Level Replacement Therapy study outcomes. <b>2015</b> , 20, 492-8	23
263	Current state of continuous renal replacement therapy for acute kidney injury in Japanese intensive care units in 2011: analysis of a national administrative database. <b>2015</b> , 30, 988-95	35
262	S1-Leitlinie der Deutschen Gesellschaft fr.Ernfirungsmedizin (DGEM) in Zusammenarbeit mit der AKE, der GESKES und der DGfN. <b>2015</b> , 40, 21-37	22
261	Macrophage migration inhibitory factor as a potential predictor for requirement of renal replacement therapy after orthotopic liver transplantation. <b>2015</b> , 21, 662-9	15
260	Stratgie diagnostique de lâlhsuffisance rhale aigulen ranimation. <b>2015</b> , 24, 625-635	
259	Our paper 20 years later: from acute renal failure to acute kidney injurythe metamorphosis of a syndrome. <b>2015</b> , 41, 1941-9	19
258	Implementation of continuous renal replacement therapy with regional citrate anticoagulation on a surgical and trauma intensive care unit: impact on clinical and economic aspects-an observational study. <b>2015</b> , 3, 35	12
257	TNF-Edepuration is a predictor of mortality in critically ill patients under continuous veno-venous hemodiafiltration treatment. <b>2015</b> , 71, 255-60	12
256	Biomarkers of renal function, which and when?. <b>2015</b> , 438, 350-7	176
255	Drug dosage in continuous venoveno hemofiltration in critically ill children. <b>2016</b> , 8, 56-66	2
254	Acute kidney injury following liver transplantation: a systematic review of published predictive models. <b>2016</b> , 44, 251-61	22
253	Reversal of Acute Kidney Injury-Induced Neutrophil Dysfunction: A Critical Role for Resistin. <i>Critical Care Medicine</i> , <b>2016</b> , 44, e492-501	28

252	Early lipid changes in acute kidney injury using SWATH lipidomics coupled with MALDI tissue imaging. <b>2016</b> , 310, F1136-47	33
251	Practical considerations to drug dosing in children with acute kidney injury. <b>2016</b> , 56, 399-407	2
250	Long term end-stage renal disease and death following acute renal replacement therapy in the ICU. <b>2016</b> , 60, 1092-101	2
249	Can early initiation of continuous renal replacement therapy improve patient survival with septic acute kidney injury when enrolled in early goal-directed therapy?. <b>2016</b> , 35, 51-6	14
248	Haematological malignancies and acute kidney injury requiring nephrology consultation: challenging the worst of the worst. <b>2016</b> , 9, 418-23	6
247	Influence of volume administration on Doppler-based renal resistive index, renal hemodynamics and renal function in medical intensive care unit patients with septic-induced acute kidney injury: a pilot study. <b>2016</b> , 48, 1327-1334	13
246	Does elective parathyroidectomy for primary hyperparathyroidism affect renal function? A prospective cohort study. <b>2016</b> , 27, 138-141	10
245	Incidence of contrast-induced acute kidney injury in a pediatric setting: a cohort study. <b>2016</b> , 31, 1355-62	22
244	Immediate Consequences of Acute Kidney Injury: The Impact of Traditional and Nontraditional Complications on Mortality in Acute Kidney Injury. <b>2016</b> , 23, 179-85	36
243	Identification of Major Adverse Kidney Events Within the Electronic Health Record. <b>2016</b> , 40, 167	26
242	Intensity of continuous renal replacement therapy for acute kidney injury. 2016, 10, CD010613	35
241	FABP1 and FABP3 Have High Predictive Values for Renal Replacement Therapy in Patients with Acute Kidney Injury. <b>2016</b> , 42, 202-13	6
240	Early mortality on continuous renal replacement therapy (CRRT): the prairie CRRT study. 2016, 3, 36	16
239	Daily urinary creatinine predicts the weaning of renal replacement therapy in ICU acute kidney injury patients. <b>2016</b> , 6, 71	23
238	Organ-Specific Nutrition: One for the History Books or Still an Active Player?. <b>2016</b> , 4, 1	2
237	Acute Kidney Injury: The Plague of the New Millennium. <b>2016</b> , 3-7	1
236	Reducing Mortality in Acute Kidney Injury. <b>2016</b> ,	
235	Quelle est la place du Doppler rhal dans la prise en charge de lâIhsuffisance rhale aigul?. <b>2016</b> , 25, 570	

234	Platelet Counts, Acute Kidney Injury, and Mortality after Coronary Artery Bypass Grafting Surgery. <b>2016</b> , 124, 339-52	62
233	Role of kidney injury in sepsis. <b>2016</b> , 4, 17	57
232	Pediatric Continuous Renal Replacement Therapy. 2016,	
231	Impact of acute kidney injury on distant organ function: recent findings and potential therapeutic targets. <b>2016</b> , 89, 555-64	126
230	CRRT Prescription. <b>2016</b> , 71-97	
229	Levosimendan for Prevention of Acute Kidney Injury After Cardiac Surgery: A Meta-analysis of Randomized Controlled Trials. <b>2016</b> , 67, 408-16	60
228	Mechanisms and mediators of lung injury after acute kidney injury. <b>2016</b> , 12, 48-60	97
227	Systematic review and meta-analysis of renal replacement therapy modalities for acute kidney injury in the intensive care unit. <b>2017</b> , 41, 138-144	81
226	Prevention and Therapy of Acute Kidney Injury in the Developing World. 2017, 2, 544-558	11
225	Early versus late initiation of renal replacement therapy impacts mortality in patients with acute kidney injury post cardiac surgery: a meta-analysis. <b>2017</b> , 21, 150	44
224	Optimal teicoplanin dosage regimens for methicillin-resistant Staphylococcus aureus infections in endocarditis patients and renal failure patients. <b>2017</b> , 29, 358-364	2
223	Age and Surgical Complexity impact on Renoprotection by Remote Ischemic Preconditioning during Adult Cardiac Surgery: A Meta analysis. <b>2017</b> , 7, 215	19
222	Biomarkers of Extra-Renal Complications of AKI. <b>2017</b> , 317-334	
221	High-dose versus low-dose haemofiltration for the treatment of critically ill patients with acute kidney injury: an updated systematic review and meta-analysis. <b>2017</b> , 7, e014171	11
220	New Ultrasound Techniques Promise Further Advances in AKI and CKD. 2017, 28, 3452-3460	24
219	Adipose-derived mesenchymal stem cells therapy for acute kidney injury induced by ischemia-reperfusion in a rat model. <b>2017</b> , 44, 1232-1240	18
218	Risk factors for acute kidney injury in critically ill patients with complicated intra-abdominal infection. <b>2017</b> , 38, 104-108	5
217	Hypoalbuminemia: a risk factor for acute kidney injury development and progression to chronic kidney disease in critically ill patients. <b>2017</b> , 49, 295-302	27

216	Renal replacement therapy intensity for acute kidney injury and recovery to dialysis independence: a systematic review and individual patient data meta-analysis. <b>2018</b> , 33, 1017-1024	19
215	Sepsis grave y shock sptico en urgencias. <b>2017</b> , 43, 1-19	
214	The Impact of Hemodynamic Transesophageal Echocardiography on the Use of Continuous Renal Replacement Therapy in Trauma. <b>2017</b> , 83, 855-859	2
213	Nephroprotective Effects of Saponins from Leaves of Panax quinquefolius against Cisplatin-Induced Acute Kidney Injury. <b>2017</b> , 18,	44
212	Cell-cycle arrest biomarkers in urine to predict acute kidney injury in septic and non-septic critically ill patients. <b>2017</b> , 7, 92	22
211	The optimal timing of continuous renal replacement therapy according to the modified RIFLE classification in critically ill patients with acute kidney injury: a retrospective observational study. <b>2017</b> , 3,	1
210	Biomarkers Predicting Survival of Sepsis Patients Treated with Continuous Renal Replacement Therapy. <b>2017</b> , 53, 64-68	5
209	The Effect of Treatment on Short-Term Outcomes in Elderly Patients with Acute Kidney Injury. <b>2017</b> , 5, 635-640	5
208	Augmented Renal Clearance in Critically Ill Patients: A Systematic Review. 2018, 57, 1107-1121	76
207	Pre-admission proteinuria impacts risk of non-recovery after dialysis-requiring acute kidney înjury. <b>2018</b> , 93, 968-976	11
206	[Metabolic management and nutrition in critically ill patients with renal dysfunction: Recommendations from the renal section of the DGIIN, [GIAIN, and DIVI]. 2018, 113, 393-400	4
205	Mitochondrial DNA is Released in Urine of SIRS Patients With Acute Kidney Injury and Correlates With Severity of Renal Dysfunction. <b>2018</b> , 49, 301-310	32
204	Antibiotic Pharmacokinetic/Pharmacodynamic Considerations in the Critically Ill. 2018,	2
203	Acute Kidney Injury in Elderly Population: A Prospective Observational Study. <b>2018</b> , 138, 104-112	10
202	Postoperative thrombocytopenia: why you should consider antiplatelet therapy?. 2018, 31, 61-66	4
201	Renal Decapsulation Prevents Intrinsic Renal Compartment Syndrome in Ischemia-Reperfusion-Induced Acute Kidney Injury: A Physiologic Approach. <i>Critical Care Medicine</i> , 1.4 <b>2018</b> , 46, 216-222	8
200	Selective Nanoparticle Targeting of the Renal Tubules. <b>2018</b> , 71, 87-94	52
199	VolumE maNagement Under body composition monitoring in critically ill patientS on CRRT: study protocol for a randomized controlled trial (VENUS trial). <b>2018</b> , 19, 681	4

198	Performance of Doppler-based resistive index and semi-quantitative renal perfusion in predicting persistent AKI: results of a prospective multicenter study. <b>2018</b> , 44, 1904-1913		17
197	Safety Lapses Prior to Initiation of Hemodialysis for Acute Kidney Injury in Hospitalized Patients: A Patient Safety Initiative. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	4
196	Association between diuretics and successful discontinuation of continuous renal replacement therapy in critically ill patients with acute kidney injury. <b>2018</b> , 22, 255		14
195	Factors Associated with Early Mortality in Critically Ill Patients Following the Initiation of Continuous Renal Replacement Therapy. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	13
194	Renal replacement therapy in the ICU: intermittent hemodialysis, sustained low-efficiency dialysis or continuous renal replacement therapy?. <b>2018</b> , 24, 437-442		26
193	Association of Statin Use With Mortality After Dialysis-Requiring Acute Kidney Injury: A Population-Based Cohort Study. <b>2018</b> , 93, 1474-1483		4
192	Perfil cliico del anciano criico. Proniitico y factores relacionados con la mortalidad. <b>2018</b> , 18, 84-91		
191	Continuous Veno-Venous High Cut-Off Hemodialysis Compared to Continuous Veno-Venous Hemodiafiltration in Intensive Care Unit Acute Kidney Injury Patients. <b>2018</b> , 46, 248-256		8
190	Prognostic Significance of Acute Kidney Injury Following Emergency Laparotomy: A Prospective Observational Cohort Study. <b>2018</b> , 42, 3575-3580		1
189	[Interactions between lung and kidney in the critically ill]. 2018, 113, 448-455		1
188	Prediction of Acute Kidney Injury With a Machine Learning Algorithm Using Electronic Health Record Data. <b>2018</b> , 5, 2054358118776326		59
187	Acute Kidney Injury in Cardiac Surgery. <b>2019</b> , 250-254.e2		1
186	Intensive Care Society State of the Art 2018 Abstracts. <b>2019</b> , 20, 1-253		5
185	The Incidence and Risk Factors of Low Oxygenation After Orthotropic Liver Transplantation. <b>2019</b> , 24, 139-146		
184	Continuous Renal Replacement Therapy Dosing in Critically Ill Patients: A Quality Improvement Initiative. <b>2019</b> , 74, 727-735		10
183	Regional citrate versus systemic heparin anticoagulation for continuous renal replacement therapy in critically ill patients with acute kidney injury (RICH) trial: study protocol for a multicentre, randomised controlled trial. <b>2019</b> , 9, e024411		8
182	Risk factors of cardiac surgery-associated acute kidney injury: development and validation of a perioperative predictive nomogram. <b>2019</b> , 32, 937-945		20
181	Frequency and prognostic impact of acute kidney injury in patients with acute pulmonary embolism. Data from the RIETE registry. <b>2019</b> , 291, 121-126		13

180	Mild to moderate proteinuria is a heralding sign for acute kidney injury and mortality for intensive care unit patients. <b>2019</b> , 49, 543-550	2
179	Epidemiology of Acute Kidney Injury in Critically Ill Patients. <b>2019</b> , 81-85.e2	1
178	The utility of neutrophil gelatinase-associated Lipocalin (NGAL) as a marker of acute kidney injury (AKI) in critically ill patients. <b>2019</b> , 7, 4	19
177	Vitamin C Can Shorten the Length of Stay in the ICU: A Meta-Analysis. <b>2019</b> , 11,	127
176	Assessment of Regional Perfusion and Organ Function: Less and Non-invasive Techniques. <b>2019</b> , 6, 50	21
175	Clinical practice guidelines for the provision of renal service in Hong Kong: General Nephrology. <b>2019</b> , 24 Suppl 1, 9-26	1
174	Technical and Clinical Complications of Intermittent Hemodialysis in the Intensive Care Unit. <b>2019</b> , 933-941.e3	0
173	LPS removal reduces CD80-mediated albuminuria in critically ill patients with Gram-negative sepsis. <b>2019</b> , 316, F723-F731	24
172	Management of Patients with Diabetes in the Intensive Care Unit. <b>2019</b> , 1293-1296.e2	2
171	Change of surfactant protein D and A after renal ischemia reperfusion injury. <i>PLoS ONE</i> , <b>2019</b> , 14, e02279 <i>9</i> 7	4
170	Controversies Surrounding Renal Replacement Therapy in the Critically Ill Patient. 2019, 40, 662-672	0
169	Neutrophil-lymphocyte ratio is associated with all-cause mortality among critically ill patients with acute kidney injury. <b>2019</b> , 490, 207-213	14
168	Patient-specific predictors of failure to rescue after pancreaticoduodenectomy. <b>2019</b> , 21, 283-290	10
167	Renal Replacement Therapy for Acute Kidney Injury. <b>2019</b> , 739-753.e8	
166	Pulmonary Consequences of Acute Kidney Injury. <b>2019</b> , 39, 3-16	15
165	Kidney-Specific Severity Scores. <b>2019</b> , 29-34.e1	1
164	The Epidemiology of Acute Kidney Injury. <b>2019</b> , 684-697.e4	
163	Metabolic and Nutritional Complications of Acute Kidney Injury. <b>2019</b> , 698-712.e6	

162	[Epidemiology of acute renal failure]. <b>2019</b> , 15, 63-69	4
161	Cardiovascular Problems in Acute Kidney Injury. <b>2019</b> , 641-645.e1	
160	SOFA coagulation score and changes in platelet counts in severe acute kidney injury: Analysis from the randomized evaluation of normal versus augmented level (RENAL) study. <b>2019</b> , 24, 518-525	7
159	Incidence, Risk Factors, and Outcome of Acute Kidney Injury in Neurocritical Care. <b>2020</b> , 35, 338-346	15
158	Intensity of renal replacement therapy and outcomes in critically ill patients with acute kidney injury: Critical appraisal of the dosing recommendations. <b>2020</b> , 24, 620-627	2
157	Higher plasma cystatin C is associated with mortality after acute respiratory distress syndrome: findings from a Fluid and Catheter Treatment Trial (FACTT) substudy. <b>2020</b> , 24, 416	3
156	Survival and renal recovery after acute kidney injury requiring dialysis outside of intensive care units. <b>2020</b> , 52, 2367-2377	1
155	Association of dialysis-requiring acute kidney injury with 90-day prognosis in patients with coronary artery disease and advanced kidney disease after coronary angiography. <b>2020</b> , 8, 1241	
154	Acute Kidney Injury Incidence in Hospitalized Patients and Implications for Nutrition Support. <b>2020</b> , 35, 987-1000	7
153	Predicting Acute Kidney Injury after Cardiac Surgery by Machine Learning Approaches. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5
152	Effect of renal replacement therapy modalities on renal recovery and mortality for acute kidney injury: A PRISMA-compliant systematic review and meta-analysis. <b>2020</b> , 33, 127-132	13
151	Reversibility of Acute Kidney Injury in Medical ICU Patients: Predictability Performance of Urinary Tissue Inhibitor of Metalloproteinase-2 x Insulin-Like Growth Factor-Binding Protein 7 and Renal 1.4 Resistive Index. <i>Critical Care Medicine</i> , <b>2020</b> , 48, e277-e284	6
150	AKI Treated with Renal Replacement Therapy in Critically Ill Patients with COVID-19. 2021, 32, 161-176	103
149	The effect of admission and pre-admission serum creatinine as baseline to assess incidence and outcomes of acute kidney injury in acute medical admissions. <b>2021</b> ,	3
148	Role of Peritoneal Dialysis in Acute Kidney Injury. <b>2021</b> , 1-26	
147	Renohepatic crosstalk: a review of the effects of acute kidney injury on the liver. 2021,	1
146	An acute phase protein ⊞cid glycoprotein mitigates AKI and its progression to CKD through its anti-inflammatory action. <b>2021</b> , 11, 7953	3
145	Lung metabolomics after ischemic acute kidney injury reveals increased oxidative stress, altered energy production, and ATP depletion. <b>2021</b> , 321, L50-L64	2

144	Comparing Renal Replacement Therapy Modalities in Critically Ill Patients With Acute Kidney Injury: A Systematic Review and Network Meta-Analysis. <b>2021</b> , 3, e0399		7
143	A novel predictive model for poor in-hospital outcomes in patients with acute kidney injury after cardiac surgery. <b>2021</b> ,		1
142	Renal Replacement Therapy. <b>2021</b> , 59-66		
141	Association of Acute Kidney Injury Receiving Kidney Replacement Therapy With Prognosis of Critically Ill Patients With and Without Cancer: A Retrospective Study. <i>Critical Care Medicine</i> , <b>2021</b> , 49, 1932-1942	1.4	
140	Prolonged exposure to continuous renal replacement therapy in patients with acute kidney injury. <b>2021</b> , 1		O
139	STUDY OF CLINICAL PROFILE OF COMMUNITY-ACOUIRED ACUTE KIDNEY INJURY DEFINED USING RIFLE CRITERIA IN IGIMS PATNA. <b>2021</b> , 34-36		
138	The prognosis and risk factors for acute kidney injury in high-risk patients after surgery for type A aortic dissection in the ICU. <b>2021</b> , 13, 4427-4437		0
137	Applying Antimicrobial Pharmacokinetic Principles for Complex Patients: Critically Ill Adult Patients Receiving Extracorporeal Membrane Oxygenation and Renal Replacement Therapy. <b>2021</b> , 23, 1		O
136	IN-HOSPITAL MORTALITY OF ACUTE KIDNEY INJURY: AN EXPERIENCE FROM SOUTH RAJASTHAN <b>2021</b> , 1-8		
135	Thrombomodulin gene polymorphism and the occurrence and prognostic value of sepsis acute kidney injury. <b>2021</b> , 100, e26293		1
134	Impact of university re-opening on total community COVID-19 burden. PLoS ONE, <b>2021</b> , 16, e0255782	3.7	1
133	Effects of ulinastatin on renal perfusion evaluated by Doppler ultrasonography in a porcine model of septic shock. <b>2021</b> , 22, 1324		O
132	Acute Kidney Injury and Acute Respiratory Distress Syndrome. 2021, 37, 835-849		2
131	Acute Kidney Injury. <b>2008</b> , 19-25		2
130	High-flow Hemofiltration as an Adjunctive Therapy in Sepsis. <b>2009</b> , 119-128		1
129	Acute Tumor Lysis Syndrome: Diagnosis and Management. <b>2009</b> , 819-827		3
128	Hypoalbuminemia as a Risk Factor for Acute Kidney Injury. <b>2011</b> , 233-241		2
127	Enteral Nutrition in Renal Disease. <b>2005</b> , 471-485		1

Technical and Clinical Complications of Intermittent Hemodialysis in the Intensive Care Unit. **2009**, 1244-1251 1

125	Acute Kidney Injury. <b>2012</b> , 1044-1099		10
124	Nutritional Management of Acute Renal Failure. <b>2008</b> , 81-91		1
123	Greater high-mobility group box 1 in male compared with female spontaneously hypertensive rats worsens renal ischemia-reperfusion injury. <b>2020</b> , 134, 1751-1762		3
122	Patients are dying of acute renal failure. <i>Critical Care Medicine</i> , <b>2002</b> , 30, 2156-7	-	74
121	Predictive and pathogenetic value of plasma biomarkers for acute kidney injury in patients with acute lung injury *. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 2755-2761		114
120	Estrogen is renoprotective via a nonreceptor-dependent mechanism after cardiac arrest in vivo. <b>2010</b> , 112, 395-405		53
119	A Multi-Center, Randomized, Controlled, Pivotal Study to Assess the Safety and Efficacy of a Selective Cytopheretic Device in Patients with Acute Kidney Injury. <i>PLoS ONE</i> , <b>2015</b> , 10, e0132482	,	28
118	Use of Multifrequency Bioimpedance Analysis in Male Patients with Acute Kidney Injury Who Are Undergoing Continuous Veno-Venous Hemodiafiltration. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133199	,	19
117	Urinary Biomarkers IGFBP7 and TIMP-2 for the Diagnostic Assessment of Transient and Persistent Acute Kidney Injury in Critically Ill Patients. <i>PLoS ONE</i> , <b>2017</b> , 12, e0169674		15
116	Evolu <b>B</b> clBica de pacientes com insuficiñcia renal aguda em unidade de terapia intensiva. <b>2008</b> , 21, 174-178		4
115	Effects of early changes in organ dysfunctions on the outcomes of critically ill patients in need of renal replacement therapy. <b>2008</b> , 63, 343-50		9
114	Renal replacement therapy in the intensive care unit. <b>2005</b> , 1, 141-50		43
113	Pediatric Sepsis - Part I: "Children are not small adults!". <b>2011</b> , 4, 4-15		37
112	Medical causes of acute kidney injury- clinical and therapeutic aspects in constanta county. <b>2012</b> , 18, 66-71		1
111	Development of risk models for the prediction of new or worsening acute kidney injury on or during hospital admission: a cohort and nested study. <b>2016</b> , 4, 1-160		8
110	Continuous renal replacement therapy for the treatment of acute kidney injury. <b>2008</b> , 23, 58-63		5
109	Sustained low-efficiency dialysis in septic shock: Hemodynamic tolerability and efficacy. <b>2016</b> , 20, 701-707		3

108	Preventing acute renal failure is crucial during acute tumor lysis syndrome. 2007, 11, 29-35		2
107	Palliative care for acute kidney injury patients in the intensive care unit. <b>2018</b> , 7, 148-154		1
106	Challenges in Diagnosis and Treatment of Acute Kidney Injury During Pregnancy. 2011, 4, 340-344		4
105	Acute kidney injury in critically ill patients with lung disease: kidney-lung crosstalk. <b>2013</b> , 25, 130-6		12
104	Comparison of the RIFLE, AKIN and KDIGO criteria to predict mortality in critically ill patients. <b>2013</b> , 25, 290-6		46
103	The evaluation of sequential platelet counts has prognostic value for acute kidney injury patients requiring dialysis in the intensive care setting. <b>2013</b> , 68, 803-8		8
102	Predictors of 15-Day Survival for the Intensive Care Unit Patient on Continuous Renal Replacement Therapy: A Retrospective Analysis. <b>2020</b> , 12, e8175		2
101	Prognostic Performance of Existing Scoring Systems among Critically Ill Patients Requiring Continuous Renal Replacement Therapy: An Observational Study. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	O
100	Performance of Doppler-Based Resistive Index and Semiquantitative Renal Perfusion in Predicting Persistent Acute Kidney Injury According to Operator Experience: Post Hoc Analysis of a Prospective Multicenter Study. <i>Critical Care Medicine</i> , <b>2021</b> ,	1.4	0
99	Sixty Years of â <b>E</b> xtended Dialysisâlîn the ICU. <b>2006</b> , 680-689		
98	Acute renal failure in pediatrics. <b>2007</b> , 50, 948		1
97	Anesthetic agents. <b>2008</b> , 537-546		
96	THE MANAGEMENT OF RENAL FAILURE: RENAL REPLACEMENT THERAPY AND DIALYSIS. 2008, 627-633	}	
95	Six Truths about Acute Kidney Injury that the Intensivist Should Be Aware Of. <b>2008</b> , 551-558		
94	Acute Tumor Lysis Syndrome: Diagnosis and Management. <b>2009</b> , 819-827		
93	Biochemical and Clinical Indications to Initiate Renal Replacement Therapy. <b>2009</b> , 461-465		
92	Cardiovascular Problems in Acute Renal Failure. <b>2009</b> , 395-399		
91	Kidney-Specific Severity Scores. <b>2009</b> , 60-65		

90	Burns and Acute Renal Failure. <b>2009</b> , 312-316	1
89	Long-Term Outcomes of Acute Kidney Injury. <b>2009</b> , 107-110	
88	High-Volume Hemofiltration in the Intensive Care Unit. <b>2009</b> , 1391-1395	
87	What Is Acute Kidney Injury?. <b>2009</b> , 67-71	
86	Management of Patients with Diabetes in the Intensive Care Unit. 2009, 1673-1676	
85	Renal Replacement Therapy in the Intensive Care Unit. <b>2009</b> , 1125-1128	1
84	Epidemiology of Nosocomial Acute Kidney Injury. <b>2009</b> , 86-91	Ο
83	Acute Respiratory Distress Syndrome and the Kidney: Lung and Kidney Crosstalk. <b>2009</b> , 1019-1023	
82	High-flow Hemofiltration as an Adjunctive Therapy in Sepsis. <b>2009</b> , 119-128	
81	Comparison of Peritoneal Dialysis with Other Treatments for Acute Renal Failure. <b>2009</b> , 1505-1508	
80	Nutritional Support in the Critically Ill with Acute Renal Failure. 2009, 727-731	
79	Dialysis Dysequilibrium Syndrome. <b>2009</b> , 1079-1083	1
78	?????????????????????271 mg[dlâ@????????. <b>2009</b> , 16, 495-496	
77	Hemodynamic and Biological Response to Continuous Renal Replacement Therapies. <b>2009</b> , 1385-1391	
76	Kidney Function Tests and Urinalysis in Acute Renal Failure. <b>2009</b> , 251-259	
75	Management of Multiorgan Failure After Artificial Organ Implantation. <b>2009</b> , 1-19	
74	Kidney Function Tests and Urinalysis. <b>2010</b> , 95-108	
73	Drug Dosing in Acute Kidney Injury and During Renal Replacement Therapy. <b>2010</b> , 241-251	

72	Metabolic Alterations and Nutrition in AKI. <b>2010</b> , 161-168
71	Burns and Acute Kidney Failure. <b>2010</b> , 429-437 o
70	Long-Term Outcome of Acute Kidney Injury. <b>2010</b> , 261-267
69	Extended Daily Dialysis. <b>2010</b> , 537-545
68	Atrial Natriuretic Peptide in Postoperative Acute Renal Failure. <b>2010</b> , 339-348
67	Timing of Renal Replacement Therapy. <b>2010,</b> 373-379
66	Atrial Natriuretic Peptide in Postoperative Acute Renal Failure. <b>2010</b> , 339-348
65	Timing of Renal Replacement Therapy. <b>2010</b> , 373-379
64	The Epidemiology of Acute Kidney Injury. <b>2010</b> , 643-653
63	Acute renal failure requiring use of continuous renal replacement therapy methods in the coronary care unit of a cardiac center. <b>2010</b> , 52, 121-126
62	Acute Kidney Injury in Cancer Patients. <b>2011</b> , 637-650
61	Acute Kidney Injury. <b>2011</b> , 883-893
60	Therapeutic Drug Development for Kidney Diseases.
59	Intensive Care: The Basics. <b>2012</b> , 489-511
58	Soins des patients gs en ranimation. <b>2012</b> , 75-85
57	Akutes Nierenversagen und Nierenersatztherapie. <b>2012</b> , 219-229
56	Beatmung, Atemregulation und Weaning, ARDS. <b>2012</b> , 135-158
55	The renal system. <b>2012</b> , 125-148

Continuous Renal Replacement Therapy (CRRT) in Intensive Care. 2014, 131-144 54 Acute Kidney Injury â[An Underestimated Problem In Pediatric Intensive Care / Akts Nieru 53 Bojjums âlNenovitta Problina Binu Intensil vajirerapijil 2014, 68, 207-215 Beatmung, Atemregulation und Weaning, ARDS. 2015, 151-174 52 Bidirectional Crosstalk between Kidney and Lung. 2016, 90, 389-393 Management of Acute Kidney Injury. 2017, 383-391 50 Acute Renal Failure in Patients Admitted to Intensive Care Unit. 2017, 6, 49 48 Acute Kidney Injury. 2017 Hospital Medicine Revised Core Competencies. 2017, 12, S3-S4 Prediction of Acute Kidney Injury with a Machine Learning Algorithm using Electronic Health Record Data. CLINICAL PROFILE AND MANAGEMENT OF PATIENTS ADMITTED WITH ACUTE KIDNEY INJURY 46  $\circ$ SECONDARY TO GASTROENTERITIS IN A TERTIARY CARE TEACHING HOSPITAL. 2018, 5, 134-139 Cardiac Surgery Acute Kidney Injury: Controversy in Renal Support. 2019, 511-523 45 Analysis of non-anticoagulant therapy using RRT database in sepsis. 2020, 90, 317-327 44 Metabolic management and nutritional support in acute kidney injury. 2022, 659-684 43 Epidemiology and outcome of acute kidney injury in patients presenting to emergency department 42 âlOur experience. 2020, 9, 77 Acute Kidney Injury: Definition and Epidemiology. 2020, 3-20 41 Efficacy and outcome of intermittent peritoneal dialysis in patients with acute kidney injury: A 40  $\circ$ single-center experience. **2020**, 31, 423-430 Volume Overload and Pulmonary Complications. 2020, 163-179 39 Renal Emergencies. 2020, 283-300 38 Management of Acute Kidney Injury. 2020, 367-373 37

36	Acute renal failure. <b>2007</b> , 109-128	
35	Sixty Years of â <b>E</b> xtended Dialysisâ[]n the ICU. <b>2006</b> , 680-689	
34	Six Truths about Acute Kidney Injury that the Intensivist Should Be Aware Of. <b>2008</b> , 551-558	
33	Acute Renal Failure. <b>2008,</b> 487-502	
32	Acute renal failure: definition, epidemiology and prognosis. 2007, 31-48	
31	Privation en oxygfie et rein. <b>2007</b> , 127-137	
30	Niere. 124-139	
29	Intensivmedizinische Therapie des akuten Nierenversagens. <b>2007</b> , 273-283	
28	Beatmung, Atemregulation und Weaning, ARDS. <b>2008</b> , 147-169	
27	Akute Niereninsuffizienz und Nierenersatzverfahren. <b>2008</b> , 229-239	
26	Acute Kidney Injury Following Cardiopulmonary Bypass. <b>2009</b> , 262-273	
25	Pharmacotherapy in the Critically Ill Child with Acute Kidney Injury. <b>2009</b> , 99-114	
24	IMPACT OF UNIVERSITY RE-OPENING ON TOTAL COMMUNITY COVID-19 BURDEN.	O
23	Acute renal failure. <b>2008</b> , 2008,	1
22	Acute kidney injury. <b>2011</b> , 2011,	6
21	Predictive and pathogenetic value of plasma biomarkers for acute kidney injury in patients with acute lung injury. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 2755-61	111
20	Recovery process in patients followed-up due to acute kidney injury. <b>2013</b> , 17, 239-42	4
19	Utility of serum creatinine/cystatin C ratio in diagnosis of postrenal acute kidney injury. <b>2014</b> , 19, 1086-9	7

18	Early Acute Kidney Injury based on Serum Creatinine or Cystatin C in Intensive Care Unit after Major Trauma. <b>2015</b> , 40, 485-92	1
17	Acute Kidney Injury: Definition, Pathophysiology and Clinical Phenotypes. <b>2016</b> , 37, 85-98	186
16	Predicting Inpatient Acute Kidney Injury over Different Time Horizons: How Early and Accurate?. <b>2017</b> , 2017, 565-574	14
15	Evaluation and management of acute kidney injury in the intensive care unit. <i>Missouri Medicine</i> , 0.8	
14	A novel predictive model for hospital survival in critically ill dialysis-dependent Acute Kidney Injury(AKI-D) patients: A retrospective single-center exploratory study. <i>Kidney360</i> , 10.34067/KID.0007272021	1
13	Comparative Risk of Acute Kidney Injury Following Concurrent Administration of Vancomycin with Piperacillin/Tazobactam or Meropenem: A Systematic Review and Meta-Analysis of Observational 4.9 Studies <i>Antibiotics</i> , <b>2022</b> , 11,	O
12	A real-world prospective study on dialysis-requiring acute kidney injury <i>PLoS ONE</i> , <b>2022</b> , 17, e0267712 3.7	
11	First 24-Hour Potassium Concentration and Variability and Association with Mortality in Patients Requiring Continuous Renal Replacement Therapy in Intensive Care Units: A Hospital-Based 5.1 Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11, 3383	O
10	ICU Care for the Spine Patient. 2022, 381-398	
9	Evaluation of symmetric dimethylarginine in cats with acute kidney injury and chronic kidney disease.	
8	Maintenance of the critical care system during the pandemic in non-COVID-19 patients requiring continuous renal replacement therapy: a single center experience. <b>2022</b> , 22,	
7	Pathophysiology, Prevention, and Nondialytic Treatment of ATN in Hospitalized Patients. <b>2022</b> , 21, 12-28	Ο
6	Factors predicting successful discontinuation of acute kidney replacement therapy: A retrospective cohort study.	0
5	Renal Replacement Therapy in Acute Kidney Injury. <b>2022</b> , 185-202	O
4	Increasing incidence of acute kidney injury in pediatric severe sepsis and related adverse hospital outcomes.	0
3	Role of Peritoneal Dialysis in Acute Kidney Injury. <b>2023</b> , 811-836	Ο
2	Dynamic nature and prognostic value of the neutrophil-to-lymphocyte ratio in critically ill patients with acute kidney injury on continuous renal replacement therapy: A multicenter cohort study. 10,	0
1	âAcute kidney injury in critically ill patients with COVIDâ119: The AKICOV multicenter study in Cataloniaâ11 <b>2023</b> , 18, e0284248	O