Traumatic Stress after Childbirth: The Role of Obstetric

Journal of Psychosomatic Obstetrics and Gynaecology 23, 31-39 DOI: 10.3109/01674820209093413

Citation Report

#	Article	IF	CITATIONS
1	Posttraumatic Stress Disorder after Pregnancy, Labor, and Delivery. Journal of Women's Health, 2004, 13, 315-324.	1.5	95
2	An ``American dilemma'' in Scandinavian childbirth: unmet needs in healthcare?. Scandinavian Journal of Public Health, 2004, 32, 75-77.	1.2	6
3	Group Counseling for Mothers After Emergency Cesarean Section: A Randomized Controlled Trial of Intervention. Birth, 2004, 31, 247-253.	1.1	45
4	Delivery as a Traumatic Event: Prevalence, Risk Factors, and Treatment for Postnatal Posttraumatic Stress Disorder. Clinical Obstetrics and Gynecology, 2004, 47, 552-567.	0.6	160
5	Prenatal depression, mode of delivery and perinatal dissociation as predictors of postpartum posttraumatic stress: an empirical study. Clinical Psychology and Psychotherapy, 2005, 12, 297-312.	1.4	56
6	Traumatic experience with vacuum extraction – influence of personal preparation, physiology, and treatment during labor. Journal of Perinatal Medicine, 2005, 33, 373-8.	0.6	13
7	Towards a conceptual framework for understanding post-traumatic stress symptoms following childbirth and implications for further research. Journal of Psychosomatic Obstetrics and Gynaecology, 2006, 27, 99-105.	1.1	82
8	The longitudinal course of post-traumatic stress after childbirth. Journal of Psychosomatic Obstetrics and Gynaecology, 2006, 27, 113-119.	1.1	115
9	Post-traumatic symptoms after childbirth: What should we offer?. Journal of Psychosomatic Obstetrics and Gynaecology, 2006, 27, 107-112.	1.1	45
11	Posttraumatic stress following childbirth: A review. Clinical Psychology Review, 2006, 26, 1-16.	6.0	323
12	Post-traumatic stress disorder after childbirth in Nigerian women: prevalence and risk factors. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 284-288.	1.1	120
13	Mode of delivery is associated with maternal and fetal endocrine stress response. BJOG: an International Journal of Obstetrics and Gynaecology, 2006, 113, 441-445.	1.1	152
14	Women's health 18 years after rupture of the anal sphincter during childbirth: II. Urinary incontinence, sexual function, and physical and mental health. American Journal of Obstetrics and Gynecology, 2006, 194, 1260-1265.	0.7	33
15	Memory of childbirth in the second year: The long-term effect of a negative birth experience and its modulation by the perceived intranatal relationship with caregivers. Journal of Psychosomatic Obstetrics and Gynaecology, 2006, 27, 211-224.	1.1	53
16	Symptoms of postâ€ŧraumatic stress disorder in couples after birth: association with the couple's relationship and parent–baby bond. Journal of Reproductive and Infant Psychology, 2007, 25, 40-50.	0.9	83
18	Cognitive behaviour therapy for postnatal post-traumatic stress disorder: case studies. Journal of Psychosomatic Obstetrics and Gynaecology, 2007, 28, 177-184.	1.1	52
19	Thoughts and Emotions During Traumatic Birth: A Qualitative Study. Birth, 2007, 34, 253-263.	1.1	107
20	Psychosocial sequelae of cesarean delivery: Review and analysis of their causes and implications. Social Science and Medicine, 2007, 64, 2272-2284.	1.8	165

#	Article	IF	CITATIONS
21	Childbirthâ€related postâ€traumatic stress disorder in couples: A qualitative study. British Journal of Health Psychology, 2007, 12, 491-509.	1.9	150
22	Sense of coherence and symptoms of post-traumatic stress after emergency caesarean section. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 1090-1096.	1.3	44
24	A pilot study of eye movement desensitisation and reprocessing treatment (EMDR) for post-traumatic stress after childbirth. Midwifery, 2008, 24, 62-73.	1.0	40
25	Depressive symptoms and symptoms of post-traumatic stress disorder in women after childbirth. Journal of Psychosomatic Obstetrics and Gynaecology, 2008, 29, 61-71.	1.1	135
26	Post-traumatic stress disorder following childbirth: current issues and recommendations for future research. Journal of Psychosomatic Obstetrics and Gynaecology, 2008, 29, 240-250.	1.1	125
27	dépressions périnatales. , 2008, , 21-43.		6
29	Pregnant women's perception of cesarean section on demand. Journal of Perinatal Medicine, 2009, 37, 251-256.	0.6	12
30	Posttraumatic stress disorder after childbirth: Analysis of symptom presentation and sampling. Journal of Affective Disorders, 2009, 119, 200-204.	2.0	109
31	Risk factors in pregnancy for postâ€ŧraumatic stress and depression after childbirth. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 672-680.	1.1	242
32	Stressful events and support during birth: The effect on anxiety, mood and perceived control. Journal of Anxiety Disorders, 2009, 23, 260-268.	1.5	84
33	Women's lived experience of fear of childbirth. Midwifery, 2009, 25, e1-e9.	1.0	131
34	The Attitudes of Canadian Maternity Care Practitioners Towards Labour and Birth: Many Differences but Important Similarities. Journal of Obstetrics and Gynaecology Canada, 2009, 31, 827-840.	0.3	83
35	Cruelty in Maternity Wards: Fifty Years Later. Journal of Perinatal Education, 2010, 19, 33-42.	0.3	25
36	Measuring posttraumatic stress following childbirth: a critical evaluation of instruments. Journal of Psychosomatic Obstetrics and Gynaecology, 2010, 31, 40-49.	1.1	39
37	Experience of support among mothers with and without post-traumatic stress symptoms following emergency caesarean section. Sexual and Reproductive Healthcare, 2010, 1, 175-180.	0.5	21
38	Exploration of a cognitive model to predict post-traumatic stress symptoms following childbirth. Journal of Anxiety Disorders, 2010, 24, 353-359.	1.5	69
39	Posttraumatic stress following childbirth in homelike- and hospital settings. Journal of Psychosomatic Obstetrics and Gynaecology, 2011, 32, 88-97.	1.1	108
40	Posttraumatic stress symptoms and postpartum depression in couples after childbirth: The role of partner support and attachment. Journal of Anxiety Disorders, 2011, 25, 520-530.	1.5	118

#	Article	IF	CITATIONS
41	Caesarean section on maternal request: is justification necessary?. The Obstetrician and Gynaecologist, 2011, 13, 263-269.	0.2	16
42	Support during birth interacts with prior trauma and birth intervention to predict postnatal post-traumatic stress symptoms. Psychology and Health, 2011, 26, 1553-1570.	1.2	84
43	Posttraumatic Stress Disorder Following Preeclampsia and PPROM: A Prospective Study With 15 Months Follow-Up. Reproductive Sciences, 2011, 18, 645-653.	1.1	56
44	Postâ€traumatic stress disorder related to birth: a prospective longitudinal study in a French population. Journal of Reproductive and Infant Psychology, 2011, 29, 125-135.	0.9	51
45	Perceived control and maternal satisfaction with childbirth: a measure development study. Journal of Psychosomatic Obstetrics and Gynaecology, 2012, 33, 15-24.	1.1	38
46	Association Between Mode of Birth and Self-Reported Maternal Physical and Psychological Health Problems at 10 Weeks Postpartum. International Journal of Childbirth, 2012, 2, 115-125.	0.2	5
47	Promoting positive motherhood among nulliparous pregnant women with an intense fear of childbirth: RCT intervention. Journal of Health Psychology, 2012, 17, 520-534.	1.3	64
48	PTSD following childbirth: A prospective study of incidence and risk factors in Canadian women. Journal of Psychosomatic Research, 2012, 73, 257-263.	1.2	100
50	What makes labour and birth traumatic? A survey of intrapartum â€~hotspots'. Psychology and Health, 2012, 27, 1166-1177.	1.2	113
51	Negative emotions, childbirth pain, perinatal dissociation and self-efficacy as predictors of postpartum posttraumatic stress symptoms. Journal of Reproductive and Infant Psychology, 2012, 30, 352-362.	0.9	29
52	Mode of birth and women's psychological and physical wellbeing in the postnatal period. BMC Pregnancy and Childbirth, 2012, 12, 138.	0.9	113
53	Factors Associated with Differences in Canadian Perinatal Nurses' Attitudes Toward Birth Practices. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2012, 41, 761-773.	0.2	16
54	Risk factors for developing postâ€ŧraumatic stress disorder following childbirth: a systematic review. Acta Obstetricia Et Gynecologica Scandinavica, 2012, 91, 1261-1272.	1.3	241
55	First-time mothers' perspectives on relationships with and between midwives and doctors: Insights from a qualitative study of giving birth in New Zealand. Midwifery, 2012, 28, 489-494.	1.0	12
56	Posttraumatic stress among women after induced abortion: a Swedish multi-centre cohort study. BMC Women's Health, 2013, 13, 52.	0.8	21
57	The impact of subjective birth experiences on post-traumatic stress symptoms: a longitudinal study. Archives of Women's Mental Health, 2013, 16, 1-10.	1.2	200
58	A hero's tale of childbirth. Midwifery, 2013, 29, 765-771.	1.0	12
59	Obstetric outcome after intervention for severe fear of childbirth in nulliparous women – randomised trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 75-84.	1.1	153

#	Article	IF	CITATIONS
60	The prevalence of posttraumatic stress among women requesting induced abortion. European Journal of Contraception and Reproductive Health Care, 2013, 18, 480-488.	0.6	15
61	Post-Traumatic Stress Disorder (PTSD) Following Childbirth: Prevalence and Contributing Factors. Iranian Red Crescent Medical Journal, 2013, 15, 177-82.	0.5	37
62	Posttraumatic Stress During Pregnancy and the Postpartum Period. , 2014, , .		2
63	Post-traumatic stress symptoms after childbirth and early mother–child interactions: an exploratory study. Journal of Reproductive and Infant Psychology, 2014, 32, 163-181.	0.9	59
64	The Role of Labor Pain and Overall Birth Experience in the Development of Posttraumatic Stress Symptoms: A Longitudinal Cohort Study. Birth, 2014, 41, 108-115.	1.1	100
65	The influence of women's preferences and actual mode of delivery on post-traumatic stress symptoms following childbirth: a population-based, longitudinal study. BMC Pregnancy and Childbirth, 2014, 14, 191.	0.9	74
66	Neuroendocrinology of childbirth and mother–child attachment: The basis of an etiopathogenic model of perinatal neurobiological disorders. Frontiers in Neuroendocrinology, 2014, 35, 459-472.	2.5	64
67	Fear of childbirth, postnatal post-traumatic stress disorder and midwifery care. Midwifery, 2014, 30, 145-148.	1.0	70
68	Debriefing interventions for the prevention of psychological trauma in women following childbirth. The Cochrane Library, 2015, , CD007194.	1.5	73
69	The influence of childbirth experiences on women׳s postpartum traumatic stress symptoms: A comparison between Israeli Jewish and Arab women. Midwifery, 2015, 31, 625-632.	1.0	46
70	Post-traumatic stress disorder and the obstetric anaesthetist. International Journal of Obstetric Anesthesia, 2015, 24, 207-209.	0.2	3
71	Post-natal psychopathology and bonding with the infant among first-time mothers undergoing a caesarian section and vaginal delivery: Sense of coherence and social support as moderators. Psychology and Health, 2015, 30, 441-455.	1.2	30
72	In first-time mothers, post-partum depressive symptom prospectively predict symptoms of post-traumatic stress. Journal of Affective Disorders, 2015, 186, 168-170.	2.0	17
73	Group psychoeducation with relaxation for severe fear of childbirth improves maternal adjustment and childbirth experience – a randomised controlled trial. Journal of Psychosomatic Obstetrics and Gynaecology, 2015, 36, 1-9.	1.1	97
74	Maintaining factors of posttraumatic stress symptoms following childbirth: A population-based, two-year follow-up study. Journal of Affective Disorders, 2015, 172, 146-152.	2.0	44
75	The aetiology of post-traumatic stress following childbirth: a meta-analysis and theoretical framework. Psychological Medicine, 2016, 46, 1121-1134.	2.7	401
77	Risk factors associated with post-traumatic stress symptoms following childbirth in Turkey. Midwifery, 2016, 41, 96-103.	1.0	26
78	Posttraumatic Stress Disorder after Vaginal Delivery at Primiparous Women. Scientific Reports, 2016, 6, 27554.	1.6	22

#	Article	IF	CITATIONS
80	Reducing intrusive traumatic memories after emergency caesarean section: A proof-of-principle randomized controlled study. Behaviour Research and Therapy, 2017, 94, 36-47.	1.6	114
81	Birth setting, labour experience, and postpartum psychological distress. Midwifery, 2017, 50, 110-116.	1.0	26
82	Prevalence and risk factors for developing traumatic childbirth in Iran. Zeitschrift Fur Gesundheitswissenschaften, 2017, 25, 275-280.	0.8	15
83	Post-traumatic stress disorder in women and their partners, following severe post-partum hemorrhage: A study protocol for a prospective cohort study. Cogent Medicine, 2017, 4, 1278840.	0.7	5
84	The prevalence of posttraumatic stress disorder in pregnancy and after birth: A systematic review and meta-analysis. Journal of Affective Disorders, 2017, 208, 634-645.	2.0	451
85	The birth beliefs scale – a new measure to assess basic beliefs about birth. Journal of Psychosomatic Obstetrics and Gynaecology, 2017, 38, 73-80.	1.1	28
86	Aetiological relationships between factors associated with postnatal traumatic symptoms among Japanese primiparas and multiparas: A longitudinal study. Midwifery, 2017, 44, 14-23.	1.0	18
87	Different coping strategies influence the development of PTSD among first-time mothers. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 1304-1310.	0.7	10
88	Mental Health Problems Among Childbearing Women: Historical Perspectives and Social Determinants. Integrating Psychiatry and Primary Care, 2018, , 3-20.	0.3	5
89	Maternal Attachment Style, Interpersonal Trauma History, and Childbirth-Related Post-traumatic Stress. Frontiers in Psychology, 2018, 9, 2379.	1.1	9
91	The effects of Psychoeducation on the Traumatic Perception of the Birth Phenomenon in women with Substance-use Disorders. Substance Use and Misuse, 2019, 54, 2066-2074.	0.7	4
93	Postpartum post-traumatic stress disorder: Associated perinatal factors and quality of life. Journal of Affective Disorders, 2019, 249, 143-150.	2.0	46
94	Women's psychosocial outcomes following an emergency caesarean section: A systematic literature review. BMC Pregnancy and Childbirth, 2019, 19, 535.	0.9	34
95	Perinatal factors related to post-traumatic stress disorder symptoms 1–5 years following birth. Women and Birth, 2020, 33, e129-e135.	0.9	38
96	Prevalence of Post-Traumatic Stress Disorder Following Caesarean Section: A Systematic Review and Meta-Analysis. Journal of Women's Health, 2020, 29, 200-209.	1.5	11
97	Validation of perinatal post-traumatic stress disorder questionnaire for Spanish women during the postpartum period. Scientific Reports, 2021, 11, 5567.	1.6	8
98	Obstetric factors associated with postpartum postâ€ŧraumatic stress disorder after spontaneous vaginal birth. Birth, 2021, 48, 406-415.	1.1	9
99	Negotiating who gives birth and the influence of fear of childbirth: Lesbians, bisexual women and transgender people in parenting relationships. Women and Birth, 2021, 34, e271-e278.	0.9	6

#	Article	IF	CITATIONS
100	The Lausanne Infant Crying Stress Paradigm: Validation of an Early Postpartum Stress Paradigm with Women at Low vs. High Risk of Childbirth-Related Posttraumatic Stress Disorder. Journal of Personalized Medicine, 2021, 11, 472.	1.1	1
101	Prevalence of Post-traumatic Stress Disorder in Women with Normal Vaginal Delivery and Those with Caesarian Section. Shiraz E Medical Journal, 2021, In Press, .	0.1	0
102	The associations of subjective appraisal of birth pain and provider-patient communication with postpartum-onset PTSD. Archives of Women's Mental Health, 2022, 25, 171-180.	1.2	6
103	Outcomes of attempted vaginal births after previous recurrent operative vaginal deliveries: An individual cumulative risk analysis. Birth, 2022, 49, 80-86.	1.1	1
104	Trait anxiety and unplanned delivery mode enhance the risk for childbirth-related post-traumatic stress disorder symptoms in women with and without risk of preterm birth: A multi sample path analysis. PLoS ONE, 2021, 16, e0256681.	1.1	16
105	Postpartum Post-Traumatic Stress Symptoms Following Cesarean Section—the Mediating Effect of Sense of Control. Psychiatric Quarterly, 2021, 92, 1839-1853.	1.1	7
106	Trauma and PTSD in the Perinatal Period. , 2021, , 191-229.		2
107	Posttraumatische Belastungs-stĶrungen bei kĶrperlichen Erkrankungen und medizinischen Eingriffen. , 2009, , 415-426.		3
108	Posttraumatische Belastungsstörungen bei körperlichen Erkrankungen und medizinischen Eingriffen. , 2013, , 441-453.		6
110	Post-traumatic stress disorder and childbirth. , 2006, , 170-205.		2
110		0.5	2
	Post-traumatic stress disorder and childbirth. , 2006, , 170-205. Lived Traumatic Childbirth Experiences of Newly Delivered Mothers Admitted to the Postpartum Ward:	0.5	
111	Post-traumatic stress disorder and childbirth. , 2006, , 170-205. Lived Traumatic Childbirth Experiences of Newly Delivered Mothers Admitted to the Postpartum Ward: a Phenomenological Study. Journal of Caring Sciences, 2019, 8, 23-31. Elaboration and Validation of Two Predictive Models of Postpartum Traumatic Stress Disorder Risk Formed by Variables Related to the Birth Process: A Retrospective Cohort Study. International Journal		18
111 112	Post-traumatic stress disorder and childbirth. , 2006, , 170-205. Lived Traumatic Childbirth Experiences of Newly Delivered Mothers Admitted to the Postpartum Ward: a Phenomenological Study. Journal of Caring Sciences, 2019, 8, 23-31. Elaboration and Validation of Two Predictive Models of Postpartum Traumatic Stress Disorder Risk Formed by Variables Related to the Birth Process: A Retrospective Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 92.	1.2	18 6
111 112 113	Post-traumatic stress disorder and childbirth. , 2006, , 170-205. Lived Traumatic Childbirth Experiences of Newly Delivered Mothers Admitted to the Postpartum Ward: a Phenomenological Study. Journal of Caring Sciences, 2019, 8, 23-31. Elaboration and Validation of Two Predictive Models of Postpartum Traumatic Stress Disorder Risk Formed by Variables Related to the Birth Process: A Retrospective Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 92. Correlation between kind of delivery and posttraumatic stress disorder. Annals of Medical and Health Sciences Research, 2016, 6, 356.	1.2	18 6 21
111 112 113 114	Post-traumatic stress disorder and childbirth. , 2006, , 170-205. Lived Traumatic Childbirth Experiences of Newly Delivered Mothers Admitted to the Postpartum Ward: a Phenomenological Study. Journal of Caring Sciences, 2019, 8, 23-31. Elaboration and Validation of Two Predictive Models of Postpartum Traumatic Stress Disorder Risk Formed by Variables Related to the Birth Process: A Retrospective Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 92. Correlation between kind of delivery and posttraumatic stress disorder. Annals of Medical and Health Sciences Research, 2016, 6, 356. Frauenspezifische psychische StĶrungen in der Psychiatrie. , 2008, , 2219-2236.	1.2	18 6 21 0
111 112 113 114 116	Post-traumatic stress disorder and childbirth. , 2006, , 170-205. Lived Traumatic Childbirth Experiences of Newly Delivered Mothers Admitted to the Postpartum Ward: a Phenomenological Study. Journal of Caring Sciences, 2019, 8, 23-31. Elaboration and Validation of Two Predictive Models of Postpartum Traumatic Stress Disorder Risk Formed by Variables Related to the Birth Process: A Retrospective Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 92. Correlation between kind of delivery and posttraumatic stress disorder. Annals of Medical and Health Sciences Research, 2016, 6, 356. Frauenspezifische psychische StĶrungen in der Psychiatrie. , 2008, , 2219-2236. MorbiditĤund MortalitĤ , 1985, , 333-360.	1.2	18 6 21 0

#	Article	IF	CITATIONS
124	Epidural analgesia in labor: A narrative review. International Journal of Gynecology and Obstetrics, 2022, 159, 356-364.	1.0	29
125	Effectiveness of Psychological Interventions to Improve the Mental Well-Being of Parents Who Have Experienced Traumatic Childbirth: A Systematic Review and Meta-Analysis. Trauma, Violence, and Abuse, 2023, 24, 1238-1253.	3.9	9
126	Training des Notfallkaiserschnitts – wenn es schnell und reibungslos funktionieren muss. Im OP, 2022, 12, 34-40.	0.0	0
127	Subjective Birth Experience Predicts Mother–Infant Bonding Difficulties in Women With Mental Disorders. Frontiers in Global Women S Health, 2022, 3, 812055.	1.1	3
128	Mode of birth and development of maternal postnatal <scp>postâ€traumatic</scp> stress disorder: A mixedâ€methods systematic review and <scp>metaâ€analysis</scp> . Birth, 2022, 49, 616-627.	1.1	10
129	The Construct Structures of Psychological and Behavioral Responses to COVID-19 Pandemic in Pregnant Women. Frontiers in Psychiatry, 0, 13, .	1.3	0
130	The Impact of Mode of Birth on Childbirth-Related Post Traumatic Stress Symptoms beyond 6 Months Postpartum: An Integrative Review. International Journal of Environmental Research and Public Health, 2022, 19, 8830.	1.2	4
131	The Involvement of Past Traumatic Life Events in the Development of Postpartum PTSD after Cesarean Delivery. Healthcare (Switzerland), 2022, 10, 1761.	1.0	1
132	The correlation between postpartum stress disorder and maternal anxiety in different types of delivery (vaginal and cesarean section). Central European Journal of Nursing and Midwifery, 2022, 13, 707-713.	0.2	0
134	Initiation of Obstetric Analgesia for Labor and Delivery in Our Hospital. Journal of the Nihon University Medical Association, 2023, 82, 29-34.	0.0	Ο