

# CITATION REPORT

List of articles citing

## Cessation of smoking after first-ever stroke: a follow-up study

DOI: 10.1161/01.str.0000027210.50936.do  
Stroke, 2002, 33, 2263-9.

**Source:** <https://exaly.com/paper-pdf/33976439/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
72	. <i>Current Opinion in Psychiatry</i> , <b>2003</b> , 16, 349-367	4.9	1
71	Bibliography Current World Literature. <i>Current Opinion in Psychiatry</i> , <b>2003</b> , 16, 349-367	4.9	
70	Active and passive smoking and the risk of subarachnoid hemorrhage: an international population-based case-control study. <i>Stroke</i> , <b>2004</b> , 35, 633-7	6.7	80
69	Too late to quit? Effect of smoking and smoking cessation on morbidity and mortality among the elderly in a longitudinal study. <i>Kaohsiung Journal of Medical Sciences</i> , <b>2004</b> , 20, 484-91	2.4	10
68	Blood Pressure, smoking and oral contraceptive control after cryptogenic stroke in young adults in the PFO-ASA Study. <i>Cerebrovascular Diseases</i> , <b>2005</b> , 20, 41-5	3.2	18
67	Antithrombotic management after an ischemic stroke in French primary care practice: results from three pooled cross-sectional studies. <i>Cerebrovascular Diseases</i> , <b>2005</b> , 20, 78-84	3.2	10
66	The adoption of tobacco dependence treatment by rehabilitation clinicians. <i>Disability and Rehabilitation</i> , <b>2005</b> , 27, 147-55	2.4	5
65	Guidelines for prevention of stroke in patients with ischemic stroke or transient ischemic attack: a statement for healthcare professionals from the American Heart Association/American Stroke Association Council on Stroke: co-sponsored by the Council on Cardiovascular Radiology and Intervention: the American Academy of Neurology affirms the value of this guideline. <i>Stroke</i> , <b>2006</b> ,	6.7	1174
64	Guidelines for Prevention of Stroke in Patients With Ischemic Stroke or Transient Ischemic Attack. <i>Circulation</i> , <b>2006</b> , 113,	16.7	347
63	Multimodality stroke prevention. <i>Neurologist</i> , <b>2006</b> , 12, 14-31	1.6	10
62	Evidence-Based Stroke Rehabilitation: Case Analysis Using the International Classification of Functioning, Disability and Health Framework. <i>Physiotherapy Canada Physiotherapie Canada</i> , <b>2007</b> , 59, 22-36	0.8	7
61	La Prevención De La Enfermedad Vascul ar Cerebral Aguda. <i>Revista Científica De La Sociedad Española De Enfermería Neurológica</i> , <b>2007</b> , 26, 38-44	0.1	
60	Stop Stroke: development of an innovative intervention to improve risk factor management after stroke. <i>Patient Education and Counseling</i> , <b>2008</b> , 72, 201-9	3.1	26
59	Secondary prevention of stroke: using the experiences of patients and carers to inform the development of an educational resource. <i>Family Practice</i> , <b>2008</b> , 25, 355-61	1.9	20
58	Patterns of smoking cessation in the first 3 years after stroke: the South London Stroke Register. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>2008</b> , 15, 329-35		35
57	Smoking cessation at 5 years after stroke in the North East Melbourne stroke incidence study. <i>Neuroepidemiology</i> , <b>2009</b> , 32, 196-200	5.4	16
56	Differences in cardiovascular mortality in smokers, past-smokers and non-smokers: findings from the FRENA registry. <i>European Journal of Internal Medicine</i> , <b>2009</b> , 20, 522-6	3.9	14

55	Predictors of smoking abstinence after first-ever ischemic stroke: a 3-month follow-up. <i>Stroke</i> , <b>2009</b> , 40, 2592-3	6.7	24
54	Little change of modifiable risk factors 1 year after stroke: a pilot study. <i>International Journal of Stroke</i> , <b>2010</b> , 5, 157-62	6.3	29
53	Cluster randomized controlled trial of a patient and general practitioner intervention to improve the management of multiple risk factors after stroke: stop stroke. <i>Stroke</i> , <b>2010</b> , 41, 2470-6	6.7	57
52	Tobacco use and cessation among veterans recovering from stroke or TIA: a qualitative assessment and implications for rehabilitation. <i>Topics in Stroke Rehabilitation</i> , <b>2010</b> , 17, 140-50	2.6	1
51	[Predictors of smoking cessation after stroke]. <i>Neurologia I Neurochirurgia Polska</i> , <b>2010</b> , 44, 181-7	1	1
50	Insular lesions and smoking cessation after first-ever ischemic stroke: a 3-month follow-up. <i>Neuroscience Letters</i> , <b>2010</b> , 478, 161-4	3.3	24
49	The impact of smoking on the severity of acute ischemic stroke. <i>Journal of the Neurological Sciences</i> , <b>2011</b> , 308, 94-7	3.2	27
48	Guidelines for the prevention of stroke in patients with stroke or transient ischemic attack: a guideline for healthcare professionals from the american heart association/american stroke association. <i>Stroke</i> , <b>2011</b> , 42, 227-76	6.7	1275
47	Prognosis after Stroke. <b>2011</b> , 219-241		3
46	Low risk of vascular events following urgent treatment of transient ischaemic attack: the Aarhus TIA study. <i>European Journal of Neurology</i> , <b>2011</b> , 18, 1285-90	6	15
45	A randomised controlled pilot study of standardised counselling and cost-free pharmacotherapy for smoking cessation among stroke and TIA patients. <i>BMJ Open</i> , <b>2011</b> , 1, e000366	3	10
44	Stroke patients' awareness of risk and readiness to change behaviors. <i>Topics in Stroke Rehabilitation</i> , <b>2011</b> , 18, 481-9	2.6	7
43	Smoking cessation intervention after ischemic stroke or transient ischemic attack. A randomized controlled pilot trial. <i>Nicotine and Tobacco Research</i> , <b>2012</b> , 14, 443-7	4.9	15
42	Smoking cessation 1 year poststroke and damage to the insular cortex. <i>Stroke</i> , <b>2012</b> , 43, 131-6	6.7	47
41	Long-term use of antiplatelet drugs by stroke patients: a follow-up study based on prescription register data. <i>European Journal of Clinical Pharmacology</i> , <b>2012</b> , 68, 1631-7	2.8	14
40	Predictors of smoking patterns after first stroke. <i>Social Work in Health Care</i> , <b>2013</b> , 52, 467-82	2	7
39	Adherence to guidelines: experience of a canadian stroke prevention clinic. <i>Canadian Journal of Neurological Sciences</i> , <b>2014</b> , 41, 562-7	1	4
38	Hemispheric side of damage influences sex-related differences in smoking cessation in neurological patients. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2014</b> , 36, 551-8	2.1	8

37	Risk factor management in survivors of stroke: a double-blind, cluster-randomized, controlled trial. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 652-7	6.3	13
36	Risk awareness in secondary stroke prevention: a review of the literature. <i>JRSM Cardiovascular Disease</i> , <b>2014</b> , 3, 2048004013514737	1.1	11
35	Diagnosis of diabetes mellitus or cardiovascular disease and lifestyle changes - the Doetinchem cohort study. <i>Preventive Medicine</i> , <b>2014</b> , 59, 42-6	4.3	8
34	Basal ganglia plus insula damage yields stronger disruption of smoking addiction than basal ganglia damage alone. <i>Nicotine and Tobacco Research</i> , <b>2014</b> , 16, 445-53	4.9	47
33	Evaluating stroke patients' awareness of risk factors and readiness to change stroke risk-related behaviors in a randomized controlled trial. <i>Topics in Stroke Rehabilitation</i> , <b>2014</b> , 21 Suppl 1, S52-62	2.6	9
32	Guidelines for the prevention of stroke in patients with stroke and transient ischemic attack: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. <i>Stroke</i> , <b>2014</b> , 45, 2160-236	6.7	2808
31	Smoking and mortality in stroke survivors: can we eliminate the paradox?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2014</b> , 23, 1282-90	2.8	15
30	Recurrent Ischemic Stroke Characteristics and Assessment of Sufficiency of Secondary Stroke Prevention. <i>Noropsikiyatri Arsivi</i> , <b>2015</b> , 52, 139-144	0.4	11
29	Smoking is Not a Good Prognostic Factor following First-Ever Acute Ischemic Stroke. <i>Journal of Stroke</i> , <b>2015</b> , 17, 177-91	5.6	11
28	The clinical significance and reliability of self-reported smoking status in patients with intracranial aneurysms: a review. <i>Clinical Neurology and Neurosurgery</i> , <b>2015</b> , 137, 44-9	2	8
27	Smoking cessation behaviors three months following acute insular damage from stroke. <i>Addictive Behaviors</i> , <b>2015</b> , 51, 24-30	4.2	14
26	Control of main risk factors after ischaemic stroke across Europe: data from the stroke-specific module of the EUROASPIRE III survey. <i>European Journal of Preventive Cardiology</i> , <b>2015</b> , 22, 1354-62	3.9	60
25	Tobacco and end stage renal disease: a multicenter, cross-sectional study in Argentinian Northern Patagonia. <i>Tobacco Induced Diseases</i> , <b>2015</b> , 13, 28	3.2	2
24	Timely Interventions can Increase Smoking Cessation Rate in Men with Ischemic Stroke. <i>Journal of Korean Academy of Nursing</i> , <b>2016</b> , 46, 610-7	1.3	8
23	Taking care of volunteers in a stroke trial: a new assisted-management strategy. <i>Stroke and Vascular Neurology</i> , <b>2016</b> , 1, 108-114	9.1	1
22	Prognosis after Stroke. <b>2016</b> , 234-252.e10		1
21	Correlates of depressive symptoms in individuals attending outpatient stroke clinics. <i>Disability and Rehabilitation</i> , <b>2017</b> , 39, 43-49	2.4	8
20	Recurrent Stroke and Early Mortality in an Urban Medical Unit in Cameroon. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2017</b> , 26, 1689-1694	2.8	11

19	Long-term trends and predictors of smoking behaviors among men following first-ever ischemic stroke. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , <b>2017</b> , 37, 446-452		3
18	Health Behaviors among Stroke Survivors in the United States: A Propensity Score-Matched Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2018</b> , 27, 2124-2133	2.8	4
17	Biological and Psychological Factors Associated With Smoking Abstinence Six Years Post-Stroke. <i>Nicotine and Tobacco Research</i> , <b>2018</b> , 20, 1182-1188	4.9	7
16	Cigarette smoking and smoking-attributable diseases among Estonian physicians: a cross-sectional study. <i>BMC Public Health</i> , <b>2018</b> , 18, 194	4.1	5
15	Prevalence of five lifestyle risk factors among U.S. adults with and without stroke. <i>Disability and Health Journal</i> , <b>2019</b> , 12, 323-327	4.2	13
14	Differential roles of comorbidity burden and functional status in elderly and non-elderly patients with infections in general wards. <i>Journal of the Formosan Medical Association</i> , <b>2020</b> , 119, 821-828	3.2	1
13	Symptoms of depression and active smoking among survivors of stroke and myocardial infarction: An NHANES analysis. <i>Preventive Medicine</i> , <b>2020</b> , 137, 106131	4.3	5
12	A clinical trial comparing smoking cessation interventions at two levels of intensity in stroke patients, stratified by the presence of insular cortex lesions. <i>Nicotine and Tobacco Research</i> , <b>2021</b> ,	4.9	0
11	Clopidogrel Resistance in Patients With Stroke Recurrence Under Single or Dual Antiplatelet Treatment. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 652416	4.1	1
10	Estimation of Vitamin D Levels in Acute Ischaemic Stroke - A Study from Amritsar, Punjab. <i>Journal of Evidence Based Medicine and Healthcare</i> , <b>2021</b> , 8, 3264-3268	0	
9	Smoking Status and Functional Outcomes in Young Stroke. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 658582	4.1	0
8	Rates, Predictors, and Impact of Smoking Cessation after Stroke or Transient Ischemic Attack: A Systematic Review and Meta-Analysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2021</b> , 30, 106012	2.8	3
7	Outcome following Stroke. <b>2004</b> , 35-57		3
6	Persistent smoking after a cardiovascular event: A nationwide retrospective study in Korea. <i>PLoS ONE</i> , <b>2017</b> , 12, e0186872	3.7	5
5	The Change of Smoking Rates before and after Hospital Admission Following Diagnosis of Ischemic Stroke. <i>Journal of the Korean Society for Research on Nicotine and Tobacco</i> , <b>2011</b> , 2, 97-103	0.3	2
4	Early versus conventional stoma closure following bowel surgery: A randomized controlled trial. <i>Saudi Journal of Gastroenterology</i> , <b>2018</b> , 24, 52-58	3	10
3	Stroke modifies drug consumption in opium addicts: role of the insula. <i>Basic and Clinical Neuroscience</i> , <b>2013</b> , 4, 307-14	1.4	4
2	Smoking Cessation in Stroke Survivors in the United States: A Nationwide Analysis. <i>Stroke</i> , <b>2021</b> , STROKEAHA121036941	6.7	1

1 Cigarette Smoking and Age Amplifies Complement-Dependent Injury and Augments Infarct Growth after Murine Ischemic Stroke. *SSRN Electronic Journal*, 1