CITATION REPORT List of articles citing



DOI: 10.1152/japplphysiol.01274.2001 Journal of Applied Physiology, 2002, 93, 705-13.

Source: https://exaly.com/paper-pdf/34008399/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1200	Measuring the lung function in the mouse: the challenge of size. 2003, 4, 4		257
1199	An asymptotic model of unsteady airway reopening. 2003 , 125, 823-31		8
1198	Current world literature. 2003, 16, 75-100		
1197	Dynamic mechanical consequences of deep inflation in mice depend on type and degree of lung injury. <i>Journal of Applied Physiology</i> , 2004 , 96, 293-300	3.7	58
1196	Aerosolized anti-T-cell-receptor antibodies are effective against airway inflammation and hyperreactivity. 2004 , 134, 49-55		14
1195	Dynamic models of ARDS lung mechanics for optimal patient ventilation. 2004 , 2004, 861-4		2
1194	Model predictions of the recruitment of lung units and the lung surface area-volume relationship during inflation. 2004 , 32, 756-63		6
1193	Analysis of atelectasis, ventilated, and hyperinflated lung during mechanical ventilation by dynamic CT. 2005 , 128, 3757-70		54
1192	Lessons from structure-function studies in asthma: myths and truths about what we teach. <i>Journal of Applied Physiology</i> , 2006 , 101, 7-9	3.7	11
1191	Dynamic versus static respiratory mechanics in acute lung injury and acute respiratory distress syndrome. 2006 , 34, 2090-8		1173
1190	Neuromuscular dysfunction acquired during critical illness: a systematic review. 2007 , 11, P342		3
1189	Effects of volume resuscitation on hepatosplanchnic oxygen consumption, liver mitochondrial function and mortality in endotoxemia. 2007 , 11, P29		78
1188	Infusion of sodium sulfide improves myocardial and endothelial function in a canine model of cardiopulmonary bypass. 2007 , 11, P1		5
1187	Cytoprotective and anti-inflammatory effects of hydrogen sulfide in macrophages and mice. 2007 , 11, P2		6
1186	Epithelial cell apoptosis is similar but hypoxic-inducible factor expression is weaker in acute acalculous cholecystitis than in calculous cholecystitis. 2007 , 11, P3		78
1185	Effect of prostaglandin E2 on ATP-induced Ca2+ responses in human THP-1 monocytic cells. 2007 , 11, P4		78
1184	Interferon gamma levels are reduced by adenosine 5Ktriphosphate in lipopolysaccharide-stimulated whole human blood. 2007 , 11, P5		78

1183	and in vitro. 2007 , 11, P6	78
1182	Glibenclamide dose response in patients with septic shock. 2007 , 11, P7	78
1181	Molecular mechanism of glutamine induction of HSP70 involves activation of the O-linked-N-acetylglucosamine pathway in murine embryonic fibroblast cells. 2007 , 11, P8	78
1180	The effects of N-acetylcysteine on the levels of glutathione, serum TNFpand tissue malondialdehyde in sepsis. 2007 , 11, P9	78
1179	Exogenous adrenomedullin reduces the arterial lactate concentration and mean pulmonary arterial pressure in ovine endotoxemia. 2007 , 11, P10	78
1178	Angiopoietin-2 correlates with pulmonary capillary permeability and disease severity in critically ill patients. 2007 , 11, P11	1
1177	Dose-dependent effects of octreotide on plasma activities of IL-6 and lung tissue levels of malondialdehyde in sepsis. 2007 , 11, P12	78
1176	Escherichia coli porcine peritonitis induces histological and transcriptome evidence of cardiac injury. 2007 , 11, P13	1
1175	Alkaline phosphatase treatment improves renal function in patients with severe sepsis or septic shock. 2007 , 11, P14	1
1174	Moderate hypothermia attenuates changes in respiratory system mechanics and cytokine production during low lung volume ventilation in rats. 2007 , 11, P15	78
1173	Effects of neuronal nitric oxide synthase in ovine lung injury. 2007 , 11, P16	78
1172	nNOS and Nox4 go nuclear: nNOS-derived and NADPH oxidase-derived reactive oxygen/nitrogen species promote oxidative nuclear damage in alveolar epithelial cells. 2007 , 11, P17	78
1171	Dose effects of recombinant human IL-11 on the systemic hemodynamic function in hemorrhagic shock. 2007 , 11,	78
1170	Degradation of endothelial glycocalyx provides new insights in the pathogenesis of septic shock microvascular failure. 2007 , 11, P19	78
1169	Exhaled breath condensate mediators in mechanically ventilated brain-injured patients with no acute lung injury are mostly related to markers of systemic inflammation. 2007 , 11, P20	78
1168	Reduced local inflammatory reactivity in septic patients compared with healthy controls. 2007 , 11, P21	78
1167	The evaluation of sivelestat sodium hydrate in acute lung injury/acute respiratory distress syndrome patients in the intensive care unit. 2007 , 11, P22	78
1166	Pharmacological modulation with prolonged administration of moderate doses of steroid in a murine model of septic acute lung injury after burn insult. 2007 , 11, P23	78

1165	Glucosamine enhances heat shock protein 70 expression in vitro and in vivo following injury. 2007 , 11, P24	78
1164	Pharmacologic inhibition of cholinesterase improves survival in experimental sepsis. 2007 , 11, P25	78
1163	Relationship between the presence of serum high-mobility-group box protein 1 and the injury severity score in trauma patients. 2007 , 11, P26	78
1162	Beneficial effects of antiplatelet drugs in patients with community-acquired pneumonia and in endotoxin shock in mice. 2007 , 11, P27	3
1161	Aggressive and moderate fluid resuscitation in septic pigs: consequences on morbidity. 2007, 11, P28	78
1160	Effect of C1-esterase inhibitor treatment on microcirculatory perfusion after superior mesenteric artery ischemia. 2007 , 11, P30	78
1159	Dobutamine protects lymphocyctes against staurosporin-induced apoptosis via a receptor-independent and p38-independent pathway. 2007 , 11, P31	1
1158	Serum vasopressin concentrations in critically ill patients in the intensive care unit. 2007 , 11, P32	78
1157	Effects of simultaneously infused terlipressin and dobutamine in septic shock. 2007 , 11, P33	2
1156	Vasopressin substitution causes microcirculatory changes in patients with septic shock. 2007 , 11, P34	78
1155	Rebound hypotension following terlipressin bolus infusion can be prevented by continuous low-dose infusion of terlipressin. 2007 , 11, P35	1
1154	Apparent heterogenity in splanchnic vascular response to norepinephrine during sepsis. 2007 , 11, P36	78
1153	Effect of norepinephrine on cardiac output and preload in septic shock patients. 2007, 11, P37	78
1152	Tissue Doppler imaging suggests an association between endotoxemia and impaired myocardial relaxation. 2007 , 11, P38	1
1151	Hemodynamic and cardiac peptide in septic myocardial depression: the effects of calcium sensitizer. 2007 , 11, P39	78
1150	Neutrophil oxidative burst evaluation during acute normovolemic hemodilution: preliminary results. 2007 , 11,	78
1149	Relationship of IL-12 and thyroid indices in sepsis. 2007 , 11, P41	78
1148	A network system for the treatment of pediatric septic shock. 2007 , 11, P42	78

1147	Intensive care unit outcome versus haemodynamic status on arrival at a general intensive care unit. 2007 , 11, P43	78
1146	Optimization of antibacterial treatment in pediatric intensive care units using procalcitonin. 2007 , 11, P44	78
1145	Do they know what is sepsis time? Septic Patients Survey Enrolling Staffs study. 2007 , 11, P45	4
1144	Prevalence of endotoxemia in a population of patients admitted to an intensive care unit after elective surgery. 2007 , 11, P46	1
1143	sTREM-1 is not suitable to discriminate survivors and nonsurvivors in surgical patients with severe sepsis or septic shock. 2007 , 11, P47	78
1142	Can plasma-free DNA concentration be a diagnostic tool in critically ill septic patients?. 2007, 11, P48	78
1141	Greater than the sum of its parts: C-reactive protein and the calculated ion gap together are superior in predicting mortality in critically ill surgical patients. 2007 , 11, P49	78
1140	C-reactive protein predicts mortality on admission to a surgical high-dependency unit. 2007 , 11, P50	78
1139	The biphasic aPTT waveform to diagnose sepsis in patients with systemic inflammatory response syndrome. 2007 , 11, P51	1
1138	Functional protein C levels in septic patients. 2007 , 11, P52	78
1137	Severe protein C deficiency association with organ dysfunction and mortality in patients with severe sepsis. 2007 , 11, P53	78
1136	Human protein C concentrate in the treatment of hemolytic uremic syndrome. 2007 , 11, P54	78
1135	Increasing microcirculation after drotrecogin alfa (activated). 2007, 11, P55	78
1134	Multicentre audit of the use of drotrecogin alfa (activated) in UK critical care units. 2007, 11, P56	1
1133	Surviving ratio of severe sepsis treated with activated protein C in one university intensive care unit during 2003\(\textbf{Q} 006. \) 2007, 11, P57	78
1132	A large, single-centre UK registry of drotrecogin alfa-activated use. 2007 , 11, P58	1
1131	Audit of adherence to National Institute of Clinical Excellence guidelines for the use of drotrecogin alfa (activated). 2007 , 11, P59	78
1130	Retrospective observational outcomes for drotrecogin alfa (activated). 2007 , 11, P60	78

1129	Risk/benefit analysis of activated protein C in patients with intra-abdominal sepsis. 2007, 11, P61	78
1128	Three years experience with drotrecogin alfa (activated) protein C in severe sepsis and septic shock at Salmaniya Medical Complex, Bahrain. 2007 , 11, P62	78
1127	Drotrecogin alfa in patients with severe sepsis: experience from a tertiary care center in North India. 2007 , 11, P63	78
1126	Severe sepsis and drotrecogin alfa (activated) use: results from the PROGRESS registry. 2007 , 11, P64	78
1125	Epidemiology of severe sepsis in India. 2007 , 11, P65	16
1124	PISA: the prevalence of infection in intensive care units in South Africa. 2007 , 11, P66	78
1123	Microbiology profile of sepsis in Brazil. 2007 , 11, P67	78
1122	Incidence of bacteraemia in a neurocritical care unit. 2007 , 11, P68	78
1121	Implementation of early goal-directed therapy in Finland. 2007, 11, P69	1
1120	Impact of sepsis care bundles on hospital mortality in 135 consecutive patients with septic shock. 2007 , 11, P70	1
1119	Awareness of the Surviving Sepsis Campaign amongst emergency medicine and surgical trainees. 2007 , 11, P71	78
1118	Compliance with the surviving sepsis guidelines: a review of South African intensive care units. 2007 , 11, P72	78
1117	The outcome of sepsis and septic shock presenting to the Emergency Department in Australia and New Zealand. 2007 , 11, P73	78
1116	Clinical simulation: caring for a critically ill patient with sepsis. 2007 , 11, P74	1
1115	Medical microbiology ward rounds in critical care. 2007 , 11, P75	O
1114	Impact of a selective digestive decontamination and nasal mupirocin on the incidence of ventilatory-associated pneumonia and the emergence of bacterial resistance. 2007 , 11, P76	78
1113	Comparison of bloodstream infections in intensive care unit patients, due to different Gram-negative bacteria. 2007 , 11, P77	78
1112	Maximal barrier precautions, intensivist supervision, and catheter-related bloodstream infections. 2007 , 11, P78	78

1111	Risk of catheter-related bloodstream infection: higher in more severe patients?. 2007 , 11, P79	78
1110	Tunnelled central venous catheter-related infection in cardiothoracic critical care. 2007 , 11, P80	78
1109	ANCCADI [Antibiotic Coated Catheter to Decrease Infection: a pilot trial. 2007, 11, P81	78
1108	Is the blood culture useful in febrile immunocompetent patients in the Emergency Department?. 2007 , 11, P82	78
1107	Impact of early antibiotics on severe sepsis here we doing a good job?. 2007 , 11, P83	78
1106	Protective effect of antibiotic prophylaxis against early-onset nosocomial pneumonia in comatose patients. 2007 , 11, P84	78
1105	Antibiotic prescribing practices in public and private-sector intensive care units in South Africa. 2007 , 11, P85	78
1104	Timing of admissions and outcome of pneumonia in intensive care units in the United Kingdom. 2007 , 11, P86	78
1103	Are routine endotracheal aspirates predictive of the etiology of ventilator-associated pneumonia?. 2007 , 11, P87	3
1102	Comparing a Brazilian guideline to treat nosocomial pneumonia with the ATS guideline in a tertiary hospital in Brazil. 2007 , 11, P88	78
1101	Outcomes from ventilator-associated pneumonia caused by multidrug-resistant organisms or Pseudomonas: results from 28 intensive care units. 2007 , 11, P89	78
1100	Bacterial burden and bronchoalveolar cytokines in mechanically ventilated patients with suspected pneumonia. 2007 , 11, P90	78
1099	Risk factors for treatment failure in patients with ventilator-associated pneumonia receiving appropriate antibiotic therapy. 2007 , 11, P91	78
1098	Intensive care nursesKknowledge of evidence-based guidelines for the prevention of ventilator-associated pneumonia. 2007 , 11, P92	78
1097	Institution-specific guidelines for the management of ventilator-associated pneumonia. 2007 , 11, P93	78
1096	Administration of meropenem for the treatment of ventilator-associated pneumonia. 2007 , 11, P94	78
1095	A randomized trial of combination therapy versus monotherapy for the empiric treatment of suspected ventilator-associated pneumonia. 2007 , 11, P95	78
1094	A canine model of Pseudomonas aeruginosa ventilator-associated pneumonia using a defined bacterial inoculum. 2007 , 11, P96	78

1093	Decrease in intravenous antibiotic use with adjunctive aerosolized amikacin treatment in intubated mechanically ventilated patients with Gram-negative pneumonia. 2007 , 11, P97	2
1092	Management of an outbreak of multiresistant Acinetobacter baumanii infection in a surgical intensive care unit. 2007 , 11, P98	78
1091	Multidrug-resistant Acinetobacter baumannii susceptible only to colistin outbreak in a cardiac surgical intensive care unit. 2007 , 11, P99	78
1090	Hypercalcaemia resulting from the use of tigecycline in the treatment of multidrug-resistant Acinetobacter in patients with multiorgan failure. 2007 , 11, P100	78
1089	A pharmacokinetic basis for improving therapeutic outcomes of aminoglycoside therapy during continuous venovenous haemodiafiltration. 2007 , 11, P101	1
1088	An in vitro study of elimination of oseltamivir carboxylate by haemofiltration. 2007 , 11, P102	78
1087	A post-authorization survey to evaluate plasma concentrations of teicoplanin in adult hospitalized patients treated for sepsis in Gauteng, South Africa. 2007 , 11, P103	78
1086	Linezolid in the treatment of HIV-infected patients with complicated skin and soft tissue infections. 2007 , 11, P104	78
1085	A clinico-microbiological study of extended spectrum Elactamases in the intensive care unit. 2007 , 11, P105	78
1084	Impact of antibiotic utilization measures on acquisition rate of extended spectrum lactamase enzymes producing bacteria. 2007 , 11, P106	78
1083	The contamination by Staphylococcus epidermidis in the intensive care unit. 2007, 11, P107	78
1082	Colonization and infection by MRSA in critically ill patients. 2007, 11, P108	78
1081	Impact of an MRSA search and destroy policy in a tertiary care emergency department. 2007 , 11, P109	78
1080	Candida airway colonization is associated with worse outcomes. 2007 , 11, P110	78
1079	Fungal infections in the intensive care unit? Another approach for defining a target group of patients who benefit from implementing preemptive antimycotic treatment. 2007 , 11, P111	78
1078	Candida colonization and risk of candidemia in a cardiac surgical intensive care unit. 2007, 11, P112	78
1077	Longitudinal evaluation of intensive care unit-related fluconazole use in Spain and Germany. 2007 , 11, P113	78
1076	Seropositivity incidence of anti-Toxoplasma gondii antibodies in critically ill intensive care unit patients. 2007 , 11, P114	78

1075	Consequences of cytomegalovirus reactivation in patients with severe sepsis. 2007 , 11, P115	78
1074	The role of plasminogen activator inhibitor 1 measurement with endotoxin adsorption therapy (PMX-DHP) for postoperative septic shock patients. 2007 , 11, P116	78
1073	Mechanism and effectiveness of polymyxin B-immobilized fiber columns for removing mediators (HMBG-1, 2-arachidonoyl glycerol, anandamide, PAI-1, protein C and IL-6) in septic shock patients. 2007 , 11, P117	78
1072	Characterization of the coupled plasma filtration description resin cartridge adsorptive capacity for cytokines and inflammatory mediators: adsorption profiles from septic patient plasma and in vitro endotoxin-stimulated whole blood. 2007 , 11, P118	1
1071	Removing endocannabinoids and reducing oxidative stress with polymyxin-B-immobilized fibers in patients with septic shock. 2007 , 11, P119	78
1070	Cytokines associated with insulin resistance in critically ill patients. 2007 , 11, P120	78
1069	The effectiveness of octreotide at different doses for sulfonylurea-induced hypoglycemia following overdose. 2007 , 11, P121	78
1068	Hyperglycemia and changes in osmolarity lead to an increase in IL-6 and IL-1\(\textit{L}\)ytokine production of human peripheral blood mononuclear cells in vitro. 2007 , 11, P122	78
1067	Insulin therapy inhibits poly(ADP-ribose)polymerase activation in endotoxin shock. 2007, 11, P123	78
1066	Influence of diabetes and HbA1c on the course and outcome of sepsis in the intensive care unit. 2007 , 11, P124	1
1065	Lipid metabolism and organ dysfunction in septic patients during intensive glycemic control. 2007 , 11, P125	78
1064	Effect of intensive insulin therapy on coagulation and fibrinolysis of respiratory critically ill patients. 2007 , 11, P126	78
1063	Variable adsorption of insulin at catheter materials used in intensive care units: polyethylene vs polyurethane [possible cause for hypoglycemia during intensive insulin treatment?. 2007 , 11, P127	2
1062	Hyperglycemia upon onset of nosocomial bloodstream infection adversely affects outcome in a mixed intensive care unit population. 2007 , 11, P128	78
1061	System for automated discontinuous venous blood withdrawal for glucose determination of patients in the intensive care unit. 2007 , 11, P129	78
1060	Evaluation of the clinical effectiveness of a computerised decision-supported intensive insulin therapy regimen. 2007 , 11, P130	1
1059	Glargine insulin: an alternative to regular insulin for glycemic control in critically ill patients. 2007 , 11, P131	78
1058	Investigation of insulin clearance in severely acutely ill patients with glucose intolerance evaluated by means of bedside-type artificial pancreas. 2007 , 11, P132	78

1057	Diurnal and other variations in blood glucose in intensive care unit patients receiving insulin infusions. 2007 , 11, P133	2
1056	Severe hypoglycaemia during intensive insulin therapy: a rare event in critically ill patients. 2007 , 11, P134	78
1055	Intensive insulin therapy and indications for intensive care admission. 2007 , 11, P135	78
1054	Implementation of glycemic control [problems and solutions. 2007 , 11, P136	78
1053	Computer-advised insulin infusion in critically ill patients harandomized controlled trial. 2007, 11, P137	78
1052	Evaluation of a model predictive control algorithm using time-variant sampling to establish tight glycaemic control in clinical practice. 2007 , 11, P138	78
1051	The effect of tighter glucose control on outcome. 2007 , 11, P139	78
1050	Reliability of arterial, capillary and venous point-of-care glucose measurements in the intensive care unit setting: evaluation of two glucometers. 2007 , 11, P140	1
1049	Implementing tight glycaemic control: performance of bedside glucometers. 2007, 11, P141	78
1048	Comparison of accuracy of glucose-oxidase-based and glucose-dehydrogenase-based point-of-care glucometers. 2007 , 11, P142	O
1047	Continuous glucose monitoring for intensive care patients using whole blood microdialysis. 2007 , 11, P143	78
1046	Subcutaneous glucose monitoring in patients with severe sepsis. 2007 , 11, P144	1
1045	Nutritional support in critically ill patients. 2007 , 11, P145	78
1044	Prokinetics effect on gastric emptying in critically ill ventilated patients measured by the C13 breath test with a novel device. 2007 , 11, P146	1
1043	A study of enteral tube feeding in critically ill patients. 2007 , 11, P147	78
1042	Proton pump inhibitors and the incidence of Clostridium difficile on the intensive care unit. 2007 , 11, P148	78
1041	Retrospective study of dysphagia following hospital discharge of intensive care patients. 2007 , 11, P149	78
1040	Intestinal corticotropin-releasing factor is decreased in shocked trauma patients and may affect gut function. 2007 , 11, P150	78

1039	Using the Cortrak magnetic device to facilitate early enteral nutrition in critically ill patients. 2007 , 11, P151	7
1038	Propranolol attenuates factors affecting hypermetabolism in pediatric burn patients. 2007 , 11, P152	1
1037	Early enteral immunonutrition following gastric and oesophageal surgery. 2007, 11, P153	78
1036	Feasibility of the REDOXS study [reducing deaths due to oxidative stress: a randomized pilot trial of glutamine and antioxidant supplementation in critically ill patients. 2007 , 11, P154	78
1035	Effect of high-dose selenium substitution on selected laboratory parameters and prognosis in critically ill patients. 2007 , 11, P155	2
1034	Magnesium deficiency in the surgical intensive care unit. 2007 , 11, P156	78
1033	Parenteral nutrition in the intensive care unit: can we deliver better care to our patients? Preliminary results from a multicenter, prospective, cohort study. 2007 , 11, P157	78
1032	Ultrasound-guided vs ultrasound-assisted central venous catheterization. 2007 , 11, P158	2
1031	Advantages of ultrasound-guided peripherally inserted venous access (PICC and midline catheters) in critically ill patients. 2007 , 11, P159	78
1030	A comparison between ultrasound-guided central venous line placement and an anatomical landmark technique. 2007 , 11, P160	O
1029	Continuous assessment of inspiratory resistive work during different types of pulmonary oedema in isolated rat lungs. 2007 , 11, P161	78
1028	Prevalence of respiratory support in the community Lihe Surrey experience. 2007, 11, P162	78
1027	Intensive care unit patients on mechanical ventilation at a university hospital in southern Brazil: characteristics, mortality, frequency, and mortality risk factors. 2007 , 11, P163	78
1026	The effects of adaptive pressure ventilation synchronised intermittent mandatory ventilation and pressure-controlled synchronised intermittent mandatory ventilation on pulmonary mechanics and arterial gas analyses during laparoscopic cholecystectomy. 2007 , 11, P164	78
1025	The influence of cycling-off criteria and pressure support slope on the respiratory and hemodynamic variables in intensive care unit patients. 2007 , 11, P165	78
1024	AUTOPILOT-BT: an approach towards automatic mechanical ventilation. 2007, 11, P166	78
1023	The impact of noninvasive versus invasive mechanical ventilatory support on survival in hematological patients with acute respiratory failure. 2007 , 11, P167	78
1022	Physiological variables predictive of survival in patients with acute type II respiratory failure on noninvasive ventilation. 2007 , 11, P168	78

1021	Rapid shallow breathing index la key predictor for noninvasive ventilation. 2007, 11, P169	1
1020	Is threshold useful in accelerating weaning from mechanical ventilation?. 2007, 11, P170	78
1019	Application of treatment bundles reduces days on mechanical ventilation in critically ill patients. 2007 , 11, P171	78
1018	Comparative study of two methods of weaning from mechanical ventilation in a cancer surgical intensive care unit. 2007 , 11, P172	78
1017	Predicting successful weaning in a cohort of elderly patients. 2007 , 11, P173	78
1016	Heart rate variability during weaning from mechanical ventilation. 2007 , 11, P174	78
1015	Assessment of melatonin, cortisol and restactivity rhythms in critically ill patients weaning from mechanical ventilation. 2007 , 11, P175	78
1014	Evaluation of patient parameters that predict success using the SmartCare weaning system. 2007 , 11, P176	78
1013	Assessing the impact of introducing the Kentilator bundleKon outcomes for mechanically ventilated patients. 2007 , 11, P177	78
1012	Hemodynamic changes due to expiratory positive airway pressure by facial mask in the postoperative period of cardiac surgery. 2007 , 11, P178	78
1011	Predicting successful nasal continuous positive airway pressure treatment in newborn infants: a multivariate analysis. 2007 , 11, P179	78
1010	Airway pressure release ventilation in acute lung injury/acute respiratory distress syndrome patients. 2007 , 11, P180	2
1009	Importance of nonlinearities to quantify mechanical pulmonary stress under dynamic conditions: stress index and SLICE method. 2007 , 11, P181	78
1008	Contribution of HMSE-1 to surfactant conversion under acute inflammatory conditions. 2007 , 11, P182	78
1007	Transgenic mice expressing a surfactant protein Būrokinase fusion protein in the distal respiratory epithelium are protected against acute lung injury and postinflammatory fibrosis. 2007 , 11, P183	1
1006	Mini-bronchoalveolar lavage with and without surfactant in the treatment of recurrent atelectasis in pediatric intensive care patients. 2007 , 11, P184	78
1005	Automated mechanical ventilation based on the ARDS Network protocol in porcine acute lung injury. 2007 , 11, P185	1
1004	Efficacy of prone ventilation in adult patients with acute respiratory failure: a meta-analysis. 2007 , 11, P186	О

1003	Continuous long-term prone position ventilation effects in pulmonary acute respiratory distress syndrome patients. 2007 , 11, P187	78
1002	Maximal recruitment strategy guided by thoracic CT scan in severe acute respiratory distress syndrome patients: a case series report. 2007 , 11, P188	78
1001	Low sensitivity of measurements of respiratory mechanics in detecting lung edema from high tidal volume mechanical ventilation. 2007 , 11, P189	78
1000	Pressure dependency of respiratory resistance in patients with acute lung injury and acute respiratory distress syndrome. 2007 , 11, P190	78
999	Alveolar microscopy: on the automatic determination of alveolar size during ventilation. 2007, 11, P191	78
998	Assessment of breath by breath recruitment by electrical impedance tomography in saline lavage lung injury. 2007 , 11, P192	78
997	Nonlinearity of intratidal airway resistance. 2007 , 11, P193	78
996	Noninvasive alveolar recruitment maneuver induces cytokine release in healthy volunteers. 2007 , 11, P194	78
995	Recruitment/derecruitment models fitted to respiratory data of acute respiratory distress syndrome/acute lung injury patients. 2007 , 11, P195	78
994	A novel system for evaluation of pulmonary functional residual capacity in the intensive care unit: preliminary data. 2007 , 11, P196	78
993	High-frequency oscillatory ventilation for trauma patients with acute respiratory distress syndrome who fail conventional mechanical ventilation. 2007 , 11, P197	78
992	Hemodynamic effects of high-frequency oscillatory ventilation in acute respiratory distress syndrome. 2007 , 11, P198	78
991	Outcome predictors of high-frequency oscillatory ventilation in acute respiratory distress syndrome. 2007 , 11, P199	78
990	Monitoring slow recruitment manoeuvres with high-frequency oscillatory ventilation in adult acute respiratory distress syndrome patients using electrical impedance tomography. 2007 , 11, P200	78
989	pH: an overlooked criterion for success in high-frequency oscillatory ventilation in acute respiratory distress syndrome?. 2007 , 11, P201	78
988	Acoustic monitoring of one-lung ventilation with vibration response imaging. 2007 , 11, P202	1
987	Correlation of lung vibration and airflow. 2007 , 11, P203	78
986	The Gliding-SLICE method: an enhanced tool for estimation of intratidal respiratory mechanics. 2007 , 11, P204	2

985	Functional residual capacity measurement during mechanical ventilation in order to find the optimal positive end-expiratory pressure. 2007 , 11, P205	O
984	Analysis of the nonaerated lung volume in combinations of single computed tomography slices lis extrapolation to the entire lung feasible?. 2007 , 11, P206	4
983	Pulmonary expansion and disobstruction maneuver with a closed system in patients with acute lung injury and acute distress syndrome, and its effect on gas exchange. 2007 , 11, P207	78
982	Dry powder nebulization of a recombinant surfactant protein C-based surfactant for treatment of acute respiratory distress syndrome. 2007 , 11, P208	1
981	Changes in respiratory mechanics after fiberoptic bronchoscopy with bronchoalveolar lavage in mechanically ventilated patients. 2007 , 11, P209	78
980	Diagnosis accuracy of thoracic ultrasonography in severely injured patients. 2007, 11, P210	78
979	Prehospital emergency endotracheal intubation using the Bonfils intubation fiberscope. 2007 , 11, P211	78
978	Airway equipment on the intensive care unit for management of the unanticipated difficult intubation. 2007 , 11, P212	78
977	Potential of the AirWay Scope for tracheal intubation in a confined space. 2007 , 11, P213	78
976	A comparison of two types of new bronchial blockers, Uniblocker and Coopdech endotracheal blocker tube, for one-lung ventilation during thoracoscopy. 2007 , 11, P214	78
975	Comparison of the LoTrach and the Portex Soft Seal cuff: tracheal wall pressure and fluid leakage in a benchtop study and a clinical study. 2007 , 11, P215	2
974	Safety of semi-open percutaneous tracheotomy when performed in critically ill burn patients. 2007 , 11, P216	78
973	Outreach-led tracheostomy service in a cardiothoracic centre: early and safe facilitated discharge from critical care. 2007 , 11, P217	78
972	Prevention of airway control loss during percutaneous tracheostomy. 2007, 11, P218	78
971	Routine chest radiography following percutaneous dilatational tracheostomy. 2007, 11, P219	78
970	Biphasic DC shock as a first-line therapy in recent-onset stable atrial fibrillation in the emergency department. 2007 , 11, P220	78
969	Incidence and diagnosis of patients developing atrial fibrillation in intensive care. 2007, 11, P221	78
968	The calcium sensitizer levosimendan reduces the brain natriuretic peptide levels as compared with dobutamine in intensive care unit septic patients with decompensated heart failure. 2007 , 11, P222	2

967	The ADHERE classification and regression tree model overestimates mortality rates in clinical trials: results from REVIVE I & II. 2007 , 11, P223	78
966	Levosimendan in patients with acute cardiogenic shock, not responders to conventional therapy. 2007 , 11, P224	78
965	Retrospective study of proarrhythmic effects of levosimendan during the therapy of heart failure. 2007 , 11, P225	78
964	Levosimendan in myocardial depression due to severe sepsis. 2007 , 11, P226	1
963	The elderly acute coronary syndrome patient: a neglected population?. 2007, 11, P227	78
962	Long-term prognosis of octagenarian patients with ST-elevation acute myocardial infarction treated by primary angioplasty. 2007 , 11, P228	78
961	Outcome in myocardial infarction is related to the morphologic pattern of ST elevation. 2007, 11, P229	78
960	Percutaneous coronary intervention in acute coronary syndrome complicated by states Killip 3 and 4 in 2005. 2007 , 11, P230	78
959	Abstract withdrawn. 2007, 11, P231	78
958	Symptom onset to balloon time in patients with ST-segment elevation myocardial infarction treated by primary coronary angioplasty: influence on ST-segment resolution and on mortality. 2007 , 11, P232	78
957	Coronary collateral circulation status is correlated with the initial electrocardiographic pattern in ST-elevation myocardial infarction. 2007 , 11, P233	78
956	Hemoglobin concentration on admission influences the rate of inhospital 30-day mortality and complications in patients with acute myocardial infarction: a retrospective analysis of 660 Chinese patients. 2007 , 11, P234	1
955	Anaemia at the moment of admittance is associated with higher heart failure and mortality among patients with acute coronary syndrome. 2007 , 11, P235	78
954	Long-term prognostic impact of anemia in patients with ST-elevation acute myocardial infarction treated by primary coronary angioplasty. 2007 , 11, P236	78
953	Cardiogenic shock in the Aachen Digital Myocardial Infarction Registry. 2007, 11, P237	78
952	Intra-aortic balloon counterpulsation: impact on patient hemodynamics in acute myocardial infarction complicated by cardiogenic shock. 2007 , 11, P238	78
951	Elevation of Troponin T in critically ill septic patients is common: but does it matter?. 2007, 11, P239	4
950	Prognostic markers in the acute phase of myocardial infarction. 2007 , 11, P240	0

949	The relationship between blood pressure and plasma magnesium level in hypertensive patients. 2007 , 11, P241	78
948	Precise and ultrarapid control of blood pressure with clevidipine, an arterial selective calcium channel blocker. 2007 , 11, P242	1
947	Clinical meaning and prognosis of the elevation degree of cardiac Troponin I in pericarditis of the adult: short-term and mid-term follow-up results. 2007 , 11, P243	7
946	Emergency electrocardiography-guided pericardiocentesis in cardiac tamponade. 2007 , 11, P244	78
945	Diagnostic accuracy of automated computerised electrocardiogram interpretation compared with a panel of experienced cardiologists. 2007 , 11, P245	1
944	Cystatin C in the prognostic stratification of patients with an acute coronary syndrome. 2007 , 11, P246	78
943	The reduction of the glomerular filtration rate and the presence of microalbuminuria at the moment of admittance reduce the prognostics of patients with an acute coronary syndrome. 2007 , 11, P247	78
942	Circulating levels of tumor necrosis factor alpha, brain natriuretic peptide and cardiac Troponin I upon admission and 31-day mortality in patients with acute decompensated chronic heart failure. 2007 , 11, P248	78
941	Secondary prevention following surgical revascularisation: continuing under-use of angiotensin-converting enzyme inhibitors. 2007 , 11, P249	78
940	Cardiopulmonary exercise testing as a screening test for perioperative management of major cancer surgery: a pilot study. 2007 , 11, P250	4
939	Low-dose dobutamine after surgery in high-risk patients: effects on postoperative complications. 2007 , 11, P251	1
938	Intestinal complications associated with cardiovascular surgical procedures. 2007 , 11, P252	78
937	Combined metabolic parameters and gas exchange to predict morbidity after extracorporeal circulation. 2007 , 11, P253	78
936	Vasoplegic syndrome after cardiopulmonary bypass surgery lassociated factors and clinical outcomes: a nested case-control study. 2007 , 11, P254	1
935	Role of plasminogen activator inhibitor-1 polymorphism on the development of vasoplegic syndrome associated with cardiopulmonary bypass. 2007 , 11, P255	78
934	Complement activation and excessive bleeding in cardiopulmonary bypass surgery. 2007 , 11, P256	1
933	Impact of body mass index on postoperative bleeding in cardiopulmonary bypass. 2007 , 11, P257	78
932	Muscle versus liver mitochondrial respiration in experimental three-hit endotoxemia. 2007 , 11, P258	78

931	Hepatic mitochondrial dysfunction in fluid-resuscitated porcine septic shock. 2007 , 11, P259	78
930	Real-time monitoring of mitochondrial function in the urethral wall. 2007 , 11, P260	78
929	Cytokines monitored by microdialysis detect rejection earlier than current methods in liver transplantation. 2007 , 11, P261	78
928	Microcirculatory hemodynamic alterations during cardiac luxation in off-pump coronary artery bypass grafting surgery. 2007 , 11, P262	78
927	Muscle microcirculation alterations increase with disease severity in chronic heart failure patients. 2007 , 11, P263	78
926	Sublingual microcirculation is impaired during cardiopulmonary bypass in cardiac surgery. 2007 , 11, P264	78
925	Sublingual microcirculation is impaired on the first day postoperatively in patients undergoing gastric tube reconstruction. 2007 , 11, P265	78
924	Oscillation frequency of skin microvascular blood flow is associated with mortality in critically ill patients. 2007 , 11, P266	78
923	Effect of intermittent positive pressure ventilation on the skeletal muscle and small intestine microcirculation in rats. 2007 , 11, P267	78
922	Changes in sublingual microvascular flow during experimental human endotoxemia. 2007 , 11, P268	78
921	Biochemical changes detected by microdialysis in subcutaneous tissue during experimental endotoxemia in rat. 2007 , 11, P269	78
920	Occurrence and functional consequences of shunting of the microcirculation after mesenteric ischemia. 2007 , 11, P270	78
919	Changes in tissue oxygen saturation reflect changes in targeted oxygen delivery in postoperatively optimised patients. 2007 , 11, P271	78
918	General anesthesia impairs muscle microvascular compliance. 2007 , 11, P272	78
917	Skeletal muscle oxygen saturation estimates mixed venous oxygen saturation in patients with severe left heart failure. 2007 , 11, P273	1
916	Tissue oxygen saturation and the rate of tissue deoxygenation during stagnant ischemia in the medical emergency department. 2007 , 11, P274	78
915	Near-infrared spectroscopy during resuscitation of trauma patients predicts development of multiple organ dysfunction: a prospective cohort study. 2007 , 11, P275	1
914	Buccal visible light spectroscopy and laser Doppler flowmetry: reliability analysis. 2007 , 11, P276	78

913	Central venous pressure in a femoral access: a true evaluation?. 2007, 11, P277	1
912	Left ventricular volumes but not filling pressure are determinants of mortality in critically ill patients. 2007 , 11, P278	2
911	Prehospital echocardiography in pulseless electrical activity victims using portable, handheld ultrasound. 2007 , 11, P279	4
910	The effectiveness of transthoracic echocardiography as a screening examination in a noncoronary intensive care unit. 2007 , 11, P280	78
909	Identification of contractility abnormalities in intensive care unit patients with sepsis using tissue Doppler imaging. 2007 , 11, P281	0
908	Determination of intravascular volume status in critically ill patients using portable chest X-rays: measurement of the vascular pedicle width. 2007 , 11, P282	78
907	The role of clinical examination, chest X-ray and central venous pressure in volume assessment in critically ill patients: a comparison with PiCCO-derived data. 2007 , 11, P283	1
906	CliniciansKprediction of advanced cardiopulmonary variables in critically ill patients: a multicenter study. 2007 , 11, P284	78
905	Change of therapeutic plan following advanced cardiopulmonary monitoring in critically ill patients: a multicenter study. 2007 , 11, P285	1
904	Assessment of extravascular lung water and pulmonary vascular permeability evaluated by the pulse contour cardiac output in systemic inflammatory response syndrome patients. 2007 , 11, P286	1
903	Fluid status assessment in mechanically ventilated septic patients. 2007, 11, P287	78
902	Noninvasive cardiac output: accuracy between the ultrasound cardiac output monitor and the esophageal Doppler monitor. 2007 , 11, P288	78
901	Noninvasive cardiac output monitoring: a clinical validation. 2007, 11, P289	1
900	Method comparison he new approach to implementing the BlandAltman analysis to estimate the precision of a new method: tested on 30 critically ill patients monitored with pulse pressure analysis and continuous cardiac output vs intermittent thermodilution. 2007, 11, P290	O
899	Comparison of vascular pedicle width and PiCCO-derived haemodynamic measurements in patients in a general intensive care unit. 2007 , 11, P291	1
898	Reliability of the continuous cardiac index measurement using the pulse contour analysis of the PiCCO system. 2007 , 11, P292	78
897	PiCCO monitoring lare two injections enough?. 2007 , 11, P293	78
896	Lithium dilution cardiac output measurement in the critically ill patient: determination of precision of the technique. 2007 , 11, P294	2

895	measurement. 2007 , 11, P295	78
894	Comparison between uncalibrated cardiac output using the femoral and radial arterial pressure waveform in critically ill patients. 2007 , 11, P296	2
893	Measurement of intrathoracic blood volume by lithium dilution: comparison with thermodilution. 2007 , 11, P297	78
892	Impedance cardiography to assess hemodynamic status: a comparison with transpulmonary thermodilution. 2007 , 11, P298	78
891	Clinical evaluation of the FloTrac/Vigileo system and two established methods for continuous cardiac output monitoring in patients undergoing cardiac surgery. 2007 , 11, P299	78
890	Flow Tractardiac output determination correlates with echocardiography. 2007 , 11, P300	78
889	A survey of cardiac output monitoring in intensive care units. 2007, 11, P301	O
888	CeVOX for continuous central venous oxygenation measurement in patients undergoing off-pump coronary artery bypass grafting. 2007 , 11, P302	78
887	Incidence of low central venous oxygen saturation after standard postoperative intensive care management. 2007 , 11, P303	78
886	Relative influence of hypoxemia and anemia on the measurement of central venous oxygen saturation. 2007 , 11, P304	78
885	Oxygen delivery optimization using lithium indicator dilution and pulse power analysis during major surgery in high-risk patients. 2007 , 11, P305	78
884	Oxygen delivery to carbon dioxide production ratio for continuously detecting anaerobic metabolism in trauma patients. 2007 , 11, P306	78
883	Passive leg raising-induced changes in mean radial artery pressure can be used to assess preload dependence. 2007 , 11, P307	78
882	Pulse pressure variation and adrenal insufficiency in septic shock. 2007 , 11, P308	78
881	Changes in stroke volume and intrathoracic blood volume induced by a sequential leg compression in critically ill patients. 2007 , 11, P309	78
880	Respiratory pulse oximetry plethysmographic waveform amplitude correlates with arterial pulse pressure variations. 2007 , 11, P310	78
879	Assessing fluid responsiveness in patients undergoing abdominal major surgery: a comparison of the respiratory systolic variation test and other indices. 2007 , 11, P311	78
878	Goal-directed intraoperative fluid therapy improved postoperative renal functions in aortic surgical patients. 2007 , 11, P312	78

877	Analysis of physiological functions of different human serum albumin pharmaceutical preparations. 2007 , 11, P313	2
876	Saline-induced hyperchloraemic metabolic acidosis: an unrecognised phenomenon among medical staff?. 2007 , 11, P314	78
875	An individual patient meta-analysis of clinical trials using dopexamine to increase oxygen delivery in high-risk surgical patients. 2007 , 11, P315	78
874	The onset of ventricular isovolumetric contraction as reflected in the carotid artery distension waveform. 2007 , 11, P316	78
873	Critical care utilisation following bariatric surgery. 2007 , 11, P317	78
872	Intrathoracic pressure effects on hepatic flow and inferior vena cava diameter: an ultrasonographic study. 2007 , 11, P318	78
871	Intra-abdominal hypertension as a risk factor of death in patients with severe sepsis or septic shock. 2007 , 11, P319	1
870	Abdominal pressure volume determinants. 2007 , 11, P320	78
869	Bystander CPR for out-of-hospital cardiac arrest in Japan. 2007 , 11, P321	78
868	D-Dimer level and outcome in patients after cardiopulmonary resuscitation. 2007 , 11, P322	78
867	Vasopressin alone or with epinephrine may be superior to epinephrine in asystolic out-of-hospital cardiac arrest: an observational study. 2007 , 11, P323	78
866	Vasopressin, epinephrine, and methylprednisolone in inhospital cardiac arrest. 2007 , 11, P324	2
865	Procalcitonin is a powerful predictor of outcome after cardiopulmonary resuscitation. 2007, 11, P325	78
864	Do patient characteristics or factors at resuscitation influence long-term outcome in patients surviving to be discharged following inhospital cardiac arrest?. 2007 , 11, P326	78
863	Out-of-hospital surface cooling with a cooling-blanket to induce mild hypothermia in humans after cardiac arrest: a feasibility trial. 2007 , 11, P327	78
862	Mild hypothermia induction following cardiac arrest using a water-circulating cooling device. 2007 , 11, P328	78
861	Induction of mild hypothermia in cardiac arrest survivors with cardiogenic shock syndrome. 2007 , 11, P329	78
860	Changes in urinary 8-hydroxy-2-deoxyguanosine in patients with global brain ischemia undergoing brain hypothermia therapy: comparison of whole body and selective head cooling. 2007 , 11, P330	7 8

859	Reduction of magnetic resonance spectroscopy brain temperature by convective head cooling in healthy humans. 2007 , 11, P331	78
858	Induction of therapeutic mild hypothermia after cardiac arrest: a new combined method to achieve the target temperature. 2007 , 11, P332	78
857	A comparison of complications during therapeutic hypothermia between surface cooling and endovascular cooling techniques. 2007 , 11, P333	78
856	Buspirone and dexmedetomidine synergistically reduce the shivering threshold in humans. 2007 , 11, P334	78
855	Bispectral index and suppression ratio are very early predictors of neurological outcome during therapeutic hypothermia after cardiac arrest. 2007 , 11, P335	4
854	Role of bedside electroencephalogram in intensive care: a critical review. 2007 , 11, P336	78
853	Abstract withdrawn. 2007 , 11, P337	78
852	Aneurysmal subarachnoid hemorrhage induces the expression of Pentraxin3 in patients. 2007, 11, P338	78
851	Outcome of intensive care unit patients with spontaneous intracerebral hemorrhage. 2007, 11, P339	78
850	Maintenance of prehospital medical systems due to clinical advance in acute stroke. 2007 , 11, P340	78
849	Effects of intraaortic balloon counterpulsation on middle cerebral artery blood flow velocities. 2007 , 11, P341	78
848	Gram-negative bacteremia is an independent predisposing factor for critical illness polyneuromyopathy. 2007 , 11, P343	78
847	Interhospital cooperation after critical and emergency care for patients with cervicalEhoracicEbdominal trauma and emergency diseases in the local medical area in a typical urban city of Japan. 2007 , 11, P344	78
846	Early hypothermia in severely injured trauma patients is a significant risk factor for multiple organ dysfunction syndrome but not mortality. 2007 , 11, P345	1
845	The nonlactate gap: a novel predictor of organ failure and mortality following major trauma. 2007 , 11, P346	1
844	Prehospital hypotension that persists on arrival at the emergency department is a powerful predictor of mortality following major trauma. 2007 , 11, P347	78
843	Traumatic cardiac injury in chest trauma. 2007 , 11, P348	78
842	Prognosis of blunt abdominal trauma patients with contrast medium extravasation on computed tomography scan. 2007 , 11, P349	1

841	Full-body low-dosage X-ray instead of single X-ray series in trauma: a preliminary experience report of a modified advanced trauma life support algorithm. 2007 , 11, P350	78
840	Peripheral oxygen extraction predicts organ failure and mortality following major trauma. 2007 , 11, P351	78
839	Damage control orthopedics can improve outcome in trauma patients. 2007 , 11, P352	78
838	Head trauma: risk factors for early brain death เbur experience. 2007 , 11, P353	78
837	Sensitivity and specificity of a triage score dedicated to trauma patients in a tertiary-level hospital: preliminary results. 2007 , 11, P354	1
836	Conjunctival and sublingual microcirculation alterations in head trauma patients with increased intracranial pressure. 2007 , 11, P355	1
835	The influence of hypotensive resuscitation in hemorrhagic shock with coexisting severe head injury: an experimental protocol. 2007 , 11, P356	78
834	Hyperoxemia improves cerebral autoregulation in severe traumatic brain injury. 2007 , 11, P357	78
833	C1-inhibitor attenuates neurobehavioral deficits following controlled cortical impact brain injury in mice. 2007 , 11, P358	78
832	Haemostatic activation markers in brain injury for mortality prediction: comparison of blood samples from the jugular bulb and central venous line. 2007 , 11, P359	78
831	Decreased adrenal reserve after etomidate use in moderate and severe traumatic brain injuries: clinical implications. 2007 , 11, P360	1
830	Differential effects of in vitro norepinephrine on platelets isolated from severely traumatic brain injured patients. 2007 , 11, P361	78
829	Ultrasound evaluation and risk factors for deep venous thrombosis in the intensive care unit. 2007 , 11, P362	78
828	Venous thromboembolism in critically ill patients: incidence and risk factors. 2007 , 11, P363	1
827	Cardiopulmonary bypass and recombinant plasminogen activator for treatment of experimental fatal pulmonary embolism. 2007 , 11, P364	78
826	Early coagulation alterations in intensive care unit burn patients. 2007 , 11, P365	78
825	Fibrinolysis during cardiopulmonary bypass detected with thromboelastography. 2007, 11, P366	78
824	ROTEMI thrombelastometry in on-pump cardiac surgery patients. 2007 , 11, P367	78

823	Low-frequency hemoviscoelastography: a new method of diagnostics for coagulation disorders after abdominal surgery for cancer. 2007 , 11, P368	78
822	Thrombin generation in on-pump cardiac surgery patients. 2007 , 11, P369	78
821	Activated clotting time (ACT) measuring devices used simultaneously do not produce correlating ACT values. 2007 , 11, P370	78
820	Orgaran use in intensive care unit patients with heparin-induced thrombocytopenia and acute renal failure. 2007 , 11, P371	78
819	High incidence of positive heparin antibodies in a multidisciplinary intensive care unit. 2007, 11, P372	78
818	The beneficial effects of the combined methods in investigating heparin-induced thrombocytopenia. 2007 , 11, P373	1
817	The effect of male-donor-only fresh frozen plasma on the incidence of acute lung injury following ruptured abdominal aortic aneurysm repair. 2007 , 11, P374	2
816	A biochemical comparison of Octaplas with a universally applicable development product (Uniplas) and single-donor fresh-frozen plasmas subjected to methylene-blue dye and white-light treatment. 2007 , 11, P375	78
815	Octaplex in routine clinical use for prophylaxis and therapy of bleeding in patients with prothrombin complex factor deficiency. 2007 , 11, P376	3
814	Reversal of oral anticoagulation with prothrombin complex concentrate (Octaplex). 2007, 11, P377	78
813	Experience of NovoSeven administration in the management of severe haemorrhage following cardiac surgery of nonhaemophilic patients. 2007 , 11, P378	78
812	Evaluation of the role of recombinant activated factor VII (NovoSeven) as a rescue haemostatic therapy in postcardiopulmonary bypass surgical patients. 2007 , 11, P379	78
811	Factor VII for intractable bleeding after cardiac surgery. 2007 , 11, P380	78
810	Recombinant activated factor VII treatment of severe bleeding in cardiac surgery patients: a retrospective analysis of dosing, and efficacy and safety outcomes. 2007 , 11, P381	78
809	The influence of severe preeclampsia on maternal cerebral perfusion. 2007, 11, P382	78
808	HELLP syndrome: utility of specific classifications as prognostic tools. 2007 , 11, P383	78
807	Stroke and pregnancy: etiology, timing and outcome. 2007 , 11, P384	78
806	Acute renal failure in obstetrics: risk factors and outcome. 2007 , 11, P385	78

805	The majority of patients in a Swedish university hospital intensive care unit have reduced glomerular filtration rate measured by Cystatin C. 2007 , 11, P386	78
804	Fractional excretion of urea in the follow-up of acute renal failure due to prerenal azotemia. 2007 , 11, P387	78
803	Hemodynamic goal-directed intermittent hemodialysis. 2007 , 11, P388	78
802	Predictive factors of dialytic acute kidney injury in patients admitted to the intensive care unit after nontraumatic emergency abdominal surgery. 2007 , 11, P389	78
801	Long-term outcome of patients with contrast-induced nephropathy. 2007, 11, P390	78
800	Survey of acute renal failure in patients after cardiovascular surgery. 2007, 11, P391	78
799	Antifibrinolytic agents and angiotensin-converting enzyme inhibitors: the effect on postoperative renal dysfunction in cardiac surgery. 2007 , 11, P392	78
798	Preoperative assessment of patients undergoing abdominal aortic surgery: chronic kidney disease is almost always present. 2007 , 11, P393	78
797	A comparison of Gc globulin and neutrophil gelatinase-associated lipocalin in patients with liver disease. 2007 , 11, P394	78
796	Fibrinogen as a prognostic indicator in hepatic failure. 2007 , 11, P395	78
796 795	Fibrinogen as a prognostic indicator in hepatic failure. 2007 , 11, P395 Telephone triage for a liver intensive care unit Dadvise or admit?. 2007 , 11, P396	78 1
		<u> </u>
795	Telephone triage for a liver intensive care unit ladvise or admit?. 2007 , 11, P396	1
795 794	Telephone triage for a liver intensive care unit Dadvise or admit?. 2007, 11, P396 What is the role of carboxyhaemoglobin in patients with liver failure?. 2007, 11, P397 Predictive value of indocyanine green clearance in acute liver failure in children: comparison with	78
795794793	Telephone triage for a liver intensive care unit Dadvise or admit?. 2007, 11, P396 What is the role of carboxyhaemoglobin in patients with liver failure?. 2007, 11, P397 Predictive value of indocyanine green clearance in acute liver failure in children: comparison with Kinglé College and Clichy scores. 2007, 11, P398 Pulmonary effects of desferrioxamine in the treatment of an experimental model of fulminant	78 78
795794793792	Telephone triage for a liver intensive care unit (advise or admit?. 2007, 11, P396 What is the role of carboxyhaemoglobin in patients with liver failure?. 2007, 11, P397 Predictive value of indocyanine green clearance in acute liver failure in children: comparison with King & College and Clichy scores. 2007, 11, P398 Pulmonary effects of desferrioxamine in the treatment of an experimental model of fulminant hepatic failure. 2007, 11, P399 Comparison of terlipressin and norepinephrine on cerebral perfusion, intracranial pressure and cerebral concentrations of lactate and pyruvate in patients with acute liver failure: a microdialysis	78 78 78
795 794 793 792 791	Telephone triage for a liver intensive care unit Dadvise or admit?. 2007, 11, P396 What is the role of carboxyhaemoglobin in patients with liver failure?. 2007, 11, P397 Predictive value of indocyanine green clearance in acute liver failure in children: comparison with Kingls College and Clichy scores. 2007, 11, P398 Pulmonary effects of desferrioxamine in the treatment of an experimental model of fulminant hepatic failure. 2007, 11, P399 Comparison of terlipressin and norepinephrine on cerebral perfusion, intracranial pressure and cerebral concentrations of lactate and pyruvate in patients with acute liver failure: a microdialysis study. 2007, 11, P400	78 78 78 78

787	Recurrence rates in patients with first episodes of acute pancreatitis. 2007 , 11, P404	6
786	Replacement of albumin after abdominal surgery. 2007 , 11, P405	1
785	Extravascular lung water following resuscitation of hemorrhagic shock in swine: comparison between RingersKactate and normal saline. 2007 , 11, P406	78
784	Neutrophil elastase suppression by medium-molecular-weight hydroxyethylstarch in orthopaedic surgery. 2007 , 11, P407	78
783	Toxicity of two lipid emulsions on human lymphocytes and neutrophils. 2007, 11, P408	2
782	Haemoglobin concentration influences the chlorideBicarbonate but not the strong ion differenceBicarbonate relationship. 2007 , 11, P409	78
781	Transfusion from male-only vs female donors in critically ill recipients of high plasma volume components. 2007 , 11, P410	78
780	Evaluation of red blood cell transfusion effects in lactate and central venous oxygen saturation in patients with severe sepsis and septic shock. 2007 , 11, P411	78
779	Transfusion profiles in intensive care units from a university hospital. 2007, 11, P412	78
778	National survey of transfusion practices. 2007 , 11, P413	78
777	Could the combination of bleeding time and platelet function predict the perioperative transfusion requirements in cardiac surgery patients?. 2007 , 11, P414	78
776	Emergency staff is in danger. 2007 , 11, P415	78
775	Shaken baby syndrome: the classical clinical triad is still valid in recent court rulings. 2007, 11, P416	1
774	Organophosphate poisoning and related mortality with oxime perfusion. 2007, 11, P417	78
773	Approaches of Turkish anesthesiologists to delirium observed in intensive care unit patients. 2007 , 11, P418	O
772	A comparison of the confusion assessment method for the intensive care unit and the NEECHAM confusion scale in intensive care delirium assessment. 2007 , 11, P419	O
771	The occurrence of delirium is severely underestimated by intensivists and intensive care unit nurses during daily ICU care. 2007 , 11, P420	1
770	Sedation practices in Denmark. 2007 , 11, P421	78

769	Evaluation of two sedation techniques in a casualty department. 2007, 11, P422	78
768	Comparison of dexmedetomidine with propofol/midazolam in sedation of long-stay intensive care patients: a prospective randomized, controlled, multicenter trial. 2007 , 11, P423	1
767	Multimodal short acting sedation using NMDA antagonist and remifentanil in brain trauma patients: a prospective randomised study. 2007 , 11, P424	78
766	Inhalational sedation during transport to the intensive care unit. 2007 , 11, P425	78
765	Pharmacokinetics of single intravenous bolus administration of propofol in preterm and term neonates. 2007 , 11, P426	78
764	Remifentanil vs conventional sedation in The Netherlands: a pharmacoeconomic model analysis. 2007 , 11, P427	Ο
763	Assessment and management of pain in children in A&E: are we doing it the right way?. 2007, 11, P428	78
762	Pain after cardiac surgery. 2007 , 11, P429	1
761	Opioid receptor expression on neutrophils: effect of tumour necrosis factor alpha treatment. 2007 , 11, P430	78
760	Intravenous anesthesia with S-(+)-ketamine for ton-pumpticoronary artery bypass surgery: hemodynamic profile and effect on troponin T levels. 2007 , 11, P431	4
759	Computer management systems and protocols in intensive care units: do we have any benefit?. 2007 , 11, P432	78
758	Decreasing the incidence of ventilator-associated pneumonia using the FAST-HUG evaluation. 2007 , 11, P433	78
757	Significance of postmortem computed tomography in death diagnosis: investigation of the characteristics in patients with cardiopulmonary arrest on arrival. 2007 , 11, P434	78
756	Simulated critical care calls: a simple way to teach complex skills. 2007 , 11, P435	78
755	Required time for certain intensive care unit procedures. 2007 , 11, P436	78
754	Intra-observer and inter-observer variability of clinical annotations of monitoring data. 2007 , 11, P437	78
753	Robust regression methods for intensive care monitoring. 2007 , 11, P438	78
75 ²	ISIS program: a new tool for medical research at the bedside in critical care units. 2007 , 11, P439	1

751	Inter-rater agreement in the triage of calls to a paediatric interhospital transfer service. 2007 , 11, P440	78
75°	Reduction in retrieval mobilisation time over a 5-year period (South Thames Retrieval Service). 2007 , 11, P441	78
749	Ambulance transport is associated with a higher mortality than private transport following major penetrating trauma in a semi-urban environment. 2007 , 11, P442	1
748	The use of a track and trigger system on general medical wards. 2007 , 11, P443	78
747	Design and implementation of needs-specific critical care response teams. 2007, 11, P444	78
746	Multicentre evaluation of the impact of the introduction of outreach services in the United Kingdom. 2007 , 11, P445	1
745	Influence of ABO blood group polymorphism on mortality in intensive care unit patients. 2007, 11, P446	78
744	Contribution of genomic variations within human Edefensin 1 to incidence and outcome of severe sepsis. 2007 , 11, P447	2
743	TNF promoter single nucleotide polymorphisms may influence gene expression in patients with severe sepsis. 2007 , 11, P448	2
742	IL-1/tumor necrosis factor receptor gene expression characterizes sepsis in critically ill systemic inflammatory response syndrome patients. 2007 , 11, P449	78
741	A novel score based on age and cardiac biomarkers predicts outcomes in severe sepsis and septic shock. 2007 , 11, P450	78
740	The calculated ion gap: a novel predictor of mortality in the critically ill surgical patient. 2007, 11, P451	78
739	Lactate levels from arterial, central venous and peripheral venous blood in severe sepsis and septic shock patients. 2007 , 11, P452	1
738	Lung nitroxidative stress as a prognostic factor in ventilated septic patients. 2007 , 11, P453	78
737	Brain natriuretic peptide and left ventricular area variation with fluid challenge in septic shock: an echocardiographic study (preliminary results). 2007 , 11, P454	78
736	Atrial natriuretic peptide reduces the ischemia/reperfusion-induced renal injury in rats by enhancing sensory neuron activation. 2007 , 11, P455	78
735	Mid-regional pro-atrial natriuretic peptide is a strong predictor of outcome in an unselected cohort of critically ill patients. 2007 , 11, P456	78
734	Clinical meaning of brain natriuretic peptide in the intensive care unit. 2007 , 11, P457	78

733	Combining various severity of illness scoring systems to improve outcome prediction: pilot experience in the critically ill obstetric population. 2007 , 11, P458	78
732	Validation of logistic organ dysfunction score prediction compared with APACHE II score prediction hospital outcome in Thai patients. 2007 , 11, P459	78
731	Could we use the admission Acute Physiology and Chronic Health Evaluation II score for outcome prediction in critically ill obstetric patients?. 2007 , 11, P460	0
730	Two-day intensive care unit outcome prediction score: a trial to improve outcome prediction in critically ill obstetric patients. 2007 , 11, P461	78
729	The correlation of the Sequential Organ Failure Assessment score with intensive care unit outcome. 2007 , 11, P462	78
728	Sequential Organ Failure Assessment score as an outcome predictor in malarial multiorgan dysfunction syndrome. 2007 , 11, P463	1
727	Model calibration and discriminatory ability: a comparison of four derived variables from the SOFA score and the SAPS II. 2007 , 11, P464	78
726	Sequential Organ Failure Assessment score trends and sepsis survival in a Brazilian university hospital intensive care unit. 2007 , 11, P465	78
725	Cumulative lactate load correlates with cumulative Sequential Organ Failure Assessment score and survival in intensive care unit patients. 2007 , 11, P466	78
724	Sequential Organ Failure Assessment score and procalcitonin serum concentrations in patients with systolic heart failure early after cardiac surgery. 2007 , 11, P467	78
723	The relationship between mortality and its time of day in intensive care unit patients. 2007, 11, P468	78
722	Simple prediction of mortality in case of readmission to the intensive care unit. 2007 , 11, P469	1
721	Comparison of intensive care unit mortality performances: standardized mortality ratio vs absolute risk reduction. 2007 , 11, P470	78
720	Prediction of the tacrolimus blood concentration in liver transplantation patients with support vector regression during an intensive care unit stay. 2007 , 11, P471	78
719	Effects of the clinical characteristics of the organ donor on the long-term results of the transplant and survival of the patient, with particular reference to kidney transplants. 2007 , 11, P472	78
718	Upregulation of the endothelin axis in alveolar macrophages following brain stem death in a murine model. 2007 , 11, P473	78
717	Prognosis factors in lung transplant recipients readmitted to the intensive care unit. 2007, 11, P474	78
716	Predictors of intensive care unit readmission within 48 hours after discharge. 2007 , 11, P475	7

715	Intensive care unit readmissions after lung transplantation: epidemiology and outcome. 2007 , 11, P476	78
714	The functional outcome of patients requiring intensive care readmission. 2007, 11, P477	1
713	One-year survival of patients admitted to the neurological intensive care unit. 2007, 11, P478	78
712	Use of a modified early warning system to predict outcome in patients admitted to a high dependency unit. 2007 , 11, P479	2
711	Changes of the system of postoperative care decreases mortality in a surgical unit. 2007, 11, P480	1
710	Organizational culture and climate in step-down units. 2007 , 11, P481	78
709	Patient and family satisfaction with care in step-down units. 2007 , 11, P482	1
708	Abstract withdrawn. 2007 , 11, P483	78
707	Causes and consequences of failure of implementation of management plans in critical care. 2007 , 11, P484	78
706	Outcome of very old patients on mechanical ventilation. 2007 , 11, P485	78
706 705	Outcome of very old patients on mechanical ventilation. 2007, 11, P485 Outcome of octogenarians versus nonoctogenarians admitted to the intensive care unit with return of spontaneous circulation after out-of-hospital cardiac arrest. 2007, 11, P486	78 78
<u> </u>	Outcome of octogenarians versus nonoctogenarians admitted to the intensive care unit with return	
705	Outcome of octogenarians versus nonoctogenarians admitted to the intensive care unit with return of spontaneous circulation after out-of-hospital cardiac arrest. 2007 , 11, P486	78
7º5 7º4	Outcome of octogenarians versus nonoctogenarians admitted to the intensive care unit with return of spontaneous circulation after out-of-hospital cardiac arrest. 2007, 11, P486 The costs of intensive care. 2007, 11, P487 Does the Glasgow Coma Scale correctly diagnose the vegetative and minimally conscious states?.	78 78
705 704 703	Outcome of octogenarians versus nonoctogenarians admitted to the intensive care unit with return of spontaneous circulation after out-of-hospital cardiac arrest. 2007, 11, P486 The costs of intensive care. 2007, 11, P487 Does the Glasgow Coma Scale correctly diagnose the vegetative and minimally conscious states?. 2007, 11, P488	78 78 2
705 704 703 702	Outcome of octogenarians versus nonoctogenarians admitted to the intensive care unit with return of spontaneous circulation after out-of-hospital cardiac arrest. 2007, 11, P486 The costs of intensive care. 2007, 11, P487 Does the Glasgow Coma Scale correctly diagnose the vegetative and minimally conscious states?. 2007, 11, P488 Intensive care of the elderly in Finland. 2007, 11, P489	78 78 2
705 704 703 702 701	Outcome of octogenarians versus nonoctogenarians admitted to the intensive care unit with return of spontaneous circulation after out-of-hospital cardiac arrest. 2007, 11, P486 The costs of intensive care. 2007, 11, P487 Does the Glasgow Coma Scale correctly diagnose the vegetative and minimally conscious states?. 2007, 11, P488 Intensive care of the elderly in Finland. 2007, 11, P489 One-year survival and functional outcome in critically ill elderly patients. 2007, 11, P490 The outcome of patients admitted to an intensive care unit with haematological malignancy: a	78 78 2 78 78

697	Five years experience of critical care bereavement follow-up. 2007 , 11, P494	7
696	Quality of life aspects in oncologic patients who survived an intensive care unit admission. 2007 , 11, P495	78
695	Intensive care unit utilization after esophagectomy. 2007 , 11, P496	78
694	Visiting policies in Italian intensive care units: a national survey. 2007 , 11, P497	78
693	Communication with patients during ward rounds on the intensive care unit: a prospective, observational, semiblind study. 2007 , 11, P498	78
692	Hospital volume and outcome following mechanical ventilation on the intensive care unit. 2007, 11, P499	78
691	Continuous education in intensive care for physicians in Brazil: for whom and their needs. 2007, 11, P500	78
690	Data completeness in the Finnish Intensive Care Quality Consortium database. 2007, 11, P501	1
689	Analysis of critical incidents during the interhospital transport of critically ill patients. 2007, 11, P502	1
688	Maximisation of heart and lung donation in a neurosurgical intensive care unit. 2007 , 11, P503	78
687	Medical practices during the last 48 hours of life in children admitted to seven Brazilian Pediatric intensive care units. 2007 , 11, P504	78
686	End-of-life care in the critically ill: a description of knowledge, attitudes and practices of physicians and nurses from Karachi, Pakistan. 2007 , 11, P505	78
685	World Resources in Critical Care Study: a survey of critical care research and resources in eight countries. 2007 , 11, P506	5
684	Effects of reduced tidal volume ventilation on pulmonary function in mice before and after acute lung injury. <i>Journal of Applied Physiology</i> , 2007 , 103, 1551-9	16
683	Reliability of estimating stochastic lung tissue heterogeneity from pulmonary impedance spectra: a forward-inverse modeling study. 2007 , 35, 1722-38	33
682	Assessment of peripheral lung mechanics. 2008 , 163, 54-63	32
681	Modeling the dynamics of recruitment and derecruitment in mice with acute lung injury. <i>Journal of Applied Physiology</i> , 2008 , 105, 1813-21	48
68o	Making "time" for alveolar recruitment. <i>Journal of Applied Physiology</i> , 2009 , 106, 751-2 3.7	

(2010-2009)

679	A minimal model of lung mechanics and model-based markers for optimizing ventilator treatment in ARDS patients. 2009 , 95, 166-80	48
678	Pulmonary mechanics: a system identification perspective. 2009 , 2009, 170-2	13
677	The role of time and pressure on alveolar recruitment. <i>Journal of Applied Physiology</i> , 2009 , 106, 757-65 3.7	99
676	Conditions associated with an abnormal nonspecific pattern of pulmonary function tests. 2009 , 135, 419-424	67
675	A numerical model of the respiratory modulation of pulmonary shunt and PaO2 oscillations for acute lung injury. 2010 , 38, 993-1006	3
674	Modeling the complex dynamics of derecruitment in the lung. 2010 , 38, 3466-77	29
673	Pros and cons of recruitment maneuvers in acute lung injury and acute respiratory distress syndrome. 2010 , 4, 479-89	28
672	Ventilator-associated pneumonia caused by Pseudomonas aeruginosa and respiratory colonization by Candida spp. 2010 , 14, P87	78
671	Abstracts of the 30th International Symposium on Intensive Care and Emergency Medicine. Brussels, Belgium. March 9-12, 2010. 2010 , 14 Suppl 1, P1-602	
670	Sodium 4-phenylbutylate protects against myocardial ischemia-reperfusion injury by reducing unfolded protein response-mediated apoptosis in mice. 2010 , 14, P2	78
669	Time-dependent effects of intravenous H2S during long-term, resuscitated porcine hemorrhagic shock. 2010 , 14, P3	1
668	An ovine intensive care model of septic shock. 2010 , 14, P4	1
667	Effects of temperature and H2S inhalation on glucose metabolism in murine resuscitated septic shock. 2010 , 14, P5	78
666	Mitochondrial respiration and cytochrome c inhibition by sulfide in peritoneal macrophages in vitro: effects of temperature and pH. 2010 , 14, P6	2
665	Alterations of caspase 9 mRNA gene expression in survivors and nonsurvivors of severe sepsis. 2010 , 14, P7	78
664	The TLR4 antagonist CRX-526 reduces LPS-induced leukocyte activation and improves capillary perfusion of the rat intestine. 2010 , 14, P8	78
663	Effects of lipopolysaccharide on isolated muscle mitochondrial respiration are dose and time dependent. 2010 , 14, P9	78
662	Clinical severity and local inflammatory responses in animal models of sepsis. 2010 , 14, P10	78

661	Adenosine increases during human experimental endotoxemia, but does not influence the immune response and subsequent organ injury. 2010 , 14, P11	78
660	Bacterial load plays a crucial role for survival in experimental peritonitis and modulates immunoparalysis of monocytes. 2010 , 14, P12	78
659	Decreased whole blood TNF production capacity after acute alcohol exposure and LPS stimulation ex vivo. 2010 , 14, P13	3
658	Leukocyte immunophenotyping: methodological aspects. 2010 , 14, P14	78
657	Phenotypical analysis of peripheral human T lymphocytes in early sepsis. 2010 , 14, P15	78
656	CD64, a marker of leucocyte activation kinetics after uncomplicated cardiac surgery. 2010 , 14, P16	78
655	Interferon-gamma reverses sepsis-induced immunoparalysis of monocytes in vitro. 2010 , 14, P17	78
654	Early hydrocortisone treatment counteracts circulatory derangement but not cytokine response in porcine endotoxemia. 2010 , 14, P18	78
653	CD40L is selectively expressed on platelets from thrombocytopenic septic patients. 2010 , 14, P19	1
652	Neuronal NOS-inhibition in the setting of septic cardiomyopathy. 2010 , 14, P20	78
651	Urinary albumin excretion is elevated in sepsis, but does not correlate with circulating VEGF-A levels. 2010 , 14, P21	1
650	High mobility group box protein-1 preconditions isolated rat hearts and protects human pulmonary and renal cells against hypoxic injury. 2010 , 14, P22	78
649	Intravenous immunoglobulins prevent breakdown of the blood-brain barrier in experimental sepsis. 2010 , 14, P24	1
648	Early use of immunoglobulin in septic shock. 2010 , 14, P25	1
647	Low levels of immunoglobulin G in patients with sepsis or septic shock: a signum mali ominis?. 2010 , 14, P26	2
646	Background factors in patients receiving immunoglobulin administration and changes in sepsis markers. 2010 , 14, P27	78
645	C1-esterase inhibitor (C1INH) implication in systemic inflammation in sepsis. 2010 , 14, P28	1
644	Prognostic value of B-type natriuretic peptide in critically ill patients with new onset of fever: preliminary study. 2010 , 14, P29	78

(2010-2010)

643	Microalbuminuria evaluated as a biomarker in patients with septic shock. 2010 , 14, P30	78
642	Evaluation of automated hematologic VCS parameters in severe sepsis and septic shock: a case-control study. 2010 , 14, P31	1
641	Use of CD64 for the diagnosis of sepsis: a case-control study. 2010 , 14, P32	1
640	Endotoxin assay with endotoxin scattering photometry is one of the diagnostic markers of sepsis. 2010 , 14, P33	78
639	Immature platelet fraction as predictive index of sepsis. 2010 , 14, P34	1
638	Serial estimation of cytokine markers and their correlation with mortality in elderly patients with sepsis. 2010 , 14, P35	78
637	Influence of TIMP-1/MMP-9 ratio on the severity and mortality in sepsis. 2010 , 14, P36	78
636	Cytokine response in severe sepsis: predicting and modelling the course of illness. 2010 , 14, P37	78
635	Time course of IL-6 and LBP, candidate biomarkers of sepsis in surgical critical care. 2010 , 14, P38	78
634	Prognostic value of melatonin in patients with sepsis: a comparison of survivors and nonsurvivors. 2010 , 14, P39	1
633	Serum C-reactive protein as a prognostic variable in elective surgery ICU patients: especially valuable following esophagectomy. 2010 , 14, P40	78
632	Role of procalcitonin as a diagnostic and prognostic marker of infectious diseases in the emergency department: preliminary data. 2010 , 14, P41	78
631	Evaluation of procalcitonin at James Paget Intensive Care Unit. 2010 , 14, P42	78
630	Procalcitonin facing the postoperative culture results after liver transplantation. 2010 , 14, P43	78
629	Efficiency diagnostic and advantages of procalcitonin and C-reactive protein in the early diagnosis of sepsis. 2010 , 14, P45	78
628	Biomarkers of sepsis in burn patients. 2010 , 14, P46	1
627	Age-related differences of outcomes in patients hospitalized with community-acquired pneumonia are not explained by differences in immune response. 2010 , 14, P47	78
626	A multicentre study of bacteraemia using a new commercial universal 16S rDNA PCR test. 2010 , 14, P49	78

625	Time to antibiotics in sepsis. 2010 , 14, P50	4
624	Utility of an antibiotic guideline in hospital-associated infections. 2010 , 14, P51	78
623	Assessment of antibiotic prescriptions in two French intensive care units. 2010 , 14, P52	78
622	Occurrence of alert pathogens in the clinical materials and consumption of antibiotics in the ICU, in the years 2007 and 2008. 2010 , 14, P53	78
621	Treatment cost of secondary peritonitis in Germany: a comparative study of medical cost incurred for tigecycline therapy and standard regimens. 2010 , 14, P54	78
620	Efficacy and safety of once daily dosing of colistin to critically ill patients. 2010 , 14, P56	78
619	A comparison of the effect on renal function of flucloxacillin and vancomycin antibiotic prophylaxis in cardiac surgery patients. 2010 , 14, P57	78
618	Microdialysis study of meropenem cerebral distribution in patients with acute brain injury. 2010 , 14, P58	78
617	Effects of two regimens of antibiotic prophylaxis on colonizing flora of the respiratory tract in patients with cardiovascular surgery. 2010 , 14, P59	78
616	Prevalence of infections among patients admitted to ICUs in Nordic countries and the Netherlands in comparison with Mediterranean countries: a report from the EPIC II study. 2010 , 14, P60	78
615	Risk factors for the development of carbapenem-resistant Klebsiella pneumoniae infections in critically ill patients. 2010 , 14, P61	78
614	Outcome of unimicrobial versus polymicrobial sepsis. 2010 , 14, P62	2
613	De-escalation practice pattern in an Indian intensive care unit. 2010 , 14, P63	1
612	Incidence, identification of multidrug-resistant pathogens and impact on the outcome after cardiac surgery. 2010 , 14, P64	2
611	Surveillance of ICU-acquired infections in Belgium: 2008 reference data. 2010 , 14, P65	78
610	Risk of acquiring drug-resistant (MDR) Gram-negative isolates with previous exposure to antibiotic. 2010 , 14, P66	78
609	Ozone fumigation successfully controlled and eradicated multidrug-resistant Acinetobacter baumanii from an intensive care unit. 2010 , 14, P67	Ο
608	Viral infections in the ICU: should we search for them?. 2010 , 14, P68	78

(2010-2010)

607	Oseltamivir dosing with haemofiltration. 2010 , 14, P69	6
606	Efficacy and utility of a protocol for pre-emptive antimycotic therapy. 2010 , 14, P70	2
605	Amphotericin B used as a continuous infusion is safer. 2010 , 14, P71	78
604	Anidulafungin compared with fluconazole therapy in critically ill patients. 2010 , 14, P72	5
603	Increase in systolic blood pressure and improvement in laboratory parameters following polymyxin B-immobilized fiber treatment in septic shock. 2010 , 14, P73	78
602	Selection of acute blood purification therapy according to lipid mediator adsorption and blood purification in patients with septic shock. 2010 , 14, P74	78
601	Prognostic assessment in community-acquired pneumonia by pneumonia severity scores and biomarkers. 2010 , 14, P75	78
600	Current progress in pneumonia research. 2010 , 14, P76	78
599	Bacterial colonization and infections of the lower respiratory tract in an interdisciplinary ICU. 2010 , 14, P77	78
598	Rehydration does not affect pulmonary immune responses to influenza or susceptibility to secondary bacterial pneumonia. 2010 , 14, P78	78
597	Bacteremic nosocomial pneumonia cases from the ATTAIN studies. 2010 , 14, P79	78
596	Late ventilator-associated pneumonia: analysis of baseline characteristics and clinical outcomes in the ATTAIN studies. 2010 , 14, P80	1
595	On the diagnosis of acute respiratory distress syndrome in nosocomial pneumonias. 2010 , 14, P81	78
594	Genetic variability at the surfactant proteins A and D in susceptibility and severity of pneumonia. 2010 , 14, P82	1
593	Successful strategy to reduce ventilator-associated pneumonia. 2010 , 14, P83	78
592	Ventilator-associated pneumonia rate and ventilator bundle compliance in a district general hospital. 2010 , 14, P84	78
591	Oral chlorhexidine to prevent nosocomial pneumonia in critically ill patients: a systematic review and meta-analysis. 2010 , 14, P85	78
590	Impact of routine multiple site decontamination in intubated patients on ICU-acquired infections. 2010 , 14, P86	78

589	Time course of RT-PCR positivity in H1N1-induced ARDS. 2010 , 14, P88	78
588	Novel swine influenza A: most frequent ultrasonographic lung patterns. 2010 , 14, P89	78
587	Outcome and prognostic factors in patients with HIV-negative pneumocystis pneumonia requiring mechanical ventilation. 2010 , 14, P90	78
586	Acute respiratory failure from pandemic influenza A (H1N1) in an intensive care unit in southern Brazil. 2010 , 14, P91	4
585	Extracorporeal membrane oxygenation for influenza A (H1N1): experience in a regional referral center. 2010 , 14, P92	78
584	Budd-Chiari syndrome complicated by abdominal compartment syndrome: evidence of central hypovolaemia?. 2010 , 14, P93	78
583	Adenosine signalling has a protective role in intestinal ischemia and reperfusion injury. 2010 , 14, P94	78
582	Threshold levels of extreme body surface area that may cause a misrepresentation of cardiac performance. 2010 , 14, P96	78
581	Cardiac output measurement is feasible in the presence of left-to-right shunt with ultrasound dilution method: a validation study in lambs. 2010 , 14, P97	2
580	The PAPIKAS trial: a comparative clinical trial of pulmonary catheter versus the PiCCO device during therapy of patients with acute heart failure and cardiogenic shock. 2010 , 14, P98	1
579	Bioreactance versus PICCOTD/PC in critically ill septic shock patients. 2010 , 14, P99	1
578	NICOM vs LiDCOlplus during changes in cardiac output in critically ill patients. 2010 , 14, P100	78
577	PulseCO consistency: variation in calibration factor over 24 and 48 hours. 2010 , 14, P102	5
576	Comparison of cardiac output values; pulse contour methods against thermodilution technique. 2010 , 14, P105	78
575	Continuous cardiac output measurement: effect of time. 2010 , 14, P106	78
574	A comparison in cardiac output data: a random effects model for repeated measures. 2010 , 14, P107	78
573	In vivo validation of a new transpulmonary thermodilution method to assess global end-diastolic volume and extravascular lung water. 2010 , 14, P108	78
572	Cardiac index derived from arterial pressure waveform: uncalibrated analysis vs once-only calibrated analysis. 2010 , 14, P109	78

571	Cardiac output monitoring during abdominal aortic cross clamping: a comparison between Vigileo/FloTrac system and transoesophageal Doppler. 2010 , 14, P110	78
570	Stroke volume index assessment using two minimal invasive devices during hemodynamic postoperative optimization. 2010 , 14, P111	78
569	Non-invasive cardiac output monitoring in children: clinical validation. 2010 , 14, P112	2
568	Global end-diastolic volume and its correlation to cardiac index inside and outside normal values. 2010 , 14, P114	78
567	Relationship of stroke volume variation, pulse pressure variation and global end-diastolic volume in patients undergoing brain surgery. 2010 , 14, P115	78
566	The value of pulse pressure variation to predict volume response in patients ventilated with low VT. 2010 , 14, P116	1
565	Pre-ejection period is a reliable parameter to estimate cardiac preload in a hemorrhagic shock. 2010 , 14, P117	78
564	Predictive value of pulse pressure variation for fluid responsiveness after maneuver to change tidal volume in patients with protective ventilatory strategy. 2010 , 14, P118	1
563	Does stroke volume increase after a fluid challenge? A study on the management of patients undergoing major head and neck free flap surgery: preliminary data. 2010 , 14, P119	1
562	Optimizing stroke volume and oxygen delivery in elective abdominal aortic surgery. 2010 , 14, P120	78
561	Oxygen saturation determined from the mouth is an early indicator of central hypovolemia in humans. 2010 , 14, P121	78
560	Plethysmographic indices as predictors of fluid responsiveness: a meta-analysis. 2010 , 14, P122	1
559	Maintenance of cardiac index within normal range is associated with mortality reduction in patients undergoing major urological surgery. 2010 , 14, P123	2
558	Effect of a preload challenge on peripheral perfusion in critically ill patients. 2010 , 14, P124	78
557	Distensibility index of inferior vena cava diameter in ventilated septic and trauma patients with shock. 2010 , 14, P125	1
556	Aortic dP/dtmax accurately reflects left ventricular contractility when effective preload independence is achieved. 2010 , 14, P126	78
555	Cardiac cycle efficiency: a new index for cardiac work estimation tested during aortic valve plasty. 2010 , 14, P127	1
554	Nonocclusive mesenteric ischemia following cardiothoracic surgery. 2010 , 14, P128	78

553	Etiology, comorbidity and prognosis of hospitalized patients with congestive heart failure. 2010 , 14, P129	1
552	Factors associated with intensive care morbidity following surgical repair of tetralogy of fallot. 2010 , 14, P130	78
551	Sildenafil attenuates pulmonary vascular remodeling and upregulates Kv1.5 mRNA expression in pulmonary hypertension secondary to left-to-right shunt in rats. 2010 , 14, P131	78
550	Validation of echocardiographic indices of right ventricular afterload: an experimental, open pericardium pig model. 2010 , 14, P132	78
549	Activation of apoptotic pathways in experimental acute afterload-induced right ventricular failure. 2010 , 14, P133	78
548	High incidence of severely prolonged QT interval after cardiac surgery. 2010 , 14, P134	2
547	Endothelial protein C receptor expression after cardiopulmonary bypass in adult cardiac surgical patients. 2010 , 14, P135	78
546	Urapidyl for hypertension control in severe pre-eclampsia: a comparative study with nicardipine. 2010 , 14, P136	2
545	Comparison of the effects of furosemide, captopril and lorazepam on noncomplicated hypertensive patients in the emergency department. 2010 , 14, P137	78
544	Incidence, risk factors and outcome of hypertensive crises in critically ill patients: a retrospective survey. 2010 , 14, P138	78
543	Comparative study to evaluate blood pressure levels measured by an invasive method versus a non-invasive method in patients in an intensive care unit. 2010 , 14, P139	78
542	Chronic atrial fibrillation in intensive care unit treated with electrical cardioversion: is it appropriate?. 2010 , 14, P140	78
541	Applanation tonometry application in ICU patients with acute cardiogenic edema. 2010, 14, P141	78
540	A better prognosis for septic patients with left ventricular dysfunction?. 2010 , 14, P142	78
539	Microvascular effects of pulsatile versus nonpulsatile perfusion during cardiopulmonary bypass. 2010 , 14, P143	78
538	Microcirculation and intravascular coagulopathy in patients with severe sepsis and septic shock. 2010 , 14, P144	78
537	Prevalence and prognostic significance of cardiac abnormalities in the ICU: an echocardiographic study. 2010 , 14, P145	78
536	BNP and NT-proBNP in patients with acute myocardial infarction complicated by cardiogenic shock: results from the IABP Shock trial. 2010 , 14, P146	6

535	Understanding vital-sign abnormalities in critical care patients. 2010 , 14, P147	78
534	Tissue microdialysis in critically ill septic patients: associations with sepsis severity and mortality. 2010 , 14, P148	1
533	Delayed increase in inflammation and thenar VO2 in marathon runners. 2010 , 14, P149	78
532	Value of peripheral tissue oxygen tension in animal experimental models of haemorrhagic and septic shock. 2010 , 14, P150	78
531	Incidence of a low tissue oxygen saturation in a mixed population of critically ill patients. 2010, 14, P151	2
530	Use of near-infrared spectroscopy during a vascular occlusion test to assess the microcirculatory response during fluid responsiveness. 2010 , 14, P152	1
529	Influence of mechanical ventilation on intestinal microcirculation and inflammation in septic rats. 2010 , 14, P153	78
528	ScvO2 and Pcv-aCO2 as complementary tools for goal-directed therapy during high-risk surgery. 2010 , 14, P154	3
527	Prognostic value of central venous-arterial pCO2 difference in severe sepsis and septic shock patients. 2010 , 14, P155	78
526	Veno-arterial carbon dioxide gradient at the early stage of septic shock. 2010 , 14, P156	2
526 525	Veno-arterial carbon dioxide gradient at the early stage of septic shock. 2010 , 14, P156 Venous-arterial PCO2 difference as an early predictor of organ dysfunction in the ICU. 2010 , 14, P157	78
	Venous-arterial PCO2 difference as an early predictor of organ dysfunction in the ICU. 2010 , 14, P157	
525	Venous-arterial PCO2 difference as an early predictor of organ dysfunction in the ICU. 2010 , 14, P157	78
525 524	Venous-arterial PCO2 difference as an early predictor of organ dysfunction in the ICU. 2010 , 14, P157 Lactate and ScvO2 combinations do not predict mortality in ICU patients. 2010 , 14, P158 Early changes in lactate and central venous saturation combinations do not predict subsequent	78 78
525 524 523	Venous-arterial PCO2 difference as an early predictor of organ dysfunction in the ICU. 2010 , 14, P157 Lactate and ScvO2 combinations do not predict mortality in ICU patients. 2010 , 14, P158 Early changes in lactate and central venous saturation combinations do not predict subsequent changes in organ performance. 2010 , 14, P159	78 78 78
525 524 523 522	Venous-arterial PCO2 difference as an early predictor of organ dysfunction in the ICU. 2010 , 14, P157 Lactate and ScvO2 combinations do not predict mortality in ICU patients. 2010 , 14, P158 Early changes in lactate and central venous saturation combinations do not predict subsequent changes in organ performance. 2010 , 14, P159 Regional lactate and oxygen saturation gradients: preliminary experimental data. 2010 , 14, P160	78 78 78 78
525524523522521	Venous-arterial PCO2 difference as an early predictor of organ dysfunction in the ICU. 2010, 14, P157 Lactate and ScvO2 combinations do not predict mortality in ICU patients. 2010, 14, P158 Early changes in lactate and central venous saturation combinations do not predict subsequent changes in organ performance. 2010, 14, P159 Regional lactate and oxygen saturation gradients: preliminary experimental data. 2010, 14, P160 Metformin increases platelet lactate production by inhibiting mitochondrial function. 2010, 14, P162	78 78 78 78

517	Use of capnography and the availability of airway equipment on UK intensive care units. 2010, 14, P167	78
516	Combined oximetry and transcutaneous capnography is a reliable non-invasive monitoring in patients after cardiac surgery. 2010 , 14, P168	1
515	Computerized lung sound monitoring to assess effectiveness of physiotherapy and secretion removal: a feasibility study. 2010 , 14, P169	3
5 ¹ 4	Analysis of sound waves recorded with the VRI pulmonary acoustic monitoring system in critically ill mechanically ventilated patients. 2010 , 14, P170	78
513	Lung tissue properties obtained by optical alveolar elastometry. 2010 , 14, P171	1
512	Combined monitoring of functional residual capacity and compliance may avoid hyperinflation and cardiac depression in ARDS. 2010 , 14, P172	78
511	Electrical impedance tomography at two thoracic levels provides detailed information about ventilation distribution in the cranial to caudal direction. 2010 , 14, P173	78
510	Changes in regional ventilation determined by volume and pressure-controlled ventilation as assessed by electrical impedance tomography in an experimental model of acid-induced acute lung injury. 2010 , 14,	78
509	Changes in lung tidal distribution assessed by electrical impedance tomography in a model of hemorrhagic shock with endotoxemia and resuscitation. 2010 , 14,	78
508	Estimating the intratidal compliance profile with the new gliding-SLICE method. 2010 , 14, P176	1
507	Atelectasis and overdistension are detected by heartbeat-induced disturbances in the pressure-volume loop. 2010 , 14, P177	78
506	Transpulmonary pressure and ventilation distribution measured with EIT during a PEEP trial in porcine acute lung injury. 2010 , 14, P178	1
505	A prospective pilot study of the effect of neutrophil elastase on the pulmonary vascular permeability in patients with pneumonia. 2010 , 14, P179	78
504	Evaluating the fibroproliferative response to ventilator-induced lung injury. 2010 , 14, P180	78
503	Effects of severe hemorrhage on pulmonary mechanics in ventilated pigs with ARDS. 2010, 14, P181	78
502	Higher versus lower positive end-expiratory pressure in acute lung injury and acute respiratory distress syndrome: systematic review and individual patient data meta-analysis. 2010 , 14, P182	1
501	Effect of different recruitment maneuvers on bacterial translocation. 2010 , 14, P183	78
500	Nonlinear recruitment model with viscoelastic component fit respiratory mechanics in ARDS. 2010 , 14, P184	2

499	Lung recruitment and PEEP response in ARDS-related H1N1 virus patients. 2010 , 14, P185	78
498	Maximal recruitment strategy minimizes tidal recruitment in severe ARDS: a CT scan study. 2010 , 14, P186	78
497	Mechanical ventilation with different alveolar pressures improves alveolar recruitment: a model study. 2010 , 14, P187	78
496	Decreasing tidal volume from 6 to 4 ml/kg: feasibility and effects on repeated opening and closing. 2010 , 14, P188	78
495	Barriers to providing lung-protective ventilation to patients with ALI/ARDS. 2010, 14, P189	1
494	Influence of aetiology of acute respiratory distress syndrome and early differences in oxygenation on outcome. 2010 , 14, P190	78
493	Acute lung injury in TBI patients with SIRS: role of vascular endothelial damage. 2010 , 14, P191	1
492	Mechanical ventilation aggravates transfusion-related acute lung injury induced by MHC class I antibodies. 2010 , 14, P192	78
491	Adaptive support ventilation may be inappropriate for patients with ALI/ARDS after recruitment: an observational study. 2010 , 14, P193	78
490	Receptor for advanced glycation end products is associated with systemic and organ-specific severity of acute lung injury and acute respiratory distress syndrome. 2010 , 14, P194	1
489	Mild hypothermia was protective in a physiological model of ventilator-induced lung injury by reducing inflammation but not by reducing the respiratory rate. 2010 , 14, P195	78
488	Effect of induced hypothermia on respiratory parameters in mechanically ventilated patients. 2010 , 14, P196	78
487	Extracorporeal life support service in a regional referral center: the Florence experience. 2010 , 14, P197	78
486	Interhospital ground transportation of severe acute respiratory distress syndrome patients on extracorporeal membrane oxygenation: Monzals experience. 2010, 14, P198	78
485	Effects of hypertonic saline on a pig model of acute lung injury induced by hydrochloric acid instillation. 2010 , 14,	78
484	Conventional mechanical ventilation can injury intact lungs in severe trauma patients. 2010 , 14, P200	1
483	Protective effect of methylprednisolone on ventilator-induced diaphragm dysfunction is dose dependent. 2010 , 14, P201	78
482	Alveolar recruitment with non-invasive mechanical ventilation (C-PAP) in patients with nonobstructive respiratory failure. 2010 , 14, P202	78

481	N-acetylcysteine attenuates ventilator-induced diaphragm dysfunction in rats. 2010 , 14, P203	78
480	In vitro muscle contraction force measurements on isolated and entire rat diaphragms. 2010 , 14, P204	1
479	Useful of implementation of neurally adjusted ventilatory assist in critically ill patients. 2010 , 14, P205	1
478	Twenty-four-hour neurally adjusted ventilatory assist and volume cycled ventilation have similar effects on respiratory neuromuscular function in a porcine model of fecal peritonitis. 2010 , 14, P206	78
477	Effects of conventional and closed-loop neurally adjusted ventilatory assist in intubated spinal cord injured patients. 2010 , 14, P207	78
476	A level of neurally adjusted ventilatory assist corresponds to low levels of continuous positive airway pressure and pressure support ventilation in patients preparing to be extubated from mechanical ventilation. 2010 , 14, P208	78
475	Towards partially automated ventilation: adapting decision-making according to medical preferences. 2010 , 14, P209	78
474	Postoperative pulmonary complications in adult elective surgery patients in the US: severity, outcomes and resources use. 2010 , 14, P210	10
473	Increased duration of mechanical ventilation is associated with decreased diaphragmatic force. 2010 , 14, P211	1
472	Haemodynamics and volhaemic stage in patients with respiratory disorders to thermal injury. 2010 , 14, P212	78
471	Invasive mechanical ventilation in cancer patients: prior non-invasive ventilation is a poor prognostic factor. 2010 , 14, P213	78
470	Laryngeal angioedema: do we need a new treatment algorithm in the ER?. 2010 , 14, P214	78
469	Comparison of two insertion techniques of the ProSeal laryngeal mask airway: standard versus 90° rotation in pediatric patients. 2010 , 14, P215	78
468	Endotracheal intubation in the critically ill: complication rate and use of intubation aids. 2010 , 14, P216	78
467	Intensity and adequacy of laryngoscope light in seven intensive care units. 2010, 14, P217	78
466	Airtraq: new device in patients at increased risk for difficult tracheal intubation. 2010 , 14, P218	78
465	Evaluation of a new tracheostomy technique for morbidly obese patients on an intensive care unit. 2010 , 14, P219	2
464	Our percutaneous tracheostomy experiences using the rotation-dilatation screw method. 2010 , 14, P220	78

463	Single-step vs balloon dilatation tracheostomy: a pilot study on 20 tracheostomies. 2010 , 14, P221	78
462	Recruitment maneuver for prevention of alevolar derecruitment during percutaneous dilation tracheostomy. 2010 , 14, P222	78
461	An audit of timing of tracheostomy formation in neurosurgical patients: how long should we wait?. 2010 , 14, P223	78
460	Percutaneous dilational tracheotomy in adult burn patients. 2010 , 14, P224	2
459	Safety of percutaneous tracheostomy in trauma patients. 2010 , 14, P225	3
458	Safety of balloon dilatational tracheostomy with the Ciaglia Blue Dolphin device. 2010 , 14, P226	78
457	Influence of the cuff pressure on the swallowing reflex in tracheostomized ICU patients. 2010 , 14, P227	78
456	Microaspirations during mechanical ventilation: polyurethane versus polyvinyl cuffed endotracheal tubes. 2010 , 14, P228	78
455	Do endotracheal tubes prevent microaspiration?. 2010 , 14, P229	4
454	A cuff -leak pressure test is a simple method for assessing severe laryngeal edema in postoperative patients. 2010 , 14, P230	78
453	Code critical airway teams improves patient safety. 2010 , 14, P231	3
452	A prospective evaluation of hemodynamic indexes to predict weaning from mechanical ventilation in patients after cardiac surgery. 2010 , 14, P232	78
451	Rapid shallow breathing index predicts readiness to wean?. 2010 , 14, P233	78
450	Increasing pressure support during vibrocompression is useful during respiratory therapy?. 2010 , 14, P234	78
449	Predicting success in weaning from mechanical ventilation in patients with and without cardiac disease. 2010 , 14, P235	78
448	Implementation of a standardised weaning protocol in patients with prolonged mechanical ventilation in a post-acute care ICU. 2010 , 14, P236	O
447	Comparison of pressure control and pressure support modes for non-invasive mechanical ventilation in acute hypercapnic respiratory failure. 2010 , 14, P237	1
446	Non-invasive CPAP with face mask: comparison between different devices. 2010 , 14, P238	1

445	Effects of non-invasive mechanical ventilation on hemodynamic and gas exchanges parameters after cardiac surgery in patients with 300 >PaO2/FiO2 >150. 2010 , 14, P239	78
444	Non-invasive positive pressure ventilation in burns. 2010 , 14, P240	78
443	Non-invasive mechanical ventilation in the weaning process: continuous hemodynamic monitoring. 2010 , 14, P241	78
442	Influence of severe obesity on non-invasive ventilation strategies and responses in patients with acute hypercapnic respiratory failure in ICU. 2010 , 14, P242	1
441	A simple predictive scoring system for prolonged mechanical ventilation in severe sepsis and septic shock. 2010 , 14, P243	78
440	Simplified approach to ICU severity scoring with MPM and EUROSCORE. 2010 , 14, P244	78
439	Validation of a computerised system to calculate the sequential organ failure assessment score. 2010 , 14, P245	3
438	Sequential Organ Failure Assessment scores and mortality. 2010 , 14, P246	78
437	Bacteremia, APACHE II and need for renal replacement therapy are independent predictors of mortality in critically ill transplanted patients with cirrhosis. 2010 , 14, P247	78
436	External validation of six mortality prediction systems for intensive care unit patients. 2010 , 14, P248	78
435	Prognostic accuracy of severity score for prolonged ICU length of stay >72 hours in general surgical ICU: a prospective study. 2010 , 14, P249	78
434	Perioperative scores to predict mortality in surgical oncologic patients: a review of 1,362 cases. 2010 , 14,	78
433	Scoring patients with a suspected infection in the emergency department (ED): comparison of the ED-specific MEDS score with APACHE II and SOFA score. 2010 , 14, P251	1
432	Validation of the new proposed Emergency Trauma Score (EMTRAS). 2010 , 14, P252	2
431	A new severity score for community-acquired pneumonia: PARB score. 2010 , 14, P253	2
430	Modified Early Warning Score and identification of patients with severe sepsis. 2010 , 14, P254	78
429	Impact of a systematic MEWS introduction on preoperative and postoperative evaluation in urgent/emergency surgery. 2010 , 14, P255	2
428	Clinical predictors of physiological deterioration. 2010 , 14, P256	78

427	Modified Early Warning Scores: inaccurate summation or inaccurate assignment of score?. 2010 , 14, P257	8
426	Analysis of Modified Early Warning System scores and intraoperative factors on the incidence of sepsis and septic shock after elective major surgery. 2010 , 14, P258	2
425	Temporal variability of medical emergency team calls. 2010 , 14, P259	78
424	Medical emergency team use and outcomes in an Australian private hospital. 2010 , 14, P260	1
423	Continuously improving patient safety by a rapid response system. 2010 , 14, P261	78
422	Role of critical care outreach to provide the intention to treat of hematological disorders: a pilot study. 2010 , 14, P262	78
421	Score to door time: a benchmarking tool for rapid response systems. 2010 , 14, P263	1
420	A comparison of injected lidocaine 2% and no analgesia for peripheral intravenous cannula insertion in the emergency department. 2010 , 14, P264	78
419	High-sensitive troponin T measurement for patients with acute chest pain: improvement of diagnostics?. 2010 , 14, P265	78
418	Correlation of lung comet score with decreased gas exchange in patients with acute pulmonary edema: a pilot study. 2010 , 14, P267	78
417	Magnitude of first medical contact in the long-term prognosis of patients treated with STEMI. 2010 , 14, P268	78
416	Ultrasound-guided hematoma block and fracture reduction: a new way to go forward. 2010 , 14, P269	2
415	Pulmonary edema in the prehospital setting: the importance of early treatment. 2010 , 14, P270	78
414	Efficacy of bedside ultrasonography in early diagnosis of patients admitted to the emergency department with dyspnea. 2010 , 14, P271	78
413	Auscultation in flight: comparison of amplified and traditional stethoscopes. 2010 , 14, P272	1
412	Performance of ventilators at simulated altitude: study of fraction of inspired oxygen. 2010 , 14, P273	78
411	Aeromedical evacuation of the French Army: survey of the past 10 years. 2010 , 14, P274	1
410	Comparison of two disaster drillsKmanagement performed by trained and not-trained students: key times evaluation. 2010 , 14, P275	78

409	Acute severe asthma: performance of ventilator at simulated altitude. 2010 , 14, P276	78
408	Validation of a new French-language triage algorithm: the ELISA scale. 2010 , 14, P277	1
407	Examining the suitability of medical admissions to the emergency short stay ward of a large UK hospital. 2010 , 14, P278	3
406	A study on reliability of a new triage emergency method among nursing students. 2010 , 14, P279	₇ 8
405	Aggression and violence against staff of ambulance services. 2010 , 14, P280	78
404	Analysis of the disease spectrum of treated patients after Wenchuan earthquake. 2010 , 14, P281	78
403	Large-scale implementation of a critical care surge capacity management program. 2010, 14, P282	78
402	Standard X-rays for the victims of severe trauma: time for a change. 2010 , 14, P283	78
401	Focused assessment with sonography for trauma in the prehospital setting. 2010, 14, P284	0
400	Clinicopathogenetic aspects of systemic inflammatory response development in polytrauma. 2010 , 14, P285	78
399	Diagnostic and prognostic significance of serum apoptosis markers in the patients with severe trauma injury. 2010 , 14, P286	78
398	Predictors of mechanical ventilation after burn injury. 2010 , 14, P287	78
397	Impact of regional imaging guidelines for head injury and unconscious polytrauma patients. 2010 , 14, P288	78
396	Blunt vascular injuries of the carotid and vertebral arteries: should we screen the asymptomatic trauma patients at high risk? Preliminary results of a prospective cohort study. 2010 , 14, P289	₇ 8
395	Effect of 8.4% sodium bicarbonate on raised intracranial pressure after traumatic brain injury. 2010 , 14, P290	78
394	Hypernatremia in pediatric patients with severe traumatic brain injury. 2010 , 14, P291	78
393	Use of transcranial Doppler in patients with severe traumatic brain injury. 2010 , 14, P292	2
392	Effect of hyperbaric oxygen on cerebral oxygen saturation in patients with sub-acute traumatic brain injury. 2010 , 14, P294	₇ 8

391	Brain biomarkers and brain tissue oxygenation: changes and correlations following severe head injury. 2010 , 14, P295	78
390	Cortex and deep grey matter have different sensitivities to hypoxia-hypotension and traumatic brain injury: a combined PtiO2 and microdialysis study in rats. 2010 , 14, P296	78
389	Diagnosis of carotid and vertebral artery injury in major trauma with head injury. 2010 , 14, P297	78
388	Decompressive craniectomy in severe intracranial hypertension after brain injury: early or late?. 2010 , 14, P298	78
387	Optic nerve ultrasound for detecting intracranial hypertension. 2010 , 14, P300	1
386	Measurement of neuronal specific enolase as a predictor of outcome in patients suffering from severe traumatic brain injury. 2010 , 14, P301	78
385	Hyperphosphorylated neurofilament NF-H, S100(and NSE as indicators of severity of brain injury in children. 2010 , 14, P302	78
384	A simple hospital discharge score predicts Glasgow Outcome Scale at 12 months in patients with traumatic brain injury. 2010 , 14, P303	78
383	Outcome of aggressive treatment for blunt and penetrating traumatic cardiac arrest. 2010 , 14, P304	78
382	Using flow-rate limiting bag-valve-mask device without training. 2010 , 14, P305	78
381	Out-of-hospital cardiac arrest and resource utilisation in the ICU. 2010 , 14, P306	78
380	Comparison of external cardiac compression on the floor and in a dental chair. 2010 , 14, P307	78
379	Time factors rather than type and/or nature of CPR modify the prognosis of out-of-hospital cardiac arrests witnessed by bystanders. 2010 , 14, P309	78
378	Use of the laryngeal tube by paramedics during prehospital resuscitation: an observational study. 2010 , 14, P310	78
377	The i-gel supraglottic airway as an alternative in the preclinical emergency medical aid? A comparative study on a manikin. 2010 , 14, P311	78
376	Retention of skills during emergency airway management training: a 12-month follow-up. 2010 , 14, P312	2
375	Factors correlated with the advanced life support simulation performance of senior medical students. 2010 , 14, P313	78
374	Aging augments unwllingness to the initial three links in chains of survival. 2010 , 14, P314	78

373	Prediction of the success of cardiac resuscitation: a pattern classification approach based on ECG spectral and temporal features. 2010 , 14, P315	78
372	Dispatcher-assisted telephone cardiopulmonary resuscitation using a French compression-only protocol: performance of volunteers with or without prior life support training. 2010 , 14, P316	78
371	CPR team membersKattitudes towards family presence during cardiopulmonary resuscitation. 2010 , 14, P317	78
370	Prehospital therapeutic hypothermia induced with cold infusions improves haemodynamic stability in nonshockable cardiac arrest patients. 2010 , 14, P318	1
369	Trans-nasal cooling during CPR: a single-center experience. 2010 , 14, P319	1
368	Intra-arrest cooling using a novel intra-nasal cooling method for immediate induction of therapeutic hypothermia in Germany. 2010 , 14, P320	78
367	Therapeutic hypothermia after cardiac arrest: implementation in UK intensive care units. 2010, 14, P321	78
366	Hospital-wide therapeutic hypothermia protocol significantly reduces the time to induce hypothermia but does not improve outcomes. 2010 , 14, P322	78
365	Induced hypothermia after cardiac arrest for 12 hours: single-centre experience. 2010 , 14, P323	78
364	Survival following adult cardiac arrest in intensive care units: a 5-year retrospective analysis. 2010 , 14, P324	78
363	Effects of bed height and time on the quality of chest compressions during cardiopulmonary resuscitation. 2010 , 14, P325	78
362	New results about early therapeutic hypothermia in sudden cardiac death and following return of spontaneous circulation. 2010 , 14, P326	78
361	Infection rates among cooled patients post cardiac arrest. 2010 , 14, P327	78
360	Strategies to implement a therapeutic hypothermia program. 2010 , 14, P328	78
359	A comparison of core and tympanic temperature measurement in the critically ill. 2010, 14, P329	1
358	Can we predict neurological prognoses with computed tomography just after resuscitation?. 2010 , 14, P330	78
357	Unintended consequences of technology improvement. 2010 , 14, P331	78
356	Bispectral Index Scale alterations in brain death patients. 2010 , 14, P332	78

355	Prognosis in patients presenting with nontraumatic coma. 2010 , 14, P333	2
354	Dynamic changes in cerebral oxygenation by two methods during cardiac surgery and postoperative cognitive decline. 2010 , 14, P334	1
353	Acetazolamide-induced cerebrovascular reactivity is impaired in sepsis-associated encephalopathy. 2010 , 14, P335	1
352	Epidemiological analysis of patients with cerebral aneurysms submitted to embolization at Sb Jos[do Ava[Hospital. 2010 , 14, P336	78
351	Frequency/prevalence analysis of risk factors on aneurysmal subarachnoid hemorrhage. 2010 , 14, P337	1
350	Monitoring regional brain oxygen saturation in patients with clipped aneurysms of the anterior circle of Willis. 2010 , 14, P338	78
349	Early prognosis value of the first 24 hours mean plasma S100[protein level after subarachnoid aneurysmal hemorrhage. 2010 , 14, P339	78
348	Altered aortic stiffness associated with stress cardiomyopathy in patients with aneurysmal subarachnoid haemorrhage. 2010 , 14, P340	78
347	Effect of packed red blood cell transfusion on cerebral oxygenation and metabolism after subarachnoid hemorrhage. 2010 , 14, P341	1
346	Comparison of surgical or endovascular treated aneurismal SAH patients with a special emphasis on cerebral vasospasm. 2010 , 14, P342	78
345	Prediction of cerebral vasospasm in patients with aneurysmal subarachnoid hemorrhage using jugular bulb oximetry monitoring: preliminary results. 2010 , 14, P343	О
344	Magnesium use on prophylaxis of vasospasm morbidity and mortality rate in subarachnoid hemorrhage. 2010 , 14, P344	78
343	Effects of sinvastatin in prevention of vasospasm in nontraumatic subarachnoid hemorrhage: preliminary data. 2010 , 14, P345	78
342	Addition of new criteria to Sequential Organ Failure Assessment for patients with subarachnoid hemorrhage. 2010 , 14, P346	78
341	Cardiac output augmentation with fluid resuscitation improves brain tissue oxygenation after severe brain injury. 2010 , 14, P347	78
340	Multicentre experience of using ICM+ for investigations of cerebrovascular dynamics with near-infrared spectroscopy. 2010 , 14, P348	2
339	Cerebral oxygen saturation and cerebral blood flow are relatively stable during single-lung ventilation, if normocapnia is maintained. 2010 , 14, P349	78
338	Factors affecting the transient hyperaemic response test of the cerebral autoregulation. 2010 , 14, P350	78

337	Infection associated with the external ventricular derivation catheter: preliminary data. 2010 , 14, P351	78
336	fMRI default mode connectivity in vegetative state and locked-in syndrome patients. 2010 , 14, P352	78
335	Incidence of cerebral salt wasting syndrome: comparison in subarachnoid haemorrhagic compared with head trauma. 2010 , 14, P353	78
334	Sodium dysbalances in neurointensive care: results of a 5-year prospective study. 2010 , 14, P354	78
333	Impact of hypernatremia on patients with severe traumatic brain injury. 2010 , 14, P355	5
332	Prevalence and clinical setting of SIADH in neurosurgery: comparison between subarachnoid haemorrhage and head trauma. 2010 , 14, P356	78
331	Risk factors for venous thromboembolism in Japanese patients with severe blunt trauma. 2010 , 14, P357	78
330	Safety of heparin prophylaxis for venous thromboembolism in patients with neurotrauma. 2010 , 14, P358	78
329	Prevalence and incidence of proximal deep vein thrombosis in critically ill patients. 2010 , 14, P359	78
328	Trauma patients with prophylactic IVC filter and chemical prophylaxis: a descriptive study. 2010 , 14, P360	78
327	Clinical signs and risk factors of acute deep vein thrombosis of lower extremities in patients after abdominal surgery for cancer: efficiency and safety of different types of anticoagulant therapy. 2010 , 14, P361	78
326	Multidrug sedation as a risk factor for deep vein thrombosis in the intensive care unit. 2010 , 14, P362	78
325	New method diagnostics for coagulation disorders after surgery. 2010 , 14, P363	78
324	Thrombocytopenia in surgical ICU patients. 2010 , 14, P364	78
323	Platelet count as a prognostic marker in intensive care. 2010 , 14, P365	1
322	66 Evaluation of the particle immunofiltration anti-platelet factor 4 rapid assay in MICU patients with thrombocytopenia. 2010 , 14, P366	78
321	Heparin-induced thrombocytopenia incidence in the ICU: preliminary results. 2010, 14, P367	78
320	Treatment of the coagulation deficit during extracorporeal circulation in a porcine model by a prothrombin complex concentrate. 2010 , 14, P368	78

319	Fibrinogen in dilutional coagulopathy: a dose study in pigs. 2010 , 14, P369	78
318	Tranexamic acid reduces blood loss in postpartum haemorrhage. 2010 , 14, P370	6
317	Regional variation of the off-licence use of rFVIIa for patients with uncontrolled haemorrhage in England. 2010 , 14, P371	78
316	Early use of factor VIIa in cardiac surgery is associated with lower rates of blood transfusions without impact on outcome. 2010 , 14,	78
315	Low-frequency hemoviscoelastography in monitoring coagulation disorders after abdominal surgery for cancer. 2010 , 14, P373	78
314	Reliability of the HemoCuel hemoglobinometer in critically ill patients. 2010 , 14, P374	78
313	Effect of transfusion, leukocyte-depleted blood product on onset of new septic shock and mortality in septic shock. 2010 , 14, P375	78
312	Transfusion Requirements After Cardiac Surgery (TRACS) study: preliminary data of a randomized controlled clinical trial. 2010 , 14,	3
311	Analysis of red cell transfusion practices in patients without active haemorrhage over a 12-month period in a UK intensive care unit. 2010 , 14, P377	78
310	Effects of red blood cell transfusion in central venous saturation and lactate levels in patients with septic shock. 2010 , 14, P378	78
309	Massive transfusion in paediatric trauma: a single-centre experience. 2010 , 14, P379	78
308	Cytokine levels evaluation during acute isovolemic anemia. 2010 , 14,	78
307	Haemodynamic alterations in community-acquired sepsis at early stage. 2010 , 14, P381	3
306	Epidemiology of severe sepsis in India: an update. 2010 , 14, P382	18
305	Systemic inflammatory response syndrome is reduced by inline filtration in intensive care patients. 2010 , 14, P383	78
304	Review of central venous catheter-related infections in neurointensive care patients in a tertiary referral centre. 2010 , 14, P384	78
303	Clinical impact of diagnosis methods for catheter-related bloodstream infection in ICU patients. 2010 , 14, P385	78
302	Catheter-related bacteremia in a jugular site with tracheostomy and in a femoral site. 2010 , 14, P386	78

301	A comparative study between conventional and antiseptic impregnated central venous catheters in neurocritical patients. 2010 , 14, P387	78
300	Comparison between peripherally inserted central venous catheters and short-term central venous catheter in patients discharged from the ICU. 2010 , 14, P388	1
299	Vacuum-assisted closure of laparostomy, an efficient strategy for complicated intra-abdominal infection. 2010 , 14, P389	78
298	Comparison between left ventricular tissue Doppler strain imaging and the sequential organ failure assessment score (SOFA score) in patients with severe sepsis or septic shock. 2010 , 14, P390	78
297	Systolic and diastolic function and survival in severe sepsis and septic shock: clinical, echocardiographic, biochemical correlation. 2010 , 14, P391	78
296	Frequency and clinical spectrum of myocardial dysfunction in severe sepsis and septic shock. 2010 , 14, P392	78
295	Effects of nitroglycerin on intestinal microcirculatory blood flow in patients with abdominal sepsis. 2010 , 14, P393	78
294	Diastolic dysfunction in septic shock is an independent predictor of elevated B-type natriuretic peptide and hospital mortality. 2010 , 14, P394	1
293	Cardiac-specific troponin I and cardiovascular dysfunction in post-traumatic sepsis. 2010 , 14, P395	78
292	Both systolic and diastolic functions are impaired in critically ill patients with community-acquired sepsis. 2010 , 14, P396	78
291	Selective V1a agonism reduces vascular leakage and cardiopulmonary dysfunction in methicillin-resistant Staphylococcus aureus sepsis. 2010 , 14, P397	2
290	Sepsis resuscitation bundle compliance in septic shock: improves survival and yet better late than never. 2010 , 14, P398	78
289	Effect of myocardial preservation of early goal-directed therapy on severe sepsis/septic shock patients in the ICU. 2010 , 14, P399	1
288	Impact of the sepsis bundle strategy on the outcomes of the patients suffering from severe sepsis and septic shock. 2010 , 14, P400	78
287	Impact of Surviving Sepsis Campaign implementation in Brazil. 2010 , 14, P401	78
286	Effect of synthetic vasopressin in septic shock using eosphageal Doppler. 2010 , 14, P402	78
285	Effects of sepsis resuscitation bundle in cirrhotic patients with septic shock. 2010 , 14, P403	78
284	Outcomes and incidence of bleeding events associated with drotrecogin alfa: a single-centre experience of 440 patients. 2010 , 14, P404	78

283	Activated protein C: cost matters!. 2010 , 14, P405	78
282	Outcome of patients receiving two or more infusions of activated protein C: a single-centre experience. 2010 , 14, P406	78
281	Drotrecogin alfa (activated): a single-centre experience of 110 patients. 2010 , 14, P407	78
280	Efficacy of recombinant human soluble thrombomodulin in disseminated intravascular coagulation. 2010 , 14, P408	78
279	Clinical experience with lipopolysaccharide adsorber in cancer patients with severe sepsis and septic shock. 2010 , 14, P409	78
278	Apheresis of activated leukocytes with an immobilized polymyxin B filter. 2010 , 14, P410	O
277	Therapeutic blood purification using functionalized core/shell nanomagnets. 2010, 14, P411	78
276	Coupled plasma filtration and adsorption in septic shock: a multicentric experience. 2010 , 14, P412	2
275	Patients admitted to the ICU for extra-abdominal disease and operated on for emergency laparotomy have significant survival. 2010 , 14, P413	78
274	Can ICU admission be predicted?. 2010 , 14, P414	78
273	Unsuitable for ICU: what happens next?. 2010 , 14, P415	78
272	Admission pattern and outcome in a UK weaning centre. 2010 , 14, P416	78
271	Referral to intensive care: who and when?. 2010 , 14, P417	78
270	Acute drug overdose in an ICU: 15 years experience. 2010 , 14, P418	3
269	Prognostic factors for very short-term mortality in severe sepsis. 2010 , 14, P419	78
268	Is sepsis mortality rate driven by differences in Brazilian healthcare systems?. 2010 , 14, P420	78
267	Prognoses indicators of HIV patients admitted to the ICU. 2010 , 14, P421	78
266	Outcomes of cancer patients admitted to intensive care units with severe acute kidney injury. 2010 , 14, P422	78

265	Is intensive care beneficial for patients with haematologic malignancies?. 2010 , 14, P423	78
264	Postoperative mortality in the Netherlands: identifying high-risk surgery. 2010 , 14, P424	O
263	Outcomes of 1,000 patients with cancer admitted to the intensive care unit: a Brazilian prospective study. 2010 , 14,	1
262	Trend in outcome of critically ill patients with co-morbidity: a 15-year study. 2010 , 14, P426	78
261	Clinical profile, maternal and fetal mortality analysis of severe gestosis admitted to the ICU. 2010 , 14, P427	78
260	Obstetric critical care in developing countries: a comparison between two intensive care units. 2010 , 14, P428	78
259	Co-morbidity, demographic and social factors as predictors of outcome from intensive care: an observational cohort study. 2010 , 14, P429	78
258	C-Reactive protein and albumin as prognostic markers in intensive care. 2010 , 14, P430	1
257	Statin therapy on admission to intensive care and outcome: an observational cohort study. 2010 , 14, P431	78
256	How did you sleep in the ICU?. 2010 , 14, P432	1
255	Factors associated with longer stay on a surgical intensive care unit. 2010 , 14, P433	78
254	Social support: a significant factor for health-related quality of life after critical illness?. 2010 , 14, P434	78
²⁵⁴ ²⁵³	Social support: a significant factor for health-related quality of life after critical illness?. 2010 , 14, P434 Quality of the evaluations of clinical studies in adult critical care and emergency medicine on a specialized Internet site. 2010 , 14, P435	78 0
	Quality of the evaluations of clinical studies in adult critical care and emergency medicine on a	
253	Quality of the evaluations of clinical studies in adult critical care and emergency medicine on a specialized Internet site. 2010 , 14, P435 Functional status and quality of life in patients suffering severe cranioencephalic trauma at the	0
253 252	Quality of the evaluations of clinical studies in adult critical care and emergency medicine on a specialized Internet site. 2010 , 14, P435 Functional status and quality of life in patients suffering severe cranioencephalic trauma at the time of discharge from the intensive care unit and 1 year after. 2010 , 14, P436	0
253 252 251	Quality of the evaluations of clinical studies in adult critical care and emergency medicine on a specialized Internet site. 2010 , 14, P435 Functional status and quality of life in patients suffering severe cranioencephalic trauma at the time of discharge from the intensive care unit and 1 year after. 2010 , 14, P436 Long-term (>6 years) quality of life after surgical intensive care admission. 2010 , 14, P437	0

247	Post-traumatic stress disorder after surgical ICU admission. 2010 , 14, P441	78
246	Health-related quality of life before intensive care. 2010 , 14, P442	78
245	Nursing staff development: strategies for success in a unique critical care unit in a developing country. 2010 , 14, P443	78
244	Implementing the Leapfrog standard in a developing country. 2010 , 14, P444	78
243	Impact of thiopental use on cerebral perfusion pressure in severe brain trauma: an example of caregivers Kadaptation. 2010 , 14, P445	78
242	Knowledge of ICU nurses regarding selected care areas commonly guided by protocols. 2010 , 14, P446	78
241	Pharmacist clinical interventions in the ICU. 2010 , 14, P447	5
240	Adverse drug events in the critical care unit. 2010 , 14, P448	78
239	Evaluation of appropriateness of intensive care unit admissions: the GIVITIIS StART approach. 2010 , 14, P449	1
238	Noise in the critical care environment. 2010 , 14, P450	1
237	Allergy documentation and transfer within critical care. 2010 , 14, P451	78
236	Use of an anonymous medication incident reporting system on a critical care unit. 2010 , 14, P452	1
235	Three years experience of a quality improvement programme. 2010 , 14, P453	78
234	Improving team work during bedside rounds: using daily goals and best practices. 2010 , 14, P454	78
233	Stress induced by simulation-based training in anesthesiologist residents. 2010 , 14, P455	78
232	Impact of an education program in respiratory therapy quality of care. 2010 , 14, P456	78
231	Use of the FAST HUG checklist in Mexican critically ill patients. 2010 , 14, P457	78
230	Bay rooms vs single-bed rooms in intensive care unit nosocomial infections: a case-control study. 2010 , 14, P458	2

229	Impact of quality improvement process on healthcare-associated infection in the ICU in a tertiary care hospital in India. 2010 , 14, P459	78
228	Teaching airway resuscitation to novices: a randomized controlled simulator mannequin study. 2010 , 14, P460	78
227	Impact of ultrasound guidance in central venous catheterization by inexperienced trainees: a prospective observational study. 2010 , 14, P461	78
226	Performance analysis of an ICU according to GiViTIK StART approach. 2010, 14, P462	78
225	Simulation training at the point of care to decrease the incidence of airway complications on the intensive care unit. 2010 , 14, P463	78
224	Management of needle stick injuries from incapacitated patients. 2010 , 14, P464	78
223	Stress and fatigue among anaesthesia and intensive care doctors in Lithuania. 2010 , 14, P465	78
222	Implementation of daily goals in the ICU reduces length of ICU stay and errors of omission in patient care. 2010 , 14, P466	1
221	Use of single patient rooms to decrease acquisition of antibiotic-resistant bacteria in the ICU. 2010 , 14, P467	78
220	Time to first review of new admissions to critical care by the consultant intensivist. 2010 , 14, P468	78
219	Analysis of critical care referrals. 2010 , 14, P469	2
218	Communication with intensive care patients. 2010 , 14, P470	78
217	Quality of transfers of critically ill patients within the hospital. 2010 , 14, P471	78
216	Are bariatric patients putting a strain on intensive care beds?. 2010 , 14, P472	78
215	Five-year evolution of drug prescribing in a university adult intensive care unit. 2010, 14, P473	78
214	A semiquantitative assessment of the effects of delayed discharge from the intensive care unit of survivors of critical illness. 2010 , 14, P474	78
213	Robotics telepresence in acute care facilities during influenza AH1N1 outbreak in Mexico. 2010 , 14, P475	78
212	Association between out of hours discharge from the ICU and subsequent readmission. 2010 , 14, P476	3

211	Sequential Organ Failure Assessment in pandemic planning. 2010 , 14, P477	2
210	Failure mode and effect analysis in interhospital transport of critically ill patients: a tool to design checklists for handovers in the mobile intensive care unit. 2010 , 14, P478	78
209	Selective neurogenic blockades and perioperative immune reactivity in patients undergoing lung resection. 2010 , 14, P479	78
208	Adverse effects of beta adrenergic blockers during spinal anesthesia with 0.5% bupivacaine. 2010 , 14, P480	2
207	Remifentanil for postoperative analgo-sedation: effects on glycaemia and HOMA score. 2010 , 14, P481	78
206	Adding ultralow-dose oral naltrexone to morphine: a double-blind, randomized clinical trial. 2010 , 14, P482	78
205	Four-day sedation using sevoflurane: fluoride and renal function. 2010 , 14, P483	78
204	Beneficial effect of sevoflurane on endotoxin-induced pulmonary hypertension. 2010, 14, P484	1
203	Does etomidate affect prognosis in septic shock patients treated with hydrocortisone?. 2010 , 14, P485	78
202	Use of methyl-naltrexone for the treatment of opioid-induced constipation in critical care patients. 2010 , 14, P486	78
201	Safety and efficacy of a nurse-driven sedation protocol with daily sedation interruption in the ICU. 2010 , 14, P487	78
200	Effects of propofol and midazolam on indocyanine green elimination assessed with LiMON for early sepsis patients. 2010 , 14, P488	78
199	Assessment of correlation between Bispectral Index monitorization and sedation scales used in the intensive care unit. 2010 , 14, P489	O
198	Sedation and analgesia: early results from a web-based survey of UK practice. 2010 , 14, P490	4
197	Severe alcohol withdrawal syndrome in ICU: is propofol a safe option?. 2010 , 14, P491	1
196	Agitation and pain during physiotherapy in intensive care. 2010 , 14, P492	1
195	Pain evaluation in the intensive care unit: listen to the patient, a new approach!. 2010 , 14, P493	Ο
194	Pharmacokinetics of orally administered melatonin in critically ill patients. 2010 , 14, P494	78

193	Manifestations and clinical course of delirium tremens in the ICU. 2010 , 14, P495	1
192	Comparison of two methods for diagnosing delirium conducted in a mixed medical ICU and the concordance between two independent nurse assessors. 2010 , 14, P496	78
191	Quetiapine in prolonged ICU delirium. 2010 , 14, P497	2
190	PREDICT, Prediction of Delirium in ICU Patients: development and validation of a prediction model. 2010 , 14, P498	2
189	Hospital anxiety depression scale in our surgical ICU. 2010 , 14, P499	1
188	Fluid therapy change from synthetic colloids to only crystalloids in patients with severe sepsis. 2010 , 14, P500	78
187	Effects of balanced and unbalanced colloid and crystalloid solutions on renal microvascular perfusion in endotoxemic rats. 2010 , 14, P501	78
186	Effects of balanced and unbalanced colloid and crystalloid solutions on renal oxygenation in a rat model of hemorrhagic shock and resuscitation. 2010 , 14, P502	78
185	Effect of rapidly infused crystalloids on acid-base status of dehydrated patients in the emergency department. 2010 , 14, P503	78
184	Impact of saline-based tetrastarch vs balanced tetrastarch and crystalloid solutions on hyperchloraemic acidosis in endotoxaemic sheep. 2010 , 14, P504	78
183	Are different hydroxyethyl starch solutions an independent risk factor for acute kidney injury in surgical critically ill patients? A retrospective analysis of 3,591 patients. 2010 , 14, P505	78
182	Role of early continuous venovenous hemodiafiltration in septic shock and multiorgan failure. 2010 , 14, P506	78
181	Effect of intravenous H2S on porcine aortic occlusion-induced systemic inflammation and kidney ischemia/reperfusion injury. 2010 , 14, P507	78
180	Survival improvement in pigs with liver failure and superimposed sepsis by a new liver support system (Hepa Wash 1). 2010 , 14, P508	1
179	Increased glomerular filtration in the critically ill patient receiving anti-infective treatment. 2010 , 14, P509	4
178	Therapeutic plasma exchange in children with acute liver failure: assessment of laboratory parameters. 2010 , 14, P510	2
177	New markers of inflammation-induced renal injury subside when endotoxin tolerance develops in humans as measured by urine proteomics. 2010 , 14, P511	78
176	Extraction and purification of 1-hydroxymidazolam glucuronide from ultrafiltrate. 2010 , 14, P512	78

175	Continuous renal replacement therapy: are we getting the dose right?. 2010 , 14, P513	78
174	Use of CRRT-CVVH in a hemato-oncological ICU in patients treated with defibrotide for veno-occlusive disease in patients after allogeneic hematopoetic stem cell transplantation: single-center experience. 2010 , 14, P514	1
173	Comparison of the efficacy and safety of two regional citrate anticoagulation protocols using acid citrate dextrose A or Prismocitrate 10/2, in patients with acute renal failure undergoing continuous venovenous haemodiafiltration. 2010 , 14, P515	2
172	Addition of prostacyclin to heparin does not prolong circuit life during continuous haemofiltration. 2010 , 14, P516	78
171	Recurrent early filter clotting in regional citrate anticoagulated continuous venovenous hemodialysis due to undetected antibodies to heparin-platelet factor 4 complexes. 2010 , 14, P517	1
170	Pilot study on a regional citrate anticoagulated continuous venovenous hemodiafiltration protocol with variable treatment dose. 2010 , 14, P518	1
169	Characteristics and outcome of patients treated with renal replacement therapy: single-center, 2-year experience. 2010 , 14, P519	78
168	Renal function in living related kidney donors above the age of 70. 2010 , 14, P520	78
167	Augmented renal clearance in traumatic brain injury. 2010 , 14, P521	2
166	Pressure-controlled hemorrhagic shock in mice: a new model of acute kidney injury. 2010 , 14, P522	78
165	Continuous urinary electrolyte measurement in a swine model of mechanical ventilation. 2010 , 14, P523	78
164	Impact of positive fluid balance on survival in critically ill cancer patients. 2010 , 14, P524	78
163	Fluid accumulation has an adverse effect on outcome of ICU patients with acute kidney injury. 2010 , 14, P525	78
162	Significant microalbuminuria, on admission to the ICU, may indicate AKI in patients with sepsis. 2010 , 14, P526	78
161	Neutrophil gelatinase-associated lipocalin as an early indicator for postoperative renal failure. 2010 , 14, P527	78
160	Neutrophil gelatinase-associated lipocalin as an early indicator for mortality in adult critically ill patients with acute kidney injury. 2010 , 14, P528	1
159	Urinary and plasma NGAL levels reflect the severity of acute kidney injury. 2010, 14, P529	78
158	Economic impact and cost-effectiveness of urine neutrophil gelatinase-associated lipocalin following cardiac surgery. 2010 , 14, P530	2

157	Neutrophil gelatinase-associated lipocalin predicts acute kidney injury in critically ill patients. 2010 , 14, P531	78
156	Study of serum vancomycin levels in different modalities of hemodialysis in Indian patients. 2010 , 14, P532	78
155	RIFLE criteria for acute kidney dysfunction following liver transplantation: incidence and risk factors. 2010 , 14, P533	78
154	Prophylactic use of laxative for constipation in critically ill patients. 2010 , 14, P534	1
153	Study of intra-abdominal hypertension in the medical intensive care unit. 2010 , 14, P535	78
152	Intra-abdominal pressure values of emergency department intensive care unit patients and clinical outcomes. 2010 , 14, P536	78
151	Advanced haemodynamic assessment of patients with liver disease and abdominal compartment syndrome. 2010 , 14, P537	78
150	Molecular adsorbent recirculating system in hepatic failure patients with a ventricular assist device. 2010 , 14, P538	78
149	Molecular adsorbent recirculating system in patients with acute liver failure: prospective follow-up. 2010 , 14, P539	78
148	A study of patients with cirrhosis admitted to nontransplant general intensive care in the UK: prevalence, case mix, outcomes and evaluation of critical illness and disease-specific scoring systems. 2010 , 14, P540	1
147	Acute liver failure: a European perspective. 2010 , 14, P541	78
146	Intracranial pressure monitoring in acute liver failure: a review of 10 years experience. 2010 , 14, P542	8
145	Microdialysis catheters in liver transplants detect vascular complications and rejection. 2010 , 14, P543	78
144	Drug-induced hepatic cholestasis in the ICU: a case-control study. 2010 , 14, P544	78
143	Diagnosis of acute cholecystitis in septic patients. 2010 , 14, P545	78
142	Bleeding and pneumonia in intensive care unit patients given PPIs and H2RAs for prevention of stress ulcer: a meta analysis. 2010 , 14, P546	78
141	Influence of septic shock on energy expenditure in critically ill ICU patients, estimated with indirect calorimetry. 2010 , 14, P547	78
140	Evaluation of a novel motility capsule for gastric emptying in a porcine model of acute lung injury. 2010 , 14, P548	78

139	Preliminary results on the validation of a novel method for measuring intra-abdominal pressure and gastric residual volume. 2010 , 14, P549	78
138	Monitoring enteral nutrition efficacy in ICU patients: is there a place for the Brix value-derived fraction of enteral formula in gastric residual volume?. 2010 , 14, P550	O
137	Initial gastric volume, nasogastric tube and pneumonia incidence in trauma patients. 2010 , 14, P551	78
136	Achieving nutritional targets in the ICU. 2010 , 14, P552	78
135	Evaluation of studies of nutritional support team: 2 yearsKexperience. 2010 , 14, P553	78
134	Are we feeding our critically ill patients appropriately?. 2010 , 14, P554	78
133	Effect of increased enteral nutrition on ICU-acquired infections: a multicenter observational study. 2010 , 14, P555	78
132	Impact of early enteral nutrition up to goal on the prognosis of patients with different severity of illness in the ICU. 2010 , 14, P556	78
131	Benefit of supplemental parenteral nutrition in the critically ill patient? Results of a multicenter observational study. 2010 , 14, P557	2
130	Role of fiber diet formula in surgical critically ill septic patients. 2010 , 14, P558	78
129	Effect of oral supplementation with immunonutrients on radiation-induced hematologic toxicity in cancer patients. 2010 , 14, P559	1
128	Impact of multichamber bag parenteral nutrition (OliClinomel) upon inflammatory markers (EPICOS Study). 2010 , 14, P560	78
127	Effect of n-3 fatty acids on cerebral markers and the inflammatory response in sepsis. 2010, 14, P561	78
126	Effects of an olive oil-based lipid emulsion (ClinOleic) versus LCT/MCT-based lipid emulsions upon the inflammatory markers of critically ill patients (EPICOS Study). 2010 , 14, P562	78
125	Does a fish-oil-containing lipid emulsion improve liver function in comparison with a soybean oil lipid emulsion?. 2010 , 14, P565	78
124	Therapy of compartmentalization of the proinflammatory and anti-inflammatory cytokines in sepsis. 2010 , 14, P566	1
123	Intensive insulin therapy and brief hypoglycemia do not increase neurological injury markers in critically ill children. 2010 , 14, P567	78
122	A cluster-controlled implementation project of intensive insulin therapy: effects on blood glucose control and incidence of severe hypoglycemia. 2010 , 14, P568	78

121	Incidence of hypoglycemia in NICE sugar not so nice after consideration of the treatment period. 2010 , 14, P569	78
120	Comparison of a planned versus emergent approach implementation of tight glycemic control therapy on an ICU: an experimental design. 2010 , 14, P570	78
119	Coagulation profile in hyperglycemic septic shock patients. 2010 , 14, P571	78
118	Impact of glycemic control on survival in critical care patients with sepsis. 2010 , 14, P572	1
117	Therapeutic impact on intravenous insulin dosing with three new point-of-care glucose meters in an adult ICU. 2010 , 14, P573	78
116	Significance of blood glucose variability in the early phase for predicting survival in acutely ill patients with glucose intolerance. 2010 , 14, P574	78
115	Blood glucose amplitude variation: effects of intensive insulin therapy and relative association with mortality. 2010 , 14, P575	78
114	Prevention of fatal and disabling neuroglycopaenia: a comparison of arterial blood sampling methods. 2010 , 14, P576	78
113	Impact of real-time continuous glucose monitoring on glucose variability in critically ill patients. 2010 , 14, P577	78
112	Automated blood glucose monitor is insensitive to hematocrit variation and common saccharide interferents. 2010 , 14, P578	78
111	Performance of an automated blood glucose monitor in the OR/ICU. 2010 , 14, P579	78
110	ICU glucose monitoring measured in plasma using mid-infrared spectroscopy. 2010 , 14, P580	1
109	Validation of HbA1c as a diagnostic marker for diabetes in the critically ill. 2010, 14, P581	1
108	Effect of intravenous glucocorticoids on the efficiency of tight glycaemic control. 2010 , 14, P582	78
107	Chronic critical illness: high levels of estrogens and mortality. 2010 , 14, P583	78
106	Estrogen decreases inflammation and apoptotic signaling in the heart following severe burn injury. 2010 , 14, P584	78
105	Dexamethasone treatment during cardiac surgery and postoperative lactate levels. 2010, 14, P585	78
104	Risk factors for hypertriglyceridemia in the intensive care unit: an exploratory study. 2010 , 14, P586	78

103	Septic patients show significantly lower 1,25-dihydroxy vitamin D levels than trauma patients. 2010 , 14, P587	1
102	High prevalence of severe vitamin D deficiency in intensive care patients. 2010 , 14, P588	3
101	Vitamin D, parathyroid hormone and serum calcium levels and their association with hospital mortality in critically ill patients. 2010 , 14, P589	5
100	Effect of restoration of 25OHD3 status in prolonged critical illness on serum innate immunity parameters LL-37 and sCD163. 2010 , 14, P590	10
99	Alterations in adipose tissue during critical illness: an adaptive and protective response?. 2010, 14, P591	1
98	Impact of collection method and sample handling on measured levels of circulating ACTH. 2010 , 14, P592	1
97	Prognostic value of serum zinc levels in critically ill patients. 2010 , 14, P593	1
96	High stress during admission predicts the impact of a PICU follow-up clinic on parentsK psychological outcome. 2010 , 14, P594	1
95	Patientis contact person in the intensive care unit: is it really important?. 2010 , 14, P595	78
94	Evaluating the quality of communication with patientsKrelatives in critical care. 2010 , 14, P596	78
93	Family satisfaction on the intensive care unit. 2010 , 14, P597	78
92	Survey into bereavement of family members of patients who died in the intensive care unit. 2010 , 14, P598	78
91	Exploration of the needs and experiences of family members of a patient being admitted to a neurosurgery intensive care unit in Shiraz, Iran. 2010 , 14, P599	78
90	Deciding the end of life for patients with disorders of consciousness: a European survey. 2010 , 14, P600	78
89	Evaluation of a new limitations and withdrawal of care framework order form in the intensive care unit. 2010 , 14, P601	78
88	Examination of the utility of serum lactate and base deficit in hemorrhagic shock. 2010 , 14, P161	78
87	Response of NICOM stroke volume to passive leg raising to predict fluid responsiveness in critically ill patients with spontaneous breathing activity. 2010 , 14, P113	2
86	Lung parenchymal mechanics. 2011 , 1, 1317-51	101

85	Emergent behavior of regional heterogeneity in the lung and its effects on respiratory impedance. <i>Journal of Applied Physiology</i> , 2011 , 110, 1473-81	29	
84	Effects of recruitment/derecruitment dynamics on the efficacy of variable ventilation. <i>Journal of Applied Physiology</i> , 2011 , 110, 1319-26	19	
83	Complex dynamics of recruitment and derecruitment in the lung. 2011 , 26, e20-e21		
82	Can we predict the risk of an asthma attack?. 2011 , 26, e21		
81	Can variability and complexity be used to monitor and adjust mechanical ventilatory assistance?. 2011 , 26, e21-e22		
80	Quantifying the roles of tidal volume and PEEP in the pathogenesis of ventilator-induced lung injury. 2011 , 39, 1505-16	50	
79	Effect of regional lung inflation on ventilation heterogeneity at different length scales during mechanical ventilation of normal sheep lungs. <i>Journal of Applied Physiology</i> , 2012 , 113, 947-57	30	
78	Adaptive SLICE method: an enhanced method to determine nonlinear dynamic respiratory system mechanics. 2012 , 33, 51-64	17	
77	Modelling damaged lung pressure-volume behaviour. 2012,		
76	Time-dependent recruitment effects in ventilated healthy and lung-injured rats: "recruitment-memory". 2012 , 184, 65-72	4	
75	Regional respiratory time constants during lung recruitment in high-frequency oscillatory ventilated preterm infants. 2012 , 38, 294-9	29	
74	Assessing the Progression of Ventilator-Induced Lung Injury in Mice. 2013 , 60, 3449-57	13	
73	Impact of ventilation frequency and parenchymal stiffness on flow and pressure distribution in a canine lung model. 2013 , 41, 2699-711	17	
72	Time to reach a new equilibrium after changes in PEEP in acute respiratory distress syndrome patients. 2013 , 39, 2053-5	3	
71	Linking the development of ventilator-induced injury to mechanical function in the lung. 2013 , 41, 527-36	37	
70	Bayesian inference of the lung alveolar spatial model for the identification of alveolar mechanics associated with acute respiratory distress syndrome. 2013 , 10, 036008	4	
69	Treatment of allergic inflammation and hyperresponsiveness by a simple compound, Bavachinin, isolated from Chinese herbs. 2013 , 10, 497-505	16	

67	A model of the recruitment-derecruitment and volume of lung units in an excised lung as it is inflated-deflated between minimum and maximum lung volume. 2013 , 135, 34503	1
66	Rhinovirus exacerbates house-dust-mite induced lung disease in adult mice. 2014 , 9, e92163	23
65	Route of exposure alters inflammation and lung function responses to diesel exhaust. 2014 , 26, 409-18	15
64	Visualisation of time-varying respiratory system elastance in experimental ARDS animal models. 2014 , 14, 33	27
63	Flow-controlled expiration: a novel ventilation mode to attenuate experimental porcine lung injury. 2014 , 113, 474-83	27
62	Effects of airway tree asymmetry on the emergence and spatial persistence of ventilation defects. Journal of Applied Physiology, 2014 , 117, 353-62	31
61	A minimal algorithm for a minimal recruitment modelthodel estimation of alveoli opening pressure of an acute respiratory distress syndrome (ARDS) lung. 2014 , 14, 1-8	3
60	The Effect of Respiratory Manoeuvres for Patient-Specific Respiratory Mechanics Monitoring**The study acknowledges funding support from the EU FP7 IRSES Marie Curie Action and Royal Society of New Zealand. 2015 , 48, 135-140	3
59	Multifrequency Oscillatory Ventilation in the Premature Lung: Effects on Gas Exchange, Mechanics, and Ventilation Distribution. 2015 , 123, 1394-403	16
58	Predicting the response of the injured lung to the mechanical breath profile. <i>Journal of Applied Physiology</i> , 2015 , 118, 932-40	29
57	Mechanisms of airway hyper-responsiveness in asthma: the past, present and yet to come. 2015 , 45, 706-19	62
56	Determination of Kecruited volumeKfollowing a PEEP step is not a measure of lung recruitability. 2015 , 59, 35-46	7
55	Evaluation of lung recruitment maneuvers in acute respiratory distress syndrome using computer simulation. 2015 , 19, 8	18
54	Respiratory Mechanics in the Mechanically Ventilated Patient. 2015 , 293-371	2
53	Dynamics of end expiratory lung volume after changing positive end-expiratory pressure in acute respiratory distress syndrome patients. 2015 , 19, 340	7
52	Patterns of recruitment and injury in a heterogeneous airway network model. 2015 , 12, 20150523	11
51	Computational Models of Ventilator Induced Lung Injury and Surfactant Dysfunction. 2015, 15, 17-22	5
50	Variable Ventilation as a Diagnostic Tool for the Injured Lung. 2015 , 62, 2106-13	6

49	Chronic heart failure modifies respiratory mechanics in rats: a randomized controlled trial. 2016 , 20, 320-7	4
48	Regional gas transport in the heterogeneous lung during oscillatory ventilation. <i>Journal of Applied Physiology</i> , 2016 , 121, 1306-1318	14
47	Electrical impedance tomography monitoring in acute respiratory distress syndrome patients with mechanical ventilation during prolonged positive end-expiratory pressure adjustments. 2016 , 115, 195-202	8
46	Intratidal Overdistention and Derecruitment in the Injured Lung: A Simulation Study. 2017 , 64, 681-689	15
45	Dynamic Mechanical Interactions Between Neighboring Airspaces Determine Cyclic Opening and Closure in Injured Lung. 2017 , 45, 687-694	25
44	Early application of airway pressure release ventilation may reduce the duration of mechanical ventilation in acute respiratory distress syndrome. 2017 , 43, 1648-1659	107
43	Computational modelling of the respiratory system: Discussion of coupled modelling approaches and two recent extensions. 2017 , 314, 473-493	18
42	Minimization of Ventilator-Induced Lung Injury in ARDS Patients Part I: Complex Model of Mechanically Ventilated ARDS Lungs. 2017 , 24, 685-699	
41	Bond Graph Modeling of Lungs. 2018,	
40	Modelling Inspiration and Expiration Mechanism of Lungs using Bond Graph. 2018,	
39	Modelling Inspiration and Expiration Mechanism of Lungs using Bond Graph. 2018, Ventilator-induced lung injury and lung mechanics. 2018, 6, 378	37
		37
39	Ventilator-induced lung injury and lung mechanics. 2018 , 6, 378 The micromechanics of lung alveoli: structure and function of surfactant and tissue components.	
39	Ventilator-induced lung injury and lung mechanics. 2018 , 6, 378 The micromechanics of lung alveoli: structure and function of surfactant and tissue components. 2018 , 150, 661-676 Influence of tidal-volume setting, emphysema and ARDS on human alveolar sacs mechanics. 2018 ,	128
39 38 37	Ventilator-induced lung injury and lung mechanics. 2018, 6, 378 The micromechanics of lung alveoli: structure and function of surfactant and tissue components. 2018, 150, 661-676 Influence of tidal-volume setting, emphysema and ARDS on human alveolar sacs mechanics. 2018, 34, 983-993	128
39 38 37 36	Ventilator-induced lung injury and lung mechanics. 2018, 6, 378 The micromechanics of lung alveoli: structure and function of surfactant and tissue components. 2018, 150, 661-676 Influence of tidal-volume setting, emphysema and ARDS on human alveolar sacs mechanics. 2018, 34, 983-993 Theoretical open-loop model of respiratory mechanics in the extremely preterm infant. 2018, 13, e0198425 Periodic Fluctuation of Tidal Volumes Further Improves Variable Ventilation in Experimental Acute	128
39 38 37 36 35	Ventilator-induced lung injury and lung mechanics. 2018, 6, 378 The micromechanics of lung alveoli: structure and function of surfactant and tissue components. 2018, 150, 661-676 Influence of tidal-volume setting, emphysema and ARDS on human alveolar sacs mechanics. 2018, 34, 983-993 Theoretical open-loop model of respiratory mechanics in the extremely preterm infant. 2018, 13, e0198425 Periodic Fluctuation of Tidal Volumes Further Improves Variable Ventilation in Experimental Acute Respiratory Distress Syndrome. 2018, 9, 905	128 4 6

31	Optimising mechanical ventilation through model-based methods and automation. 2019 , 48, 369-382		29
30	A Review of Electrical Impedance Tomography in Lung Applications: Theory and Algorithms for Absolute Images. 2019 , 48, 442-471		29
29	Designing Protective Mechanical Ventilation for the Injured Lung: Opportunities for the Engineer. 2019 , 2,		1
28	The time-controlled adaptive ventilation protocol: mechanistic approach to reducing ventilator-induced lung injury. 2019 , 28,		12
27	Early onset of airway derecruitment assessed using the forced oscillation technique in subjects with asthma. <i>Journal of Applied Physiology</i> , 2019 , 126, 1399-1408	3.7	10
26	Sex Modifies Acute Ozone-Mediated Airway Physiologic Responses. 2019 , 169, 499-510		23
25	Predictive Virtual Patient Modelling of Mechanical Ventilation: Impact of Recruitment Function. 2019 , 47, 1626-1641		30
24	Modeling Lung Derecruitment in VILI Due to Fluid-Occlusion: The Role of Emergent Behavior. 2020 , 11, 542744		1
23	Atelectrauma Versus Volutrauma: A Tale of Two Time-Constants. 2020 , 2, e0299		9
22	Mechanical Ventilation Lessons Learned From Alveolar Micromechanics. 2020 , 11, 233		2
21	Imaging atelectrauma in Ventilator-Induced Lung Injury using 4D X-ray microscopy. 2021 , 11, 4236		4
20	Effects of Lung Injury on Regional Aeration and Expiratory Time Constants: Insights From Four-Dimensional Computed Tomography Image Registration. 2021 , 12, 707119		2
19	Perioperative Pulmonary Atelectasis: Part I. Biology and Mechanisms. 2021,		7
18	Mathematical modeling of ventilator-induced lung inflammation. 2021 , 526, 110738		2
17	Alveolar Wall Micromechanics. 2022 , 232-238		
16	Mathematical modeling of ventilator-induced lung inflammation. 2020,		1
15	Surfactant and Airway Liquid Flows. 2005 , 191-227		11
14	Role of airway recruitment and derecruitment in lung injury. 2011 , 39, 297-317		24

13	Oscillation mechanics of the respiratory system: applications to lung disease. 2011, 39, 337-59	69
12	Choline Triggers Exacerbations of Chronic Obstructive Pulmonary Disease in Patients Infected with. 2016 , 12, 167-174	4
11	Parameter estimation of recruitment models in mechanical ventilation. 2009, 2540-2543	
10	Mechanostimulation and Mechanics Analysis of Lung Cells, Lung Tissue and the Entire Lung Organ. 2011 , 129-154	
9	Personalized Airway Pressure Release Ventilation for acute respiratory distress syndrome: pathophysiological rationale, clinical trials and application prospects. 2019 , 52	
8	Elastocapillary network model of inhalation. 2020 , 2,	
7	Airway pressure release ventilation versus low tidal volume ventilation for patients with acute respiratory distress syndrome/acute lung injury: a meta-analysis of randomized clinical trials. 2020 , 8, 1641	5
6	Data_Sheet_1.docx. 2018 ,	
5	Table_1.DOCX. 2020 ,	
4	Modeling Mechanical Ventilation In Silico-Potential and Pitfalls 2022,	O
3	Computational lung modelling in respiratory medicine. 2022 , 19,	0
2	Positive- and Negative-Pressure Ventilation Characterized by Local and Global Pulmonary Mechanics.	O
1	Acinar micromechanics in health and lung injury: what we have learned from quantitative morphology. 14,	О