

Thyroid function is more strongly associated with body
healthy subjects

Journal of Endocrinological Investigation

25, 620-623

DOI: 10.1007/bf03345086

Citation Report

#	ARTICLE	IF	CITATIONS
1	Optimization of thyroxine replacement therapy after total or near-total thyroidectomy for benign thyroid disease. <i>British Journal of Surgery</i> , 2005, 93, 57-60.	0.1	37
2	Prediction of LT4 Replacement Dose to Achieve Euthyroidism in Subjects Undergoing Total Thyroidectomy for Benign Thyroid Disorders. <i>World Journal of Surgery</i> , 2010, 34, 527-531.	0.8	22
3	Relationship between serum TSH level with obesity and NAFLD in euthyroid subjects. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2012, 32, 47-52.	1.0	32
4	Using Body Mass Index to Predict Optimal Thyroid Dosing after Thyroidectomy. <i>Journal of the American College of Surgeons</i> , 2013, 216, 454-460.	0.2	52
5	Treatment With Thyroid Hormone. <i>Endocrine Reviews</i> , 2014, 35, 433-512.	8.9	202
6	Effect of restoration of euthyroidism on visfatin concentrations and body composition in women. <i>Endocrine Connections</i> , 2021, 10, 462-470.	0.8	8
7	Nonthyroidal illness syndrome (NTIS) in severe COVID-19 patients: role of T3 on the Na/K pump gene expression and on hydroelectrolytic equilibrium. <i>Journal of Translational Medicine</i> , 2021, 19, 491.	1.8	6