

CITATION REPORT

List of articles citing

The structure of haplotype blocks in the human genome

DOI: 10.1126/science.1069424
Science, 2002, 296, 2225-9.

Source: <https://exaly.com/paper-pdf/34065353/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2287	The status of genetic investigations of schizophrenia. 288-308		
2286	Mechanisms and Molecular Pathways in Hypertension. 1996 , 566-647		1
2285	Molecular haplotyping at high throughput. 2002 , 30, e96		43
2284	HapScope: a software system for automated and visual analysis of functionally annotated haplotypes. 2002 , 30, 5213-21		29
2283	Angiotensin-1-converting enzyme (ACE) plasma concentration is influenced by multiple ACE-linked quantitative trait nucleotides. 2002 , 11, 2969-77		79
2282	The allelic structure of common disease. 2002 , 11, 2455-61		68
2281	Human genome sequences: enigmatic variations. 2002 , 17, 457-61		1
2280	Entropy as a measure for linkage disequilibrium over multilocus haplotype blocks. 2002 , 54, 186-98		68
2279	TNF-alpha and -beta gene polymorphisms in multiple sclerosis: a highly significant role for determinants in the first intron of the TNF-beta gene. 2002 , 35, 377-80		23
2278	Bioinformatics and approaches to identifying polygenic susceptibility traits. 2002 , 7, 1-7		5
2277	Genome scan among Nigerians linking blood pressure to chromosomes 2, 3, and 19. 2002 , 40, 629-33		83
2276	The value of isolated populations in genetic studies of allergic diseases. 2002 , 2, 379-82		8
2275	Variants in the VCAM1 gene and risk for symptomatic stroke in sickle cell disease. 2002 , 100, 4303-9		83
2274	Microarrays in pharmacogenomics--advances and future promise. 2002 , 3, 589-601		37
2273	Once and again-issues surrounding replication in genetic association studies. 2002 , 87, 4438-41		148
2272	Finding genes that underlie complex traits. <i>Science</i> , 2002 , 298, 2345-9	33.3	678
2271	Algorithms in Bioinformatics. 2002 ,		3

2270	Variations in abundance: genome-wide responses to genetic variation and vice versa. 2002 , 3, reviews1029	12
2269	Technologies for Individual Genotyping. 2002 , 2, 197-205	31
2268	The allelic architecture of human disease genes: common disease-common variant...or not?. 2002 , 11, 2417-23	515
2267	DNA sequence variation in a 3.7-kb noncoding sequence 5' of the CYP1A2 gene: implications for human population history and natural selection. 2002 , 71, 528-42	78
2266	Distribution of recombination crossovers and the origin of haplotype blocks: the interplay of population history, recombination, and mutation. 2002 , 71, 1227-34	351
2265	Haplotype block structure and its applications to association studies: power and study designs. 2002 , 71, 1386-94	217
2264	Human demographic history: refining the recent African origin model. 2002 , 12, 675-82	93
2263	Containing multitudes: focus on "novel and nondetected human signaling protein polymorphisms". 2002 , 10, 127-9	1
2262	Single nucleotide polymorphism haplotypes in the cholesteryl-ester transfer protein (CETP) gene and lipid phenotypes. 2002 , 54, 166-73	12
2261	Complexities in the genetic dissection of quantitative trait loci. 2002 , 18, 489-91	35
2260	Multifactorial diseases: asthma genetics point the way. 2002 , 12, R702-4	8
2259	Upstream - news in genomics. 2002 , 3, 398-404	
2258	Proposal for an allele nomenclature system based on the evolutionary divergence of haplotypes. 2002 , 20, 463-72	24
2257	Association of bovine neonatal Fc receptor alpha-chain gene (FCGRT) haplotypes with serum IgG concentration in newborn calves. 2002 , 13, 704-10	38
2256	Single nucleotide polymorphisms in innate immunity genes: abundant variation and potential role in complex human disease. 2002 , 190, 9-25	150
2255	Sequence variation in the human T-cell receptor loci. 2002 , 190, 26-39	25
2254	Mapping genes for autoimmunity in humans: type 1 diabetes as a model. 2002 , 190, 182-94	41
2253	Family-based association tests for quantitative traits using pooled DNA. 2002 , 10, 870-8	9

2252	Detecting recent positive selection in the human genome from haplotype structure. 2002 , 419, 832-7	1451
2251	Initial sequencing and comparative analysis of the mouse genome. 2002 , 420, 520-62	5376
2250	The genetics of variation in gene expression. 2002 , 32 Suppl, 522-5	195
2249	Human genome sequence variation and the influence of gene history, mutation and recombination. 2002 , 32, 135-42	236
2248	Genetic analysis of African populations: human evolution and complex disease. 2002 , 3, 611-21	262
2247	Shortcut around the block. 2002 , 3, 573-573	4
2246	CTLA-4 gene polymorphisms in systemic lupus erythematosus: a highly significant association with a determinant in the promoter region. 2002 , 111, 452-5	120
2245	Advances in pharmacogenomic research and development. 2003 , 25, 275-82	
2244	Relation of an interleukin-10 promoter polymorphism to graft-versus-host disease and survival after hematopoietic-cell transplantation. 2003 , 349, 2201-10	321
2243	Application of genomics and proteomics in Type 1 diabetes pathogenesis research. 2003 , 3, 743-57	18
2242	The Haplotyping problem: An overview of computational models and solutions. 2003 , 18, 675-688	86
2241	Linkage disequilibrium analysis of the renin-angiotensin system genes. 2003 , 5, 40-6	7
2240	Genetic analysis of osteoarthritis: toward identification of its susceptibility genes. 2003 , 8, 737-9	4
2239	Linkage and association mapping of the LRP5 locus on chromosome 11q13 in type 1 diabetes. 2003 , 113, 99-105	38
2238	Randomly distributed crossovers may generate block-like patterns of linkage disequilibrium: an act of genetic drift. 2003 , 113, 51-9	38
2237	Common 5' beta-globin RFLP haplotypes harbour a surprising level of ancestral sequence mosaicism. 2003 , 113, 123-39	12
2236	Markers informative for ancestry demonstrate consistent megabase-length linkage disequilibrium in the African American population. 2003 , 113, 211-9	30
2235	Comparison of strategies for selecting single nucleotide polymorphisms for case/control association studies. 2003 , 113, 253-7	41

2234	Allelic variation at alcohol metabolism genes (ADH1B, ADH1C, ALDH2) and alcohol dependence in an American Indian population. 2003 , 113, 325-36	86
2233	Entropy-based SNP selection for genetic association studies. 2003 , 114, 36-43	62
2232	Demography, recombination hotspot intensity, and the block structure of linkage disequilibrium. 2003 , 13, 1-8	116
2231	Human prehistory: the message from linkage disequilibrium. 2003 , 13, R86-7	0
2230	Genetic analysis of multiple sclerosis in Europeans. 2003 , 143, 1-6	24
2229	Refining the analysis of a whole genome linkage disequilibrium association map: the United Kingdom results. 2003 , 143, 53-9	26
2228	A genomic screen of Spanish multiple sclerosis patients reveals multiple loci associated with the disease. 2003 , 143, 124-8	33
2227	Genome scans and candidate gene approaches in the study of common diseases and variable drug responses. 2003 , 19, 615-22	136
2226	Evolutionary algorithms for the selection of single nucleotide polymorphisms. 2003 , 4, 30	14
2225	Using haplotype blocks to map human complex trait loci. 2003 , 19, 135-40	293
2224	SNP and haplotype variation in the human genome. 2003 , 526, 53-61	106
2223	Association mapping of complex diseases in linked regions: estimation of genetic effects and feasibility of testing rare variants. 2003 , 24, 36-43	19
2222	On selecting markers for association studies: patterns of linkage disequilibrium between two and three diallelic loci. 2003 , 24, 57-67	34
2221	Evolutionary-based association analysis using haplotype data. 2003 , 25, 48-58	100
2220	Mutational analysis of the BRCA1-interacting genes ZNF350/ZBRK1 and BRIP1/BACH1 among BRCA1 and BRCA2-negative probands from breast-ovarian cancer families and among early-onset breast cancer cases and reference individuals. 2003 , 22, 121-8	45
2219	Negligible validation rate for public domain stop-codon SNPs. 2003 , 22, 252-4	8
2218	Paroxysms of excitement: sodium channel dysfunction in heart and brain. 2003 , 25, 981-93	9
2217	From plant genomics to breeding practice. 2003 , 14, 214-9	168

2216	HLA in coeliac disease: unravelling the complex genetics of a complex disorder. 2003 , 61, 105-17	136
2215	Inheritable variable sizes of DNA stretches in the human MHC: conserved extended haplotypes and their fragments or blocks. 2003 , 62, 1-20	140
2214	Genetic epidemiology of type 1 diabetes. 2003 , 4, 87-100	66
2213	Genetic risk factors for cerebrovascular disease in children with sickle cell disease: design of a case-control association study and genomewide screen. 2003 , 4, 6	30
2212	Polymorphisms in the nephrin gene and diabetic nephropathy in type 1 diabetic patients. 2003 , 63, 1205-10	13
2211	HIV-associated nephropathy in African Americans. 2003 , S43-9	76
2210	Cardiovascular pharmacogenetics in the SNP era. 2003 , 1, 1398-402	23
2209	A note on the optimal measure of allelic association. 2003 , 67, 189-91	10
2208	A metric linkage disequilibrium map of a human chromosome. 2003 , 67, 487-94	39
2207	Genetic linkage studies in alopecia areata. 2003 , 8, 199-203	15
2206	The mosaic that is our genome. 2003 , 421, 409-12	118
2205	Association of the T-cell regulatory gene CTLA4 with susceptibility to autoimmune disease. 2003 , 423, 506-11	1774
2204	Global survey of haplotype frequencies and linkage disequilibrium at the RET locus. 2003 , 11, 760-9	15
2203	Complex haplotypic structure of the central MHC region flanking TNF in a West African population. 2003 , 4, 476-86	22
2202	Genetics, genes, genomics and g. 2003 , 8, 1-5	36
2201	Identification of a high-risk haplotype for the dystrobrevin binding protein 1 (DTNBP1) gene in the Irish study of high-density schizophrenia families. 2003 , 8, 499-510	119
2200	The rough guide to the genome. 2003 , 425, 758-9	12
2199	Large-scale genotyping of complex DNA. 2003 , 21, 1233-7	474

2198	Wanted: regulatory SNPs. 2003 , 33, 439-40	88
2197	A clinician's plea. 2003 , 33, 440-2	34
2196	Discovering genotypes underlying human phenotypes: past successes for mendelian disease, future approaches for complex disease. 2003 , 33 Suppl, 228-37	1182
2195	Chromosome-wide distribution of haplotype blocks and the role of recombination hot spots. 2003 , 33, 382-7	243
2194	The genetics and genomics of cancer. 2003 , 33 Suppl, 238-44	446
2193	The application of molecular genetic approaches to the study of human evolution. 2003 , 33 Suppl, 266-75	416
2192	Additional SNPs and linkage-disequilibrium analyses are necessary for whole-genome association studies in humans. 2003 , 33, 518-21	262
2191	Quality and completeness of SNP databases. 2003 , 33, 457-8	158
2190	Haplotype blocks and linkage disequilibrium in the human genome. 2003 , 4, 587-97	430
2189	Estimating recombination rates from population-genetic data. 2003 , 4, 959-68	163
2188	Pharmacogenetics goes genomic. 2003 , 4, 937-47	249
2187	Recombination hotspots rather than population history dominate linkage disequilibrium in the MHC class II region. 2003 , 12, 33-40	85
2186	5. Genetics of hypersensitivity. 2003 , 111, S495-501	44
2185	Race and genomics. 2003 , 348, 1166-70	479
2184	Patterns of human genetic diversity: implications for human evolutionary history and disease. 2003 , 4, 293-340	257
2183	Sequence divergence, functional constraint, and selection in protein evolution. 2003 , 4, 213-35	160
2182	A model for the length of tracts of identity by descent in finite random mating populations. 2003 , 64, 141-50	42
2181	Genetic polymorphisms of hepatic lipase and cholesteryl ester transfer protein, intermediate phenotypes, and coronary risk: do they add up yet?. 2003 , 41, 1990-3	16

2180	The SNP Consortium website: past, present and future. 2003 , 31, 124-7	113
2179	Association and haplotype analysis of the insulin-degrading enzyme (IDE) gene, a strong positional and biological candidate for type 2 diabetes susceptibility. 2003 , 52, 1300-5	49
2178	Pharmacogenetics in the laboratory and the clinic. 2003 , 348, 553-6	89
2177	Association of PADI4 and rheumatoid arthritis: a successful multidisciplinary approach. 2003 , 9, 405-7	15
2176	Role of evolutionary history on haplotype block structure in the human genome: implications for disease mapping. 2003 , 13, 569-75	60
2175	The inherited basis of diabetes mellitus: implications for the genetic analysis of complex traits. 2003 , 4, 257-91	236
2174	In vivo characterization of regulatory polymorphisms by allele-specific quantification of RNA polymerase loading. 2003 , 33, 469-75	216
2173	Genetic variation and hematology: single-nucleotide polymorphisms, haplotypes, and complex disease. 2003 , 40, 321-8	12
2172	Analysis of a cluster of polymorphisms in AKT1 gene in bipolar pedigrees: a family-based association study. 2003 , 339, 5-8	29
2171	Untangling Oceanic settlement: the edge of the knowable. 2003 , 18, 531-540	91
2170	Genetics of psoriasis: the potential impact on new therapies. 2003 , 49, S51-6	53
2169	Genetics of human prefrontal function. 2003 , 43, 134-63	111
2168	Estimation of haplotype frequencies, linkage-disequilibrium measures, and combination of haplotype copies in each pool by use of pooled DNA data. 2003 , 72, 384-98	49
2167	Hierarchical modeling of linkage disequilibrium: genetic structure and spatial relations. 2003 , 72, 351-63	61
2166	Extensive linkage disequilibrium, a common 16.7-kilobase deletion, and evidence of balancing selection in the human protocadherin alpha cluster. 2003 , 72, 621-35	49
2165	On the identification of disease mutations by the analysis of haplotype similarity and goodness of fit. 2003 , 72, 891-902	119
2164	Genome association studies of complex diseases by case-control designs. 2003 , 72, 850-68	74
2163	Combined analysis of genome scans of dutch and finnish families reveals a susceptibility locus for high-density lipoprotein cholesterol on chromosome 16q. 2003 , 72, 903-17	87

2162	Features of evolution and expansion of modern humans, inferred from genomewide microsatellite markers. 2003 , 72, 1171-86	198
2161	The structure of linkage disequilibrium at the DBH locus strongly influences the magnitude of association between diallelic markers and plasma dopamine beta-hydroxylase activity. 2003 , 72, 1389-400	76
2160	Hot and cold spots of recombination in the human genome: the reason we should find them and how this can be achieved. 2003 , 73, 5-16	78
2159	Haplotype block partition with limited resources and applications to human chromosome 21 haplotype data. 2003 , 73, 63-73	44
2158	Minimum description length block finder, a method to identify haplotype blocks and to compare the strength of block boundaries. 2003 , 73, 86-94	17
2157	Selection of genetic markers for association analyses, using linkage disequilibrium and haplotypes. 2003 , 73, 115-30	120
2156	Finding haplotype block boundaries by using the minimum-description-length principle. 2003 , 73, 336-54	72
2155	Linkage disequilibrium and inference of ancestral recombination in 538 single-nucleotide polymorphism clusters across the human genome. 2003 , 73, 285-300	72
2154	Assessing the performance of the haplotype block model of linkage disequilibrium. 2003 , 73, 502-15	124
2153	An integrated haplotype map of the human major histocompatibility complex. 2003 , 73, 580-90	138
2152	Genomewide distribution of high-frequency, completely mismatching SNP haplotype pairs observed to be common across human populations. 2003 , 73, 1073-81	83
2151	Finding genes underlying risk of complex disease by linkage disequilibrium mapping. 2003 , 13, 296-302	56
2150	Genetic approaches to stature, pubertal timing, and other complex traits. 2003 , 80, 1-10	103
2149	Variation in the protocadherin gamma A gene cluster. 2003 , 82, 433-40	12
2148	Genetic analysis of multiple sclerosis. 2003 , 21, 111-6	19
2147	Contrast-agent-induced acute renal dysfunction--is iodixanol the answer?. 2003 , 348, 551-3	55
2146	The International HapMap Project. 2003 , 426, 789-96	5039
2145	A vision for the future of genomics research. 2003 , 422, 835-47	1390

2144	New methods for finding disease-susceptibility genes: impact and potential. 2003 , 4, 119	30
2143	Haplotypic analysis of the TNF locus by association efficiency and entropy. 2003 , 4, R24	50
2142	New hope for haplotype mapping. 2003 , 5, 51-3	1
2141	Number of SNPS loci needed to detect population structure. 2003 , 55, 37-45	61
2140	The 12th international rheumatology symposium in Tokyo. 2003 , 13, 376-96	
2139	Confounding, ascertainment bias, and the blind quest for a genetic 'fountain of youth'. 2003 , 35, 532-44	62
2138	Haplotype analysis in population genetics and association studies. 2003 , 4, 171-8	116
2137	Robustness of inference of haplotype block structure. 2003 , 10, 13-9	51
2136	Pharmacogenomics of alcohol response and addiction. 2003 , 3, 217-32	66
2135	Race, distributive justice and the promise of pharmacogenomics: ethical considerations. 2003 , 3, 385-92	22
2134	Systematic search for single nucleotide polymorphisms in the FOXC2 gene: the absence of evidence for the association of three frequent single nucleotide polymorphisms and four common haplotypes with Japanese type 2 diabetes. 2003 , 52, 562-7	20
2133	Invited commentary: making the most of genotype asymmetries. 2003 , 158, 1033-5; discussion 1035-8	4
2132	Invited commentary: Testing for Hardy-Weinberg disequilibrium using a genome single-nucleotide polymorphism scan based on cases only. 2003 , 158, 401-3; discussion 404-5	22
2131	Genome-wide single-nucleotide polymorphism analysis defines haplotype patterns in mouse. 2003 , 100, 3380-5	207
2130	Single nucleotide variation analysis in 65 candidate genes for CNS disorders in a representative sample of the European population. 2003 , 13, 2271-6	63
2129	Single nucleotide polymorphisms (SNPs) that map to gaps in the human SNP map. 2003 , 31, 4910-6	20
2128	Genetic variation among world populations: inferences from 100 Alu insertion polymorphisms. 2003 , 13, 1607-18	164
2127	The impact of genomics on the study of natural variation in Arabidopsis. 2003 , 132, 718-25	103

2126	Algorithms in Bioinformatics. 2003,	0
2125	Linkage disequilibrium patterns of the human genome across populations. 2003, 12, 771-6	144
2124	Sequence variations in the public human genome data reflect a bottlenecked population history. 2003, 100, 376-81	92
2123	Fine mapping of the alpha-T catenin gene to a quantitative trait locus on chromosome 10 in late-onset Alzheimer's disease pedigrees. 2003, 12, 3133-43	59
2122	Global haplotype diversity in the human insulin gene region. 2003, 13, 2101-11	29
2121	Efficient selective screening of haplotype tag SNPs. 2003, 19, 287-8	168
2120	The usefulness of different density SNP maps for disease association studies of common variants. 2003, 12, 3145-9	25
2119	Haplotype structure, LD blocks, and uneven recombination within the LRP5 gene. 2003, 13, 845-55	54
2118	Choosing haplotype-tagging SNPs based on unphased genotype data using a preliminary sample of unrelated subjects with an example from the Multiethnic Cohort Study. 2003, 55, 27-36	371
2117	Paraoxonase activity, but not haplotype utilizing the linkage disequilibrium structure, predicts vascular disease. 2003, 23, 1465-71	110
2116	Discrete Mathematics and Theoretical Computer Science. 2003,	1
2115	Haplotype motifs: an algorithmic approach to locating evolutionarily conserved patterns in haploid sequences.	1
2114	Natural variation in human membrane transporter genes reveals evolutionary and functional constraints. 2003, 100, 5896-901	208
2113	Direct molecular haplotyping of long-range genomic DNA with M1-PCR. 2003, 100, 7449-53	120
2112	Multipoint linkage-disequilibrium mapping narrows location interval and identifies mutation heterogeneity. 2003, 100, 13442-6	25
2111	LD mapping of maternally and non-maternally derived alleles and atopy in FcepsilonRI-beta. 2003, 12, 2577-85	40
2110	Haplotype information and linkage disequilibrium mapping for single nucleotide polymorphisms. 2003, 13, 2112-7	25
2109	Fluorescent detection and isolation of DNA variants using stabilized RecA-coated oligonucleotides. 2004, 14, 116-25	4

2108	Irruption of genomics in the search for disease related genes. 2003 , 52 Suppl 2, ii1-5	1
2107	Digital genotyping and haplotyping with polymerase colonies. 2003 , 100, 5926-31	130
2106	Efficient inference of haplotypes from genotypes on a pedigree. 2003 , 1, 41-69	61
2105	Will the genomics revolution revolutionize psychiatry?. 2003 , 160, 625-35	109
2104	HaploBlockFinder: haplotype block analyses. 2003 , 19, 1300-1	108
2103	Nonsyndromic seizure disorders: epilepsy and the use of the internet to advance research. 2003 , 4, 437-57	1
2102	Estimation and tests of haplotype-environment interaction when linkage phase is ambiguous. 2003 , 55, 56-65	393
2101	Linkage disequilibrium in human populations. 2003 , 100, 6069-74	52
2100	Minimal haplotype tagging. 2003 , 100, 9900-5	148
2099	Polymorphisms in the insulin-degrading enzyme gene are associated with type 2 diabetes in men from the NHLBI Framingham Heart Study. 2003 , 52, 1562-7	89
2098	A Haplotype Block Model for Fine Mapping of Quantitative Trait Loci Regulating HIV-1 Pathogenesis. 2003 , 5, 227-234	2
2097	Impact of selection, mutation rate and genetic drift on human genetic variation. 2003 , 12, 3325-30	23
2096	A comprehensive haplotype analysis of CYP19 and breast cancer risk: the Multiethnic Cohort. 2003 , 12, 2679-92	131
2095	Association of the multidrug resistance-1 gene single-nucleotide polymorphisms with the tacrolimus dose requirements in renal transplant recipients. 2003 , 14, 1889-96	235
2094	Cardiovascular pharmacogenomics: current status, future prospects. 2003 , 8, 71-83	26
2093	Associations between hypertension and genes in the renin-angiotensin system. 2003 , 41, 1027-34	105
2092	Human genome sequence variation and the search for genes influencing stroke. 2003 , 34, 2512-6	27
2091	Editorial comment--The pendulum's swing: the way forward in the genetics of stroke. 2003 , 34, 2516-7	1

2090	Selecting Degenerate Multiplex PCR Primers. 2003 , 512-526	10
2089	Haplotypes and the systematic analysis of genetic variation in genes and genomes. 2003 , 4, 547-70	49
2088	Molecular genetics of schizophrenia: a review of the recent literature. 2003 , 16, 157-170	19
2087	Identification of novel targets in scleroderma: update on population studies, cDNA arrays, SNP analysis, and mutations. 2003 , 15, 766-71	16
2086	. 2003 , 6, 369-375	3
2085	Emerging trends in the search for genetic variants predisposing to human obesity. 2003 , 6, 369-75	19
2084	Chapter 25. SNPs: A human genetic tool for the new millennium. 2003 , 38, 249-259	
2083	A haplotype map of the human genome. 2003 , 13, 3-9	27
2082	Determination and use of haplotypes: ethnic comparison and association of the lipoprotein lipase gene and coronary artery disease in Mexican-Americans. 2003 , 5, 322-7	44
2081	Haplotype tagging single nucleotide polymorphisms and association studies. 2003 , 56, 48-55	53
2080	Integration of association statistics over genomic regions using Bayesian adaptive regression splines. 2003 , 1, 20-9	22
2079	Gametic phase estimation over large genomic regions using an adaptive window approach. 2003 , 1, 7-19	82
2078	Outline of disease gene hunting approaches in the Millennium Genome Project of Japan.. 2003 , 79B, 34-50	10
2077	. 2003 ,	29
2076	Reply to R Cooper and A Luke. 2003 , 77, 752-753	
2075	Erratum. 2003 , 77, 753-753	
2074	Concluding Remarks: Final Thoughts and Future Trends. 373-377	
2073	Parsimonious Reconstruction of Sequence Evolution and Haplotype Blocks. 2003 , 287-302	27

2072	Positional identification of microdeletions with genetic markers. 2003 , 56, 107-18	8
2071	Identifying Blocks and Sub-populations in Noisy SNP Data. 2003 , 303-319	4
2070	Minimum Recombinant Haplotype Configuration on Tree Pedigrees. 2003 , 339-353	18
2069	Human inter-individual DNA sequence variation in candidate genes, drug targets, the importance of haplotypes and pharmacogenomics. 2003 , 4, 351-78	35
2068	Three single-nucleotide polymorphisms of the angiotensinogen gene and susceptibility to hypertension: single locus genotype vs. haplotype analysis. 2004 , 17, 79-86	54
2067	Genomic approaches to identifying breast cancer susceptibility factors. 2004 , 19, 3-9	5
2066	. 2004 ,	4
2065	Population selection in complex disease gene mapping. 2004 ,	
2064	SNP allele frequency estimation in DNA pools and variance components analysis. 2004 , 36, 840-5	25
2063	Promise and challenge: Markers of prostate cancer detection, diagnosis and prognosis. 2004 , 20, 117-28	49
2062	Multiple sclerosis. 2004 , 113, 788-94	280
2061	What's so hot about recombination hotspots?. 2004 , 2, e190	43
2060	PEN2 is not a genetic risk factor for Alzheimer's disease in a large family sample. 2004 , 62, 304-6	14
2059	Locked nucleic acid (LNA) single nucleotide polymorphism (SNP) genotype analysis and validation using real-time PCR. 2004 , 32, e55	127
2058	Maximum likelihood resolution of multi-block genotypes. 2004 ,	12
2057	An exact solution for finding minimum recombinant haplotype configurations on pedigrees with missing data by integer linear programming. 2004 ,	20
2056	Sex specific protective effects of interleukin-9 receptor haplotypes on childhood wheezing and sensitisation. 2004 , 41, e123	19
2055	Algorithms for association study design using a generalized model of haplotype conservation.	2

2054	Transcription of the IL10 gene reveals allele-specific regulation at the mRNA level. 2004 , 13, 1755-62	245
2053	Parameterized and Exact Computation. 2004 ,	1
2052	Variation of gene-based SNPs and linkage disequilibrium patterns in the human genome. 2004 , 13, 1623-32	44
2051	HGVbase: a curated resource describing human DNA variation and phenotype relationships. 2004 , 32, D516-9	52
2050	The allele frequency spectrum in genome-wide human variation data reveals signals of differential demographic history in three large world populations. 2004 , 166, 351-72	238
2049	Meiotic recombination hot spots and human DNA diversity. 2004 , 359, 141-52	72
2048	Assessment of association between variants and haplotypes of the remaining TBX1 gene and manifestations of congenital heart defects in 22q11.2 deletion patients. 2004 , 41, e40	21
2047	Pharmacogenetics of antiretroviral therapy: genetic variation of response and toxicity. 2004 , 5, 643-55	29
2046	SNP discovery in pooled samples with mismatch repair detection. 2004 , 14, 1404-12	24
2045	DNA mapping using microfluidic stretching and single-molecule detection of fluorescent site-specific tags. 2004 , 14, 1137-46	140
2044	The impact of SNP density on fine-scale patterns of linkage disequilibrium. 2004 , 13, 577-88	171
2043	Efficiency and consistency of haplotype tagging of dense SNP maps in multiple samples. 2004 , 13, 2557-65	50
2042	Genetic markers: progress and potential for cardiovascular disease. 2004 , 109, IV47-58	56
2041	The structure of the tau haplotype in controls and in progressive supranuclear palsy. 2004 , 13, 1267-74	102
2040	Population genetic and phylogenetic evidence for positive selection on regulatory mutations at the factor VII locus in humans. 2004 , 167, 867-77	38
2039	Computational Methods for SNPs and Haplotype Inference. 2004 ,	5
2038	MARA: a novel approach for highly multiplexed locus-specific SNP genotyping using high-density DNA oligonucleotide arrays. 2004 , 32, e181	17
2037	Linkage disequilibrium testing when linkage phase is unknown. 2004 , 166, 505-12	55

2036 Rheumatology and Immunology Therapy. **2004**, 380-380

2035	'The marvellous harmony of the nervous parts': the origins of multiple sclerosis. 2004 , 4, 346-54	25
2034	Large-scale integration of human genetic and physical maps. 2004 , 14, 1199-205	35
2033	Optimal haplotype block-free selection of tagging SNPs for genome-wide association studies. 2004 , 14, 1633-40	84
2032	A promoter haplotype of the immunoreceptor tyrosine-based inhibitory motif-bearing FcγRIIb alters receptor expression and associates with autoimmunity. I. Regulatory FCGR2B polymorphisms and their association with systemic lupus erythematosus. 2004 , 172, 7186-91	141
2031	Alzheimer's disease: one disorder, too many genes?. 2004 , 13 Spec No 1, R135-41	134
2030	Recombination and migration of Cryphonectria hypovirus 1 as inferred from gene genealogies and the coalescent. 2004 , 166, 1611-29	79
2029	Localization of cancer susceptibility genes by genome-wide single-nucleotide polymorphism linkage-disequilibrium mapping. <i>Cancer Research</i> , 2004 , 64, 8116-25	10.1 12
2028	Recombination hotspots and block structure of linkage disequilibrium in the human genome exemplified by detailed analysis of PGM1 on 1p31. 2004 , 13, 3089-102	11
2027	Single-nucleotide polymorphism discovery by targeted DNA photocleavage. 2004 , 101, 14040-4	22
2026	Activating mutations in the KCNJ11 gene encoding the ATP-sensitive K ⁺ channel subunit Kir6.2 are rare in clinically defined type 1 diabetes diagnosed before 2 years. 2004 , 53, 2998-3001	46
2025	Discrepancies in dbSNP confirmation rates and allele frequency distributions from varying genotyping error rates and patterns. 2004 , 20, 1022-32	40
2024	Calsquestrin 1 (CASQ1) gene polymorphisms under chromosome 1q21 linkage peak are associated with type 2 diabetes in Northern European Caucasians. 2004 , 53, 3300-6	26
2023	A genome-wide search for type 2 diabetes susceptibility genes in West Africans: the Africa America Diabetes Mellitus (AADM) Study. 2004 , 53, 838-41	76
2022	Sequencing complex diseases With HapMap. 2004 , 168, 503-11	42
2021	Evidence for gradients of human genetic diversity within and among continents. 2004 , 14, 1679-85	252
2020	Unexpected complexity in the haplotypes of commonly used inbred strains of laboratory mice. 2004 , 101, 9734-9	92
2019	Haplotype Blocks in Small Populations. 2004 , 74-83	1

2018	Genomics in sudden cardiac death. 2004 , 94, 712-23	80
2017	Haplotypes and SNPs in 13 lipid-relevant genes explain most of the genetic variance in high-density lipoprotein and low-density lipoprotein cholesterol. 2004 , 13, 993-1004	80
2016	Identification in 2 independent samples of a novel schizophrenia risk haplotype of the dystrobrevin binding protein gene (DTNBP1). 2004 , 61, 336-44	155
2015	Rheumatology and Immunology Therapy. 2004 ,	5
2014	Refashioning Race: DNA and the Politics of Health Care. 2004 , 15, 1-37	45
2013	Selecting tagging SNPs for association studies using power calculations from genotype data. 2004 , 57, 156-70	23
2012	Mapping genes for common diseases: the case for genetic (LD) maps. 2004 , 58, 2-9	29
2011	Comparison of haplotype inference methods using genotypic data from unrelated individuals. 2004 , 58, 63-8	12
2010	Genotypes and haplotypes predisposing to myocardial infarction: a multilocus case-control study. 2004 , 25, 459-67	110
2009	On the interpretation of genetic association studies. 2004 , 25, 1378-81	27
2008	Colorectal cancer as a complex disease: defining at-risk subjects in the general population - a preventive strategy. 2004 , 4, 377-85	6
2007	Association of specific haplotypes of D2 dopamine receptor gene with vulnerability to heroin dependence in 2 distinct populations. 2004 , 61, 597-606	102
2006	Investigation of neuroanatomical differences between autism and Asperger syndrome. 2004 , 61, 291-8	119
2005	Insights into recombination from patterns of linkage disequilibrium in humans. 2004 , 167, 387-97	38
2004	Large-scale validation of single nucleotide polymorphisms in gene regions. 2004 , 14, 1664-8	63
2003	Human haplotype block sizes are negatively correlated with recombination rates. 2004 , 14, 1358-61	25
2002	A common haplotype at the CD36 locus is associated with high free fatty acid levels and increased cardiovascular risk in Caucasians. 2004 , 13, 2197-205	141
2001	The confluence of population genetics with molecular pharmacology at the angiotensin II receptor: dawn of a new era or just a new wrinkle?. 2004 , 65, 488-91	

2000	Inference on recombination and block structure using unphased data. 2004 , 166, 537-45	8
1999	Common variation in BRCA2 and breast cancer risk: a haplotype-based analysis in the Multiethnic Cohort. 2004 , 13, 2431-41	48
1998	Haplotype structure and genotype-phenotype correlations of the sulfonylurea receptor and the islet ATP-sensitive potassium channel gene region. 2004 , 53, 1360-8	261
1997	Rheumatology and Immunology Therapy. 2004 , 410-410	
1996	Progress in defining the molecular basis of type 2 diabetes mellitus through susceptibility-gene identification. 2004 , 13 Spec No 1, R33-41	82
1995	Africans and Asians abroad: genetic diversity in Europe. 2004 , 5, 119-50	53
1994	DNA Repair in Cancer Therapy. 2004 ,	1
1993	Haplotype reconstruction from genotype data using Imperfect Phylogeny. 2004 , 20, 1842-9	169
1992	Linkage Disequilibrium and Recombination. 2004 ,	1
1991	Comparative high-resolution analysis of linkage disequilibrium and tag single nucleotide polymorphisms between populations in the vitamin D receptor gene. 2004 , 13, 1633-9	161
1990	High density linkage disequilibrium mapping using models of haplotype block variation. 2004 , 20 Suppl 1, i137-44	32
1989	Computational Problems in Noisy SNP and Haplotype Analysis: Block Scores, Block Identification, and Population Stratification. 2004 , 16, 360-370	5
1988	Bayesian haplo-type inference via the dirichlet process. 2004 ,	7
1987	Optimal selection of SNP markers for disease association studies. 2004 , 58, 190-202	55
1986	Perfect phylogeny and haplotype assignment. 2004 ,	21
1985	Handbook of Anticancer Pharmacokinetics and Pharmacodynamics. 2004 ,	7
1984	Absence of the TAP2 human recombination hotspot in chimpanzees. 2004 , 2, e155	98
1983	Construction of fine SNP haplotypes and haplotype blocks in 5 genes in the centromere of chromosome 15 in Chinese Han subjects. 2004 , 49, 1044	3

1982	Scrutiny of the glutamine-fructose-6-phosphate transaminase 1 (GFPT1) locus reveals conserved haplotype block structure not associated with diabetic nephropathy. 2004 , 53, 865-9	11
1981	Molecular analysis of HLA allele frequencies and haplotypes in Baloch of Iran compared with related populations of Pakistan. 2004 , 64, 581-7	48
1980	Does heterozygosity estimate inbreeding in real populations?. 2004 , 13, 3021-31	371
1979	Identifying polymorphisms in the Rattus norvegicus D3 dopamine receptor gene and regulatory region. 2004 , 3, 138-48	5
1978	Cytokine gene polymorphism and immunoregulation in periodontal disease. 2004 , 35, 158-82	57
1977	Intense and highly localized gene conversion activity in human meiotic crossover hot spots. 2004 , 36, 151-6	239
1976	Assessing the impact of population stratification on genetic association studies. 2004 , 36, 388-93	623
1975	Evidence for substantial fine-scale variation in recombination rates across the human genome. 2004 , 36, 700-6	233
1974	Genetic variation, classification and 'race'. 2004 , 36, S28-33	357
1973	Implications of biogeography of human populations for 'race' and medicine. 2004 , 36, S21-7	308
1972	Are medical and nonmedical uses of large-scale genomic markers conflating genetics and 'race'?. 2004 , 36, S43-7	57
1971	The multiethnic cohort study: exploring genes, lifestyle and cancer risk. 2004 , 4, 519-27	249
1970	Association studies for finding cancer-susceptibility genetic variants. 2004 , 4, 850-60	377
1969	The X chromosome in population genetics. 2004 , 5, 43-51	175
1968	Where the crossovers are: recombination distributions in mammals. 2004 , 5, 413-24	255
1967	Integrating ethics and science in the International HapMap Project. 2004 , 5, 467-75	334
1966	Deconstructing the relationship between genetics and race. 2004 , 5, 598-609	217
1965	Beyond race: towards a whole-genome perspective on human populations and genetic variation. 2004 , 5, 790-6	56

1964	Dog star rising: the canine genetic system. 2004 , 5, 900-10	156
1963	Is haplotype tagging the panacea to association mapping studies?. 2004 , 12, 259-62	4
1962	Angiotensin I-converting enzyme polymorphisms, ACE level and blood pressure among Nigerians, Jamaicans and African-Americans. 2004 , 12, 460-8	27
1961	Haplotype diversity and SNP frequency dependence in the description of genetic variation. 2004 , 12, 469-77	34
1960	Molecular diversity at the CYP2D6 locus in the Mediterranean region. 2004 , 12, 916-24	43
1959	Local adaptation and population differentiation at the interleukin 13 and interleukin 4 loci. 2004 , 5, 389-97	22
1958	Sequence analysis of the mannose-binding lectin (MBL2) gene reveals a high degree of heterozygosity with evidence of selection. 2004 , 5, 461-76	70
1957	Haplotype structure of inflammatory cytokines genes (IL1B, IL6 and TNF/LTA) in US Caucasians and African Americans. 2004 , 5, 505-12	28
1956	Linkage of bipolar affective disorder on chromosome 8q24: follow-up and parametric analysis. 2004 , 9, 191-6	32
1955	The molecular genetics of schizophrenia: new findings promise new insights. 2004 , 9, 14-27	257
1954	Will haplotype maps be useful for finding genes?. 2004 , 9, 227-36	29
1953	Investigation of serotonin-related genes in antidepressant response. 2004 , 9, 879-89	197
1952	SNP and haplotype analysis of a novel tryptophan hydroxylase isoform (TPH2) gene provide evidence for association with major depression. 2004 , 9, 1030-6	259
1951	SNPs in cancer research and treatment. 2004 , 90, 747-51	157
1950	Mapping complex disease loci in whole-genome association studies. 2004 , 429, 446-52	500
1949	The HapMap project and its application to genetic studies of drug response. 2004 , 4, 88-90	40
1948	Association of GABRG3 with alcohol dependence. 2004 , 28, 4-9	108
1947	The candidate gene approach: have murine models informed the study of human SLE?. 2004 , 137, 1-7	10

1946	From pharmacokinetics to pharmacogenomics: a new approach to tailor immunosuppressive therapy. 2004 , 4, 299-310	49
1945	Justified chauvinism: advances in defining meiotic recombination through sperm typing. 2004 , 20, 196-205	39
1944	Pharmacogenomics and renal drug disposition in the newborn. 2004 , 28, 132-40	20
1943	Using germ-line genetic variation to investigate and treat cancer. 2004 , 9, 610-8	9
1942	Evaluating association and transmission of eight inflammatory genes with Viliuisk encephalomyelitis susceptibility. 2004 , 31, 121-8	7
1941	Haplotype association analysis of discrete and continuous traits using mixture of regression models. 2004 , 34, 207-14	40
1940	Measurement of cytokines in autoimmune disease. 2004 , 102, 129-54	10
1939	Genetics of atherosclerosis. 2004 , 5, 189-218	231
1938	Nonreplication in genetic studies of complex diseases--lessons learned from studies of osteoporosis and tentative remedies. 2005 , 20, 365-76	55
1937	Mapping genes for resistance to <i>Verticillium albo-atrum</i> in tetraploid and diploid potato populations using haplotype association tests and genetic linkage analysis. 2004 , 271, 522-31	63
1936	Haplotype block and superblock structures of the alpha1-adrenergic receptor genes reveal echoes from the chromosomal past. 2004 , 272, 519-29	7
1935	On the applicability of a haplotype map to un-assayed populations. 2004 , 114, 214-7	4
1934	Patterns of linkage disequilibrium in the MHC region on human chromosome 6p. 2004 , 114, 377-85	88
1933	Extended haplotype analysis in the HLA complex reveals an increased frequency of the HFE-C282Y mutation in individuals with multiple sclerosis. 2004 , 114, 573-80	35
1932	The effects of scale: variation in the APOA1/C3/A4/A5 gene cluster. 2004 , 115, 36-56	40
1931	Association between evolutionary history of angiotensinogen haplotypes and plasma levels. 2004 , 115, 310-8	9
1930	Comparison of the genomic structure and variation in the two human sodium-dependent vitamin C transporters, SLC23A1 and SLC23A2. 2004 , 115, 285-94	52
1929	Attention-Deficit Hyperactivity Disorder in the post-genomic era. 2004 , 13 Suppl 1, I50-70	58

1928	Haplotype architecture of the norepinephrine transporter gene SLC6A2 in four populations. 2004 , 49, 232-45	6
1927	Comparative study of the haplotype structure and linkage disequilibrium of chromosome 1p36.2 region in the Korean and Japanese populations. 2004 , 49, 603-609	6
1926	Linkage disequilibrium and haplotype tagging polymorphisms in the Tau H1 haplotype. 2004 , 5, 147-55	22
1925	Construction of fine SNP haplotypes and haplotype blocks in 5 genes in the centromere of chromosome 15 in Chinese Han subjects. 2004 , 49, 1044-1051	3
1924	Allelic structure and distribution of 103 STR loci in a Southern Tunisian population. 2004 , 83, 65-71	5
1923	A note on the single genotype resolution problem. 2004 , 19, 254-257	2
1922	Genome scan analyses and positional cloning strategy in IBD: successes and limitations. 2004 , 18, 541-53	18
1921	Beta-2-microglobulin haplotypes in U.S. beef cattle and association with failure of passive transfer in newborn calves. 2004 , 15, 227-36	31
1920	Analysis of the contribution to type 2 diabetes susceptibility of sequence variation in the gene encoding stearyl-CoA desaturase, a key regulator of lipid and carbohydrate metabolism. 2004 , 47, 2168-75	22
1919	Evaluation of the role of the SQSTM1 gene in sporadic Belgian patients with Paget's disease. 2004 , 75, 144-52	48
1918	SNP haplotypes and allele frequencies show evidence for disruptive and balancing selection in the human leukocyte receptor complex. 2004 , 56, 225-37	48
1917	Current limitations of SNP data from the public domain for studies of complex disorders: a test for ten candidate genes for obesity and osteoporosis. 2004 , 5, 4	28
1916	The evolution and population genetics of the ALDH2 locus: random genetic drift, selection, and low levels of recombination. 2004 , 68, 93-109	129
1915	Linkage disequilibrium and haplotype architecture for two ABC transporter genes (ABCC1 and ABCG2) in Chinese population: implications for pharmacogenomic association studies. 2004 , 68, 563-73	27
1914	Genetic markers of treatment response in rheumatoid arthritis. 2004 , 50, 1019-22	18
1913	Application of kinetic polymerase chain reaction and molecular beacon assays to pooled analyses and high-throughput genotyping for candidate genes. 2004 , 70, 65-74	18
1912	Genetic approaches to identify disease genes for birth defects with cleft lip/palate as a model. 2004 , 70, 893-901	52
1911	A linkage disequilibrium map of the 1-Mb 15q12 GABA(A) receptor subunit cluster and association to autism. 2004 , 131B, 51-9	119

1910	The dysbindin gene in major depression: an association study. 2004 , 129B, 55-8	20
1909	Linkage and association with the NOS2A locus on chromosome 17q11 in multiple sclerosis. 2004 , 55, 793-800	52
1908	Novel haplotypes in 17q21 are associated with progressive supranuclear palsy. 2004 , 56, 249-58	59
1907	Principal component analysis for selection of optimal SNP-sets that capture intragenic genetic variation. 2004 , 26, 11-21	85
1906	Information on ancestry from genetic markers. 2004 , 26, 305-15	57
1905	Is haplotype block identification useful for association mapping studies?. 2004 , 27, 80-3	12
1904	The role of haplotypes in candidate gene studies. 2004 , 27, 321-33	307
1903	Haplotype block structures show significant variation among populations. 2004 , 27, 385-400	52
1902	Tag SNP selection for association studies. 2004 , 27, 365-74	149
1901	Genetic epidemiology and haplotypes. 2004 , 27, 317-20	26
1900	Has the combination of genetic and fossil evidence solved the riddle of modern human origins?. 2004 , 13, 145-159	34
1899	Role of pharmacogenomics in drug development. 2004 , 62, 86-96	6
1898	Role of SNP/haplotype map in gene discovery and drug development: An overview. 2004 , 62, 143-150	11
1897	Single-molecule analysis for molecular haplotyping. 2004 , 23, 442-6	31
1896	MALDI-TOF MS: a platform technology for genetic discovery. 2004 , 238, 173-188	15
1895	"Irinogenetics" and UGT1A: from genotypes to haplotypes. 2004 , 75, 495-500	31
1894	Linear reduction methods for tag SNP selection. 2004 , 2004, 2840-3	1
1893	The number of recombination events in a sample history: conflict graph and lower bounds. 2004 , 1, 78-90	31

1892	Understanding human DNA sequence variation. 2004 , 95, 406-20	78
1891	Population genomics of drug response. 2004 , 4, 73-82	4
1890	Genome-wide linkage disequilibrium and haplotype maps. 2004 , 4, 253-62	13
1889	Genomics and the Human Genome Project: implications for psychiatry. 2004 , 16, 294-300	26
1888	A genetic linkage map for Arctic char (<i>Salvelinus alpinus</i>): evidence for higher recombination rates and segregation distortion in hybrid versus pure strain mapping parents. 2004 , 47, 304-15	101
1887	Haplotype block partitioning and tag SNP selection using genotype data and their applications to association studies. 2004 , 14, 908-16	119
1886	Molecular genetics of myocardial infarction: many genes, more questions than answers. 2004 , 25, 451-3	8
1885	Defining haplotype blocks and tag single-nucleotide polymorphisms in the human genome. 2004 , 13, 335-42	33
1884	Autoimmunity. 2004 ,	2
1883	Model-based inference of haplotype block variation. 2004 , 11, 493-504	45
1882	Future potential of the Human Epigenome Project. 2004 , 4, 609-18	49
1881	Nutritional genomics: the next frontier in the postgenomic era. 2004 , 16, 166-77	239
1880	Extensive and breed-specific linkage disequilibrium in <i>Canis familiaris</i> . 2004 , 14, 2388-96	219
1879	The impact of the completed human genome sequence on the development of novel therapeutics for human disease. 2004 , 55, 1-13	41
1878	Ethics in population-based genetic research. 2004 , 11, 1-26	15
1877	Association of vitamin D receptor genetic variants with susceptibility to asthma and atopy. 2004 , 170, 967-73	192
1876	Association of vitamin D receptor gene polymorphisms with childhood and adult asthma. 2004 , 170, 1057-65	205
1875	[Genomics of body weight regulation: unraveling the molecular mechanisms predisposing to obesity]. 2004 , 123, 104-17	8

1874	Long-range (17.7 kb) allele-specific polymerase chain reaction method for direct haplotyping of R117H and IVS-8 mutations of the cystic fibrosis transmembrane regulator gene. 2004 , 6, 264-70	15
1873	Selecting a maximally informative set of single-nucleotide polymorphisms for association analyses using linkage disequilibrium. 2004 , 74, 106-20	1334
1872	Haplotype diversity across 100 candidate genes for inflammation, lipid metabolism, and blood pressure regulation in two populations. 2004 , 74, 610-22	146
1871	Large-scale single-nucleotide polymorphism (SNP) and haplotype analyses, using dense SNP Maps, of 199 drug-related genes in 752 subjects: the analysis of the association between uncommon SNPs within haplotype blocks and the haplotypes constructed with haplotype-tagging SNPs. 2004 , 75, 190-203	83
1870	Population genetics for target identification. 2004 , 1, 69-74	10
1869	Single nucleotide polymorphism and haplotype analysis of a novel tryptophan hydroxylase isoform (TPH2) gene in suicide victims. 2004 , 56, 581-6	173
1868	Association of AKT1 with schizophrenia confirmed in a Japanese population. 2004 , 56, 698-700	134
1867	Using online databases for developing SNP markers of forensic interest. 2005 , 297, 83-106	5
1866	Genetic variation in eleven phase I drug metabolism genes in an ethnically diverse population. 2004 , 5, 895-931	195
1865	Haplotype parsing: methods for extracting information from human genetic variations. 2004 , 3, 181-91	1
1864	Predisposition to abacavir hypersensitivity conferred by HLA-B*5701 and a haplotypic Hsp70-Hom variant. 2004 , 101, 4180-5	397
1863	The fine-scale structure of recombination rate variation in the human genome. <i>Science</i> , 2004 , 304, 581-433.3	796
1862	Algorithms in Bioinformatics. 2004 ,	
1861	Genetics and biology of vitamin D receptor polymorphisms. 2004 , 338, 143-56	1047
1860	Direct IBD mapping: identical-by-descent mapping without genotyping. 2004 , 83, 335-45	4
1859	Haplotype analysis of the apolipoprotein gene cluster on human chromosome 11. 2004 , 83, 912-23	89
1858	Direct determination of MUC5B promoter haplotypes based on the method of single-strand conformation polymorphism and their statistical estimation. 2004 , 84, 613-22	10
1857	Linkage disequilibrium maps constructed with common SNPs are useful for first-pass disease association screens. 2004 , 84, 899-912	19

1856	Searching for genetic influences on normal cognitive ageing. 2004 , 8, 178-84	55
1855	Association genetics of complex traits in conifers. 2004 , 9, 325-30	393
1854	One potato, two potato: haplotype association mapping in autotetraploids. 2004 , 9, 441-8	46
1853	SNP typing in forensic genetics: a review. 2005 , 297, 107-26	34
1852	A candidate gene association study on preterm delivery: application of high-throughput genotyping technology and advanced statistical methods. 2004 , 13, 683-91	64
1851	Reconstructing reticulate evolution in species. 2004 ,	45
1850	Whole genome variation analysis using single molecule sequencing. 2004 , 3, 112-116	3
1849	Target identification and validation through genetics. 2004 , 3, 183-190	5
1848	An update on the genetics of colorectal cancer. 2004 , 13 Spec No 2, R177-85	62
1847	Tumor suppressor gene TP53 is genetically associated with schizophrenia in the Chinese population. 2004 , 369, 126-31	30
1846	. 2004 , 8, 443-455	14
1845	Population-genetic basis of haplotype blocks in the 5q31 region. 2004 , 74, 40-9	16
1844	Are variants in the CAPN10 gene related to risk of type 2 diabetes? A quantitative assessment of population and family-based association studies. 2004 , 74, 208-22	106
1843	Increasing the power and efficiency of disease-marker case-control association studies through use of allele-sharing information. 2004 , 74, 432-43	59
1842	Variations in GABRA2, encoding the alpha 2 subunit of the GABA(A) receptor, are associated with alcohol dependence and with brain oscillations. 2004 , 74, 705-14	536
1841	A high-density admixture map for disease gene discovery in african americans. 2004 , 74, 1001-13	379
1840	Methods for high-density admixture mapping of disease genes. 2004 , 74, 979-1000	386
1839	Genetic signatures of strong recent positive selection at the lactase gene. 2004 , 74, 1111-20	769

1838	Linkage analysis of a complex disease through use of admixed populations. 2004 , 74, 1136-53	67
1837	Extended linkage disequilibrium surrounding the hemoglobin E variant due to malarial selection. 2004 , 74, 1198-208	97
1836	Linkage disequilibrium mapping via cladistic analysis of single-nucleotide polymorphism haplotypes. 2004 , 75, 35-43	168
1835	Common variants in the 5' region of the leptin gene are associated with body mass index in men from the National Heart, Lung, and Blood Institute Family Heart Study. 2004 , 75, 220-30	73
1834	The future of association studies: gene-based analysis and replication. 2004 , 75, 353-62	510
1833	Statistical tests for admixture mapping with case-control and cases-only data. 2004 , 75, 771-89	132
1832	Association of the gene encoding wingless-type mammary tumor virus integration-site family member 5B (WNT5B) with type 2 diabetes. 2004 , 75, 832-43	127
1831	Disrupted in schizophrenia 1 (DISC1): association with schizophrenia, schizoaffective disorder, and bipolar disorder. 2004 , 75, 862-72	364
1830	Finding haplotype tagging SNPs by use of principal components analysis. 2004 , 75, 850-61	93
1829	SNP genotyping using Sequenom MassARRAY 7K platform. 2004 , Chapter 2, Unit 2.12	15
1828	Strategies for Studying Complex Genetic Traits. 2004 , 14, 346-352	2
1827	Lipoprotein lipase is a gene for insulin resistance in Mexican Americans. 2004 , 53, 214-20	88
1826	Complex haplotype structure of the human GNAS gene identifies a recombination hotspot centred on a single nucleotide polymorphism widely used in association studies. 2004 , 14, 741-7	12
1825	Haplotype mapping. 2004 ,	
1824	Population genetic analysis of ascertained SNP data. 2004 , 1, 218-24	95
1823	A survey of genetic and epigenetic variation affecting human gene expression. 2004 , 16, 184-93	201
1822	Nutritional genomics. 2004 , 16, 161-5	37
1821	Identification of genes contributing to the obese yellow Avy phenotype: caloric restriction, genotype, diet x genotype interactions. 2004 , 18, 316-24	28

1820	The impact of sample size and marker selection on the study of haplotype structures. 2004 , 1, 179-93	20
1819	Characterisation of SNP haplotype structure in chemokine and chemokine receptor genes using CEPH pedigrees and statistical estimation. 2004 , 1, 195-207	1
1818	Haplotype structure and linkage disequilibrium in chemokine and chemokine receptor genes. 2004 , 1, 255-73	15
1817	Geographic stratification of linkage disequilibrium: a worldwide population study in a region of chromosome 22. 2004 , 1, 399-409	11
1816	The extent and importance of intragenic recombination. 2004 , 1, 410-20	8
1815	The physiologic basis of high-altitude diseases. 2005 , 142, 591-2; author reply 592	2
1814	Cosmopolitan linkage disequilibrium maps. 2005 , 2, 20-7	10
1813	A comprehensive literature review of haplotyping software and methods for use with unrelated individuals. 2005 , 2, 39-66	59
1812	Software for tag single nucleotide polymorphism selection. 2005 , 2, 144-51	30
1811	Experimental Analysis of a New Algorithm for Partial Haplotype Completion. 2005 , 952-959	
1810	The fatty acid-binding protein-2 A54T polymorphism is associated with renal disease in patients with type 2 diabetes. 2005 , 54, 3326-30	36
1809	Polymorphisms in CD14, mannose-binding lectin, and Toll-like receptor-2 are associated with increased prevalence of infection in critically ill adults. 2005 , 33, 638-44	185
1808	A new crossover operator based on the rough set theory for genetic algorithms. 2005 ,	2
1807	Mapping complex disease phenotypes. 2005 ,	
1806	Obesity and Diabetes Gene Discovery Approaches. 2005 , 2, 161-182	
1805	ADH4 gene variation is associated with alcohol and drug dependence: results from family controlled and population-structured association studies. 2005 , 15, 755-68	82
1804	The physiologic basis of high-altitude diseases. 2005 , 142, 591; author reply 592	2
1803	The Physiologic Basis of High-Altitude Diseases. 2005 , 142, 592	1

1802 Linkage Disequilibrium. **2005**,

1801 The physiologic basis of high-altitude diseases. **2005**, 142, 591; author reply 592

1800 A TOOL FOR SELECTING SNPS FOR ASSOCIATION STUDIES BASED ON OBSERVED LINKAGE DISEQUILIBRIUM PATTERNS. **2005**, 9

1799 THE WHOLE GENOME TAGSNP SELECTION AND TRANSFERABILITY AMONG HAPMAP POPULATIONS. **2005**, 2

1798 The association of interleukin 6 haplotype clades with mortality in critically ill adults. **2005**, 165, 75-82 83

1797 Normal DNA sequence variations in humans. **2005**,

1796 Sequence variation of bradykinin receptors B1 and B2 and association with hypertension. **2005**, 23, 55-62 31

1795 Neuregulin 1 gene and variations in perceptual aberration of schizotypal personality in adolescents. **2005**, 35, 1589-98 53

1794 Applied Bioinformatics for Drug Discovery and Development. 353-382

1793 Family trio phasing and missing data recovery. **2005**, 1, 221-9 1

1792 Experimental analysis of a new algorithm for partial haplotype completion. **2005**, 1, 461-73 2

1791 Finding and using haplotype blocks in candidate gene association studies. **2005**,

1790 Population genomics: patterns of genetic variation within populations. **2005**,

1789 Genetic variation in the IL-10 pathway modulates severity of acute graft-versus-host disease following hematopoietic cell transplantation: synergism between IL-10 genotype of patient and IL-10 receptor beta genotype of donor. **2005**, 106, 3995-4001 69

1788 SNPs and human history. **2005**,

1787 Single Nucleotide Polymorphisms: Detection Techniques and Their Potential for Genotyping and Genome Mapping. **2005**, 75-107 5

1786 SNPs in forensic genetics: a review on SNP typing methodologies. **2005**, 154, 181-94 299

1785 HLA genomics in the third millennium. **2005**, 17, 498-504 46

1784	More on: does the factor V Asp79His (409 G/C) polymorphism influence Factor V and APC resistance levels?. 2005 , 3, 417	
1783	Thrombomodulin gene polymorphisms or haplotypes as potential risk factors for venous thromboembolism: a population-based case-control study. 2005 , 3, 710-7	37
1782	Platelet glycoprotein I(b)alpha and integrin alpha2 beta1 polymorphisms: gene frequencies and linkage disequilibrium in a population diversity panel. 2005 , 3, 1511-21	25
1781	Genetic factors contribute to bleeding after cardiac surgery. 2005 , 3, 1206-12	60
1780	Genetics of Type 2 diabetes. 2005 , 22, 517-35	151
1779	Haplotyping of TNFalpha gene promoter using melting temperature analysis: detection of a novel -856(G/A) mutation. 2005 , 66, 284-90	8
1778	Association of single nucleotide polymorphisms in klotho with priapism in sickle cell anaemia. 2005 , 128, 266-72	63
1777	Haplotype analysis of a 100 kb region spanning TNF-LTA identifies a polymorphism in the LTA promoter region that is associated with atopic asthma susceptibility in Japan. 2005 , 35, 790-6	22
1776	Small molecules: the missing link in the central dogma. 2005 , 1, 64-6	255
1775	Haplotype block structure of the cytochrome P450 CYP2C gene cluster on chromosome 10. 2005 , 37, 915-6; author reply 916	24
1774	Reply to 'Haplotype block structure of the cytochrome P450 CYP2C gene cluster on chromosome 10'. 2005 , 37, 916-916	24
1773	A single-nucleotide polymorphism tagging set for human drug metabolism and transport. 2005 , 37, 84-9	134
1772	A genome-wide scalable SNP genotyping assay using microarray technology. 2005 , 37, 549-54	528
1771	Human recombination hot spots hidden in regions of strong marker association. 2005 , 37, 601-6	146
1770	Demonstrating stratification in a European American population. 2005 , 37, 868-72	372
1769	A predominant role for the HLA class II region in the association of the MHC region with multiple sclerosis. 2005 , 37, 1108-12	252
1768	Genetic variation in laboratory mice. 2005 , 37, 1175-80	129
1767	Efficiency and power in genetic association studies. 2005 , 37, 1217-23	1520

1766	Myosin IXB variant increases the risk of celiac disease and points toward a primary intestinal barrier defect. 2005 , 37, 1341-4	184
1765	A candidate gene approach to searching for low-penetrance breast and prostate cancer genes. 2005 , 5, 977-85	142
1764	Genome-wide association studies for common diseases and complex traits. 2005 , 6, 95-108	2258
1763	Genome-wide association studies: theoretical and practical concerns. 2005 , 6, 109-18	881
1762	Applying a new generation of genetic maps to understand human inflammatory disease. 2005 , 5, 83-91	21
1761	Association of haplotypes in the beta-chemokine locus with multiple sclerosis. 2005 , 13, 240-7	20
1760	Haplotype structure of the beta adrenergic receptor genes in US Caucasians and African Americans. 2005 , 13, 341-51	37
1759	Haplotype structure of TNFRSF5-TNFSF5 (CD40-CD40L) and association analysis in systemic lupus erythematosus. 2005 , 13, 669-76	23
1758	Linkage disequilibrium patterns vary substantially among populations. 2005 , 13, 677-86	113
1757	Haplotype construction of the FRDA gene and evaluation of its role in type II diabetes. 2005 , 13, 849-55	9
1756	Typing without calling the allele: a strategy for inferring SNP haplotypes. 2005 , 13, 898-901	3
1755	Evaluation of TNF-alpha and IL-1beta polymorphisms in Taiwan Chinese patients with pterygium. 2005 , 19, 571-4	5
1754	Divergent patterns of linkage disequilibrium and haplotype structure across global populations at the interleukin-13 (IL13) locus. 2005 , 6, 53-65	32
1753	Risk of trachomatous scarring and trichiasis in Gambians varies with SNP haplotypes at the interferon-gamma and interleukin-10 loci. 2005 , 6, 332-40	58
1752	Single nucleotide polymorphisms and haplotypes in the IL10 region associated with HCV clearance. 2005 , 6, 347-57	71
1751	Multiple sclerosis genetics: leaving no stone unturned. 2005 , 6, 375-87	99
1750	Haplotype tagging efficiency in worldwide populations in CTLA4 gene. 2005 , 6, 646-57	21
1749	Common genetic variants in the interleukin-6 and chitotriosidase genes are associated with the risk for serious infection in children undergoing therapy for acute myeloid leukemia. 2005 , 19, 1745-50	50

1748	Support for involvement of neuregulin 1 in schizophrenia pathophysiology. 2005 , 10, 366-74, 328	159
1747	Meta-analysis reveals association between serotonin transporter gene STin2 VNTR polymorphism and schizophrenia. 2005 , 10, 928-38, 891	105
1746	Genetic tests of biologic systems in affective disorders. 2005 , 10, 719-40	26
1745	Genetic investigation of chromosome 5q GABAA receptor subunit genes in schizophrenia. 2005 , 10, 1074-88, 1057	105
1744	Will investments in biobanks, prospective cohorts, and markers of common patterns of variation benefit other populations for drug response and disease susceptibility gene discovery?. 2005 , 5, 75-80	6
1743	Sequencing drug response with HapMap. 2005 , 5, 149-56	51
1742	Common VKORC1 and GGCX polymorphisms associated with warfarin dose. 2005 , 5, 262-70	396
1741	Generation and annotation of the DNA sequences of human chromosomes 2 and 4. 2005 , 434, 724-31	61
1740	Paths to understanding the genetic basis of autoimmune disease. 2005 , 435, 584-9	167
1739	A haplotype map of the human genome. 2005 , 437, 1299-320	4818
1738	Genome sequence, comparative analysis and haplotype structure of the domestic dog. 2005 , 438, 803-19	1809
1737	Statistical issues arising in the Women's Health Initiative. 2005 , 61, 899-911; discussion 911-41	49
1736	Systematic linkage disequilibrium analysis of SLC12A8 at PSORS5 confirms a role in susceptibility to psoriasis vulgaris. 2005 , 125, 906-12	34
1735	Multiple sclerosis. 2005 , 204, 208-31	242
1734	Untangling the patterns of genetic variation. 2005 , 10, 538	
1733	Association of genetic polymorphisms with risk of renal injury after coronary bypass graft surgery. 2005 , 45, 519-30	93
1732	Genomics refutes an exclusively African origin of humans. 2005 , 49, 1-18	100
1731	Haplotype-based genetics in mice and rats. 2005 , 21, 318-22	32

1730	Advances in sequencing technology. 2005 , 573, 13-40	104
1729	Genetic association studies of complex traits: design and analysis issues. 2005 , 573, 54-69	205
1728	Assessment of two flexible and compatible SNP genotyping platforms: TaqMan SNP Genotyping Assays and the SNPlex Genotyping System. 2005 , 573, 111-35	172
1727	Analysis of concordance of different haplotype block partitioning algorithms. 2005 , 6, 303	14
1726	htSNPer1.0: software for haplotype block partition and htSNPs selection. 2005 , 6, 38	21
1725	Computational tradeoffs in multiplex PCR assay design for SNP genotyping. 2005 , 6, 102	15
1724	Common variation in EMSY and risk of breast and ovarian cancer: a case-control study using HapMap tagging SNPs. 2005 , 5, 81	14
1723	Characterization of the linkage disequilibrium structure and identification of tagging-SNPs in five DNA repair genes. 2005 , 5, 99	13
1722	No evidence for association between polymorphisms in GRM3 and schizophrenia. 2005 , 5, 23	41
1721	Genetic mapping approaches in neuropsychiatry. 2005 , 4, 22-26	
1720	Analysis of single-locus tests to detect gene/disease associations. 2005 , 28, 207-19	88
1719	Characterization of multilocus linkage disequilibrium. 2005 , 28, 193-206	95
1718	Multipoint linkage analysis for a very dense set of markers. 2005 , 29, 195-203	8
1717	Multilocus LD measure and tagging SNP selection with generalized mutual information. 2005 , 29, 353-64	42
1716	A sparse marker extension tree algorithm for selecting the best set of haplotype tagging single nucleotide polymorphisms. 2005 , 29, 336-52	10
1715	Haplotypes and haplotype-tagging single-nucleotide polymorphism: presentation Group 8 of Genetic Analysis Workshop 14. 2005 , 29 Suppl 1, S59-71	10
1714	Genetic variation, nucleotide diversity, and linkage disequilibrium in seven telomere stability genes suggest that these genes may be under constraint. 2005 , 26, 343-50	49
1713	Identification and functional analysis of CITED2 mutations in patients with congenital heart defects. 2005 , 26, 575-82	101

1712	Screening for new MTHFR polymorphisms and NTD risk. 2005 , 138A, 99-106	17
1711	Linkage disequilibrium mapping of bipolar affective disorder at 12q23-q24 provides evidence for association at CUX2 and FLJ32356. 2005 , 132B, 38-45	19
1710	Dihydropyrimidinase-related protein 2 (DRP-2) gene and association to deficit and nondeficit schizophrenia. 2005 , 136B, 8-11	39
1709	Failure to confirm association between RGS4 haplotypes and schizophrenia in Caucasians. 2005 , 139B, 23-7	41
1708	Significant association of BDNF haplotypes in European-American male smokers but not in European-American female or African-American smokers. 2005 , 139B, 73-80	70
1707	Multiple regions of alpha-synuclein are associated with Parkinson's disease. 2005 , 57, 535-41	206
1706	A population-based LD map of the human chromosome 6p. 2005 , 57, 559-65	6
1705	Association of the HLA region with multiple sclerosis as confirmed by a genome screen using >10,000 SNPs on DNA chips. 2005 , 83, 486-94	19
1704	Single nucleotide polymorphisms in the gene encoding Krüppel-like factor 7 are associated with type 2 diabetes. 2005 , 48, 1315-22	63
1703	Association study of 12 polymorphisms spanning the dopamine D(2) receptor gene and clozapine treatment response in two treatment refractory/intolerant populations. 2005 , 181, 179-87	76
1702	Genetic polymorphisms of OPG, RANK, and ESR1 and bone mineral density in Korean postmenopausal women. 2005 , 77, 152-9	59
1701	Use of the genomic matching technique to complement multiplex STR profiling reduces DNA profiling costs in high volume crimes and intelligence led screens. 2005 , 151, 249-57	6
1700	The minimum-entropy set cover problem. 2005 , 348, 240-250	22
1699	Commentary on "A genome wide linkage disequilibrium screen in Parkinson's disease" by Foltynie et al. in J Neurol (2005) 252:597-602. 2005 , 252, 603-4	
1698	Non-recombining chromosome Y haplogroups and centromeric HindIII RFLP in relation to blood pressure in 2,743 middle-aged Caucasian men from the UK. 2005 , 116, 311-8	13
1697	An analysis of genetic variation across the MBL2 locus in Dutch Caucasians indicates that 3' haplotypes could modify circulating levels of mannose-binding lectin. 2005 , 118, 404-15	33
1696	Comprehensive genetic evaluation of common E-cadherin sequence variants and prostate cancer risk: strong confirmation of functional promoter SNP. 2005 , 118, 339-47	27
1695	Intercellular adhesion molecule-1 and childhood asthma. 2005 , 117, 476-84	9

1694	SNP microarray analysis for genome-wide detection of crossover regions. 2005 , 117, 389-97	17
1693	Haplotype-based analysis of alpha 2A, 2B, and 2C adrenergic receptor genes captures information on common functional loci at each gene. 2005 , 50, 12-20	37
1692	Refinement of the DFNA41 locus and candidate genes analysis. 2005 , 50, 516-522	11
1691	Complex phenotypes and complex genetics: an introduction to genetic studies of complex traits. 2005 , 7, 180-7	6
1690	Genetic epidemiology of osteoporosis: past, present, and future. 2005 , 3, 111-5	18
1689	Estrogen receptor beta (ESR2) polymorphisms in familial and sporadic breast cancer. 2005 , 94, 145-52	49
1688	The Effect of SNP Marker Density on the Efficacy of Haplotype Tagging SNPs [a] Warning. 2005 , 69, 209-215	10
1687	Characterisation of the genomic architecture of human chromosome 17q and evaluation of different methods for haplotype block definition. 2005 , 6, 21	8
1686	On the use of haplotype phylogeny to detect disease susceptibility loci. 2005 , 6, 24	34
1685	Genetic structure in four West African population groups. 2005 , 6, 38	28
1684	Assessing the power of tag SNPs in the mapping of quantitative trait loci (QTL) with extremal and random samples. 2005 , 6, 51	10
1683	Linkage analysis of complex diseases using microsatellites and single-nucleotide polymorphisms: application to alcoholism. 2005 , 6 Suppl 1, S10	7
1682	COGA phenotypes and linkages on chromosome 2. 2005 , 6 Suppl 1, S125	9
1681	A genome-wide linkage and association study using COGA data. 2005 , 6 Suppl 1, S128	18
1680	Whole-genome variance components linkage analysis using single-nucleotide polymorphisms versus microsatellites on quantitative traits of derived phenotypes from factor analysis of electroencephalogram waves. 2005 , 6 Suppl 1, S15	3
1679	Identification of tag single-nucleotide polymorphisms in regions with varying linkage disequilibrium. 2005 , 6 Suppl 1, S73	6
1678	Comparison of type I error for multiple test corrections in large single-nucleotide polymorphism studies using principal components versus haplotype blocking algorithms. 2005 , 6 Suppl 1, S78	60
1677	Polymorphism screening and haplotype analysis of the tryptophan hydroxylase gene (TPH1) and association with bipolar affective disorder in Taiwan. 2005 , 6, 14	20

- 1676 Aging syndrome genes and premature coronary artery disease. **2005**, 6, 38 21
- 1675 Genetic variation in the HSD17B1 gene and risk of prostate cancer. **2005**, 1, e68 54
- 1674 Reliability and utility of single nucleotide polymorphisms for genetic association studies. **2005**,
- 1673 Bioinformatics Approaches for Identifying Allelic Variants in Candidate Pathways underlying Major Depression and Antidepressant Treatment Response. **2005**, 903-944
- 1672 . **2005**, 5
- 1671 Linkage disequilibrium and whole-genome association studies. **2005**,
- 1670 The F7 gene and clotting factor VII levels: dissection of a human quantitative trait locus. **2005**, 77, 561-75 25
- 1669 Correction: Plasma Level of a Triggering Receptor Expressed on Myeloid Cells-1. **2005**, 142, 592
- 1668 Human Disease. **2005**, 646-694
- 1667 Genetics of cognitive disorders. **2005**,
- 1666 Gene identification in common disorders: a tutorial. **2005**,
- 1665 SNPs and Functional Polymorphisms in Cancer. **2005**, 57-75
- 1664 Angiotensin-converting enzyme inhibitors in black patients. **2005**, 142, 589; author reply 589-90
- 1663 Computed Tomography versus Endoscopic Ultrasonography for Staging of Pancreatic Cancer. **2005**, 142, 590
- 1662 Improved Recombination Lower Bounds for Haplotype Data. **2005**, 569-584 7
- 1661 Genetic variation in the HSD17B1 gene and risk of prostate cancer. **2005**, preprint, e68 6
- 1660 Human Races: Classifying People vs Understanding Diversity. **2005**, 6, 215-226 35
- 1659 Analysis of genetic polymorphisms in acetylcholinesterase as reflected in different populations. **2005**, 2, 207-18 12

1658	Tag SNP selection in genotype data for maximizing SNP prediction accuracy. 2005 , 21 Suppl 1, i195-203	85
1657	A high-resolution multistrain haplotype analysis of laboratory mouse genome reveals three distinctive genetic variation patterns. 2005 , 15, 241-9	32
1656	Prospects for identifying functional variation across the genome. 2005 , 102 Suppl 1, 6614-21	10
1655	Single nucleotide polymorphisms of the chicken insulin-like factor binding protein 2 gene associated with chicken growth and carcass traits. 2005 , 84, 1191-8	52
1654	Perspectives on human genetic variation from the HapMap Project. 2005 , 1, e54	77
1653	Coalescent-based association mapping and fine mapping of complex trait loci. 2005 , 169, 1071-92	99
1652	Approaching Inherited Disease on a Genomic Scale. 2005 , 6, 545-549	
1651	The case for selection at CCR5-Delta32. 2005 , 3, e378	153
1650	Application of single molecule technology to rapidly map long DNA and study the conformation of stretched DNA. 2005 , 33, 5829-37	36
1649	Positive selection of a pre-expansion CAG repeat of the human SCA2 gene. 2005 , 1, e41	39
1648	Evidence of a large-scale functional organization of mammalian chromosomes. 2005 , 1, e33	73
1647	Inference and analysis of haplotypes from combined genotyping studies deposited in dbSNP. 2005 , 15, 1594-600	13
1646	An approximation algorithm for haplotype inference by maximum parsimony. 2005 ,	12
1645	Predicting cancer susceptibility from single-nucleotide polymorphism data. 2005 ,	28
1644	Patterns of linkage disequilibrium in the type 2 diabetes gene calpain-10. 2005 , 54, 3573-6	12
1643	Ethnic- and gender-specific association of the nicotinic acetylcholine receptor alpha4 subunit gene (CHRNA4) with nicotine dependence. 2005 , 14, 1211-9	171
1642	Should ethnicity serve as the basis for clinical trial design? Importance of race/ethnicity in clinical trials: lessons from the African-American Heart Failure Trial (A-HeFT), the African-American Study of Kidney Disease and Hypertension (AASK), and the Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial (ALLHAT). 2005 , 112, 3654-60; discussion 3666	62
1641	Elevated amyloid beta protein (Abeta42) and late onset Alzheimer's disease are associated with single nucleotide polymorphisms in the urokinase-type plasminogen activator gene. 2005 , 14, 447-60	58

1640	Techniques for the identification of genes involved in psychiatric disorders. 2005 , 39, 542-9	1
1639	Common variants in myocardial ion channel genes modify the QT interval in the general population: results from the KORA study. 2005 , 96, 693-701	120
1638	Using bioinformatics and genome analysis for new therapeutic interventions. 2005 , 4, 1636-43	32
1637	The extent of linkage disequilibrium caused by selection on G6PD in humans. 2005 , 171, 1219-29	78
1636	Multiple SNPs in intron 7 of thyrotropin receptor are associated with Graves' disease. 2005 , 90, 2898-903	107
1635	Factors influencing recombination frequency and distribution in a human meiotic crossover hotspot. 2005 , 14, 2277-87	118
1634	Recovering the geographic origin of early modern humans by realistic and spatially explicit simulations. 2005 , 15, 1161-7	78
1633	Issues with polymorphism analysis in sepsis. 2005 , 41 Suppl 7, S396-402	23
1632	Prospects and pitfalls in whole genome association studies. 2005 , 360, 1589-95	34
1631	Mutational and Biological Analysis of alpha-actinin-4 in focal segmental glomerulosclerosis. 2005 , 16, 3694-701	134
1630	Haplotype analysis indicates an association between the DOPA decarboxylase (DDC) gene and nicotine dependence. 2005 , 14, 1691-8	66
1629	Haplotype-based linkage disequilibrium mapping via direct data mining. 2005 , 21, 4384-93	46
1628	CCL2 polymorphisms are associated with serum monocyte chemoattractant protein-1 levels and myocardial infarction in the Framingham Heart Study. 2005 , 112, 1113-20	177
1627	Application of embryonic lethal or other obvious phenotypes to characterize the clinical significance of genetic variants found in trans with known deleterious mutations. <i>Cancer Research</i> , 2005 , 65, 10096-103	10.1 50
1626	Genetically indistinguishable SNPs and their influence on inferring the location of disease-associated variants. 2005 , 15, 1503-10	22
1625	HIV/AIDS. HIV: experiencing the pressures of modern life. <i>Science</i> , 2005 , 307, 1422-4	33.3 8
1624	Comprehensive survey of common genetic variation at the plasminogen activator inhibitor-1 locus and relations to circulating plasminogen activator inhibitor-1 levels. 2005 , 112, 1728-35	63
1623	Pharmacogenetics and human molecular genetics of opiate and cocaine addictions and their treatments. 2005 , 57, 1-26	284

1622	TaqMan assays for genotyping of single nucleotide polymorphisms present at a disease susceptibility locus on chromosome 6. 2005 , 43, 167-72		4
1621	Haplotypes produced from rare variants in the promoter and coding regions of angiotensinogen contribute to variation in angiotensinogen levels. 2005 , 14, 639-43		25
1620	Sequence variation in PPARG may underlie differential response to troglitazone. 2005 , 54, 3319-25		57
1619	HapBlock: haplotype block partitioning and tag SNP selection software using a set of dynamic programming algorithms. 2005 , 21, 131-4		95
1618	Association testing of the protein tyrosine phosphatase 1B gene (PTPN1) with type 2 diabetes in 7,883 people. 2005 , 54, 1884-91		42
1617	The predominance of the environment over genes in cancer causation: implications for genetic epidemiology. 2005 , 14, 1037-9		18
1616	Genomic haplotype blocks may not accurately reflect spatial variation in historic recombination intensity. 2005 , 22, 735-40		6
1615	Theoretical basis for the identification of allelic variants that encode drug efficacy and toxicity. 2005 , 170, 919-28		6
1614	Sequence variants of Toll-like receptor 4 and susceptibility to prostate cancer. <i>Cancer Research</i> , 2005 , 65, 11771-8	10.1	144
1613	Functional genomic insights into acute lung injury: role of ventilators and mechanical stress. 2005 , 2, 188-94		44
1612	Genetic approaches to studying common diseases and complex traits. 2005 , 57, 74R-77R		67
1611	Positional identification of an asthma susceptibility gene on human chromosome 5q33. 2005 , 172, 183-8		67
1610	HAPLOT: a graphical comparison of haplotype blocks, tagSNP sets and SNP variation for multiple populations. 2005 , 21, 3938-9		29
1609	The linkage disequilibrium maps of three human chromosomes across four populations reflect their demographic history and a common underlying recombination pattern. 2005 , 15, 454-62		87
1608	Genetic diversity in German and European populations: looking for substructures and genetic patterns. 2005 , 67 Suppl 1, S127-31		1
1607	Determination of sequence variation and haplotype structure for the gonadotropin-releasing hormone (GnRH) and GnRH receptor genes: investigation of role in pubertal timing. 2005 , 90, 1091-9		47
1606	Research in Computational Molecular Biology. 2005 ,		2
1605	A block-free hidden Markov model for genotypes and its application to disease association. 2005 , 12, 1243-60		48

1604	An approximation algorithm for haplotype inference by maximum parsimony. 2005 , 12, 1261-74	29
1603	Clarifying the PROGENS allele association in ovarian and breast cancer risk: a haplotype-based analysis. 2005 , 97, 51-9	51
1602	Reconstructing reticulate evolution in species-theory and practice. 2005 , 12, 796-811	67
1601	Computing the minimum recombinant haplotype configuration from incomplete genotype data on a pedigree by integer linear programming. 2005 , 12, 719-39	62
1600	Applications of whole-genome high-density SNP genotyping. 2005 , 5, 159-70	39
1599	The incomplete perfect phylogeny haplotype problem. 2005 , 3, 359-84	14
1598	Computational Genome Analysis. 2005 ,	2
1597	A statistical framework for haplotype block inference. 2005 , 3, 1021-38	1
1596	Genetic variation in XPD, sun exposure, and risk of skin cancer. 2005 , 14, 1539-44	72
1595	Alleles of the NRAMP1 gene are risk factors for pediatric tuberculosis disease. 2005 , 102, 12183-8	103
1594	GERBIL: Genotype resolution and block identification using likelihood. 2005 , 102, 158-62	99
1593	Genetic variations in the gene encoding ELMO1 are associated with susceptibility to diabetic nephropathy. 2005 , 54, 1171-8	163
1592	Linkage disequilibrium grouping of single nucleotide polymorphisms (SNPs) reflecting haplotype phylogeny for efficient selection of tag SNPs. 2005 , 170, 291-304	20
1591	Comparison of fine-scale recombination rates in humans and chimpanzees. <i>Science</i> , 2005 , 308, 107-11	33.3 291
1590	PupasView: a visual tool for selecting suitable SNPs, with putative pathological effect in genes, for genotyping purposes. 2005 , 33, W501-5	192
1589	The CBLB gene and Graves' disease in children. 2005 , 18, 1119-26	2
1588	SNP identification in unamplified human genomic DNA with gold nanoparticle probes. 2005 , 33, e15	142
1587	Constructing minimal ancestral recombination graphs. 2005 , 12, 147-69	70

1586	SNPs, microarrays and pooled DNA: identification of four loci associated with mild mental impairment in a sample of 6000 children. 2005 , 14, 1315-25	80
1585	A survey of haplotype variants at several disease candidate genes: the importance of rare variants for complex diseases. 2005 , 42, 221-7	40
1584	Recovering haplotype structure through recombination and gene conversion. 2005 , 21 Suppl 2, ii173-9	3
1583	Association testing of variants in the hepatocyte nuclear factor 4alpha gene with risk of type 2 diabetes in 7,883 people. 2005 , 54, 886-92	69
1582	Variations in peptide YY and Y2 receptor genes are associated with severe obesity in Pima Indian men. 2005 , 54, 1598-602	43
1581	Association of common variation in the HNF1alpha gene region with risk of type 2 diabetes. 2005 , 54, 2336-42	67
1580	Androgen receptor cytosine, adenine, guanine repeats, and haplotypes in relation to ovarian cancer risk. <i>Cancer Research</i> , 2005 , 65, 5974-81	10.1 71
1579	A haplotype analysis of HER-2 gene polymorphisms: association with breast cancer risk, HER-2 protein expression in the tumor, and disease recurrence in Korea. 2005 , 11, 4775-8	40
1578	Common genetic variation at the endothelial nitric oxide synthase locus and relations to brachial artery vasodilator function in the community. 2005 , 112, 1419-27	23
1577	Immunogenetics of type 1 diabetes. 2005 , 64, 180-8	23
1576	The effect of polymorphisms in the enhancer of split gene complex on bristle number variation in a large wild-caught cohort of <i>Drosophila melanogaster</i> . 2005 , 171, 1741-56	35
1575	Detection of ApoE E2, E3 and E4 alleles using MALDI-TOF mass spectrometry and the homogeneous mass-extend technology. 2005 , 33, e149	63
1574	CHRM2 gene predisposes to alcohol dependence, drug dependence and affective disorders: results from an extended case-control structured association study. 2005 , 14, 2421-34	157
1573	Polymorphism discovery in 51 chemotherapy pathway genes. 2005 , 14, 3595-603	18
1572	Calibrating a coalescent simulation of human genome sequence variation. 2005 , 15, 1576-83	493
1571	Strong correlation between meiotic crossovers and haplotype structure in a 2.5-Mb region on the long arm of chromosome 21. 2006 , 16, 208-14	24
1570	EGFR gene mutations: a call for global x global views of cancer. 2005 , 97, 326-8	23
1569	Genome amplification of single sperm using multiple displacement amplification. 2005 , 33, e91	76

1568	Interactive effects of common beta2-adrenoceptor haplotypes and age on susceptibility to hypertension and receptor function. 2005 , 46, 301-7	38
1567	Genome-wide definitive haplotypes determined using a collection of complete hydatidiform moles. 2005 , 15, 1511-8	15
1566	A pseudolikelihood approach for simultaneous analysis of array comparative genomic hybridizations. 2006 , 7, 399-421	40
1565	Genetic influences on health: does race matter?. 2005 , 294, 937-46	120
1564	CBLB variants in type 1 diabetes and their genetic interaction with CTLA4. 2005 , 77, 579-85	33
1563	Comprehensive identification and characterization of diallelic insertion-deletion polymorphisms in 330 human candidate genes. 2005 , 14, 59-69	124
1562	Interleukin-10 haplotype associated with increased mortality in critically ill patients with sepsis from pneumonia but not in patients with extrapulmonary sepsis. 2005 , 128, 1690-8	85
1561	Power and sample size calculations for genetic case/control studies using gene-centric SNP maps: application to human chromosomes 6, 21, and 22 in three populations. 2005 , 60, 43-60	20
1560	Single-nucleotide polymorphisms and haplotype LD analysis of the 29-kb IGF2 region on chromosome 11p15.5 in the Korean population. 2005 , 60, 73-80	4
1559	Evaluation of Nyholt's procedure for multiple testing correction. 2005 , 60, 19-25; discussion 61-2	39
1558	Haplotypes of G protein-coupled receptor 154 are associated with childhood allergy and asthma. 2005 , 171, 1089-95	100
1557	Whole genome association study of rheumatoid arthritis using 27 039 microsatellites. 2005 , 14, 2305-21	106
1556	Genomics and new targets for multiple sclerosis. 2005 , 6, 151-61	8
1555	Shaking the tree: mapping complex disease genes with linkage disequilibrium. 2005 , 366, 1223-34	181
1554	What makes a good genetic association study?. 2005 , 366, 1315-23	408
1553	Population-specific patterns of linkage disequilibrium in the human 5q31 region. 2005 , 6, 723-7	5
1552	Systematic evaluation of genetic variation at the androgen receptor locus and risk of prostate cancer in a multiethnic cohort study. 2005 , 76, 82-90	65
1551	Accuracy of haplotype reconstruction from haplotype-tagging single-nucleotide polymorphisms. 2005 , 76, 438-48	12

1550	A comparison of linkage disequilibrium patterns and estimated population recombination rates across multiple populations. 2005 , 76, 681-7	103
1549	A high-resolution linkage-disequilibrium map of the human major histocompatibility complex and first generation of tag single-nucleotide polymorphisms. 2005 , 76, 634-46	209
1548	An entropy-based statistic for genomewide association studies. 2005 , 77, 27-40	46
1547	PTPN22 genetic variation: evidence for multiple variants associated with rheumatoid arthritis. 2005 , 77, 567-81	201
1546	The use of racial, ethnic, and ancestral categories in human genetics research. 2005 , 77, 519-32	155
1545	The beta -globin recombinational hotspot reduces the effects of strong selection around HbC, a recently arisen mutation providing resistance to malaria. 2005 , 77, 637-42	43
1544	Promoter and 3'-untranslated-region haplotypes in the vitamin d receptor gene predispose to osteoporotic fracture: the rotterdam study. 2005 , 77, 807-23	258
1543	Bipolar I disorder and schizophrenia: a 440-single-nucleotide polymorphism screen of 64 candidate genes among Ashkenazi Jewish case-parent trios. 2005 , 77, 918-36	323
1542	The effect of single-nucleotide polymorphism marker selection on patterns of haplotype blocks and haplotype frequency estimates. 2005 , 77, 988-98	51
1541	Replication of putative candidate-gene associations with rheumatoid arthritis in >4,000 samples from North America and Sweden: association of susceptibility with PTPN22, CTLA4, and PADI4. 2005 , 77, 1044-60	432
1540	Single nucleotide polymorphisms in TNFSF15 confer susceptibility to Crohn's disease. 2005 , 14, 3499-506	376
1539	Complement factor H polymorphism in age-related macular degeneration. <i>Science</i> , 2005 , 308, 385-9	333 3408
1538	Genomics, genetic epidemiology, and genomic medicine. 2005 , 3, 320-8	5
1537	Genetics of multiple sclerosis. 2005 , 23, 61-75, vi	21
1536	Encyclopedic Reference of Immunotoxicology. 2005 , 627-628	
1535	Medical Biomethods Handbook. 2005 ,	2
1534	Phasing and Missing Data Recovery in Family Trios. 2005 , 1011-1019	2
1533	Choosing SNPs using feature selection. 2005 , 301-9	34

1532	Emerging technologies in DNA sequencing. 2005 , 15, 1767-76		326
1531	The Autism Genome Project: goals and strategies. 2005 , 5, 233-46		28
1530	Bayesian association-based fine mapping in small chromosomal segments. 2005 , 169, 427-39		30
1529	Genetic basis for individual variations in pain perception and the development of a chronic pain condition. 2005 , 14, 135-43		980
1528	A haplotype-based case-control study of BRCA1 and sporadic breast cancer risk. <i>Cancer Research</i> , 2005 , 65, 7516-22	10.1	48
1527	Haploview: analysis and visualization of LD and haplotype maps. 2005 , 21, 263-5		11811
1526	No association was found between a functional SNP in ZDHHC8 and schizophrenia in a Japanese case-control population. 2005 , 374, 21-4		34
1525	Genetic factors in pemphigus. 2005 , 24, 319-28		62
1524	Human genome-wide screen of haplotype-like blocks of reduced diversity. 2005 , 349, 219-25		42
1523	Genomic approach of AIDS pathogenesis: exhaustive genotyping of the TNFR1 gene in a French AIDS cohort. 2005 , 59, 474-80		4
1522	LRP5 gene polymorphisms predict bone mass and incident fractures in elderly Australian women. 2005 , 36, 599-606		73
1521	Linkage disequilibrium analysis identifies an FGFR1 haplotype-tag SNP associated with normal variation in craniofacial shape. 2005 , 85, 563-73		34
1520	Localized breakdown in linkage disequilibrium does not always predict sperm crossover hot spots in the human MHC class II region. 2005 , 86, 13-24		41
1519	High-density single-nucleotide polymorphism maps of the human genome. 2005 , 86, 117-26		73
1518	Relative efficiency of the linkage disequilibrium mapping approach in detecting candidate genes for schizophrenia in different European populations. 2005 , 86, 280-6		8
1517	Allele-specific amplification in cancer revealed by SNP array analysis. 2005 , 1, e65		92
1516	The use of linkage disequilibrium to map quantitative trait loci. 2005 , 45, 837		27
1515	American Gastroenterological Association future trends committee report: the application of genomic and proteomic technologies to digestive disease diagnosis and treatment and their likely impact on gastroenterology clinical practice. 2005 , 129, 1720-52		14

1514	Linkage disequilibrium patterns and tagSNP transferability among European populations. 2005 , 76, 387-98	108
1513	Principles of haplotype mapping and potential applications to attention-deficit/hyperactivity disorder. 2005 , 57, 1357-66	13
1512	The breakpoint cluster region gene on chromosome 22q11 is associated with bipolar disorder. 2005 , 57, 1097-102	33
1511	Association of a haplotype block spanning SDAD1 gene and CXC chemokine genes with allergic rhinitis. 2005 , 115, 548-54	17
1510	Association of NOD1 polymorphisms with atopic eczema and related phenotypes. 2005 , 116, 177-84	156
1509	Possible association of the MAG locus with schizophrenia in a Chinese Han cohort of family trios. 2005 , 75, 11-9	39
1508	Statistical tools for linkage analysis and genetic association studies. 2005 , 5, 781-96	11
1507	The patterns of natural variation in human genes. 2005 , 6, 287-312	96
1506	Linkage disequilibrium: ancient history drives the new genetics. 2005 , 59, 118-24	41
1505	Sequence features in regions of weak and strong linkage disequilibrium. 2005 , 15, 1519-34	71
1504	Single-Nucleotide Polymorphisms. 2005 , 227-254	
1503	Whole-genome patterns of common DNA variation in three human populations. <i>Science</i> , 2005 , 307, 1072-33	972
1502	Definition and clinical importance of haplotypes. 2005 , 56, 303-20	243
1501	Race and IQ: Molecular genetics as deus ex machina. 2005 , 60, 71-6	23
1500	Common ERBB2 polymorphisms and risk of breast cancer in a white British population: a case-control study. 2005 , 7, R204-9	51
1499	Comprehensive analysis of the ATM, CHEK2 and ERBB2 genes in relation to breast tumour characteristics and survival: a population-based case-control and follow-up study. 2006 , 8, R67	15
1498	Single nucleotide polymorphisms and breast cancer: not yet a success story. 2006 , 8, 108	1
1497	High-throughput genomic technology in research and clinical management of breast cancer. Evolving landscape of genetic epidemiological studies. 2006 , 8, 209	9

1496	beta-Adrenergic receptor polymorphisms and response to salmeterol. 2006 , 173, 519-26	262
1495	Biomarkers of cardiovascular disease: molecular basis and practical considerations. 2006 , 113, 2335-62	862
1494	Association of alcohol dehydrogenase genes with alcohol dependence: a comprehensive analysis. 2006 , 15, 1539-49	199
1493	Genomic Disorders. 2006 ,	21
1492	Pharmacogenomics of acute leukemia. 2006 , 46, 317-53	28
1491	Single marker and haplotype analysis of the chicken apolipoprotein B gene T123G and D9500D9-polymorphism reveals association with body growth and obesity. 2006 , 85, 178-84	19
1490	Detection of allelic imbalance in gene expression using pyrosequencing. 2007 , 373, 157-76	33
1489	Inference about recombination from haplotype data: lower bounds and recombination hotspots. 2006 , 13, 501-21	13
1488	Haplotype structure of five SNPs within the ACE gene in the Tunisian population. 2006 , 33, 319-29	11
1487	High-Density Haplotype Structure and Association Testing of the Insulin-Degrading Enzyme (IDE) Gene With Type 2 Diabetes in 4,206 People. 2006 , 55, 128-135	30
1486	Polymorphisms in the PON gene cluster are associated with Alzheimer disease. 2006 , 15, 77-85	78
1485	Deciphering the ancient and complex evolutionary history of human arylamine N-acetyltransferase genes. 2006 , 78, 423-36	100
1484	Biases and reconciliation in estimates of linkage disequilibrium in the human genome. 2006 , 78, 588-603	38
1483	Cigarette smoking strongly modifies the association of LOC387715 and age-related macular degeneration. 2006 , 78, 852-864	284
1482	Diplotype trend regression analysis of the ADH gene cluster and the ALDH2 gene: multiple significant associations with alcohol dependence. 2006 , 78, 973-87	99
1481	Genomewide association, Parkinson disease, and PARK10. 2006 , 78, 1084-8; author reply 1092-4	50
1480	Genetic variation in the CCL18-CCL3-CCL4 chemokine gene cluster influences HIV Type 1 transmission and AIDS disease progression. 2006 , 79, 120-8	57
1479	Analysis of high-resolution HapMap of DTNBP1 (Dysbindin) suggests no consistency between reported common variant associations and schizophrenia. 2006 , 79, 903-9	103

1478	Mutation-positive and mutation-negative patients with Cowden and Bannayan-Riley-Ruvalcaba syndromes associated with distinct 10q haplotypes. 2006 , 79, 923-34	26
1477	The genetics of depression: a review. 2006 , 60, 84-92	632
1476	Susceptible and protective eNOS haplotypes in hypertensive black and white subjects. 2006 , 186, 428-32	89
1475	Polymorphisms in the steroid and xenobiotic receptor gene influence survival in primary sclerosing cholangitis. 2006 , 131, 781-7	62
1474	Genetics of allergic disease. 2006 , 90, 1-15	11
1473	Genetic epidemiology of acute respiratory distress syndrome: implications for future prevention and treatment. 2006 , 27, 705-24; abstract x	57
1472	Genetic variation in myosin IXB is associated with ulcerative colitis. 2006 , 131, 1768-74	82
1471	A spectrum of PCSK9 alleles contributes to plasma levels of low-density lipoprotein cholesterol. 2006 , 78, 410-22	433
1470	Single Nucleotide Polymorphisms and Their Applications. 2006 , 311-349	3
1469	G protein-coupled receptor 154 gene polymorphism is associated with airway hyperresponsiveness to methacholine in a Chinese population. 2006 , 117, 612-7	54
1468	Polymorphisms in the novel gene acyloxyacyl hydroxylase (AOAH) are associated with asthma and associated phenotypes. 2006 , 118, 70-7	37
1467	Association between the 5HT1B receptor gene (HTR1B) and the inattentive subtype of ADHD. 2006 , 59, 460-7	74
1466	Haplotype analysis reveals tryptophan hydroxylase (TPH) 1 gene variants associated with major depression. 2006 , 59, 295-300	63
1465	A polymorphism in the PDLIM5 gene associated with gene expression and schizophrenia. 2006 , 59, 434-9	31
1464	Distinguishable haplotype blocks in the HTR3A and HTR3B region in the Japanese reveal evidence of association of HTR3B with female major depression. 2006 , 60, 192-201	71
1463	G72/G30 in schizophrenia and bipolar disorder: review and meta-analysis. 2006 , 60, 106-14	226
1462	Differential expression of disrupted-in-schizophrenia (DISC1) in bipolar disorder. 2006 , 60, 929-35	59
1461	Tryptophan hydroxylase-1 gene variants associated with schizophrenia. 2006 , 60, 563-9	22

1460	Genetic and expression analyses of the STOP (MAP6) gene in schizophrenia. 2006 , 84, 244-52	41
1459	Analysis of coding-polymorphisms in NOTCH-related genes reveals NUMBL poly-glutamine repeat to be associated with schizophrenia in Brazilian and Danish subjects. 2006 , 88, 275-82	13
1458	No association between the metabotropic glutamate receptor type 3 gene (GRM3) and schizophrenia in a Japanese population. 2006 , 88, 260-4	28
1457	The origins of eukaryotic gene structure. 2006 , 23, 450-68	286
1456	TCF7L2 polymorphisms and progression to diabetes in the Diabetes Prevention Program. 2006 , 355, 241-50	679
1455	Genetics and proteomics: deciphering gene association studies in critical illness. 2006 , 10, 227	12
1454	Haplotypic variation in MRE11, RAD50 and NBS1 and risk of non-Hodgkin's lymphoma. 2006 , 47, 2567-83	13
1453	No association between selected candidate gene polymorphisms and severe chronic periodontitis. 2006 , 77, 426-36	43
1452	Family based association analysis of statistically derived quantitative traits for drug use in ADHD and the dopamine transporter gene. 2006 , 31, 1088-99	8
1451	Insights into recombination from population genetic variation. 2006 , 16, 565-72	24
1450	The alleles of PECAM-1. 2006 , 376, 95-101	28
1449	Exhaustive genotyping of the interferon alpha receptor 1 (IFNAR1) gene and association of an IFNAR1 protein variant with AIDS progression or susceptibility to HIV-1 infection in a French AIDS cohort. 2006 , 60, 569-77	23
1448	A transforming MET mutation discovered in non-small cell lung cancer using microarray-based resequencing. 2006 , 239, 227-33	30
1447	Genetic progress towards the molecular basis of autoimmunity. 2006 , 12, 90-8	64
1446	The haplotype structure of the human major histocompatibility complex. 2006 , 67, 73-84	83
1445	Genetic polymorphisms in base-excision repair pathway genes and risk of breast cancer. 2006 , 15, 353-8	122
1444	Genetic predisposition to leprosy: A major gene reveals novel pathways of immunity to Mycobacterium leprae. 2006 , 18, 404-10	31
1443	Comparative study of the linkage disequilibrium of an ENCODE region, chromosome 7p15, in Korean, Japanese, and Han Chinese samples. 2006 , 87, 392-8	14

1442	Association of single-nucleotide polymorphisms in the suppressor of cytokine signaling 2 (SOCS2) gene with type 2 diabetes in the Japanese. 2006 , 87, 446-58	30
1441	Toward understanding MHC disease associations: partial resequencing of 46 distinct HLA haplotypes. 2006 , 87, 561-71	61
1440	SNP identification, linkage disequilibrium, and haplotype analysis for a 200-kb genomic region in a Korean population. 2006 , 88, 535-40	16
1439	Comparison of linkage disequilibrium patterns between the HapMap CEPH samples and a family-based cohort of Northern European descent. 2006 , 88, 407-14	20
1438	Reduced folate carrier polymorphisms and neural tube defect risk. 2006 , 87, 364-9	40
1437	Catechol-O-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli. 2006 , 125, 216-224	275
1436	Statistical Applications for SNPs Analysis. 2006 , 6, 55-68	2
1435	Haplotypes of the plasminogen activator gene associated with ischemic stroke. 2006 , 96, 331-6	6
1434	[The Haplotype Map of the human genome: a revolution in the genetics of complex diseases]. 2006 , 22, 1061-7	4
1433	Family-based association analysis of hepatocyte growth factor (HGF) gene polymorphisms in high myopia. 2006 , 47, 2291-9	67
1432	Partitioning of Genetic Variation in Human Populations and the Concept of Race. 19-37	3
1431	Body Expression Map of Human Genome. 2006 ,	
1430	. 2006 ,	4
1429	. 2006 ,	10
1428	Genetic signature consistent with selection against the CYP3A4*1B allele in non-African populations. 2006 , 16, 59-71	32
1427	GeneEnvironment Interactions: Defining the Playfield. 2006 , 57-84	3
1426	Genetic Epidemiology of Complex Traits. 2006 ,	
1425	Immunogenomics: molecular hide and seek. 2006 , 2, 244-51	5

1424	Stepwise haplotype analysis: are LD patterns repeatable?. 2006 , 2, 376-82	
1423	Genetic variation and haplotype structure of the ABC transporter gene ABCG2 in a Japanese population. 2006 , 21, 109-21	32
1422	Identification and functional significance of SNPs underlying conserved haplotype frameworks across ethnic populations. 2006 , 16, 667-82	6
1421	Preterm Birth: A Review. 2006 , 2, 257-318	2
1420	Emerging biomarkers in prostate cancer. 2006 , 2, 579-588	2
1419	Association Study of the Dystrobrevin-Binding Gene With Schizophrenia in Australian and Indian Samples. 2006 , 9, 531-539	21
1418	Modeling haplotype block variation using Markov chains. 2006 , 172, 2583-99	10
1417	Association analysis of polymorphisms in serotonin 1B receptor (HTR1B) gene with heroin addiction: a comparison of molecular and statistically estimated haplotypes. 2006 , 16, 25-36	50
1416	Exon sequencing and high resolution haplotype analysis of ABC transporter genes implicated in drug resistance. 2006 , 16, 439-50	58
1415	Absence of significant associations between four AKT1 SNP markers and schizophrenia in the Taiwanese population. 2006 , 16, 39-41	31
1414	Association between FOXP2 polymorphisms and schizophrenia with auditory hallucinations. 2006 , 16, 67-72	101
1413	Variation at the DAOA/G30 locus influences susceptibility to major mood episodes but not psychosis in schizophrenia and bipolar disorder. 2006 , 63, 366-73	124
1412	The Genetics of Type 2 Diabetes. 2006 , 222-265	1
1411	Modern Humans: Origin and Evolution. 2006 ,	
1410	Fast "coalescent" simulation. 2006 , 7, 16	155
1409	Phenotype-genotype association grid: a convenient method for summarizing multiple association analyses. 2006 , 7, 30	3
1408	A graphical assessment of p-values from sliding window haplotype tests of association to identify asthma susceptibility loci on chromosome 11q. 2006 , 7, 38	43
1407	Computation of haplotypes on SNPs subsets: advantage of the "global method". 2006 , 7, 50	5

1406	Prion gene haplotypes of U.S. cattle. 2006 , 7, 51	29
1405	Volume measures for linkage disequilibrium. 2006 , 7, 54	16
1404	Polymorphism analysis of six selenoprotein genes: support for a selective sweep at the glutathione peroxidase 1 locus (3p21) in Asian populations. 2006 , 7, 56	55
1403	A detailed Hapmap of the Sitosterolemia locus spanning 69 kb; differences between Caucasians and African-Americans. 2006 , 7, 13	15
1402	Analysis of coding variants in the betacellulin gene in type 2 diabetes and insulin secretion in African American subjects. 2006 , 7, 62	5
1401	Multiple hypothesis testing strategies for genetic case-control association studies. 2006 , 25, 3134-49	35
1400	Advances in statistical human genetics over the last 25 years. 2006 , 25, 3049-80	22
1399	Identifying susceptibility genes for immunological disorders: patterns, power, and proof. 2006 , 210, 40-51	15
1398	Correlation of interleukin-10 gene haplotype with hepatocellular carcinoma in Taiwan. 2006 , 67, 127-33	38
1397	The molecular basis of quantitative fibrinogen disorders. 2006 , 4, 2115-29	119
1396	Haplotypes of the human RET proto-oncogene associated with Hirschsprung disease in the Italian population derive from a single ancestral combination of alleles. 2006 , 70, 12-26	35
1395	Patterns of genetic variation in the hypertension candidate gene GRK4: ethnic variation and haplotype structure. 2006 , 70, 27-41	43
1394	Glutamate decarboxylase genes and alcoholism in Han Taiwanese men. 2006 , 30, 1817-23	23
1393	Variation in the ciliary neurotrophic factor gene and muscle strength in older Caucasian women. 2006 , 54, 823-6	30
1392	Association analyses of the neuregulin 1 gene with schizophrenia and manic psychosis in a Hispanic population. 2006 , 113, 314-21	35
1391	ADAM33 polymorphisms are associated with asthma susceptibility in a Japanese population. 2006 , 36, 602-8	44
1390	Interleukin 18 and human immunodeficiency virus type I infection in adolescents and adults. 2006 , 144, 117-24	24
1389	Leafing through the genomes of our major crop plants: strategies for capturing unique information. 2006 , 7, 174-84	75

1388	A tutorial on statistical methods for population association studies. 2006 , 7, 781-91	963
1387	A visfatin promoter polymorphism is associated with low-grade inflammation and type 2 diabetes. 2006 , 14, 2119-26	58
1386	Polymorphisms of genes coding for insulin-like growth factor 1 and its major binding proteins, circulating levels of IGF-I and IGFBP-3 and breast cancer risk: results from the EPIC study. 2006 , 94, 299-307	102
1385	HapMap-based study of the 17q21 ERBB2 amplicon in susceptibility to breast cancer. 2006 , 95, 1689-95	31
1384	Haplotype block structure study of the CFTR gene. Most variants are associated with the M470 allele in several European populations. 2006 , 14, 85-93	19
1383	Haplotype analysis of tumour necrosis factor receptor genes in 1p36: no evidence for association with systemic lupus erythematosus. 2006 , 14, 69-78	12
1382	Optimal genotype determination in highly multiplexed SNP data. 2006 , 14, 207-15	29
1381	An utter refutation of the "fundamental theorem of the HapMap". 2006 , 14, 426-37	135
1380	Haplotype-based association analysis of 56 functional candidate genes in the IBD6 locus on chromosome 19. 2006 , 14, 780-90	21
1379	AHI1, a pivotal neurodevelopmental gene, and C6orf217 are associated with susceptibility to schizophrenia. 2006 , 14, 1111-9	64
1378	A functional candidate screen for coeliac disease genes. 2006 , 14, 1215-22	22
1377	Variants in the gene encoding C3 are associated with asthma and related phenotypes among African Caribbean families. 2006 , 7, 27-35	27
1376	Linkage disequilibrium and haplotype blocks in the MHC vary in an HLA haplotype specific manner assessed mainly by DRB1*03 and DRB1*04 haplotypes. 2006 , 7, 130-40	35
1375	High-density SNP analysis of 642 Caucasian families with rheumatoid arthritis identifies two new linkage regions on 11p12 and 2q33. 2006 , 7, 277-86	113
1374	Allelic association of sequence variants in the herpes virus entry mediator-B gene (PVRL2) with the severity of multiple sclerosis. 2006 , 7, 384-92	11
1373	Association of two functional polymorphisms in the CCR5 gene with juvenile rheumatoid arthritis. 2006 , 7, 468-75	28
1372	Association study between the CX3CR1 gene and asthma. 2006 , 7, 632-9	39
1371	Extreme population differences across Neuregulin 1 gene, with implications for association studies. 2006 , 11, 66-75	79

1370	Association of galanin haplotypes with alcoholism and anxiety in two ethnically distinct populations. 2006 , 11, 301-11	68
1369	Why do young women smoke? I. Direct and interactive effects of environment, psychological characteristics and nicotinic cholinergic receptor genes. 2006 , 11, 312-22, 223	96
1368	Positional cloning, association analysis and expression studies provide convergent evidence that the cadherin gene FAT contains a bipolar disorder susceptibility allele. 2006 , 11, 372-83	55
1367	Association between glutamic acid decarboxylase genes and anxiety disorders, major depression, and neuroticism. 2006 , 11, 752-62	138
1366	Impact of complex genetic variation in COMT on human brain function. 2006 , 11, 867-77, 797	279
1365	The analysis of 51 genes in DSM-IV combined type attention deficit hyperactivity disorder: association signals in DRD4, DAT1 and 16 other genes. 2006 , 11, 934-53	439
1364	Association of the kappa-opioid system with alcohol dependence. 2006 , 11, 1016-24	144
1363	Alcohol dependence is associated with the ZNF699 gene, a human locus related to Drosophila hangover, in the Irish Affected Sib Pair Study of Alcohol Dependence (IASPSAD) sample. 2006 , 11, 1025-31	22
1362	Examining the role of common genetic variation in the gamma2 subunit of the GABA(A) receptor in epilepsy using tagging SNPs. 2006 , 70, 229-38	16
1361	Evaluation of an algorithm of tagging SNPs selection by linkage disequilibrium. 2006 , 39, 240-3	11
1360	Whole-genome genotyping of haplotype tag single nucleotide polymorphisms. 2006 , 7, 641-8	75
1359	Comprehensive assessment of genetic variation of catechol-O-methyltransferase and breast cancer risk. <i>Cancer Research</i> , 2006 , 66, 9781-5	10.1 18
1358	Robust and comprehensive analysis of 20 osteoporosis candidate genes by very high-density single-nucleotide polymorphism screen among 405 white nuclear families identified significant association and gene-gene interaction. 2006 , 21, 1678-95	75
1357	A statistical framework for genetic association studies of power curves in bird flight. 2006 , 8, 164-74	3
1356	Imaging phenotypes and genotypes in schizophrenia. 2006 , 4, 21-49	26
1355	Genetic Approaches to Coronary Heart Disease. 2006 , 48, A10-A14	12
1354	Family-based association studies of the TCP1 gene and schizophrenia in the Chinese Han population. 2006 , 113, 1537-43	3
1353	Similarity of the allele frequency and linkage disequilibrium pattern of single nucleotide polymorphisms in drug-related gene loci between Thai and northern East Asian populations: implications for tagging SNP selection in Thais. 2006 , 51, 896-904	20

1352	Evaluating HapMap SNP data transferability in a large-scale genotyping project involving 175 cancer-associated genes. 2006 , 118, 669-79	79
1351	Efficient selection of tagging single-nucleotide polymorphisms in multiple populations. 2006 , 120, 58-68	60
1350	A classical likelihood based approach for admixture mapping using EM algorithm. 2006 , 120, 431-45	38
1349	Gene-based analysis suggests association of the nicotinic acetylcholine receptor beta1 subunit (CHRNA1) and M1 muscarinic acetylcholine receptor (CHRM1) with vulnerability for nicotine dependence. 2006 , 120, 381-9	38
1348	Is a gene important for bone resorption a candidate for obesity? An association and linkage study on the RANK (receptor activator of nuclear factor-kappaB) gene in a large Caucasian sample. 2006 , 120, 561-70	13
1347	Genetic characterization of a new set of recombinant inbred lines (LGXSM) formed from the inter-cross of SM/J and LG/J inbred mouse strains. 2006 , 17, 417-29	53
1346	HLA-E, HLA-F, and HLA-G polymorphism: genomic sequence defines haplotype structure and variation spanning the nonclassical class I genes. 2006 , 58, 241-51	52
1345	Association analysis of the AIRE and insulin genes in Finnish type 1 diabetic patients. 2006 , 58, 331-8	34
1344	Genotype of galectin 2 (LGALS2) is associated with insulin-glucose profile in the British Women's Heart and Health Study. 2006 , 49, 673-7	12
1343	Common variants in HNF-1 alpha and risk of type 2 diabetes. 2006 , 49, 2882-91	76
1342	Topoisomerase II beta expression level correlates with doxorubicin-induced apoptosis in peripheral blood cells. 2006 , 374, 21-30	17
1341	Direct molecular haplotyping of multiple polymorphisms within exon 4 of the human catechol-O-methyltransferase gene by liquid chromatography-electrospray ionization time-of-flight mass spectrometry. 2006 , 386, 83-91	11
1340	Identification of quantitative trait nucleotides that regulate cancer growth: a simulation approach. 2006 , 242, 426-39	6
1339	Finding genes that underlie cancer using genetic tools. 2006 , 8, 771-2	1
1338	A comparison of major histocompatibility complex SNPs in Han Chinese residing in Taiwan and Caucasians. 2006 , 13, 489-98	42
1337	High resolution linkage disequilibrium and haplotype maps for the genes in the centromeric region of chromosome 15 in Tibetans and comparisons with Han population. 2006 , 51, 542-551	1
1336	A model for the comprehensive investigation of a chronic autoimmune disease: the multiple sclerosis CLIMB study. 2006 , 5, 532-6	110
1335	Case-control studies in the genomic era: a clinician's guide. 2006 , 5, 701-7	41

1334	Variation in the human genome and the inherited basis of common disease. 2006 , 33, S46-9	7
1333	Physiologic genomics. 2006 , 139, 133-9	35
1332	Mutation analysis and characterization of ATR sequence variants in breast cancer cases from high-risk French Canadian breast/ovarian cancer families. 2006 , 6, 230	38
1331	Haplotype-based quantitative trait mapping using a clustering algorithm. 2006 , 7, 258	21
1330	A model-based approach to selection of tag SNPs. 2006 , 7, 303	20
1329	How well do HapMap SNPs capture the untyped SNPs?. 2006 , 7, 238	19
1328	Tag SNP selection for Finnish individuals based on the CEPH Utah HapMap database. 2006 , 30, 180-90	51
1327	Power-based, phase-informed selection of single nucleotide polymorphisms for disease association screens. 2006 , 30, 459-70	13
1326	A sliding-window weighted linkage disequilibrium test. 2006 , 30, 531-45	18
1325	Quantifying bias due to allele misclassification in case-control studies of haplotypes. 2006 , 30, 590-601	11
1324	Comparison of SNP tagging methods using empirical data: association study of 713 SNPs on chromosome 12q14.3-12q24.21 for asthma and total serum IgE in an African Caribbean population. 2006 , 30, 609-19	24
1323	An efficient family-based association test using multiple markers. 2006 , 30, 620-6	40
1322	Genomics and complex liver disease: Challenges and opportunities. 2006 , 44, 1380-90	25
1321	Distribution of human SNPs and its effect on high-throughput genotyping. 2006 , 27, 249-54	23
1320	Long contiguous stretches of homozygosity in the human genome. 2006 , 27, 1115-21	93
1319	Mutation spectra of ABCC8 gene in Spanish patients with Hyperinsulinism of Infancy (HI). 2006 , 27, 214	41
1318	Genetic variability, haplotypes, and htSNPs for exons 1 at the human UGT1A locus. 2006 , 27, 717	39
1317	Androgen receptor polymorphisms and endometrial cancer risk. 2006 , 118, 1261-8	33

1316	Parkinson's disease in Africa: A systematic review of epidemiologic and genetic studies. 2006 , 21, 2150-6	76
1315	Patterns and mechanisms of genome organization in the mouse. 2006 , 305, 683-8	12
1314	DNA analysis by mass spectrometry-past, present and future. 2006 , 41, 981-95	43
1313	Association of the putative susceptibility gene, transient receptor potential protein melastatin type 2, with bipolar disorder. 2006 , 141B, 36-43	71
1312	Association of the phosphatase and tensin homolog gene (PTEN) with smoking initiation and nicotine dependence. 2006 , 141B, 10-4	15
1311	Glutamate AMPA receptor subunit 1 gene (GRIA1) and DSM-IV-TR schizophrenia: a pilot case-control association study in an Italian sample. 2006 , 141B, 287-93	31
1310	Cannabis receptor haplotype associated with fewer cannabis dependence symptoms in adolescents. 2006 , 141B, 895-901	66
1309	Autism spectrum disorders: molecular genetic advances. 2006 , 142C, 13-23	43
1308	Current perspectives on the genetic analysis of autism. 2006 , 142C, 24-32	14
1307	The molecular signature of selection underlying human adaptations. 2006 , Suppl 43, 89-130	68
1306	APOE epsilon4 is not associated with Alzheimer's disease in elderly Nigerians. 2006 , 59, 182-5	92
1305	Genotype susceptibility and integrated risk factors for complex diseases.	
1304	Concordant association of lipid gene variation with a combined HDL/LDL-cholesterol phenotype in two European populations. 2006 , 61, 123-31	11
1303	Associations between interleukin-6 genetic polymorphisms and levels of autoantibodies to 60-kDa heat-shock proteins. 2006 , 62, 77-83	6
1302	Individual SNP allele reconstruction from informative markers selected by a non-linear Gauss-type algorithm. 2006 , 62, 97-106	4
1301	Backward genotype-trait association (BGTA)-based dissection of complex traits in case-control designs. 2006 , 62, 196-212	35
1300	Analytical correction for multiple testing in admixture mapping. 2006 , 62, 55-63	16
1299	TAMAL: an integrated approach to choosing SNPs for genetic studies of human complex traits. 2006 , 22, 626-7	64

1298	BNTagger: improved tagging SNP selection using Bayesian networks. 2006 , 22, e211-9	28
1297	A whole genome long-range haplotype (WGLRH) test for detecting imprints of positive selection in human populations. 2006 , 22, 2122-8	55
1296	Association between two mu-opioid receptor gene (OPRM1) haplotype blocks and drug or alcohol dependence. 2006 , 15, 807-19	138
1295	P2RX7, a gene coding for a purinergic ligand-gated ion channel, is associated with major depressive disorder. 2006 , 15, 2438-45	202
1294	Novel polymorphisms in the myosin light chain kinase gene confer risk for acute lung injury. 2006 , 34, 487-95	151
1293	T-bet polymorphisms are associated with asthma and airway hyperresponsiveness. 2006 , 173, 64-70	74
1292	Haplotype spanning TTC12 and ANKK1, flanked by the DRD2 and NCAM1 loci, is strongly associated to nicotine dependence in two distinct American populations. 2006 , 15, 3498-507	137
1291	A case study of the utility of the HapMap database for pharmacogenomic haplotype analysis in the Taiwanese population. 2006 , 10, 367-70	17
1290	CHRM3 gene variation is associated with decreased acute insulin secretion and increased risk for early-onset type 2 diabetes in Pima Indians. 2006 , 55, 3625-9	29
1289	ADH4 gene variation is associated with alcohol dependence and drug dependence in European Americans: results from HWD tests and case-control association studies. 2006 , 31, 1085-95	87
1288	Translating genomic biomarkers into clinically useful diagnostics. 2006 , 6, 179-91	46
1287	Schizophrenia: do the genetics and neurobiology of neuregulin provide a pathogenesis model?. 2006 , 14, 64-77	8
1286	The impact of missing and erroneous genotypes on tagging SNP selection and power of subsequent association tests. 2006 , 61, 31-44	10
1285	Contribution of single nucleotide polymorphisms within FCRL3 and MAP3K7IP2 to the pathogenesis of Graves' disease. 2006 , 91, 1056-61	84
1284	Tryptophan hydroxylase-1 gene variants associate with a group of suicidal borderline women. 2006 , 31, 1982-90	43
1283	Haplotype block structure is conserved across mammals. 2006 , 2, e121	55
1282	Identification of genes for a complex trait: examples from hypertension. 2006 , 7, 1-13	12
1281	2SNP: scalable phasing based on 2-SNP haplotypes. 2006 , 22, 371-3	36

1280	Detecting Sequence-Sequence Interactions for Complex Diseases. 2006 , 7, 59-72	14
1279	Common variants of the endothelial nitric oxide synthase gene and the risk of coronary heart disease among U.S. diabetic men. 2006 , 55, 2140-7	28
1278	Recombination Hotspots in Nonallelic Homologous Recombination. 2006 , 341-355	6
1277	Comprehensive association analysis of the NOS2A gene with Parkinson disease. 2006 , 67, 2080-2	7
1276	Aspects of the design and analysis of high-dimensional SNP studies for disease risk estimation. 2006 , 7, 339-54	29
1275	Association of genetic markers within the KIT and KITLG genes with human male infertility. 2006 , 21, 3185-92	38
1274	An evaluation of the performance of tag SNPs derived from HapMap in a Caucasian population. 2006 , 2, e27	81
1273	Haplotype analysis of the HSD17B1 gene and risk of breast cancer: a comprehensive approach to multicenter analyses of prospective cohort studies. <i>Cancer Research</i> , 2006 , 66, 2468-75	10.1 58
1272	Coverage and characteristics of the Affymetrix GeneChip Human Mapping 100K SNP set. 2006 , 2, e67	35
1271	High-resolution association mapping of quantitative trait loci: a population-based approach. 2006 , 172, 663-86	18
1270	The mannose-binding lectin (MBL2) haplotype and breast cancer: an association study in African-American and Caucasian women. 2007 , 28, 828-36	24
1269	High-resolution recombination patterns in a region of human chromosome 21 measured by sperm typing. 2006 , 2, e70	65
1268	Polymorphisms of the low-density lipoprotein receptor-related protein 5 (LRP5) gene are associated with obesity phenotypes in a large family-based association study. 2006 , 43, 798-803	90
1267	FANCD2 associated with sporadic breast cancer risk. 2006 , 27, 1930-7	31
1266	A high-resolution single nucleotide polymorphism genetic map of the mouse genome. 2006 , 4, e395	218
1265	European population substructure: clustering of northern and southern populations. 2006 , 2, e143	182
1264	Epistatic Control of Human Obesity as Revealed by Linkage Disequilibrium Mapping: A Report from the NHLBI-Sponsored WISE Study. 2006 , 7, 463-468	2
1263	Genetic analysis of completely sequenced disease-associated MHC haplotypes identifies shuffling of segments in recent human history. 2006 , 2, e9	140

1262	The portability of tagSNPs across populations: a worldwide survey. 2006 , 16, 323-30	72
1261	Positive association of the serotonin 5-HT7 receptor gene with schizophrenia in a Japanese population. 2006 , 31, 866-71	59
1260	Significant association of catechol-O-methyltransferase (COMT) haplotypes with nicotine dependence in male and female smokers of two ethnic populations. 2006 , 31, 675-84	120
1259	CYP19 haplotypes increase risk for Alzheimer's disease. 2006 , 43, e42	41
1258	Fine-scale map of encyclopedia of DNA elements regions in the Korean population. 2006 , 174, 491-7	29
1257	Common variants in the ENPP1 gene are not reproducibly associated with diabetes or obesity. 2006 , 55, 3180-4	69
1256	Estrogen receptor beta polymorphism is associated with prostate cancer risk. 2006 , 12, 1936-41	48
1255	Genetic association studies: marking them well. 2006 , 194, 1475-7	3
1254	Evidence for unique association signals in SLE at the CD28-CTLA4-ICOS locus in a family-based study. 2006 , 15, 3195-205	50
1253	Accurate haplotype inference for multiple linked single-nucleotide polymorphisms using sibship data. 2006 , 174, 499-509	9
1252	Common genetic variation in five thrombosis genes and relations to plasma hemostatic protein level and cardiovascular disease risk. 2006 , 26, 1405-12	53
1251	Mice, humans and haplotypes--the hunt for disease genes in SLE. 2006 , 45, 1062-7	6
1250	Polymorphisms in the glucokinase-associated, dual-specificity phosphatase 12 (DUSP12) gene under chromosome 1q21 linkage peak are associated with type 2 diabetes. 2006 , 55, 2631-9	23
1249	Immunogenetics of Autoimmune Disease. 2006 ,	
1248	The power of single-nucleotide polymorphisms for large-scale parentage inference. 2006 , 172, 2567-82	183
1247	IL-6 haplotypes, inflammation, and risk for cardiovascular disease in a multiethnic dialysis cohort. 2006 , 17, 863-70	106
1246	Haplotype-based association studies of IGFBP1 and IGFBP3 with prostate and breast cancer risk: the multiethnic cohort. 2006 , 15, 1993-7	38
1245	An initial map of insertion and deletion (INDEL) variation in the human genome. 2006 , 16, 1182-90	455

1244	Polymorphisms in DNA damage binding protein 2 (DDB2) and susceptibility of primary lung cancer in the Chinese: a case-control study. 2006 , 27, 1475-80	19
1243	Variation in DNA repair genes ERCC2, XRCC1, and XRCC3 and risk of follicular lymphoma. 2006 , 15, 258-65	54
1242	Haplotypes spanning SPEC2, PDZ-GEF2 and ACSL6 genes are associated with schizophrenia. 2006 , 15, 3329-42	38
1241	Common haplotypes at the adiponectin receptor 1 (ADIPOR1) locus are associated with increased risk of coronary artery disease in type 2 diabetes. 2006 , 55, 2763-70	37
1240	Rapid evolution of major histocompatibility complex class I genes in primates generates new disease alleles in humans via hitchhiking diversity. 2006 , 173, 1555-70	86
1239	Haplotypes in matrix metalloproteinase gene cluster on chromosome 11q22 contribute to the risk of lung cancer development and progression. 2006 , 12, 7009-17	35
1238	Genetics of coagulation: considerations for cardiac surgery. 2006 , 10, 297-313	5
1237	Igf-I genetic variation and breast cancer: the multiethnic cohort. 2006 , 15, 172-4	19
1236	Building chromosome-wide LD maps. 2006 , 22, 1933-4	8
1235	Handbook of Multiple Sclerosis. 2006 ,	6
1234	Exhaustive genotyping of the interleukin-1 family genes and associations with AIDS progression in a French cohort. 2006 , 194, 1492-504	16
1233	Polymorphisms in the two helicases ERCC2/XPD and ERCC3/XPB of the transcription factor IIH complex and risk of lung cancer: a case-control analysis in a Chinese population. 2006 , 15, 1336-40	39
1232	Genetics of Asthma and Chronic Obstructive Pulmonary Disease. 2006 ,	0
1231	Navigating the HapMap. 2006 , 7, 211-24	15
1230	Evidence in favor of the contribution of genes involved in the maintenance of the extracellular matrix of the arterial wall to the development of intracranial aneurysms. 2006 , 15, 3361-8	59
1229	Common genetic variation in IGF1 and prostate cancer risk in the Multiethnic Cohort. 2006 , 98, 123-34	97
1228	Efficient inference of haplotypes from genotypes on a large animal pedigree. 2006 , 172, 1757-65	17
1227	The Krüppel-like factor 11 (KLF11) Q62R polymorphism is not associated with type 2 diabetes in 8,676 people. 2006 , 55, 3620-4	15

1226	Contribution of clinical correlates and 13 C-reactive protein gene polymorphisms to interindividual variability in serum C-reactive protein level. 2006 , 113, 1415-23	183
1225	Genetic variation in the sodium-dependent vitamin C transporters, SLC23A1, and SLC23A2 and risk for preterm delivery. 2006 , 163, 245-54	63
1224	An efficient comprehensive search algorithm for tagSNP selection using linkage disequilibrium criteria. 2006 , 22, 220-5	61
1223	Intronic variants in the dopa decarboxylase (DDC) gene are associated with smoking behavior in European-Americans and African-Americans. 2006 , 15, 2192-9	43
1222	Intra- and interpopulation genotype reconstruction from tagging SNPs. 2007 , 17, 96-107	28
1221	Human pharmacogenomic variations and their implications for antifungal efficacy. 2006 , 19, 763-87	31
1220	Genetic basis of Sjögren's syndrome. How strong is the evidence?. 2006 , 13, 209-22	34
1219	Genetic variants in brain-derived neurotrophic factor associated with Alzheimer's disease. 2007 , 44, e66	60
1218	Rho kinase polymorphism influences blood pressure and systemic vascular resistance in human twins: role of heredity. 2006 , 47, 937-47	66
1217	Variation in the adiponutrin gene influences its expression and associates with obesity. 2006 , 55, 826-33	64
1216	Genetic associations in preterm birth: a primer of marker selection, study design, and data analysis. 2006 , 13, 531-41	32
1215	HAPLOFREQ--estimating haplotype frequencies efficiently. 2006 , 13, 481-500	9
1214	Reconstructing ancestral haplotypes with a dictionary model. 2006 , 13, 767-85	2
1213	Coalescent Theory. 2006 ,	1
1212	A Neural Network Model for Maximizing Prediction Accuracy in Haplotype Tagging SNP Selection. 2006 ,	
1211	Genetic variability, haplotype structures, and ethnic diversity of hepatic transporters MDR3 (ABCB4) and bile salt export pump (ABCB11). 2006 , 34, 1582-99	86
1210	Linkage disequilibrium sharing and haplotype-tagged SNP portability between populations. 2006 , 103, 1418-21	26
1209	Haplotype structures and large-scale association testing of the 5' AMP-activated protein kinase genes PRKAA2, PRKAB1, and PRKAB2 [corrected] with type 2 diabetes. 2006 , 55, 849-55	22

1208	Consistent effects of TSG101 genetic variability on multiple outcomes of exposure to human immunodeficiency virus type 1. 2006 , 80, 6757-63		26
1207	SNP Function Portal: a web database for exploring the function implication of SNP alleles. 2006 , 22, e523-9		63
1206	Common genetic variation at PTEN and risk of sporadic breast and prostate cancer. 2006 , 15, 1021-5		25
1205	Germ-line genetic variation in the key androgen-regulating genes androgen receptor, cytochrome P450, and steroid-5-alpha-reductase type 2 is important for prostate cancer development. <i>Cancer Research</i> , 2006 , 66, 11077-83	10.1	43
1204	Resources for genetic variation studies. 2006 , 7, 443-57		13
1203	Choosing SNPs using feature selection. 2006 , 4, 241-57		17
1202	Challenges of SNP genotyping and genetic variation: its future role in diagnosis and treatment of cancer. 2006 , 6, 319-31		56
1201	Single-nucleotide polymorphisms in the RB1 gene and association with breast cancer in the British population. 2006 , 94, 1921-6		10
1200	Herbicide exposure modifies GSTP1 haplotype association to Parkinson onset age: the GenePD Study. 2006 , 67, 2206-10		33
1199	Single Nucleotide Polymorphism Blocks and Haplotypes: Human MHC Block Diversity. 2006 ,		0
1198	A sex-specific role of type VII adenylyl cyclase in depression. 2006 , 26, 12609-19		34
1197	Genetic predictors for acute experimental cold and heat pain sensitivity in humans. 2006 , 43, e40		149
1196	A systematic assessment of common genetic variation in CYP11A and risk of breast cancer. <i>Cancer Research</i> , 2006 , 66, 12019-25	10.1	17
1195	Functional variants in the lymphotoxin-alpha gene predict cardiovascular disease in dialysis patients. 2006 , 17, 3158-66		12
1194	PupaSuite: finding functional single nucleotide polymorphisms for large-scale genotyping purposes. 2006 , 34, W621-5		180
1193	Multiple rare variants in NPC1L1 associated with reduced sterol absorption and plasma low-density lipoprotein levels. 2006 , 103, 1810-5		344
1192	Association mapping with single-feature polymorphisms. 2006 , 173, 1125-33		28
1191	KRAS variation and risk of endometriosis. 2006 , 12, 671-6		42

1190	Association of PTPN22 haplotypes with Graves' disease. 2007 , 92, 685-90	92
1189	Variants of the transcription factor 7-like 2 (TCF7L2) gene are associated with type 2 diabetes in an African-American population enriched for nephropathy. 2007 , 56, 2638-42	76
1188	The Genetics of Male Infertility. 2007 ,	3
1187	The extent of linkage disequilibrium in rice (<i>Oryza sativa</i> L.). 2007 , 177, 2223-32	238
1186	Heritability, linkage, and genetic associations of exercise treadmill test responses. 2007 , 115, 2917-24	32
1185	Investigation of association between the TRAF family genes and RA susceptibility. 2007 , 66, 1322-6	35
1184	Heredity of endothelin secretion: human twin studies reveal the influence of polymorphism at the chromogranin A locus, a novel determinant of endothelial function. 2007 , 115, 2282-91	16
1183	Large-scale SNP genotyping with canine buccal swab DNA. 2007 , 98, 428-37	8
1182	Sequence variants of estrogen receptor beta and risk of prostate cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. 2007 , 16, 1973-81	28
1181	Endothelial nitric oxide synthase haplotypes are associated with features of metabolic syndrome. 2007 , 53, 91-7	37
1180	Analysis of the 5q31.33 locus shows an association between single nucleotide polymorphism variants in the IL-5 gene and symptomatic infection with the human blood fluke, <i>Schistosoma japonicum</i> . 2007 , 179, 8366-71	21
1179	Identification and functional characterization of genetic variants of human organic cation transporters in a Korean population. 2007 , 35, 667-75	84
1178	Mixed Race: Understanding Difference in the Genome Era. 2007 , 86, 795-820	15
1177	SNP- and haplotype analysis of the tryptophan hydroxylase 2 gene in alcohol-dependent patients and alcohol-related suicide. 2007 , 32, 1687-94	36
1176	A candidate gene approach identifies the TRAF1/C5 region as a risk factor for rheumatoid arthritis. 2007 , 4, e278	192
1175	Association of RNASEL variants with prostate cancer risk in Hispanic Caucasians and African Americans. 2007 , 13, 5959-64	35
1174	An exact nonparametric method for inferring mosaic structure in sequence triplets. 2007 , 176, 1035-47	565
1173	MHC haplotype matching for unrelated hematopoietic cell transplantation. 2007 , 4, e8	118

1172	Genetic variation in tumour necrosis factor and lymphotoxin is not associated with endometriosis in an Australian sample. 2007 , 22, 2389-97	26
1171	The FEZ1 gene shows no association to schizophrenia in Caucasian or African American populations. 2007 , 32, 190-6	15
1170	Nucleotide sequence variation within the human tyrosine kinase B neurotrophin receptor gene: association with antisocial alcohol dependence. 2007 , 7, 368-79	35
1169	Polymorphisms of CUL5 are associated with CD4+ T cell loss in HIV-1 infected individuals. 2007 , 3, e19	45
1168	The diploid genome sequence of an individual human. 2007 , 5, e254	1249
1167	The association of a SNP upstream of INSIG2 with body mass index is reproduced in several but not all cohorts. 2007 , 3, e61	119
1166	Population stratification of a common APOBEC gene deletion polymorphism. 2007 , 3, e63	183
1165	Power to detect risk alleles using genome-wide tag SNP panels. 2007 , 3, 1827-37	77
1164	Regulatory polymorphisms in the cyclophilin A gene, PPIA, accelerate progression to AIDS. 2007 , 3, e88	54
1163	Mapping Nucleotide Sequences that Encode Complex Binary Disease Traits with HapMap. 2007 , 8, 307-22	10
1162	Common genetic variation in KCNH2 is associated with QT interval duration: the Framingham Heart Study. 2007 , 116, 1128-36	64
1161	Genetic association mapping via evolution-based clustering of haplotypes. 2007 , 3, e111	26
1160	TGF-beta 1 variants in chronic beryllium disease and sarcoidosis. 2007 , 179, 4255-62	41
1159	Complement factor H (Y402H) polymorphism and risk of coronary heart disease in US men and women. 2007 , 28, 1297-303	17
1158	Effect of ATM, CHEK2 and ERBB2 TAGSNPs and haplotypes on endometrial cancer risk. 2007 , 16, 154-64	17
1157	Variation resources at UC Santa Cruz. 2007 , 35, D716-20	18
1156	Promoter polymorphisms in the plasma glutathione peroxidase (GPx-3) gene: a novel risk factor for arterial ischemic stroke among young adults and children. 2007 , 38, 41-9	110
1155	Comprehensive testing of positionally cloned asthma genes in two populations. 2007 , 176, 849-57	74

1154	Association of osteopontin gene haplotypes with nephrolithiasis. 2007 , 72, 592-8	47
1153	Haplotype thinking in lung disease. 2007 , 4, 4-8	9
1152	African Americans with asthma: genetic insights. 2007 , 4, 58-68	61
1151	A covariance structure model for the admixture of binary genetic variation. 2007 , 176, 2405-20	3
1150	Comparative assessment of the association information captured by SNP tagging. 2007 , 64, 27-34	3
1149	Bayesian association of haplotypes and non-genetic factors to regulatory and phenotypic variation in human populations. 2007 , 23, i212-21	4
1148	A promoter haplotype of the inositol monophosphatase 2 gene (IMPA2) at 18p11.2 confers a possible risk for bipolar disorder by enhancing transcription. 2007 , 32, 1727-37	29
1147	Applying genomics to the study of complex disease. 2007 , 27, 3-12	12
1146	Modeling the genetic architecture of complex traits with molecular markers. 2007 , 1, 41-9	3
1145	IkappaB genetic polymorphisms and invasive pneumococcal disease. 2007 , 176, 181-7	66
1144	Association of urokinase-type plasminogen activator with asthma and atopy. 2007 , 175, 1109-16	41
1143	Association of alpha2-Heremans-Schmid glycoprotein polymorphisms with subclinical atherosclerosis. 2007 , 92, 345-52	39
1142	Secreted modular calcium-binding protein 2 haplotypes are associated with pulmonary function. 2007 , 175, 554-60	14
1141	Tagging SNPs in non-homologous end-joining pathway genes and risk of glioma. 2007 , 28, 1906-13	74
1140	Bayesian haplotype inference via the Dirichlet process. 2007 , 14, 267-84	25
1139	Pattern-recognition techniques with haplotype analysis in pharmacogenomics. 2007 , 8, 75-83	36
1138	Comprehensive association analysis of the vitamin D pathway genes, VDR, CYP27B1, and CYP24A1, in prostate cancer. 2007 , 16, 1990-9	90
1137	Investigation of the estrogen receptor-alpha gene with type 2 diabetes and/or nephropathy in African-American and European-American populations. 2007 , 56, 675-84	22

1136	Fine mapping of a linkage region on chromosome 17p13 reveals that GABARAP and DLG4 are associated with vulnerability to nicotine dependence in European-Americans. 2007 , 16, 142-53		32
1135	Estimation of multilocus linkage disequilibria in diploid populations with dominant markers. 2007 , 176, 1811-21		25
1134	Genetics of cardiovascular diseases: from single mutations to the whole genome. 2007 , 116, 1714-24		78
1133	Common genetic variation in TP53 is associated with lung cancer risk and prognosis in African Americans and somatic mutations in lung tumors. 2007 , 16, 214-22		55
1132	Genetic variation at the CYP19A1 locus predicts circulating estrogen levels but not breast cancer risk in postmenopausal women. <i>Cancer Research</i> , 2007 , 67, 1893-7	10.1	134
1131	Analysis of genetic variation in Akt2/PKB-beta in severe insulin resistance, lipodystrophy, type 2 diabetes, and related metabolic phenotypes. 2007 , 56, 714-9		50
1130	Complement factor H and hemicentin-1 in age-related macular degeneration and renal phenotypes. 2007 , 16, 2135-48		42
1129	A primary assembly of a bovine haplotype block map based on a 15,036-single-nucleotide polymorphism panel genotyped in holstein-friesian cattle. 2007 , 176, 763-72		65
1128	Genetic susceptibility to peripheral arterial disease: a dark corner in vascular biology. 2007 , 27, 2068-78		49
1127	A new method for haplotype inference including full-sib information. 2007 , 177, 1929-40		3
1126	Genetic analysis of fluvastatin response and dyslipidemia in renal transplant recipients. 2007 , 48, 2072-8		24
1125	Association study of 69 genes in the ret pathway identifies low-penetrance loci in sporadic medullary thyroid carcinoma. <i>Cancer Research</i> , 2007 , 67, 9561-7	10.1	32
1124	Association of polymorphisms across the tyrosine kinase gene, TYK2 in UK SLE families. 2007 , 46, 927-30		56
1123	Efficacy assessment of SNP sets for genome-wide disease association studies. 2007 , 35, e113		10
1122	An extremes of outcome strategy provides evidence that multiple sclerosis severity is determined by alleles at the HLA-DRB1 locus. 2007 , 104, 20896-901		109
1121	Identification of EFHC2 as a quantitative trait locus for fear recognition in Turner syndrome. 2007 , 16, 107-13		26
1120	Polymorphisms in the Janus kinase 2 (JAK)/signal transducer and activator of transcription (STAT) genes: putative association of the STAT gene region with familial breast cancer. 2007 , 14, 267-77		29
1119	Variants in the alpha-Methylacyl-CoA racemase gene and the association with advanced distal colorectal adenoma. 2007 , 16, 1536-42		15

1118	The human GIMAP5 gene has a common polyadenylation polymorphism increasing risk to systemic lupus erythematosus. 2007 , 44, 314-21	58
1117	Interleukin-1R antagonist gene and pre-natal smoke exposure are associated with childhood asthma. 2007 , 29, 502-8	39
1116	Genome-wide association: which do you want first: the good news, the bad news, or the good news?. 2007 , 56, 2844-8	6
1115	Highly variable patterns of linkage disequilibrium in multiple soybean populations. 2007 , 175, 1937-44	143
1114	Functional SNP in an Sp1-binding site of AGTRL1 gene is associated with susceptibility to brain infarction. 2007 , 16, 630-9	78
1113	A comprehensive examination of CYP19 variation and breast density. 2007 , 16, 623-5	10
1112	Variants in the plasmacytoma variant translocation gene (PVT1) are associated with end-stage renal disease attributed to type 1 diabetes. 2007 , 56, 3027-32	72
1111	Prospects for association mapping in classical inbred mouse strains. 2007 , 175, 1999-2008	59
1110	Haplotype-based analysis of common variation in the acetyl-coA carboxylase alpha gene and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition. 2007 , 16, 409-15	12
1109	Sex-specific linkage to total serum immunoglobulin E in families of children with asthma in Costa Rica. 2007 , 16, 243-53	59
1108	Signatures of strong population differentiation shape extended haplotypes across the human CD28, CTLA4, and ICOS costimulatory genes. 2007 , 104, 570-5	37
1107	Genetic association of CTNNA3 with late-onset Alzheimer's disease in females. 2007 , 16, 2854-69	48
1106	Nonvalidation of reported genetic risk factors for acute coronary syndrome in a large-scale replication study. 2007 , 297, 1551-61	199
1105	When Puberty is Precocious. 2007 ,	5
1104	Association of haplotypic variants in DRD2, ANKK1, TTC12 and NCAM1 to alcohol dependence in independent case control and family samples. 2007 , 16, 2844-53	104
1103	Association studies of BMI and type 2 diabetes in the neuropeptide Y pathway: a possible role for NPY2R as a candidate gene for type 2 diabetes in men. 2007 , 56, 1460-7	45
1102	Insulin resistance-related genes and advanced left-sided colorectal adenoma. 2007 , 16, 703-8	19
1101	Interpreting results of large-scale genetic association studies: separating gold from fool's gold. 2007 , 297, 529-31	15

1100	Variants in EMX2 and PTEN do not contribute to risk of endometriosis. 2007 , 13, 587-94	31
1099	Association between Toll-like receptor gene cluster (TLR6, TLR1, and TLR10) and prostate cancer. 2007 , 16, 1982-9	33
1098	Analysis of genes critical for growth regulation identifies Insulin-like Growth Factor 2 Receptor variations with possible functional significance as risk factors for osteosarcoma. 2007 , 16, 1667-74	68
1097	Genetic polymorphisms in the Rb-binding zinc finger gene RIZ and the risk of lung cancer. 2007 , 28, 1971-7	14
1096	Insulin resistance-related gene polymorphisms and risk of prostate cancer. 2007 , 16, 1315-7	6
1095	Meiotic crossover hotspots contained in haplotype block boundaries of the mouse genome. 2007 , 104, 13396-401	19
1094	Transcription factor 7-like 2 (TCF7L2) is associated with gestational diabetes mellitus and interacts with adiposity to alter insulin secretion in Mexican Americans. 2007 , 56, 1481-5	101
1093	Haplotype-based analysis of common variation in the growth hormone receptor gene and prostate cancer risk. 2007 , 16, 169-73	16
1092	A high-resolution linkage map for the Z chromosome in chicken reveals hot spots for recombination. 2007 , 117, 22-9	25
1091	Clinical and genetic correlates of aldosterone-to-renin ratio and relations to blood pressure in a community sample. 2007 , 49, 846-56	163
1090	Bayesian logistic regression using a perfect phylogeny. 2007 , 8, 32-52	14
1089	Association of IRF5 in UK SLE families identifies a variant involved in polyadenylation. 2007 , 16, 579-91	103
1088	Evaluation of genome-wide power of genetic association studies based on empirical data from the HapMap project. 2007 , 16, 2494-505	25
1087	Common genetic variation in calpain-10 gene (CAPN10) and diabetes risk in a multi-ethnic cohort of American postmenopausal women. 2007 , 16, 2960-71	17
1086	Atherosclerosis. 113-136	
1085	Genetic evidence implicating DARPP-32 in human frontostriatal structure, function, and cognition. 2007 , 117, 672-82	177
1084	Association Studies of Complex Diseases. 1375-1426	
1083	Multiple Sclerosis. 27-82	

1082	Association of the RGS2 gene with extrapyramidal symptoms induced by treatment with antipsychotic medication. 2007 , 17, 519-28	37
1081	HTF9C gene of 22q11.21 region associates with schizophrenia having deficit-sustained attention. 2007 , 17, 333-8	11
1080	Three endothelial nitric oxide (NOS3) gene polymorphisms in hypertensive and normotensive individuals: meta-analysis of 53 studies reveals evidence of publication bias. 2007 , 25, 1763-74	65
1079	Polymorphisms of multidrug resistance gene (MDR1) and cyclosporine absorption in de novo renal transplant patients. 2007 , 83, 1380-4	22
1078	Research on parameterized algorithms of the individual haplotyping problem. 2007 , 5, 795-816	10
1077	Sequence variation in DOCK9 and heterogeneity in bipolar disorder. 2007 , 17, 274-86	25
1076	Pharmacogenetics of the 5-lipoxygenase biosynthetic pathway and variable clinical response to montelukast. 2007 , 17, 189-96	94
1075	Lamin A/C polymorphisms, type 2 diabetes, and the metabolic syndrome: case-control and quantitative trait studies. 2007 , 56, 884-9	24
1074	Population-based case-control association studies. 2007 , Chapter 1, Unit 1.17	1
1073	Single nucleotide polymorphism array analysis of cancer. 2007 , 19, 43-9	78
1072	Polymorphisms in the neuronal isoform of tryptophan hydroxylase 2 are associated with bipolar disorder in French Canadian pedigrees. 2007 , 17, 17-22	39
1071	The HLA Region and Autoimmune Disease: Associations and Mechanisms of Action. 2007 , 8, 453-65	258
1070	Association study of tardive dyskinesia and twelve DRD2 polymorphisms in schizophrenia patients. 2007 , 10, 639-51	56
1069	Human nutrition and genetic variation. 2007 , 28, S101-15	11
1068	Genotyping and haplotyping of CYP2C19 functional alleles on thin-film biosensor chips. 2007 , 17, 103-14	15
1067	Single nucleotide polymorphism analysis of corticotropin-releasing factor-binding protein gene in bipolar disorder. 2007 , 17, 304-7	2
1066	A novel genetic marker for coronary spasm in women from a genome-wide single nucleotide polymorphism analysis. 2007 , 17, 919-30	14
1065	Loudness dependence of auditory evoked potentials is not associated with polymorphisms or haplotypes in the serotonin transporter gene in a community-based sample of German healthy volunteers. 2007 , 153, 183-7	6

1064	Single nucleotide polymorphism analysis of corticotropin-releasing factor-binding protein gene in recurrent major depressive disorder. 2007 , 153, 17-25	14
1063	Identification of a two-loci epistatic interaction associated with susceptibility to rheumatoid arthritis through reverse engineering and multifactor dimensionality reduction. 2007 , 90, 6-13	30
1062	Retinol binding protein 4 as a candidate gene for type 2 diabetes and prediabetic intermediate traits. 2007 , 90, 338-44	74
1061	Comment on Diatchenko et al. Catechol-O-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli. <i>Pain</i> 2006;125:216-24. 2007 , 129, 365-366	6
1060	Responses to Drs. Kim and Dionne regarding comments on Diatchenko, et al. Catechol-O-methyltransferase gene polymorphisms are associated with multiple pain-evoking stimuli. <i>Pain</i> 2006; 125: 216-24. 2007 , 129, 366-370	17
1059	Effect of the G-308A polymorphism of the tumor necrosis factor alpha gene on the risk of ischemic heart disease and ischemic stroke: a meta-analysis. 2007 , 153, 821-30	48
1058	Haplotype analyses of the APOA5 gene in patients with familial combined hyperlipidemia. 2007 , 1772, 81-8	20
1057	An interethnic comparison of the distribution of vitamin D receptor genotypes and haplotypes. 2007 , 384, 155-9	21
1056	A functional single nucleotide polymorphism in the vitamin-K-dependent gamma-glutamyl carboxylase gene (Arg325Gln) is associated with bone mineral density in elderly Japanese women. 2007 , 40, 451-6	34
1055	Applications of Linkage Disequilibrium and Association Mapping in Crop Plants. 2007 , 97-119	75
1054	Application of HapMap data to the evaluation of 8 candidate genes for pediatric slow transit constipation. 2007 , 42, 666-71	6
1053	Genetic studies of stuttering in a founder population. 2007 , 32, 33-50	69
1052	Primer on the human genome. 2007 , 56, 719-35	8
1051	TDP-43 gene analysis in frontotemporal lobar degeneration. 2007 , 419, 1-4	40
1050	Genetic analysis of the TrkB gene and schizophrenia in the Japanese population: Juntendo University Schizophrenia Projects (JUSP). 2007 , 425, 1-5	3
1049	Polymorphisms in the cathepsin L2 (CTSL2) gene show association with type 1 diabetes and early-onset myasthenia gravis. 2007 , 68, 748-55	26
1048	The association of human connexin 40 genetic polymorphisms with atrial fibrillation. 2007 , 116, 107-12	85
1047	Sequence variation in the soluble epoxide hydrolase gene and subclinical coronary atherosclerosis: interaction with cigarette smoking. 2007 , 190, 26-34	65

1046	Genetic variability at the leptin receptor (LEPR) locus is a determinant of plasma fibrinogen and C-reactive protein levels. 2007 , 191, 121-7	36
1045	Finding genes that underlie physical traits of forensic interest using genetic tools. 2007 , 1, 100-4	15
1044	Forensic STRs as potential disease markers: a study of VWA and von Willebrand's Disease. 2007 , 1, 253-61	5
1043	Multipoint linkage-disequilibrium mapping with haplotype-block structure. 2007 , 80, 112-25	9
1042	A three-single-nucleotide polymorphism haplotype in intron 1 of OCA2 explains most human eye-color variation. 2007 , 80, 241-52	174
1041	Multiple genes for essential-hypertension susceptibility on chromosome 1q. 2007 , 80, 253-64	93
1040	Association mapping via regularized regression analysis of single-nucleotide-polymorphism haplotypes in variable-sized sliding windows. 2007 , 80, 705-15	53
1039	Genetic analysis of 103 candidate genes for coronary artery disease and associated phenotypes in a founder population reveals a new association between endothelin-1 and high-density lipoprotein cholesterol. 2007 , 80, 673-82	71
1038	New perspectives for the elucidation of genetic disorders. 2007 , 81, 199-207	99
1037	Evolutionary history of sex-linked mammalian amelogenin genes. 2007 , 186, 49-59	10
1036	Innate immunogenetics: a tool for exploring new frontiers of host defence. 2007 , 7, 531-42	70
1035	A review of feature selection techniques in bioinformatics. 2007 , 23, 2507-17	3212
1034	Linkage Disequilibrium. 2007 , 11-39	15
1033	Evaluation of sample size effect on the identification of haplotype blocks. 2007 , 8, 200	5
1032	Lack of influence of GTP cyclohydrolase gene (GCH1) variations on pain sensitivity in humans. 2007 , 3, 6	58
1031	Common genetic variation in IGF1, IGFBP-1, and IGFBP-3 in relation to mammographic density: a cross-sectional study. 2007 , 9, R18	59
1030	A case-control study of rheumatoid arthritis identifies an associated single nucleotide polymorphism in the NCF4 gene, supporting a role for the NADPH-oxidase complex in autoimmunity. 2007 , 9, R98	76
1029	Microarray Technology and Cancer Gene Profiling. 2007 ,	4

1028	The SERPINE2 gene is associated with chronic obstructive pulmonary disease in two large populations. 2007 , 176, 167-73	111
1027	Polymorphisms in genes of the renin-angiotensin system and cerebral small vessel disease. 2007 , 23, 148-55	39
1026	Linkage Disequilibrium and Association Mapping. 2007 ,	7
1025	Arrayed primer extension in the "array of arrays" format: a rational approach for microarray-based SNP genotyping. 2007 , 11, 160-6	3
1024	Haplotype Block Partitioning using a Normalized Maximum Likelihood Model. 2007 ,	0
1023	A Haplotyping Algorithm for Non-recombinant Pedigree Data Containing Missing Members. 2007 ,	
1022	Arrayed identification of DNA signatures. 2007 , 7, 65-76	23
1021	Evaluation of common variants in the six known maturity-onset diabetes of the young (MODY) genes for association with type 2 diabetes. 2007 , 56, 685-93	160
1020	Frequency of carriers of 8.1 ancestral haplotype and its fragments in two Caucasian populations. 2007 , 36, 307-19	8
1019	Genetic and haplotypic structure in 14 European and African cattle breeds. 2007 , 177, 1059-70	110
1018	CYP17 genetic variation and risk of breast and prostate cancer from the National Cancer Institute Breast and Prostate Cancer Cohort Consortium (BPC3). 2007 , 16, 2237-46	49
1017	Identification of a polycystic ovary syndrome susceptibility variant in fibrillin-3 and association with a metabolic phenotype. 2007 , 92, 4191-8	88
1016	Type 2 diabetes-associated missense polymorphisms KCNJ11 E23K and ABCC8 A1369S influence progression to diabetes and response to interventions in the Diabetes Prevention Program. 2007 , 56, 531-6	105
1015	Molecular pathogenesis of inflammatory bowel disease: genotypes, phenotypes and personalized medicine. 2007 , 39, 177-99	77
1014	The application of the HapMap to diabetic nephropathy and other causes of chronic renal failure. 2007 , 27, 223-36	3
1013	Polymorphisms of CAK genes and risk for lung cancer: a case-control study in Chinese population. 2007 , 58, 171-83	6
1012	Macrophage migration inhibitory factor in acute lung injury: expression, biomarker, and associations. 2007 , 150, 18-29	76
1011	Extensive linkage disequilibrium mapping at HTR2A and DRD3 for schizophrenia susceptibility genes in the Galician population. 2007 , 90, 123-9	31

1010	The role of DTNBP1, NRG1, and AKT1 in the genetics of schizophrenia in Finland. 2007 , 91, 27-36	53
1009	Association between PNPO and schizophrenia in the Japanese population. 2007 , 97, 264-70	10
1008	Genetics of PCOS. 2007 , 29-42	2
1007	Single nucleotide polymorphism data analysis - State-of-the-art review on this emerging field from a signal processing viewpoint. 2007 , 24, 75-82	6
1006	El proyecto HapMap. 2007 , 6, 201-203	
1005	Genetic variants in P-selectin and C-reactive protein influence susceptibility to cognitive decline after cardiac surgery. 2007 , 49, 1934-42	97
1004	Polymorphisms in the myosin light chain kinase gene that confer risk of severe sepsis are associated with a lower risk of asthma. 2007 , 119, 1111-8	48
1003	Association of specific haplotypes of neurotrophic tyrosine kinase receptor 2 gene (NTRK2) with vulnerability to nicotine dependence in African-Americans and European-Americans. 2007 , 61, 48-55	41
1002	Effect of mu-opioid receptor gene polymorphisms on heroin-induced subjective responses in a Chinese population. 2007 , 61, 1244-51	57
1001	Analysis of association between the serotonin transporter and antidepressant response in a large clinical sample. 2007 , 61, 734-42	133
1000	Impact of population structure on genetic diversity of a potential vaccine target in the canine hookworm (<i>Ancylostoma caninum</i>). 2007 , 93, 796-805	5
999	Tools for Statistical Genetics. 217-246	1
998	Genetics of Hypertension. 2007 , 15-24	
997	A new approach for using genome scans to detect recent positive selection in the human genome. 2007 , 5, e171	318
996	Genome-wide association tests by using block information in family data. 2007 , 1 Suppl 1, S149	1
995	Common haplotypes of the C-reactive protein gene and circulating leptin levels influence the interindividual variability in serum C-reactive protein levels. The Segovia study. 2007 , 98, 1088-95	17
994	Activin-type II receptor B (ACVR2B) and follistatin haplotype associations with muscle mass and strength in humans. 2007 , 102, 2142-8	34
993	Analysis of TBX1 variation in patients with psychotic and affective disorders. 2007 , 13, 407-14	11

992 Population genetics and disease. 44-58

991 Mapping common disease genes. 59-79

990 Population diversity, genomes and disease. 80-91

- 989 Genetic association between the PRKCH gene encoding protein kinase Ceta isozyme and rheumatoid arthritis in the Japanese population. **2007**, 56, 30-42 33
- 988 Association analysis of the protein phosphatase 1 regulatory subunit 1B (PPP1R1B) gene with nicotine dependence in European- and African-American smokers. **2007**, 144B, 285-90 15
- 987 Polymorphisms in the serotonin receptor gene HTR2A are associated with quantitative traits in panic disorder. **2007**, 144B, 424-9 53
- 986 Follow-up mapping supports the evidence for linkage in the candidate region at 9q22 in the NIMH Alzheimer's disease Genetics Initiative cohort. **2007**, 144B, 220-7 10
- 985 Evaluation of association of SNPs in the TNF alpha gene region with schizophrenia. **2007**, 144B, 318-24 18
- 984 Association of the neuronal nicotinic receptor beta2 subunit gene (CHRN2) with subjective responses to alcohol and nicotine. **2007**, 144B, 596-604 100
- 983 SNP fine mapping of chromosome 8q24 in bipolar disorder. **2007**, 144B, 625-30 15
- 982 Why do young women smoke? IV. Role of genetic variation in the dopamine transporter and lifetime traumatic experience. **2007**, 144B, 533-40 15
- 981 Investigation of variation in SNAP-25 and ADHD and relationship to co-morbid major depressive disorder. **2007**, 144B, 781-90 53
- 980 The opioid system in alcohol and drug dependence: family-based association study. **2007**, 144B, 877-84 63
- 979 Genetic variants in MGMT and risk of lung cancer in Southeastern Chinese: a haplotype-based analysis. **2007**, 28, 431-40 43
- 978 Novel high-throughput SNP genotyping cosegregation analysis for genetic diagnosis of autosomal recessive retinitis pigmentosa and Leber congenital amaurosis. **2007**, 28, 511-6 27
- 977 Genome-wide association scans identify multiple confirmed susceptibility loci for Crohn's disease: lessons for study design. **2007**, 13, 1554-60 12
- 976 Comprehensive evaluation of genetic variation in the IGF1 gene and risk of prostate cancer. **2007**, 120, 539-42 22
- 975 Understanding the accuracy of statistical haplotype inference with sequence data of known phase. **2007**, 31, 659-71 54

974	A new multimarker test for family-based association studies. 2007 , 31, 9-17	44
973	A haplotype-linkage analysis method for estimating recombination rates using dense SNP trio data. 2007 , 31, 154-72	5
972	Effects of single SNPs, haplotypes, and whole-genome LD maps on accuracy of association mapping. 2007 , 31, 179-88	15
971	A variant of the myosin light chain kinase gene is associated with severe asthma in African Americans. 2007 , 31, 296-305	56
970	Testing association between disease and multiple SNPs in a candidate gene. 2007 , 31, 383-95	172
969	A new association test using haplotype similarity. 2007 , 31, 577-93	21
968	A dictionary model for haplotyping, genotype calling, and association testing. 2007 , 31, 672-83	7
967	A novel method to express SNP-based genetic heterogeneity, Psi, and its use to measure linkage disequilibrium for multiple SNPs, D(g), and to estimate absolute maximum of haplotype frequency. 2007 , 31, 709-26	1
966	Multiple testing in the genomics era: findings from Genetic Analysis Workshop 15, Group 15. 2007 , 31 Suppl 1, S124-31	11
965	Myxovirus-1 and protein kinase haplotypes and fibrosis in chronic hepatitis C virus. 2007 , 46, 74-83	11
964	Cholangiocarcinoma in primary sclerosing cholangitis is associated with NKG2D polymorphisms. 2008 , 47, 90-6	94
963	ELAVL4, PARK10, and the Celts. 2007 , 22, 585-7	19
962	Genetics of posttraumatic stress disorder: Review and recommendations for future studies. 2007 , 20, 737-50	81
961	Genetic susceptibility for breast cancer: how many more genes to be found?. 2007 , 63, 125-49	86
960	New methods for imputation of missing genotype using linkage disequilibrium and haplotype information. 2007 , 177, 804-814	5
959	Genetic variation at the calcium-sensing receptor (CASR) locus: implications for clinical molecular diagnostics. 2007 , 40, 551-61	41
958	Direct haplotyping of bi-allelic SNPs using ARMS and RFLP analysis techniques. 2007 , 24, 609-12	6
957	Allelic variation in BTNL2 and susceptibility to tuberculosis in a South African population. 2007 , 9, 522-8	17

956	Genetic fixity in the human major histocompatibility complex and block size diversity in the class I region including HLA-E. 2007 , 8, 14	23
955	Empirical vs Bayesian approach for estimating haplotypes from genotypes of unrelated individuals. 2007 , 8, 2	7
954	Genetic support for a quantitative trait nucleotide in the ABCG2 gene affecting milk composition of dairy cattle. 2007 , 8, 32	66
953	The BRCA1 Ashkenazi founder mutations occur on common haplotypes and are not highly correlated with anonymous single nucleotide polymorphisms likely to be used in genome-wide case-control association studies. 2007 , 8, 68	7
952	Association between CFL1 gene polymorphisms and spina bifida risk in a California population. 2007 , 8, 12	17
951	Exploring the functional role of the CHRM2 gene in human cognition: results from a dense genotyping and brain expression study. 2007 , 8, 66	33
950	Single nucleotide polymorphisms in bone turnover-related genes in Koreans: ethnic differences in linkage disequilibrium and haplotype. 2007 , 8, 70	3
949	A comprehensive analysis of common genetic variation in prolactin (PRL) and PRL receptor (PRLR) genes in relation to plasma prolactin levels and breast cancer risk: the multiethnic cohort. 2007 , 8, 72	32
948	Genome-wide association with diabetes-related traits in the Framingham Heart Study. 2007 , 8 Suppl 1, S16	72
947	The future of pediatric cancer and complex diseases: aren't they all?. 2007 , 48, 719-22	0
946	Polymorphic variants in alpha-methylacyl-CoA racemase and prostate cancer. 2007 , 67, 1487-97	20
945	A genome-wide association study for celiac disease identifies risk variants in the region harboring IL2 and IL21. 2007 , 39, 827-9	518
944	Copy-number variation and association studies of human disease. 2007 , 39, S37-42	464
943	Variation in interleukin 7 receptor alpha chain (IL7R) influences risk of multiple sclerosis. 2007 , 39, 1108-13	388
942	Genetic variation in the renal sodium transporters NKCC2, NCC, and ENaC in relation to the effects of loop diuretic drugs. 2007 , 82, 300-9	29
941	Pharmacogenomics and nutrigenomics: synergies and differences. 2007 , 61, 567-74	29
940	Significant variation in haplotype block structure but conservation in tagSNP patterns among global populations. 2007 , 15, 302-12	55
939	Methods for the selection of tagging SNPs: a comparison of tagging efficiency and performance. 2007 , 15, 228-36	19

938	Evaluation of STOX1 as a preeclampsia candidate gene in a population-wide sample. 2007 , 15, 494-7	38
937	ALOX5AP gene variants and risk of coronary artery disease: an angiography-based study. 2007 , 15, 959-66	35
936	Tag SNP selection for candidate gene association studies using HapMap and gene resequencing data. 2007 , 15, 1063-70	35
935	Association of PTGDR gene polymorphisms with asthma in two Caucasian populations. 2007 , 8, 398-403	23
934	DC-SIGN (CD209), pentraxin 3 and vitamin D receptor gene variants associate with pulmonary tuberculosis risk in West Africans. 2007 , 8, 456-67	152
933	Interleukin 3 and schizophrenia: the impact of sex and family history. 2007 , 12, 273-82	47
932	Linkage and association studies in African- and Caucasian-American populations demonstrate that SHC3 is a novel susceptibility locus for nicotine dependence. 2007 , 12, 462-73	40
931	More evidence supports the association of PPP3CC with schizophrenia. 2007 , 12, 966-74	53
930	A region of 35 kb containing the trace amine associate receptor 6 (TAAR6) gene is associated with schizophrenia in the Irish study of high-density schizophrenia families. 2007 , 12, 842-53	25
929	The discoidin domain receptor 1 as a novel susceptibility gene for schizophrenia. 2007 , 12, 833-41	42
928	Association of lipin 1 gene polymorphisms with measures of energy and glucose metabolism. 2007 , 15, 2723-32	41
927	Novel interleukin-4 and interleukin-1 receptor antagonist gene variations associated with non-cardia gastric cancer in Japan: comprehensive analysis of 207 polymorphisms of 11 cytokine genes. 2007 , 22, 729-37	40
926	Single-nucleotide polymorphisms in the COL1A1 regulatory regions are associated with otosclerosis. 2007 , 71, 406-14	44
925	Genetic polymorphisms of matrix metalloproteinases in lung, breast and colorectal cancer. 2008 , 73, 197-211	43
924	Haplotype association of IL-8 gene with Behcet's disease. 2007 , 69, 128-32	33
923	Mycobacterial infections: PARK2 and PACRG associations in leprosy. 2007 , 69 Suppl 1, 231-3	6
922	Association of HLA genes with ankylosing spondylitis in Han population of eastern China. 2007 , 65, 559-66	6
921	Association of alcohol craving with alpha-synuclein (SNCA). 2007 , 31, 537-45	48

920	Linkage disequilibrium and association analysis of alpha-synuclein and alcohol and drug dependence in two American Indian populations. 2007 , 31, 546-54	17
919	A haplotype analysis of CYP2E1 polymorphisms in relation to alcoholic phenotypes in Mexican Americans. 2007 , 31, 1991-2000	14
918	The 3' part of the dopamine transporter gene DAT1/SLC6A3 is associated with withdrawal seizures in patients with alcohol dependence. 2008 , 32, 27-35	32
917	Measuring marker information content by the ambiguity of block boundaries observed in dense SNP data. 2007 , 71, 127-40	5
916	Common polymorphisms in the CACNA1H gene associated with childhood absence epilepsy in Chinese Han population. 2007 , 71, 325-35	25
915	Ethnic differences in interleukin 6 (IL-6) and IL6 receptor genes in spontaneous preterm birth and effects on amniotic fluid protein levels. 2007 , 71, 586-600	42
914	Accounting for genotyping errors in tagging SNP selection. 2007 , 71, 467-79	4
913	Evidence for an association of the dopamine D5 receptor gene on age at onset of attention deficit hyperactivity disorder. 2007 , 71, 648-59	12
912	The role of genetic polymorphisms in periodontitis. 2007 , 43, 102-32	154
911	Alcoholism is associated with GALR3 but not two other galanin receptor genes. 2007 , 6, 473-81	48
910	Sequence variations in DNA repair gene XPC is associated with lung cancer risk in a Chinese population: a case-control study. 2007 , 7, 81	29
909	SNPs in Multi-species Conserved Sequences (MCS) as useful markers in association studies: a practical approach. 2007 , 8, 266	28
908	Association of polymorphisms in P2RX7 and CaMKKb with anxiety disorders. 2007 , 101, 159-68	61
907	Rapid screening for potentially relevant polymorphisms in the human fatty acid amide hydrolase gene using Pyrosequencing. 2007 , 84, 128-37	6
906	Genetic architecture of human pain perception. 2007 , 23, 605-13	161
905	No effect of APOE and PVRL2 on the clinical outcome of multiple sclerosis. 2007 , 186, 156-60	7
904	Genetic structure of the dopamine receptor D4 gene (DRD4) and lack of association with schizophrenia in Japanese patients. 2007 , 41, 763-75	9
903	Association of a Met88Val diazepam binding inhibitor (DBI) gene polymorphism and anxiety disorders with panic attacks. 2007 , 41, 579-84	30

902	Population genetic tools: application to cancer. 2007 , 34, S21-4	1
901	Low-density lipoprotein receptor-related protein 5 (LRP5) gene polymorphisms are associated with bone mass in both Chinese and whites. 2007 , 22, 385-93	33
900	Vitamin D receptor 3' haplotypes are unequally expressed in primary human bone cells and associated with increased fracture risk: the MrOS Study in Sweden and Hong Kong. 2007 , 22, 832-40	34
899	Online resources for SNP analysis: a review and route map. 2007 , 35, 65-97	15
898	Ascertainment bias and the pattern of nucleotide diversity at the human ALDH2 locus in a Japanese population. 2007 , 64, 375-85	3
897	Distributions of single nucleotide polymorphisms in differential chromosome segments of congenic resistant strains that define minor histocompatibility antigens. 2007 , 59, 631-9	1
896	Genetic diversity analysis of traditional and improved Indonesian rice (<i>Oryza sativa</i> L.) germplasm using microsatellite markers. 2007 , 114, 559-68	133
895	Prediction of single-cross hybrid performance in maize using haplotype blocks associated with QTL for grain yield. 2007 , 114, 1345-55	29
894	Genetic association of single nucleotide polymorphisms in endonuclease G-like 1 gene with type 2 diabetes in a Japanese population. 2007 , 50, 1218-27	10
893	Association testing of common variants in the insulin receptor substrate-1 gene (IRS1) with type 2 diabetes. 2007 , 50, 1209-17	8
892	Variation in the peroxisome proliferator-activated receptor delta gene in relation to common metabolic traits in 7,495 middle-aged white people. 2007 , 50, 1201-8	37
891	Polymorphisms in the gene encoding the voltage-dependent Ca(2+) channel Ca (V)2.3 (CACNA1E) are associated with type 2 diabetes and impaired insulin secretion. 2007 , 50, 2467-75	34
890	The human genome and understanding of common disease: present and future technologies. 2007 , 64, 961-78	8
889	Genetic variation in the B-type natriuretic peptide pathway affects BNP levels. 2007 , 21, 55-62	33
888	A study of how socioeconomic status moderates the relationship between SNPs encompassing BDNF and ADHD symptom counts in ADHD families. 2007 , 37, 487-97	32
887	Family-based association study of matrix metalloproteinase-3 and -9 haplotypes with susceptibility to ischemic white matter injury. 2007 , 120, 671-80	28
886	Association of warfarin dose with genes involved in its action and metabolism. 2007 , 121, 23-34	305
885	The chemokine (C-C-motif) receptor 3 (CCR3) gene is linked and associated with age at menarche in Caucasian females. 2007 , 121, 35-42	14

884	CYP19A1 polymorphisms are associated with bone mineral density in Chinese men. 2007 , 121, 491-500	13
883	Common variation in KLKB1 and essential hypertension risk: tagging-SNP haplotype analysis in a case-control study. 2007 , 121, 327-35	18
882	A TNF region haplotype offers protection from typhoid fever in Vietnamese patients. 2007 , 122, 51-61	16
881	An extension of the weighted dissimilarity test to association study in families. 2007 , 122, 83-94	1
880	NR2A and NR2B receptor gene variations modify age at onset in Huntington disease in a sex-specific manner. 2007 , 122, 175-82	54
879	Tagging SNPs in the kallikrein genes 3 and 2 on 19q13 and their associations with prostate cancer in men of European origin. 2007 , 122, 251-9	32
878	The role of hereditary spastic paraplegia related genes in multiple sclerosis. A study of disease susceptibility and clinical outcome. 2007 , 254, 1221-6	13
877	Somatostatin genetic variants modify the risk for Alzheimer's disease among Finnish patients. 2007 , 254, 1504-8	22
876	Comparison of ENCODE region SNPs between Cebu Filipino and Asian HapMap samples. 2007 , 52, 729-737	12
875	Identifying haplotype block structure using an ancestor-derived model. 2007 , 52, 738-746	1
874	SNPs in the KCNJ11-ABCC8 gene locus are associated with type 2 diabetes and blood pressure levels in the Japanese population. 2007 , 52, 781-793	70
873	No evidence for significant association between GABA receptor genes in chromosome 15q11-q13 and autism in a Japanese population. 2007 , 52, 985-989	16
872	Progress in unraveling the genetics of coronary artery disease and myocardial infarction. 2007 , 9, 179-86	17
871	Gene discovery in diabetic nephropathy. 2007 , 7, 139-45	8
870	The relationship between "race" and genetics in biomedical research. 2007 , 9, 196-201	21
869	Association study of the oestrogen signalling pathway genes in relation to age at natural menopause. 2007 , 86, 269-76	21
868	An overview of the haplotype problems and algorithms. 2007 , 1, 272-282	6
867	Haplotyping with missing data via perfect path phylogenies. 2007 , 155, 788-805	14

866	Common genetic variation in the IGF-1 gene, serum IGF-I levels and breast density. 2008 , 112, 109-22	33
865	Association study of GSK3 gene polymorphisms with schizophrenia and clozapine response. 2008 , 200, 177-86	53
864	Ethnic differences in cytokine gene polymorphisms: potential implications for cancer development. 2008 , 57, 107-14	49
863	Study of the association between the CAPSL-IL7R locus and type 1 diabetes. 2008 , 51, 1653-8	32
862	Distribution characteristics and linkage disequilibrium of TIM4 promoter polymorphisms in asthma patients of Chinese Han population. 2008 , 28, 447-50	1
861	BACE1 polymorphisms do not influence platelet membrane beta-secretase activity or genetic susceptibility for Alzheimer's disease in the Northern Irish population. 2008 , 10, 368-76	8
860	Genetic variation in heat shock protein 60 gene and coronary heart disease in China: tagging-SNP haplotype analysis in a case-control study. 2008 , 13, 231-8	10
859	Evaluation of resequencing on number of tag SNPs of 13 atherosclerosis-related genes in Thai population. 2008 , 53, 74-86	7
858	Comprehensive assessment of P21 polymorphisms and lung cancer risk. 2008 , 53, 87-95	18
857	Dynamin 2 gene is a novel susceptibility gene for late-onset Alzheimer disease in non-APOE-epsilon4 carriers. 2008 , 53, 296-302	21
856	Linkage disequilibrium structure of the 5q31-33 region in a Thai population. 2008 , 53, 850-856	5
855	No association between the oligodendrocyte-related gene PLP1 and schizophrenia in the Japanese population. 2008 , 53, 863-866	3
854	Association and interaction analyses of NRG1 and ERBB4 genes with schizophrenia in a Japanese population. 2008 , 53, 929-935	27
853	Further examination of the candidate genes in chromosome 12p13 locus for late-onset Alzheimer disease. 2008 , 9, 127-38	23
852	An association analysis of synapse-associated protein 97 (SAP97) gene in schizophrenia. 2008 , 115, 1355-65	39
851	Brain-derived neurotrophic factor gene variation influences cerebrospinal fluid 3-methoxy-4-hydroxyphenylglycol concentrations in healthy volunteers. 2008 , 115, 1695-9	9
850	Genetic association analysis of tagging SNPs in alpha4 and beta2 subunits of neuronal nicotinic acetylcholine receptor genes (CHRNA4 and CHRNB2) with schizophrenia in the Japanese population. 2008 , 115, 1457-61	10
849	SLC11A1 polymorphisms are associated with the risk of chronic obstructive pulmonary disease in a Korean population. 2008 , 46, 506-19	6

848	Association study of interleukin 2 (IL2) and IL4 with schizophrenia in a Japanese population. 2008 , 258, 422-7	13
847	Analysis of 45 candidate genes for disease modifying activity in multiple sclerosis. 2008 , 255, 1215-9	18
846	An Improved (and Practical) Parameterized Algorithm for the Individual Haplotyping Problem MFR with Mate-Pairs. 2008 , 52, 250-266	15
845	Significant association of DRD1 with nicotine dependence. 2008 , 123, 133-40	90
844	Comprehensive evaluation of the estrogen receptor alpha gene reveals further evidence for association with type 2 diabetes enriched for nephropathy in an African American population. 2008 , 123, 333-41	24
843	Fine-mapping the genetic basis of CRP regulation in African Americans: a Bayesian approach. 2008 , 123, 633-42	9
842	Evaluation of a SNP map of 6q24-27 confirms diabetic nephropathy loci and identifies novel associations in type 2 diabetes patients with nephropathy from an African-American population. 2008 , 124, 63-71	14
841	Polymorphisms of the tumor necrosis factor-alpha receptor 2 gene are associated with obesity phenotypes among 405 Caucasian nuclear families. 2008 , 124, 171-7	3
840	Sequence variants in the PLEKHH2 region are associated with diabetic nephropathy in the GoKinD study population. 2008 , 124, 255-62	15
839	Association of amyloid precursor protein-binding protein, family B, member 1 with nicotine dependence in African and European American smokers. 2008 , 124, 393-8	10
838	Genetic association study of synphilin-1 in idiopathic Parkinson's disease. 2008 , 9, 19	11
837	Influence of leukotriene gene polymorphisms on chronic rhinosinusitis. 2008 , 9, 21	26
836	Association of limbic system-associated membrane protein (LSAMP) to male completed suicide. 2008 , 9, 34	21
835	The estrogen hypothesis of schizophrenia implicates glucose metabolism: association study in three independent samples. 2008 , 9, 39	26
834	Effects of common haplotypes of the ileal sodium dependent bile acid transporter gene on the development of sporadic and familial colorectal cancer: a case control study. 2008 , 9, 70	8
833	Analysis of genetic variation in Ashkenazi Jews by high density SNP genotyping. 2008 , 9, 14	30
832	An evaluation of the performance of HapMap SNP data in a Shanghai Chinese population: analyses of allele frequency, linkage disequilibrium pattern and tagging SNPs transferability on chromosome 1q21-q25. 2008 , 9, 19	6
831	A single nucleotide polymorphism in CAPN1 associated with marbling score in Korean cattle. 2008 , 9, 33	47

830	High density linkage disequilibrium maps of chromosome 14 in Holstein and Angus cattle. 2008 , 9, 45	18
829	Polymorphisms of the IGF1R gene and their genetic effects on chicken early growth and carcass traits. 2008 , 9, 70	27
828	Mixed modeling and multiple imputation for unobservable genotype clusters. 2008 , 27, 2784-801	8
827	Chromosome 8q24 risk variants in hereditary and non-hereditary prostate cancer patients. 2008 , 68, 489-97	35
826	Variants in the neuronal nitric oxide synthase (nNOS, NOS1) gene are associated with restless legs syndrome. 2008 , 23, 350-8	91
825	Genetic study of Saudi diabetes (GSSD): significant association of the KCNJ11 E23K polymorphism with type 2 diabetes. 2008 , 24, 137-40	44
824	Polymorphisms of LIG4 and XRCC4 involved in the NHEJ pathway interact to modify risk of glioma. 2008 , 29, 381-9	53
823	CYBB, an NADPH-oxidase gene: restricted diversity in humans and evidence for differential long-term purifying selection on transmembrane and cytosolic domains. 2008 , 29, 623-32	7
822	Genetic variability in the mitochondrial serine protease HTRA2 contributes to risk for Parkinson disease. 2008 , 29, 832-40	97
821	An unusual haplotype structure on human chromosome 8p23 derived from the inversion polymorphism. 2008 , 29, 1209-16	27
820	Two-stage candidate gene study of chromosome 3p demonstrates an association between nonsynonymous variants in the MST1R gene and Crohn's disease. 2008 , 14, 500-7	21
819	IL23R haplotypes provide a large population attributable risk for Crohn's disease. 2008 , 14, 1185-91	34
818	Pathway based analysis of SNPs with relevance to 5-FU therapy: relation to intratumoral mRNA expression and survival. 2008 , 123, 577-85	15
817	Nucleotide excision repair genes and risk of lung cancer among San Francisco Bay Area Latinos and African Americans. 2008 , 123, 2095-104	63
816	Genetic variation in the toll-like receptor gene cluster (TLR10-TLR1-TLR6) and prostate cancer risk. 2008 , 123, 2644-50	71
815	Genome-wide analysis identifies 16q deletion associated with survival, molecular subtypes, mRNA expression, and germline haplotypes in breast cancer patients. 2008 , 47, 680-96	73
814	Population differences in the International Multi-Centre ADHD Gene Project. 2008 , 32, 98-107	16
813	A principal components regression approach to multilocus genetic association studies. 2008 , 32, 108-18	114

812	On transferability of genome-wide tagSNPs. 2008 , 32, 89-97	14
811	Measuring and partitioning the high-order linkage disequilibrium by multiple order Markov chains. 2008 , 32, 301-12	14
810	A multiple testing correction method for genetic association studies using correlated single nucleotide polymorphisms. 2008 , 32, 361-9	467
809	A broad analysis of IL1 polymorphism and rheumatoid arthritis. 2008 , 58, 1947-57	27
808	Mutations and polymorphisms in hemoglobin genes and the risk of pulmonary hypertension and death in sickle cell disease. 2008 , 83, 6-14	49
807	Family-based association analysis of a statistically derived quantitative traits for ADHD reveal an association in DRD4 with inattentive symptoms in ADHD individuals. 2008 , 147B, 100-6	35
806	No association between common variants in glyoxalase 1 and autism spectrum disorders. 2008 , 147B, 124-7	20
805	Haplotype analysis confirms association of the serotonin transporter (5-HTT) gene with schizophrenia but not with major depression. 2008 , 147, 301-7	24
804	Association of 5-HT1B receptor polymorphisms with the loudness dependence of auditory evoked potentials in a community-based sample of healthy volunteers. 2008 , 147B, 454-8	23
803	Chromosome 4q31-34 panic disorder risk locus: association of neuropeptide Y Y5 receptor variants. 2008 , 147B, 510-6	44
802	Family-based SNP association study on 8q24 in bipolar disorder. 2008 , 147B, 612-8	19
801	Association study for genes at chromosome 5p13-q11 in attention deficit hyperactivity disorder. 2008 , 147B, 600-5	9
800	Association study between the serotonin 1A receptor (HTR1A) gene and neuroticism, major depression, and anxiety disorders. 2008 , 147B, 661-6	35
799	Association study of the 15q11-q13 maternal expression domain in Japanese autistic patients. 2008 , 147B, 1008-12	12
798	Association of the cannabinoid receptor gene (CNR1) with ADHD and post-traumatic stress disorder. 2008 , 147B, 1488-94	78
797	Worldwide genetic variation in dopamine and serotonin pathway genes: implications for association studies. 2008 , 147B, 1070-5	16
796	Association analysis of schizophrenia on 18 genes involved in neuronal migration: MDGA1 as a new susceptibility gene. 2008 , 147B, 1089-100	90
795	A functional polymorphism, rs6280, in DRD3 is significantly associated with nicotine dependence in European-American smokers. 2008 , 147B, 1109-15	42

794	Comprehensive analysis of tagging sequence variants in DTNBP1 shows no association with schizophrenia or with its composite neurocognitive endophenotypes. 2008 , 147B, 1159-66	31
793	FBXL21 association with schizophrenia in Irish family and case-control samples. 2008 , 147B, 1231-7	10
792	Genome-wide association scan of quantitative traits for attention deficit hyperactivity disorder identifies novel associations and confirms candidate gene associations. 2008 , 147B, 1345-54	299
791	Genome-wide association scan of the time to onset of attention deficit hyperactivity disorder. 2008 , 147B, 1355-8	92
790	Sexually dimorphic effects of four genes (COMT, SLC6A2, MAOA, SLC6A4) in genetic associations of ADHD: a preliminary study. 2008 , 147B, 1511-8	76
789	Linkage Disequilibrium, Recombination and Selection. 2008 , 909-944	7
788	Human Genetic Diversity and its History. 2008 , 1067-1108	
787	Association between MTNR1B polymorphisms and obesity in African American: findings from the Jackson Heart Study. 2021 , 14, 136	2
786	Identification of putative causal loci in whole-genome sequencing data via knockoff statistics. 2021 , 12, 3152	3
785	PIP-SNP: a pipeline for processing SNP data featured as linkage disequilibrium bin mapping, genotype imputing and marker synthesizing. 2021 , 3, lqab060	
784	Deconstructing the epigenomic architecture of human neurodegeneration. 2021 , 153, 105331	
783	Insights on Genetic and Environmental Factors in Parkinson's Disease from a regional Swedish Case-Control Cohort.	
782	Genome-wide association study and transcriptome analysis discover new genes for bacterial leaf blight resistance in rice (<i>Oryza sativa</i> L.). 2021 , 21, 255	3
781	Identification of new semen trait-related candidate genes in Duroc boars through genome-wide association and weighted gene co-expression network analyses. 2021 , 99,	2
780	Single Nucleotide Polymorphisms in Genes Encoding Toll-Like Receptors 7 and 8 and Their Association with Proviral Load of SRLVs in Goats of Polish Carpathian Breed. 2021 , 11,	0
779	Statistical power and heritability in whole-genome association studies for quantitative traits. 2021 , 28, 100869	1
778	BACH1 Binding Links the Genetic Risk for Severe Periodontitis with. 2021 , 220345211017510	0
777	Genome-wide association analyses identify genotype-by-environment interactions of growth traits in Simmental cattle. 2021 , 11, 13335	6

776	History of the methodology of disease gene identification. 2021 , 185, 3266-3275	3
775	Multi-Allelic Haplotype-Based Association Analysis Identifies Genomic Regions Controlling Domestication Traits in Intermediate Wheatgrass. 2021 , 11, 667	1
774	Genomic regions associated with heat stress tolerance in tropical maize (<i>Zea mays</i> L.). 2021 , 11, 13730	8
773	SSR marker-based genetic diversity analysis and SNP haplotyping of genes associating abiotic and biotic stress tolerance, rice growth and development and yield across 93 rice landraces. 2021 , 48, 5943-5953	1
772	Long-range linkage disequilibrium in French beef cattle breeds. 2021 , 53, 63	1
771	Comprehensive Transcriptomic Comparison between Porcine CD8 and CD8 Gamma Delta T Cells Revealed Distinct Immune Phenotype. 2021 , 11,	0
770	Machine learning-enabled phenotyping for GWAS and TWAS of WUE traits in 869 field-grown sorghum accessions. 2021 , 187, 1481-1500	3
769	A combined GWAS approach reveals key loci for socially-affected traits in Yorkshire pigs. 2021 , 4, 891	0
768	Viral transmission and evolution dynamics of SARS-CoV-2 in shipboard quarantine. 2021 , 99, 486-495	4
767	Integrating Genome-Wide Association Analysis With Transcriptome Sequencing to Identify Candidate Genes Related to Blooming Time in. 2021 , 12, 690841	1
766	QTL-allele system of main stem node number in recombinant inbred lines of soybean (<i>Glycine max</i>) using association versus linkage mapping. 2021 , 140, 870	2
765	Why PRP works only on certain patients with tennis elbow? Is PDGFB gene a key for PRP therapy effectiveness? A prospective cohort study. 2021 , 22, 710	1
764	Data-driven, participatory characterization of traditional farmer varieties discloses teff (<i>Eragrostis tef</i>) adaptive and breeding potential under current and future climates.	0
763	Multi-locus genome-wide association studies for five yield-related traits in rice. 2021 , 21, 364	2
762	Genetic Diversity Relationship Between Grain Quality and Appearance in Rice. 2021 , 12, 708996	2
761	Identifying Loci Associated With Bovine Corona Virus Infection and Bovine Respiratory Disease in Dairy and Feedlot Cattle. 2021 , 8, 679074	1
760	New drought-adaptive loci underlying candidate genes on wheat chromosome 4B with improved photosynthesis and yield responses. 2021 , 173, 2166-2180	0
759	Newly developed MAGIC population allows identification of strong associations and candidate genes for anthocyanin pigmentation in eggplant.	

758	Assessment of the effectiveness of the EUROFORGEN NAME and Precision ID Ancestry panel markers for ancestry investigations. 2021 , 11, 18595	1
757	Sex-specific phenotypic effects and evolutionary history of an ancient polymorphic deletion of the human growth hormone receptor. 2021 , 7, eabi4476	2
756	Polymorphisms in the gene significantly affect the pharmacokinetics of sirolimus after kidney transplantation. 2021 , 22, 903-912	1
755	GWAS identifies an ortholog of the rice D11 gene as a candidate gene for grain size in an international collection of hexaploid wheat. 2021 , 11, 19483	1
754	Identifying SNPs associated with birth weight and days to 100 kg traits in Yorkshire pigs based on genotyping-by-sequencing. 2021 , 20, 2483-2490	0
753	Evaluation of genetic differentiation and genome-wide selection signatures in Polish local sheep breeds. 2021 , 251, 104635	0
752	Genome-wide association studies reveals polygenic genetic architecture of litter traits in Duroc pigs. 2021 , 173, 269-278	1
751	Moderators of gene-outcome associations following traumatic brain injury. 2021 , 130, 107-124	0
750	Machine and Deep Learning in Molecular and Genetic Aspects of Sleep Research. 2021 , 18, 228-243	2
749	Major histocompatibility complex and SLE. 2021 , 5-24	
748	Genome-wide association study for resistance to the <i>Meloidogyne javanica</i> causing root-knot nematode in soybean. 2021 , 134, 777-792	3
747	Making Biological Sense of Genetic Studies of Age-Related Macular Degeneration. 2021 , 1256, 201-219	1
746	Algorithms meet sequencing technologies - 10th edition of the RECOMB-Seq workshop. 2021 , 24, 101956	
745	Haplotype- and SNP-Based GWAS for Growth and Wood Quality Traits in Trees under Arid Conditions. 2021 , 10,	6
744	Status and prospects of genome-wide association studies in plants. 2021 , 14, e20077	43
743	Identifying Genes Underlying Human Inherited Disease.	1
742	Androgens and Prostate Cancer Etiology: Sorting Through the Evidence. 2005 , 183-196	1
741	A New Adaptive Crossover Operator for the Preservation of Useful Schemata. 2006 , 507-516	3

740	Combinatorial Problems Arising in SNP and Haplotype Analysis. 2003 , 26-47	11
739	Candidate Gene and Genome-Wide Association Studies in Behavioral Medicine. 2010 , 423-441	3
738	Graph Model of Coalescence with Recombinations. 2010 , 85-100	4
737	Cancer development and progression. 2007 , 593, 117-33	10
736	Linkage Disequilibrium and Association Mapping in the Triticeae. 2009 , 655-683	14
735	Gene polymorphisms in female reproduction. 2014 , 1154, 75-90	3
734	Skim-based genotyping by sequencing. 2015 , 1245, 257-70	20
733	Pedigree-Defined Haplotypes and Their Applications to Genetic Studies. 2017 , 1551, 113-127	7
732	Quantitative trait loci mapping. 2008 , 455, 203-35	2
731	The Genetic Basis of the Polycystic Ovary Syndrome. 2006 , 223-233	2
730	Selecting single-nucleotide polymorphisms for association studies with SNPbrowser software. 2007 , 376, 177-93	15
729	Linkage disequilibrium mapping for complex disease genes. 2007 , 376, 85-107	4
728	Linkage disequilibrium maps and disease-association mapping. 2007 , 376, 109-21	9
727	Genetic Regulation of the Variation in Pubertal Timing. 2007 , 83-102	2
726	Whole-genome genotyping on bead arrays. 2009 , 529, 197-213	73
725	Basic molecular techniques for the detection of single nucleotide polymorphisms: genome-wide applications in search for endocrine tumor related genes. 2009 , 590, 143-63	2
724	High-throughput SNP genotyping: combining tag SNPs and molecular beacons. 2009 , 578, 255-76	23
723	Fine-scale structure of the genome and markers used in association mapping. 2011 , 713, 71-88	1

722	Statistical and Methodological Considerations in Exercise Genomics. 2011 , 23-43	2
721	Characterization of meiotic crossovers in pollen from <i>Arabidopsis thaliana</i> . 2011 , 745, 223-49	22
720	Genotyping with Sequenom. 2011 , 772, 193-210	28
719	Model-based linkage analysis of a binary trait. 2012 , 850, 285-300	1
718	Estimating disequilibrium coefficients. 2012 , 850, 103-17	1
717	Molecular and Genetic Epidemiology of Cancer. 2017 , 83-89	1
716	Genetics in the Prevention and Treatment of Sepsis. 2017 , 237-264	1
715	Haplotype Inference and Its Application in Linkage Disequilibrium Mapping. 2004 , 48-61	2
714	Inferring Piecewise Ancestral History from Haploid Sequences. 2004 , 62-73	2
713	Simulating a Coalescent Process with Recombination and Ascertainment. 2004 , 84-95	1
712	Computational Problems in Perfect Phylogeny Haplotyping: Xor-Genotypes and Tag SNPs. 2004 , 14-31	15
711	Perfect Path Phylogeny Haplotyping with Missing Data Is Fixed-Parameter Tractable. 2004 , 174-186	3
710	Linear Reduction for Haplotype Inference. 2004 , 242-253	4
709	Haplotype Inferring Via Galled-Tree Networks Is NP-Complete. 2008 , 287-298	3
708	An Efficient and Accurate Graph-Based Approach to Detect Population Substructure. 2007 , 503-517	26
707	Genotype Sequence Segmentation: Handling Constraints and Noise. 2008 , 271-283	2
706	An Efficient Algorithm for Haplotype Inference on Pedigrees with a Small Number of Recombinants (Extended Abstract). 2009 , 325-336	2
705	CloudTSS: A TagSNP Selection Approach on Cloud Computing. 2011 , 525-534	2

704	Identification of genes associated with susceptibility to Mycobacterium avium ssp. paratuberculosis (Map) tissue infection in Holstein cattle using gene set enrichment analysis-SNP. 2018 , 29, 539-549	6
703	The genetics of pain. 2006 , 159-174	5
702	Genetic Vitamin D Receptor Polymorphisms and Risk of Disease. 2005 , 1121-1157	6
701	Natural Experiments in Human Gene Mapping: The Intersection of Anthropological Genetics and Genetic Epidemiology. 38-76	1
700	Common variants in LTBP3 gene contributed to the risk of hip osteoarthritis in Han Chinese population. 2020 , 40,	3
699	Application of Biomarkers in Cancer Epidemiology. 2006 , 70-88	8
698	Coronary heart disease burden among persons of African origin. 2005 , 118-132	1
697	Modeling Linkage Disequilibrium and Performing Association Studies through Probabilistic Graphical Models: a Visiting Tour of Recent Advances. 2014 , 217-246	1
696	Evolution in Health and Disease. 2007 ,	32
695	Introducing Evolutionary Thinking For Medicine. 2007 , 3-16	2
694	Global spatial patterns of infectious diseases and human evolution. 2007 , 19-30	5
693	Human genetic variation of medical significance. 2007 , 51-62	1
692	Intimate relations: Evolutionary conflicts of pregnancy and childhood. 2007 , 65-76	3
691	How hormones mediate trade-offs in human health and disease. 2007 , 77-94	10
690	Functional significance of MHC variation in mate choice, reproductive outcome, and disease risk. 2007 , 95-108	2
689	The ecology and evolution of antibiotic-resistant bacteria. 2007 , 125-138	6
688	Pathogen evolution in a vaccinated world. 2007 , 139-152	6
687	The evolution and expression of virulence. 2007 , 153-168	8

686	Evolutionary origins of diversity in human viruses. 2007 , 169-184	1
685	The population structure of pathogenic bacteria. 2007 , 185-198	3
684	Emergence of new infectious diseases. 2007 , 215-228	5
683	Evolutionary biology as a foundation for studying aging and aging-related disease. 2007 , 241-252	3
682	Evolution, developmental plasticity, and metabolic disease. 2007 , 253-264	4
681	Lifestyle, diet, and disease: comparative perspectives on the determinants of chronic health risks. 2007 , 265-276	4
680	A coalescent model of recombination hotspots. 2003 , 164, 407-17	16
679	Theory of the effects of population structure and sampling on patterns of linkage disequilibrium applied to genomic data from humans. 2003 , 164, 1043-53	36
678	The extent of linkage disequilibrium and haplotype sharing around a polymorphic site. 2003 , 165, 437-44	17
677	Recombination and Migration of Cryphonectria hypovirus 1 as Inferred From Gene Genealogies and the Coalescent. 2004 , 166, 1611-1629	9
676	CYP2D6 worldwide genetic variation shows high frequency of altered activity variants and no continental structure. 2007 , 17, 93-101	287
675	Natriuretic peptide system gene variants are associated with ventricular dysfunction after coronary artery bypass grafting. 2009 , 110, 738-47	35
674	Genome-wide case/control studies in hypertension: only the 'tip of the iceberg'. 2010 , 28, 1115-23	23
673	The effect of known mutator alleles in a cluster of clinical <i>Saccharomyces cerevisiae</i> strains.	1
672	Key traits and genes associate with salinity tolerance independent from vigor in cultivated sunflower (<i>Helianthus annuus</i> L.).	1
671	LDBlockShow: a fast and convenient tool for visualizing linkage disequilibrium and haplotype blocks based on variant call format files.	3
670	Machine learning enabled phenotyping for GWAS and TWAS of WUE traits in 869 field-grown sorghum accessions.	1
669	Significant abundance of cis configurations of mutations in diploid human genomes.	2

668	Most regulatory interactions are not in linkage disequilibrium.	3
667	INDEX-db: The Indian Exome Reference database (Phase-I).	1
666	HaploBlocker: Creation of subgroup specific haplotype blocks and libraries.	1
665	Genetic Diversity Patterns and Domestication Origin of Soybean.	1
664	Evaluating the quality of the 1000 Genomes Project data.	2
663	Novel Methods for Epistasis Detection in Genome-Wide Association Studies.	2
662	The ability of ddRAD-Seq to estimate genetic diversity and genetic introgression in endangered native livestock.	1
661	Genotyping-by-sequencing and SNP-arrays are complementary for detecting quantitative trait loci by tagging different haplotypes in association studies.	1
660	Genetically distinct clinical subsets, and associations with asthma and eosinophil abundance, within Eosinophilic Granulomatosis with Polyangiitis.	3
659	The rice leaf microbiome has a conserved community structure controlled by complex host-microbe interactions.	7
658	GSDMA drives the most replicated association with asthma in naïve CD4+ T cells.	1
657	Allele-specific DNA methylation is increased in cancers and its dense mapping in normal plus neoplastic cells increases the yield of disease-associated regulatory SNPs.	1
656	17q21.31 sub-haplotypes underlying H1-associated risk for Parkinson's disease are associated with LRR37A/2 expression in astrocytes.	1
655	Genetics of schizophrenia and bipolar affective disorder: strategies to identify candidate genes. 2003 , 68, 383-94	5
654	The genetics of common diseases: 10 million times as hard. 2003 , 68, 395-401	7
653	DNA sequence variation of Homo sapiens. 2003 , 68, 55-63	2
652	Highly parallel SNP genotyping. 2003 , 68, 69-78	496
651	Structure of linkage disequilibrium in humans: genome factors and population stratification. 2003 , 68, 79-88	11

650	The evolutionary history of the DMRT3 'Gait keeper' haplotype. 2017 , 48, 551-559	12
649	Haplotypes and informative SNP selection algorithms. 2003 ,	33
648	Model-based inference of haplotype block variation. 2003 ,	18
647	Efficient rule-based haplotyping algorithms for pedigree data. 2003 ,	27
646	Resolution of haplotypes and haplotype frequencies from SNP genotypes of pooled samples. 2003 ,	5
645	Dynamic programming algorithms for haplotype block partitioning. 2003 ,	7
644	Deficiency of immunoregulatory indoleamine 2,3-dioxygenase 1 in juvenile diabetes. 2018 , 3,	36
643	Do DNA sequence variants in ABCA1 contribute to HDL cholesterol levels in the general population?. 2004 , 114, 1244-1247	8
642	Factors affecting statistical power in the detection of genetic association. 2005 , 115, 1408-18	101
641	Genetic and epigenetic factors are associated with expression of respiratory chain component NDUFB6 in human skeletal muscle. 2007 , 117, 3427-35	146
640	Phosducin influences sympathetic activity and prevents stress-induced hypertension in humans and mice. 2009 , 119, 3597-3612	34
639	Genome-Wide Association Analysis of the Genetic Basis for Sheath Blight Resistance in Rice. 2019 , 12, 93	10
638	Pharmacogenomics and the Promise of Personalized Medicine. 2005 , 13-50	4
637	Genetic Variability in Folate-Mediated One-Carbon Metabolism and Cancer Risk. 2006 , 75-91	5
636	Genetics of Multifactorial Disorders. 2006 , 35-46	1
635	Linkage Disequilibrium and Prospects for Association Mapping in Vitis. 2011 , 93-110	2
634	Principles of Pharmacogenetic Biotechnology and Testing in Clinical Practice. 2016 , 33-50	0
633	Polymorphisms in MTHFD1 Gene and Susceptibility to Neural Tube Defects: A Case-Control Study in a Chinese Han Population with Relatively Low Folate Levels. 2015 , 21, 2630-7	5

632	Evolutionary dynamics of human Toll-like receptors and their different contributions to host defense. 2009 , 5, e1000562	272
631	A Novel Tiller Angle Gene, TAC3, together with TAC1 and D2 Largely Determine the Natural Variation of Tiller Angle in Rice Cultivars. 2016 , 12, e1006412	58
630	Identifying and exploiting trait-relevant tissues with multiple functional annotations in genome-wide association studies. 2018 , 14, e1007186	23
629	Linkage disequilibrium mapping of CHEK2: common variation and breast cancer risk. 2006 , 3, e168	30
628	Host genetic factors and vaccine-induced immunity to hepatitis B virus infection. 2008 , 3, e1898	65
627	Is replication the gold standard for validating genome-wide association findings?. 2008 , 3, e4037	38
626	Lack of association of interferon regulatory factor 1 with severe malaria in affected child-parental trio studies across three African populations. 2009 , 4, e4206	9
625	Association between KCNJ6 (GIRK2) gene polymorphisms and postoperative analgesic requirements after major abdominal surgery. 2009 , 4, e7060	56
624	Gemcitabine and arabinosylcytosin pharmacogenomics: genome-wide association and drug response biomarkers. 2009 , 4, e7765	69
623	Transferability and fine-mapping of genome-wide associated loci for adult height across human populations. 2009 , 4, e8398	42
622	Diversity in the glucose transporter-4 gene (SLC2A4) in humans reflects the action of natural selection along the old-world primates evolution. 2010 , 5, e9827	8
621	Associations of variants in CHRNA5/A3/B4 gene cluster with smoking behaviors in a Korean population. 2010 , 5, e12183	47
620	Host genetic factors and vaccine-induced immunity to HBV infection: haplotype analysis. 2010 , 5, e12273	26
619	Performance of single nucleotide polymorphisms versus haplotypes for genome-wide association analysis in barley. 2010 , 5, e14079	90
618	Angiogenin levels and ANG genotypes: dysregulation in amyotrophic lateral sclerosis. 2010 , 5, e15402	17
617	Thyroid stimulating hormone receptor (TSHR) intron 1 variants are major risk factors for Graves' disease in three European Caucasian cohorts. 2010 , 5, e15512	29
616	A common CNR1 (cannabinoid receptor 1) haplotype attenuates the decrease in HDL cholesterol that typically accompanies weight gain. 2010 , 5, e15779	11
615	Detailed analysis of variants in FTO in association with body composition in a cohort of 70-year-olds suggests a weakened effect among elderly. 2011 , 6, e20158	15

614	Neurexin-1 and frontal lobe white matter: an overlapping intermediate phenotype for schizophrenia and autism spectrum disorders. 2011 , 6, e20982	53
613	Evolution of the bovine TLR gene family and member associations with <i>Mycobacterium avium</i> subspecies paratuberculosis infection. 2011 , 6, e27744	37
612	Sample reproducibility of genetic association using different multimarker TDTs in genome-wide association studies: characterization and a new approach. 2012 , 7, e29613	4
611	Dectin-1 and DC-SIGN polymorphisms associated with invasive pulmonary Aspergillosis infection. 2012 , 7, e32273	106
610	A comprehensive investigation on common polymorphisms in the MDR1/ABCB1 transporter gene and susceptibility to colorectal cancer. 2012 , 7, e32784	27
609	A genome-wide association study of female sexual dysfunction. 2012 , 7, e35041	15
608	CNR1 genotype influences HDL-cholesterol response to change in dietary fat intake. 2012 , 7, e36166	8
607	Evolutionary dynamics of co-segregating gene clusters associated with complex diseases. 2012 , 7, e36205	4
606	The cumulative effects of polymorphisms in the DNA mismatch repair genes and tobacco smoking in oesophageal cancer risk. 2012 , 7, e36962	33
605	A fine-mapping study of 7 top scoring genes from a GWAS for major depressive disorder. 2012 , 7, e37384	25
604	Common variants on chromosome 9p21 are associated with normal tension glaucoma. 2012 , 7, e40107	45
603	Association of high myopia with crystallin beta A4 (CRYBA4) gene polymorphisms in the linkage-identified MYP6 locus. 2012 , 7, e40238	16
602	Selection signature analysis implicates the PC1/PCSK1 region for chicken abdominal fat content. 2012 , 7, e40736	34
601	Age and haplotype variations within FADS1 interact and associate with alterations in fatty acid composition in human male cortical brain tissue. 2012 , 7, e42696	14
600	P2RX7: expression responds to sleep deprivation and associates with rapid cycling in bipolar disorder type 1. 2012 , 7, e43057	26
599	Bitter taste receptor polymorphisms and human aging. 2012 , 7, e45232	35
598	Systematic analysis of microRNA targeting impacted by small insertions and deletions in human genome. 2012 , 7, e46176	14
597	Genetic variants in EPAS1 contribute to adaptation to high-altitude hypoxia in Sherpas. 2012 , 7, e50566	47

596	Sequence variants of toll like receptor 4 and late-onset Alzheimer's disease. 2012 , 7, e50771	26
595	Lack of association between NLGN3, NLGN4, SHANK2 and SHANK3 gene variants and autism spectrum disorder in a Chinese population. 2013 , 8, e56639	24
594	Lymphatic and angiogenic candidate genes predict the development of secondary lymphedema following breast cancer surgery. 2013 , 8, e60164	73
593	DNA variation in the SNAP25 gene confers risk to ADHD and is associated with reduced expression in prefrontal cortex. 2013 , 8, e60274	36
592	Fine mapping and functional analysis of the multiple sclerosis risk gene CD6. 2013 , 8, e62376	15
591	Influence of genetic variation on plasma protein levels in older adults using a multi-analyte panel. 2013 , 8, e70269	44
590	The STK33-linked SNP rs4929949 is associated with obesity and BMI in two independent cohorts of Swedish and Greek children. 2013 , 8, e71353	3
589	Genome-wide association study reveals genetic architecture of eating behavior in pigs and its implications for humans obesity by comparative mapping. 2013 , 8, e71509	52
588	CHRNA7 polymorphisms and response to cholinesterase inhibitors in Alzheimer's disease. 2013 , 8, e84059	18
587	Association of the common genetic polymorphisms and haplotypes of the chymase gene with left ventricular mass in male patients with symptomatic aortic stenosis. 2014 , 9, e96306	10
586	Genetic variations of PIP4K2A confer vulnerability to poor antipsychotic response in severely ill schizophrenia patients. 2014 , 9, e102556	11
585	Genetic prediction of antidepressant drug response and nonresponse in Korean patients. 2014 , 9, e107098	14
584	Genome-wide association studies using haplotypes and individual SNPs in Simmental cattle. 2014 , 9, e109330	29
583	Obesity has an interactive effect with genetic variation in the activating transcription factor 6 gene on the risk of pre-diabetes in individuals of Chinese Han descent. 2014 , 9, e109805	6
582	Do variants associated with susceptibility to pancreatic cancer and type 2 diabetes reciprocally affect risk?. 2015 , 10, e0117230	13
581	Analysis of the role of interleukin 6 receptor haplotypes in the regulation of circulating levels of inflammatory biomarkers and risk of coronary heart disease. 2015 , 10, e0119980	17
580	Common variation at 1q24.1 (ALDH9A1) is a potential risk factor for renal cancer. 2015 , 10, e0122589	15
579	Associations of ABHD2 genetic variations with risks for chronic obstructive pulmonary disease in a Chinese Han population. 2015 , 10, e0123929	3

578	Finasteride concentrations and prostate cancer risk: results from the Prostate Cancer Prevention Trial. 2015 , 10, e0126672	23
577	An IL-13 promoter polymorphism associated with liver fibrosis in patients with <i>Schistosoma japonicum</i> . 2015 , 10, e0135360	23
576	Genetic Variation in the 3'-Untranslated Region of NBN Gene Is Associated with Gastric Cancer Risk in a Chinese Population. 2015 , 10, e0139059	6
575	META-GSA: Combining Findings from Gene-Set Analyses across Several Genome-Wide Association Studies. 2015 , 10, e0140179	2
574	Evidence for Association of Cell Adhesion Molecules Pathway and NLGN1 Polymorphisms with Schizophrenia in Chinese Han Population. 2015 , 10, e0144719	30
573	Genotype-Specific Interaction of Latent TGF β Binding Protein 4 with TGF β 2016 , 11, e0150358	12
572	Haplotypes of the D-Amino Acid Oxidase Gene Are Significantly Associated with Schizophrenia and Its Neurocognitive Deficits. 2016 , 11, e0150435	13
571	Genomic Footprints in Selected and Unselected Beef Cattle Breeds in Korea. 2016 , 11, e0151324	9
570	Association of Cytotoxic T-Lymphocyte-Associated Protein 4 (CTLA4) Gene Polymorphisms with Autoimmune Thyroid Disease in Children and Adults: Case-Control Study. 2016 , 11, e0154394	45
569	Genetic Polymorphisms of TGFB1, TGFBR1, SNAI1 and TWIST1 Are Associated with Endometrial Cancer Susceptibility in Chinese Han Women. 2016 , 11, e0155270	11
568	Transforming Growth Factor- β T869C Gene Polymorphism Is Associated with Acquired Sick Sinus Syndrome via Linking a Higher Serum Protein Level. 2016 , 11, e0158676	3
567	A Population-Based Study of Four Genes Associated with Heroin Addiction in Han Chinese. 2016 , 11, e0163668	9
566	Genome-Wide Detection of Selective Signatures in Chicken through High Density SNPs. 2016 , 11, e0166146	5
565	Single Marker and Haplotype-Based Association Analysis of Semolina and Pasta Colour in Elite Durum Wheat Breeding Lines Using a High-Density Consensus Map. 2017 , 12, e0170941	30
564	An ancestral haplotype of the human PERIOD2 gene associates with reduced sensitivity to light-induced melatonin suppression. 2017 , 12, e0178373	12
563	Fibrinogen and clot-related phenotypes determined by fibrinogen polymorphisms: Independent and IL-6-interactive associations. 2017 , 12, e0187712	15
562	Extended diversity analysis of cultivated grapevine <i>Vitis vinifera</i> with 10K genome-wide SNPs. 2018 , 13, e0192540	81
561	Haplotype-based genome-wide association study identifies loci and candidate genes for milk yield in Holsteins. 2018 , 13, e0192695	17

560	Protocadherin 1 (PCDHA) as a novel susceptibility gene for autism. 2013 , 38, 192-8	43
559	A Haplotype Associated with Enhanced Mineralocorticoid Receptor Expression Facilitates the Stress-Induced Shift from "Cognitive" to "Habit" Learning. 2017 , 4,	23
558	GENETIC MARKERS AS AN INDICATOR OF HUMAN RESILIENCE TO VARIOUS ECOLOGICAL AND PROFESSIONAL FACTORS. 2017 , 19, 6-13	2
557	Positive association of common variants in CD36 with neovascular age-related macular degeneration. 2009 , 1, 266-74	20
556	The breast cancer susceptibility-related polymorphisms at the TOX3/LOC643714 locus associated with lung cancer risk in a Han Chinese population. 2016 , 7, 59742-59753	7
555	coding variants are associated with a high risk of hepatocellular carcinoma occurrence in patients with HCV- or HBV-related liver disease. 2017 , 8, 62842-62857	5
554	Association of melatonin membrane receptor 1A/1B gene polymorphisms with the occurrence and metastasis of hepatocellular carcinoma. 2017 , 8, 85655-85669	6
553	The single-nucleotide polymorphisms in affect the prognosis of patients with hepatocellular carcinoma. 2018 , 9, 13222-13230	4
552	Haplotypes-based genetic analysis: benefits and challenges. 2019 , 23, 803-808	4
551	The Rice Leaf Microbiome Has a Conserved Community Structure Controlled by Complex Host-Microbe Interactions.	6
550	The Genetic Polymorphism of rs is Associated with Sirolimus Trough Concentrations Among Adult Renal Transplant Recipients. 2020 , 21, 1052-1059	2
549	Common Variation in the CYP17A1 and IFIT1 Genes on Chromosome 10 Does Not Contribute to the Risk of Endometriosis. 2008 , 1, 35-40	9
548	Exclusion of polymorphisms in carnosinase genes (CNDP1 and CNDP2) as a cause of diabetic nephropathy in type 1 diabetes: results of large case-control and follow-up studies. 2008 , 57, 2547-51	29
547	Nonparametric analysis of casein complex genes' epistasis and their effects on phenotypic expression of milk yield and composition in Murciano-Granadina goats. 2020 , 103, 8274-8291	4
546	Genetic variation and pharmacogenomics: concepts, facts, and challenges. 2004 , 6, 5-26	7
545	A Polymorphism (rs1801018, Thr7Thr) of BCL2 is Associated with Papillary Thyroid Cancer in Korean Population. 2011 , 4, 149-54	13
544	Association of the oncostatin m receptor gene polymorphisms with papillary thyroid cancer in the korean population. 2011 , 4, 193-8	8
543	Polymorphisms within the and Loci Influence the Risk of Developing Invasive Aspergillosis: A Two-Stage Case Control Study in the Context of the aspBIOmics Consortium. 2020 , 7,	1

542	Replication of the results of genome-wide and candidate gene association studies on telomere length in a Korean population. 2015 , 30, 719-26	14
541	Association of polymorphisms with neuromyelitis optica spectrum disorders in Han Chinese patients. 2019 , 14, 346-353	0
540	The association of stromal antigen 3 (STAG3) sequence variations with spermatogenic impairment in the male Korean population. 2020 , 22, 106-111	4
539	Relations of genetic variants in superoxide dismutase 2 and dystrobrevin-binding protein 1 to methamphetamine psychosis among methamphetamine dependents in Taiwan. 2019 , 33, 83	1
538	Family-based association analysis of alcohol dependence implicates KIAA0040 on Chromosome 1q in multiplex alcohol dependence families. 2013 , 3, 243-252	4
537	Practical Consideration of Genotype Imputation: Sample Size, Window Size, Reference Choice, and Untyped Rate. 2011 , 4, 339-352	19
536	Promoter Polymorphism (rs12770170, -184C/T) of Microseminoprotein, Beta as a Risk Factor for Benign Prostatic Hyperplasia in Korean Population. 2014 , 18, 63-7	7
535	Quantitative analysis of nucleic acids--the last few years of progress. 2004 , 37, 1-10	73
534	Global genetic analysis. 2004 , 37, 11-27	10
533	Identification of genetic polymorphisms in FABP3 and FABP4 and putative association with back fat thickness in Korean native cattle. 2008 , 41, 29-34	45
532	ADFP promoter polymorphism associated with marbling score in Korean cattle. 2009 , 42, 529-34	5
531	Human population admixture in Asia. 2012 , 10, 133-44	8
530	Relationships between genetic polymorphisms of triggering receptor expressed on myeloid cells-1 and septic shock in a Chinese Han population. 2015 , 6, 123-30	9
529	Association of 8 loci on chromosome 8q24 with prostate carcinoma risk in northern Chinese men. 2014 , 14, 6733-8	6
528	Distribution and haplotype associations of XPD Lys751Gln, XRCC1 Arg280His and XRCC1 Arg399Gln polymorphisms with nasopharyngeal carcinoma in the Malaysian population. 2014 , 15, 2747-51	4
527	Epigenetic profiling of growth plate chondrocytes sheds insight into regulatory genetic variation influencing height. 2017 , 6,	24
526	and are candidate genes for comitant strabismus susceptibility in Japanese patients. 2017 , 5, e3935	4
525	Leukocyte and cytokine variables in asymptomatic Pugs at genetic risk of necrotizing meningoencephalitis. 2021 ,	1

524	Identification and Validation of Genomic Regions Associated With Charcoal Rot Resistance in Tropical Maize by Genome-Wide Association and Linkage Mapping. 2021 , 12, 726767	0
523	Next-generation sequencing and genotype association studies reveal the association of HLA-DRB3*02:02 with delayed hypersensitivity to penicillins. 2021 ,	2
522	A Comprehensive Comparison of Haplotype-Based Single-Step Genomic Predictions in Livestock Populations With Different Genetic Diversity Levels: A Simulation Study. <i>Frontiers in Genetics</i> , 2021 , 12, 729867	4.5 1
521	Genome-wide analysis identify novel germline genetic variations in influencing platinum-based chemotherapy response in non-small cell lung cancer.. 2022 , 12, 1514-1522	1
520	Association of COMT Polymorphisms with Multiple Physical Activity-Related Injuries among University Students in China. 2021 , 18,	
519	Associations between SNPs in Intestinal Cholesterol Absorption and Endogenous Cholesterol Synthesis Genes with Cholesterol Metabolism. 2021 , 9,	1
518	Association between Gene Polymorphisms and Ritodrine Treatment Outcomes in Patients with Preterm Labor. 2021 , 13,	0
517	Haplotype mapping uncovers unexplored variation in wild and domesticated soybean at the major protein locus cqProt-003.	1
516	Direct introgression of untapped diversity into elite wheat lines. 2021 , 2, 819-827	2
515	Finding Founder Sequences from a Set of Recombinants. 2002 , 277-286	15
514	The human genome: genes, pseudogenes, and variation on chromosome 7. 2003 , 68, 13-22	
513	The eternal molecule. 2003 , 82-139	
512	Nonparametric disequilibrium mapping of functional sites using haplotypes of multiple tightly linked single-nucleotide polymorphism markers. 2003 , 164, 1175-87	17
511	Atherogenesis and Coronary Heart Disease.	
510	Pharmacogenetics and the Treatment of Cardiovascular Disease. 2004 , 25-37	
509	Pharmacogenetic Counseling. 2004 , 593-611	
508	Dynamic Programming Algorithms for Haplotype Block Partitioning and Tag SNP Selection Using Haplotype Data or Genotype Data. 2004 , 96-112	
507	Hidden Markov Modelling Techniques for Haplotype Analysis. 2004 , 37-52	1

- 506 Recovering Frequencies of Known Haplotype Blocks From Single-Nucleotide Polymorphism Allele Frequencies. **2004**, 166, 2001-2006
- 505 Haplotype.
- 504 Linkage Disequilibrium (LD, Gametic Phase Disequilibrium, Allelic Association). **2004**,
- 503 Haplotype.
- 502 Haplotype. **2004**,
- 501 Linkage Disequilibrium (Gametic Phase Disequilibrium, LD).
- 500 Haplotype-Based Association and Linkage Analysis of Angiotensin-I Converting Enzyme(ACE) Gene with a Hypertension. **2005**, 18, 297-310
- 499 Mapping of Disease Loci. **2005**, 557-587
- 498 Haplotype Structure and Pharmacogenomics. **2005**, 441-459
- 497 Gene Expression Analysis in Pharmacogenetics and Pharmacogenomics. **2005**, 389-412
- 496 Maldi-Tof Ms. **2005**, 353-387
- 495 Spatial Modeling of Multilocus Data. **2005**, 471-487
- 494 The Genetic Contribution to Obesity. **2006**, 55-81
- 493 Genomics and Chip Technology. **2006**, 22-25
- 492 Phasing of 2-SNP Genotypes Based on Non-random Mating Model. **2006**, 767-774 1
- 491 Bayesian Correction for SNP Ascertainment Bias. **2006**, 262-273 1
- 490 References. **2006**, 811-946
- 489 Genome Diversity And Adverse Effects of Anticancer Drug -On Methodology for Search for Relevant Genes-. **2006**, 46, 253-258 1

- 488 The Synergy Principle at Work with Plants, Pathogens, Insects, Herbivores, and Humans. **2006**, 475-501 1
- 487 Statistical Approaches to Analysis of Polymorphisms in Multifactorial Conditions. **2006**, 47-60
- 486 Linkage disequilibrium maps and location databases. **2007**, 376, 23-45 1
- 485 Unsupervised Haplotype Reconstruction and LD Blocks Discovery in a Hidden Markov Framework. **2007**, 659-665
- 484 Genética del dolor. **2007**, 161-176
- 483 Human Genome Project, Genomics, and Clinical Research. **2007**, 405-420
- 482 Genome Sciences and Anthropology. **2007**, 115, 73-83
- 481 Genetic Epidemiology of Complex Traits. 1
- 480 The evolutionary context of human aging and degenerative disease. **2007**, 301-312
- 479 Health consequences of ecogenetic variation. **2007**, 43-50 0
- 478 Cancer as a microevolutionary process. **2007**, 289-300
- 477 Evolution of parasites. **2007**, 229-238 2
- 476 Perspectives on human health and disease from evolutionary and behavioral ecology. **2007**, 109-122
- 475 Medically relevant variation in the human genome. **2007**, 31-42
- 474 Cancer: evolutionary origins of vulnerability. **2007**, 277-288
- 473 Whole-genome analysis of pathogen evolution. **2007**, 199-214
- 472 Genetics and Disease. **2008**, 108-113
- 471 Probabilistic Logic Learning from Haplotype Data. **2008**, 263-286

470 Encyclopedia of Public Health. **2008**, 1101-1104

469 Review of Computational Intelligence for Gene-Gene and Gene-Environment Interactions in Disease Mapping. **2008**, 1-16

468 Copy Number Variations in the Human Genome: Potential Source for Individual Diversity and Disease Association Studies. **2008**, 6, 1-7

6

467 Modern Humans: Origin and Evolution.

466 HapMap Project.

465 Chromosome 22 LD Map Comparison between Korean and Other Populations. **2008**, 6, 18-28

3

464 Haplotype Association Analysis. **2008**, 205-224

463 Development of KHapmap Browser using DAS for Korean HapMap Research. **2008**, 6, 57-63

1

462 Human Genomics in Hypertension. **2008**, 223-245

461 Immunotoxicogenomics. **2008**, 247-268

460 Race and Genetics. **2009**, 81-91

459 Genetic Variability in Folate-Mediated One-Carbon Metabolism and Risk of Colorectal Neoplasia. **2009**, 223-242

0

458 Susceptibility to Diabetic Nephropathy. **2009**, 771-791

457 Autoimmunity. **2009**, 259-275

1

456 Genotype Tagging with Limited Overfitting. **2009**, 1-12

1

455 SNP-PHAGE: high-throughput SNP discovery pipeline. **2010**, 593, 49-65

2

454 Combinatorics in Recombinational Population Genomics. **2010**, 126-127

453 Association of HLA-G gene promoter haplotype with childhood IgA nephropathy in the Korean population. **2010**, 53, 548

- 452 Association Study between CCL-2 and CCL-5 Polymorphisms and Clinicopathological Characteristics of Childhood IgA Nephropathy. **2010**, 14, 51 1
- 451 Haplotype Inference on Pedigrees with Recombinations and Mutations. **2010**, 148-161
- 450 Development of Haplotype Reconstruction System Using Public Resources. **2010**, 11, 720-726
- 449 Effect of the Fatty Acid Synthase Gene for Beef Quantity Traits in Hanwoo Breeding Stock. **2010**, 52, 9-16 3
- 448 The Pharmacogenomics of Personalized Medicine. 1
- 447 No Association Between Single Nucleotide Polymorphisms in Distal-Less Homeobox-6 (DLX6) and Autism Spectrum Disorders (ASD) from the Korean Male Population. **2010**, 21, 17-22
- 446 Epilepsy with Complex Genetics. **2010**, 83-101
- 445 Genetic Variation Identified through Gene and Genome Sequencing. **2010**, 399-423
- 444 Genome-Wide Association Studies and Human Population Obesity. **2011**, 95-112
- 443 References. 451-487
- 442 Genomics and Viruses in Sjögren's Syndrome. **2011**, 93-110
- 441 Pharmacogenomics. **2011**, 81-93
- 440 Bioinformatics and Statistics [Omics Data Analysis for Personalized Medicine] **2011**, 32, S51-S64 0
- 439 [Association between chicken A-FABP gene polymorphisms and growth and body composition traits]. **2011**, 33, 153-62
- 438 Gene polymorphism, ecogenetic diseases and predictive personalized medicine. **2011**, 9, 3-14 6
- 437 A Program for Efficient Phasing of Three-Generation Trio SNP Genotype Data. **2011**, 9, 138-141
- 436 How Many SNPs Should Be Used for the Human Phylogeny of Highly Related Ethnicities? A Case of Pan Asian 63 Ethnicities. **2011**, 9, 181-188
- 435 Polymorphisms of CDH9 and CDH10 in Chromosome 5p14 Associated with Autism in the Korean Population. **2011**, 22, 287-293

434 Renewed Interest in Haplotype: From Genetic Marker to Gene Prediction. **2012**, 83-104

433 Haplotype Analysis for Case-Control Data. **2012**, 209-233

432 Molecular Pharmacoepidemiology. 601-622

431 A Faster Haplotyping Algorithm Based on Block Partition, and Greedy Ligation Strategy. **2012**, 537-544

430 A new biophysical metric for interrogating the information content in human genome sequence variation: Proof of concept. **2012**, 4, 15-22

3

429 No Association between Single Nucleotide Polymorphisms in Urocanase Domain Containing 1 (UROC1) and Autism Spectrum Disorders (ASDs) in the Korean Population. **2012**, 23, 8-13

428 Genetic Polymorphisms in the μ -Opioid Receptor Gene and Breast Cancer Survival. **2013**, 95-112

427 The Relationship Between DNA-Repair Genes, Cellular Radiosensitivity, and the Response of Tumors and Normal Tissues to Radiotherapy. **2013**, 75-128

426 Mismeasuring Man Thirty Years Later. **2013**, 129-146

2

425 Genotyping of human leukocyte antigen (HLA) ancestral haplotypes as prognostic marker in cancer using PCR analysis. **2014**, 1102, 353-66

424 Haplotype Imputation for Association Analysis. **2014**, 183-211

423 References. **2014**, 801-954

422 Short reads phasing to construct haplotypes in genomic regions that are associated with body mass index in korean individuals. **2014**, 12, 165-70

421 Encyclopedia of Immunotoxicology. **2014**, 1-5

420 Statistical Considerations in the Analysis of Rare Variants. **2014**, 405-422

419 Discovery and Characterization of Cancer Genetic Susceptibility Alleles. **2014**, 309-321.e3

418 Identification of SNP(Single Nucleotide Polymorphism) from MC1R, MITF and TYRP1 associated with Feather Color in Chicken. **2014**, 41, 29-37

2

417 Haplotype characteristics and Linkage disequilibrium analysis of SLA class III region. **2014**, 48, 217-227

- 416 Major SNP identification for oleic acid and marbling score which are associated with Korean cattle. **2014**, 25, 1011-1024 3
- 415 Association Studies to Map Genes for Disease-Related Traits in Humans. **2015**, 53-66
- 414 Latent Forests to Model Genetical Data for the Purpose of Multilocus Genome-Wide Association Studies. Which Clustering Should Be Chosen?. **2015**, 169-189
- 413 Genomic Medicine and Ethnic Differences in Cardiovascular Disease Risk. **2016**, 209-235
- 412 Using Information about DNA Structure and Dynamics from Experiment and Simulation to Give Insight into Genome-Wide Association Studies. **2016**, 83-98
- 411 Identifying Genes Underlying Human Inherited Disease. 1-7
- 410 Genetics and Genomic Basis of Sleep Disorders in Humans. **2017**, 322-339.e7 0
- 409 Methodologies to Identify and Analyze Genetic Polymorphisms for Human Histamine Receptors. **2017**, 1-18
- 408 A scalable Bayesian method for integrating functional information in genome-wide association studies. 0
- 407 Genetic costs of domestication and improvement.
- 406 Zellen und Genome. 1-47
- 405 Predictive long-range allele-specific mapping of regulatory variants and target transcripts. **2017**, 12, e0175768
- 404 Database Community and Health Related Data: Experiences Through the Last Decade. **2018**, 473-487
- 403 Genetic Epidemiology of Complex Traits. 1-10
- 402 Genetic variation across the human olfactory receptor repertoire alters odor perception. 1
- 401 Identifying and exploiting trait-relevant tissues with multiple functional annotations in genome-wide association studies. 0
- 400 A haplotype regression approach for genetic evaluation using sequences from the 1000 bull genomes Project. **2018**, 15, e0407 1
- 399 emeraLD: Rapid Linkage Disequilibrium Estimation with Massive Data Sets.

- 398 High-throughput genotype based population structure analysis of selected buffalo breeds. 2
- 397 Quantifying Heterogeneity in the Genetic Architecture of Complex Traits Between Ethnically Diverse Groups using Random Effect Interaction Models. 0
- 396 Genome-wide association studies for yield-related traits in soft red winter wheat grown in Virginia.
- 395 Current Trends in Biotechnology: From Genome Sequence to Crop Improvement. **2019**, 91-108
- 394 A Novel Type 2 Diabetes Locus in sub-Saharan Africans, ZRANB3, is Implicated in Beta Cell Proliferation.
- 393 Linkage disequilibrium and haplotype block patterns in popcorn populations.
- 392 Differential admixture in Latin American populations and its impact on the study of colorectal cancer. **2020**, 43, e20200143
- 391 Association of polymorphisms in the HBG1-HBD intergenic region with HbF levels. **2020**, 34, e23243 2
- 390 gene identified in RNA-Seq showed strong association with milk protein concentration in Chinese Holstein cows. **2020**, 8, e8460 1
- 389 SPEARS: Standard Performance Evaluation of Ancestral Reconstruction through Simulation.
- 388 Discovery of novel haplotypes for complex traits in landraces.
- 387 A novel haplotype-based eQTL approach identifies genetic associations not detected through conventional SNP-based methods.
- 386 Genetic analysis of whole mitochondrial genome of *Lateolabrax maculatus* (Perciformes: Moronidae) indicates the presence of two populations along the Chinese coast. 37, 1-12 0
- 385 Causal Haplotype Block Identification in Plant Genome-Wide Association Studies.
- 384 Integration of GWAS and TWAS to elucidate the genetic architecture of natural variation for leaf cuticular conductance in maize. 0
- 383 Overlapping haplotype blocks indicate shared genomic regions between a composite beef cattle breed and its founder breeds. **2021**, 254, 104747
- 382 Genetic Fine-mapping with Dense Linkage Disequilibrium Blocks: genetics of nicotine dependence.
- 381 Multi-alleles predict primary non-response to infliximab therapy in Crohn's disease. **2021**, 9, 427-434

- 380 Genome-Wide Association Analysis Dissects the Genetic Basis of the Grain Carbon and Nitrogen Contents in Milled Rice. **2019**, 12, 101 2
- 379 Encyclopedia of Behavioral Medicine. **2020**, 936-939
- 378 Whole-Blood DNA Methylation Analysis Reveals Respiratory Environmental Traits Involved in COVID-19 Severity Following SARS-CoV-2 Infection.
- 377 Genetic Variation in Populations. **2005**, 367-409
- 376 Understanding the Functional Importance of Human Single Nucleotide Polymorphisms. **2006**, 126-132
- 375 Genetic Variation in Host Defenses and Viral Infections. **2005**, 281-294
- 374 Role of SNPs and Haplotypes in Human Disease and Drug Development. **2006**, 447-458 0
- 373 Genomic Variation and Autoimmune Disease. **2006**, 13-27
- 372 Gastroenterologic and Hepatic Diseases. **2006**, 92-118
- 371 Do DNA sequence variants in ABCA1 contribute to HDL cholesterol levels in the general population?. **2004**, 114, 1244-7 5
- 370 Asthma Genetics. **2005**, 269-299
- 369 SNP Discovery and Genotyping. **2005**, 85-100
- 368 Genomics. **2006**, 166-174
- 367 Microarray Analysis of a Large Number of Single-Nucleotide Polymorphisms in Individual Human Spermatozoa. **2007**, 55-76
- 366 Populationsgenetik. **2007**, 67-109
- 365 A Practical Parameterized Algorithm for Weighted Minimum Letter Flips Model of the Individual Haplotyping Problem. **2008**, 16-27 1
- 364 Efficient Algorithms for SNP Haplotype Block Selection Problems. **2008**, 309-318 1
- 363 A Practical Exact Algorithm for the Individual Haplotyping Problem MEC/GI. **2008**, 342-351

- 362 Multivariate Imputation of Genotype Data Using Short and Long Range Disequilibrium. **2007**, 187-194
- 361 A Practical Parameterized Algorithm for the Individual Haplotyping Problem MLF. **2008**, 433-444
- 360 Association of UDP-galactose-4-epimerase with milk protein concentration in the Chinese Holstein population. **2020**, 33, 1725-1731 1
- 359 Analysis of single nucleotide polymorphisms in the promoter region of interleukin-10 by denaturing high-performance liquid chromatography. **2005**, 16, 154-66 44
- 358 Comprehensive analysis of CRP, CFH Y402H and environmental risk factors on risk of neovascular age-related macular degeneration. **2008**, 14, 1487-95 29
- 357 The association of membrane frizzled-related protein (MFRP) gene with acute angle-closure glaucoma--a pilot study. **2008**, 14, 1673-9 15
- 356 Genetic analysis of the clusterin gene in pseudoexfoliation syndrome. **2008**, 14, 1727-36 25
- 355 Evaluation of LOXL1 polymorphisms in primary open-angle glaucoma in southern and northern Chinese. **2008**, 14, 2381-9 22
- 354 Investigation of founder effects for the Thr377Met Myocilin mutation in glaucoma families from differing ethnic backgrounds. **2007**, 13, 487-92 10
- 353 Positive association of the pericentrin (PCNT) gene with major depressive disorder in the Japanese population. **2009**, 34, 195-8 21
- 352 Role of MYOC and OPTN sequence variations in Spanish patients with primary open-angle glaucoma. **2007**, 13, 862-72 24
- 351 Lack of association between toll-like receptor 4 gene polymorphisms and sarcoidosis-related uveitis in Japan. **2009**, 15, 2673-82 15
- 350 Comparative analyses of single-nucleotide polymorphisms in the TNF promoter region provide further validation for the vervet monkey model of obesity. **2009**, 59, 580-8 4
- 349 Association of toll-like receptor 2 gene polymorphisms with normal tension glaucoma. **2009**, 15, 2905-10 5
- 348 Genetics and cardiovascular disease: Design and development of a DNA biobank. **2009**, 14, 33-7 8
- 347 Association of SLC11A1 with tuberculosis and interactions with NOS2A and TLR2 in African-Americans and Caucasians. **2009**, 13, 1068-76 30
- 346 Tag SNPs detect association of the CYP1B1 gene with primary open angle glaucoma. **2010**, 16, 2286-93 8
- 345 Genetics of major mood disorders. **2004**, 1, 38-48 1

344	Toll-like receptor 2 (TLR2) gene polymorphisms are not associated with sarcoidosis in the Japanese population. 2011 , 17, 731-6	7
343	Investigation of the association between SLC1A3 gene polymorphisms and normal tension glaucoma. 2011 , 17, 792-6	7
342	Matrix metalloproteinase-9 genetic variation and primary angle closure glaucoma in a Caucasian population. 2011 , 17, 1420-4	34
341	The role of toll-like receptor variants in acute anterior uveitis. 2011 , 17, 2970-7	7
340	Lack of association between IL10 polymorphisms and sarcoidosis in Japanese patients. 2012 , 18, 512-8	4
339	Genome paths: a way to personalized and predictive medicine. 2009 , 1, 70-80	1
338	Association of ERAP1 Allelic Variants with Risk of Ankylosing Spondylitis. 2010 , 2, 72-7	3
337	The Genetic Diversity and Structure of Linkage Disequilibrium of the MTHFR Gene in Populations of Northern Eurasia. 2012 , 4, 53-69	1
336	Common TGF β , BMP4, and FOXC1 variants are not associated with primary open-angle glaucoma. 2012 , 18, 1526-39	
335	Footprints of genetic susceptibility to pulmonary tuberculosis: cytokine gene variants in north Indians. 2012 , 135, 763-70	9
334	Characterization of clinical study populations by race and ethnicity in biomedical literature. 2012 , 22, 96-101	13
333	Tumor necrosis factor polymorphisms associated with tumor necrosis factor production influence the risk of idiopathic intermediate uveitis. 2013 , 19, 184-95	14
332	Haplotype Based Association Study between t-PA Gene and Essential Hypertension. 2006 , 2, 166-71	
331	Genetic variation and its role in malignancy. 2011 , 7, 158-71	10
330	No association of age-related maculopathy susceptibility protein 2/HtrA serine peptidase 1 or complement factor H polymorphisms with early age-related maculopathy in a Chinese cohort. 2013 , 19, 944-54	5
329	The methylation of the LEPR/LEPROT genotype at the promoter and body regions influence concentrations of leptin in girls and BMI at age 18 years if their mother smoked during pregnancy. 2013 , 4, 86-100	21
328	Clinical relevance of tag single nucleotide polymorphisms within the CAT gene in patients with PTSD in the Chongqing Han population. 2014 , 7, 1724-32	2
327	Development of genodynamic metrics for exploring the biophysics of DNA polymorphisms. 2014 , 6,	

326	Identification of functional tag single nucleotide polymorphisms within the entire CAT gene and their clinical relevance in patients with noise-induced hearing loss. 2015 , 8, 2852-63	6
325	No association of VAMP8 gene polymorphisms with glioma in a Chinese Han population. 2015 , 8, 5681-7	2
324	H3Africa comes of age. 2015 , 26, S3-5	7
323	Association of ATP-binding cassette transporter A1 gene polymorphisms with plasma lipid variability and coronary heart disease risk. 2015 , 8, 13441-9	8
322	Cytochrome P450 2C9 (CYP2C9) polymorphisms in Chinese Li population. 2015 , 8, 21024-33	5
321	Genetic polymorphisms of the drug-metabolizing enzyme cytochrome P450 2A6 in a Tibetan Chinese population. 2018 , 11, 5024-5033	
320	Pattern Recognition Molecules of Lectin Complement Pathway in Ischemic Stroke. 2021 , 14, 1347-1368	1
319	Pattern Recognition Molecules of Lectin Complement Pathway in Ischemic Stroke. 2021 , Volume 14, 1347-1368	1
318	The genetic susceptibility profile of type 2 diabetes and reflection of its possible role related to reproductive dysfunctions in the southern Indian population of Hyderabad. 2021 , 14, 272	0
317	A multi-enhancer regulatory code is disrupted in Hirschsprung disease. 2021 ,	2
316	Insights on Genetic and Environmental Factors in Parkinson's Disease from a Regional Swedish Case-Control Cohort. 2021 ,	1
315	Genetic Dissection of Mature Root Characteristics by Genome-Wide Association Studies in Rapeseed (L).. 2021 , 10,	2
314	Genetic Architecture of Novel Sources for Reproductive Cold Tolerance in Sorghum.. 2021 , 12, 772177	0
313	Rapid genomic evolution in Brassica rapa with bumblebee selection in experimental evolution.	0
312	Tracing the Origin of the Long-Hair Allele and Epistatic Interaction between and in Sapsaree Dog.. 2022 , 13,	1
311	Dissection of the Genetic Architecture of Peduncle Vascular Bundle-related Traits in Maize by a Genome-wide Association Study.. 2022 ,	1
310	Identify known and novel candidate genes associated with backfat thickness in Duroc pigs by large-scale genome-wide association analysis.. 2022 ,	0
309	The Brain-Derived Neurotrophic Factor Val66Met Polymorphism Is Associated With Female Obsessive-Compulsive Disorder: An Updated Meta-Analysis of 2765 Obsessive-Compulsive Disorder Cases and 5558 Controls.. 2021 , 12, 685041	0

308 Aristotle: stratified causal discovery for omics data.. **2022**, 23, 42

307 Weighted single-step GWAS for body mass index and scans for recent signatures of selection in Yorkshire pigs.. **2022**,

306 TIMP2 genetic variation rs4789932 may associate with an increased risk of developing acne scarring based on a case-control study of Chinese Han population.. **2022**,

305 Contribution of 3D genome topological domains to genetic risk of cancers: a genome-wide computational study.. **2022**, 16, 2

1

304 Genetic diversity analysis and characterization of Ugandan sorghum.

303 Genome-wide association study using haplotype libraries and repeated measures model to identify candidate genomic regions for stillbirth in Holstein cattle.. **2022**,

0

302 BDNF Levels According to Variations in the CACNA1C Gene: Sex-Based Disparity.. **2022**, 1

301 Haplotype mapping uncovers unexplored variation in wild and domesticated soybean at the major protein locus cqProt-003.. **2022**, 135, 1443

1

300 IL1R1 gene variants associate with disease susceptibility to IgG4-related periaortitis/periarteritis in IgG4-related disease.. **2022**, 820, 146212

1

299 Rare risk variants associate with epigenetic dysregulation in migraine.

298 Myotonia congenita: mutation spectrum of in Spanish patients. **2019**, 98,

2

297 SNP discovery and structural insights into OeFAD2 unravelling high oleic/linoleic ratio in olive oil.. **2022**, 20, 1229-1243

3

296 Identification and fine mapping of a major QTL (qRtsc8-1) conferring resistance to maize tar spot complex and validation of production markers in breeding lines.. **2022**, 1

0

295 The Genetic and Evolutionary Basis of Gene Expression Variation in East Africans.

0

294 Genome-Wide Association and Genomic Prediction for Stripe Rust Resistance in Synthetic-Derived Wheats.. **2022**, 13, 788593

2

293 Genome-wide analysis suggests multiple domestication events of Chinese local pigs.. **2022**,

0

292 The Promise of Regenerative Medicine and Applications of Human Induced Pluripotent Stem Cells (iPSC) in Attenuating Current Racial Disparities in Epilepsy Therapeutics.. **2022**, 13, 135-137

291 A GWAS in idiopathic/unexplained infertile men detects a genomic region determining Follicle-stimulating hormone levels.. **2022**,

0

290	Cross-ethnic analysis of common gene variants in hemostasis show lopsided representation of global populations in genetic databases.. 2022 , 15, 69		
289	Insights Into Genome-Wide Association Study for Diabetes: A Bibliometric and Visual Analysis From 2001 to 2021.. 2022 , 13, 817620		1
288	Linkage disequilibrium and population structure in a core collection of Brassica napus (L.).. 2022 , 17, e0250310		1
287	HUMAN STUDY and haplotype-associated pain intensity and acute care utilization in adult sickle cell disease.. 2022 , 15353702221080716		
286	SNPs of and Their Interactions Contributes to the Enhanced Risk of Diabetes Among Elderly Individuals.. 2022 ,		
285	Autoimmune Disease Associated Variants Convey Risk of Parkinson's Disease in Han Chinese.. <i>Frontiers in Genetics</i> , 2022 , 13, 856493	4.5	0
284	Newly Developed MAGIC Population Allows Identification of Strong Associations and Candidate Genes for Anthocyanin Pigmentation in Eggplant.. 2022 , 13, 847789		1
283	Health influenced by genetics: A first comprehensive analysis of breast cancer high and moderate penetrance susceptibility genes in the Tunisian population.. 2022 , 17, e0265638		0
282	Several nAChRs gene variants are associated with phenotypes of heroin addiction in Chinese Han population.. 2022 , 136532		
281	Pangenomics provides insights into the role of synanthropy in barn swallow evolution.		
280	Sustained Effects of Muscle Calpain System Genotypes on Tenderness Phenotypes of South African Beef Bulls during Ageing up to 20 Days.. 2022 , 12,		0
279	Genetics as a key to improving crop photosynthesis.. 2022 ,		1
278	Mechanisms of pre-attachment Striga resistance in sorghum through genome-wide association studies.. 2022 , 1		1
277	Genetic characterization of Mangalarga Marchador horse. 2022 , 258, 104899		
276	Serotonin 5-HT receptor polymorphisms are associated with irritability and aggression in conduct disorder.. 2022 , 117, 110542		2
275	Tools in Pharmacogenomics Biomarker Identification for Cancer Patients.. 2022 , 2401, 1-12		
274	Identification of a shared, common haplotype cosegregating with an SGCB c.544A>C mutation in Indian patients affected with sarcoglycanopathy.		
273	Understanding the Function of a Locus Using the Knowledge Available at Single-Nucleotide Polymorphisms. 2021 , 11, 255-262		0

- 272 Exploring the legacy of Central European historical winter wheat landraces.. **2021**, 11, 23915 2
- 271 Design and performance of a bovine 200 k SNP chip developed for endangered German Black Pied cattle (DSN).. **2021**, 22, 905 1
- 270 Can Cross-Country Genomic Predictions Be a Reasonable Strategy to Support Germplasm Exchange? - A Case Study With Hydrogen Cyanide in Cassava.. **2021**, 12, 742638
- 269 Phenotypic Evaluation and Genetic Analysis of Seedling Emergence in a Global Collection of Wheat Genotypes (L.) Under Limited Water Availability.. **2021**, 12, 796176 0
- 268 Further host-genomic characterization of total antibody response to PRRSV vaccination and its relationship with reproductive performance in commercial sows: genome-wide haplotype and zygosity analyses. **2021**, 53, 91 0
- 267 Haplotype-Based Single-Step GWAS for Yearling Temperament in American Angus Cattle.. **2021**, 13, 1 1
- 266 Periodontitis Risk Variants at Impair ERG and MAFB Binding. **2021**, 220345211049984 0
- 265 Interaction between Sirtuin 1 (SIRT1) polymorphisms and childhood maltreatment on aggression risk in Chinese male adolescents.. **2022**,
- 264 Influence of Receptor Polymorphisms on the Response to α -Adrenergic Receptor Blockers in Pheochromocytoma Patients.. **2022**, 10,
- 263 Genetic Polymorphisms of and Genes and Their Effects on Growth Traits in Hulun Buir Sheep.. **2022**, 13, 3
- 262 Genetic approaches to treating and preventing symptoms in patients with cancer. 192-205
- 261 Human Origins Within and Out of Africa. 337-379
- 260 Table_1.DOCX. **2019**,
- 259 Table_2.DOCX. **2019**,
- 258 Table_1.XLSX. **2018**,
- 257 Table_2.XLSX. **2018**,
- 256 Image_1.TIF. **2018**,
- 255 Image_2.tif. **2018**,

254 Image_3.tif. **2018**,

253 Table_1.XLSX. **2018**,

252 Table_2.XLSX. **2018**,

251 Table_3.xlsx. **2018**,

250 Image1.PDF. **2018**,

249 Image2.PDF. **2018**,

248 Table1.pdf. **2018**,

247 Table2.pdf. **2018**,

246 Presentation_1.zip. **2020**,

245 DataSheet_1.pdf. **2019**,

244 Image_1.JPEG. **2018**,

243 Table_1.DOCX. **2018**,

242 Data_Sheet_1.PDF. **2020**,

241 Image_1.TIFF. **2020**,

240 Image_10.TIF. **2020**,

239 Image_11.TIFF. **2020**,

238 Image_2.TIF. **2020**,

237 Image_3.TIF. **2020**,

236 Image_4.TIF. 2020,

235 Image_5.TIF. 2020,

234 Image_6.TIF. 2020,

233 Image_7.TIF. 2020,

232 Image_8.TIF. 2020,

231 Image_9.TIF. 2020,

230 Table_1.XLSX. 2020,

229 Table_2.DOCX. 2020,

228 Table_3.DOCX. 2020,

227 Table_4.DOCX. 2020,

226 Table_5.XLSX. 2020,

225 Table_6.XLSX. 2020,

224 Data_Sheet_1.docx. 2020,

223 Image_1.TIFF. 2020,

222 Image_2.TIF. 2020,

221 Data_Sheet_1.docx. 2020,

220 Image_1.pdf. 2019,

219 Table_1.docx. 2019,

218 Image_1.tiff. **2020**,

217 Table_1.xlsx. **2020**,

216 Table_2.xlsx. **2020**,

215 Table_1.XLSX. **2020**,

214 Table_2.XLSX. **2020**,

213 Table_3.xlsx. **2020**,

212 Table_4.xlsx. **2020**,

211 Table_5.XLSX. **2020**,

210 Table_6.XLSX. **2020**,

209 Image_1.TIF. **2019**,

208 Table_1.XLSX. **2019**,

207 Table_2.XLSX. **2019**,

206 Table_3.XLSX. **2019**,

205 Table_4.XLSX. **2019**,

204 Table_5.XLSX. **2019**,

203 Table_6.XLSX. **2019**,

202 Table_1.DOCX. **2018**,

201 Data_Sheet_1.docx. **2018**,

200 Data_Sheet_1.PDF. 2020,

199 Data_Sheet_2.PDF. 2020,

198 Data_Sheet_3.PDF. 2020,

197 Data_Sheet_4.PDF. 2020,

196 Data_Sheet_5.PDF. 2020,

195 Table_1.DOCX. 2020,

194 Table_2.DOCX. 2020,

193 Table_3.DOCX. 2020,

192 Table_4.DOCX. 2020,

191 Table_5.DOCX. 2020,

190 Table_6.XLSX. 2020,

189 Data_Sheet_1.pdf. 2018,

188 Data_Sheet_2.PDF. 2018,

187 Data_Sheet_3.PDF. 2018,

186 Data_Sheet_4.PDF. 2018,

185 Data_Sheet_5.PDF. 2018,

184 Data_Sheet_6.PDF. 2018,

183 Data_Sheet_7.PDF. 2018,

182 Data_Sheet_8.pdf. **2018,**

181 Table_1.XLSX. **2018,**

180 Table_2.DOCX. **2018,**

179 Table_3.XLSX. **2018,**

178 Table_1.docx. **2018,**

177 DataSheet_1.docx. **2020,**

176 DataSheet_2.xlsx. **2020,**

175 Presentation_1.pptx. **2020,**

174 Image_1.JPEG. **2019,**

173 Image_2.JPEG. **2019,**

172 Image_3.JPEG. **2019,**

171 Table_1.DOC. **2019,**

170 Table_2.DOCX. **2019,**

169 Table_3.doc. **2019,**

168 Table_4.XLS. **2019,**

167 Table_5.DOC. **2019,**

166 Table_6.DOCX. **2019,**

165 Table_7.DOCX. **2019,**

164 Table_1.docx. **2020**,

163 Data_Sheet_1.pdf. **2019**,

162 DataSheet_1.pdf. **2019**,

161 DataSheet_2.pdf. **2019**,

160 DataSheet_3.pdf. **2019**,

159 DataSheet_4.pdf. **2019**,

158 DataSheet_5.pdf. **2019**,

157 DataSheet_6.pdf. **2019**,

156 DataSheet_7.pdf. **2019**,

155 DataSheet_8.pdf. **2019**,

154 DataSheet_9.pdf. **2019**,

153 Image_1.jpeg. **2019**,

152 Image_2.jpeg. **2019**,

151 Image_3.jpeg. **2019**,

150 Image_4.jpeg. **2019**,

149 Image_5.jpeg. **2019**,

148 Image_6.jpeg. **2019**,

147 Image_7.jpeg. **2019**,

146 Table_1.xlsx. 2019,

145 Table_2.xlsx. 2019,

144 Table_3.xlsx. 2019,

143 Table_4.xlsx. 2019,

142 DataSheet_1.pdf. 2019,

141 DataSheet_2.pdf. 2019,

140 DataSheet_3.pdf. 2019,

139 DataSheet_4.pdf. 2019,

138 Table_1.xlsx. 2019,

137 Table_2.xlsx. 2019,

136 Table_3.xlsx. 2019,

135 Table_4.xlsx. 2019,

134 Table_5.xlsx. 2019,

133 Table_6.xlsx. 2019,

132 Table_7.xlsx. 2019,

131 Table_1.XLSX. 2018,

130 Table_1.docx. 2019,

129 Image_1.TIF. 2020,

- 128 Image_2.TIF. **2020**,
- 127 DataSheet_1.xlsx. **2020**,
- 126 DataSheet_2.docx. **2020**,
- 125 DataSheet_3.docx. **2020**,
- 124 Table_1.DOCX. **2020**,
- 123 Analysis of GWAS-nominated loci for lung cancer and COPD revealed a new asthma locus.. **2022**, 22, 155 1
- 122 The role of neurotrophin genes involved in the vulnerability to gambling disorder.. **2022**, 12, 6925 0
- 121 Genome-wide association mapping and genomic prediction for kernel color traits in intermediate wheatgrass (*Thinopyrum intermedium*).. **2022**, 22, 218
- 120 Association of CIDEB gene promoter methylation with overweight or obesity in adults.. **2022**, 14,
- 119 A Unifying Statistical Framework to Discover Disease Genes from GWAS.
- 118 Integrating GWAS and TWAS to elucidate the genetic architecture of maize leaf cuticular conductance.. **2022**, 0
- 117 DNAJC13 influences responses of the extended reward system to conditioned stimuli: a genome-wide association study.
- 116 Evolution of single-nucleotide polymorphism use in forensic genetics. 0
- 115 Genomic integration to identify molecular biomarkers associated with indicator traits of gastrointestinal nematode resistance in sheep.. **2022**, 0
- 114 Genomic evaluation and genome-wide association studies for total number of teats in a combined American and Danish Yorkshire pig populations selected in China.. **2022**, 0
- 113 Importance of Including Non-European Populations in Large Human Genetic Studies to Enhance Precision Medicine.. **2022**, 2
- 112 The Vulnerability to Methamphetamine Dependence and Genetics: A Case-Control Study Focusing on Genetic Polymorphisms at Chromosomal Region 5q31.3. **2022**, 13, 0
- 111 Genetic variants associated with two major bovine milk fatty acids offer opportunities to breed for altered milk fat composition. **2022**, 54, 0

- 110 A potential early clinical phenotype of necrotizing meningoencephalitis in genetically at-risk pug dogs.
- 109 Genome Wide Association (GWAS) Analysis and genomic heritability for parasite resistance and growth in European seabass. **2022**, 24, 101178 ○
- 108 Genome-Wide Association Study on Two Immune-Related Traits in Jinghai Yellow Chicken. **2022**, 24,
- 107 GWAS Case Studies in Wheat. **2022**, 341-351 ○
- 106 Hitchhiking Mapping of Candidate Regions Associated with Fat Deposition in Iranian Thin and Fat Tail Sheep Breeds Suggests New Insights into Molecular Aspects of Fat Tail Selection. **2022**, 12, 1423 ○
- 105 Systemic interindividual epigenetic variation in humans is associated with transposable elements and under strong genetic control.
- 104 Identification of superior haplotypes in a diverse natural population for breeding desirable plant height in soybean. ○
- 103 What have we learned from genome-wide association studies (GWAS) in Parkinson disease?. **2022**, 101648 ○
- 102 Allelic Diversification of the Wx and ALK Loci in Indica Restorer Lines and Their Utilisation in Hybrid Rice Breeding in China over the Last 50 Years. *International Journal of Molecular Sciences*, **2022**, 23, 5941^{6.3} ○
- 101 Antagonistic regulatory effects of a single cis-acting expression quantitative trait locus between transcription and translation of the MRPL43 gene. **2022**, 23, ○
- 100 Mapping the Genetic-Imaging-Clinical Pathway with Applications to Alzheimer's Disease. 1-30 ○
- 99 Informative SNP Selection Based on a Fuzzy Clustering and Improved Binary Particle Swarm Optimization Algorithm. **2022**, 2022, 1-11
- 98 Identification of Genetic Variations in the NAD-Related Pathways for Patients with Major Depressive Disorder: A Case-Control Study in Taiwan. **2022**, 11, 3622
- 97 Genetic and Epigenetic Association of Hepatocyte Nuclear Factor-1 α with Glycosylation in Post-Traumatic Stress Disorder. **2022**, 13, 1063 1
- 96 Association between MIR31HG polymorphisms and the risk of Lumbar disc herniation in Chinese Han population. *Cell Cycle*, 1-12 4.7
- 95 Linkage Disequilibrium Score Statistic Regression for Identifying Novel Trait Associations. *Current Epidemiology Reports*, 2.9
- 94 A multi-omics approach identifies a blood-based miRNA signature of cognitive decline in two large observational trials.
- 93 Pharmacogenetics of Praziquantel Metabolism: Evaluating the Cytochrome P450 Genes of Zimbabwean Patients During a Schistosomiasis Treatment. *Frontiers in Genetics*, 13, 4.5 ○

92	Mixed model-based eQTL analysis reveals lncRNAs associated with regulation of genes involved in sex determination and spermatogenesis: The key to understanding human gender imbalance. <i>Computational Biology and Chemistry</i> , 2022 , 99, 107713	3.6	
91	Genetic diversity of the LILRB1 and LILRB2 coding regions in an admixed Brazilian population sample. <i>Hla</i> ,	1.9	1
90	A Post-GWAS Functional Analysis Confirming Effects of Three BTA13 Genes CACNB2, SLC39A12, and ZEB1 on Dairy Cattle Reproduction. <i>Frontiers in Genetics</i> , 13,	4.5	1
89	Frequency distribution of cytokine and associated transcription factor single nucleotide polymorphisms in Zimbabweans: Impact on schistosome infection and cytokine levels. <i>PLoS Neglected Tropical Diseases</i> , 2022 , 16, e0010536	4.8	0
88	Genetic LGALS1 Variants Are Associated with Heterogeneity in Galectin-1 Serum Levels in Patients with Early Arthritis. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 7181	6.3	0
87	The evolutionary patterns of barley pericentromeric chromosome regions, as shaped by linkage disequilibrium and domestication. <i>Plant Journal</i> ,	6.9	0
86	Haplotype based testing for a better understanding of the selective architecture.		
85	17q21.31 sub-haplotypes underlying H1-associated risk for Parkinson's disease are associated with LRRC37A/2 expression in astrocytes. <i>Molecular Neurodegeneration</i> , 2022 , 17,	19	0
84	Your height affects your health: genetic determinants and health-related outcomes in Taiwan. <i>BMC Medicine</i> , 2022 , 20,	11.4	0
83	Genetic Linkage of Prostate Cancer Risk to the Chromosome 3 Region Bearing FHIT. <i>Cancer Research</i> , 2005 , 65, 805-814	10.1	2
82	SNPs, Haplotypes, and Cancer: Applications in Molecular Epidemiology. 2004 , 13, 681-687		12
81	Preface to the Second Edition. 2007 , v-vi		
80	Copyright Page. 2007 , iv-iv		
79	Contributors. 2007 , xix-xxii		
78	Genetic and genomic diversity in the sorghum gene bank collection of Uganda. 2022 , 22,		0
77	Genetic architecture and evolution of color variation in American black bears.		
76	Adiponectin gene polymorphisms and posttraumatic stress disorder symptoms among female rape survivors: an exploratory study. 2022 , 13,		
75	Investigation of the genetic effect of 56 tobacco-smoking susceptibility genes on DNA methylation and RNA expression in human brain. 13,		

- 74 Exploring haplotype block structure, runs of homozygosity and effective population size among dairy cattle breeds of India.
- 73 Linkage Disequilibrium, Haplotype Block Structures, Effective Population Size and Genome-Wide Signatures of Selection of Two Conservation Herds of the South African Nguni Cattle. **2022**, 12, 2133 ○
- 72 Mutations in the SmAPRR2 transcription factor suppressing chlorophyll pigmentation in the eggplant fruit peel are key drivers of a diversified colour palette.
- 71 Whole blood DNA methylation analysis reveals respiratory environmental traits involved in COVID-19 severity following SARS-CoV-2 infection. **2022**, 13, ○
- 70 Recombination shapes 2022 monkeypox outbreak.
- 69 NAFLD: genetics and its clinical implications. **2022**, 46, 102003 1
- 68 Identification of stable quantitative trait loci for grain yield in rice. 57, ○
- 67 Exceeding expectations: the genomic basis of nitrogen utilization efficiency and integrated trait plasticity as avenues to improve nutrient stress tolerance in cultivated sunflower (*Helianthus annuus* L.). ○
- 66 Polymorphisms in Cytokine Receptor and Regulator Genes are Associated with Levels of Exercise in Women Prior to Breast Cancer Surgery. 109980042211200 ○
- 65 Data-driven, participatory characterization of farmer varieties discloses teff breeding potential under current and future climates. 11, ○
- 64 Genome-wide association analysis of 101 accessions dissects the genetic basis of shell thickness for genetic improvement in Persian walnut (*Juglans regia* L.). **2022**, 22, ○
- 63 Genome-Wide Association Study Identifies Candidate Loci Associated with Opioid Analgesic Requirements in the Treatment of Cancer Pain. **2022**, 14, 4692 ○
- 62 What makes a giant fruit? Assembling a genomic toolkit underlying various fruit traits of the mammoth group of *Cucurbita maxima*. 13, ○
- 61 Investigation of the association between the genetic polymorphisms of the co-stimulatory system and systemic lupus erythematosus. 13, 1
- 60 Single Nucleotide Variants in KIF14 Gene May Have Prognostic Value in Breast Cancer. ○
- 59 Data validation and statistical issues such as power and other considerations in genome-wide association study (GWAS). ○
- 58 Germline polymorphisms in MGMT associated with temozolomide-related myelotoxicity risk in patients with glioblastoma treated on NRG Oncology/RTOG 0825. **2022**, 4, 1
- 57 MUC22, HLA-A, and HLA-DOB variants and COVID-19 in resilient super-agers from Brazil. 13, 1

56	Identification and validation of a key genomic region on chromosome 6 for resistance to Fusarium stalk rot in tropical maize.	0
55	Development of SNP Markers from GWAS for Selecting Seed Coat and Aleurone Layers in Brown Rice (<i>Oryza sativa</i> L.). 2022 , 13, 1805	0
54	A Pilot Study of Associations Between the Occurrence of Palpitations and Cytokine Gene Variations in Women Prior to Breast Cancer Surgery. 109980042211346	0
53	Mutations in the SmAPRR2 transcription factor suppressing chlorophyll pigmentation in the eggplant fruit peel are key drivers of a diversified colour palette. 13,	2
52	Polymorphism of LYPLAL1 and TGFA genes associated with progression of knee osteoarthritis in residents Central Chernozem Region of Russia.	0
51	Polymorphic Variants of the PDGFRB Gene Influence Efficacy of PRP Therapy in Treating Tennis Elbow: A Prospective Cohort Study. 2022 , 11, 6362	2
50	Prioritized candidate causal haplotype blocks in plant genome-wide association studies. 2022 , 18, e1010437	0
49	Association of CYP2R1 and VDR Polymorphisms with Metabolic Syndrome Components in Non-Diabetic Brazilian Adolescents. 2022 , 14, 4612	0
48	Allele-specific expression reveals functional SNPs affecting muscle-related genes in bovine. 2022 , 1865, 194886	0
47	Haplotype breeding for unlocking and utilizing plant genomics data. 13,	0
46	Genomic prediction of carcass traits using different haplotype block partitioning methods in beef cattle.	0
45	What Is the Relationship between Antioxidant Efficacy, Functional Composition, and Genetic Characteristics in Comparing Soybean Resources by Year?. 2022 , 11, 2249	0
44	Pharmacogenetic Study of the Impact of ABCB1 Single Nucleotide Polymorphisms on the Response to Cyclosporine in Psoriasis Patients. 2022 , 14, 2441	2
43	Simultaneous detection of novel genes and SNPs by adaptive p-value combination. 13,	0
42	Genome-wide association study uncovers major genetic loci associated with flowering time in response to active accumulated temperature in wild soybean population. 2022 , 23,	1
41	Investigation on the high recurrence of the ATTRv-causing transthyretin variant Val142Ile in central Italy.	0
40	Relevance of CYP2D6 Gene Variants in Population Genetic Differentiation. 2022 , 14, 2481	0
39	Germline determinants of the prostate tumor genome.	0

38	Genome-Wide Association Studies for Flesh Color and Intramuscular Fat in (Duroc × Landrace × Large White) Crossbred Commercial Pigs. 2022 , 13, 2131	2
37	Association of adenosine triphosphate-related genes to major depression and suicidal behavior: Cognition as a potential mediator. 2023 , 323, 131-139	0
36	Effects of the glucocorticoid receptor gene (NR3C1) and subjective birth experience on the risk of postpartum depression and maternal bonding. 2023 , 148, 105995	0
35	SNP - and haplotype-based single-step genomic predictions for body weight, wool, and reproductive traits in North American Rambouillet sheep.	0
34	Polymorphisms in genes expressed during amelogenesis and their association with dental caries: a case-control study.	0
33	Expanding the application of haplotype-based genomic predictions to the wild: A case of antibody response against <i>Teladorsagia circumcincta</i> in Soay sheep.	0
32	Pinpointing genomic loci for drought-induced proline and hydrogen peroxide accumulation in bread wheat under field conditions. 2022 , 22,	0
31	Bivariate GWAS reveals pleiotropic regions among feed efficiency and beef quality-related traits in Nelore cattle.	0
30	Massively parallel reporter assays and variant scoring identified functional variants and target genes for melanoma loci and highlighted cell-type specificity. 2022 , 109, 2210-2229	0
29	Haplotype structure of MSTN, IGF1, and BMP2 genes in Tunisian goats (<i>Capra hircus</i>) and their association with morphometric traits. 2023 , 55,	1
28	Genetic architecture and evolution of color variation in American black bears. 2022 ,	0
27	Comparative Genetic Association Analysis of Human Genetic Susceptibility to Pulmonary and Lymph Node Tuberculosis. 2023 , 14, 207	0
26	SNPs Sets in Codifying Genes for Xenobiotics-Processing Enzymes Are Associated with COPD Secondary to Biomass-Burning Smoke. 2023 , 45, 799-819	0
25	Genetic Polymorphism and mRNA Expression Studies Reveal IL6R and LEPR Gene Associations with Reproductive Traits in Chinese Holsteins. 2023 , 13, 321	0
24	Unraveling the genetics underlying micronutrient signatures of diversity panel present in brown rice through genome-wide linkages.	0
23	Single nucleotide polymorphisms (SNPs): Ancestry-, phenotype-, and identity-informative SNPs. 2023 , 247-270	0
22	Genetic dissection reveals the complex architecture of amino acid composition in soybean seeds. 2023 , 136, 1-15	0
21	Single nucleotide variants in microRNA biosynthesis genes in Mexican individuals. 14,	0

- 20 Translating non-coding genetic associations into a better understanding of immune-mediated disease. **2023**, 16, ○
- 19 767. Haplotype blocks and heterozygosity rich regions on ECA2 in Swedish Warmblood horses. **2022**, ○
- 18 Genome-Wide Association Studies (GWAS). **2023**, 123-146 ○
- 17 LDmat: efficiently queryable compression of linkage disequilibrium matrices. **2023**, 39, ○
- 16 Causal relationship between gut microbiota and cancers: a two-sample Mendelian randomisation study. **2023**, 21, ○
- 15 The genetic and evolutionary basis of gene expression variation in East Africans. **2023**, 24, ○
- 14 Functional analysis of polymorphism haplotypes ofMGMTin residents of high background radiation area. ○
- 13 QTL Mapping: Strategy, Progress, and Prospects in Flax. **2023**, 69-99 ○
- 12 Genome-wide association study for the primary feather color trait in a native Chinese duck. 14, ○
- 11 PIF4 promotes water use efficiency during fluctuating light and drought resistance in rice. ○
- 10 Genetic variants of FGFR family associated with height, hypertension, and osteoporosis. 1-26 ○
- 9 A unifying statistical framework to discover disease genes from GWASs. **2023**, 3, 100264 ○
- 8 CandiHap: a haplotype analysis toolkit for natural variation study. **2023**, 43, ○
- 7 The Association of the Polymorphisms in the FUT8-Related Locus with the Plasma Glycosylation in Post-Traumatic Stress Disorder. **2023**, 24, 5706 ○
- 6 Genome-wide survey identified superior and rare haplotypes for plant height in the north-eastern soybean germplasm of China. **2023**, 43, ○
- 5 Exploring haplotype block structure, runs of homozygosity, and effective population size among dairy cattle breeds of India. **2023**, 55, ○
- 4 Relation between single nucleotide polymorphisms in circadian clock relevant genes and cholesterol metabolism. **2023**, 138, 107561 ○
- 3 Automatic block-wise genotype-phenotype association detection based on hidden Markov model. **2023**, 24, ○

2 A resampling-based approach to share reference panels. ○

1 A novel allelic donkey β -lactoglobulin I protein isoform generated by a non-AUG translation initiation codon is associated with a nonsynonymous SNP. **2023**, ○