

CITATION REPORT

List of articles citing

SPATIAL AUTOCORRELATION AND AUTOREGRESSIVE MODELS IN ECOLOGY

DOI: 10.1890/0012-9615(2002)072[0445:saaami]2.0.co;2
Ecological Monographs, 2002, 72, 445-463.

Source: <https://exaly.com/paper-pdf/34065470/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
630	Landscape thresholds in species occurrence as quantitative targets in forest management: generality in space and time?. 2001 , 185-206		11
629	Two oceans, two taxa and one mode of development: latitudinal diversity patterns of South American crabs and test for possible causal processes. 2003 , 6, 420-427		40
628	The effects of adjacent land use on wetland amphibian species richness and community composition. 2003 , 60, 1078-1094		190
627	Distribution maps and minimum abundance estimates for wintering auks in the Bay of Biscay, based on aerial surveys. 2004 , 17, 353-360		18
626	Recruitment limitation in secondary forests dominated by an exotic tree. 2004 , 15, 721		12
625	A HIERARCHICAL SPATIAL MODEL OF AVIAN ABUNDANCE WITH APPLICATION TO CERULEAN WARBLERS. 2004 , 14, 1766-1779		99
624	The area requirements of an ecosystem service: crop pollination by native bee communities in California. 2004 , 7, 1109-1119		478
623	The role of spatial scale and the perception of large-scale species-richness patterns. 2004 , 8, 224-239		850
622	The influence of stream invertebrate composition at neighbouring sites on local assemblage composition. 2004 , 50, 221-231		24
621	Climatic controls on distribution of <i>Fagus crenata</i> forests in Japan. 2004 , 15, 57-66		58
620	Habitat distribution models, spatial autocorrelation, functional traits and dispersal capacity of alpine plant species. 2004 , 15, 77-84		60
619	Recruitment limitation in secondary forests dominated by an exotic tree. 2004 , 15, 721-728		65
618	Analysis of determinants of mammalian species richness in South America using spatial autoregressive models. 2004 , 27, 427-436		122
617	Environmental correlates of mammal species richness in South America: effects of spatial structure, taxonomy and geographic range. 2004 , 27, 401-417		81
616	Latitude and geographic patterns in species richness. 2004 , 27, 268-272		167
615	Fern species richness along a central Himalayan elevational gradient, Nepal. 2004 , 31, 389-400		189
614	Evaluating the roles of connectivity and environment on faunal turnover: patterns in recent and fossil Iberian mammals. 2005 , 301-327		2

613	Predicting species distribution: offering more than simple habitat models. 2005 , 8, 993-1009	3988
612	Local and global approaches to spatial data analysis in ecology. 2005 , 14, 97-98	77
611	Modelling geographical patterns in species richness using eigenvector-based spatial filters. 2005 , 14, 177-185	259
610	Application of a geographically-weighted regression analysis to estimate net primary production of Chinese forest ecosystems. 2005 , 14, 379-393	145
609	Macroecological correlates and spatial patterns of anuran description dates in the Brazilian Cerrado. 2005 , 14, 469-477	59
608	Environmental causes and consequences of forest clearance and agricultural abandonment in central New York, USA. 2005 , 32, 439-452	86
607	Distance decay in an old-growth neotropical forest. 2005 , 16, 161-166	42
606	GIS-based application of resource selection functions to the prediction of snow petrel distribution and abundance in East Antarctica: Comparing models at multiple scales. 2005 , 189, 105-129	29
605	RNA viruses as complex adaptive systems. 2005 , 81, 31-41	16
604	Population Dynamics of Songbirds in the Boreal Mixedwood Forests of Alberta, Canada: Estimating Minimum and Maximum Extents of Spatial Population Synchrony. 2005 , 20, 543-553	6
603	Variogram analysis of the spatial genetic structure of continuous populations using multilocus microsatellite data. 2005 , 169, 1739-52	50
602	New insights into butterfly-environment relationships using partitioning methods. 2005 , 272, 2203-10	158
601	QUANTILE REGRESSION REVEALS HIDDEN BIAS AND UNCERTAINTY IN HABITAT MODELS. 2005 , 86, 786-800	112
600	Patterns of bird species abundance in relation to granular insecticide use in the Canadian prairies1 Associate Editor: Marty Leonard.. 2005 , 12, 267-278	34
599	Landscape-scale spatial distribution of spruce budworm defoliation in relation to bioclimatic conditions. 2005 , 35, 2218-2232	57
598	Habitat occupancy patterns of a forest dwelling songbird: causes and consequences. 2005 , 83, 1297-1305	21
597	CONSEQUENCES OF SPATIAL AUTOCORRELATION FOR THE ANALYSIS OF METAPOPOPULATION DYNAMICS. 2005 , 86, 3264-3271	29
596	METAPOPOPULATION MODELS: AN EMPIRICAL TEST OF MODEL ASSUMPTIONS AND EVALUATION METHODS. 2005 , 86, 3088-3098	8

595	The effects of clearcutting on snowshoe hare (<i>Lepus americanus</i>) relative abundance in central Labrador. 2005 , 210, 131-142	22
594	The influence of local habitat and landscape composition on cavity-nesting birds in a forested mosaic. 2005 , 214, 331-343	45
593	SPATIAL ANALYSIS OF LANDSCAPES: CONCEPTS AND STATISTICS. 2005 , 86, 1975-1987	304
592	CAUSES OF LATITUDINAL GRADIENTS IN SPECIES RICHNESS: A TEST WITH FISHES OF THE TROPICAL EASTERN PACIFIC. 2005 , 86, 1771-1782	77
591	SPATIAL CONSIDERATIONS FOR LINKING WATERSHED LAND COVER TO ECOLOGICAL INDICATORS IN STREAMS. 2005 , 15, 137-153	373
590	MULTIPLE DISTURBANCE INTERACTIONS AND DROUGHT INFLUENCE FIRE SEVERITY IN ROCKY MOUNTAIN SUBALPINE FORESTS. 2005 , 86, 3018-3029	169
589	Methods and uncertainties in bioclimatic envelope modelling under climate change. 2006 , 30, 751-777	679
588	Spatial distribution and environmental correlates of Australian snubfin and Indo-Pacific humpback dolphins. 2006 , 29, 396-406	45
587	Importance of spatial autocorrelation in modeling bird distributions at a continental scale. 2006 , 29, 835-844	40
586	Contrasting spatial and temporal global change impacts on butterfly species richness during the 20th century. 2006 , 29, 908-918	43
585	Reversing habitat loss: deciduous habitat fragmentation matters to birds in a larch plantation matrix. 2006 , 29, 827-834	24
584	Spatial Heterogeneity and Characteristic Scales of Species-Habitat Relationships. 2006 , 56, 533	24
583	Spatial modeling in ecology: the flexibility of eigenfunction spatial analyses. 2006 , 87, 2603-13	446
582	Independent effects of fragmentation on forest songbirds: an organism-based approach. 2006 , 16, 1076-89	108
581	Associations of Breeding Birds With Fire-Influenced and Riparian-Upland Gradients in a Longleaf Pine Ecosystem. 2006 , 123, 1110	7
580	A better alternative to Wald's test-statistic for simple goodness-of-fit tests under one-stage cluster sampling. 2006 , 221, 123-132	3
579	Urbanization and homogenization [Comparing the floras of urban and rural areas in Germany. 2006 , 127, 292-300	241
578	Multiple spatial scale logistic and autologistic habitat selection models for northern pygmy owls, along the eastern slopes of Alberta's Rocky Mountains. 2006 , 129, 360-371	27

577	A statistical model for spatial patterns of Buruli ulcer in the Amansie West district, Ghana. 2006 , 8, 126-136	10
576	White-Tailed Deer Harvest From the Chronic Wasting Disease Eradication Zone in South-Central Wisconsin. 2006 , 34, 725-731	13
575	Associations of Breeding Birds With Fire-Influenced and Riparian-Upland Gradients in a Longleaf Pine Ecosystem. 2006 , 123, 1110-1128	23
574	Plant species richness and environmental heterogeneity in a mountain landscape: effects of variability and spatial configuration. 2006 , 29, 573-584	177
573	The missing Madagascar mid-domain effect. 2006 , 9, 149-59	31
572	Towards an integrated computational tool for spatial analysis in macroecology and biogeography. 2006 , 15, 321-327	487
571	Modeling species' distributions to improve conservation in semiurban landscapes: koala case study. 2006 , 20, 449-59	70
570	Local environmental effects and spatial effects in macroecological studies using mapped abundance classes: the case of the rook <i>Corvus frugilegus</i> in Scotland. 2006 , 75, 1140-6	17
569	Consequences of spatial autocorrelation for niche-based models. 2006 , 43, 433-444	221
568	Macro-scale bird species richness patterns of the East Asian mainland and islands: energy, area and isolation. 2006 , 33, 683-693	69
567	Multi-species richness of boreal agricultural landscapes: effects of climate, biotope, soil and geographical location. 2006 , 33, 862-875	53
566	Structure of chironomid assemblages along environmental and geographical gradients in the Bohemian Forest lakes (Central Europe): An exploratory analysis. 2006 , 61, S467-S476	9
565	Spatial scale of autocorrelation of assemblages of benthic invertebrates in two upland rivers in South-Eastern Australia and its implications for biomonitoring and impact assessment in streams. 2006 , 115, 69-85	13
564	Comparing patterns of spatial autocorrelation of assemblages of benthic invertebrates in upland rivers in south-eastern Australia. 2006 , 571, 147-156	7
563	Factors Associated with Grassland Bird Species Richness: The Relative Roles of Grassland Area, Landscape Structure, and Prey. 2006 , 21, 569-583	51
562	The Influence of Previous Mountain Pine Beetle (<i>Dendroctonus ponderosae</i>) Activity on the 1988 Yellowstone Fires. 2006 , 9, 1318-1327	81
561	Explicitly incorporating spatial dependence in predictive vegetation models in the form of explanatory variables: a Mojave Desert case study. 2006 , 8, 411-435	9
560	The importance of spatial autocorrelation, extent and resolution in predicting forest bird occurrence. 2006 , 191, 197-224	147

559	Modelling habitat selection using presence-only data: Case study of a colonial hollow nesting bird, the snow petrel. 2006 , 195, 187-204	30
558	Spatial modelling: a comprehensive framework for principal coordinate analysis of neighbour matrices (PCNM). 2006 , 196, 483-493	1245
557	Food plant diversity as broad-scale determinant of avian frugivore richness. 2007 , 274, 799-808	157
556	The influence of beach features on nesting of the hawksbill turtle <i>Eretmochelys imbricata</i> in the Arabian Gulf. 2007 , 41, 402-405	17
555	Modelling spatially correlated survival data for individuals with multiple cancers. 2007 , 7, 191-213	11
554	Regional variation in home-range-scale habitat models for fisher (<i>Martes pennanti</i>) in California. 2007 , 17, 2195-213	34
553	Tree regeneration and microclimate in a liana and bamboo-dominated semideciduous Atlantic Forest. 2007 , 252, 108-117	96
552	Resource availability, matrix quality, microclimate, and spatial pattern as predictors of patch use by the Karner blue butterfly. 2007 , 135, 135-144	30
551	Characteristics of occupied habitats and identification of sites for restoration and translocation of New England cottontail populations. 2007 , 137, 584-598	15
550	Effects of land-use and landscape characteristics on avian diversity and abundance in a boreal agricultural landscape with organic and conventional farms. 2007 , 140, 50-61	62
549	Robust predictions of species distribution: Spatial habitat models for a brood parasite. 2007 , 140, 259-272	20
548	Analyzing and modelling spatial distribution of summering lesser kestrel: The role of spatial autocorrelation. 2007 , 200, 33-44	47
547	Predicting continental-scale patterns of bird species richness with spatially explicit models. 2007 , 274, 165-74	228
546	Can the cause of aggregation be inferred from species distributions?. 2007 , 116, 4-16	23
545	Methods to account for spatial autocorrelation in the analysis of species distributional data: a review. 2007 , 30, 609-628	2078
544	Hierarchical analysis of species distributions and abundance across environmental gradients. 2007 , 88, 3144-52	69
543	HIERARCHICAL SPATIAL MODELS OF ABUNDANCE AND OCCURRENCE FROM IMPERFECT SURVEY DATA. <i>Ecological Monographs</i> , 2007 , 77, 465-481	9 119
542	Determinants of local extinction and turnover rates in urban bird communities. 2007 , 17, 168-80	27

541	Introduction history and habitat variation explain the landscape genetics of hybrid tiger salamanders. 2007 , 17, 598-608	49
540	Breeding bird species richness in Spain: assessing diversity hypothesis at various scales. 2007 , 30, 241-250	15
539	Red herrings revisited: spatial autocorrelation and parameter estimation in geographical ecology. 2007 , 30, 375-384	165
538	Freshwater invasions: using historical data to analyse spread. 2007 , 13, 23-32	24
537	Type and spatial structure of distribution data and the perceived determinants of geographical gradients in ecology: the species richness of African birds. 2007 , 16, 657-667	47
536	An operational, additive framework for species diversity partitioning and beta-diversity analysis. 2007 , 95, 294-300	34
535	Predicting species distributions: a critical comparison of the most common statistical models using artificial species. 2007 , 34, 1455-1469	160
534	Landscape-scale sexual segregation in the dry season distribution and resource utilization of elephants in Kruger National Park, South Africa. 2007 , 13, 225-236	40
533	The generality of habitat suitability models: A practical test with two insect groups. 2007 , 8, 310-320	13
532	Promising the future? Global change projections of species distributions. 2007 , 8, 387-397	332
531	Incorporating spatial dependence in predictive vegetation models. 2007 , 202, 225-242	188
530	Spectral analysis of simulated species distribution maps provides insights into metapopulation dynamics. 2007 , 205, 314-322	10
529	Analyzing spatial autocorrelation in species distributions using Gaussian and logit models. 2007 , 207, 159-170	81
528	Geostatistics reveal the scale of habitat selection. 2007 , 209, 401-406	15
527	Spatial and temporal analysis of vegetation change in agricultural landscapes: A case study of two brigalow (<i>Acacia harpophylla</i>) landscapes in Queensland, Australia. 2007 , 120, 211-228	31
526	Landscape ecology of <i>Phragmites australis</i> invasion in networks of linear wetlands. 2007 , 22, 285-301	81
525	Incorporating spatial non-stationarity of regression coefficients into predictive vegetation models. 2007 , 22, 837-852	74
524	Multi-scale study of bird species distribution and of their response to vegetation change: a Mediterranean example. 2007 , 22, 747-764	38

523	Multiple regression on distance matrices: a multivariate spatial analysis tool. 2007 , 188, 117-131	429
522	Long-term changes in spatial patterns of emergent vegetation in a Mediterranean floodplain: natural versus anthropogenic constraints. 2007 , 194, 257-271	21
521	Evaluating kriging as a tool to improve moderate resolution maps of forest biomass. 2007 , 128, 395-410	19
520	Habitat suitability models for the conservation of thermophilic grasshoppers and bush crickets—simple or complex?. 2007 , 11, 221-240	16
519	Indirect food web effects of <i>Bythotrephes</i> invasion: responses by the rotifer <i>Conochilus</i> in Harp Lake, Canada. 2007 , 9, 233-243	11
518	Anisotropy analyses of population distribution patterns. 2007 , 2, 356-361	2
517	The comparative analysis of historical alien introductions. 2008 , 10, 1119-1129	55
516	Assessing the value of secondary forest for amphibians: <i>Eleutherodactylus</i> frogs in a gradient of forest alteration. 2008 , 17, 2185-2195	11
515	Interaction of food resources and landscape structure in determining the probability of patch use by carnivores in fragmented landscapes. 2008 , 23, 285-298	55
514	How do dams affect freshwater fish distributions in Japan? Statistical analysis of native and nonnative species with various life histories. 2008 , 23, 735-743	45
513	Effects of the Conservation Reserve Program on northern bobwhite and grassland birds. 2008 , 146, 309-23	42
512	Modelling the recent and potential future spatial distribution of the Ring Ouzel (<i>Turdus torquatus</i>) and Blackbird (<i>T. merula</i>) in Switzerland. 2008 , 149, 529-544	30
511	Analyzing spatial ecological data using linear regression and wavelet analysis. 2008 , 22, 315-324	30
510	Parametric models for spatially correlated survival data for individuals with multiple cancers. 2008 , 27, 2127-44	12
509	Conservation of newt guilds in an agricultural landscape of Belgium: the importance of aquatic and terrestrial habitats. 2008 , 18, 714-728	51
508	Influence of land-cover change on the spread of an invasive forest pathogen. 2008 , 18, 159-71	53
507	Importance of soils, topography and geographic distance in structuring central Amazonian tree communities. 2008 , 19, 863-874	64
506	Three-dimensional mid-domain predictions: geometric constraints in North American amphibian, bird, mammal and tree species richness patterns. 2008 , 31, 435-449	10

505	Spatial extent of bird species response to landscape changes: colonisation/extinction dynamics at the community-level in two contrasting habitats. 2008 , 31, 509-518	22
504	On the biogeography of seed mass in Germany - distribution patterns and environmental correlates. 2008 , 31, 457-468	37
503	Representing genetic variation as continuous surfaces: an approach for identifying spatial dependency in landscape genetic studies. 2008 , 31, 685-697	78
502	Predicting risk of habitat conversion in native temperate grasslands. 2008 , 22, 1320-30	86
501	Incorporating distance constraints into species distribution models. 2008 , 45, 599-609	67
500	Desert bird associations with broad-scale boundary length: applications in avian conservation. 2008 , 45, 873-882	1
499	Consequences of parasite invasion and land use on the spatial dynamics of host populations. 2008 , 45, 1180-1188	16
498	Multi-scale analysis of species introductions: combining landscape and demographic models to improve management decisions about non-native species. 2008 , 45, 1639-1648	44
497	Explaining the global pattern of protected area coverage: relative importance of vertebrate biodiversity, human activities and agricultural suitability. 2008 , 35, 1337-1348	55
496	Conspecific Attraction is a Missing Component in Wildlife Habitat Modeling. 2008 , 72, 331-336	63
495	Insect pests in winter oilseed rape affected by field and landscape characteristics. 2008 , 9, 682-690	69
494	Dispersal leads to spatial autocorrelation in species distributions: A simulation model. 2008 , 213, 285-292	34
493	Predicting tree distributions in an East African biodiversity hotspot: model selection, data bias and envelope uncertainty. 2008 , 218, 121-134	53
492	SPATIAL ENVIRONMENTAL CORRELATES OF INTERTIDAL RECRUITMENT: A TEST USING BARNACLES IN NORTHERN CHILE. <i>Ecological Monographs</i> , 2008 , 78, 245-261	9 51
491	Stochastic approach to determine spatial patterns of lizard community on a desert island. 2008 , 33, 280-290	3
490	A clear human footprint in the coral reefs of the Caribbean. 2008 , 275, 767-73	193
489	Evaluating hedgerow corridors for the conservation of native forest herb diversity. 2008 , 141, 298-307	50
488	GIS-based modeling of Javan Hawk-Eagle distribution using logistic and autologistic regression models. 2008 , 141, 756-769	30

487	Landscape-scale disturbance and boreal forest birds: Can large single-pass harvest approximate fires?. 2008 , 256, 136-146	21
486	Bayesian spatial modeling of data from avian point count surveys. 2008 , 13, 121-139	15
485	When to Slow Down: Elk Residency Rates on a Heterogeneous Landscape. 2008 , 89, 105-114	16
484	Challenges of species distribution modeling belowground. 2008 , 171, 325-337	34
483	A Clear Human Footprint in the Coral Reefs of the Caribbean. 2008 , 54, 11-25	
482	Ecological factors associated with West Nile virus transmission, northeastern United States. 2008 , 14, 1539-45	89
481	Basin-wide variations in foliar properties of Amazonian forest: phylogeny, soils and climate. 2009 , 6, 2677-2708	248
480	Phytogeography and Floristics of Pinyon-Juniper Woodlands in Northern Arizona. 2009 , 69, 155-164	
479	Enhancing the area-isolation paradigm: habitat heterogeneity and metapopulation dynamics of a rare wetland mammal. 2009 , 19, 1708-22	47
478	Effects of flowering plant density on pollinator visitation, pollen receipt, and seed production in <i>Delphinium barbeyi</i> (Ranunculaceae). 2009 , 96, 912-9	37
477	Stand-scale spatial patterns of soil microbial biomass in natural cold-temperate beech forests along an elevation gradient. 2009 , 41, 1466-1474	16
476	Autocorrelation offsets zero-inflation in models of tropical saplings density. 2009 , 220, 1797-1809	9
475	Incorporating spatial autocorrelation into cellular automata model: An application to the dynamics of Chinese tamarisk (<i>Tamarix chinensis</i> Lour.). 2009 , 220, 3490-3498	25
474	An improved approach for identifying suitable habitat of Sambar Deer (<i>Cervus unicolor</i> Kerr) using ecological niche analysis and environmental categorization: Case study at Phu-Khieo Wildlife Sanctuary, Thailand. 2009 , 220, 2103-2114	8
473	Analysing spatial and temporal variation in colony size: an approach using autoregressive mixed models and information theory. 2009 , 51, 161-174	11
472	Parasitism of stem weevils and pollen beetles in winter oilseed rape is differentially affected by crop management and landscape characteristics. 2009 , 54, 505-514	24
471	Developing and testing a landscape habitat suitability model for the American marten (<i>Martes americana</i>) in the Cascades mountains of California. 2009 , 24, 759-773	22
470	Quantification of net primary production of Chinese forest ecosystems with spatial statistical approaches. 2009 , 14, 85-99	10

469	Niche based distribution modelling of an invasive alien plant: effects of population status, propagule pressure and invasion history. 2009 , 11, 2401-2414	65
468	Effect of damming on distribution of rainbow trout in Hokkaido, Japan. 2009 , 84, 175-181	3
467	Relative influence of habitat heterogeneity, climate, human disturbance, and spatial structure on vertebrate species richness in Spain. 2009 , 24, 335-344	37
466	Multiple spatial-scale resource selection function models in relation to human disturbance for moose in northeastern China. 2009 , 24, 423-440	21
465	Variation in abundance across a species' range predicts climate change responses in the range interior will exceed those at the edge: a case study with North American beaver. 2009 , 15, 508-522	51
464	The importance of environmental heterogeneity for species diversity and assemblage structure in Bornean stream frogs. 2009 , 78, 305-14	70
463	Land-cover data improve bioclimatic models for anurans and turtles at a regional scale. 2009 , 36, 1656-1672	26
462	Process from pattern in the distribution of an endangered leaf beetle. 2009 , 32, 259-268	8
461	Insights into succession processes using temporally repeated habitat models: results from a long-term study in a post-mining landscape. 2009 , 20, 629-638	25
460	Coefficient shifts in geographical ecology: an empirical evaluation of spatial and non-spatial regression. 2009 , 32, 193-204	207
459	Statistical approaches in landscape genetics: an evaluation of methods for linking landscape and genetic data. 2009 , 32, 818-830	225
458	Predicting the future of species diversity: macroecological theory, climate change, and direct tests of alternative forecasting methods. 2009 , 32, 22-33	123
457	Geographical variation in predictors of mammalian extinction risk: big is bad, but only in the tropics. 2009 , 12, 538-49	435
456	Deconstructing latitudinal species richness patterns in the ocean: does larval development hold the clue?. 2009 , 12, 601-11	43
455	Serengeti real estate: density vs. fitness-based indicators of lion habitat quality. 2009 , 12, 1050-60	93
454	Reconciling topographic and climatic effects on widespread and range-restricted species richness. 2009 , 18, 735-744	22
453	Spatial Autocorrelation in Ecological Studies: A Legacy of Solutions and Myths. 2009 , 41, 392-397	40
452	The transferability of distribution models across regions: an amphibian case study. 2009 , 15, 469-480	52

451	Does a top-predator provide an endangered rodent with refuge from an invasive mesopredator?. 2009 , 12, 302-312	85
450	Improving predictions of the location and use of warrens in sensitive rabbit populations. 2009 , 12, 426-433	10
449	A modeling and spatio-temporal analysis framework for monitoring environmental change using NPP as an ecosystem indicator. 2009 , 113, 1486-1496	84
448	Spatial patterns of shrub cover after different fire disturbances in the Pyrenees. 2009 , 66, 612-612	11
447	Predictive habitat modelling to estimate petrel breeding colony sizes: Sooty shearwaters (<i>Puffinus griseus</i>) and mottled petrels (<i>Pterodroma inexpectata</i>) on Whenua Hou Island. 2009 , 36, 291-306	31
446	A multi-scale approach to facultative paedomorphosis of European newts (<i>Salamandridae</i>) in the Montenegrin karst: Distribution pattern, environmental variables, and conservation. 2009 , 142, 509-517	33
445	Discriminating between village and commercial hunting of apes. 2009 , 142, 1500-1506	46
444	Effects of landscape composition and configuration on northern flying squirrels in a forest mosaic. 2009 , 257, 1920-1929	39
443	Changes in the spatial structure of oak carbon-based secondary compounds after pine harvesting. 2009 , 258, 2511-2518	2
442	Modelling spatial heterogeneity and nonstationarity in artifact-rich landscapes. 2009 , 36, 956-964	58
441	Environmental correlates of species richness of European springtails (<i>Hexapoda: Collembola</i>). 2009 , 35, 45-52	47
440	Abundance and the environmental niche: environmental suitability estimated from niche models predicts the upper limit of local abundance. 2009 , 174, 282-91	280
439	Habitat selection at multiple scales. 2009 , 16, 238-247	265
438	Opposing rainfall and plant nutritional gradients best explain the wildebeest migration in the Serengeti. 2009 , 173, 431-45	166
437	Spatial inference of admixture proportions and secondary contact zones. 2009 , 26, 1963-73	260
436	Historically calibrated predictions of butterfly species' range shift using global change as a pseudo-experiment. 2009 , 90, 2213-22	92
435	Space versus phylogeny: disentangling phylogenetic and spatial signals in comparative data. 2009 , 276, 21-30	151
434	Spatial and temporal patterns of chronic wasting disease: fine-scale mapping of a wildlife epidemic in Wisconsin. 2009 , 19, 1311-22	59

433	SMOOTHED ANOVA WITH SPATIAL EFFECTS AS A COMPETITOR TO MCAR IN MULTIVARIATE SPATIAL SMOOTHING. 2009 , 3, 1805-1830	19
432	Effects of Soil and Topographic Properties on Spatial Variability of Corn Grain Ethanol Yield. 2010 , 102, 998-1006	11
431	Tourism disassembles patterns of co-occurrence and weakens responses to environmental conditions of spider communities on small lake islands. 2010 , 11, 5-12	12
430	Effects of altitudinal gradient on species composition of naturally regenerated trees in Larix kaempferi plantations in central Japan. 2010 , 15, 65-70	4
429	Applications of landscape genetics in conservation biology: concepts and challenges. 2010 , 11, 375-385	285
428	The importance of integrating landscape ecology in habitat models: isolation-driven occurrence of north island robins in a fragmented landscape. 2010 , 25, 1363-1374	15
427	Application of geographically weighted regression in estimating the effect of climate and site conditions on vegetation distribution in Haihe Catchment, China. 2010 , 209, 349-359	33
426	Comparison of effects of spatial autocorrelation on distribution predictions of four rare plant species in the Watarase wetland. 2010 , 25, 1057-1069	5
425	Reliability of LiDAR derived predictors of forest inventory attributes: A case study with Norway spruce. 2010 , 114, 700-712	67
424	Computing the Periods of Light Variation of Blazar Objects 3C279 and OJ 287 with Autoregressive Spectral Analysis Method. 2010 , 34, 121-131	2
423	Hierarchical Bayesian spatial models for multispecies conservation planning and monitoring. 2010 , 24, 1538-48	27
422	Using presence-only modelling to predict Asian elephant habitat use in a tropical forest landscape: implications for conservation. 2010 , 16, 975-984	45
421	Habitat selection of the globally threatened Aquatic Warbler Acrocephalus paludicola at the western margin of its breeding range and implications for management. 2010 , 152, 347-358	40
420	Contrasting environmental and regional effects on global pteridophyte and seed plant diversity. 2010 , 33, 408-419	102
419	Using generalized autoregressive error models to understand fire-vegetation-soil feedbacks in a mulga-pinifex landscape mosaic. 2010 , 37, 2169-2182	41
418	Regression analysis of spatial data. 2010 , 13, 246-64	379
417	Estimating and controlling for spatial structure in the study of ecological communities. 2010 , 19, 174-184	307
416	Environmental and spatial predictors of species richness and abundance in coral reef fishes. 2010 , 19, 212-222	77

415	Ecogeographical variation of body size in the newt <i>Triturus carnifex</i> : comparing the hypotheses using an information-theoretic approach. 2010 , 19, 485	27
414	Environmental correlates of body size distributions of European springtails (Hexapoda: Collembola). 2010 , 19, 905-915	27
413	Population differences in behaviour are explained by shared within-population trait correlations. 2010 , 23, 748-56	65
412	Thresholds in forest bird occurrence as a function of the amount of early-seral broadleaf forest at landscape scales. 2010 , 20, 2116-30	79
411	Modeling spatial variation in avian survival and residency probabilities. 2010 , 91, 1885-91	36
410	Body size evolution in mammals: complexity in tempo and mode. 2010 , 175, 727-38	120
409	Multiscale codependence analysis: an integrated approach to analyze relationships across scales. 2010 , 91, 2952-64	20
408	Spatiotemporal exploratory models for broad-scale survey data. 2010 , 20, 2131-47	155
407	Coherence and fragmentation of landscape patterns as characterized by correlograms: A case study of Estonia. 2010 , 94, 31-37	19
406	Ecological thresholds in herb communities for the management of suburban fragmented forests. 2010 , 259, 343-349	17
405	Thresholds in the long-term responses of breeding birds to forest cover and fragmentation. 2010 , 143, 952-962	49
404	Patterns of tropical forest dynamics and human impacts: Views from above and below the canopy. 2010 , 143, 2881-2890	17
403	Geographical variation in the distributional constraints along a gradient of population aggregation. 2010 , 36, 666-674	7
402	The spatial distribution of phytophagous insect larvae in grassland soils. 2010 , 45, 269-274	23
401	Applications and limitations of museum data for conservation and ecology, with particular attention to species distribution models. 2010 , 34, 3-22	248
400	The combined influence of the local environment and regional enrichment on bird species richness. 2010 , 175, E35-43	56
399	A spatial autocorrelative model for targeting stream restoration to benefit sensitive nongame fishes. 2010 , 67, 165-176	10
398	Influence of Beach Slope and Width on Hawksbill (<i>Eretmochelys imbricata</i>) and Green Turtle (<i>Chelonia mydas</i>) Nesting Activity in El Cuyo, Yucatán, Mexico. 2010 , 9, 262-267	16

- 397 Improvements in the Finnish Agri-Environment Scheme are Needed in Order to Support Rich Farmland Avifauna. **2010**, 47, 287-305 22
- 396 Changing trajectory of urban heat islands in Shenzhen, China. **2011**,
- 395 Plantation vs. natural forest: matrix quality determines pollinator abundance in crop fields. **2011**, 1, 132 23
- 394 Assessing hypotheses about nesting site occupancy dynamics. **2011**, 92, 938-51 11
- 393 Effect of local community phylogenetic structure on pollen limitation in an obligately insect-pollinated plant. **2011**, 98, 283-9 35
- 392 Identifying the spatial mixture distribution of bird diversity across urban and suburban areas in the metropolis: A case study in Taipei Basin of Taiwan. **2011**, 102, 156-163 9
- 391 QSR Correspondence Is spatial autocorrelation introducing biases in the apparent accuracy of palaeoclimatic reconstructions? **2011**, 30, 3210-3213 14
- 390 The shape of mammalian phylogeny: patterns, processes and scales. **2011**, 366, 2462-77 54
- 389 Factors and mechanisms explaining spatial heterogeneity: a review of methods for insect populations. **2011**, 2, 11-22 72
- 388 From meso- to macroscale population dynamics: a new density-structured approach. **2011**, 2, 289-302 18
- 387 Native and introduced plants differ in their distribution patterns in southern England. **2011**, 1, 48-57 2
- 386 Deconstructing the mammal species richness pattern in Europe ¶owards an understanding of the relative importance of climate, biogeographic history, habitat heterogeneity and humans. **2011**, 20, 218-230 57
- 385 Encounter data in resource management and ecology: pitfalls and possibilities. **2011**, 48, 1164-1173 61
- 384 A Bayesian hierarchical occupancy model for track surveys conducted in a series of linear, spatially correlated, sites. **2011**, 48, 1508-1517 31
- 383 Influence of the landscape on dispersal of sylvatic triatomines to anthropic habitats in the Atlantic Forest. **2011**, 38, 651-663 17
- 382 Evolutionary assembly of island faunas reverses the classic island¶hainland richness difference in Anolis lizards. **2011**, 38, 1125-1137 17
- 381 Resources driving landscape-scale distribution patterns of grazers in an African savanna. **2011**, 34, 67-74 35
- 380 Factors affecting species richness of tree regeneration in mixed-wood stands of central Maine. **2011**, 22, 303-311 13

379	Hypothesis-driven species distribution models for tree species in the Bavarian Alps. 2011 , 22, 635-646	45
378	Species distribution models as a tool for forest management planning under climate change: risk evaluation of <i>Abies alba</i> in Bavaria. 2011 , 22, 621-634	54
377	Estimating front-wave velocity of infectious diseases: a simple, efficient method applied to bluetongue. 2011 , 42, 60	35
376	Graphical spatial models: a new view on interpreting spatial pattern. 2011 , 18, 447-469	5
375	Spatial pattern and variability in soil N and P availability under the influence of two dominant species in a pine forest. 2011 , 345, 211-221	16
374	The influence of landscape, patch, and within-patch factors on species presence and abundance: a review of focal patch studies. 2011 , 26, 7-18	90
373	The distribution of a threatened migratory bird species in a patchy landscape: a multi-scale analysis. 2011 , 26, 397-410	12
372	The impact of giant panda foraging on bamboo dynamics in an isolated environment. 2011 , 212, 43-54	13
371	Environmental and dispersal controls of an annual plant distribution: how similar are patterns and apparent processes at two spatial scales?. 2011 , 212, 1887-1899	10
370	Temporal Asynchrony of Trophic Status Between Mainstream and Tributary Bay Within a Giant Dendritic Reservoir: The Role of Local-Scale Regulators. 2011 , 219, 271-284	12
369	Modelling and mapping the suitability of European forest formations at 1-km resolution. 2011 , 130, 971-981	28
368	Temporal changes in the spatial pattern of leaf traits in a <i>Quercus robur</i> population. 2011 , 68, 453-460	2
367	Race/Ethnic-Specific Homicide Rates in New York City: Evaluating the Impact of Broken Windows Policing and Crack Cocaine Markets. 2011 , 15, 268-290	20
366	Forecasting the response of spruce budworm defoliation to climate change in Ontario. 2011 , 41, 1948-1960	28
365	Diversity, Stand Characteristics and Spatial Aggregation of Tree Species in a Bangladesh Forest Ecosystem. 2011 , 3, 453-465	4
364	Scale effects in uncertainty modeling of presettlement vegetation distribution. 2011 , 25, 405-421	7
363	Anticipation of Land use Change through use of Geographically Weighted Regression Models for Discrete Response. 2011 , 2245, 111-123	32
362	Landscape-stream interactions and habitat conservation for amphibians. 2011 , 21, 1272-82	44

361	Acid Mine Drainage Index (AMDI): a benthic invertebrate biotic index for assessing coal mining impacts in New Zealand streams. 2012 , 46, 335-352		21
360	Fine-Scale Habitat Use of Reintroduced Black-Footed Ferrets on Prairie Dog Colonies in New Mexico. 2012 , 72, 216-227		1
359	Niche conservatism and the differences in species richness at the transition of tropical and subtropical climates in South America. 2012 , 35, 933-943		44
358	Comparison of five modelling techniques to predict the spatial distribution and abundance of seabirds. 2012 , 156, 94-104		198
357	Thirty-five years of spatial autocorrelation analysis in population genetics: an essay in honour of Robert Sokal (1926-2012). 2012 , 107, 721-736		12
356	Applying time series models with spatial correlation to identify the scale of variation in habitat metrics related to threatened coho salmon (<i>Oncorhynchus kisutch</i>) in the Pacific Northwest. 2012 , 69, 1773-1782		7
355	A cultivated environment: Exploring the global distribution of plants in gardens, parks and streetscapes. <i>Urban Ecosystems</i> , 2012 , 15, 637-652	2.8	69
354	Analysis of aquifer vulnerability and water quality using SINTACS and geographic weighted regression. 2012 , 66, 2257-2271		6
353	Linking vegetation response to seasonal precipitation in the Okavango-Kwando-Zambezi catchment of southern Africa. 2012 , 33, 6783-6804		23
352	Incorporating spectral data into logistic regression model to classify land cover: a case study in Mt. Qomolangma (Everest) National Nature Preserve. 2012 , 26, 1845-1862		1
351	Patterns of Surface Burrow Plugging in a Colony of Black-Tailed Prairie Dogs Occupied by Black-Footed Ferrets. 2012 , 72, 172-178		5
350	A Bivariate Multinomial Probit Model for Trip Scheduling: Bayesian Analysis of the Work Tour. 2012 , 46, 405-424		7
349	Application of Bayesian spatial smoothing models to assess agricultural self-sufficiency. 2012 , 26, 1213-1229		7
348	Relationship between floristic similarity and vegetated land surface phenology: Implications for the synoptic monitoring of species diversity at broad geographic regions. 2012 , 121, 488-496		19
347	Application of spatial and non-spatial data analysis in determination of the factors that impact municipal solid waste generation rates in Turkey. 2012 , 32, 359-71		77
346	Spatial Science and Its Traditions. 2012 , 1-10		
345	Spider monkeys use high-quality core areas in a tropical dry forest. 2012 , 287, 250-258		21
344	Ocean-scale prediction of whale shark distribution. 2012 , 18, 504-518		74

343	Calibration of hybrid species distribution models: the value of general-purpose vs. targeted monitoring data. 2012 , 18, 977-989	12
342	Drivers of species richness in European Tenebrionidae (Coleoptera). 2012 , 43, 22-28	11
341	Use of localized descriptive statistics for exploring the spatial pattern changes of bird species richness at multiple scales. 2012 , 32, 185-194	17
340	Hunting of Sumatran orang-utans and its importance in determining distribution and density. 2012 , 146, 163-169	32
339	Complex effects of site preparation and harvest on snowshoe hare abundance across a patchy forest landscape. 2012 , 280, 132-139	12
338	An Approach to Optimize Police Patrol Activities Based on the Spatial Pattern of Crime Hotspots. 2012 , 141-163	
337	Pest control experiments show benefits of complexity at landscape and local scales. 2012 , 22, 1936-48	85
336	Response of large galliforms and tinamous (Cracidae, Phasianidae, Tinamidae) to habitat loss and fragmentation in northern Guatemala. 2012 , 46, 567-576	24
335	The contributions of resource availability and social forces to foraging distributions: a spatial lag modelling approach. 2012 , 84, 1371-1380	6
334	High-use movement pathways and habitat selection by ungulates. 2012 , 77, 293-298	9
333	Environmental filtering and land-use history drive patterns in biomass accumulation in a mediterranean-type landscape. 2012 , 22, 104-18	23
332	Coordination of physiological and structural traits in Amazon forest trees. 2012 , 9, 775-801	34
331	Spatio-temporal patterns of key exploited marine species in the Northwestern Mediterranean Sea. 2012 , 7, e37907	31
330	Hierarchical multi-species modeling of carnivore responses to hunting, habitat and prey in a West African protected area. 2012 , 7, e38007	91
329	Management for oak regeneration: Short-term effects on the bird community and suitability of shelterwood harvests for canopy songbirds. 2012 , 76, 683-693	23
328	Overlapping landscapes: A persistent, but misdirected concern when collecting and analyzing ecological data. 2012 , 76, 1072-1080	48
327	Spatial pattern of greenspace affects land surface temperature: evidence from the heavily urbanized Beijing metropolitan area, China. 2012 , 27, 887-898	254
326	Modeling habitat dynamics accounting for possible misclassification. 2012 , 27, 943-956	16

325	Analyzing and modeling the coverage of vegetation in the Qaidam Basin of China: The role of spatial autocorrelation. 2012 , 22, 346-358	7
324	Assessing the inconsistency between groundwater vulnerability and groundwater quality: the case of Chapala Marsh, Mexico. 2012 , 20, 591-603	9
323	Spatial modeling of survival and residency and application to the Monitoring Avian Productivity and Survivorship program. 2012 , 152, 469-476	9
322	Nest-site preferences of Eleonora's Falcon (<i>Falco eleonora</i>) on uninhabited islets of the Aegean Sea using GIS and species distribution models. 2012 , 153, 663-675	12
321	Habitat at the mountain tops: how long can Rock Ptarmigan (<i>Lagopus muta helvetica</i>) survive rapid climate change in the Swiss Alps? A multi-scale approach. 2012 , 153, 891-905	53
320	Changes in the large-scale distribution of plants: extinction, colonisation and the effects of climate. 2012 , 100, 519-529	24
319	Accounting for multi-scale spatial autocorrelation improves performance of invasive species distribution modelling (iSDM). 2012 , 39, 42-55	77
318	Landscape controls on the timing of spring, autumn, and growing season length in mid-Atlantic forests. 2012 , 18, 656-674	156
317	Palaeoclimatic models help to understand current distribution of Caucasian forest species. 2012 , 105, 231-248	61
316	Spatial distributions of European Tenebrionidae point to multiple postglacial colonization trajectories. 2012 , 105, 318-329	28
315	Influence of spatial heterogeneity and temporal variability in habitat selection: A case study on a great bustard metapopulation. 2012 , 228, 39-48	14
314	Conspecific cues and breeding habitat selection in an endangered woodland warbler. 2012 , 81, 1056-64	48
313	Fine-tuning the fruit-tracking hypothesis: spatiotemporal links between fruit availability and fruit consumption by birds in Andean mountain forests. 2012 , 81, 1298-1310	39
312	Can patterns of spatial autocorrelation reveal population processes? An analysis with the fire salamander. 2012 , 35, 693-703	18
311	Modeling bird species distribution change in fire prone Mediterranean landscapes: incorporating species dispersal and landscape dynamics. 2012 , 35, 458-467	21
310	Modelling geographic patterns of population density of the white-tailed deer in central Mexico by implementing ecological niche theory. 2012 , 121, 2081-2089	42
309	Forecasting changes in population genetic structure of alpine plants in response to global warming. 2012 , 21, 2354-68	102
308	Distance weighting avoids erroneous scale effects in species-habitat models. 2012 , 3, 102-111	10

307	Assessing transferability of ecological models: an underappreciated aspect of statistical validation. 2012 , 3, 260-267	328
306	Assessing the relationships between elevation and extreme precipitation with various durations in southern Taiwan using spatial regression models. 2012 , 26, 3174-3181	14
305	Hydrological Conditions Control P Loading and Aquatic Metabolism in an Oligotrophic, Subtropical Estuary. 2012 , 35, 292-307	19
304	Predicting Ellenberg's soil moisture indicator value in the Bavarian Alps using additive georegression. 2013 , 16, 110-121	13
303	Autologistic regression and multicriteria evaluation models for the prediction of forest expansion. 2013 , 44, 163-181	8
302	Brood parasitism correlates with the strength of spatial autocorrelation of life history and defensive traits in Magpies. 2013 , 94, 1338-46	18
301	Modeling the habitat associations and spatial distribution of benthic macroinvertebrates: A hierarchical Bayesian model for zero-inflated biomass data. 2013 , 265, 74-84	14
300	Comparison of point counts and territory mapping for detecting effects of forest management on songbirds. 2013 , 84, 270-286	16
299	Effects of habitat type, vegetation structure, and proximity to forests on bird species richness in a forest-agricultural landscape of West Java, Indonesia. 2013 , 87, 1247-1260	10
298	Spatial Distribution Patterns of the Antarctic Hair Grass <i>Deschampsia antarctica</i> in Relation to Environmental Variables on Barton Peninsula, King George Island. 2013 , 45, 563-574	9
297	Latitudinal trends in body length distributions of European darkling beetles (Tenebrionidae). 2013 , 53, 88-94	7
296	Assessing the effects of variables and background selection on the capture of the tick climate niche. 2013 , 12, 43	20
295	Predicting <i>Microstegium vimineum</i> invasion in natural plant communities of the southern Blue Ridge Mountains, USA. 2013 , 15, 1217-1230	13
294	Increasing the chance that landscape- and regional-level hypotheses will reflect important spatial patterns. 2013 , 28, 1849-1858	2
293	Is there an ecological basis for species abundance distributions?. 2013 , 171, 517-25	13
292	A conceptual framework for the spatial analysis of landscape genetic data. 2013 , 14, 253-261	76
291	Habitat-independent spatial structure in populations of some forest birds in eastern North America. 2013 , 82, 145-54	14
290	Effects of Conservation Policies on Forest Cover Change in Giant Panda Habitat Regions, China. 2013 , 33, 42-53	54

289	Fine-scale spatial structure of the exploited infaunal bivalve <i>Cerastoderma edule</i> on the French Atlantic coast. 2013 , 76, 193-200	15
288	Palaeo-precipitation is a major determinant of palm species richness patterns across Madagascar: a tropical biodiversity hotspot. 2013 , 280, 20123048	38
287	Assessing the Natura 2000 network with a common breeding birds survey. 2013 , 16, 566-574	36
286	Role of adaptive and non-adaptive mechanisms forming complex patterns of genome size variation in six cytotypes of polyploid <i>Allium oleraceum</i> (Amaryllidaceae) on a continental scale. 2013 , 111, 419-31	22
285	Five practical uses of spatial autocorrelation for studies of coral reef ecology. 2013 , 478, 15-25	8
284	Habitat quality and population density drive occupancy dynamics of snowshoe hare in variegated landscapes. 2013 , 36, 610-621	15
283	Should species distribution models account for spatial autocorrelation? A test of model projections across eight millennia of climate change. 2013 , 22, 760-771	55
282	Disentangling the role of connectivity, environmental filtering, and spatial structure on metacommunity dynamics. 2013 , 122, no-no	28
281	Species distribution modelling for the people: unclassified landsat TM imagery predicts bird occurrence at fine resolutions. 2013 , 19, 855-866	39
280	Prediction accuracy in mass appraisal: a comparison of modern approaches. 2013 , 30, 239-265	89
279	Predicting socioeconomic conditions from satellite sensor data in rural developing countries: A case study using female literacy in Assam, India. 2013 , 44, 192-200	12
278	Can environmental quality spread through institutions?. 2013 , 56, 312-321	95
277	Do hot spots of breeding birds serve as surrogate hot spots of wintering birds? An example from central Spain. 2013 , 16, 60-68	15
276	Environmental and community controls on plant canopy chemistry in a Mediterranean-type ecosystem. 2013 , 110, 6895-900	59
275	A multiscale analysis of herbaceous species richness in a Mediterranean ecosystem. 2013 , 6, 113-121	7
274	Radial growth response of <i>Pinus densiflora</i> and <i>Quercus</i> spp. to topographic and climatic factors in South Korea. 2013 , 6, 380-392	34
273	Factors influencing the occurrence of Eleonora's falcon <i>Falco eleonora</i> breeding colonies on Greek islands. 2013 , 19, 202-209	1
272	Incorporation of multi-scale spatial autocorrelation in soil moisture landscape modeling. 2013 , 34, 441-455	15

271	Socioeconomic status accounts for rapidly increasing geographic variation in the incidence of poor fetal growth. 2013 , 10, 2606-20	3
270	Native predators do not influence invasion success of pacific lionfish on Caribbean reefs. 2013 , 8, e68259	83
269	Ice storms generate spatially heterogeneous damage patterns at the watershed scale in forested landscapes. 2014 , 5, art141	9
268	Exploring Non-Linear Relationships between Landscape and Aquatic Ecological Condition in Southern Wisconsin. 2014 , 5, 1-20	19
267	The effect of unmeasured confounders on the ability to estimate a true performance or selection gradient (and other partial regression coefficients). 2014 , 68, 2128-36	14
266	Spatial leave-one-out cross-validation for variable selection in the presence of spatial autocorrelation. 2014 , 23, 811-820	51
265	Bibliography. 2014 , 545-568	
264	Species richness, species turnover and functional diversity in nematodes of the deep Mediterranean Sea: searching for drivers at different spatial scales. 2014 , 23, 24-39	46
263	Regionalizing Indicator Values for Soil Reaction in the Bavarian Alps [From Averages to Multivariate Spectra. 2014 , 49, 385-405	7
262	Basal area growth rates of five major species in a Pinus-Cunninghamia forest in eastern China affected by asymmetric competition and spatial autocorrelation. 2014 , 19, 86-96	6
261	Is there an optimum scale for predicting bird species' distribution in agricultural landscapes?. 2014 , 136, 54-61	12
260	Hot spots and hot moments of diamondback terrapin road-crossing activity. 2014 , 51, 367-375	24
259	Spatial distribution of marine invasive species: environmental, demographic and vector drivers. 2014 , 20, 824-836	37
258	Measuring the relative effect of factors affecting species distribution model predictions. 2014 , 5, 947-955	65
257	Heterochrony in a complex world: disentangling environmental processes of facultative paedomorphosis in an amphibian. 2014 , 83, 606-15	31
256	Incorporating spatial autocorrelation into species distribution models alters forecasts of climate-mediated range shifts. 2014 , 20, 2566-79	34
255	Avian community composition associated with interactions between local and landscape habitat attributes. 2014 , 326, 46-57	14
254	Uncertainty, priors, autocorrelation and disparate data in downscaling of species distributions. 2014 , 20, 797-812	16

253	Assessing the consequences of biological invasions on species with complex life cycles: Impact of the alien crayfish <i>Procambarus clarkii</i> on Odonata. <i>Ecological Indicators</i> , 2014 , 46, 70-77	5.8	8
252	Linking vegetation patterns to environmental gradients and human impacts in a mediterranean-type island ecosystem. 2014 , 29, 1571-1585		23
251	Space use, Resource Selection and Territoriality of Black-Footed Ferrets: Implications for Reserve Design. 2014 , 20, 27-36		6
250	In-Field Movement of Glyphosate-Resistant Palmer Amaranth (<i>Amaranthus palmeri</i>) and Its Impact on Cotton Lint Yield: Evidence Supporting a Zero-Threshold Strategy. 2014 , 62, 237-249		75
249	Small-Mammal Occupancy in Freshwater Marshes of Mandalay National Wildlife Refuge, Louisiana. 2014 , 13, 463		1
248	A multivariate CAR model for mismatched lattices. 2014 , 11, 79-88		4
247	Quantifying the Effectiveness of Conservation Measures to Control the Spread of Anthropogenic Hybridization in Stream Salmonids: a Climate Adaptation Case Study. 2014 , 34, 642-652		20
246	Recreational trails are an important cause of fragmentation in endangered urban forests: A case-study from Australia. 2014 , 130, 112-124		50
245	Accounting for the space-varying nature of the relationships between temporal community turnover and the environment. 2014 , n/a-n/a		5
244	Precipitation and winter temperature predict long-term range-scale abundance changes in Western North American birds. 2014 , 20, 3351-64		58
243	Patch or mosaic: bat activity responds to fine-scale urban heterogeneity in a medium-sized city in the United States. <i>Urban Ecosystems</i> , 2014 , 17, 1013-1031	2.8	24
242	Distribution of arid-dwelling land snails according to dryness. 2014 , 103, 80-84		5
241	Effect of long-term mechanical perturbation on intertidal soft-bottom meiofaunal community spatial structure. 2014 , 85, 85-91		17
240	Meso- or micro-scale? Environmental factors influencing pedestrian satisfaction. 2014 , 30, 10-20		84
239	Loss of migration and urbanization in birds: a case study of the blackbird (<i>Turdus merula</i>). 2014 , 175, 1019-27		33
238	Location matters: Using spatially explicit occupancy models to predict the distribution of the highly mobile, endangered swift parrot. 2014 , 176, 99-108		47
237	Predicting spatio-temporal <i>Culicoides imicola</i> distributions in Spain based on environmental habitat characteristics and species dispersal. <i>Ecological Informatics</i> , 2014 , 22, 69-80	4.2	7
236	Quantitative mapping of fish habitat: A useful tool to design spatialised management measures and marine protected area with fishery objectives. <i>Ocean and Coastal Management</i> , 2014 , 87, 8-19	3.9	39

- 235 Spatial autocorrelation in fitness affects the estimation of natural selection in the wild. **2015**, 6, 1474-1483 26
- 234 Latitudinal diversity gradients in bryophytes and woody plants: Roles of temperature and water availability. **2015**, 53, 535-545 17
- 233 Spatiotemporal Variation and the Role of Wildlife in Seasonal Water Quality Declines in the Chobe River, Botswana. **2015**, 10, e0139936 12
- 232 On Extrapolating Past the Range of Observed Data When Making Statistical Predictions in Ecology. **2015**, 10, e0141416 27
- 231 A new methodology of spatial cross-correlation analysis. **2015**, 10, e0126158 23
- 230 Habitat Associations Within a Raptor Community in a Protected Area in Northwest Peru. **2015**, 49, 174-182 3
- 229 Occupancy of red-naped sapsuckers in a coniferous forest: using LiDAR to understand effects of vegetation structure and disturbance. **2015**, 5, 5383-5393 6
- 228 Habitat conservation research for amphibians: methodological improvements and thematic shifts. **2015**, 24, 1293-1310 15
- 227 Integration of Multinomial-Logistic and Markov-Chain Models to Derive Land-Use Change Dynamics. **2015**, 141, 05014017 8
- 226 Urbanization promotes non-native woody species and diverse plant assemblages in the New York metropolitan region. *Urban Ecosystems*, **2015**, 18, 31-45 2.8 130
- 225 Trees grow on money: urban tree canopy cover and environmental justice. **2015**, 10, e0122051 217
- 224 Island size predicts the frequency of melanic birds in the color-polymorphic flycatcher *Monarcha castaneiventris* of the Solomon Islands. El tamaño de la isla predice la frecuencia de pájaros melánicos en el *Monarcha castaneiventris* con polimorfismo de color en las Islas Salomón. Island size and melanism in birds. **2015**, 122, 707-724 12
- 223 Caveats for correlative species distribution modeling. *Ecological Informatics*, **2015**, 29, 6-15 4.2 146
- 222 Combining and aggregating environmental data for status and trend assessments: challenges and approaches. **2015**, 187, 278 17
- 221 A probabilistic Bayesian framework for progressively updating site-specific recommendations. **2015**, 16, 275-296 5
- 220 Analysis of deforestation and protected area effectiveness in Indonesia: A comparison of Bayesian spatial models. **2015**, 31, 285-295 57
- 219 Valid auto-models for spatially autocorrelated occupancy and abundance data. **2015**, 6, 1137-1149 44
- 218 Regional variability in extinction thresholds for forest birds in the north-eastern United States: an examination of potential drivers using long-term breeding bird atlas datasets. **2015**, 21, 686-697 9

217	Population Ecology of American Crocodile (<i>Crocodylus acutus</i>) in Coiba National Park, Panama. 2015 , 49, 349-357	8
216	Quantitative Measurement of Urban Expansion and its Driving Factors in Qingdao: an Empirical Analysis Based on County Unit Data. 2015 , 6, 172-179	10
215	Effects of fire severity and post-fire climate on short-term vegetation recovery of mixed-conifer and red fir forests in the Sierra Nevada Mountains of California. 2015 , 171, 311-325	65
214	Opposing responses to ecological gradients structure amphibian and reptile communities across a temperate grassland-savanna-forest landscape. 2015 , 24, 1089-1108	3
213	Correlation Between the Type of Vegetation and Occurrence of Birds in Agrifields. 2016 , 69, 173-180	
212	More than environmental control at local scales: do spatial processes play an important role in floristic variation in subtropical forests?. 2016 , 30, 183-192	11
211	Predicting the Influence of Multi-Scale Spatial Autocorrelation on Soil-Landform Modeling. 2016 , 80, 409-419	9
210	Spatial Variability of Grapevine Bud Burst Percentage and Its Association with Soil Properties at Field Scale. 2016 , 11, e0165738	3
209	Biogeography of the cosmopolitan sedges (Cyperaceae) and the area-richness correlation in plants. 2016 , 43, 1893-1904	48
208	Landscape-scale consequences of differential tree mortality from catastrophic wind disturbance in the Amazon. 2016 , 26, 2225-2237	26
207	Land-cover changes predict steep declines for the Sumatran orangutan (<i>Pongo abelii</i>). 2016 , 2, e1500789	95
206	Effects of conservation policy on China's forest recovery. 2016 , 2, e1500965	109
205	Microclimate predicts within-season distribution dynamics of montane forest birds. 2016 , 22, 944-959	36
204	Estimating Effects of Species Interactions on Populations of Endangered Species. 2016 , 187, 457-67	9
203	Sex-specific spatial patterns in the threatened damselfly <i>Coenagrion ornatum</i> : implications for the species conservation and monitoring. 2016 , 20, 1107-1112	1
202	Impact of urbanization and gardening practices on common butterfly communities in France. 2016 , 6, 8174-8180	23
201	Distribution and habitat condition of the endangered benthic animals associated with salt marsh in Tokyo Bay, Japan. 2016 , 70, 50-64	3
200	Trapped in the web of water: Groundwater-fed springs are island-like ecosystems for the meiofauna. 2016 , 6, 8389-8401	18

199	Spatial autocorrelation potentially indicates the degree of changes in the predictive power of environmental factors for plant diversity. <i>Ecological Indicators</i> , 2016 , 60, 1130-1141	5.8	14
198	Relating mesocarnivore relative abundance to anthropogenic land-use with a hierarchical spatial count model. 2016 , 39, 524-532		6
197	Model-based integration of observed and expert-based information for assessing the geographic and environmental distribution of freshwater species. 2016 , 39, 1078-1088		22
196	Contiguity of landscape features pose barriers to gene flow among American marten (<i>Martes americana</i>) genetic clusters in the Upper Peninsula of Michigan. 2016 , 31, 1051-1062		8
195	Land surface phenology as an indicator of biodiversity patterns. <i>Ecological Indicators</i> , 2016 , 64, 281-288	5.8	17
194	Alternative mean-squared error estimators for synthetic estimators of domain means. 2016 , 43, 2550-2573		11
193	The scaling of geographic ranges: implications for species distribution models. 2016 , 31, 1195-1208		18
192	Remote sensing of the surface urban heat island and land architecture in Phoenix, Arizona: Combined effects of land composition and configuration and cadastral-demographic-economic factors. 2016 , 174, 233-243		141
191	Assessment of environment, land management, and spatial variables on recent changes in montado land cover in southern Portugal. 2016 , 90, 177-192		65
190	Incorporating anthropogenic variables into ecological niche modeling to predict areas of invasion of <i>Popillia japonica</i> . 2017 , 90, 151-160		14
189	A multi-scale analysis of habitat selection in peripheral populations of the endangered Dupont's Lark <i>Chersophilus duponti</i> . 2017 , 27, 398-413		15
188	Soil carbon and nitrogen stocks in sugarcane systems by Bayesian conditional autoregressive model: An unbiased prediction strategy. 2017 , 8, 207-214		0
187	Effects of the spatial configuration of trees on urban heat mitigation: A comparative study. 2017 , 195, 1-12		230
186	Confronting preferential sampling when analysing population distributions: diagnosis and model-based triage. 2017 , 8, 1535-1546		46
185	Choose your neighborhood wisely: implications of subsampling and autocorrelation structure in simultaneous autoregression models for landscape ecology. 2017 , 32, 945-952		7
184	Model-dependent forest stand-level inference with and without estimates of stand-effects. 2017 , 90, 675-685		8
183	Cluster: A New Application for Spatial Analysis of Pixelated Data for Epiphytotics. 2017 , 107, 1556-1566		1
182	Accounting for the temporal variation of spatial effect improves inference and projection of population dynamics models. 2017 , 360, 252-259		5

181	Spatiotemporal changes in population distribution and socioeconomic development in China from 1950 to 2010. 2017 , 10, 1	8
180	Estimating the prediction performance of spatial models via spatial k-fold cross validation. 2017 , 31, 2001-2019	53
179	A multistate dynamic site occupancy model for spatially aggregated sessile communities. 2017 , 8, 757-767	
178	Assessing conditions influencing the longitudinal distribution of exotic brown trout (<i>Salmo trutta</i>) in a mountain stream: a spatially-explicit modeling approach. 2017 , 19, 503-519	7
177	Spind: a package for computing spatially corrected accuracy measures. 2017 , 40, 675-682	6
176	Detection of spatial hot spots and variation for the neon flying squid <i>Ommastrephes bartramii</i> resources in the northwest Pacific Ocean. 2017 , 35, 921-935	7
175	Modeling and mapping forest diversity in the boreal forest of interior Alaska. 2017 , 32, 397-413	11
174	Predicting foraging hotspots for Yelkouan Shearwater in the Black Sea. 2017 , 141, 237-247	4
173	Spatially filtered ridge regression (SFRR): A regression framework to understanding impacts of land cover patterns on urban climate. 2017 , 21, 862-879	12
172	Spatial autocorrelation and its influencing factors of the sampling units in a spatial sampling scheme for crop acreage estimation. 2017 ,	
171	The geographical patterns of Chinese liquors during 1995-2004. 2017 , 13, 107-116	6
170	Prediction of humpback whale group densities along the Brazilian coast using spatial autoregressive models. 2018 , 34, 734-754	2
169	Accounting for spatial autocorrelation improves the estimation of climate, physical environment and vegetation's effects on boreal forest's burn rates. 2018 , 33, 19-34	11
168	Exploring trade-offs between development and conservation outcomes in Northern Cambodia. 2018 , 71, 431-444	20
167	Are North American bird species' geographic ranges mainly determined by climate?. 2018 , 27, 461-473	9
166	Warfare and wildlife declines in Africa's protected areas. 2018 , 553, 328-332	81
165	Shifts in tree functional composition amplify the response of forest biomass to climate. 2018 , 556, 99-102	73
164	Modelling coastal land use change by incorporating spatial autocorrelation into cellular automata models. 2018 , 33, 470-488	30

163	Examining sustainable landscape function across the Republic of Moldova. 2018 , 72, 77-91	21
162	The pioneer evidence of contagious corruption. 2018 , 52, 945-968	7
161	Geostatistical characterization of fruit damage caused by <i>Anarsia lineatella</i> (Lepidoptera: Gelechiidae) in organic fruit orchards and implications for its management. 2018 , 64, 148-156	1
160	Body size variation and sexual size dimorphism across climatic gradients in the widespread treefrog <i>Scinax fuscovarius</i> (Anura, Hylidae). 2018 , 43, 35-45	9
159	Influence of habitat modification by livestock on páramo bird abundance in southern Andes of Ecuador. 2018 , 53, 29-37	4
158	Examining spatiotemporal distribution and CPUE-environment relationships for the jumbo flying squid <i>Dosidicus gigas</i> offshore Peru based on spatial autoregressive model. 2018 , 36, 942-955	1
157	Complexity analysis based on generalized deviation for financial markets. 2018 , 494, 118-128	3
156	Spatial autoregressive models for statistical inference from ecological data. <i>Ecological Monographs</i> , 2018 , 88, 36-59	9 84
155	Accounting for Spatial Dependence in Ecological Data. 2018 , 169-210	2
154	Pavement degradation: a city-scale model for San Francisco, USA. 2018 , 171, 93-109	2
153	Design of a spatial sampling scheme considering the spatial autocorrelation of crop acreage included in the sampling units. 2018 , 17, 2096-2106	8
152	Distribution of Cranberry Blue Butterflies (<i>Agriades optilete</i>) and Their Responses to Forest Disturbance from In Situ Oil Sands and Wildfires. 2018 , 10, 112	8
151	Spatial distribution of male display sites in a North African population of Houbara Bustard <i>Chlamydotis undulata undulata</i> §§ This article is from a special issue on Hot Birds: Birds of the Arid Zones¶ 2018 , 89, 355-362	1
150	A gentle introduction to camera-trap data analysis. 2018 , 56, 740-749	51
149	Integrating spatial and phylogenetic information in the fourth-corner analysis to test trait-environment relationships. 2018 , 99, 2667-2674	9
148	Some recent work on multivariate Gaussian Markov random fields. 2018 , 27, 497-541	11
147	Adjacency-Clustering and Its Application for Yield Prediction in Integrated Circuit Manufacturing. 2018 , 66, 1571-1585	3
146	The spatial distribution of BUN reference values of Chinese healthy adults: a cross-section study. 2018 , 62, 2099-2107	6

145	Tasseled cap transformation for assessing hurricane landfall impact on a coastal watershed. 2018 , 73, 736-745		10
144	Accounting for and Predicting the Influence of Spatial Autocorrelation in Water Quality Modeling. 2018 , 7, 64		14
143	Spatial patterns of long-term vegetation greening and browning are consistent across multiple scales: Implications for monitoring land degradation. 2018 , 29, 2485-2495		15
142	A guide to Bayesian model checking for ecologists. <i>Ecological Monographs</i> , 2018 , 88, 526-542	9	83
141	On the relationship between conditional (CAR) and simultaneous (SAR) autoregressive models. 2018 , 25, 68-85		27
140	Risk Assessment and Mapping of Hand, Foot, and Mouth Disease at the County Level in Mainland China Using Spatiotemporal Zero-Inflated Bayesian Hierarchical Models. 2018 , 15,		17
139	Threatened Plants in China's Sanjiang Plain: Hotspot Distributions and Gap Analysis. 2018 , 10, 194		6
138	Contribution of local rarity and climatic suitability to local extinction and colonization varies with species traits. 2018 , 87, 1560-1572		2
137	Modeling spatial and temporal dynamics of plant species richness across tidal creeks in a temperate salt marsh. <i>Ecological Indicators</i> , 2018 , 93, 188-195	5.8	10
136	Using geomorphological variables to predict the spatial distribution of plant species in agricultural drainage networks. 2018 , 13, e0191397		4
135	Mammalian carnivore occupancy is inversely related to presence of domestic dogs in the high Andes of Ecuador. 2018 , 13, e0192346		50
134	Neighborhood Context and Enduring Differences in the Density of Charitable Organizations: Reinforcing Dynamics of Foundation and Dissolution. 2018 , 123, 1535-1600		8
133	An analysis of spatiotemporal patterns in Chinese agricultural productivity between 2004 and 2014. <i>Ecological Indicators</i> , 2019 , 105, 591-600	5.8	38
132	Habitat use models of spatially auto-correlated data: a case study of the common bottlenose dolphin, <i>Tursiops truncatus truncatus</i> , in southeastern Brazil. 2019 , 15, 305-316		2
131	Geographic body size variation of a tropical anuran: effects of water deficit and precipitation seasonality on Asian common toad from southern Asia. 2019 , 19, 208		4
130	Relationships between Riparian Forest Fragmentation and Biological Indicators of Streams. 2019 , 11, 2870		11
129	Knowing your limits: estimating range boundaries and co-occurrence zones for two competing plethodontid salamanders. 2019 , 10, e02727		4
128	Investigating urban heat island through spatial analysis of New York City streetscapes. 2019 , 233, 972-992		35

127	Theoretical analysis of spatial nonhomogeneous patterns of entomopathogenic fungi growth on insect pest. 2019 , 29, 053134	4
126	Assessing Space, Time, and Remediation Contribution to Soil Pollutant Variation near the Detection Limit Using Hurdle Models to Account for a Large Proportion of Nondetectable Results. 2019 , 53, 6824-6833	3
125	Residual spatial autocorrelation in macroecological and biogeographical modeling: a review. 2019 , 43,	13
124	Spatial land use regression of nitrogen dioxide over a 5-year interval in Calgary, Canada. 2019 , 33, 1335-1354	2
123	Randomized algorithms of maximum likelihood estimation with spatial autoregressive models for large-scale networks. 2019 , 29, 1165-1179	1
122	Facilitation of management plan development via spatial classification of areas invaded by alien invasive plant. 2019 , 21, 2067-2080	4
121	Space-time series models. 2019 , 261-299	
120	Efficient Bayesian analysis of occupancy models with logit link functions. 2019 , 9, 756-768	5
119	Autoregressive Modeling of Forest Dynamics. 2019 , 10, 1074	2
118	Ensemble habitat suitability modeling of vulnerable marine ecosystem indicator taxa to inform deep-sea fisheries management in the South Pacific Ocean. 2019 , 211, 256-274	27
117	Spatially structured statistical network models for landscape genetics. <i>Ecological Monographs</i> , 2019 , 89, e01355	9 13
116	New method for landslide susceptibility mapping supported by spatial logistic regression and GeoDetector: A case study of Duwen Highway Basin, Sichuan Province, China. 2019 , 324, 62-71	56
115	Calling behaviour of <i>Elachistocleis matogrosso</i> (Anura, Microhylidae) is associated with habitat temperature and rainfall. 2020 , 29, 670-683	8
114	Portraying the spatial dynamics of urban vibrancy using multisource urban big data. 2020 , 80, 101428	41
113	Investigating spatial non-stationary environmental effects on the distribution of giant pandas in the Qinling Mountains, China. 2020 , 21, e00894	3
112	Predicting landscape-scale summer resource selection for the northern long-eared bat (<i>Myotis septentrionalis</i>) in Iowa. 2020 , 101, 172-186	
111	Previous year outbreak conditions and spring climate predict spruce budworm population changes in the following year. 2020 , 458, 117737	3
110	A hierarchical framework for estimating abundance and population growth from imperfectly observed removals. 2020 , 11, e03131	1

109	Synergistic Effects of Grassland Fragmentation and Temperature on Bovine Rabies Emergence. 2020 , 17, 203-216		9
108	Occupancy patterns of an apex avian predator across a forest landscape. 2020 , 45, 825		
107	A Review of Overlapping Landscapes: Pseudoreplication or a Red Herring in Landscape Ecology?. 2020 , 5, 140-148		6
106	Rwenzori Score (RS): A Benthic Macroinvertebrate Index for Biomonitoring Rivers and Streams in the Rwenzori Region, Uganda. 2020 , 12, 10473		3
105	Differential Law and Influencing Factors of Groundwater Depth in the Key Agricultural and Pastoral Zones Driven by the Minimum Hydrological Response Unit. 2020 , 10, 7105		0
104	Analysis of HIV/AIDS Epidemic and Socioeconomic Factors in Sub-Saharan Africa. 2020 , 22,		2
103	Raptor breeding sites as a surrogate for conserving high avian taxonomic richness and functional diversity in urban ecosystems. <i>Ecological Indicators</i> , 2020 , 119, 106874	5.8	3
102	Spatial Distribution of a Tree Trunk Specialist Spider: Relative Role of Landscape Versus Microhabitat Drivers. 2020 , 49, 963-973		
101	Forest cover and open land drive the distribution and dynamics of the breeding sites for urban-dwelling Northern Goshawks. <i>Urban Forestry and Urban Greening</i> , 2020 , 53, 126732	5.4	6
100	Landscape and biophysical controls of lake productivity to inform evaluation of sockeye salmon (<i>Oncorhynchus nerka</i>) populations in data-limited regions. 2020 , 65, 2205-2219		3
99	Generalised Additive Models and Random Forest Approach as effective methods for predictive species density and functional species richness. 2020 , 27, 273-292		8
98	Aging in China: An International and Domestic Comparative Study. 2020 , 12, 5086		4
97	Spatial Regression with Multiple Dependent Variables: Principal Component Analysis and Spatial Autocorrelation. 2020 , 53, 543		
96	Contemporary range position predicts the range-wide pattern of genetic diversity in balsam poplar (<i>Populus balsamifera</i> L.). 2020 , 47, 1246-1257		4
95	Assessment of landscape ecological risk for a cross-border basin: A case study of the Koshi River Basin, central Himalayas. <i>Ecological Indicators</i> , 2020 , 117, 106621	5.8	15
94	A geographical exploration of environmental and land use characteristics of suicide in the greater Toronto area. 2020 , 287, 112790		7
93	Vegetation change as related to terrain factors at two glacier forefronts, Glacier National Park, Montana, U.S.A.. 2020 , 17, 1-15		6
92	Introduction: The Conservation Issue. 2021 , 1-33		

91	Development of Hierarchical Spatial Models for Assessing Ungulate Abundance and Habitat Relationships. 2021 , 35-82		
90	Correcting misclassification errors in crowdsourced ecological data: A Bayesian perspective. 2021 , 70, 147-173	2	
89	Modeling multiscale influences on natural hazards vulnerability: a proof of concept using coastal hazards in Sarasota County, Florida. 2021 , 86, 507-528	2	
88	Rapid Detection of Hot-Spot by Tensor Decomposition with Application to Weekly Gonorrhoea Data. 2021 , 265-286	0	
87	Low spatial autocorrelation in mountain biodiversity data and model residuals. 2021 , 12, e03403	1	
86	The Pitfalls in the Path of Probabilistic Inference in Forensic Entomology: A Review. <i>Insects</i> , 2021 , 12,	2.8	8
85	Predicting range shifts for critically endangered plants: Is habitat connectivity irrelevant or necessary?. 2021 , 256, 109033	4	
84	Predicting the magnitude of residual spatial autocorrelation in geographical ecology. 2021 , 44, 1121	0	
83	Understanding the reliability of citizen science observational data using item response models. 2021 , 12, 1533-1548	1	
82	How changes in beach morphology affect hawksbill turtle (<i>Eretmochelys imbricata</i>) nesting distribution at Celestun, Yucatan, Mexico. 2021 , 44, 101714	0	
81	Efficiency of fine scale and spatial regression in modelling associations between healthcare service spatial accessibility and their utilization. 2021 , 20, 22	3	
80	Consequences of ignoring variable and spatially autocorrelated detection probability in spatial capture-recapture. 2021 , 36, 2879-2895	4	
79	Spatial and temporal population dynamics of male and female <i>Aedes albopictus</i> at a local scale in Medellín, Colombia. 2021 , 14, 312	1	
78	Spatial Gaussian processes improve multi-species occupancy models when range boundaries are uncertain and nonoverlapping. 2021 , 11, 8516-8527	1	
77	Spatial Analysis as a Tool for Plant Population Conservation: A Case Study of <i>Tamarix chinensis</i> in the Yellow River Delta, China. 2021 , 13, 8291	0	
76	Financial agglomeration, technological innovation, and green total factor energy efficiency. 2021 , 60, 4085-4095	11	
75	Analyzing Spatiotemporal Development of Organic Farming in Poland. 2021 , 13, 10399	1	
74	Causal assumptions and causal inference in ecological experiments. 2021 , 36, 1141-1152	4	

73	Accounting for spatial autocorrelation is needed to avoid misidentifying trade-offs and bundles among ecosystem services. <i>Ecological Indicators</i> , 2021 , 129, 107992	5.8	3
72	Nocturnal vocal behaviour of the diurnal Undulated Tinamou (<i>Crypturellus undulatus</i>) is associated with temperature and moon phase. 2021 , 163, 684-694		4
71	Clustering and Assignment Methods in Landscape Genetics. 114-128		9
70	Approaches to Predicting Broad-Scale Regime Shifts Using Changing Pattern-Process Relationships Across Scales. 2009 , 47-72		5
69	Avian Spatial Responses to Forest Spatial Heterogeneity at the Landscape Level: Conceptual and Statistical Challenges. 2009 , 137-160		4
68	Spatial Statistics. 2015 , 143-174		1
67	Testing for Network and Spatial Autocorrelation. 2020 , 91-104		2
66	Application of geographically weighted regression in estimating the effect of climate and site conditions on vegetation distribution in Haihe Catchment, China. 2010 , 169-179		1
65	Environmental drivers of vascular and non-vascular epiphyte abundance in tropical pre-montane cloud forests in Northern Peru. 2017 , 28, 1198-1208		3
64	Estimating temporal trend in the presence of spatial complexity: a Bayesian hierarchical model for a wetland plant population undergoing restoration. 2011 , 6, e28635		5
63	Explaining local-scale species distributions: relative contributions of spatial autocorrelation and landscape heterogeneity for an avian assemblage. 2013 , 8, e55097		29
62	Assessing regional and interspecific variation in threshold responses of forest breeding birds through broad scale analyses. 2013 , 8, e55996		8
61	Multi-scale, direct and indirect effects of the urban stream syndrome on amphibian communities in streams. 2013 , 8, e70262		13
60	A network extension of species occupancy models in a patchy environment applied to the Yosemite Toad (<i>Anaxyrus canorus</i>). 2013 , 8, e72200		10
59	Did vaccination slow the spread of bluetongue in France?. 2014 , 9, e85444		10
58	Invasiveness does not predict impact: response of native land snail communities to plant invasions in riparian habitats. 2014 , 9, e108296		9
57	Landscape-Scale Controls on Aboveground Forest Carbon Stocks on the Osa Peninsula, Costa Rica. 2015 , 10, e0126748		37
56	Multiple Scales of Control on the Structure and Spatial Distribution of Woody Vegetation in African Savanna Watersheds. 2015 , 10, e0145192		15

37	Exploring Non-Linear Relationships Between Landscape and Aquatic Ecological Condition in Southern Wisconsin. 2019 , 1242-1263		
36	A model for longitudinal data sets relating wind-damage probability to biotic and abiotic factors: a Bayesian approach. 2019 , 28, e019		
35	Spatial variation and association between maternal chemical fertilizer exposure and preterm birth in a rural area in Northern China. 2021 , 29, 19460		0
34	Consequences of ignoring variable and spatially-autocorrelated detection probability in spatial capture-recapture.		1
33	Hydrogeomorphological controls on reach-scale distributions of cichlid nest sites in a small neotropical river. 2021 , 30, 244-255		
32	References. 2020 , 725-754		
31	Habitat Use and Abundance of Island-Endemic White-Tailed Deer in Panama. 2020 , 45, 13		1
30	Spatial Science and Its Traditions. 2020 , 1-13		
29	Spatial Science and Its Traditions. 2005 , 1-10		
28	Multiple glacial refugia across northern and southern China and unexpected patterns of spatial genetic diversity in <i>Betula albosinensis</i> : a widespread temperate deciduous tree species.		
27	Habitat quality and edge area of fragments determine insect diversity in a heavily used landscape: Implications for forest landscape restoration. <i>Biotropica</i> ,	2.3	1
26	Feature-dependent group structures and hierarchical songbird-habitat relationships in a managed forest landscape. <i>Ecological Indicators</i> , 2022 , 136, 108717	5.8	
25	What can a mid-sized, semi-arid city teach us about human-made forests?. <i>Urban Ecosystems</i> , 1	2.8	
24	Is Forensic Entomology Lost in Space?. <i>Insects</i> , 2021 , 13,	2.8	1
23	Time and Spatial Series. <i>Springer Texts in Statistics</i> , 2022 , 305-338	0.2	
22	Disentangling direct and indirect effects of local temperature on abundance of mountain birds and implications for understanding global change impacts.. <i>PeerJ</i> , 2021 , 9, e12560	3.1	3
21	Association between maternal exposure to chemical fertilizer and the risk of birth defects in a rural population in northern China: a population-based study.. <i>International Health</i> , 2022 ,	2.4	0
20	Determinants of bank closures: Exploring the relationship between neighbourhood characteristics and bank branch locations. <i>Papers in Applied Geography</i> , 1-24	0.7	

19	Multi-scale responses of bird species to tree cover and development in an urbanizing landscape. <i>Urban Forestry and Urban Greening</i> , 2022 , 73, 127601	5.4	
18	Hawksbill presence and habitat suitability of a marine reserve in Honduras. <i>Ocean and Coastal Management</i> , 2022 , 225, 106204	3.9	
17	Assessment of appropriate species-specific time intervals to integrate GPS telemetry data in ecological niche models. <i>Ecological Informatics</i> , 2022 , 101701	4.2	○
16	The Spread of the Invasive Locust Digitate Leafminer <i>Parectopa robiniella</i> Clemens, 1863 (Lepidoptera: Gracillariidae) in Europe, with Special Reference to Ukraine. 2022 , 14, 605		
15	Quantifying the Relationship between 2D/3D Building Patterns and Land Surface Temperature: Study on the Metropolitan Shanghai. 2022 , 14, 4098		○
14	A statistical learning framework for spatial-temporal feature selection and application to air quality index forecasting. 2022 , 144, 109416		○
13	Spatial confounding in Bayesian species distribution modeling.		○
12	Balancing structural complexity with ecological insight in Spatio-temporal species distribution models.		1
11	Landscape Ecological Risk Assessment and Impact Factor Analysis of the Qinghai-Tibetan Plateau. 2022 , 14, 4726		1
10	Influence of the Demographic, Social, and Environmental Factors on the COVID-19 Pandemic Analysis of the Local Variations Using Geographically Weighted Regression. 2022 , 19, 11881		○
9	Development of Two Early Forecasting Models for Predicting Incidence of Rice Panicle Blast in China.		○
8	Urban green space and albedo impacts on surface temperature across seven United States cities. 2023 , 857, 159663		○
7	Assessing Metallic Pollution Using Taxonomic Diversity of Offshore Meiobenthic Copepods. 2022 , 14, 15670		○
6	Nonlinearity and Spatial Autocorrelation in Species Distribution Modeling: An Example Based on Weakfish (<i>Cynoscion regalis</i>) in the Mid-Atlantic Bight. 2023 , 8, 27		○
5	A hybrid deep learning framework for air quality prediction with spatial autocorrelation during the COVID-19 pandemic. 2023 , 13,		1
4	Long-term spatiotemporal patterns in the number of colonies and honey production in Mexico. 2023 , 13,		○
3	Modelling spatially autocorrelated detection probabilities in spatial capture-recapture using random effects. 2023 , 479, 110324		○
2	Integrals of life: Tracking ecosystem spatial heterogeneity from space through the area under the curve of the parametric Rao's Q index. 2022 , 52, 101029		○

- 1 Spatial analysis to evaluate the effects of soil sand content on the progress of the invasive process of *G. triacanthos* in riparian forests.

o