

The relationships of left ventricular ejection fraction, end-systolic volume, and infarct size to six-month mortality after hospital discharge in patients with acute myocardial infarction treated by thrombolysis

Journal of the American College of Cardiology

39, 30-36

DOI: [10.1016/s0735-1097\(01\)01711-9](https://doi.org/10.1016/s0735-1097(01)01711-9)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Relation of Ejection Fraction and Inducible Ventricular Tachycardia to Mode of Death in Patients With Coronary Artery Disease. <i>Circulation</i> , 2002, 106, 2466-2472.	1.6	201
2	Is Core Laboratory Essential for Using Echocardiography in Clinical Trials? Controlled vs Random Error. <i>European Heart Journal Cardiovascular Imaging</i> , 2002, 3, 245-247.	0.5	5
3	Induction of mild systemic hypothermia with endovascular cooling during primary percutaneous coronary intervention for acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2002, 40, 1928-1934.	1.2	316
4	Use of radionuclide imaging in acute coronary syndromes. <i>Current Cardiology Reports</i> , 2003, 5, 25-31.	1.3	4
5	Depression as a risk factor for mortality after acute myocardial infarction. <i>American Journal of Cardiology</i> , 2003, 92, 1277-1281.	0.7	203
6	Quantitative regional wall motion analysis with early contrast ventriculography for the assessment of myocardium at risk in acute myocardial infarction. <i>American Heart Journal</i> , 2003, 145, 1051-1057.	1.2	6
8	Effect of Cardiac Resynchronization Therapy on Left Ventricular Size and Function in Chronic Heart Failure. <i>Circulation</i> , 2003, 107, 1985-1990.	1.6	1,059
9	Value of echocardiography in predicting future cardiac events after acute myocardial infarction. <i>Current Opinion in Cardiology</i> , 2003, 18, 378-384.	0.8	5
10	An assessment of wall motion, perfusion and glucose metabolism in recent myocardial infarction: a comparison in patients with and without revascularization. <i>Nuclear Medicine Communications</i> , 2003, 24, 1155-1165.	0.5	1
11	Survival of patients treated with intra-aortic balloon counterpulsation for cardiogenic shock in a tertiary centre: variables correlated with death. <i>European Journal of Emergency Medicine</i> , 2003, 10, 213-218.	0.5	6
12	Nuclear Cardiology Core Laboratory: State of the Art. <i>Cardiology</i> , 2003, 3, 34-47.	0.3	3
13	Electrocardiographic Gated ^{99m} Tc-Sestamibi SPECT Immediately after Primary Percutaneous Coronary Intervention Characterizes Reperfusion Success. <i>Cardiology</i> , 2003, 99, 198-204.	0.6	4
14	Reconstru�o fisiol�gica do ventr�culo esquerdo: o conceito de m�xima redu�o ventricular e m�nima resposta inflam�ria. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2004, 19, 353.	0.2	2
15	Acute Myocardial Infarction: Contrast-enhanced Multi-Phase Detector Row CT in a Porcine Model. <i>Radiology</i> , 2004, 231, 697-701.	3.6	144
16	The relation between viable segments and left ventricular ejection fraction improvement. <i>Journal of Medical Engineering and Technology</i> , 2004, 28, 242-253.	0.8	1
17	Neurohormonal response to left ventricular reconstruction surgery in ischemic cardiomyopathy. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2004, 128, 38-43.	0.4	60
18	Effects of percutaneous coronary arterial thrombectomy during acute myocardial infarction on left ventricular remodeling. <i>American Journal of Cardiology</i> , 2004, 93, 527-531.	0.7	31
19	Relationship of infarct size and severity versus left ventricular ejection fraction and volumes obtained from ^{99m} Tc-sestamibi gated single-photon emission computed tomography in patients treated with primary percutaneous coronary intervention. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 969-74.	3.3	35

#	ARTICLE	IF	CITATIONS
20	Prognostic value of gated myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2004, 11, 171-185.	1.4	572
21	Exercise echocardiographic findings and outcome of patients referred for evaluation of dyspnea. <i>Journal of the American College of Cardiology</i> , 2004, 43, 2242-2246.	1.2	69
22	The case for surgery in obstructive hypertrophic cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2004, 44, 2044-2053.	1.2	204
23	The quantification of infarct size. <i>Journal of the American College of Cardiology</i> , 2004, 44, 1533-1542.	1.2	316
24	Infarct extent by MRI correlates with peak serum troponin level in the canine model. <i>Journal of Surgical Research</i> , 2004, 120, 266-271.	0.8	38
25	Prognostic value of admission glucose in non-diabetic patients with myocardial infarction. <i>American Heart Journal</i> , 2004, 148, 399-404.	1.2	124
26	Inflection point of ascending aortic waveform is a predictive factor for all-cause and cardiovascular mortality in patients with chronic renal failure on hemodialysis. <i>American Journal of Hypertension</i> , 2004, 17, 1151-1155.	1.0	5
27	Distal Microcirculatory Protection During Percutaneous Coronary Intervention in Acute ST-Segment Elevation Myocardial Infarction<SUBTITLE>A Randomized Controlled Trial</SUBTITLE>. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 1063.	3.8	508
28	Impact and Determinants of Left Ventricular Function in Patients Undergoing Primary Percutaneous Coronary Intervention in Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2005, 96, 325-331.	0.7	85
29	Can Amiodarone Prevent Sudden Cardiac Death in Patients with Hemodynamically Tolerated Sustained Ventricular Tachycardia and Coronary Artery Disease?. <i>Cardiovascular Drugs and Therapy</i> , 2005, 19, 219-226.	1.3	1
30	Reverse remodelling in heart failure with cardiac resynchronisation therapy. <i>Heart</i> , 2005, 93, 167-171.	1.2	67
31	Noninvasive cardiac imaging in the evaluation of suspected acute coronary syndromes. <i>Expert Review of Cardiovascular Therapy</i> , 2005, 3, 473-486.	0.6	2
32	Incidence, predictors, and outcomes of high-degree atrioventricular block complicating acute myocardial infarction treated with thrombolytic therapy. <i>American Heart Journal</i> , 2005, 149, 670-674.	1.2	94
33	Predictive power of ejection fraction and renal failure in patients admitted for chest pain without ST elevation in the troponin era. <i>American Heart Journal</i> , 2005, 150, 666-673.	1.2	8
34	High Serum Erythropoietin Level Is Associated With Smaller Infarct Size in Patients With Acute Myocardial Infarction Who Undergo Successful Primary Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2005, 45, 1406-1412.	1.2	119
35	A Randomized, Double-Blinded, Placebo-Controlled Multicenter Trial of Adenosine as an Adjunct to Reperfusion in the Treatment of Acute Myocardial Infarction (AMISTAD-II). <i>Journal of the American College of Cardiology</i> , 2005, 45, 1775-1780.	1.2	543
36	Characterization of the Peri-Infarct Zone by Contrast-Enhanced Cardiac Magnetic Resonance Imaging Is a Powerful Predictor of Post-Myocardial Infarction Mortality. <i>Circulation</i> , 2006, 114, 32-39.	1.6	732
37	Rheolytic Thrombectomy With Percutaneous Coronary Intervention for Infarct Size Reduction in Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2006, 48, 244-252.	1.2	268

#	ARTICLE	IF	CITATIONS
38	Sestamibi single photon emission computed tomography immediately after primary percutaneous coronary intervention identifies patients at risk for large infarcts. <i>American Heart Journal</i> , 2006, 151, 1108-1114.	1.2	14
39	Rationale and design of a randomized, double-blind, placebo-controlled trial of ivabradine in patients with stable coronary artery disease and left ventricular systolic dysfunction: the morbidity-mortality Evaluation of the If inhibitor ivabradine in patients with coronary disease and left ventricular dysfunction (BEAUTIFUL) Study. <i>American Heart Journal</i> , 2006, 152, 860-866.	1.2	79
40	Size of myocardial infarction induced by ischaemia/reperfusion is unaltered in rats with metabolic syndrome. <i>Clinical Science</i> , 2006, 110, 665-671.	1.8	28
41	Reduction of infarct size in a rat model of regional myocardial ischemia and reperfusion by the synthetic peptide DAHK. <i>Critical Care Medicine</i> , 2006, 34, 1955-1959.	0.4	5
42	Clinical characteristics, hospital morbidity and mortality, and up to 1-year follow-up events of acute myocardial infarction patients: the first report from Iran. <i>Coronary Artery Disease</i> , 2006, 17, 585-591.	0.3	12
43	Depressed heart rate response to vasodilator stress for myocardial SPECT predicts mortality in patients after myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2006, 22, 663-670.	0.7	12
44	Promising though not yet proven: Emerging strategies to promote myocardial salvage. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 68, 596-606.	0.7	6
45	Routine Thrombectomy in Percutaneous Coronary Intervention for Acute ST-Segment Elevation Myocardial Infarction. <i>Circulation</i> , 2006, 114, 40-47.	1.6	242
46	Shades of Gray in Cardiac Magnetic Resonance Images of Infarcted Myocardium. <i>Circulation</i> , 2006, 114, 8-10.	1.6	21
47	Inhibition of mitochondrial permeability transition improves functional recovery and reduces mortality following acute myocardial infarction in mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H1654-H1661.	1.5	168
48	Rationale and Design of the F.I.R.E.™ Study. <i>Cardiology</i> , 2007, 108, 117-123.	0.6	16
49	Feasibility and clinical decision-making with 3D echocardiography in routine practice. <i>Heart</i> , 2007, 94, 440-445.	1.2	57
50	Safety and diagnostic accuracy of stress cardiac magnetic resonance imaging vs exercise tolerance testing early after acute ST elevation myocardial infarction. <i>Heart</i> , 2007, 93, 1363-1368.	1.2	44
51	Impact of cardiac and renal dysfunction on in-hospital morbidity and mortality of patients with acute myocardial infarction undergoing primary angioplasty. <i>American Heart Journal</i> , 2007, 153, 755-762.	1.2	68
52	Infarct size, ejection fraction, and mortality in diabetic patients with acute myocardial infarction treated with thrombolytic therapy. <i>American Heart Journal</i> , 2007, 154, 743-750.	1.2	78
53	Right Ventricular Dysfunction Assessed by Cardiovascular Magnetic Resonance Imaging Predicts Poor Prognosis Late After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2007, 49, 855-862.	1.2	182
54	Acute Myocardial Infarction Early Viability Assessment by 64-Slice Computed Tomography Immediately After Coronary Angiography. <i>Journal of the American College of Cardiology</i> , 2007, 49, 1178-1185.	1.2	92
55	Early Prediction of Infarct Size by Strain Doppler Echocardiography After Coronary Reperfusion. <i>Journal of the American College of Cardiology</i> , 2007, 49, 1715-1721.	1.2	120

#	ARTICLE	IF	CITATIONS
56	Echocardiography in Heart Failure. <i>Journal of the American College of Cardiology</i> , 2007, 50, 381-396.	1.2	188
57	Percutaneous Coronary Arterial Thrombectomy for Acute Myocardial Infarction Reduces No-Reflow Phenomenon and Protects Against Left Ventricular Remodeling Related to the Proximal Left Anterior Descending and Right Coronary Artery. <i>International Heart Journal</i> , 2007, 48, 287-302.	0.5	10
58	Variation in heart rate influences the assessment of transient ischemic dilation in myocardial perfusion scintigraphy. <i>BMC Nuclear Medicine</i> , 2007, 7, 1.	1.4	6
59	Protection of Distal Embolization in High-Risk Patients With Acute ST-Segment Elevation Myocardial Infarction (PREMIAR). <i>American Journal of Cardiology</i> , 2007, 99, 357-363.	0.7	75
60	Predictors of Infarct Size After Primary Coronary Angioplasty in Acute Myocardial Infarction from Pooled Analysis from Four Contemporary Trials. <i>American Journal of Cardiology</i> , 2007, 100, 1370-1375.	0.7	125
61	Nitrate-enhanced gated SPECT in patients with primary angioplasty for acute myocardial infarction: evidence of a reversible and nitrate-sensitive impairment of myocardial perfusion. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1981-1990.	3.3	17
62	Postconditioning in man. <i>Heart Failure Reviews</i> , 2007, 12, 245-248.	1.7	29
63	Value of simultaneous functional assessment in association with acute rest perfusion imaging for predicting short- and long-term outcomes in emergency department patients with chest pain. <i>Journal of Nuclear Cardiology</i> , 2008, 15, 774-782.	1.4	14
64	Prehospital cardiac arrest: a marker for higher mortality in patients with acute myocardial infarction and moderately reduced left ventricular function: results from the MITRA plus registry. <i>Clinical Research in Cardiology</i> , 2008, 97, 748-752.	1.5	7
65	Limitation of myocardial infarct size in the clinical setting: current status and challenges in translating animal experiments into clinical therapy. <i>Basic Research in Cardiology</i> , 2008, 103, 501-513.	2.5	149
66	Individual differences in the effectiveness of intracoronary bone marrow cell transplantation assessed by gated sestamibi SPECT/FDG PET imaging. <i>Journal of Nuclear Cardiology</i> , 2008, 15, 392-399.	1.4	13
68	Effect of Cyclosporine on Reperfusion Injury in Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2008, 359, 473-481.	13.9	1,189
69	Ivabradine for patients with stable coronary artery disease and left-ventricular systolic dysfunction (BEAUTIFUL): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2008, 372, 807-816.	6.3	934
70	Value of simultaneous functional assessment in association with acute rest perfusion imaging for predicting short- and long-term outcomes in emergency department patients with chest pain. <i>Journal of Nuclear Cardiology</i> , 2008, 15, 774-782.	1.4	0
71	The relationship between left ventricular ejection fraction and infarct size assessed by MRI. <i>Scandinavian Cardiovascular Journal</i> , 2008, 42, 137-145.	0.4	13
72	Infarct size by contrast enhanced cardiac magnetic resonance is a stronger predictor of outcomes than left ventricular ejection fraction or end-systolic volume index: prospective cohort study. <i>Heart</i> , 2008, 94, 730-736.	1.2	382
73	Long-Term Benefit of Postconditioning. <i>Circulation</i> , 2008, 117, 1037-1044.	1.6	384
74	Activation of p38 mitogen-activated protein kinase abolishes insulin-mediated myocardial protection against ischemia-reperfusion injury. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 294, E183-E189.	1.8	20

#	ARTICLE	IF	CITATIONS
75	Assessment of Acute Myocardial Infarction Using MDCT After Percutaneous Coronary Intervention: Comparison with MRI. <i>American Journal of Roentgenology</i> , 2008, 191, 441-447.	1.0	23
76	Late medical versus interventional therapy for stable ST-segment elevation myocardial infarction. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2008, 5, 42-52.	3.3	7
77	The BEAUTIFUL Study: Randomized Trial of Ivabradine in Patients with Stable Coronary Artery Disease and Left Ventricular Systolic Dysfunction – Baseline Characteristics of the Study Population. <i>Cardiology</i> , 2008, 110, 271-282.	0.6	39
78	Infarct size and myocardial salvage after primary angioplasty in patients presenting with symptoms for <12 h vs. 12-72 h. <i>European Heart Journal</i> , 2009, 30, 1322-1330.	1.0	89
79	Increase in end-systolic volume after exercise independently predicts mortality in patients with coronary heart disease: data from the Heart and Soul Study. <i>European Heart Journal</i> , 2009, 30, 2478-2484.	1.0	24
80	Troponin T Concentration 3 Days after Acute ST-Elevation Myocardial Infarction Predicts Infarct Size and Cardiac Function at 3 Months. <i>Cardiology</i> , 2009, 113, 207-212.	0.6	21
81	Neglect of the coronary circulation: some critical remarks on problems in the translation of cardioprotection. <i>Cardiovascular Research</i> , 2009, 84, 11-14.	1.8	13
82	A Novel 18 F-Labeled Tracer for the Quantification of Myocardial Blood Flow and Infarct Size With Positron-Emission Tomography. <i>Circulation: Cardiovascular Imaging</i> , 2009, 2, 75-76.	1.3	4
83	Value of cardiac CT in patients with heart failure. <i>Current Cardiovascular Imaging Reports</i> , 2009, 2, 410-417.	0.4	15
84	Quantification of Left Ventricular Parameters Obtained by Automated Software for 64-Slice Multidetector Computed Tomography and Comparison with Magnetic Resonance Imaging. <i>CardioVascular and Interventional Radiology</i> , 2009, 32, 1154-1160.	0.9	12
85	Reduced plasma fibrinolytic capacity as a potential risk factor for a first myocardial infarction in young men. <i>British Journal of Haematology</i> , 2009, 145, 121-127.	1.2	62
86	Serum potassium levels on admission and infarct size in patients with acute myocardial infarction. <i>Clinica Chimica Acta</i> , 2009, 409, 46-51.	0.5	8
87	Reduced SERCA2a converts sub-lethal myocardial injury to infarction and affects postischemic functional recovery. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 46, 285-287.	0.9	19
88	Mild Hypothermia to Limit Myocardial Ischemia-Reperfusion Injury: Importance of Timing. <i>Annals of Thoracic Surgery</i> , 2009, 87, 157-163.	0.7	52
89	Cardiovascular Magnetic Resonance in Patients With Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2009, 55, 1-16.	1.2	294
90	Prognostic Value of a Comprehensive Cardiac Magnetic Resonance Assessment Soon After a First ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 835-842.	2.3	108
91	Early Assessment of Myocardial Viability by the Use of Delayed Enhancement Computed Tomography After Primary Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 1072-1081.	2.3	40
92	Quantitative Analysis of Left Ventricular Function as a Tool in Clinical Research. Theoretical Basis and Methodology. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 535-551.	0.4	10

#	ARTICLE	IF	CITATIONS
93	Comparison of Left Ventricular Ejection Fraction and Left Ventricular Global Strain as Determinants of Infarct Size in Patients with Acute Myocardial Infarction. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 1232-1238.	1.2	65
94	Prognostic value of echocardiography after acute myocardial infarction. <i>Heart</i> , 2009, 95, 1732-1745.	1.2	69
95	Análisis cuantitativo de la función ventricular izquierda como herramienta para la investigación clínica. <i>Fundamentos y metodología. Revista Espanola De Cardiologia</i> , 2009, 62, 535-551.	0.6	22
96	Echocardiography for the Management of End Stage Ischemic Heart Disease and as a Tool for Resynchronization Therapy. , 2009, , 377-404.		0
97	Prognostic Value of Left Ventricular End-Systolic Volume Index as a Predictor of Heart Failure Hospitalization in Stable Coronary Artery Disease: Data from the Heart and Soul Study. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 190-197.	1.2	71
98	Hyperbaric Oxygen: Its Application in Cardiology. <i>Cardiology in Review</i> , 2009, 17, 280-282.	0.6	7
99	A step further with ivabradine: SIGNIFY (Study assessINg the morbidity-mortality beNefits of the I) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2009, 11, D19-D27.	0.0	21
100	Effect of Supersaturated Oxygen Delivery on Infarct Size After Percutaneous Coronary Intervention in Acute Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2009, 2, 366-375.	1.4	109
101	Comparison of early and long-term results of percutaneous coronary interventions in patients with ST elevation myocardial infarction, complicated or not by cardiogenic shock. <i>Coronary Artery Disease</i> , 2010, 21, 13-19.	0.3	7
102	Evaluation of the relationship between hyperinsulinaemia and myocardial ischaemia/reperfusion injury in a rat model of depression. <i>Clinical Science</i> , 2010, 118, 259-267.	1.8	14
103	Automated Assessment of Myocardial Viability After Acute Myocardial Infarction by Global Longitudinal Peak Strain on Low-Dose Dobutamine Stress Echocardiography. <i>Circulation Journal</i> , 2010, 74, 2158-2165.	0.7	8
104	Prognostic value of minimal blood flow restoration in patients with acute myocardial infarction after reperfusion therapy. <i>Clinical Research in Cardiology</i> , 2010, 99, 13-19.	1.5	10
105	Evaluation of the influence of age and gender on the relationships between infarct size, infarct severity, and left ventricular ejection fraction in patients successfully treated with primary percutaneous coronary intervention. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 444-449.	1.4	5
106	Head to head comparison of quantitative versus visual analysis of contrast CMR in the setting of myocardial stunning after STEMI: implications on late systolic function and patient outcome. <i>International Journal of Cardiovascular Imaging</i> , 2010, 26, 559-569.	0.7	8
107	Peak Cardiac Troponin-T Level, Scintigraphic Myocardial Infarct Size and One-Year Prognosis in Patients Undergoing Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2010, 106, 1212-1217.	0.7	53
108	Relationship of dysglycemia to acute myocardial infarct size and cardiovascular outcome as determined by cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 61.	1.6	41
109	Strain Echocardiography and Wall Motion Score Index Predicts Final Infarct Size in Patients With Non-ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2010, 3, 187-194.	1.3	86
110	A Pilot Study of Rapid Cooling by Cold Saline and Endovascular Cooling Before Reperfusion in Patients With ST-Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2010, 3, 400-407.	1.4	223

#	ARTICLE	IF	CITATIONS
111	Noninvasive MR characterization of structural and functional components of reperfused infarct. <i>Acta Radiologica</i> , 2010, 51, 1093-1102.	0.5	8
112	Cardiac troponin I for the prediction of functional recovery and left ventricular remodelling following primary percutaneous coronary intervention for ST-elevation myocardial infarction. <i>Heart</i> , 2010, 96, 1892-1897.	1.2	37
113	Reduction of infarct size by gentle reperfusion without activation of reperfusion injury salvage kinases in pigs. <i>Cardiovascular Research</i> , 2010, 85, 110-117.	1.8	64
114	Prediction of 1-Year Mortality With Different Measures of ST-Segment Recovery in All-Comers After Primary Percutaneous Coronary Intervention for Acute Myocardial Infarction. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010, 3, 522-529.	0.9	14
115	Influence of functional deficiency of complement mannose-binding lectin on outcome of patients with acute ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>European Heart Journal</i> , 2010, 31, 1181-1187.	1.0	53
116	5-Year Prognostic Value of No-Reflow Phenomenon After Percutaneous Coronary Intervention in Patients With Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2010, 55, 2383-2389.	1.2	380
117	Longitudinal and Circumferential Strain Rate, Left Ventricular Remodeling, and Prognosis After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1812-1822.	1.2	263
118	Value of NT-ProBNP Level and Echocardiographic Parameters in ST-Segment Elevation Myocardial Infarction Treated by Primary Angioplasty: Relationships Between These Variables and Their Usefulness as Predictors of Ventricular Remodeling. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2010, 63, 1019-1027.	0.4	2
119	Acute coronary occlusion in non-ST-elevation acute coronary syndrome: outcome and early identification by strain echocardiography. <i>Heart</i> , 2010, 96, 1550-1556.	1.2	110
120	The extent of irreversible myocardial damage and the potential for left ventricular repair after primary percutaneous coronary intervention. <i>American Heart Journal</i> , 2010, 160, S4-S10.	1.2	11
121	NT-proBNP y variables ecocardiogrÁficas en el infarto con elevaci3n del ST tratado con angioplastia primaria: relaci3n entre ambos y utilidad como predictores de remodelado ventricular. <i>Revista Espanola De Cardiologia</i> , 2010, 63, 1019-1027.	0.6	8
122	Remote ischaemic conditioning before hospital admission, as a complement to angioplasty, and effect on myocardial salvage in patients with acute myocardial infarction: a randomised trial. <i>Lancet, The</i> , 2010, 375, 727-734.	6.3	885
123	Giving the ischaemic heart a shot in the arm. <i>Lancet, The</i> , 2010, 375, 699-700.	6.3	7
124	Cardiac conditioning: a review of evolving strategies to reduce ischaemia-reperfusion injury. <i>Heart</i> , 2010, 96, 1179-1186.	1.2	47
125	Postconditioning and protection from reperfusion injury: where do we stand? * Position Paper from the Working Group of Cellular Biology of the Heart of the European Society of Cardiology. <i>Cardiovascular Research</i> , 2010, 87, 406-423.	1.8	447
126	The association between metabolic syndrome and infarct size in patients with acute myocardial infarction. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 287-293.	0.6	7
127	Water soluble flavonol prodrugs that protect against ischaemia-reperfusion injury in rat hindlimb and sheep heart. <i>MedChemComm</i> , 2011, 2, 321.	3.5	7
128	Características clÍnicas y pron3stico a un a±o de pacientes con sÁndrome coronario agudo sin elevaci3n del segmento ST y arterias coronarias sanas. <i>Revista Colombiana De Cardiologia</i> , 2011, 18, 316-323.	0.1	1

#	ARTICLE	IF	CITATIONS
129	Beta3-Adrenoceptor Activation Just Says NO to Myocardial Reperfusion Injury. <i>Journal of the American College of Cardiology</i> , 2011, 58, 2692-2694.	1.2	12
130	Troponin T Levels and Infarct Size by SPECT Myocardial Perfusion Imaging. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 523-533.	2.3	47
131	The Stuttering Progress of Cell Therapy for Heart Disease. <i>Clinical Pharmacology and Therapeutics</i> , 2011, 90, 532-541.	2.3	85
132	A role for GRK2 in myocardial ischemic injury: indicators of a potential future therapy and diagnostic. <i>Future Cardiology</i> , 2011, 7, 547-556.	0.5	12
133	Mitochondria in Postconditioning. <i>Antioxidants and Redox Signaling</i> , 2011, 14, 863-880.	2.5	56
134	Mesenchymal stem cell exosome: a novel stem cell-based therapy for cardiovascular disease. <i>Regenerative Medicine</i> , 2011, 6, 481-492.	0.8	477
135	Mean Strain Throughout the Heart Cycle by Longitudinal Two-Dimensional Speckle-Tracking Echocardiography Enables Early Prediction of Infarct Size. <i>Journal of the American Society of Echocardiography</i> , 2011, 24, 1118-1125.	1.2	15
136	Incremental value of echocardiographic assessment beyond clinical evaluation for prediction of death and development of heart failure after high-risk myocardial infarction. <i>American Heart Journal</i> , 2011, 161, 1156-1162.	1.2	17
137	Therapeutic Hypothermia in Acute Myocardial Infarction: A Systematic Review. <i>Canadian Journal of Cardiology</i> , 2011, 27, 555-561.	0.8	46
139	Cardioprotective properties of Tat-BH4 and Pip2b-BH4 in vivo. <i>Journal of Controlled Release</i> , 2011, 156, 117.	4.8	0
140	High-dose insulin in experimental myocardial infarction in rabbits: protection against effects of hyperglycaemia. <i>Journal of Diabetes and Its Complications</i> , 2011, 25, 122-128.	1.2	17
141	The relationships between cardiovascular magnetic resonance imaging variables of acute myocardial infarction and both left ventricular dysfunction and immediate postreperfusion ST segment recovery. <i>Journal of Electrocardiology</i> , 2011, 44, 561-567.	0.4	4
142	Effect of additional treatment with EXenatide in patients with an Acute Myocardial Infarction (EXAMI): study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 240.	0.7	18
143	Prognostic Utility of Left Ventricular End-Diastolic Pressure in Patients with ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2011, 108, 1068-1074.	0.7	45
144	Body Weight Loss After Myocardial Infarction in Rats as a Marker of Early Heart Failure Development. <i>Archives of Medical Research</i> , 2011, 42, 274-280.	1.5	13
145	Left ventricular volume: an optimal parameter to detect systolic dysfunction on prospectively triggered 64-multidetector row computed tomography: another step towards reducing radiation exposure. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 1015-1023.	0.7	9
146	Cardiac magnetic resonance imaging: infarct size is an independent predictor of mortality in patients with coronary artery disease. <i>Magnetic Resonance Imaging</i> , 2011, 29, 50-56.	1.0	62
147	A Review of Mild Hypothermia as an Adjunctive Treatment for ST-Elevation Myocardial Infarction. <i>Therapeutic Hypothermia and Temperature Management</i> , 2011, 1, 129-141.	0.3	27

#	ARTICLE	IF	CITATIONS
148	Preserved or slightly depressed ejection fraction and outcomes after myocardial infarction. Postgraduate Medical Journal, 2011, 87, 400-404.	0.9	1
149	Cardiovascular MRI in clinical trials: expanded applications through novel surrogate endpoints. Heart, 2011, 97, 1286-1292.	1.2	24
150	Cardiac imaging after myocardial infarction. European Heart Journal, 2011, 32, 272-283.	1.0	101
151	Tc-99m SPECT Sestamibi for the Measurement of Infarct Size. Journal of Cardiovascular Pharmacology and Therapeutics, 2011, 16, 321-331.	1.0	21
152	Reperfusion haemorrhage as determined by cardiovascular MRI is a predictor of adverse left ventricular remodelling and markers of late arrhythmic risk. Heart, 2011, 97, 453-459.	1.2	136
153	Strain rate imaging combined with wall motion analysis gives incremental value in direct quantification of myocardial infarct size. European Heart Journal Cardiovascular Imaging, 2012, 13, 914-921.	0.5	13
154	Prevalence and Prognosis of Unrecognized Myocardial Infarction Determined by Cardiac Magnetic Resonance in Older Adults. JAMA - Journal of the American Medical Association, 2012, 308, 890.	3.8	234
155	Sudden Cardiac Death in Adult Congenital Heart Disease. Circulation, 2012, 126, 1944-1954.	1.6	303
156	Predictor of event-free survival in patients with myocardial infarction. Acute Cardiac Care, 2012, 14, 105-109.	0.2	0
157	Low-Dose Spironolactone Prevents Apoptosis Repressor With Caspase Recruitment Domain Degradation During Myocardial Infarction. Hypertension, 2012, 59, 1164-1169.	1.3	37
158	No-Reflow Phenomenon and Endothelial Glycocalyx of Microcirculation. Biochemistry Research International, 2012, 2012, 1-10.	1.5	22
159	Troponin for the Estimation of Infarct Size: What Have We Learned?. Cardiology, 2012, 121, 204-212.	0.6	70
160	Rationale and Design of the "MITOCARE"™ Study: A Phase II, Multicenter, Randomized, Double-Blind, Placebo-Controlled Study to Assess the Safety and Efficacy of TRO40303 for the Reduction of Reperfusion Injury in Patients Undergoing Percutaneous Coronary Intervention for Acute Myocardial Infarction. Cardiology, 2012, 123, 201-207.	0.6	46
161	Remote ischemic conditioning. Journal of Cardiovascular Medicine, 2012, 13, 667-674.	0.6	19
162	The Role of Cyclosporine in the Treatment of Myocardial Reperfusion Injury. Shock, 2012, 37, 341-347.	1.0	17
163	Postconditioning during primary percutaneous angioplasty: is the jury still out?. Interventional Cardiology, 2012, 4, 505-507.	0.0	0
164	Why are We Interested in Viability?. Medical Radiology, 2012, , 155-171.	0.0	0
165	Calcium antagonists in myocardial ischemia/reperfusion" update 2012. Wiener Medizinische Wochenschrift, 2012, 162, 302-310.	0.5	10

#	ARTICLE	IF	CITATIONS
166	A comparison of organic and inorganic nitrates/nitrites. Nitric Oxide - Biology and Chemistry, 2012, 26, 229-240.	1.2	79
167	Cyclosporin variably and inconsistently reduces infarct size in experimental models of reperfused myocardial infarction: a systematic review and meta-analysis. British Journal of Pharmacology, 2012, 165, 2034-2043.	2.7	58
168	The coronary circulation in cardioprotection: more than just one confounder. Cardiovascular Research, 2012, 94, 237-245.	1.8	72
169	Multiple biomarkers at admission are associated with angiographic, electrocardiographic, and imaging cardiovascular mechanistic markers of outcomes in patients undergoing primary percutaneous coronary intervention for acute ST-elevation myocardial infarction. American Heart Journal, 2012, 163, 783-789.	1.2	6
170	Peak longitudinal strain most accurately reflects myocardial segmental viability following acute myocardial infarction - an experimental study in open-chest pigs. Cardiovascular Ultrasound, 2012, 10, 23.	0.5	20
171	Postconditioning during coronary angioplasty in acute myocardial infarction: the POST-AMI trial. International Journal of Cardiology, 2012, 162, 33-38.	0.8	112
172	Delayed Postconditioning: Not Too Late?. Trends in Cardiovascular Medicine, 2012, 22, 173-179.	2.3	9
173	Gender differences in contrast-enhanced magnetic resonance imaging after acute myocardial infarction. Journal of Cardiovascular Magnetic Resonance, 2012, 14, .	1.6	0
174	Endogenous cardioprotection by ischaemic postconditioning and remote conditioning. Cardiovascular Research, 2012, 94, 206-216.	1.8	42
175	Collateral blood flow can predict myocardial blush grade in primary coronary intervention. Catheterization and Cardiovascular Interventions, 2012, 80, 67-70.	0.7	5
176	The role of cardiac magnetic resonance imaging following acute myocardial infarction. European Radiology, 2012, 22, 1757-1768.	2.3	17
177	Cardiovascular Mortality and Heart Failure Risk Score for Patients After ST-Segment Elevation Acute Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention (Data from the) Tj ETQq1 1 0.784317 rgBT /0verlock	1.7	10
178	Oral treatment with nicorandil at discharge is associated with reduced mortality after acute myocardial infarction. Journal of Cardiology, 2012, 59, 14-21.	0.8	31
179	Peak systolic velocity using color-coded tissue Doppler imaging, a strong and independent predictor of outcome in acute coronary syndrome patients. Cardiovascular Ultrasound, 2013, 11, 9.	0.5	14
180	Mitral Annular Displacement by Doppler Tissue Imaging May Identify Coronary Occlusion and Predict Mortality in Patients with Non-ST-Elevation Myocardial Infarction. Journal of the American Society of Echocardiography, 2013, 26, 875-884.	1.2	15
181	Effect of additional treatment with EXenatide in patients with an Acute Myocardial Infarction: The EXAMI study. International Journal of Cardiology, 2013, 167, 289-290.	0.8	36
182	Association between lectin complement pathway initiators, C-reactive protein and left ventricular remodeling in myocardial infarction - A magnetic resonance study. Molecular Immunology, 2013, 54, 408-414.	1.0	27
183	Cardioprotection: chances and challenges of its translation to the clinic. Lancet, The, 2013, 381, 166-175.	6.3	457

#	ARTICLE	IF	CITATIONS
184	The prognostic value of mechanical left ventricular dyssynchrony in patients with acute coronary syndrome. <i>Cardiovascular Ultrasound</i> , 2013, 11, 35.	0.5	8
185	Three-dimensional Echocardiography in the Evaluation of Global and Regional Function in Patients with Recent Myocardial Infarction: A Comparison with Magnetic Resonance Imaging. <i>Echocardiography</i> , 2013, 30, 682-692.	0.3	31
186	Myocardial Deformation Analysis in Contrast Echocardiography: First Results Using Two-Dimensional Cardiac Performance Analysis. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 1282-1289.	1.2	7
187	Prognostic implications of left ventricular end-diastolic pressure during primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: Findings from the Assessment of Pexelizumab in Acute Myocardial Infarction study. <i>American Heart Journal</i> , 2013, 166, 913-919.	1.2	54
188	T wave alternans in experimental myocardial infarction: Time course and predictive value for the assessment of myocardial damage. <i>Journal of Electrocardiology</i> , 2013, 46, 263-269.	0.4	10
189	Peak and Fixed-Time High-Sensitive Troponin for Prediction of Infarct Size, Impaired Left Ventricular Function, and Adverse Outcomes in Patients With First ST-Segment Elevation Myocardial Infarction Receiving Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2013, 111, 1387-1393.	0.7	39
190	Estimation of infarct size using transthoracic Doppler echocardiographic measurement of coronary flow reserve in infarct related and reference coronary artery. <i>International Journal of Cardiology</i> , 2013, 168, 169-175.	0.8	8
191	Intracoronary administration of darbepoetin-alpha at onset of reperfusion in acute myocardial infarction: Results of the randomized Intra-Co-EpoMI trial. <i>Archives of Cardiovascular Diseases</i> , 2013, 106, 135-145.	0.7	10
192	The role of cardiac fibroblasts in the transition from inflammation to fibrosis following myocardial infarction. <i>Vascular Pharmacology</i> , 2013, 58, 182-188.	1.0	121
193	Prevalence of left and balanced coronary arterial dominance decreases with increasing age of patients at autopsy. A postmortem coronary angiograms study. <i>Cardiovascular Pathology</i> , 2013, 22, 49-53.	0.7	36
194	Detection of infarct size safety threshold for left ventricular ejection fraction impairment in acute myocardial infarction successfully treated with primary percutaneous coronary intervention. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 542-547.	3.3	3
195	Gender differences in contrast-enhanced magnetic resonance imaging after acute myocardial infarction. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 643-650.	0.7	8
196	Adjusted prognostic association of depression following myocardial infarction with mortality and cardiovascular events: individual patient data meta-analysis. <i>British Journal of Psychiatry</i> , 2013, 203, 90-102.	1.7	166
197	The safety and efficacy of intracoronary nitrite infusion during acute myocardial infarction (NITRITE-AMI): study protocol of a randomised controlled trial. <i>BMJ Open</i> , 2013, 3, e002813.	0.8	29
198	Strategic target temperature management in myocardial infarction—a feasibility trial. <i>Heart</i> , 2013, 99, 1663-1667.	1.2	15
199	Enhancing retention and efficacy of cardiosphere-derived cells administered after myocardial infarction using a hyaluronan-gelatin hydrogel. <i>Biomatter</i> , 2013, 3, .	2.6	45
200	Intermittent Losartan Administration Triggers Cardiac Post-Conditioning in Isolated Rat Hearts: Role of BK2 Receptors. <i>PLoS ONE</i> , 2014, 9, e88542.	1.1	6
201	Longitudinal Strain Is a Marker of Microvascular Obstruction and Infarct Size in Patients with Acute ST-Segment Elevation Myocardial Infarction. <i>PLoS ONE</i> , 2014, 9, e86959.	1.1	32

#	ARTICLE	IF	CITATIONS
202	The prognostic importance of left ventricular function in patients with ST-segment elevation myocardial infarction: the HORIZONS-AMI trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2014, 3, 67-77.	0.4	75
203	Berberine attenuates adverse left ventricular remodeling and cardiac dysfunction after acute myocardial infarction in rats: Role of autophagy. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014, 41, 995-1002.	0.9	59
204	The impact of kidney function on outcomes following high risk myocardial infarction: findings from 27,610 patients. <i>European Journal of Heart Failure</i> , 2014, 16, 289-299.	2.9	19
205	Left ventricular geometric remodeling in relation to non-ischemic scar pattern on cardiac magnetic resonance imaging. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1559-1567.	0.7	18
206	Endogenous assessment of chronic myocardial infarction with T1-mapping in patients. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 104.	1.6	32
207	Contemporary Cardiovascular Imaging Methods for the Assessment of At-Risk Myocardium. <i>Journal of the American Heart Association</i> , 2014, 3, e000473.	1.6	10
208	Long-Term Benefit of Early Pre-Reperfusion Metoprolol Administration in Patients With Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2014, 63, 2356-2362.	1.2	162
209	Chronic Metformin Treatment is Associated with Reduced Myocardial Infarct Size in Diabetic Patients with ST-segment Elevation Myocardial Infarction. <i>Cardiovascular Drugs and Therapy</i> , 2014, 28, 163-171.	1.3	49
210	A mismatch index based on the difference between measured left ventricular ejection fraction and that estimated by infarct size at three months following reperfused acute myocardial infarction. <i>Journal of Electrocardiology</i> , 2014, 47, 191-196.	0.4	2
211	Effects of incretin-based therapy in patients with heart failure and myocardial infarction. <i>Endocrine</i> , 2014, 47, 21-28.	1.1	21
212	Long-term clinical outcome after intracoronary application of bone marrow-derived mononuclear cells for acute myocardial infarction: migratory capacity of administered cells determines event-free survival. <i>European Heart Journal</i> , 2014, 35, 1275-1283.	1.0	91
213	Rapid Endovascular Catheter Core Cooling Combined With Cold Saline as an Adjunct to Percutaneous Coronary Intervention for the Treatment of Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2014, 63, 1857-1865.	1.2	203
214	Positive effect of intravenous iron-oxide administration on left ventricular remodelling in patients with acute ST-elevation myocardial infarction – A cardiovascular magnetic resonance (CMR) study. <i>International Journal of Cardiology</i> , 2014, 173, 184-189.	0.8	46
215	Progression in attenuating myocardial reperfusion injury: An overview. <i>International Journal of Cardiology</i> , 2014, 170, 261-269.	0.8	43
216	Relation Between Coronary Arterial Dominance and Left Ventricular Ejection Fraction After ST-Segment Elevation Acute Myocardial Infarction in Patients Having Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2014, 114, 1646-1650.	0.7	9
217	β ₃ adrenergic receptor selective stimulation during ischemia/reperfusion improves cardiac function in translational models through inhibition of mPTP opening in cardiomyocytes. <i>Basic Research in Cardiology</i> , 2014, 109, 422.	2.5	63
218	In-hospital measurement of left ventricular ejection fraction and one-year outcomes in acute coronary syndromes: results from the IMMEDIATE Trial. <i>Cardiovascular Ultrasound</i> , 2015, 14, 29.	0.5	20
219	Optimized delivery of intracoronary supersaturated oxygen in acute anterior myocardial infarction: A feasibility and safety study. <i>Catheterization and Cardiovascular Interventions</i> , 2015, 86, S51-7.	0.7	7

#	ARTICLE	IF	CITATIONS
220	Improving myocardial injury, infarct size, and myocardial salvage in the era of primary PCI for STEMI. <i>Coronary Artery Disease</i> , 2015, 26, 341-355.	0.3	24
221	Treatment of Myocardial Ischemia/Reperfusion Injury by Ischemic and Pharmacological Postconditioning. <i>Circulation</i> , 2015, 127, 1123-1145.		68
222	Cardiac-Specific SOCS3 Deletion Prevents In Vivo Myocardial Ischemia Reperfusion Injury through Sustained Activation of Cardioprotective Signaling Molecules. <i>PLoS ONE</i> , 2015, 10, e0127942.	1.1	21
223	Effects of Cyclosporine on Reperfusion Injury in Patients: A Meta-Analysis of Randomized Controlled Trials. <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-6.	1.9	11
224	Prognostic Value of Left Ventricular End-Diastolic Pressure in Patients With Non-ST-Segment Elevation Myocardial Infarction. <i>Cardiology Research</i> , 2015, 6, 301-305.	0.5	8
225	Assessment of Myocardial Infarct Size by Three-Dimensional and Two-Dimensional Speckle Tracking Echocardiography: A Comparative Study to Single Photon Emission Computed Tomography. <i>Echocardiography</i> , 2015, 32, 1539-1546.	0.3	10
226	Therapeutic Hypothermia for the Treatment of Acute Myocardial Infarction: Combined Analysis of the RAPID MI-ICE and the CHILL-MI Trials. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015, 5, 77-84.	0.3	54
227	Prospective, Multicenter, Randomized, Controlled Pilot Trial of Peritoneal Hypothermia in Patients With ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e001965.	1.4	76
228	Utility of Peak Creatine Kinase-MB Measurements in Predicting Myocardial Infarct Size, Left Ventricular Dysfunction, and Outcome After First Anterior Wall Acute Myocardial Infarction (from the Tj ETQq0 0 0 rgBT7Overlock 10 Tf 50)		
229	Myeloid-derived growth factor (C19orf10) mediates cardiac repair following myocardial infarction. <i>Nature Medicine</i> , 2015, 21, 140-149.	15.2	168
230	Molecular Basis of Cardioprotection. <i>Circulation Research</i> , 2015, 116, 674-699.	2.0	686
232	Integrated FDG PET/MR Imaging for the Assessment of Myocardial Salvage in Reperfused Acute Myocardial Infarction. <i>Radiology</i> , 2015, 276, 400-407.	3.6	37
233	Evaluation of Cardiac Magnetic Resonance as a Surrogate in ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2015, 115, 1607-1614.	0.7	4
234	Inhibition of myocardial reperfusion injury by ischemic postconditioning requires sirtuin 3-mediated deacetylation of cyclophilin D. <i>Journal of Molecular and Cellular Cardiology</i> , 2015, 84, 61-69.	0.9	91
235	Recomendaciones sobre rehabilitaci3n cardaca en la cardiopatAa isquA©mica de la Sociedad de Rehabilitaci3n Cardio-Respiratoria (SORECAR). <i>Rehabilitacion</i> , 2015, 49, 102-124.	0.2	4
236	Evaluation of myocardial infarction size with three-dimensional speckle tracking echocardiography: a comparison with single photon emission computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1571-1581.	0.7	10
237	Extracellular signalling molecules in the ischaemic/reperfused heart - druggable and translatable for cardioprotection?. <i>British Journal of Pharmacology</i> , 2015, 172, 2010-2025.	2.7	63
238	Usefulness of Two-Dimensional Longitudinal Strain Pattern to Predict Left Ventricular Recovery and In-Hospital Complications after Acute Anterior Myocardial Infarction Treated Successfully by Primary Angioplasty. <i>Journal of the American Society of Echocardiography</i> , 2015, 28, 1366-1375.	1.2	15

#	ARTICLE	IF	CITATIONS
239	Spontaneous ventricular tachyarrhythmias in β_2 -adrenoceptor transgenic mice in relation to cardiac interstitial fibrosis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 309, H946-H957.	1.5	35
240	Is MRI Really the Gold Standard for the Quantification of Salvage From Myocardial Infarction?. <i>Circulation Research</i> , 2015, 117, 222-224.	2.0	28
241	Major publications in the critical care pharmacotherapy literature: January–December 2014. <i>American Journal of Health-System Pharmacy</i> , 2015, 72, 1974-1985.	0.5	6
242	Pharmacologic Therapy for Reducing Myocardial Infarct Size in Clinical Trials. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2015, 20, 21-35.	1.0	8
243	Cardiosphere-Derived Cells. , 2016, , 217-222.		0
244	Echocardiographic Predictors for Left Ventricular Remodeling after Acute ST Elevation Myocardial Infarction with Low Risk Group: Speckle Tracking Analysis. <i>Journal of Cardiovascular Imaging</i> , 2016, 24, 128.	0.8	12
245	Myocardial Viability: From Proof of Concept to Clinical Practice. <i>Cardiology Research and Practice</i> , 2016, 2016, 1-10.	0.5	9
246	Clinical effects of cyclosporine A on reperfusion injury in myocardial infarction: a meta-analysis of randomized controlled trials. <i>SpringerPlus</i> , 2016, 5, 1117.	1.2	12
247	Relationship Between Infarct Size and Outcomes Following Primary PCI. <i>Journal of the American College of Cardiology</i> , 2016, 67, 1674-1683.	1.2	444
248	The association of left ventricular ejection fraction with clinical outcomes after myocardial infarction: Findings from the Acute Coronary Treatment and Intervention Outcomes Network (ACTION) Registry—Get With the Guidelines (GWTG) Medicare-linked database. <i>American Heart Journal</i> , 2016, 178, 65-73.	1.2	54
249	Ischemia and Infarction in STEMI Patients With Multivessel Disease. <i>Journal of the American College of Cardiology</i> , 2016, 67, 2698-2699.	1.2	6
250	In Acute Myocardial Infarction Liver Parameters Are Associated With Stenosis Diameter. <i>Medicine (United States)</i> , 2016, 95, e2807.	0.4	18
251	Insights from cardiac imaging after ST-elevation myocardial infarction: Will increased recognition of patients at risk translate into improved long-term outcomes?. <i>American Heart Journal</i> , 2016, 180, 113-116.	1.2	0
252	STEMI notification by EMS predicts shorter door-to-balloon time and smaller infarct size. <i>American Journal of Emergency Medicine</i> , 2016, 34, 1610-1613.	0.7	22
253	Sudden cardiac death in adult congenital heart disease: can the unpredictable be foreseen?. <i>Europace</i> , 2016, 19, euw060.	0.7	27
254	Time to Give Up on Cardioprotection?. <i>Circulation Research</i> , 2016, 119, 676-695.	2.0	169
255	Cardioprotective effects of intracoronary administration of 4-chlorodiazepam in small and large animal models of ischemia-reperfusion. <i>International Journal of Cardiology</i> , 2016, 224, 90-95.	0.8	10
256	MRI Post-Processing Methods for Myocardial Infarct Quantification. <i>Current Radiology Reports</i> , 2016, 4, 1.	0.4	12

#	ARTICLE	IF	CITATIONS
257	The association between normal-range admission potassium levels in Israeli patients with acute coronary syndrome and early and late outcomes. <i>Medicine (United States)</i> , 2016, 95, e3778.	0.4	19
258	Identification of High-Risk Patients with Non-ST Segment Elevation Myocardial Infarction using Strain Doppler Echocardiography: Correlation with Cardiac Magnetic Resonance Imaging. <i>Clinical Medicine Insights: Cardiology</i> , 2016, 10, CMC.S35734.	0.6	3
259	The combined effect of subcutaneous granulocyte- colony stimulating factor and myocardial contrast echocardiography with intravenous infusion of sulfur hexafluoride on post-infarction left ventricular function, the RIGENERA 2.0 trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 97.	0.7	6
260	Reducing myocardial infarct size: challenges and future opportunities. <i>Heart</i> , 2016, 102, 341-348.	1.2	185
261	Prognostic value of left ventricular global function index in patients after ST-segment elevation myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 169-176.	0.5	38
262	Circulating Endothelial Cells and Endothelial Function Predict Major Adverse Cardiac Events and Early Adverse Left Ventricular Remodeling in Patients With ST-segment Elevation Myocardial Infarction. <i>Journal of Interventional Cardiology</i> , 2016, 29, 89-98.	0.5	14
263	MRI in the assessment of ischaemic heart disease. <i>Heart</i> , 2016, 102, 239-252.	1.2	23
264	Transatlantic Comparison of ST-Segment Elevation Myocardial Infarction Guidelines. <i>Journal of the American College of Cardiology</i> , 2016, 67, 216-229.	1.2	23
265	Regional cardiac dysfunction and outcome in patients with left ventricular dysfunction, heart failure, or both after myocardial infarction. <i>European Heart Journal</i> , 2016, 37, 466-472.	1.0	40
266	Peri-infarct zone pacing to prevent adverse left ventricular remodelling in patients with large myocardial infarction. <i>European Heart Journal</i> , 2016, 37, 484-493.	1.0	10
267	Usefulness of traditional echocardiographic parameters in assessment of left ventricular function in patients with normal ejection fraction early after acute myocardial infarction: results from a large consecutive cohort. <i>European Heart Journal Cardiovascular Imaging</i> , 2016, 17, 413-420.	0.5	14
268	Comparison of Electrocardiography Markers and Speckle Tracking Echocardiography for Assessment of Left Ventricular Myocardial Scar Burden in Patients With Previous Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 119, 1307-1312.	0.7	0
269	A review of strategies for infarct size reduction during acute myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2017, 18, 374-383.	0.3	10
270	Reperfusion injury in ST-segment elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2017, 28, 253-262.	0.3	17
271	Prognostic Implications of Mid-Range Left Ventricular Ejection Fraction on Patients Presenting With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 120, 186-190.	0.7	22
272	Critical Issues for the Translation of Cardioprotection. <i>Circulation Research</i> , 2017, 120, 1477-1486.	2.0	241
273	Cardiac Fibrosis and Arrhythmogenesis. , 2017, 7, 1009-1049.		97
274	Pulmonary Flow as an Improved Method for Determining Cardiac Output in Mice after Myocardial Infarction. <i>Journal of the American Society of Echocardiography</i> , 2017, 30, 612-623.e1.	1.2	7

#	ARTICLE	IF	CITATIONS
275	Primary Prevention of Sudden Cardiac Death Early Post-Myocardial Infarction. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2017, 10, .	2.1	21
276	Prognostic value of ejection fraction in patients admitted with acute coronary syndrome. <i>Medicine (United States)</i> , 2017, 96, e6226.	0.4	50
277	Low QRS Voltage on Presenting Electrocardiogram Predicts Multi-vessel Disease in Anterior ST-segment Elevation Myocardial Infarction. <i>Journal of Electrocardiology</i> , 2017, 50, 870-875.	0.4	9
278	Monocyte-derived circulating microparticles (CD14+, CD14+/CD11b+ and CD14+/CD142+) are related to long-term prognosis for cardiovascular mortality in STEMI patients. <i>International Journal of Cardiology</i> , 2017, 227, 876-881.	0.8	47
279	Effect of Intracoronary and Intravenous Melatonin on Myocardial Salvage Index in Patients with ST-Elevation Myocardial Infarction: a Randomized Placebo Controlled Trial. <i>Journal of Cardiovascular Translational Research</i> , 2017, 10, 470-479.	1.1	32
280	The Diagnostic Value of Global Longitudinal Strain (GLS) on Myocardial Infarction Size by Echocardiography: A Systematic Review and Meta-analysis. <i>Scientific Reports</i> , 2017, 7, 10082.	1.6	25
281	High-dose Humanin analogue applied during ischemia exerts cardioprotection against ischemia/reperfusion injury by reducing mitochondrial dysfunction. <i>Cardiovascular Therapeutics</i> , 2017, 35, e12289.	1.1	34
282	Comparison of Left Ventricular Function and Myocardial Infarct Size Determined by 2-Dimensional Speckle Tracking Echocardiography in Patients With and Without Chronic Obstructive Pulmonary Disease After ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2017, 120, 734-739.	0.7	6
283	Left ventricular ejection fraction and mortality in patients with ST-elevation myocardial infarction and bundle branch block. <i>Coronary Artery Disease</i> , 2017, 28, 232-238.	0.3	1
284	Noninvasive approach to mend the broken heart: Is remote conditioning a promising strategy for application in humans?. <i>Canadian Journal of Physiology and Pharmacology</i> , 2017, 95, 1204-1212.	0.7	5
285	The role of left ventricular deformation in the assessment of microvascular obstruction and intramyocardial haemorrhage. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 361-370.	0.7	18
286	Depressive symptoms, functional measures and long-term outcomes of high-risk ST-elevated myocardial infarction patients treated by primary angioplasty. <i>Internal and Emergency Medicine</i> , 2017, 12, 31-43.	1.0	5
287	Improvement of Local Cell Delivery Using Helix Transendocardial Delivery Catheter in a Porcine Heart. <i>International Heart Journal</i> , 2017, 58, 435-440.	0.5	24
288	Prospective comparison of novel dark blood late gadolinium enhancement with conventional bright blood imaging for the detection of scar. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 91.	1.6	36
289	Cardiovascular magnetic resonance imaging assessment of outcomes in acute myocardial infarction. <i>World Journal of Cardiology</i> , 2017, 9, 109.	0.5	26
290	Inflammatory Response During Myocardial Infarction. <i>Advances in Clinical Chemistry</i> , 2018, 84, 39-79.	1.8	26
291	Long-term prognostic value of single-photon emission computed tomography myocardial perfusion imaging after primary PCI for STEMI. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 1287-1293.	0.5	8
292	Markers of Reperfusion and Long-Term (8-Year) Prognosis after Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2018, 122, 39-46.	0.7	4

#	ARTICLE	IF	CITATIONS
293	High-sensitivity cardiac troponin T, left ventricular function, and outcome in non-â€œST elevation acute coronary syndrome. <i>American Heart Journal</i> , 2018, 197, 70-76.	1.2	4
294	Long-term clinical outcomes in patients with cardiogenic shock according to left ventricular function: The French registry of Acute ST-elevation and non-ST-elevation Myocardial Infarction (FAST-MI) programme. <i>Archives of Cardiovascular Diseases</i> , 2018, 111, 678-685.	0.7	9
295	Peak CK-MB has a strong association with chronic scar size and wall motion abnormalities after revascularized non-transmural myocardial infarction â€œ a prospective CMR study. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 27.	0.7	16
296	High-sensitivity cardiac troponin T and prognosis in patients with ST-segment elevation myocardial infarction. <i>Journal of Cardiology</i> , 2018, 72, 220-226.	0.8	15
297	Subacute cardiac rubidium-82 positron emission tomography (82Rb-PET) to assess myocardial area at risk, final infarct size, and myocardial salvage after STEMI. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 970-981.	1.4	6
298	Validation of cadmiumâ€œzincâ€œtelluride camera for measurement of left ventricular systolic performance. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 1029-1036.	1.4	11
299	Postprocedural high-sensitivity troponin T and prognosis in patients with non-ST-segment elevation myocardial infarction treated with early percutaneous coronary intervention. <i>Cardiovascular Revascularization Medicine</i> , 2018, 19, 480-486.	0.3	5
300	Myocardial Viability in Ischaemic Heart Disease. , 2018, , 347-384.		0
301	Chronic Neuropathic Pain Protects the Heart from Ischemia-Reperfusion Injury. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1099, 101-114.	0.8	2
302	Variability in Ejection Fraction Measured By Echocardiography, Gated Single-Photon Emission Computed Tomography, and Cardiac Magnetic Resonance in Patients With Coronary Artery Disease and Left Ventricular Dysfunction. <i>JAMA Network Open</i> , 2018, 1, e181456.	2.8	143
303	Evolution of Echocardiographic Measures of Cardiac Disease From CKD to ESRD and Risk of All-Cause Mortality: Findings From the CRIC Study. <i>American Journal of Kidney Diseases</i> , 2018, 72, 390-399.	2.1	34
304	Myocardial Viability Testing to Guide Coronary Revascularization. <i>Interventional Cardiology Clinics</i> , 2018, 7, 355-365.	0.2	20
305	Practical guidelines for rigor and reproducibility in preclinical and clinical studies on cardioprotection. <i>Basic Research in Cardiology</i> , 2018, 113, 39.	2.5	311
306	Predictive Value of High-Sensitivity Troponin T for Systolic Dysfunction and Infarct Size (Six Months) After ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018, 122, 735-743.	0.7	10
307	The Role of O-GlcNAcylation for Protection against Ischemia-Reperfusion Injury. <i>International Journal of Molecular Sciences</i> , 2019, 20, 404.	1.8	40
308	Myocardial viability of the peri-infarct region measured by T1 mapping post manganese-enhanced MRI correlates with LV dysfunction. <i>International Journal of Cardiology</i> , 2019, 281, 8-14.	0.8	2
309	Evaluation of acute myocardial infarction patients with mid-range ejection fraction after emergency percutaneous coronary intervention. <i>Postgraduate Medical Journal</i> , 2019, 95, 355-360.	0.9	2
310	Utilization and Costs of Noninvasive Cardiac Tests After Acute Coronary Syndromes: Insights From the Alberta COAPT Study. <i>CJC Open</i> , 2019, 1, 76-83.	0.7	4

#	ARTICLE	IF	CITATIONS
311	Prognostic Role of Left Ventricular Dysfunction in Patients With Coronary Artery Disease After an Ambulatory Cardiac Rehabilitation Program. <i>American Journal of Cardiology</i> , 2019, 124, 355-361.	0.7	5
312	Beyond Reperfusion: Acute Ventricular Unloading and Cardioprotection During Myocardial Infarction. <i>Journal of Cardiovascular Translational Research</i> , 2019, 12, 95-106.	1.1	39
313	CT's Role for Myocardial Viability Assessment. <i>Contemporary Medical Imaging</i> , 2019, , 829-845.	0.3	0
314	Use of Multifactorial Treatments to Address the Challenge of Translating Experimental Myocardial Infarct Reduction Strategies. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1449.	1.8	6
315	Cardioprotective effects of cerebrolysin on the lesion severity and inflammatory factors in a rat model of isoproterenol-induced myocardial injury. <i>Pharmacological Reports</i> , 2019, 71, 682-687.	1.5	14
316	Impact of Lipoprotein (a) Levels on Long-Term Outcomes in Patients With Coronary Artery Disease and Left Ventricular Systolic Dysfunction. <i>Circulation Journal</i> , 2019, 83, 1047-1053.	0.7	11
317	An artificial intelligence approach to early predict non-ST-elevation myocardial infarction patients with chest pain. <i>Computer Methods and Programs in Biomedicine</i> , 2019, 173, 109-117.	2.6	42
318	Crystal structure and receptor-interacting residues of MYDGF a protein mediating ischemic tissue repair. <i>Nature Communications</i> , 2019, 10, 5379.	5.8	19
319	Out-of-hospital initiation of hypothermia in ST-segment elevation myocardial infarction: a randomised trial. <i>Heart</i> , 2019, 105, 531-537.	1.2	28
320	Relation of Ratio of Left Ventricular Ejection Fraction to Left Ventricular End-Diastolic Pressure to Long-Term Prognosis After ST-Segment Elevation Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2019, 123, 199-205.	0.7	9
321	Left ventricular global longitudinal strain and long-term prognosis in patients with chronic obstructive pulmonary disease after acute myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 56-65.	0.5	12
322	Liver parameters as part of a non-invasive model for prediction of all-cause mortality after myocardial infarction. <i>Archives of Medical Science</i> , 2020, 16, 71-80.	0.4	10
323	Remote ischaemic conditioning for myocardial infarction or elective PCI: systematic review and meta-analyses of randomised trials. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 82-92.	0.4	10
324	Co-morbidities and co-medications as confounders of cardioprotection? Does it matter in the clinical setting?. <i>British Journal of Pharmacology</i> , 2020, 177, 5252-5269.	2.7	90
325	Baseline LV ejection fraction by cardiac magnetic resonance and 2D echocardiography after ST-elevation myocardial infarction influence of infarct location and prognostic impact. <i>European Radiology</i> , 2020, 30, 663-671.	2.3	8
326	Biomechanics of infarcted left Ventricle-A review of experiments. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 103, 103591.	1.5	7
327	Production of bioactive recombinant human myeloid-derived growth factor in <i>Escherichia coli</i> and its mechanism on vascular endothelial cell proliferation. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 1189-1199.	1.6	10
328	Comparative Assessments of Left and Right Ventricular Function by Two-Dimensional, Contrast Enhanced and Three-Dimensional Echocardiography with Gated Heart Pool Scans in Patients Following Myocardial Infarction. <i>American Journal of Cardiology</i> , 2020, 134, 14-23.	0.7	3

#	ARTICLE	IF	CITATIONS
329	Therapeutic Hypothermia in STEMI. <i>Cardiovascular Revascularization Medicine</i> , 2021, 29, 77-84.	0.3	4
330	Prognostic Value of Stress CMR Perfusion Imaging in Patients With Reduced Left Ventricular Function. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 2132-2145.	2.3	17
331	CMR in the diagnosis of ischemic heart disease. <i>Radiologia Medica</i> , 2020, 125, 1114-1123.	4.7	13
332	Fully automated quantification of left ventricular volumes and function in cardiac MRI: clinical evaluation of a deep learning-based algorithm. <i>International Journal of Cardiovascular Imaging</i> , 2020, 36, 2239-2247.	0.7	14
333	Effects of progranulin on the pathological conditions in experimental myocardial infarction model. <i>Scientific Reports</i> , 2020, 10, 11842.	1.6	10
334	Micronized flavonoid fraction Daflon 500 protects heart against ischemia-reperfusion injury: an old medicine for a new target. <i>International Journal of Transgender Health</i> , 2020, 13, 556-568.	1.1	5
335	Prognostic impact of myocardial contraction fraction in patients undergoing transcatheter aortic valve replacement for aortic stenosis. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 12-23.	0.7	8
336	Hyperglycaemia, ejection fraction and the risk of heart failure or cardiovascular death in patients with type 2 diabetes and a recent acute coronary syndrome. <i>European Journal of Heart Failure</i> , 2020, 22, 1133-1143.	2.9	16
337	The Wearable Cardioverter-Defibrillator: Experience in 153 Patients and a Long-Term Follow-Up. <i>Journal of Clinical Medicine</i> , 2020, 9, 893.	1.0	13
338	Association of left ventricular end-diastolic pressure with mortality in patients undergoing percutaneous coronary intervention for acute coronary syndromes. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 96, E439-E446.	0.7	10
339	Cooling as an Adjunctive Therapy to Percutaneous Intervention in Acute Myocardial Infarction: COOL-MI InCor Trial. <i>Therapeutic Hypothermia and Temperature Management</i> , 2021, 11, 135-144.	0.3	9
340	Effect of the COVID-19 Pandemic on ST-Segment Elevation Myocardial Infarction Presentations and In-Hospital Outcomes. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e009438.	1.4	66
341	Heart Rate After Resuscitation From Out-of-Hospital Cardiac Arrest due to Acute Coronary Syndrome Is an Independent Predictor of Clinical Outcome. <i>Circulation Journal</i> , 2020, 84, 569-576.	0.7	5
342	Complete Revascularization of Multivessel Coronary Artery Disease Does Not Improve Clinical Outcome in ST-Segment Elevation Myocardial Infarction Patients with Reduced Left Ventricular Ejection Fraction. <i>Journal of Clinical Medicine</i> , 2020, 9, 232.	1.0	7
343	Trends in long-term prognosis according to left ventricular ejection fraction after acute coronary syndrome. <i>Journal of Cardiology</i> , 2020, 76, 303-308.	0.8	10
344	Intracoronary Administration of Allogeneic Cardiosphere-Derived Cells Immediately Prior to Reperfusion in Pigs With Acute Myocardial Infarction Reduces Infarct Size and Attenuates Adverse Cardiac Remodeling. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2021, 26, 88-99.	1.0	3
345	Cardiac Regeneration: New Hope for an Old Dream. <i>Annual Review of Physiology</i> , 2021, 83, 59-81.	5.6	28
346	Untiring Pursuit for Glucarate-Based Molecular Imaging Probes. <i>Molecular Imaging and Biology</i> , 2021, 23, 310-322.	1.3	2

#	ARTICLE	IF	CITATIONS
347	Death and Myocardial Infarction Following Initial Revascularization Versus Optimal Medical Therapy in Chronic Coronary Syndromes With Myocardial Ischemia: A Systematic Review and Meta-Analysis of Contemporary Randomized Controlled Trials. <i>Journal of the American Heart Association</i> , 2021, 10, e019114.	1.6	15
348	Platelet Reactivity Was Not Associated with Infarct Size after Primary Percutaneous Coronary Intervention. <i>Chonnam Medical Journal</i> , 2021, 57, 204.	0.5	0
349	Long-term outcomes of autologous skeletal myoblast cell-sheet transplantation for end-stage ischemic cardiomyopathy. <i>Molecular Therapy</i> , 2021, 29, 1425-1438.	3.7	19
350	Natural history and prognostic implications of left ventricular end-diastolic pressure in reperfused ST-segment elevation myocardial infarction: an analysis of the thrombolysis in myocardial infarction (TIMI) II randomized controlled trial. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 243.	0.7	2
351	Carbon monoxide releasing molecule A1 reduces myocardial damage after acute myocardial infarction in a porcine model. <i>Journal of Cardiovascular Pharmacology</i> , 2021, Publish Ahead of Print, e656-e661.	0.8	5
352	The non-invasive assessment of myocardial work by pressure-strain analysis: clinical applications. <i>Heart Failure Reviews</i> , 2022, 27, 1261-1279.	1.7	21
353	Clinical Applicability of Conditioning Techniques in Ischemia-Reperfusion Injury: A Review of the Literature. <i>Current Cardiology Reviews</i> , 2021, 17, 306-318.	0.6	7
354	Left ventricular function recovery after ST-elevation myocardial infarction: correlates and outcomes. <i>Clinical Research in Cardiology</i> , 2021, 110, 1504-1515.	1.5	5
355	The role of anti-inflammatory drugs and nanoparticle-based drug delivery models in the management of ischemia-induced heart failure. <i>Biomedicine and Pharmacotherapy</i> , 2021, 142, 112014.	2.5	10
356	Nuclear Imaging in Ischemic Heart Disease. , 2012, , 63-81.		1
357	Impact of three-dimensional global longitudinal strain for patients with acute myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, , .	0.5	13
358	Early kinetics of serum Interleukine-17A and infarct size in patients with reperfused acute ST-elevated myocardial infarction. <i>PLoS ONE</i> , 2017, 12, e0188202.	1.1	14
359	The prognostic value of Tei index in acute myocardial infarction: a systematic review. <i>Echo Research and Practice</i> , 2020, 7, 49-58.	0.6	9
360	Usefulness of plasma matrix metalloproteinase-9 levels in prediction of in-hospital mortality in patients who received emergent percutaneous coronary artery intervention following myocardial infarction. <i>Oncotarget</i> , 2017, 8, 105809-105818.	0.8	12
361	Cardiac MR imaging: current status and future direction. <i>Cardiovascular Diagnosis and Therapy</i> , 2015, 5, 290-310.	0.7	71
362	Clinical profile & long-term natural history of symptomatic coronary artery disease in young patients (<30 yr). <i>Indian Journal of Medical Research</i> , 2020, 152, 263.	0.4	4
363	COOL AMI EU pilot trial: a multicentre, prospective, randomised controlled trial to assess cooling as an adjunctive therapy to percutaneous intervention in patients with acute myocardial infarction. <i>EuroIntervention</i> , 2017, 13, e531-e539.	1.4	53
364	Impact of time to therapy and presence of collaterals on the efficacy of FX06 in acute ST elevation myocardial infarction: a substudy of the F.I.R.E., the Efficacy of FX06 in the prevention of myocardial reperfusion injury trial. <i>EuroIntervention</i> , 2010, 5, 946-952.	1.4	12

#	ARTICLE	IF	CITATIONS
365	A pooled analysis of the effect of endovascular cooling on infarct size in patients with ST-elevation myocardial infarction. <i>EuroIntervention</i> , 2013, 8, 1435-1440.	1.4	51
366	O conceito renovado da operaco de Batista na cardiomiopatia isqumica. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2011, 26, 544-551.	0.2	3
367	IMMEDIATE AND 4-YEAR OUTCOME OF PATIENTS WITH ACUTE CORONARY SYNDROME UNDERGOING PERCUTANEOUS CORONARY INTERVENTION FOR LEFT MAIN CORONARY ARTERY DISEASE. , 2021, , 8-11.		0
369	Doppler Echocardiography in Heart Failure and Cardiac Resynchronization. , 2007, , 629-652.		0
370	Nuclear Cardiology. <i>Learning Imaging</i> , 2010, , 127-151.	0.0	0
371	Advanced Evaluation of LV Function with 3D Echocardiography. , 2010, , 45-53.		0
373	Therapeutic Hypothermia as a Treatment of Myocardial Infarction and Cardiogenic Shock. , 2012, , 107-117.		0
374	Nuclear Imaging to Assess Infarction, Reperfusion, No-Reflow, and Viability. , 2012, , 161-189.		0
375	Relationship between Framingham Risk Score and Left Ventricular Remodeling after Successful Primary Percutaneous Coronary Intervention in Patients with First Myocardial Infarction and Single Vessel Disease. <i>Journal of Clinical & Experimental Cardiology</i> , 2013, 04, .	0.0	0
376	Extent of Myocardial Damage in Patients after Emotional Stress-Induced Myocardial Infarction during Euro Cup Soccer 2008. <i>World Journal of Cardiovascular Diseases</i> , 2015, 05, 388-396.	0.0	0
377	The randomised Complete versus Lesion-only PRimary percutaneous coronary Intervention Trial: Cardiovascular Magnetic Resonance imaging substudy (CvLPRIT-CMR). <i>Efficacy and Mechanism Evaluation</i> , 2016, 3, 1-72.	0.9	1
378	Protein Kinase C Epsilon Peptide Inhibitor Exerts Cardioprotective Effects in Myocardial Ischemia/Reperfusion Injury. <i>FASEB Journal</i> , 2017, 31, 846.17.	0.2	2
379	CT Myocardial Perfusion Imaging. , 2020, , 367-393.		1
380	Differential Impact of the Renal Resistive Index on Future Cardiovascular Events in Hospitalized Atherosclerotic Cardiovascular Patients According to Left Ventricular Ejection Fractionâ€. The Jichi Vascular Hemodynamics in Hospitalized Cardiovascular Patients (J-VAS) Study â€. <i>Circulation Journal</i> , 2020, 84, 1544-1551.	0.7	2
381	The Relationship Between Hemoglobin Level and No-Reflow Phenomenon in Patients with Myocardial Infarction Undergoing Primary PCI. <i>Multidisciplinary Cardiovascular Annals</i> , 2020, 12, .	0.2	0
382	Long-term clinical outcome of ST-segment elevation myocardial infarction patients with and without diabetes mellitus in the Zwolle trial. <i>Netherlands Heart Journal</i> , 2003, 11, 387-393.	0.3	1
383	Identification of the high-risk patient in primary percutaneous coronary intervention: development and validation of a novel predictive index. <i>European Heart Journal</i> , 2020, 41, .	1.0	0
384	Amniotic Membrane-Derived Mesenchymal Stem Cells for Heart Failure: A Systematic Review and Meta-Analysis of the Published Preclinical Studies. <i>Medical Journal of the Islamic Republic of Iran</i> , 0, , .	0.9	0

#	ARTICLE	IF	CITATIONS
385	Percutaneous Ventricular Restoration Prevents Left Ventricular Remodeling Post Myocardial Infarction: One-Year Evaluation of the Heartech First-in-man Study. <i>Journal of Cardiac Failure</i> , 2022, , .	0.7	0
386	Therapeutic opportunities for senolysis in cardiovascular disease. <i>FEBS Journal</i> , 2023, 290, 1235-1255.	2.2	17
387	Predictors and prognostic impact of left ventricular ejection fraction trajectories in patients with ST-segment elevation myocardial infarction. <i>Aging Clinical and Experimental Research</i> , 2022, 34, 1429-1438.	1.4	6
388	Association between higher serum uric acid levels and plasma N-terminal pro-B-type natriuretic peptide concentrations in patients with coronary artery disease and without overt heart failure. <i>International Journal of Cardiology</i> , 2022, , .	0.8	3
389	Prognostic value of divergent pattern detection by 99mTc-sestamibi gated SPECT in patients with anterior acute myocardial infarction. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 3115-3122.	1.4	3
390	Real life experience with the wearable cardioverter-defibrillator in an international multicenter Registry. <i>Scientific Reports</i> , 2022, 12, 3203.	1.6	5
391	Composite Echocardiographic Score to Predict Long-Term Survival Following Myocardial Infarction. <i>Heart Lung and Circulation</i> , 2022, , .	0.2	0
392	Are There Any Differences in the Prognostic Value of Left Ventricular Ejection Fraction in Coronary Artery Disease Patients With or Without Moderate and Severe Mitral Regurgitation?. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 799253.	1.1	1
393	Correlation between Volumes Determined by Echocardiography and Cardiac MRI in Controls and Atrial Fibrillation Patients. <i>Life</i> , 2021, 11, 1362.	1.1	1
394	Heart Failure After ST-Elevation Myocardial Infarction: Beyond Left Ventricular Adverse Remodeling. <i>Current Problems in Cardiology</i> , 2023, 48, 101215.	1.1	17
395	Clinical Implication of Hybrid PET/MRI for Patients With Chronic Total Occlusion and Severe Left Ventricular Dysfunction. , 0, 1, .		0
397	Restrictive annuloplasty on remodeling and survival in patients with end-stage ischemic cardiomyopathy. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2024, 167, 1008-1019.e2.	0.4	0
399	Quantitative evaluation of segmentation accuracy of subsegmental infarcts using 2DSTE and synthetic ultrasonic data in a spheroidal model of the left ventricle. <i>Biomedical Signal Processing and Control</i> , 2022, 78, 103880.	3.5	1
401	Post-Myocardial Infarction Risk Prediction. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 1575-1577.	2.3	0
403	Low Quantitative Blush Evaluator score predicts larger infarct size and reduced left ventricular systolic function in patients with STEMI regardless of diabetes status. <i>Scientific Reports</i> , 2023, 13, .	1.6	1
404	Progranulin (PGRN) as a regulator of inflammation and a critical factor in the immunopathogenesis of cardiovascular diseases. <i>Journal of Inflammation</i> , 2023, 20, .	1.5	6
405	Therapeutic Hypothermia Inhibits Hypoxia-Induced Cardiomyocyte Apoptosis Via the miR-483p/Cdk9 Axis. <i>Journal of the American Heart Association</i> , 2023, 12, .	1.6	1
406	Interchangeability in Left Ventricular Ejection Fraction Measured by Echocardiography and cardiovascular Magnetic Resonance: Not a Perfect Match in the Real World. <i>Current Problems in Cardiology</i> , 2023, 48, 101721.	1.1	4

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------