CITATION REPORT List of articles citing



DOI: 10.1021/jf0205099 Journal of Agricultural and Food Chemistry, 2002, 50, 6182-7.

Source: https://exaly.com/paper-pdf/34106919/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1252	Changes in Phenolic Acid Content in Maize during Food Product Processing.		
1251	Phytochemical profiles and antioxidant activity of wheat varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 7825-34	5.7	442
1250	Antioxidant and antiproliferative activities of strawberries. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 6887-92	5.7	357
1249	Effect of Thermal Treatment on the Antioxidant Activity and Content of Carotenoids and Phenolic Compounds of Cactus Pear Cladodes (Opuntia ficus-indica). 2003 , 9, 271-278		65
1248	Free radicals in wheat flour change during storage in air and are influenced by the presence of ozone during the growing season. 2003 , 37, 523-8		14
1247	Nutritional aspects of cereals. 2004 , 29, 111-142		240
1246	Antiradical properties of sorghum (Sorghum bicolor L. Moench) flour extracts. 2004 , 40, 283-288		50
1245	A multicountry ecologic study of risk and risk reduction factors for prostate cancer mortality. 2004 , 45, 271-9		65
1244	Identification and quantitation of compounds in a series of allelopathic and non-allelopathic rice root exudates. 2004 , 30, 1647-62		74
1243	Sorghum phytochemicals and their potential impact on human health. 2004 , 65, 1199-221		536
1242	Free and bound phenolic compounds in barley (Hordeum vulgare L.) flours. evaluation of the extraction capability of different solvent mixtures and pressurized liquid methods by micellar electrokinetic chromatography and spectrophotometry. 2004 , 1057, 1-12		85
1241	Antioxidant activity of processed table beets (Beta vulgaris var, conditiva) and green beans (Phaseolus vulgaris L.). <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 2659-70	5.7	117
1240	Phytochemicals and antioxidant properties in wheat bran. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 6108-14	5.7	180
1239	Analysis of phenolic compounds in white rice, brown rice, and germinated brown rice. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 4808-13	5.7	307
1238	Whole grains and human health. 2004 , 17, 99-110		371
1237	Effects of extraction solvent on wheat bran antioxidant activity estimation. 2004, 37, 717-721		219
1236	Antioxidant phenols in barley (Hordeum vulgare L.) flour: comparative spectrophotometric study among extraction methods of free and bound phenolic compounds. <i>Journal of Agricultural and Food Chemistry</i> . 2004 . 52, 5195-200	5.7	182

1235	Potential synergy of phytochemicals in cancer prevention: mechanism of action. 2004 , 134, 3479S-3485	S	1303
1234	Avenanthramides and phenolic acids from oats are bioavailable and act synergistically with vitamin C to enhance hamster and human LDL resistance to oxidation. 2004 , 134, 1459-66		137
1233	Ferulic acid is quickly absorbed from rat stomach as the free form and then conjugated mainly in liver. 2004 , 134, 3083-8		142
1232	Does Poverty Predispose to Obesity?. 2004 , 39, 17		
1231	Becoming Proactive With the Whole-Grains Message. 2004 , 39, 10-17		8
1230	Rapid peroxyl radical scavenging capacity (PSC) assay for assessing both hydrophilic and lipophilic antioxidants. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 6572-80	5.7	160
1229	In vitro procedure to predict apparent antioxidant release from wholegrain foods measured using three different analytical methods. 2005 , 85, 1177-1185		40
1228	Antioxidant-Rich Foods Retard Lipid Oxidation in Extruded Corn. 2005 , 82, 666-670		24
1227	Phenolic Compounds in Oat Grains (Avena satival) Grown in Conventional and Organic Systems. 2005 , 34, 331-337		51
1226	Potential cell culture models for antioxidant research. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 4311-4	5.7	134
1225	Phenolic acid, tocopherol and carotenoid compositions, and antioxidant functions of hard red winter wheat bran. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 3916-22	5.7	95
1224	Effect of fish meal replacement by plant protein sources on non-specific defence mechanisms and oxidative stress in gilthead sea bream (Sparus aurata). 2005 , 249, 387-400		292
1223	Literature data may underestimate the actual antioxidant capacity of cereals. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 5036-40	5.7	221
1222	Carotenoid, tocopherol, phenolic acid, and antioxidant properties of Maryland-grown soft wheat. Journal of Agricultural and Food Chemistry, 2005 , 53, 6649-57	5.7	242
1221	Phytochemicals and antioxidant activity of milled fractions of different wheat varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 2297-306	5.7	353
1220	Phenolic Compounds in Oat Grains (Avena sativa L.) Grown in Conventional and Organic Systems. 2005 , 34, 331-337		2
1219	Effects of solid-state enzymatic treatments on the antioxidant properties of wheat bran. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 9032-45	5.7	68
1218	Optimization of the extraction of antioxidative constituents of six barley cultivars and their antioxidant properties. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 8048-57	5.7	92

1217	Cereal grains and legumes in the prevention of coronary heart disease and stroke: a review of the literature. 2006 , 60, 1145-59		219
1216	Importance of insoluble-bound phenolics to antioxidant properties of wheat. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 1256-64	5.7	287
1215	Flavanol and bound phenolic acid contents in different barley varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 2253-60	5.7	125
1214	Polyphenolic and antioxidant content of white and blue corn (Zea mays L.) products. 2006 , 39, 696-703		125
1213	International comparisons of prostate cancer mortality rates with dietary practices and sunlight levels. 2006 , 24, 184-94		56
1212	Nutritional and technological quality of the durum wheat. 2006 , 1, 203		17
1211	Control of Aspergillus growth and aflatoxin production using natural maize phytochemicals under different conditions of water activity. 2006 , 62, 775-84		25
121 0	Factors influencing recombinant human lysozyme extraction and cation exchange adsorption. 2006 , 22, 745-52		27
1209	COMPARATIVE STUDY OF CHEMICAL COMPOSITION AND PHYSICOCHEMICAL PROPERTIES OF DEFATTED WHEAT GERM FLOUR AND ITS PROTEIN ISOLATE. 2006 , 30, 329-341		18
1208	Effect of wheat variety, farming site, and bread-baking on total phenolics. 2006 , 41, 329-332		79
1207	Antioxidant and antiproliferative activities of red pitaya. 2006 , 95, 319-327		290
1206	ESR determination of the reactions between selected phenolic acids and free radicals or transition metals. 2006 , 95, 446-457		69
1205	Assessment of in vitro antioxidant capacity of the seed coat and the cotyledon of legumes in relation to their phenolic contents. 2006 , 98, 95-103		124
1204	Antioxidative activities of bran extracts from twenty one pigmented rice cultivars. 2006 , 94, 613-620		162
1203	Water soluble feruloyl arabinoxylans from rice and ragi: changes upon malting and their consequence on antioxidant activity. 2006 , 67, 91-9		123
1202	Effects of genotype and environment on the antioxidant properties of hard winter wheat bran. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 5313-22	5.7	93
1201	Genetic variability of carotenoid concentration, and lipoxygenase and peroxidase activities among cultivated wheat species and bread wheat varieties. 2006 , 25, 170-176		105
1200	Maternal dietary exposure to fiber during pregnancy and mammary tumorigenesis among rat offspring. 2006 , 119, 2279-86		13

(2007-2006)

1199	assessed by three different in vitro assays. 2006 , 50, 1030-8		274
1198	Antioxidant properties of commercial soft and hard winter wheats (Triticum aestivum L.) and their milling fractions. 2006 , 86, 477-485		149
1197	Whole grains and CVD risk. 2006 , 65, 24-34		91
1196	Antioxidant activity of commonly consumed plant foods of India: contribution of their phenolic content. 2007 , 58, 250-60		46
1195	Bioactivity of oats as it relates to cardiovascular disease. 2007 , 20, 147-62		50
1194	Intake of whole grains, refined grains, and cereal fiber measured with 7-d diet records and associations with risk factors for chronic disease. 2007 , 86, 1745-53		127
1193	Development of a new method for the complete extraction of carotenoids from cereals with special reference to durum wheat (Triticum durum Desf.). <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 8295-301	7	38
1192	Antiradical efficacy of phytochemical extracts from defatted rice bran. 2007 , 45, 2014-21		43
1191	Carotenoid, Tocopherol, Lignan, Flavonoid, and Phytosterol Compositions of Wheat Grain and Its Fractions. 42-53		
1190	Effects of Extraction Method and Conditions on Wheat Antioxidant Activity Estimation. 100-117		
1189	Wheat Antioxidants and Cholesterol Metabolism. 236-243		
1188	Quantification of Phenolic Acids in Wheat and Wheat-Based Products. 208-218		1
1187	Wheat Antioxidant Bioavailability. 244-263		
1186	Fractionation of the rice bran layer and quantification of vitamin E, oryzanol, protein, and rice bran saccharide. 2007 , 1, 9		47
1185	Transgenic Crops IV. 2007 ,		3
1184	Polyphenolics and Antioxidant Capacity of White and Blue Corns Processed into Tortillas and Chips. 2007 , 84, 162-168		41
1183	Isolation of the antioxidant pyranonigrin-A from rice mold starters used in the manufacturing process of fermented foods. 2007 , 71, 2515-21		36
1182	High-amylose corn exhibits better antioxidant activity than typical and waxy genotypes. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 291-8	7	34

1181	Effects of solid-state yeast treatment on the antioxidant properties and protein and fiber compositions of common hard wheat bran. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 10173-	·8 2 ·7	62
1180	Antioxidant properties of Fusarium head blight-resistant and -susceptible soft red winter wheat grains grown in Virginia. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 3729-36	5.7	27
1179	Phytochemical profile of main antioxidants in different fractions of purple and blue wheat, and black barley. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 8541-7	5.7	122
1178	Correlation of malt quality parameters and beer flavor stability: multivariate analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 728-33	5.7	34
1177	Effect of processing on the phytochemical profiles and antioxidant activity of corn for production of masa, tortillas, and tortilla chips. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 4177-83	5.7	177
1176	Properties of extracts from defatted rice bran by its subcritical water treatment. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 8759-65	5.7	74
1175	Variability in the release of free and bound hydroxycinnamic acids from diverse malted barley (Hordeum vulgare L.) cultivars during wort production. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 11002-10	5.7	38
1174	Weak self-association in a carbohydrate system. 2007 , 93, 741-9		45
1173	Functional Foods from Cereal Grains. 2007 , 10, 231-244		73
1172	Whole-grain consumption is associated with a reduced risk of noncardiovascular, noncancer death attributed to inflammatory diseases in the Iowa Women's Health Study. 2007 , 85, 1606-14		125
1171	. 2007,		3
,			
1170	Characterization of antioxidant compounds of red and white rice and changes in total antioxidant capacity during processing. 2007 , 51, 1006-19		127
	Characterization of antioxidant compounds of red and white rice and changes in total antioxidant		127 92
1170	Characterization of antioxidant compounds of red and white rice and changes in total antioxidant capacity during processing. 2007, 51, 1006-19 Antioxidant capacity of Spanish honeys and its correlation with polyphenol content and other		
1170 1169	Characterization of antioxidant compounds of red and white rice and changes in total antioxidant capacity during processing. 2007, 51, 1006-19 Antioxidant capacity of Spanish honeys and its correlation with polyphenol content and other physicochemical properties. 2007, 87, 1069-1075 Phytochemical characterization of defatted rice bran and optimization of a process for their		92
1170 1169 1168	Characterization of antioxidant compounds of red and white rice and changes in total antioxidant capacity during processing. 2007, 51, 1006-19 Antioxidant capacity of Spanish honeys and its correlation with polyphenol content and other physicochemical properties. 2007, 87, 1069-1075 Phytochemical characterization of defatted rice bran and optimization of a process for their extraction and enrichment. 2007, 98, 3037-43		92
1170 1169 1168 1167	Characterization of antioxidant compounds of red and white rice and changes in total antioxidant capacity during processing. 2007, 51, 1006-19 Antioxidant capacity of Spanish honeys and its correlation with polyphenol content and other physicochemical properties. 2007, 87, 1069-1075 Phytochemical characterization of defatted rice bran and optimization of a process for their extraction and enrichment. 2007, 98, 3037-43 Phenolic profiles of Andean purple corn (Zea mays L.). 2007, 100, 956-963 A rapid microwave-assisted derivatization process for the determination of phenolic acids in		92 84 105

(2008-2007)

1163	Antioxidant activity of methanolic extracts from some grains consumed in Korea. 2007, 103, 130-138	251
1162	Anthocyanin characterization and bioactivity assessment of a dark blue grained wheat (Triticum aestivum L. cv. Hedong Wumai) extract. 2007 , 104, 955-961	58
1161	Natural maize phenolic acids for control of aflatoxigenic fungi on maize. 2007 , 72, M180-5	38
1160	Characterisation of oat bran products with and without supercritical carbon dioxide extraction. 2007 , 42, 1489-1496	9
1159	Ferulic and p-coumaric acids extraction by alkaline hydrolysis of brewer's spent grain. 2007, 25, 231-237	161
1158	Whole grain phytochemicals and health. 2007 , 46, 207-219	639
1157	Antioxidants and Whole Food Phytochemicals for Cancer Prevention. 2007, 15-34	7
1156	Cell Culture Models to Assess Bioactivity of Functional Foods and Dietary Supplements. 2007 , 83-91	2
1155	Simultaneous determination of harpagoside and cinnamic acid in rat plasma by high-performance liquid chromatography: application to a pharmacokinetic study. 2007 , 389, 2259-64	24
1154	Bioactive compounds in rye flours with different extraction rates. 2007 , 225, 545-551	26
1153	Effects of phenolic acids and transglutaminase on soft wheat flour dough and baked products. 2008 , 88, 1832-1836	11
1152	Distribution of phenolic compounds in the graded flours milled from whole buckwheat grains and their antioxidant capacities. 2008 , 109, 325-31	103
1151	Antioxidant properties and sensory profiles of breads containing barley flour. 2008, 110, 414-21	109
1150	Phenolic content and antioxidant capacity of supercritical carbon dioxide-treated and air-classified oat bran concentrate microwave-irradiated in water or ethanol at varying temperatures. 2008 , 108, 23-30	29
1149	Chemistry, natural sources, dietary intake and pharmacokinetic properties of ferulic acid: A review. 2008 , 109, 691-702	387
1148	Antioxidant efficacy of phytochemical extracts from defatted rice bran in in-vitro model emulsions. 2008 , 43, 878-885	5
1147	Structure and physicochemical properties of defatted and pin-milled oat bran concentrate fractions separated by air-classification4. 2008 , 43, 995-1003	15

1145	Effect of genetic variation on phenolic acid and policosanol contents of Pegaso wheat lines. 2008 , 48, 20-26		33
1144	Is the in vitro antioxidant potential of whole-grain cereals and cereal products well reflected in vivo?. 2008 , 48, 258-276		255
1143	Direct measurement of the total antioxidant capacity of cereal products. 2008, 48, 816-820		136
1142	Antioxidant and Antiproliferative Potential of Pearled Barley (Hordeum vulgarae.). 2008, 46, 88-95		19
1141	Nondestructive prediction of total phenolics, flavonoid contents, and antioxidant capacity of rice grain using near-infrared spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 8268-72	5.7	69
1140	Phenolic acids in wheat varieties in the HEALTHGRAIN Diversity Screen. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 9732-9	5.7	259
1139	Bioactivity and structure of biophenols as mediators of chronic diseases. 2008 , 48, 929-66		25
1138	Cereal dietary fibre: a natural functional ingredient to deliver phenolic compounds into the gut. 2008 , 19, 451-463		372
1137	Effects of laccase and xylanase on the chemical and rheological properties of oat and wheat doughs. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 5732-42	5.7	50
1136	Carotenoid bioaccessibility from whole grain and degermed maize meal products. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 9918-26	5.7	99
1135	Phytochemical quantification and total antioxidant capacities of emmer (Triticum dicoccon Schrank) and einkorn (Triticum monococcum L.) wheat landraces. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 7285-92	5.7	92
1134	Evaluation of the Antioxidant Activity and Lipid Peroxidation of the Leaves of Vernonia amygdalina. 2008 , 5,		5
1133	Phenolic Content and Antioxidant Properties of Bran in 51 Wheat Cultivars. 2008, 85, 544-549		73
1132	Novel high-fibre and whole grain breads. 2008 , 184-214		13
1131	Converting oats to high-fibre products for use in functional foods Names are necessary to report factually on available data; however, the USDA neither guarantees nor warrants the standard of the product, and the use of the name by USDA implies no approval of the product to the exclusion of others that may also be suitable. All programmes and services of the US Department of Agriculture		
1130	are offered on a nondiscriminatory basis without regard to race, colour, national origin, religion, Grain foods and health: a primer for clinicians. 2008 , 36, 18-33		11
1129	Antioxidative pyranonigrins in rice mold starters and their suppressive effect on the expression of blood adhesion molecules. 2008 , 72, 1580-5		29
1128	Antioxidant activity, Eglucan and lipid contents of oat varieties. 2008, 26, 163-173		34

1127	Quality parameters of noodles made with various supplements. 2008 , 25, 151-157	11
1126	Ferulic and coumaric acids, total phenolic compounds and their correlation in selected oat genotypes. 2008 , 25, 325-332	26
1125	Oat Oil. 2009 , 433-454	1
1124	Corn extracts lower tissue arsenic level in rat. 2009 , 35, 21-25	14
1123	Maize authentication: quality control methods and multivariate analysis (chemometrics). 2009, 49, 501-37	21
1122	Quantitative Trait Loci for Brown Rice Color, Phenolics, Flavonoid Contents, and Antioxidant Capacity in Rice Grain. 2009 , 86, 609-615	25
1121	Effects of Ferulic Acid and Transglutaminase on Hard Wheat Flour Dough and Bread. 2009, 86, 18-22	30
1120	Diets rich in whole wheat improve redox status and enhance immune responses in rats. 2009 , 20, 95-104	10
1119	Cereal 🛮 glucans. 2009 , 615-652	1
1118	Applying the FDA definition of whole grains to the evidence for cardiovascular disease health claims. 2009 , 139, 2220S-6S	40
1117	Evaluation of antioxidant capacity and aroma quality of breast milk. 2009, 25, 105-14	60
1116	Total phenolics, flavonoids, antioxidant capacity in rice grain and their relations to grain color, size and weight. 2009 , 49, 106-111	291
1115	Rye phenolics in nutrition and health. 2009 , 49, 323-336	114
1114	Screening of cereal varieties for antioxidant and radical scavenging properties applying various spectroscopic and thermoanalytical methods. 2009 , 44, 784-791	10
1113	Superfine saengshik improves liver protecting effect compared with fine saengshik in an animal model. 2009 , 74, H59-64	2
1112	Comparative study of phenolic compounds in different Brazilian rice (Oryza sativa L.) genotypes. 2009 , 22, 405-409	56
1111	Evaluation of the mutagenicity and antimutagenicity of extracts from oat, buckwheat and wheat bran in the Salmonella/microsome assay. 2009 , 22, 87-90	15
1110	Triticale bran and straw: Potential new sources of phenolic acids, proanthocyanidins, and lignans. 2009 , 1, 57-64	63

1109	Determination of phenolic compounds in modern and old varieties of durum wheat using liquid chromatography coupled with time-of-flight mass spectrometry. 2009 , 1216, 7229-40		122
1108	Additions of caffeic acid, ascorbyl palmitate or Ecocopherol to fish oil-enriched energy bars affect lipid oxidation differently. 2009 , 112, 412-420		35
1107	The distribution of phenolic acids in pumpkinâl hull-less seed, skin, oil cake meal, dehulled kernel and hull. 2009 , 113, 450-456		63
1106	Analysis of Scopoletin and Caffeic Acid in Tobacco by GCâMS After a Rapid Derivatization Procedure. 2009 , 69, 743-748		16
1105	Influence of the production method on phytochemical concentrations in whole wheat (Triticum aestivum L.): a comparative study. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 10116-21	5.7	36
1104	New tool to evaluate a comprehensive antioxidant activity in food extracts: bleaching of 4-nitroso-N,N-dimethylaniline catalyzed by soybean lipoxygenase-1. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 9682-92	5.7	19
1103	Lack of evidence for antiatherogenic effects of wheat bran or corn bran in apolipoprotein E-knockout mice. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 6455-60	5.7	7
1102	Total phenolic compounds and antioxidant capacity of wheat graded flours by polishing method. 2009 , 42, 185-190		90
1101	Nutraceuticals and functional foods: Whole versus processed foods. 2009 , 20, 376-387		243
1100	Nutritional importance and effect of processing on tocols in cereals. 2009 , 20, 511-520		69
1099	The effect of simulated digestion in vitro on bioactivity of wheat bread with Tartary buckwheat flavones addition. 2009 , 42, 137-143		97
1098	Antioxidant activity, phenolic compounds and anthocyanins content of eighteen strains of Mexican maize. 2009 , 42, 1187-1192		179
1097	Effect of natural maize phytochemicals on Aspergillus section Flavi sclerotia characteristics under different conditions of growth media and water potential. 2009 , 2, 44-51		8
1096	Dynamic changes in phenolic compounds and antioxidant activity in oats (Avena nuda L.) during steeping and germination. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 10392-8	5.7	118
1095	Could rice be used as an anticaking agent in table salt?. 2009 , 60, 95-9		1
1094	High contents of nonextractable polyphenols in fruits suggest that polyphenol contents of plant foods have been underestimated. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 7298-303	5.7	138
1093	Changes in phenolic acids and antioxidant activity in Thai rice husk at five growth stages during grain development. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 4566-71	5.7	61
1092	Natural phenolic compounds from medicinal herbs and dietary plants: potential use for cancer prevention. 2010 , 62, 1-20		544

Total Phenolics 1090 Grains with Sol	s and Antioxidant Activity of Water and Ethanolic Extracts from Distillers Dried ubles With or Without Microwave Irradiation. 2009 , 86, 661-664	20
1089 Investigation o	f Phenolic Acids Content and Antioxidant Activity in Malt Production. 2009, 67, 81-88	13
1088 Consumption o 2010 , 112, 723	of graham snacks in after-school snack programs based on whole grain flour content. -736	7
1087 Whole grains: b	penefits and challenges. 2010 , 1, 19-40	50
1086 Free phenolic c 2010 , 19, 1415	contents and their antioxidant activities of fresh and fermented rice spent water. -1420	5
1085 Effects of whol	le grains on coronary heart disease risk. 2010 , 12, 368-76	104
1084 Bioavailability	of hydroxycinnamates: a brief review of in vivo and in vitro studies. 2010 , 9, 133-145	74
	yphenols in cereals may be improved performing acidic hydrolysis: A study in wheat it bran and cereals of the diet. 2010 , 51, 313-318	79
	analysis of wastewater (nejayote) obtained after lime-cooking of different types of orocessed into masa for tortillas. 2010 , 52, 410-416	74
1081 Phenolics in the	e bran of waxy wheat and triticale lines. 2010 , 52, 509-515	23
1000	nt and antioxidant activity of tortillas produced from pigmented maize processed by ixtamalization or extrusion cooking. 2010 , 52, 502-508	124
1079 The pharmacol	ogical activity of wheat bran polysaccharides. 2010 , 81, 1037-44	20
1078 Soluble Dietary	y Fiber. 2010 , 9, 178-196	172
Barley for Brev By-Products. 20	ving: Characteristic Changes during Malting, Brewing and Applications of its 010 , 9, 318-328	192
	ounds and the antioxidant activity of the bran, flour and whole grain of different s. 2010 , 2, 76-82	130
	d lipophilic antioxidant capacity of commonly consumed South African fruits, ains, legumes, fats/oils and beverages. 2010 , 23, 753-761	15
Antioxidant ca ₁	pacities and phenolic compounds of the husk, bran and endosperm of Thai rice. 2010,	214

1073 Effect of fermentation on antioxidant properties of some cereals and pseudo cereals. 2010 , 119, 957-963	253
1072 Effect of Erradiation on phenolic compounds in rice grain. 2010 , 120, 74-77	70
1071 Phytochemical content and antioxidant activity of six diverse varieties of whole wheat. 2010 , 119, 249-257	184
Content of antioxidant hydroquinones substituted by £1,6-linked oligosaccharides in wheat milled fractions, flours and breads. 2010 , 121, 645-652	9
1069 An evaluation of the antioxidant properties and aroma quality of infant cereals. 2010 , 121, 1095-1102	26
How to distinguish between feruloyl quinic acids and isoferuloyl quinic acids by liquid chromatography/tandem mass spectrometry. 2010 , 24, 1575-82	51
Bread and durum wheat compared for antioxidants contents, and lipoxygenase and peroxidase activities. 2010 , 45, 1360-1367	19
Phenolic acids and methylxanthines composition and antioxidant properties of mate (Ilex paraguariensis) residue. 2010 , 75, C280-5	30
1065 Bioactivities of kernel extracts of 18 strains of maize (Zea mays). 2010 , 75, C667-72	17
1064 Phenolic acids and antioxidant activities in husk of different Thai rice varieties. 2010 , 16, 329-36	27
High-shear, jet-cooking, and alkali treatment of corn distillers' dried grains to obtain products with enhanced protein, oil and phenolic antioxidants. 2010 , 16, 297-304	4
Flavonoid intake and disability-adjusted life years due to Alzheimer's and related dementias: a population-based study involving twenty-three developed countries. 2010 , 13, 1403-9	83
1061 Chromatography of Aroma Compounds and Fragrances. 2010 ,	9
Antioxidative activities of Oxindole-3-acetic acid derivatives from supersweet corn powder. 2010 , 74, 1794-801	11
Storage Effects on Total Phenolics, Antioxidant Capacity in Indica-Japonica Genotype Rice Grain. 2010 ,	2
Expression of Soil Chemical and Biological Behavior on Nutritional Quality of Aromatic Rice as Influenced by Organic and Mineral Fertilization. 2010 , 41, 1816-1831	5
1057 Regionalverband Stwest âlTagung am 02./03.03.09 in Koblenz. 2010 , 64, 1-16	
Effects of short-term consumption of bread obtained by an old Italian grain variety on lipid, inflammatory, and hemorheological variables: an intervention study. 2010 , 13, 615-20	28

(2011-2010)

1055	Changes in the main nutrients, phytochemicals, and antioxidant activity in yellow corn grain during maturation. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 5751-6	5.7	63
1054	New hypotheses for the health-protective mechanisms of whole-grain cereals: what is beyond fibre?. 2010 , 23, 65-134		671
1053	Phenolic profiles and antioxidant activity of black rice bran of different commercially available varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 7580-7	5.7	248
1052	Content of insoluble bound phenolics in millets and their contribution to antioxidant capacity. Journal of Agricultural and Food Chemistry, 2010 , 58, 6706-14	5.7	300
1051	Cereal landraces for sustainable agriculture. A review. 2010 , 30, 237-269		155
1050	Effects of environment and genotype on phenolic acids in wheat in the HEALTHGRAIN diversity screen. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 9341-52	5.7	77
1049	Polyphenol content of modern and old varieties of Triticum aestivum L. and T. durum Desf. grains in two years of production. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 7329-34	5.7	36
1048	Chemistry and biochemistry of dietary polyphenols. 2010 , 2, 1231-46		1230
1047	Avenanthramides inhibit proliferation of human colon cancer cell lines in vitro. 2010 , 62, 1007-16		62
1046	Health benefits of whole grain phytochemicals. 2010 , 50, 193-208		314
1045	Food and Food Products. 2010 , 13-268		
1044	Release of bound procyanidins from cranberry pomace by alkaline hydrolysis. Journal of Agricultural		68
	and Food Chemistry, 2010 , 58, 7572-9	5.7	
1043	Phenolic contents and antioxidant activities in covered whole-grain flours of Norwegian barley varieties and in fractions obtained after pearling. 2011 , 61, 67-74	5.7	6
1043	Phenolic contents and antioxidant activities in covered whole-grain flours of Norwegian barley	5·7 5·7	
	Phenolic contents and antioxidant activities in covered whole-grain flours of Norwegian barley varieties and in fractions obtained after pearling. 2011 , 61, 67-74 Antioxidants and antioxidant activity of several pigmented rice brans. <i>Journal of Agricultural and</i>		6
1042	Phenolic contents and antioxidant activities in covered whole-grain flours of Norwegian barley varieties and in fractions obtained after pearling. 2011 , 61, 67-74 Antioxidants and antioxidant activity of several pigmented rice brans. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 193-9 Profiles of carotenoids, anthocyanins, phenolics, and antioxidant activity of selected color waxy	5.7	6
1042	Phenolic contents and antioxidant activities in covered whole-grain flours of Norwegian barley varieties and in fractions obtained after pearling. 2011 , 61, 67-74 Antioxidants and antioxidant activity of several pigmented rice brans. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 193-9 Profiles of carotenoids, anthocyanins, phenolics, and antioxidant activity of selected color waxy corn grains during maturation. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 2026-33 Bioactivity of antioxidants in extruded products prepared from purple potato and dry pea flours.	5·7 5·7	6 140 84

1037	Inhibitory activities of soluble and bound millet seed phenolics on free radicals and reactive oxygen species. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 428-36	120
1036	Effect of heat treatment of camelina (Camelina sativa) seeds on the antioxidant potential of their extracts. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 8639-45	10
1035	Antioxidant capacity and major phenolic compounds of spices commonly consumed in China. 2011 , 44, 530-536	126
1034	Effect of incorporation of distillersâldried grain with solubles (DDGS) on quality of cornbread. 2011 , 44, 713-718	24
1033	Effects of fiber addition on antioxidant capacity and nutritional quality of wheat bread. 2011 , 44, 2147-2153	49
1032	Antioxidant Activity and Total Phenolic Content in Some Cereals and Legumes. 2011 , 14, 175-184	55
1031	Role of cereal type and processing in whole grain in vivo protection from oxidative stress. 2011 , 16, 1609-18	38
1030	Phenolic compounds and antioxidant activity of rice. 2011 , 54, 371-377	83
1029	Maize: Composition, Bioactive Constituents, and Unleavened Bread. 2011 , 89-99	14
1028	Screening of antioxidant activity and phenolic compounds of various date palm (Phoenix dactylifera) fruits from Algeria. 2011 , 5, 119-126	O
1027	Phytochemicals and antioxidant capacities in rice brans of different color. 2011 , 76, C117-26	171
1026	Contents of phenolics and flavonoids and antioxidant activities in skin, pulp, and seeds of miracle fruit. 2011 , 76, C479-82	31
1025	Antioxidant and antidiabetic properties of condensed tannins in acetonic extract of selected raw and processed indigenous food ingredients from Kenya. 2011 , 76, C560-7	52
1024	Phenolic compounds in raw and cooked rice (Oryza sativa L.) and their inhibitory effect on the activity of angiotensin I-converting enzyme. 2011 , 54, 236-240	42
1023	Assessment of antioxidant activity and rheological properties of wheat and buckwheat milling fractions. 2011 , 54, 347-353	41
1022	Antioxidant activity of small grain cereals caused by phenolics and lipid soluble antioxidants. 2011 , 54, 417-424	83
1021	Content of phenols in wheat as affected by varietal and agricultural factors. 2011 , 24, 785-789	19
1020	Free radical-scavenging and tyrosinase-inhibiting activities of extracts from sorghum distillery residue. 2011 , 111, 554-6	31

1019	Effect of germinated soybean protein hydrolysates on adipogenesis and adipolysis in 3T3-L1 cells. 2011 , 66, 355-62	17
1018	Gamma-oryzanol content, phenolic acid profiles and antioxidant activity of rice milling fractions. 2011 , 233, 577-585	39
1017	Varietal difference in physicochemical properties of pigmented rice varieties. 2011 , 14, 111-118	4
1016	Antioxidant activity of hard wheat flour, dough and bread prepared using various processes with the addition of different phenolic acids. 2011 , 91, 604-8	56
1015	Effect of phenolic acids on the rheological properties and proteins of hard wheat flour dough and bread. 2011 , 91, 2495-9	55
1014	Bioactive compounds in rice during grain development. 2011 , 127, 86-93	47
1013	Characterisation of phenolic components present in raw and roasted wattle (Acacia victoriae Bentham) seeds. 2011 , 129, 816-21	29
1012	Antioxidant activity of commercial buckwheat flours and their free and bound phenolic compositions. 2011 , 125, 923-929	90
1011	In vitro anti-oxidant activity of xylo-oligosaccharides derived from cereal and millet brans âlʿA comparative study. 2011 , 126, 1475-1481	91
1010	Modes of handling Oxygen Radical Absorbance Capacity (ORAC) data and reporting values in product labelling. 2011 , 24, 686-691	9
1009	Phenolic compounds and antioxidant activities of edible flowers from Thailand. 2011, 3, 88-99	162
1008	Determination of antioxidant activity in free and hydrolyzed fractions of millet grains and characterization of their phenolic profiles by HPLC-DAD-ESI-MSn. 2011 , 3, 144-158	223
1007	Antiproliferative potential and DNA scission inhibitory activity of phenolics from whole millet grains. 2011 , 3, 159-170	119
1006	Antioxidant Activity and Phenolic Content of Air-Classified Corn Bran. 2011 , 88, 36-40	18
1005	Phenolics content and antioxidant activity of tartary buckwheat from different locations. 2011 , 16, 9850-67	93
1004	Nutritional and sensory profile of two Indian rice varieties with different degrees of polishing. 2011 , 62, 800-10	41
1003	Phenolic constituents and antioxidant properties of some varieties of Indian rice. 2011 , 41, 123-135	16
1002	An assessment of dietary flavonoid intake in the UK and Ireland. 2011 , 62, 17-9	42

1001	Putting the whole grain puzzle together: health benefits associated with whole grainssummary of American Society for Nutrition 2010 Satellite Symposium. 2011 , 141, 1011S-22S	173
1000	Influence of Jet-Cooking Prowashonupana Barley Flour on Phenolic Composition, Antioxidant Activities, and Viscoelastic Properties. 2011 , 88, 315-320	6
999	Proximate composition and antioxidant potential of leaves from three varieties of Mulberry (Morus sp.): a comparative study. 2012 , 13, 6651-64	93
998	Simulated gastrointestinal pH condition improves antioxidant properties of wheat and rice flours. 2012 , 13, 7496-507	18
997	Effect of curing method and freeze-thawing on subsequent growth of Listeria monocytogenes on cold-smoked salmon. 2012 , 75, 1619-26	18
996	Development and Application of a Methodology to Determine Free Ferulic Acid and Ferulic Acid Ester-Linked to Different Types of Carbohydrates in Cereal Products. 2012 , 89, 247-254	15
995	Antioxidant Activity of Milling Fractions of Selected Cereals. 2012 , 11, 45-56	8
994	Food antioxidants. 2012 , 105-142	
993	Effects of Barley Consumption on Cardiovascular and Diabetic Risk. 2012 , 7-19	3
992	Bioactive components and antioxidant capacity of Ontario hard and soft wheat varieties. 2012 , 92, 19-30	25
991	Whole grain consumption has a modest effect on the development of diabetes in the Goto-Kakisaki rat. 2012 , 107, 192-201	18
990	Fecal lactic acid bacteria increased in adolescents randomized to whole-grain but not refined-grain foods, whereas inflammatory cytokine production decreased equally with both interventions. 2012 , 142, 2025-32	26
989	Phytochemical profile and nutraceutical value of old and modern common wheat cultivars. 2012 , 7, e45997	55
988	Biochemical and molecular analysis of some commercial samples of chilli peppers from Mexico. 2012 , 2012, 873090	21
987	Potential Health Benefits of Whole Grain Wheat Components. 2012, 47, 163-174	11
986	Nutritional and therapeutic potential of sunflower seeds: a review. 2012 , 114, 544-552	31
985	The potential role of (whole grain) breakfast cereals for nutrient intake. 2012 , 4, 158-158	
984	Mexican Jalape ô Pepper. 2012 , 463-474	1

983	Bioactive Compounds in Corn. 2012 , 85-103		7
982	Phenolic compounds, carotenoids, anthocyanins, and antioxidant capacity of colored maize (Zea mays L.) kernels. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 1224-31	5.7	187
981	High-Antioxidant Capacity Beverages Based on Extruded and Roasted Amaranth (Amaranthus hypochondriacus) Flour. 2012 , 199-216		4
980	Nutraceutical Changes Induced in Blue and Red Pigmented Maize by Nixtamalization Process. 2012 , 173	-187	
979	Microwave-assisted extraction of bound phenolic acids in bran and flour fractions from sorghum and maize cultivars varying in hardness. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4735-42	5.7	54
978	Role of Dietary Antioxidants in Cancer. 2012 , 377-412		3
977	Sources of Natural Antioxidants and Their Activities. 2012 , 65-138		7
976	Comparison of milling fractions of tartary buckwheat for their phenolics and antioxidant properties. 2012 , 49, 53-59		62
975	From the market to the plate: Fate of bioactive compounds during the production of feijoada meal and the impact on antioxidant capacity. 2012 , 49, 508-515		3
974	Cellular antioxidant activity of feijoada whole meal coupled with an in vitro digestion. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4826-32	5.7	59
973	Effect of steam explosion treatment on barley bran phenolic compounds and antioxidant capacity. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 7177-84	5.7	65
972	Protein Content and Antioxidant Activity of Distillersâl Spent Grain Dried at 150°C with Superheated Steam and Hot Air. 2012 , 30, 1292-1296		12
971	Biosynthesis, natural sources, dietary intake, pharmacokinetic properties, and biological activities of hydroxycinnamic acids. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 10877-95	5.7	254
970	Phenolic compounds from hydrolyzed and extracted fiber-rich by-products. 2012 , 47, 246-254		23
969	Nutrient distribution, phenolic acid composition, antioxidant and alpha-glucosidase inhibitory potentials of black gram (Vigna mungo L.) and its milled by-products. 2012 , 46, 370-377		54
968	Whole grain cereals: functional components and health benefits. 2012 , 3, 110-9		126
967	Health Benefits of Phytochemicals in Whole Foods. 2012 , 293-310		6
966	Free and Bound Phenolic Acids and Total Phenolics in Black, Blue, and Yellow Barley and Their Contribution to Free Radical Scavenging Capacity. 2012 , 89, 198-204		50

965	Phytochemicals from Corn: a Processing Perspective. 2012 , 55-92		2
964	Distribution and function of allantoin (5-ureidohydantoin) in rice grains. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 2793-8	5.7	42
963	Dissection of antioxidant activity of durum wheat (Triticum durum Desf.) grains as evaluated by the new LOX/RNO method. 2012 , 56, 214-222		14
962	Distributions of phenolic compounds, yellow pigments and oxidative enzymes in wheat grains and their relation to antioxidant capacity of bran and debranned flour. 2012 , 56, 652-658		78
961	Effect of particle size and ammonium sulfate concentration on rice bran fermentation with the fungus Rhizopus oryzae. 2012 , 123, 36-41		50
960	Studies on wheat bran Arabinoxylan for its immunostimulatory and protective effects against avian coccidiosis. 2012 , 90, 333-9		39
959	Bioaccessibility and antioxidant potential of millet grain phenolics as affected by simulated in vitro digestion and microbial fermentation. 2012 , 4, 226-237		179
958	Nutraceutical Properties and Health Benefits of Rice. 2012 , 37-64		2
957	Screening of antioxidant activity and phenolic compounds of various date palm (Phoenix dactylifera) fruits from Algeria. 2012 , 5, 119-126		16
956	Quantification of flavonoids in black rice by liquid chromatography-negative electrospray ionization tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 11723-32	5.7	51
955	High antioxidant activity mixture of extruded whole quality protein maize and common bean flours for production of a nutraceutical beverage elaborated with a traditional Mexican formulation. 2012 , 67, 450-6		5
954	Development, characterization, and optimization of protein level in date bars using response surface methodology. 2012 , 2012, 518702		16
953	Finger millet (Eleusine coracana) polyphenols: Investigation of their antioxidant capacity and antimicrobial activity. 2012 , 6,		31
952	Vitamins, Minerals, and Nutritional Value of Durum Wheat 1 1Cynthia Grant is an employee of Agriculture and Agri-Food Canada. 'Her Majesty the Queen in Right of Canada, as represented by the Minister of Agriculture and Agri-Food Canada 2012 , 125-137		2
951	Spring, einkorn and emmer wheat species – potential rich sources of free ferulic acid and other phenolic compounds. 2012 , 58, 347-353		10
950	. 2012,		14
949	Antioxidant Activities and Total Phenolic and Flavonoid Contents in Three Indigenous Medicinal Vegetables of North-east India. 2012 , 7, 1934578X1200700		О
948	New strategies in cancer chemoprevention by phytochemicals. 2012 , E4, 426-452		14

947	Yield of albedo flour and pectin content in the rind of yellow passion fruit. 2012,	2
946	Cancer chemoprevention by nuts: evidence and promises. 2012 , 4, 109-20	4
945	Qualitative and quantitative analysis of the major phenolic compounds as antioxidants in barley and flaxseed hulls using HPLC/MS/MS. 2012 , 92, 2062-8	40
944	The effect of cocoa, soy, oats and fish oil on metabolic syndrome in rats. 2012 , 92, 2349-57	8
943	Simultaneous determination of phenolic acids and flavonoids in rice using solid-phase extraction and RP-HPLC with photodiode array detection. 2012 , 35, 1603-11	73
942	Antioxidant activity of extracts from foxtail millet (Setaria italica). 2012 , 49, 500-4	41
941	Chemopreventive effects of free and bound phenolics associated to steep waters (nejayote) obtained after nixtamalization of different maize types. 2012 , 67, 94-9	22
940	Phytochemicals and antioxidant capacity of tortillas obtained after lime-cooking extrusion process of whole pigmented mexican maize. 2012 , 67, 178-85	48
939	Modulation of phenolic content and antioxidant activity of maize by solid state fermentation with Thamnidium elegans CCF 1456. 2012 , 17, 109-116	47
938	Carotenoids, tocols and retinols evolution during egg pasta âlmaking processes. 2012 , 131, 590-595	29
937	Free and bound total phenolic concentrations, antioxidant capacities, and profiles of proanthocyanidins and anthocyanins in whole grain rice (Oryza sativa L.) of different bran colours. 2012 , 133, 715-722	143
936	Phenolic acid content of sorghum and maize cultivars varying in hardness. 2012 , 134, 81-88	67
935	Influence of sorghum flour addition on flat bread in vitro starch digestibility, antioxidant capacity and consumer acceptability. 2012 , 134, 880-7	82
934	Development and validation of an HPLC-method for determination of free and bound phenolic acids in cereals after solid-phase extraction. 2012 , 134, 1624-32	106
933	Development of a heat-processing method for koji to enhance its antioxidant activity. 2012 , 113, 349-54	9
932	Effect of processing of corn for production of masa, tortillas and tortilla chips on the scavenging capacity of reactive nitrogen species. 2012 , 47, 1321-1327	7
931	Phenol-Based Antioxidants and the In Vitro Methods Used for Their Assessment. 2012 , 11, 148-173	223
930	Isolation and identification of phase II enzyme inductors obtained from black Shawaya sorghum [Sorghum bicolor (L.) Moench] bran. 2012 , 55, 126-131	17

929	Antioxidant Phenolics of Millet Control Lipid Peroxidation in Human LDL Cholesterol and Food Systems. 2012 , 89, 275-285		37
928	Antioxidant Activity and Total Phenolic Content of Organically and Conventionally Grown Rice Cultivars Under Varying Seasons. 2013 , 37, 661-668		9
927	Physical and chemical properties of tomato, green tea, and ginseng-supplemented corn extrudates produced by conventional extrusion and CO2 injection process. 2013 , 237, 801-809		17
926	Pharmacology of phytochemicals. 2013 , 68-104		1
925	Food grains. 2013 , 138-162		6
924	The Chemistry and Biochemistry of Organic Components in the Soil Solutions of Wheat Rhizospheres. 2013 , 121, 179-251		9
923	Antioxidant and antidiabetic activities of black mung bean (Vigna radiata L.). <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 8104-9	5.7	53
922	Nutraceutical profiles of improved blue maize (Zea mays) hybrids for subtropical regions. 2013 , 141, 69-76		41
921	Nutraceutical properties of flour and tortillas made with an ecological nixtamalization process. 2013 , 78, C1529-C1534		15
920	Effects of various heat treatments on phenolic profiles and antioxidant activities of Pleurotus eryngii extracts. 2013 , 78, C1122-9		21
919	Evaluation of ability of ferulic acid to control growth and fumonisin production of Fusarium verticillioides and Fusarium proliferatum on maize based media. 2013 , 167, 215-20		35
918	Effect of cerium oxide nanoparticles on the quality of rice (Oryza sativa L.) grains. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 11278-85	5.7	175
917	Soluble phenolics and antioxidant properties of soybean (Glycine max L.) cultivars with varying seed coat colours. 2013 , 5, 1065-1076		73
916	Optimisation of assay conditions for the determination of antioxidant capacity and polyphenols in cereal food components. 2013 , 30, 94-101		48
915	Determination of phenolic acid concentrations in wheat flours produced at different extraction rates. 2013 , 57, 67-72		26
914	Dietary bioactive compounds and their health implications. 2013 , 78 Suppl 1, A18-25		305
913	Antioxidant capacity, total phenolics and nutritional content in selected ethiopian staple food ingredients. 2013 , 64, 915-20		42
912	Antioxidant properties of rice grains with light brown, red and black pericarp colors and the effect of processing. 2013 , 50, 698-703		89

(2013-2013)

911	Gut microbiome composition is linked to whole grain-induced immunological improvements. 2013 , 7, 269-80		357
910	Phytochemical composition of extracts from wheat grain fractions obtained by tangential abrasive dehulling. 2013 , 54, 353-359		5
909	Effects of microfluidization on antioxidant properties of wheat bran. 2013, 58, 380-386		32
908	Ferulic acid fluorescence intensity profiles and concentration measured by HPLC in pigmented and non-pigmented cereals. 2013 , 52, 109-118		22
907	Effects of Erradiation on phenolics content, antioxidant activity and physicochemical properties of whole grainrice. 2013 , 85, 227-233		22
906	Antioxidant Activity of Phytochemicals and Their Method of Analysis. 2013 , 153-256		1
905	Potential of Chilean native corn (Zea mays L.) accessions as natural sources of phenolic antioxidants and in vitro bioactivity for hyperglycemia and hypertension management. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 10995-1007	5.7	40
904	Phenolic Profiles and Antioxidant Activity of Buckwheat (Fagopyrum esculentum Mench and Fagopyrum tartaricum L. Gaerth) Hulls, Brans and Flours. 2013 , 12, 1684-1693		38
903	Effect of sorghum flour addition on resistant starch content, phenolic profile and antioxidant capacity of durum wheat pasta. 2013 , 54, 578-586		97
902	Oral Bioavailability of Quercetin in Horses. 2013 , 33, 441-445		12
901	Ultra-fine grinding increases the antioxidant capacity of wheat bran. 2013, 57, 84-90		101
900	Distribution, antioxidant and characterisation of phenolic compounds in soybeans, flaxseed and olives. 2013 , 139, 93-9		76
899	High bioavailability iron maize (Zea mays L.) developed through molecular breeding provides more absorbable iron in vitro (Caco-2 model) and in vivo (Gallus gallus). 2013 , 12, 3		40
898	Technological properties, antioxidant activity and total phenolic and flavonoid content of pigmented chickpea (Cicer arietinum L.) cultivars. 2013 , 64, 69-76		34
897	Characterization, refining and antioxidant activity of saccharides derived from hemicelluloses of wood and rice husks. 2013 , 141, 495-502		43
896	Avena sativa. 2013 , 218-242		3
895	Triticum aestivum. 2013 , 385-415		5
894	In vivo and in vitro antioxidant activity and lglucosidase, lamylase inhibitory effects of flavonoids from Cichorium glandulosum seeds. 2013 , 139, 59-66		71

893 Zea mays. **2013**, 416-447

-))		
892	Solid State Bioconversion for Producing Common Bean (<i>Phaseolus</i> <i>vulgaris</i> L.) Functional Flour with High Antioxidant Activity and Antihypertensive Potential. 2013 , 04, 480-490	7
891	Phytochemical profiles and antioxidant activity of adlay varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 5103-13	75
890	Effects of selection for color intensity on antioxidant capacity in maize (Zea mays L.). 2013 , 193, 339-345	25
889	Antioxidant and antiproliferation activities of winter cereal crops before and after germination. 2013 , 22, 181-186	8
888	Direct measurement of total antioxidant capacity of cereals: QUENCHER-CUPRAC method. 2013 , 108, 136-42	45
887	Effects of infrared heating on phenolic compounds and Maillard reaction products in maize flour. 2013 , 58, 1-7	34
886	Comparison of flavonoids, phenolic acids, and antioxidant activity of explosion-puffed and sun-dried jujubes (Ziziphus jujuba Mill.). <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 11840-7	68
885	Effect of cooking on the total antioxidant capacity and phenolic profile of some whole-meal African cereals. 2013 , 93, 29-36	45
884	Whole Grains. 2013 , 422-430	
883	Aldose reductase inhibitory activity of compounds from Zea mays L. 2013 , 2013, 727143	30
882	Non-extractable polyphenols, a major dietary antioxidant: occurrence, metabolic fate and health effects. 2013 , 26, 118-29	150
881	Diet Quality. 2013,	1
880	A comparative study of bioactive compounds in primitive wheat populations from Italy, Turkey, Georgia, Bulgaria and Armenia. 2013 , 93, 3490-501	46
879	New zeolite adsorbents for downstream processing of polyphenols from renewable resources. 2013 , 13, 239-246	9
878	Fibre-enriched snack foods. 2013 , 389-406	3
877	Health-promoting components of fruits and vegetables in the diet. 2013 , 4, 384S-92S	625
876	Correlation of Sensory, Cooking, Physical, and Chemical Properties of Whole Grain Rice with Diverse Bran Color. 2013 , 90, 521-528	14

(2014-2013)

875	Bioactive molecules and antioxidant activity in durum wheat grains and related millstream fractions. 2013 , 64, 959-67	9
874	Health Benefits of Oat Phytochemicals. 2013 , 171-194	1
873	Carotenoids, Phenolic Compounds and Antioxidant Capacity of Five Local Italian Corn (Zea Mays L.) Kernels. 2013 , 03,	7
872	Inter-varietal Variation in Biochemical, Phytochemical and Antioxidant Composition of Maize (Zea mays L.) Grains. 2013 , 19, 1133-1140	3
871	The effect of coal-bed methane water on spearmint and peppermint. 2013 , 42, 1815-21	9
870	. 2013,	
869	Comparison of Antioxidant Properties of Refined and Whole Wheat Flour and Bread. 2013 , 2, 370-83	74
868	Antioxidant Properties of Experimental Wholegrain Pastas Made With Different Cereals. 2014, 3, 33	5
867	Distribution of phenolic compounds and antioxidative activities of rice kernel and their relationships with agronomic practice. 2014 , 2014, 620171	5
866	Production, Composition, Fatty Acids Profile and Stability of Milk and Blood Composition of Dairy Cows Fed High Polyunsaturated Fatty Acids Diets and Sticky Coffee Hull. 2014 , 57, 493-503	2
865	Correlation Analysis Between Antioxidant Activity and Phytochemicals in Korean Colored Corns Using Principal Component Analysis. 2014 , 6, 1	10
864	Antioxidant-Rich Natural Grain Products and Human Health. 2014 ,	3
863	Rye Consumption and the Risk of Colorectal Cancer. 2014 , 247-260	1
862	Comparative Studies on Composition and Distribution of Phenolic Acids in Cereal Grain Botanical Fractions. 2014 , 91, 522-530	55
861	Diversity in Phytochemical Composition and Antioxidant Capacity of Dent, Flint, and Specialty Corns. 2014 , 91, 639-645	13
860	Wheat color (class), not refining, influences colon cancer risk in rats. 2014 , 66, 849-56	6
859	Petit suisse from black soybean: bioactive compounds and antioxidant properties during development process. 2014 , 65, 470-5	6
858	Analysis of Ferulic and p-Coumaric Acids in Japanese Rice for Sake Brewing. 2014 , 91, 45-49	10

857	Effect of Extraction on Phenolic Antioxidant of Different Thai Rice (Oryza Sativa L.) Genotypes. 2014 , 17, 855-865	7
856	Distribution of Phenolic Acids in Milling Fractions of Spring Wheats. 2014 , 17, 2052-2062	4
855	The Effect of Bioprocessing on the Phenolic Acid Composition and Antioxidant Activity of Wheat Bran. 2014 , 91, 255-261	19
854	The Bioavailability and Metabolism of Phenolics, a Class of Antioxidants Found in Grains. 2014 , 59, 52-58	7
853	Production of Healthy Brown Rice from Three Various Color Rice. 2014 , 8, 222-229	1
852	Changes in chemical components and cytotoxicity at different maturity stages of Pleurotus eryngii fruiting body. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 12631-40	12
851	Availability of free and bound phenolic compounds in rice after hydrothermal treatment. 2014 , 60, 526-532	32
850	Red pericarp introgression lines derived from interspecific crosses of rice: physicochemical characteristics, antioxidative properties and phenolic content. 2014 , 94, 2912-20	6
849	Plant protein and vegetable oil-based diets modulate gilthead seabream (Sparus aurata) muscle biochemical status and proteolytic enzymes at an early postmortem stage. 2014 , 20, 153-162	3
848	Fermented Rice Bran Attenuates Oxidative Stress. 2014 , 467-480	7
847	Effects of flour storage and heat generated during milling on starch, dietary fibre and polyphenols in stoneground flours from two durum-type wheats. 2014 , 49, 2230-2236	14
846	Comparison of Aromatic Substances in Buckwheat Vinegar that Adding the Moldy Bran, Drug Koji and A.schutzenbachii during Fermentation. 2014 , 1033-1034, 629-633	
845	Flavonoids Extraction fromTaraxacum officinale(Dandelion): Optimisation Using Response Surface Methodology and Antioxidant Activity. 2014 , 2014, 1-7	4
844	Antioxidant, ⊞glucosidase and xanthine oxidase inhibitory activity of bioactive compounds from maize (Zea mays L.). 2014 , 83, 119-25	50
843	Effects of different treatments on the antioxidant properties and phenolic compounds of rice bran and rice husk. 2014 , 157, 457-63	108
842	Effect of extrusion cooking on the physicochemical properties, resistant starch, phenolic content and antioxidant capacities of green banana flour. 2014 , 143, 33-9	164
841	The influence of feeding diets containing wheat gluten supplemented with dipeptides or free amino acids on structure and development of the skeletal muscle of carp (Cyprinus carpio). 2014 , 22, 259-271	9
840	Improving bioaccessibility and bioavailability of phenolic compounds in cereal grains through processing technologies: A concise review. 2014 , 7, 101-111	183

839	Effects of hydrothermal processes on antioxidants in brown, purple and red bran whole grain rice (Oryza sativa L.). 2014 , 159, 106-15	54
838	Effect of microfluidisation on antioxidant properties of corn bran. 2014 , 152, 37-45	22
837	Colorectal Cancer Prevention by Wheat Consumption. 2014 , 91-111	5
836	Solid-state bioconversion of chickpea (Cicer arietinum L.) by Rhizopus oligosporus to improve total phenolic content, antioxidant activity and hypoglycemic functionality. 2014 , 65, 558-64	16
835	Total phenolic contents of 33 fruits and their antioxidant capacities before and after in vitro digestion. 2014 , 57, 150-157	125
834	Bound phenolics in foods, a review. 2014 , 152, 46-55	607
833	Maize: Nutrition Dynamics and Novel Uses. 2014 ,	6
832	Effect of milling time on antioxidant compounds and activities of methanol extracts of sorghum [Sorghum bicolor (L.) Moench]. 2014 , 23, 1741-1746	8
831	Determination of formulation and processing factors affecting slowly digestible starch, protein digestibility and antioxidant capacity of extruded sorghumathaize composite flour. 2014 , 49, 1408-1419	32
830	Quantitative ethnobotanical study of the medicinal plants used by the Ati Negrito indigenous group in Guimaras island, Philippines. 2014 , 157, 228-42	70
829	In vitro and in vivo studies on adlay-derived seed extracts: phenolic profiles, antioxidant activities, serum uric acid suppression, and xanthine oxidase inhibitory effects. <i>Journal of Agricultural and</i> 5.7 <i>Food Chemistry</i> , 2014 , 62, 7771-8	73
828	In vitro bioaccessibility of phenolics and vitamins from durum wheat aleurone fractions. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 1543-9	33
827	Effects of Genotype and Environment on Phenolic Acids Content and Total Antioxidant Capacity in Durum Wheat. 2014 , 91, 310-317	25
826	Enhanced production and extraction of phenolic compounds from wheat by solid-state fermentation with RCK2012. 2014 , 4, 120-127	54
825	Phenolics, flavonoids, proanthocyanidin and antioxidant activity of brown rice with different pericarp colors following storage. 2014 , 59, 120-125	47
824	Increasing the antioxidant activity, total phenolic and flavonoid contents by optimizing the germination conditions of amaranth seeds. 2014 , 69, 196-202	47
823	Polyphenolic compounds and anthocyanin content of Prosopis nigra and Prosopis alba pods flour and their antioxidant and anti-inflammatory capacities. 2014 , 64, 762-771	34
822	Wheat flour granulometry determines colour perception. 2014 , 64, 363-370	24

821	Quality parameters, bioactive compounds and their correlation with antioxidant capacity of commercial fruit-based baby foods. 2014 , 20, 479-87	26
820	Target guided isolation, in-vitro antidiabetic, antioxidant activity and molecular docking studies of some flavonoids from Albizzia Lebbeck Benth. bark. 2014 , 14, 155	32
819	Effects of whole and refined grains in a weight-loss diet on markers of metabolic syndrome in individuals with increased waist circumference: a randomized controlled-feeding trial. 2014 , 100, 577-86	60
818	Antioxidant Properties of Wheat Bran against Oxidative Stress. 2014 , 181-199	11
817	Effect of boiling in water of barley and buckwheat groats on the antioxidant properties and dietary fiber composition. 2014 , 69, 276-82	22
816	Upgrading the antioxidant potential of cereals by their fungal fermentation under solid-state cultivation conditions. 2014 , 59, 493-9	41
815	Improvement of dietary fiber, ferulic acid and calcium contents in pan bread enriched with nejayote food additive from white maize (Zea mays). 2014 , 60, 264-269	51
814	Non-isothermal autohydrolysis of nixtamalized maize pericarp: Production of nutraceutical extracts. 2014 , 58, 550-556	14
813	Does a sorghum-cowpea composite porridge hold promise for contributing to alleviating oxidative stress?. 2014 , 157, 157-66	22
812	Free and bound phenolic profiles and antioxidant activity of milled fractions of different indica rice varieties cultivated in southern China. 2014 , 159, 166-74	99
811	Production of nigragillin and dihydrophaseic acid by biotransformation of litchi pericarp with Aspergillus awamori and their antioxidant activities. 2014 , 7, 278-286	15
810	Sesame and resistant starch reduce the colon carcinogenesis and oxidative stress in 1,2-dimethylhydrazine-induced cancer in Wistar rats. 2014 , 62, 609-617	10
809	Release of antioxidant capacity from five plant foods during a multistep enzymatic digestion protocol. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 4119-26	45
808	Dynamic changes in the free and bound phenolic compounds and antioxidant activity of brown rice at different germination stages. 2014 , 161, 337-44	115
807	Physicochemical and nutritional properties of pigmented rice subjected to different degrees of milling. 2014 , 35, 10-17	41
806	Exploitation of Albanian wheat cultivars: characterization of the flours and lactic acid bacteria microbiota, and selection of starters for sourdough fermentation. 2014 , 44, 96-107	50
805	Diversity of Antioxidant Content and Its Relationship to Grain Color and Morphological Characteristics in Winter Wheat Grains. 2014 , 13, 1258-1267	25
804	Anthocyanin, phenolics and antioxidant activity changes in purple waxy corn as affected by traditional cooking. 2014 , 164, 510-7	62

803	The impact of milling and thermal processing on phenolic compounds in cereal grains. 2014 , 54, 837-49	77
802	Antinutrients and Toxicity in Plant-based Foods. 2014 , 311-339	3
801	Recent Advances in Applications of Encapsulation Technology for the Bioprotection of Phytonutrients in Complex Food Systems. 2014 , 363-386	О
800	Processing Effects on Functional Components in Cereals and Grains. 2014 , 61-89	
799	Phytochemical and Nutraceutical Changes during Recurrent Selection for Storage Pest Resistance in Tropical Maize. 2014 , 54, 2423-2432	32
798	Gut morphology and hepatic oxidative status of European sea bass (Dicentrarchus labrax) juveniles fed plant feedstuffs or fishmeal-based diets supplemented with short-chain fructo-oligosaccharides and xylo-oligosaccharides. 2015 , 114, 1975-84	23
797	Analysis of Genotype, Environment, and Their Interaction Effects on the Phytochemicals and Antioxidant Capacities of Red Rice (Oryza sativa L.). 2015 , 92, 204-210	19
796	Effect of germination on vitamin C, phenolic compounds and antioxidant activity in flaxseed (Linum usitatissimum L.). 2015 , 50, 2545-2553	31
795	A comparative study on free and bound phenolic acid content and their antioxidant activity in bran of rice (Oryza sativa L.) cultivars of Eastern Himalayan range. 2015 , 50, 2529-2536	10
794	Antioxidants, Enzyme Inhibitors, and Biogenic Compounds in Grain Extracts of Barleys. 2015 , 12, 1678-95	4
793	Chapati Making Quality of Whole Wheat Flour (Atta) Obtained by Various Processing Techniques. 2015 , 39, 3032-3039	11
792	Physical Properties and Chemical Characterization of Macro- and Micro-Nutriments of Elite Blue Maize Hybrids (Zea maysL.). 2015 , 43, 295-306	6
791	Comparative study on the antibacterial and chemical constituents of Pennisetum glaucum (pearl millet) and Zea mays (maize). 2015 , 7, 46-51	2
790	Evaluation of Antioxidant Properties in Cereals: Study of Some Traditional Italian Wheats. 2015 , 4, 391-399	7
789	Phytochemical Profiles and Nutraceutical Properties of Corn and Wheat Tortillas. 2015, 65-96	4
788	A Review of Extraction and Analysis of Bioactives in Oat and Barley and Scope for Use of Novel Food Processing Technologies. 2015 , 20, 10884-909	85
787	Hen Egg as an Antioxidant Food Commodity: A Review. 2015 , 7, 8274-93	86

785	Effect of feeding peroxidized dried distillers grains with solubles to sows and progeny on growth performance and metabolic oxidative status of nursery pigs. 2015 , 93, 135-46		13
7 ⁸ 4	Total phenolics, total anthocyanins and antioxidant capacity of native and elite blue maize hybrids (Zea mays L.). 2015 , 13, 336-339		31
783	Chemopreventive effects of feruloyl putrescines from wastewater (Nejayote) of lime-cooked white maize (Zea mays). 2015 , 64, 23-28		24
782	Sorghum: An Underutilized Cereal Whole Grain with the Potential to Assist in the Prevention of Chronic Disease. 2015 , 31, 401-437		95
781	Bioactive, antioxidant and enzyme activity changes in frozen, cooked, mini, super-sweet corn (Zea mays L. saccharata âNaulthongâ) 2015 , 44, 1-9		4
780	Advances in grain sorghum and its co-products as a human health promoting dietary system. 2015 , 77, 349-359		58
779	Effect of autoclaving and cooking on phenolic compounds in buckwheat-enriched whole wheat tagliatelle. 2015 , 66, 1-9		15
778	Improvement of nutritional composition and antioxidant capacity of high-amylose wheat during germination. 2015 , 52, 6756-62		26
777	Phytochemical composition and antioxidant capacity of whole wheat products. 2015 , 66, 63-70		14
776	Phytochemical profiles and antioxidant activity of different varieties of Adinandra Tea (Adinandra Jack). <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 169-76	5.7	50
775	Effect of extrusion on phytochemical profiles in milled fractions of black rice. 2015, 178, 186-94		69
774	Soaking and extrusion effects on physicochemical parameters, phytic acid, nutrient content and mineral bio-accessibility of whole rice grain. 2015 , 66, 210-5		18
773	Nitrogen fertilization and maturity influence the phenolic concentration of wheat grain (Triticum aestivum). 2015 , 178, 118-125		13
772	Production of functional pita bread using date seed powder. 2015 , 52, 6375-84		29
771	Combination Approach: the Future of the War Against Cancer. 2015 , 72, 637-41		7
770	Formulation and Characterization of Drug-Loaded Microparticles Using Distillers Dried Grain Kafirin. 2015 , 92, 246-252		10
769	REVIEW: Properties of Cereal Brans: A Review. 2015 , 92, 1-7		24
768	Antioxidative free and bound phenolic constituents in pericarp, germ and endosperm of Indian dent (Zea mays var. indentata) and flint (Zea mays var. indurata) maize. 2015 , 13, 363-374		50

(2015-2015)

767	Discrimination of Kernel Quality Characteristics for Sunflower Seeds Based on Multispectral Imaging Approach. 2015 , 8, 1629-1636	13
766	Isolation and identification of bound compounds from corn bran and their antioxidant and angiotensin I-converting enzyme inhibitory activities. 2015 , 241, 37-47	11
765	The use of antioxidants in the preservation of cereals and low-moisture foods. 2015 , 413-432	4
764	Effects of feruloyl esterase, non-starch polysaccharide degrading enzymes, phytase, and their combinations on in vitro degradation of rice bran and nutrient digestibility of rice bran based diets in adult cockerels. 2015 , 178, 255-262	12
763	Functional and Nutritional Characteristics of Soft Wheat Grown in No-Till and Conventional Cropping Systems. 2015 , 92, 332-338	5
762	Functional and Nutritional Characteristics of Wheat Grown in Organic and Conventional Cropping Systems. 2015 , 92, 504-512	6
761	Rice bran: Nutritional values and its emerging potential for development of functional foodâl review. 2015 , 6, 24-30	157
760	Oat phenolic content and total antioxidant capacity during grain development. 2015 , 65, 39-42	12
759	Bound polyphenol from foxtail millet bran induces apoptosis in HCT-116 cell through ROS generation. 2015 , 17, 958-968	26
	Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects	
758	âl'A review. 2015 , 18, 820-897	1341
758 757		1341 28
	âlA review. 2015 , 18, 820-897 Breads enriched with guava flour as a tool for studying the incorporation of phenolic compounds in	
757	âlA review. 2015, 18, 820-897 Breads enriched with guava flour as a tool for studying the incorporation of phenolic compounds in bread melanoidins. 2015, 185, 65-74 Association between dietary whole grain intake and risk of mortality: two large prospective studies	28
757 756	âl'A review. 2015, 18, 820-897 Breads enriched with guava flour as a tool for studying the incorporation of phenolic compounds in bread melanoidins. 2015, 185, 65-74 Association between dietary whole grain intake and risk of mortality: two large prospective studies in US men and women. 2015, 175, 373-84 Comparative studies on the inhibitory activities of selected benzoic acid derivatives against	28 123
757 756 755	Breads enriched with guava flour as a tool for studying the incorporation of phenolic compounds in bread melanoidins. 2015, 185, 65-74 Association between dietary whole grain intake and risk of mortality: two large prospective studies in US men and women. 2015, 175, 373-84 Comparative studies on the inhibitory activities of selected benzoic acid derivatives against secretory phospholipase A2, a key enzyme involved in the inflammatory pathway. 2015, 11, 1973-9 Total phenolic, flavonoid content, and antioxidant activity of flour, noodles, and steamed bread	28 123 12
757 756 755 754	Breads enriched with guava flour as a tool for studying the incorporation of phenolic compounds in bread melanoidins. 2015, 185, 65-74 Association between dietary whole grain intake and risk of mortality: two large prospective studies in US men and women. 2015, 175, 373-84 Comparative studies on the inhibitory activities of selected benzoic acid derivatives against secretory phospholipase A2, a key enzyme involved in the inflammatory pathway. 2015, 11, 1973-9 Total phenolic, flavonoid content, and antioxidant activity of flour, noodles, and steamed bread made from different colored wheat grains by three milling methods. 2015, 3, 328-334 Maximizing slowly digested starch in an expanded sorghum-maize extruded food using response	28 123 12 94
757 756 755 754 753	Breads enriched with guava flour as a tool for studying the incorporation of phenolic compounds in bread melanoidins. 2015, 185, 65-74 Association between dietary whole grain intake and risk of mortality: two large prospective studies in US men and women. 2015, 175, 373-84 Comparative studies on the inhibitory activities of selected benzoic acid derivatives against secretory phospholipase A2, a key enzyme involved in the inflammatory pathway. 2015, 11, 1973-9 Total phenolic, flavonoid content, and antioxidant activity of flour, noodles, and steamed bread made from different colored wheat grains by three milling methods. 2015, 3, 328-334 Maximizing slowly digested starch in an expanded sorghum-maize extruded food using response surface methodology. 2015, 67, 285-293 Comparison of phenolic profiles and antioxidant properties of European Fagopyrum esculentum	28 123 12 94

749	Enhancement of nutritional properties, and antioxidant and antihypertensive potential of black common bean seeds by optimizing the solid state bioconversion process. 2015 , 66, 498-504	9
748	The effect of infrared stabilisation on B vitamins, phenolics and antioxidants in rice bran. 2015 , 50, 84-91	10
747	Use of fuzzy chromatography mass spectrometric (FCMS) fingerprinting and chemometric analysis for differentiation of whole-grain and refined wheat (T. aestivum) flour. 2015 , 407, 7875-88	10
746	Antioxidant activity, total phenolics, flavonoids and antinutritional characteristics of germinated foxtail millet (Setaria italica). 2015 , 1, 1081728	21
745	Application of LCâMSâMS to identify niacin in aleurone layers of yellow corn, barley and wheat kernels. 2015 , 65, 88-95	4
744	Aufarbeitung von Polyphenolen aus Weizen mittels Zeolithen am Beispiel der Ferulasüre. 2015 , 87, 128-136	
743	Meta-analysis of the association between whole grain intake and coronary heart disease risk. 2015 , 115, 625-9	69
742	Phenolic compounds in wholegrain rye and its fractions. 2015 , 38, 89-97	28
741	Effects of NaCl and soaking temperature on the phenolic compounds, £ocopherol, £bryzanol and fatty acids of glutinous rice. 2015 , 175, 218-24	17
740	The effects of lupin (Lupinus angustifolius) addition to wheat bread on its nutritional, phytochemical and bioactive composition and protein quality. 2015 , 76, 58-65	39
739	Impact of supercritical CO2 and traditional solvent extraction systems on the extractability of alkylresorcinols, phenolic profile and their antioxidant activity in wheat bran. 2015 , 12, 109-119	22
738	Phenolic and carotenoid profiles and antiproliferative activity of foxtail millet. 2015 , 174, 495-501	74
737	Effect of processing on phenolic antioxidants of fruits, vegetables, and grainsa review. 2015 , 55, 887-919	232
736	The Mediterranean diet, its components, and cardiovascular disease. 2015 , 128, 229-38	429
735	Phenolic compounds in grains, sprouts and wheatgrass of hulled and non-hulled wheat species. 2015 , 95, 1795-803	69
734	Enhancement of attributes of cereals by germination and fermentation: a review. 2015 , 55, 1575-89	105
733	Isolation, identification and antioxidant activity of bound phenolic compounds present in rice bran. 2015 , 171, 40-9	87
732	Micronutrient and functional compounds biofortification of maize grains. 2015 , 55, 123-39	18

731	Phenolic Compounds of Cereals and Their Antioxidant Capacity. 2016 , 56, 25-35	185
730	PHYTOCHEMICAL SCREENING AND QUANTITATIVE ESTIMATION OF TOTAL PHENOLIC CONTENT AND TOTAL FLAVONOID CONTENT OF GRAINS OF PASPALUM SCROBICULATUM. 2016 , 9, 73	3
729	Antioxidants and Total Antioxidant Capacity in Maize Fours. 2016 , 27, 11-13	
728	High-Throughput Extraction of Insoluble-Bound Ferulic Acid In Maize. 2016 , 56, 3152-3159	4
7 2 7	Nutritional characteristics of ancient Tuscan varieties of Triticum aestivum L 2016, 11,	12
726	The Extrusion Process as an Alternative for Improving the Biological Potential of Sorghum Bran: Phenolic Compounds and Antiradical and Anti-Inflammatory Capacity. 2016 , 2016, 8387975	23
725	Metabolism of Flavonoids in Novel Banana Germplasm during Fruit Development. 2016 , 7, 1291	6
724	Antioxidant Secondary Metabolites in Cereals: Potential Involvement in Resistance to Fusarium and Mycotoxin Accumulation. 2016 , 7, 566	89
723	Insoluble-Bound Phenolics in Food. 2016 , 21,	202
722	Accumulation of Phenolic Compounds and Expression Profiles of Phenolic Acid Biosynthesis-Related Genes in Developing Grains of White, Purple, and Red Wheat. 2016 , 7, 528	57
721	Antioxidant, Antibacterial, and Antiproliferative Activities of Free and Bound Phenolics from Peel and Flesh of Fuji Apple. 2016 , 81, M1735-42	21
720	Comparison of bioactivities and phenolic composition of Choerospondias axillaris peels and fleshes. 2016 , 96, 2462-71	19
719	The phenolic composition and antioxidant capacity of soluble and bound extracts in selected dietary spices and medicinal herbs. 2016 , 51, 565-573	36
718	Fermentation alters antioxidant capacity and polyphenol distribution in selected edible legumes. 2016 , 51, 875-884	46
717	Flaked sorghum biscuits increase postprandial GLP-1 and GIP levels and extend subjective satiety in healthy subjects. 2016 , 60, 1118-28	33
716	Effect of low temperature plasma on the functional properties of basmati rice flour. 2016 , 53, 2742-51	24
715	Change in Health Ingredients of Whole Tibetan Hull-Less Barley after Steam Explosion and Simulated Digestion In vitro. 2016 , 40, 239-248	6
714	Fortification of Commercial Nixtamalized Maize (Zea maysL.) with Common Bean (Phaseolus vulgarisL.) Increased the Nutritional and Nutraceutical Content of Tortillas without Modifying Sensory Properties. 2016 , 39, 569-579	12

713	Nutritional properties of the largest bamboo fruit Melocanna baccifera and its ecological significance. 2016 , 6, 26135	8
712	Growth temperature and genotype both play important roles in sorghum grain phenolic composition. 2016 , 6, 21835	37
711	Development of a NIRS calibration for total antioxidant capacity in maize germplasm. 2016 , 154, 164-8	20
710	Corn starch ferulates with antioxidant properties prepared by N,N'-carbonyldiimidazole-mediated grafting procedure. 2016 , 208, 1-9	28
709	Oats-From Farm to Fork. 2016 , 77, 1-55	29
708	Variation in secondary metabolite production as well as antioxidant and antibacterial activities of Zingiber zerumbet (L.) at different stages of growth. 2016 , 16, 104	24
707	Weaning wild flathead grey mullet (Mugil cephalus) fry with diets with different levels of fish meal substitution. 2016 , 462, 92-100	37
706	Antioxidant property and their free, soluble conjugate and insoluble-bound phenolic contents in selected beans. 2016 , 24, 359-372	58
705	A commercial GH 11 xylanase mediates xylan solubilisation and degradation in wheat, rye and barley as demonstrated by microscopy techniques and wet chemistry methods. 2016 , 219, 216-225	18
704	Nutritional characterization of naked and dehulled oat cultivar samples at harvest and after storage. 2016 , 72, 46-53	16
703	Phenolic profiles and chemical- or cell-based antioxidant activities of four star fruit (Averrhoa carambola) cultivars. 2016 , 6, 90646-90653	14
702	Spectroscopic properties of spinacine âlan active component of ginseng (Panax ginseng) and spinach (Spinacia oleracea). 2016 , 49, 635-646	
701	Analysis and Characterization of Polyphenol Extracts. 2016 , 193-220	
700	Optimization of extraction conditions and enhancement of phenolic content and antioxidant activity of pearl millet fermented with Aspergillus awamori MTCC-548. 2016 , 2, 148-157	37
699	Comparison of Composition, Protein, Pasting, and Phenolic Compounds of Brown Rice and Germinated Brown Rice from Different Cultivars. 2016 , 93, 584-592	29
698	Quality evaluation of physical properties, antinutritional factors, and antioxidant activity of bread fortified with germinated horse gram (Dolichus uniflorus) flour. 2016 , 4, 766-71	13
697	Multivariate analysis for the safety assessment of genetically modified rices in the anti-nutrients and phenolic compounds. 2016 , 51, 765-776	4
696	Effect of Fermentation and Cooking on Soluble and Bound Phenolic Profiles of Finger Millet Sour Porridge. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 7615-7621	16

695	Phenolic Compounds and Antioxidant Capacity of Brown Rice in China. 2016, 12, 537-546	6
694	The use of an enzymatic extraction procedure for the enhancement of highland barley (Hordeum vulgare L.) phenolic and antioxidant compounds. 2016 , 51, 1916-1924	19
693	The antioxidant activity and the composition of free and bound phenolic acids in dough of wheat flour enriched by Boletus edulis after mixing and thermal processing. 2016 , 51, 2019-2025	6
692	Phytochemical analysis, phenolic compounds, condensed tannin content and antioxidant potential in Marwa (Origanum majorana) seed extracts. 2016 , 2, 168-174	26
691	Antioxidant Potentials and Phenolic Composition of Tef Varieties: An Indigenous Ethiopian Cereal. 2016 , 93, 465-470	30
690	Optimized methodology for the extraction of free and bound phenolic acids from Chilean Cristalino corn (Zea mays L.) accession. 2016 , 1-8	
689	Effect of polishing and cooking on the antioxidant activities of local rice. 2016,	
688	Phytochemical profiles and antioxidant capacity of pigmented and non-pigmented genotypes of rice (Oryza satival.). 2016 , 44, 98-110	11
687	Polymerization of phenolic compounds by polyphenol oxidase from bell pepper with increase in their antioxidant capacity. 2016 , 14, 594-603	9
686	Effect of steam explosion-assisted extraction on phenolic acid profiles and antioxidant properties of wheat bran. 2016 , 96, 3484-91	22
685	LC-ESI-MS/MS Analysis and Extraction Method of Phenolic Acids from Gluten-Free Precooked Buckwheat Pasta. 2016 , 9, 3063-3068	11
684	Optimization of thermal processing conditions for brown rice noodles. 2016 , 59, 517-524	4
683	Improvement in nutritional attributes of rice using superheated steam processing. 2016 , 24, 338-350	36
682	Whole food approach for type 2 diabetes prevention. 2016 , 60, 1819-36	37
681	Antioxidant and Physicochemical Properties of Hydrogen Peroxide-Treated Sugar Beet Dietary Fibre. 2016 , 30, 855-60	3
680	Changes in polyphenol compounds and barley laccase expression during the malting process. 2016 , 96, 497-504	4
679	Physicochemical, functional and antioxidant properties of flour from pearl millet varieties grown in India. 2016 , 10, 311-318	30
678	Phytochemical and Antioxidant Profile of Pigmented and Non-Pigmented Rice Cultivars of Arunachal Pradesh, India. 2016 , 19, 1104-1114	8

677	Antioxidative free and bound phenolic constituents in botanical fractions of Indian specialty maize (Zea mays L.) genotypes. 2016 , 201, 298-306	46
676	Effect of infrared and microwave radiations on properties of Indian Horse Chestnut starch. 2016 , 84, 166-73	41
675	Emerging and Traditional Technologies for Safe, Healthy and Quality Food. 2016 ,	5
674	Effect of low-pressure plasma on physicoâdhemical and functional properties of parboiled rice flour. 2016 , 69, 482-489	58
673	Structural Variation and Content of Arabinoxylans in Endosperm and Bran of Durum Wheat (Triticum turgidum L.). <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 2883-92	35
672	Enhancement of polyphenol content and antioxidant capacity of oat (Avena nuda L.) bran by cellulase treatment. 2016 , 59, 397-403	11
671	Bioactive compounds and antioxidant properties of different solvent extracts derived from Thai rice by-products. 2016 , 59, 373-384	15
670	Antioxidant potential of phenolic-rich two varieties of Nigerian local rice and their anti-cholinesterase activities after in vitro digestion. 2016 , 46, 171-189	4
669	The composition, antioxidant and antiproliferative capacities of phenolic compounds extracted from tartary buckwheat bran [Fagopyrum tartaricum (L.) Gaerth]. 2016 , 22, 145-155	31
668	Enhanced antioxidant activity of rice bran extract by carbohydrase treatment. 2016 , 68, 116-121	34
667	Use of Pigmented Maize in Both Conventional Dry-Grind and Modified Processes Using Granular Starch Hydrolyzing Enzyme. 2016 , 93, 344-351	8
666	Black Rice. 2016 , 21-47	10
665	Detection of Bioactive Compounds in Plants and Food Products. 2016 , 81-109	3
664	Analysing the effect of germination on phenolics, dietary fibres, minerals and Eamino butyric acid contents of barnyard millet (Echinochloa frumentaceae). 2016 , 13, 60-68	41
663	Sorghum-cowpea composite porridge as a functional food, Part II: Antioxidant properties as affected by simulated in vitro gastrointestinal digestion. 2016 , 197, 307-15	36
662	Changes of phenolic profiles and antioxidant activity in canaryseed (Phalaris canariensis L.) during germination. 2016 , 194, 608-18	58
661	Study on Antioxidant Activity and Amino Acid Analysis of Rapeseed Protein Hydrolysates. 2016 , 19, 1899-1	911 6
660	Antioxidant and antiproliferative activities in immature and mature wheat kernels. 2016 , 196, 638-45	22

(2017-2016)

659	Polyphenolic compound stability and antioxidant capacity of apple pomace in an extruded cereal. 2016 , 65, 228-236	52
658	In vitro and in vivo antioxidant activity of polyphenols extracted from black highland barley. 2016 , 194, 1003-12	104
657	Isolation and identification of antioxidant peptides from enzymatically hydrolyzed rice bran protein. 2016 , 192, 156-62	134
656	Effects of the traditional method and an alternative parboiling process on the fatty acids, vitamin E, Ebryzanol and phenolic acids of glutinous rice. 2016 , 194, 230-6	20
655	Ferulic acid in cereals – a review. 2016 , 33, 1-7	65
654	Effect of Nixtamalized Maize with Lime Water (Nejayote) on Rheological and Microbiological Properties of Masa. 2017 , 41, e12748	4
653	Phenolic content, antioxidant and antiproliferative activities of six varieties of white sesame seeds (Sesamum indicum L.). 2017 , 7, 5751-5758	21
652	Phytochemical profiles and antioxidant activity of brown rice varieties. 2017 , 227, 432-443	42
651	The anti-obesity effect of fermented barley extracts with Lactobacillus plantarum dy-1 and Saccharomyces cerevisiae in diet-induced obese rats. 2017 , 8, 1132-1143	28
650	Dietary corn fractions reduce atherogenesis in low-density lipoprotein receptor knockout mice. 2017 , 37, 87-96	4
649	Soluble and bound phenolic contents and antioxidant capacity of tef injera as affected by traditional fermentation. 2017 , 58, 52-59	33
648	Effects of Tissue Culture and Mycorrhiza Applications in Organic Farming on Concentrations of Phytochemicals and Antioxidant Capacities in Ginger (Zingiber officinale Roscoe) Rhizomes and Leaves. 2017 , 82, 873-881	5
647	Intracellular antioxidant activities of selected cereal phenolic extracts and mechanisms underlying the protective effects of adlay phenolic extracts on H 2 O 2 -induced oxidative stress in human erythrocytes. 2017 , 31, 160-171	19
646	Improving free, conjugated, and bound phenolic fractions in fermented oats (Avena sativa L.) with Monascus anka and their antioxidant activity. 2017 , 32, 185-194	59
645	The relationship between reducing sugars and phenolic retention of brown rice after enzymatic extrusion. 2017 , 74, 244-249	28
644	Using combined optimization, GC-MS and analytical technique to analyze the germination effect on phenolics, dietary fibers, minerals and GABA contents of Kodo millet (Paspalum scrobiculatum). 2017 , 233, 20-28	20
643	Bio-enrichment of phenolics and antioxidant activity of combination of Oryza sativa and Lablab purpureus fermented with GRAS filamentous fungi. 2017 , 3, 347-352	13
642	Bioactive compound and antioxidant activity distribution in roller-milled and pearled fractions of conventional and pigmented wheat varieties. 2017 , 233, 483-491	49

641	Dephytinization of wheat and rice brans by hydrothermal autoclaving process and the evaluation of consequences for dietary fiber content, antioxidant activity and phenolics. 2017 , 39, 209-215	20
640	Wheatgrass juice to wheat grass powder: Encapsulation, physical and chemical characterization. 2017 , 28, 19-27	28
639	Phenolics extracted from tartary (Fagopyrum tartaricum L. Gaerth) buckwheat bran exhibit antioxidant activity, and an antiproliferative effect on human breast cancer MDA-MB-231 cells through the p38/MAP kinase pathway. 2017 , 8, 177-188	19
638	Phytochemicals and antioxidant capacity in four Italian traditional maize (Zea mays L.) varieties. 2017 , 68, 515-524	17
637	The effect of ultrasound on some properties of pulse hulls. 2017 , 54, 2779-2788	12
636	Plant Biotechnology: Recent Advancements and Developments. 2017,	4
635	Microencapsulation of Corn Wastewater (Nejayote) Phytochemicals by Spray Drying and Their Release Under Simulated Gastrointestinal Digestion. 2017 , 82, 1726-1734	11
634	Valorization of the whole grains of Triticum aestivum L. and Triticum vulgare L. through the investigation of their biochemical composition and in vitro antioxidant, anti-inflammatory, anticancer and anticalpain activities. 2017 , 75, 278-285	4
633	Phytochemical profiles and antioxidant activity of processed brown rice products. 2017, 232, 67-78	39
632	Antioxidants Bound to an Insoluble Food Matrix: Their Analysis, Regeneration Behavior, and Physiological Importance. 2017 , 16, 382-399	46
631	Effect of thermal processing on phenolic profiles and antioxidant activities in Castanea mollissima. 2017 , 52, 439-447	14
630	Phenolic content and antioxidant activity of eight representative sweet corn varieties grown in South China. 2017 , 20, 3043-3055	26
629	Identification and quantification of polyphenols in hull, bran and endosperm of common buckwheat (Fagopyrum esculentum) seeds. 2017 , 38, 363-369	25
628	Effect of fermentation on the peptide content, phenolics and antioxidant activity of defatted wheat germ. 2017 , 20, 141-148	47
627	Effects of genotype and temperature on accumulation of plant secondary metabolites in Canadian and Australian wheat grown under controlled environments. 2017 , 7, 9133	52
626	Total Dietary Fiber Intake, Whole Grain Consumption, and Their Biological Effects. 2017 , 1-22	
625	Comparison of phenolic profiles, antioxidant capacity and relevant enzyme activity of different Chinese wheat varieties during germination. 2017 , 20, 159-167	42
624	Effects of sorghum, purple rice and rhubarb rice on lipids status and antioxidant capacity in mice fed a high-fat diet. 2017 , 39, 103-111	9

623	Variations in Brown Rice Quality Among Cultivars. 2017 , 25-44		2	
622	Phenolic Acids Profiles and Cellular Antioxidant Activity in Tortillas Produced from Mexican Maize Landrace Processed by Nixtamalization and Lime Extrusion Cooking. 2017 , 72, 314-320		14	
621	Contribution of bound phenolic compounds to the total phenol content and antioxidant capacity of oat (Avena sativa) grain fractions. 2017 ,			
620	Brown Rice. 2017,		4	
619	Concentration of Beneficial Phytochemicals in Harvested Grain of U.S. Yellow Dent Maize (Zea mays L.) Germplasm. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 8311-8318	5.7	10	
618	Effects of Organic and Conventional Cropping Systems on Technological Properties and Phenolic Compounds of Freshly Harvested and Stored Rice. 2017 , 82, 2276-2285		6	
617	Phenolic Fingerprint of Sicilian Modern Cultivars and Durum Wheat Landraces: A Tool to Assess Biodiversity. 2017 , 94, CCHEM-06-17-012		4	
616	Antioxidant and lipoxygenase activities of polyphenol extracts from oat brans treated with polysaccharide degrading enzymes. 2017 , 3, e00351		26	
615	Colour screening of whole meal flours and discrimination of seven Triticum subspecies. 2017 , 77, 9-16		7	
614	Characterization of titratable acids, phenolic compounds, and antioxidant activities of wines made from eight mississippi-grown muscadine varieties during fermentation. 2017 , 86, 302-311		9	
613	Extraction of free and insoluble-bound phenolic compounds from pigmented rice by commonly used procedures: a comparative study. 2017 , 11, 2151-2159		4	
612	Distribution of bioactive compounds in maize fractions obtained in two different types of large scale milling processes. 2017 , 77, 251-258		16	
611	Tef: The Rising Ancient Cereal: What do we know about its Nutritional and Health Benefits?. 2017 , 72, 335-344		16	
610	Effect of extrusion cooking and simulated in vitro gastrointestinal digestion on condensed tannins and radical scavenging activity of type II and type III whole grain sorghum. 2017 , 52, 2282-2294		16	
609	Variation of Phenolics, Tocols, Antioxidant Activities, and Soluble Sugar Compositions in Red and Black Rice (Oryza sativa L.) During Boiling. 2017 , 94, 811-819		2	
608	Biofortification with Iron and Zinc Improves Nutritional and Nutraceutical Properties of Common Wheat Flour and Bread. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 5443-5452	5.7	30	
607	Effect of Dephytinization by Fermentation and Hydrothermal Autoclaving Treatments on the Antioxidant Activity, Dietary Fiber, and Phenolic Content of Oat Bran. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 5713-5719	5.7	20	
606	Chemical composition and physicochemical properties of Phaeodactylum tricornutum microalgal residual biomass. 2017 , 23, 681-689		10	

605	Dietary fibers and associated phytochemicals in cereals. 2017 , 61, 1600518	48
604	Bioactive phytochemicals in barley. 2017 , 25, 148-161	144
603	Osmotic dehydration of mango with impregnation of inulin and piquin-pepper oleoresin. 2017 , 79, 609-615	17
602	Powdered barley sprouts: composition, functionality and polyphenol digestibility. 2017 , 52, 231-238	24
601	Stabilization of sunflower oil with pussy willow () extract and essential oil. 2017 , 5, 266-272	24
600	Analyzing the effect of optimization conditions of germination on the antioxidant activity, total phenolics, and antinutritional factors of Chenopodium (Chenopodium album). 2017 , 11, 256-264	2
599	Influence of jet milling and particle size on the composition, physicochemical and mechanical properties of barley and rye flours. 2017 , 215, 326-32	55
598	Characterization of total phenolics, antioxidant and antiplatelet activity of unpolished and polished rice varieties. 2017 , 11, 236-244	2
597	Changes in the Phenolic Acid Content and Antioxidant Activity During Kernel Development of Corn (Zea mays L.) and Relationship with Mycotoxin Contamination. 2017 , 94, 315-324	11
596	Effects of high hydrostatic pressure processing and subsequent storage on phenolic contents and antioxidant activity in fruit and vegetable products. 2017 , 52, 3-12	33
595	Comparison of phytochemical profiles, antioxidant and cellular antioxidant activities of different varieties of blueberry (Vaccinium spp.). 2017 , 217, 773-781	133
594	Changes in whole grain polyphenols and antioxidant activity of six sorghum genotypes under different irrigation treatments. 2017 , 214, 199-207	6 7
593	Comparison of phytochemical profiles and health benefits in fiber and oil flaxseeds (Linum usitatissimum L.). 2017 , 214, 227-233	52
592	Influence of Cooking Methods on Free and Bound Phenolic Acids in Korean Black Rice. 2017 , 41, e12873	5
591	Effect of parboiling on phytochemical content, antioxidant activity and physicochemical properties of germinated red rice. 2017 , 214, 285-292	41
590	Complex enzyme hydrolysis releases antioxidative phenolics from rice bran. 2017 , 214, 1-8	55
589	Fermentation and complex enzyme hydrolysis enhance total phenolics and antioxidant activity of aqueous solution from rice bran pretreated by steaming with \(\text{\text{\text{B}mylase}}\). 2017 , 221, 636-643	53
588	[Dedicated to Prof. T. Okada and Prof. T. Nishioka: data science in chemistry]Analysis of Volatile Constituents in Fermented Brown Rice and Rice Bran by Aspergillus oryzae (FBRA). 2017 , 18, 42-45	3

Plant-Based Diets for Health Maintenance and Disease Prevention: Why and How?. **2017**, 89-112

586	An improved microscale method for extraction of phenolic acids from maize. 2017 , 13, 81	16
585	Wheat Antioxidants, Their Role in Bakery Industry, and Health Perspective. 2017,	4
584	Setting Up Decision-Making Tools toward a Quality-Oriented Participatory Maize Breeding Program. 2017 , 8, 2203	8
583	Phytochemicals of Euphorbia lathyris L. and Their Antioxidant Activities. 2017, 22,	9
582	Complex Enzyme-Assisted Extraction Releases Antioxidative Phenolic Compositions from Guava Leaves. 2017 , 22,	30
581	Integrated Evaluation of the Potential Health Benefits of Einkorn-Based Breads. 2017, 9,	30
580	Health-Promoting Compounds in Pigmented Thai and Wild Rice. 2017 , 6,	16
579	Effects of Different Processing Methods on the Antioxidant Activity of 6 Cultivars of Foxtail Millet. 2017 , 2017, 1-9	7
578	Effect of preventive and curative fungicide treatment on Fusarium proliferatum infected maize âla field trial. 2017 , 52, 29-38	2
577	A review of phytochemistry, metabolite changes, and medicinal uses of the common sunflower seed and sprouts (Helianthus annuus L.). 2017 , 11, 95	52
576	Impact of the Pulsed Electric Field Treatment on Bioactive Food Compounds: Bioaccessibility and Bioavailability. 2017 , 07,	6
575	Wheat Bran Dietary Fiber: Promising Source of Prebiotics with Antioxidant Potential. 2017 , 6, 1	7
574	Effect of Insect Feeding, Pathogen Infection, and Heat Stress on Antioxidant Properties of Wheat Bran. 2017 , 57, 2662-2670	2
573	Effects of different extrusion temperatures on extrusion behavior, phenolic acids, antioxidant activity, anthocyanins and phytosterols of black rice 2018 , 8, 7123-7132	20
572	Rheological, Antioxidative, and Sensory Properties of Chinese Alkaline Noodle Prepared with Regular and Whole Wheat Flour. 2018 , 14,	6
571	Comparative Analysis of the Antioxidant Capacities and Phenolic Compounds of Oat and Buckwheat Vinegars During Production Processes. 2018 , 83, 844-853	9
570	Selenium Biofortification in Rice (Oryza sativa L.) Sprouting: Effects on Se Yield and Nutritional Traits with Focus on Phenolic Acid Profile. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 4082-409 5	50

569	Bioprocessing of wheat (Triticum aestivum cv. Kronstad) bran from Northwest Mexico: effects on ferulic acid bioaccessibility in breads. 2018 , 16, 570-579		10
568	Influence of Agricultural Management on Phytochemicals of Colored Corn Genotypes (Zea mays L.). Part 1: Nitrogen Fertilization. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 4300-4308	5.7	6
567	Hydroxycinnamic Acids: Natural Sources, Biosynthesis, Possible Biological Activities, and Roles in Islamic Medicine. 2018 , 55, 269-292		14
566	Functional and physical properties of cookies enriched with dephytinized oat bran. 2018 , 80, 24-30		30
565	Health benefits of ancient grains. Comparison among bread made with ancient, heritage and modern grain flours in human cultured cells. 2018 , 107, 206-215		26
564	Genotype-dependent changes in the phenolic content of durum under water-deficit stress. 2018 , 95, 59-78		18
563	Ozone treatment to reduce deoxynivalenol (DON) and zearalenone (ZEN) contamination in wheat bran and its impact on nutritional quality. 2018 , 35, 1189-1199		37
562	Improvement of in vitro and cellular antioxidant properties of Chinese steamed bread through sorghum addition. 2018 , 91, 77-83		15
561	Effect of partial replacement of fish meal by fermented rapeseed meal on growth, immune response and oxidative condition of red sea bream juvenile, Pagrus major. 2018 , 490, 228-235		74
560	Characteristics of white, yellow, purple corn accessions: phenolic profile, textural, rheological properties and muffin making potential. 2018 , 55, 2334-2343		18
559	Characterizing traditional rice varieties grown in temperate regions of Italy: free and bound phenolic and lipid compounds and in vitro antioxidant properties. 2018 , 2, 89-95		2
558	Changes in the Functional Components and Radical Scavenging Activity of Korean Maize Hybrids According to Different Cropping Seasons. 2018 , 21, 57-65		
557	Therapeutic potential of rice-derived polyphenols on obesity-related oxidative stress and inflammation. 2018 , 16, 255-262		16
556	Identification and characterization of phenolic compounds extracted from barley husks by LC-MS and antioxidant activity in vitro. 2018 , 81, 83-90		18
555	Chemical composition and hepatoprotective effect of free phenolic extract from barley during malting process. 2018 , 8, 4460		12
554	Changes in Phenolic Acid Content in Maize during Food Product Processing. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 3378-3385	5.7	14
553	Amino acid contents and toxically relevant arsenic of rice varieties consumed in Portugal. 2018 , 113, 189-195		5
552	Phenolic contents, cellular antioxidant activity and antiproliferative capacity of different varieties of oats. 2018 , 239, 260-267		63

(2018-2018)

551	From seed to cooked pasta: influence of traditional and non-conventional transformation processes on total antioxidant capacity and phenolic acid content. 2018 , 69, 24-32	16
550	Antioxidant activity of whole grain highland hull-less barley and its effect on liver protein expression profiles in rats fed with high-fat diets. 2018 , 57, 2201-2208	8
549	Bound phenolic compounds and antioxidant properties of whole grain and bran of white, red and black rice. 2018 , 240, 212-221	128
548	Phenolic retention of brown rice after extrusion with mesophilic the mylase. 2018 , 21, 8-13	14
547	Different effects of extrusion on the phenolic profiles and antioxidant activity in milled fractions of brown rice. 2018 , 88, 64-70	47
546	Enzymatic action mechanism of phenolic mobilization in oats (Avena sativa L.) during solid-state fermentation with Monascus anka. 2018 , 245, 297-304	39
545	Optimal drying and storage conditions for purple rice based on expected high quality. 2018 , 42, e13502	6
544	Strawberry cultivars vary in productivity, sugars and phytonutrient content when grown in a greenhouse during the winter. 2018 , 227, 1-9	18
543	Extraction and in vitro antioxidant capacity evaluation of phenolic compounds from pigmented aromatic rice (Oryzae sativa L.) cultivars. 2018 , 12, 56-67	2
542	Evolution of food antioxidants as a core topic of food science for a century. 2018 , 105, 76-93	89
541	Differentiation of modern and ancient varieties of common wheat by quantitative capillary electrophoretic profile of phenolic acids. 2018 , 1532, 208-215	18
540	Characteristics of three typical Chinese highland barley varieties: Phenolic compounds and antioxidant activities. 2018 , 42, e12488	10
539	Optimal germination condition impacts on the antioxidant activity and phenolic acids profile in pigmented desi chickpea (L.) seeds. 2018 , 55, 638-647	19
538	Development of extraction method for characterization of free and bonded polyphenols in barley (Hordeum vulgare L.) grown in Czech Republic using liquid chromatography-tandem mass spectrometry. 2018 , 245, 829-837	10
537	Ultrasound-assisted extraction from defatted oat (Avena sativa L.) bran to simultaneously enhance phenolic compounds and Eglucan contents: Compositional and kinetic studies. 2018 , 222, 1-10	33
536	Changes in the functional constituents and phytic acid contents of firiks produced from wheats at different maturation stages. 2018 , 246, 150-155	21
535	Targeting ncRNAs by plant secondary metabolites: The ncRNAs game in the balance towards malignancy inhibition. 2018 , 36, 1779-1799	19
534	Bioactive compounds of freshly harvested open pollinated varieties (OPV) of orange maize (zea mays): Varietal, maturity, and boiling methods effects. 2018 , 4, 1507489	2

533	Extraction and Analysis of Phenolic Compounds in Rice: A Review. 2018, 23,	51
532	Application of Gold Nanorods for the Evaluation of Antioxidant Activity. 2018, 14, 591-597	1
531	Exploring the phytochemical profile of green grasses with special reference to antioxidant properties. 2018 , 21, 2566-2577	5
530	Can plant phenolic compounds reduce Fusarium growth and mycotoxin production in cereals?. 2018 , 35, 2455-2470	26
529	Rice Secondary Metabolites: Structures, Roles, Biosynthesis, and Metabolic Regulation. 2018, 23,	30
528	Improvement of Quality Properties and Shelf Life Stability of New Formulated Muffins Based on Black Rice. 2018 , 23,	9
527	Turmeric (Curcuma longa L.): new application as source of fiber and antioxidants in pasta with whole wheat flour. 2018 , 71, 8423-8435	4
526	Phenolic Content and Profile Alterations during Seedling Growth in Supina Bluegrass and Bermudagrass. 2018 , 58, 2010-2019	
525	Phenolic nutrient composition and grain morphology of winter spelt wheat (Triticum aestivum ssp. spelta) cultivated in Poland. 2018 , 10, 285-295	3
524	Phenolic Fingerprinting and Glumes Image Analysis as an Effective Approach for Durum Wheat Landraces Identification. 2018 ,	1
523	The effect of sorghum fractions on apparent total tract digestibility and antioxidant capacity by dogs. 2018 , 13, e0206090	4
522	Whole Grains and Phenolic Acids: A Review on Bioactivity, Functionality, Health Benefits and Bioavailability. 2018 , 10,	165
521	Phenolic acid composition and antioxidant activity of hard red winter wheat varieties. 2018, 42, e12682	14
520	Development, characterization, and flavor profile of nutrient dense date bars. 2018 , 42, e13622	5
519	Nutritional and antioxidant potential of a desert underutilized legume âltepary bean (Phaseolus acutifolius). Optimization of germination bioprocess. 2018 , 38, 254-262	4
518	Potato Cereal Extrudates: Chemical Composition, Functional Properties, in vitro Digestibility and Consumer Acceptability. 2018 , 08,	1
517	Localization of phenolic compounds in the fruits of Silybum marianum characterized by different silymarin chemotype and altered colour. 2018 , 130, 210-218	11
516	Corn phytochemicals and their health benefits. 2018 , 7, 185-195	52

515	Phenolic Compositions and Antioxidant Activities Differ Significantly among Sorghum Grains with Different Applications. 2018 , 23,	45
514	Agroindustrial Coproducts as Sources of Novel Functional Ingredients. 2018 , 219-250	1
513	Phytonutrients analysis in ten popular traditional Indian rice landraces (Oryza sativa L.). 2018 , 12, 2598-2606	2
512	Diversity and population structure of red rice germplasm in Bangladesh. 2018 , 13, e0196096	27
511	Nutritional composition, bioactive compounds, and diabetic enzyme inhibition capacity of three varieties of buckwheat in Japan. 2018 , 95, 615-624	14
510	Evaluation of the performance of three hand-held near-infrared spectrometer through investigation of total antioxidant capacity in gluten-free grains. 2018 , 189, 233-240	36
509	Effects of ultraviolet C, controlled atmosphere, and ultrasound pretreatment on free ferulic acid in canned sweet corn kernels. 2018 , 55, 4167-4173	3
508	Effect of different salts on total phenolic compounds and their bioactivity during the development of a sustainable nixtamalization process using a fractional factorial design. 2018 , 42, e13681	2
507	Phytochemical profiles, dietary fiber and baking performance of wheat bread formulations supplemented with Roselle (Hibiscus sabdariffa). 2018 , 12, 2657-2665	5
506	Phytochemical Profile of Brown Rice and Its Nutrigenomic Implications. 2018 , 7,	33
505	: Functionality and Phytochemical Profiling of the Australian Native Green Plum. 2018, 7,	4
504	Effects of germination combined with extrusion on the nutritional composition, functional properties and polyphenol profile and related in vitro hypoglycemic effect of whole grain corn. 2018 , 83, 1-8	25
503	Bioactivities of Phenolics by Focusing on Suppression of Chronic Diseases: A Review. 2018 , 19,	171
502	Chitosan-Starch Films with Natural Extracts: Physical, Chemical, Morphological and Thermal Properties. 2018 , 11,	50
501	A Comparison of the Chemical Composition, In Vitro Bioaccessibility and Antioxidant Activity of Phenolic Compounds from Rice Bran and Its Dietary Fibres. 2018 , 23,	18
500	Antioxidant Activity of Zein Hydrolysates from Zea Species and Their Cytotoxic Effects in a Hepatic Cell Culture. 2018 , 23,	16
499	Effects of Quinoa (Willd.) Consumption on Markers of CVD Risk. 2018, 10,	27
498	Phenolic acids profile, nutritional and phytochemical compounds, antioxidant properties in colored barley grown in southern Italy. 2018 , 113, 221-233	34

497	A full utilization of rice husk to evaluate phytochemical bioactivities and prepare cellulose nanocrystals. 2018 , 8, 10482	21
496	Association mapping for total polyphenol content, total flavonoid content and antioxidant activity in barley. 2018 , 19, 81	16
495	Free and Bound Phenolic Compound Content and Antioxidant Activity of Different Cultivated Blue Highland Barley Varieties from the Qinghai-Tibet Plateau. 2018 , 23,	47
494	Comparative assessment of phytochemical profile, antioxidant capacity and anti-proliferative activity in different varieties of brown rice (Oryza sativa L.). 2018 , 96, 19-25	17
493	Non-waste technology through the enzymatic hydrolysis of agro-industrial by-products. 2018 , 77, 64-76	29
492	Metabolite profiling and inhibitory properties of leaf extracts of Ficus benjamina towards ⊕lucosidase and ⊕mylase. 2018 , 21, 1560-1574	12
491	Evaluation of Yield, Processing Quality, and Nutritional Quality in Different-Colored Wheat Grains under Nitrogen and Phosphorus Fertilizer Application. 2018 , 58, 402-415	12
490	Changes in Nutritional Properties and Bioactive Compounds in Cereals During Extrusion Cooking. 2018 ,	7
489	Phytochemical characterization of sesame bran: an unexploited by-product rich in bioactive compounds. 2018 , 16, 814-821	4
488	Phenolic acid contents and antioxidant activities of wheat milling fractions and the effect of flour extraction rate on antioxidant activity of bread. 2018 , 42, e12637	3
487	Phenolic composition and antioxidant activity of colored oats. 2018 , 268, 153-161	22
486	The impact of high-power ultrasound and microwave on the phenolic acid profile and antioxidant activity of the extract from yellow soybean seeds. 2018 , 122, 223-231	31
485	Synthesis of silver nanoparticles by using rice husk extracts prepared with acidâllkali pretreatment extraction process. 2018 , 82, 106-112	6
484	Metabolomic approach for characterization of phenolic compounds in different wheat genotypes during grain development. 2019 , 124, 118-128	32
483	Phenolic profile and antioxidant capacity of landraces, old and modern Tunisian durum wheat. 2019 , 245, 73-82	14
482	Phenolic Acids. 2019 , 535-545	14
481	Distribution of bioactive compounds in pearled fractions of tritordeum. 2019 , 301, 125228	15
480	Effects of high pressure extraction on the extraction yield, phenolic compounds, antioxidant and anti-tyrosinase activity of Djulis hull. 2019 , 56, 4016-4024	6

479	Wheat. 2019 , 3-20		О
478	Bioactive Factors and Processing Technology for Cereal Foods. 2019 ,		4
477	Antidepressant activity and HPTLC fingerprinting of stearic acid in different days of wheat seedlings. 2019 , 2, 6-10		1
476	Changes in saponins, phenolics and antioxidant activity of quinoa (Chenopodium quinoa willd) during milling process. 2019 , 114, 108381		27
475	Characterization of saponins and phenolic compounds: antioxidant activity and inhibitory effects on Blucosidase in different varieties of colored quinoa (Willd). 2019 , 83, 2128-2139		22
474	Effect of Ultrasound-Assisted Extraction of Leaves on Bioactive Compounds and Their Antioxidant Activity. 2019 , 57, 77-86		13
473	Health Effect of Dietary Fibers. 2019 , 125-163		3
472	The impact of Tartary buckwheat extract on the nutritional property of starch in a whole grain context. 2019 , 89, 102798		8
471	Sorghum Grain: From Genotype, Nutrition, and Phenolic Profile to Its Health Benefits and Food Applications. 2019 , 18, 2025-2046		85
47º	The Biosynthetic Pathway of Major Avenanthramides in Oat. 2019 , 9,		9
469	Effect of the extrusion process and expansion by microwave heating on physicochemical, phytochemical, and antioxidant properties during the production of indirectly expanded snack foods. 2019 , 43, e14261		10
468	Phytochemical analysis, cellular antioxidant and ঘ lucosidase inhibitory activities of various herb plant organs. 2019 , 141, 111771		15
467	Phytochemical Profile, Bioactivity, and Prebiotic Potential of Bound Phenolics Released from Rice Bran Dietary Fiber during in Vitro Gastrointestinal Digestion and Colonic Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 12796-12805	-7	31
466	Comparative assessment of phytochemical profiles and antioxidant and antiproliferative activities of kiwifruit (Actinidia deliciosa) cultivars. 2019 , 43, e13025		12
465	Optimized Pore Structures of Hierarchical HY Zeolites for Highly Selective Production of Methyl Methoxyacetate. 2019 , 9, 865		1
464	Phytochemical Characteristics and Antimicrobial Activity of Australian Grown Garlic (L.) Cultivars. 2019 , 8,		32
463	The Mediterranean Diet and Breast Cancer: A Personalised Approach. 2019 , 7,		13
462	Nutritional Characteristics and Antimicrobial Activity of Australian Grown Feijoa (). 2019 , 8,		15

461	Anti-hypertensive Effect of Cereal Antioxidant Ferulic Acid and Its Mechanism of Action. 2019 , 6, 121		34
460	Total Dietary Fiber Intake, Whole Grain Consumption, and Their Biological Effects. 2019 , 701-722		1
459	Bound Phenolics in Foods. 2019 , 973-989		
458	Combinatorial approach for improved cyanidin 3-O-glucoside production in Escherichia coli. 2019 , 18, 7		15
457	Effect of In Vitro Digestion on Phytochemical Profiles and Cellular Antioxidant Activity of Whole Grains. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 7016-7024	5.7	29
456	Profile of Phenolic Compounds Released from Rice Bran by Rhizopus oryzae and Trichoderma reesei: Their Relation with Hydrolases Activity. 2019 , 84, 1382-1389		5
455	Functional Properties of Polyphenols in Grains and Effects of Physicochemical Processing on Polyphenols. 2019 , 2019, 1-8		20
454	Pinto Beans (Phaseolus vulgaris L.) Lower Non-HDL Cholesterol in Hamsters Fed a Diet Rich in Saturated Fat and Act on Genes Involved in Cholesterol Homeostasis. 2019 , 149, 996-1003		4
453	Effect of iron-enrichment on the antioxidant properties of wheat flour and bread. 2019 , 87, 98-102		6
452	Soybean-Fortified Nixtamalized Corn Tortillas and Related Products. 2019 , 319-332		1
451	Maize: Composition, Bioactive Constituents, and Unleavened Bread. 2019, 111-121		3
450	Study on a Fermented Whole Wheat: Phenolic Content, Activity on PTP1B Enzyme and In Vitro Prebiotic Properties. 2019 , 24,		7
449	Phenolic Acids. 2019 , 357-382		2
448	Corn. 2019 , 113-134		1
447	A comparative study of the phenolic compounds and in vitro antioxidant capacity of finger millets from different growing regions in Malawi. 2019 , 87, 143-149		38
446	Environmentally friendly nano-selenium to improve antioxidant system and growth of groundnut cultivars under sandy soil conditions. 2019 , 18, 101080		54
445	Dry fractionation of surface abrasion for polyphenol-enriched buckwheat protein combined with hydrothermal treatment. 2019 , 285, 414-422		18
444	Role of carbohydrate-cleaving enzymes in phenolic mobilization of guava leaves tea during solid state bio-processing with Monascus anka and Bacillus sp. 2019 , 82, 51-58		4

443	Bound polyphenol from foxtail millet bran exhibits an antiproliferative activity in HT-29 cells by reprogramming miR-149-mediated aerobic glycolysis. 2019 , 56, 246-254	7
442	Comparative study on the phytochemical profiles and cellular antioxidant activity of phenolics extracted from barley malts processed under different roasting temperatures. 2019 , 10, 2176-2185	28
441	Modification of nutritional properties of whole rice flours (Oryza sativa L.) by soaking, germination, and extrusion. 2019 , 43, e12854	4
440	Production of biodiesel from rice bran oil. 2019 , 409-447	7
439	Blackberries (sp.) and whole grain wheat flour in cookies: evaluation of phenolic compounds and technological properties. 2019 , 56, 1445-1453	2
438	Black Rice (L.) Fermented with Attenuates Osteoclastogenesis and Ovariectomy-Induced Osteoporosis. 2019 , 2019, 5073085	6
437	Ethylene mediates repression of anthocyanin accumulation in black rice pericarps in the absence of light. 2019 , 236, 34-38	6
436	Spray drying of Mengkudu herbal extract: Effect of wheat flour. 2019 , 606, 012010	
435	Anti-diabetic and anti-proliferative activities of herbal teas, Athrixia phylicoides DC and Monsonia burkeana Planch. ex Harv, indigenous to South Africa. 2019 , 121, 964-974	4
434	The effects of replacing corn with low-tannin sorghum in broilerâl diet on growth performance, nutrient digestibilities, lipid peroxidation and gene expressions related to growth and antioxidative properties. 2019 , 47, 532-539	6
433	In Vitro Antioxidant Activity Optimization of Nut Shell () by Extrusion Using Response Surface Methods. 2019 , 9,	10
432	Use of Sieving As a Valuable Technology to Produce Enriched Buckwheat Flours: A Preliminary Study. 2019 , 8,	3
431	Vezane fenolne spojine polnozrnatih Enih pripravkov kot sestavina funkcionalnih Evil: prvi del. 2019 , 114, 269	1
430	The effect of lactic acid fermentation in antioxidant activity and total polyphenol contents of the banana (Musa acuminate Linn) juice. 2019 ,	2
429	NaCl stress on physio-biochemical metabolism and antioxidant capacity in germinated hulless barley (Hordeum vulgare L.). 2019 , 99, 1755-1764	15
428	Distribution and quantitative analysis of phenolic compounds in fractions of Japonica and Indica rice. 2019 , 274, 384-391	10
427	Kombucha Beverage from Green, Black and Rooibos Teas: A Comparative Study Looking at Microbiology, Chemistry and Antioxidant Activity. 2018 , 11,	357
426	Effect of enzymatic digestion, chemical and boiled water extraction techniques on apparent antioxidant bioactivities of apple peel. 2019 , 13, 959-966	2

425	Determination of Free Soluble Phenolic Compounds in Grains of Ancient Wheat Varieties (Triticum sp. pl.) by Liquid Chromatography-Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 201-212	5.7	10
424	Comparison of phenolics, flavonoids, and cellular antioxidant activities in ear sections of sweet corn (Zea mays L. saccharata Sturt). 2019 , 43, e13855		12
423	Minor cereals exhibit superior antioxidant effects on human epithelial cells compared to common wheat cultivars. 2019 , 85, 143-152		6
422	Phytochemical-Related Health-Promoting Attributes of Sorghum and Millets. 2019 , 225-258		9
421	Arbuscular mycorrhizal fungi as biotechnology alternative to increase concentrate of secondary metabolites in Zea mays L 2019 , 42, 189-193		3
420	Minor Constituents and Phytochemicals of the Kernel. 2019 , 369-403		4
419	Analysis of Popcorn (Zea mays L. var. everta) for Antioxidant Capacity and Total Phenolic Content. 2019 , 8,		7
418	Phenol content in sprouted grains. 2019 , 247-315		3
417	Replacement of fish meal with Bacillus pumillus SE5 and Pseudozyma aphidis ZR1 fermented soybean meal in diets for Japanese seabass (Lateolabrax japonicus). 2019 , 84, 987-997		32
416	A comparative study of phytochemicals, antioxidant potential and in-vitro DNA damage protection activity of different oat (Avena sativa) cultivars from India. 2019 , 13, 347-356		12
415	Wood biochar produces different rates of root growth and transpiration in two maize hybrids (Zea mays L.) under drought stress. 2019 , 65, 846-866		14
414	Cultivar-specific responses in red sweet peppers grown under shade nets and controlled-temperature plastic tunnel environment on antioxidant constituents at harvest. 2019 , 275, 85-94		10
413	Annual ryegrass (Lolium rigidum Gaud) competition altered wheat grain quality: A study under elevated atmospheric CO levels and drought conditions. 2019 , 276, 285-290		7
412	Rice Phenolics: Extraction, Characterization, and Utilization in Foods. 2019 , 217-242		2
411	Impact of fermentation on in vitro bioaccessibility of phenolic compounds of tef injera. 2019 , 99, 313-31	8	4
410	Phenolic acids in cereal grain: Occurrence, biosynthesis, metabolism and role in living organisms. 2019 , 59, 664-675		27
409	Antioxidant Capacity of Lignin and Phenolic Compounds from Corn Stover. 2019 , 10, 95-102		15
408	Impact of whole cereals and processing on type 2 diabetes mellitus: a review. 2020 , 60, 1447-1474		13

407	Phenolic acids of modern and ancient grains: Effect on in vitro cell model. 2020, 100, 4075-4082		3
406	Simulated gastrointestinal digestion and in vitro colonic fermentation of carob polyphenols: Bioaccessibility and bioactivity. 2020 , 117, 108623		32
405	Sequential application of postharvest wounding stress and extrusion as an innovative tool to increase the concentration of free and bound phenolics in carrots. 2020 , 307, 125551		15
404	Changes in amino acids and bioactive compounds of pigmented rice as affected by far-infrared radiation and hot air drying. 2020 , 306, 125644		16
403	Advanced assessments on innovative methods to improve the bioaccessibility of polyphenols in wheat. 2020 , 88, 1-14		7
402	Brans from hull-less barley, emmer and pigmented wheat varieties: From by-products to bread nutritional improvers using selected lactic acid bacteria and xylanase. 2020 , 313, 108384		24
401	Vanillin extracted from Proso and Barnyard millets induce apoptotic cell death in HT-29 human colon cancer cell line. 2020 , 72, 1422-1437		8
400	Valorization of Wheat Bran: Ferulic Acid Recovery Using Pressurized Aqueous Ethanol Solutions. 2020 , 11, 4701-4710		6
399	The Association of Dietary Approaches to Stop Hypertension (DASH) Diet with the Risk of Colorectal Cancer: A Meta-Analysis of Observational Studies. 2020 , 72, 778-790		11
398	Optimized hydrolytic methods by response surface methodology to accurately estimate the phenols in cereal by HPLC-DAD: The case of millet. 2020 , 303, 125393		17
397	Influence of selenium biofortification on the bioactive compounds and antioxidant activity of wheat microgreen extract. 2020 , 309, 125763		27
396	Effect of processing on the hydroxycinnamic acids, flavones, and cellular antioxidant activity of tortillas supplemented with sorghum bran. 2020 , 97, 382-393		O
395	(Poly)phenols, Carotenoids, and Tocochromanols in Corn (L.) Kernels As Affected by Phosphate Fertilization and Sowing Time. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 612-622	5.7	13
394	Cellular biological activity and regulation of gene expression of antioxidant dietary fibre fraction isolated from blackcurrant incorporated in the wholemeal cereals cookies. 2020 , 312, 125829		2
393	Antioxidant activity of Qingke (highland hull-less barley) after extraction/hydrolysis and in vitro simulated digestion. 2020 , 44, e14331		1
392	Phenolic Acids, Antioxidant Capacity, and Estimated Glycemic Index of Cookies Added with Brewer's Spent Grain. 2020 , 75, 41-47		18
391	Anti-obesity effects of enzyme-treated celery extract in mice fed with high-fat diet. 2020 , 44, e13105		3
390	Seed Hull Utilization. 2020 , 291-326		1

389	. 2020,	5
388	Simultaneous Estimation of Twenty Eight Phenolic Compounds by a Novel and Expeditious Method Developed on Quaternary Ultra-Performance Liquid Chromatography System with a Photodiode Array Detector. 2019 , 10,	2
387	Baking Effect on Resistant Starch Digestion from Composite Bread Produced with Partial Wheat Flour Substitution. 2020 , 2020, 1-13	2
386	Antioxidant Capacity of Tempura Deep-Fried Products Prepared Using Barley, Buckwheat, and Job's Tears Flours. 2020 , 9,	2
385	Antioxidant and antimicrobial extracts obtained from agricultural by-products: Strategies for a sustainable recovery and future perspectives. 2020 , 124, 397-407	8
384	Physical and Functional Properties, Digestibility, and Storage Stability of Spray- and Freeze-Dried Microencapsulated Bioactive Products from Moringa stenopetala Leaves Extract. 2020 , 156, 112891	11
383	Identification of a novel senomorphic agent, avenanthramide C, via the suppression of the senescence-associated secretory phenotype. 2020 , 192, 111355	7
382	Phytochemical profiles and antioxidant capacity of improved cowpea varieties and landraces grown in Ethiopia. 2020 , 37, 100732	
381	Nutritional Value and Antimicrobial Activity of (Gumby Gumby), an Australian Indigenous Plant. 2020 , 9,	7
380	Physical, chemical and pasting features of maize Italian inbred lines. 2020 , 246, 2205-2214	5
379	Naturally Occurring Phenols Modulate Vegetative Growth and Deoxynivalenol Biosynthesis in. 2020 , 5, 29407-29415	5
378	Application of Ultrasound Pre-Treatment for Enhancing Extraction of Bioactive Compounds from Rice Straw. 2020 , 9,	3
377	Green Processing, Germinating and Wet Milling Brown Rice () for Beverages: Physicochemical Effects. 2020 , 9,	2
376	Health Promoting Bioactive Properties of Novel Hairless Canary Seed Flour after In Vitro Gastrointestinal Digestion. 2020 , 9,	3
375	Rice phenolic compounds and their response to variability in growing conditions. 2020 , 97, 1045-1055	5
374	A biorefinery approach for the production of ferulic acid from agroresidues through ferulic acid esterase of lactic acid bacteria. 2020 , 10, 367	9
373	Anthocyanin accumulation, biosynthesis and antioxidant capacity of black sweet corn (Zea mays L.) during kernel development over two growing seasons. 2020 , 95, 103065	5
372	Quantitative Genetic Analysis of Hydroxycinnamic Acids in Maize (L.) for Plant Improvement and Production of Health-Promoting Compounds. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 9585-9593	1

(2020-2020)

371	Comparative assessment of functional properties, free and bound phenolic profile, antioxidant activity, and in vitro bioaccessibility of rye bran and its insoluble dietary fiber. 2020 , 44, e13388		2
370	Characterization and selection of functional yeast strains during sourdough fermentation of different cereal wholegrain flours. 2020 , 10, 12856		15
369	Protein-phenolic aggregates with anti-inflammatory activity recovered from maize nixtamalization wastewaters (nejayote). 2020 , 134, 109881		7
368	Comparison of fatty acid composition, phytochemical profile and antioxidant activity in four flax (Linum usitatissimum L.) varieties. 2020 , 5, 136-141		2
367	Changes in the phenolic compound content and antioxidant activity in developmental maize kernels and expression profiles of phenolic biosynthesis-related genes. 2020 , 96, 103113		4
366	Improvement of the phenolic content, antioxidant activity, and nutritional quality of tofu fermented with Actinomucor elegans. 2020 , 133, 110087		7
365	Elevated CO Impact on Common Wheat (L.) Yield, Wholemeal Quality, and Sanitary Risk. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 10574-10585	5.7	4
364	Effect of mushroom addition on the physicochemical and sensory properties of blue maize tortillas produced with traditional and ecological nixtamalization. 2020 , 11, 8768-8779		2
363	Reduction of phenolic profiles, dietary fiber, and antioxidant activities of rice after treatment with different milling processes. 2020 , 97, 1158-1171		5
362	Phenolic Compounds in Poorly Represented Mediterranean Plants in Istria: Health Impacts and Food Authentication. 2020 , 25,		2
361	Environmentally Friendly Methods for Flavonoid Extraction from Plant Material: Impact of Their Operating Conditions on Yield and Antioxidant Properties. 2020 , 2020, 6792069		30
360	Concentrations of Phenolic Acids, Flavonoids and Carotenoids and the Antioxidant Activity of the Grain, Flour and Bran of Triticum polonicum as Compared with Three Cultivated Wheat Species. 2020 , 10, 591		5
359	Compositional Variation in -Ferulic, -coumaric, and Diferulic Acids Levels Among Kernels of Modern and Traditional Maize (L.) Hybrids. 2020 , 7, 600747		4
358	Healthy Grain Products. 2020, 83-111		
357	Health Benefits of Prunus avium Plant Parts: An Unexplored Source Rich in Phenolic Compounds. 2020 , 1-29		9
356	Co-culture submerged fermentation by lactobacillus and yeast more effectively improved the profiles and bioaccessibility of phenolics in extruded brown rice than single-culture fermentation. 2020 , 326, 126985		13
355	The Effect of Species and Cultivation Year on Phenolic Acids Content in Ancient Wheat. 2020 , 10, 673		9
354	Profile of phenolic acids, antioxidant activity and total phenolic compounds during blue corn tortilla processing and its bioaccessibility. 2020 , 57, 4688-4696		6

353	Varietal-hosts attractance and repellence to larger grain borer, Prostephanus truncatus (Horn) (Coleoptera; Bostrichidae) and role played by grains morphophysical and biochemical characteristics. 2020 , 40, 877-885	3
352	Nutritional and physicochemical characteristics of purple sweet corn juice before and after boiling. 2020 , 15, e0233094	4
351	Effect of steam explosion on phenolic compounds and antioxidant capacity in adzuki beans. 2020 , 100, 4495-4503	2
350	Phytochemical, fatty acid and proximal composition of six selected Indonesian brown rice varieties. 2020 , 18, 336-343	3
349	Phenolic content and in vitro antioxidant activity in common beans (Phaseolus vulgaris L.) are not directly related to anti-proliferative activity. 2020 , 36, 100662	3
348	Controlled nitrogen atmosphere for the preservation of functional molecules during silos storage: A case study using old Italian wheat cultivars. 2020 , 88, 101638	6
347	Purple, high Eglucan, hulless barley as valuable ingredient for functional food. 2020 , 131, 109582	8
346	Single-step green route synthesis of Au/Ag bimetallic nanoparticles using clove buds extract: Enhancement in antioxidant bio-efficacy and catalytic activity. 2020 , 116, 111153	29
345	Phenolic Acid Profiles and Antioxidant Activity of Major Cereal Crops. 2020 , 9,	17
344	Refinement of a protocol for the assessment of antioxidative activities of normal maize (NM) and quality protein maize (QPM). 2020 , 44, e14634	2
343	Study of Fishmeal Substitution on Growth Performance and Shelf-Life of Giltheadsea Bream (Sparusaurata). 2020 , 5, 15	0
342	Latest developments in polyphenol recovery and purification from plant by-products: A review. 2020 , 99, 375-388	71
341	Effects of dietary protein on growth performance, nutrient utilization, digestive enzymes and physiological status of grey mullet, Mugil cephalus L. fingerlings reared in inland saline water. 2020 , 26, 921-935	10
340	Wholegrain and legume consumption and the 5-year incidence of age-related cataract in the Blue Mountains Eye Study. 2020 , 124, 306-315	O
339	The Influence of Diet Containing Wheat Gluten Supplemented with Dipeptides or Amino Acids on the Morphology of White Muscle of Yellow Perch (). 2020 , 10,	4
338	Antioxidant, Angiotensin-Converting Enzyme Inhibitory Properties and Blood-Pressure-Lowering Effect of Rice Bran Protein Hydrolysates. 2020 , 9,	7
337	Modulation of Nutritional and Biochemical Properties of Wheat Grains Infected by Blast Fungus Pathotype. 2020 , 11, 1174	9
336	Prediction of the antioxidant capacity of maize (Zea mays) hybrids using mass fingerprinting and data mining. 2020 , 37, 100647	1

(2021-2020)

335	Effects of different drying methods on phenolic substances and antioxidant activities of seedless raisins. 2020 , 131, 109807	4
334	Trends in research on durum wheat and pasta, a bibliometric mapping approach. 2020, 97, 581-588	4
333	Fate of Polyphenols and Antioxidant Activity of Barley during Processing. 2020, 1-36	2
332	Assessment of the Phenolic Profiles, Hypoglycemic Activity, and Molecular Mechanism of Different Highland Barley (L.) Varieties. 2020 , 21,	22
331	Evaluation of phenolics and acrylamide and their bioavailability in high hydrostatic pressure treated and fried table olives. 2020 , 44, e14384	11
330	Phytochemical profiles of rice and their cellular antioxidant activity against ABAP induced oxidative stress in human hepatocellular carcinoma HepG2 cells. 2020 , 318, 126484	20
329	Variation in Morphological and Quality Parameters in Garlic (L.) Bulb Influenced by Different Photoperiod, Temperature, Sowing and Harvesting Time. 2020 , 9,	14
328	Bio-enrichment of phenolic, flavonoids content and antioxidant activity of commonly used pulses by solid-state fermentation. 2020 , 14, 1497-1510	6
327	Bioactive compounds of rice (Oryza sativa L.): Review on paradigm and its potential benefit in human health. 2020 , 97, 355-365	48
326	Effects of steam explosion pretreatment on the composition and biological activities of tartary buckwheat bran phenolics. 2020 , 11, 4648-4658	7
325	⊞glucosidase, ⊞mylase inhibitory potential and antioxidant activity of fragrant black rice (Thai coloured rice). 2020 , 35, 376-386	6
324	Phenolic Compounds and Bioaccessibility Thereof in Functional Pasta. 2020 , 9,	16
323	Intestinal Mucosal Barrier Function Restoration in Mice by Maize Diet Containing Enriched Flavan-4-Ols. 2020 , 12,	9
322	Dietary simultaneous replacement of fish meal and fish oil with blends of plant proteins and vegetable oils in yellowfin seabream (Acanthopagrus latus) fry: Growth, digestive enzymes, antioxidant status and skin mucosal immunity. 2020 , 26, 1131-1142	8
321	Production of feruloylated lysophospholipids via a one-step enzymatic interesterification. 2020 , 323, 126802	6
320	Validation of an extraction method for the quantification of soluble free and insoluble bound phenolic compounds in wheat by HPLC-DAD. 2020 , 93, 102984	11
319	Accumulation of phenolics, antioxidant and antiproliferative activity of sweet corn (Zea mays L.) during kernel maturation. 2021 , 56, 2462-2470	1
318	The effect of the amylose content and milling fractions on the physico-chemical features of co-extruded snacks from corn. 2021 , 343, 128503	9

317	Diverse effects of rutin and quercetin on the pasting, rheological and structural properties of Tartary buckwheat starch. 2021 , 335, 127556	12
316	Triacylglycerols compositions, soluble and bound phenolics of red sorghums, and their radical scavenging and anti-inflammatory activities. 2021 , 340, 128123	16
315	Valorization of fruit processing by-products: free, esterified, and insoluble bound phytochemical extraction from cherry (Prunus avium) tissues and their biological activities. 2021 , 15, 1092-1107	4
314	Increased bioavailability of phenolic acids and enhanced vascular function following intake of feruloyl esterase-processed high fibre bread: A randomized, controlled, single blind, crossover human intervention trial. 2021 , 40, 788-795	3
313	Production, iron analysis and consumer perception of functional Thai Sinlek iron rice (Oryza sativa) drink. 2021 , 56, 1972-1986	2
312	Effects of germination on the physicochemical, nutritional and in vitro digestion characteristics of flours from waxy and nonwaxy proso millet, common buckwheat and pea. 2021 , 67, 102586	5
311	Impact of particle size fractions on composition, antioxidant activities, and functional properties of soybean hulls. 2021 , 15, 1547-1562	3
310	Three-solvent extracting method comprehensively evaluates phenolics profile and antioxidant activities of Tartary buckwheat. 2021 , 45,	3
309	Metabolite fingerprinting of buckwheat in the malting process. 2021 , 15, 1475-1486	4
308	Enzymes produced by solid state fermentation of agro-industrial by-products release ferulic acid in bioprocessed whole-wheat breads. 2021 , 140, 109843	7
307	Alternatives to increase the antioxidant capacity of bread with phenolics. 2021, 311-341	
306	Vanillin extracted from proso and barnyard millets induces cell cycle inhibition and apoptotic cell death in MCF-7 cell line 2021 , 17, 1425-1433	1
305	Ferulic acid. 2021 , 631-657	1
304	Goji berry (spp.) extracts exhibit antiproliferative activity modulating cell cycle arrest, cell apoptosis, and the p53 signaling pathway. 2021 , 12, 6513-6525	2
303	Probiotic fermented oat dairy beverage: viability of , fatty acid profile, phenolic compound content and acceptability. 2021 , 58, 3444-3452	3
302	Polyphenols. 2021 , 1-39	1
301	Effect of Storage Conditions and Time on the Polyphenol Content of Wheat Flours. 2021, 9, 248	8
300	Characterization of phenolic compounds and antioxidant activity in sorghum [Sorghum bicolor (L.) Moench] grains. 2021 , 49, 343-353	24

299	Wheat, Barley, and Oat Breeding for Health Benefit Components in Grain. 2021, 10,	24
298	Evaluation of physicochemical characteristics and antioxidant properties of elite rice (Oryza sativa L.). 2021 , 49, 485-491	O
297	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. 2021 , 372, m4948	14
296	Polyphenol-based nuclear magnetic resonance non-targeted metabolomics of temperature- and time-controlled blue and red maize sprouting. 2021 , 3, 1	1
295	Bioactive Composition and Free Radical Scavenging Activity of Fresh Orange Maize Hybrids: Impacts of Genotype, Maturity Stages, and Processing Methods. 2021 , 8, 640563	3
294	Phenolics and related in vitro functional activities of different varieties of fresh waxy corn: a whole grain. 2021 , 15, 14	3
293	Bread-making properties of einkorn wheat (Triticum monococcum ssp. monococcoum) and its suitability for whole wheat bread production. 1	1
292	Effects of Dietary Strategies on Exercise-Induced Oxidative Stress: A Narrative Review of Human Studies. 2021 , 10,	2
291	Interactions between free and bound antioxidants under different conditions in food systems. 2021 , 1-17	2
290	Ferulic acid content variation from wheat to bread. 2021 , 9, 2446-2457	O
290 289	Ferulic acid content variation from wheat to bread. 2021 , 9, 2446-2457 Polyphenols, Flavonoids, and Antioxidant Activity Involved in Salt Tolerance in Wheat, and Their Amphidiploids. 2021 , 12, 646221	0 31
	Polyphenols, Flavonoids, and Antioxidant Activity Involved in Salt Tolerance in Wheat, and Their	
289	Polyphenols, Flavonoids, and Antioxidant Activity Involved in Salt Tolerance in Wheat, and Their Amphidiploids. 2021 , 12, 646221 The Total Antioxidant Capacity and the Total Phenolic Content of Rice Using Water as a Solvent.	31
289	Polyphenols, Flavonoids, and Antioxidant Activity Involved in Salt Tolerance in Wheat, and Their Amphidiploids. 2021, 12, 646221 The Total Antioxidant Capacity and the Total Phenolic Content of Rice Using Water as a Solvent. 2021, 2021, 5268584 Highly-Efficient Release of Ferulic Acid from Agro-Industrial By-Products via Enzymatic Hydrolysis with Cellulose-Degrading Enzymes: Part I-The Superiority of Hydrolytic Enzymes Versus	31 5
289 288 287	Polyphenols, Flavonoids, and Antioxidant Activity Involved in Salt Tolerance in Wheat, and Their Amphidiploids. 2021, 12, 646221 The Total Antioxidant Capacity and the Total Phenolic Content of Rice Using Water as a Solvent. 2021, 2021, 5268584 Highly-Efficient Release of Ferulic Acid from Agro-Industrial By-Products via Enzymatic Hydrolysis with Cellulose-Degrading Enzymes: Part I-The Superiority of Hydrolytic Enzymes Versus Conventional Hydrolysis. 2021, 10, Effects of bamboo shoots (Phyllostachys edulis) dietary fibers prepared by different processes on	31 5 9
289 288 287 286	Polyphenols, Flavonoids, and Antioxidant Activity Involved in Salt Tolerance in Wheat, and Their Amphidiploids. 2021, 12, 646221 The Total Antioxidant Capacity and the Total Phenolic Content of Rice Using Water as a Solvent. 2021, 2021, 5268584 Highly-Efficient Release of Ferulic Acid from Agro-Industrial By-Products via Enzymatic Hydrolysis with Cellulose-Degrading Enzymes: Part I-The Superiority of Hydrolytic Enzymes Versus Conventional Hydrolysis. 2021, 10, Effects of bamboo shoots (Phyllostachys edulis) dietary fibers prepared by different processes on the adsorption characteristics of polyphenols. 2021, 45, e13721 Effect of digestion on bound phenolic content, antioxidant activity and hypoglycemic ability of	31 5 9
289 288 287 286 285	Polyphenols, Flavonoids, and Antioxidant Activity Involved in Salt Tolerance in Wheat, and Their Amphidiploids. 2021, 12, 646221 The Total Antioxidant Capacity and the Total Phenolic Content of Rice Using Water as a Solvent. 2021, 2021, 5268584 Highly-Efficient Release of Ferulic Acid from Agro-Industrial By-Products via Enzymatic Hydrolysis with Cellulose-Degrading Enzymes: Part I-The Superiority of Hydrolytic Enzymes Versus Conventional Hydrolysis. 2021, 10, Effects of bamboo shoots (Phyllostachys edulis) dietary fibers prepared by different processes on the adsorption characteristics of polyphenols. 2021, 45, e13721 Effect of digestion on bound phenolic content, antioxidant activity and hypoglycemic ability of insoluble dietary fibre from four Triticeae crops. 2021, 45, e13746 Pork Liver PEF Enriched with Persimmon Coproducts: Effect of In Vitro Gastrointestinal Digestion	31 5 9 0

281	Seed Oil Alleviates Experimental Atherosclerosis by Ameliorating Vascular Inflammation in Apolipoprotein-E-Deficient Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 9102-9110	2
280	Identifying Anti-Oxidant Biosynthesis Genes in Pearl Millet [(L.) R. Br.] Using Genome-Wide Association Analysis. 2021 , 12, 599649	6
279	Application of Metabolomics for the Assessment of Process-induced Changes in Whole Grain Foods. 2021 , 351-374	
278	Effects of Soil Amendment With Wood Ash on Transpiration, Growth, and Metal Uptake in Two Contrasting Maize (L.) Hybrids to Drought Tolerance. 2021 , 12, 661909	3
277	Design of video-based extension media concerning the utilization of rice bran as functional food. 2021 , 759, 012063	
276	Effect of Baking Temperature on the Phenolic Content and Antioxidant Activity of Black Corn L.) Bread. 2021 , 10,	3
275	Comparison of total polyphenols, profile anthocyanins, color analysis, carotenoids and tocols in pigmented maize. 2021 , 144, 111257	9
274	Bioactive composition, free radical scavenging and fatty acid profile of grown in Ethiopia. 2021 , 7, e07187	1
273	Quality and bioaccessibility of antioxidants of bread enriched with naranjilla (solanum quitoense) fruit. 2021 , ahead-of-print,	
272	M šr da Toplam Fenolik ve Antosiyanin °Brilhin Belirlenmesi ilh GelillirilmilNIRS (Yak n K žl- lesi Spektroskopisi) Kalibrasyon Modelleri lerine Kemometrik Yltemlerin Etkisi.	
271	The nutritional and physicochemical properties of whole corn slurry prepared by a novel industry-scale microfluidizer system. 2021 , 144, 111096	6
270	The effects of wheat, tapioca, corn, and red rice flour on TBA value and color sensory quality and the aroma of dangke nuggets. 2021 , 788, 012114	
269	Phytochemical Content and Antioxidant Activity of Ancient Majorca and Carosella (Triticum aestivum L.) Wheat Flours. 2021 , 11, 1217	0
268	Double-Edged Metabolic Effects from Short-Term Feeding of Functionalized Wheat Bran to Mouse Revealed by Metabolomic Profiling. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 6543-6555	0
267	Phenolics Profile and Antioxidant Activity Analysis of Kiwi Berry () Flesh and Peel Extracts From Four Regions in China. 2021 , 12, 689038	1
266	Wheat/Gluten-Related Disorders and Gluten-Free Diet Misconceptions: A Review. 2021 , 10,	12
265	Positive intervention of insoluble dietary fiber from defatted rice bran on hyperlipidemia in high fat diet fed rats. 2021 , 86, 3964-3974	5
264	Influence of enzyme concentrations in enzymatic bioprocessing of red rice bran: A detailed study on nutraceutical compositions, antioxidant and human LDL oxidation inhibition properties. 2021 , 351, 129272	5

263	Comparative assessment of polyphenolicsalcontent, free radicalsalcavenging and cellular antioxidant potential in apricot fruit. 2021 , 33, 101459	6
262	In vitro antioxidant activity and enzyme inhibition properties of wheat whole grain, bran and flour defatted with hexane and supercritical fluid extraction. 2021 , 146, 111376	2
261	Wheat and Rice Bran as Natural Additives for the Protection of Fish Oil from Oxidation. 2021 , 1, 1160-1168	5
260	Role of endoxylanase and its concentrations in enhancing the nutraceutical components and bioactivities of red rice bran. 2021 , 147, 111675	1
259	Effect of different processing technologies on phenolic acids, flavonoids and other antioxidants content in pigmented rice. 2021 , 100, 103263	8
258	Identification of key phenolic compounds responsible for antioxidant activities of free and bound fractions of blackberry varieties' extracts by boosted regression trees. 2021 ,	6
257	Chemical Composition Profiling and Biological Activities of Phenolic Compounds in Eleven Red Sorghums. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 9407-9418	2
256	Assessment of the phytochemical profile and antioxidant activities of eight kiwi berry ((Siebold & Zuccarini) Miquel) varieties in China. 2021 , 9, 5616-5625	3
255	Comparison of free, conjugated, and insoluble-bound phenolics and their antioxidant activities in oven-drying and freeze-drying bamboo (Phyllostachys edulis) shoot tips. 2021 , 86, 4223-4243	O
254	The Effects of Grape, pomegranate, Sesame Seed Powder and Their Oils on Probiotic Ice Cream: Total phenolic contents, antioxidant activity and probiotic viability. 2021 , 42, 101203	9
253	Study on metabolic variation in whole grains of four proso millet varieties reveals metabolites important for antioxidant properties and quality traits. 2021 , 357, 129791	6
252	Physicochemical, sensory properties and in-vitro bioaccessibility of phenolics and antioxidant capacity of traditional noodles enriched with carob (Ceratonia siliqua L.) flour. 2021 , 41, 587-595	1
251	Antioxidant properties and inhibition of lipid formation in 3T3-L1 adipocytes of in vitro digested mageu, a commercial sample. 2021 , 45, e13929	
250	Functional importance of bioactive compounds of foods with Potential Health Benefits: A review on recent trends. 2021 , 43, 101320	10
249	Phenolics of cereal, pulse and oilseed processing by-products and potential effects of solid-state fermentation on their bioaccessibility, bioavailability and health benefits: A review. 2021 , 116, 954-974	7
248	Analyzing the effect of germination on the pasting, rheological, morphological and in-vitro antioxidant characteristics of kodo millet flour and extracts. 2021 , 361, 130073	5
247	Identification and quantification of free, esterified, and insoluble-bound phenolics in grains of hulless barley varieties and their antioxidant activities. 2021 , 151, 112001	8
246	Modelling of bioactive components extraction from corn seeds. 2021 , 175, 339-347	O

245	Ferulic acid-mediated modulation of apoptotic signaling pathways in cancer. 2021 , 125, 215-257	5
244	Bioactive Phytochemicals and Antioxidant Capacity of Wheatgrass Treated with Salicylic Acid under Organic Soil Cultivation. 2021 , 18, e2000861	1
243	Phenolic Antioxidants in Cereals. 2021 , 149-176	
242	Novel Fortification Strategies for Staple Gluten-Free Products. 2013 , 307-320	1
241	Fruits. 2020 , 24, 279-376	2
240	Grains. 2020 , 24, 377-394	1
239	Bound Phenolics in Foods. 2018 , 1-18	5
238	Nutritive Value of Maize: Improvements, Applications and Constraints. 2014 , 3-17	8
237	Maize: Grain Structure, Composition, Milling, and Starch Characteristics. 2014, 65-76	12
236	Cereal Landraces for Sustainable Agriculture. 2011 , 147-186	7
235	Fermentation of Cereals: A Tool to Enhance Bioactive Compounds. 2017, 157-170	5
234	Phytochemical Analysis of Herbal Teas and Their Potential Health, and Food Safety Benefits: A Review. 2020 , 281-301	1
233	Intake of whole grains, refined grains, and cereal fiber measured with 7-d diet records and associations with risk factors for chronic disease. 2007 , 86, 1745-1753	68
232	CHAPTER 7: Micronutrients and Phytochemicals in Wheat Grain. 2009 , 179-222	29
231	CHAPTER 10: Oat Phenolics: Biochemistry and Biological Functionality. 2011 , 157-217	8
230	Functional Bioactives from Barley for Human Health Benefits. 2019 , 61-85	1
229	Maize. 2019 , 87-102	2
228	1Chapter 7 Role of Cereals in Human Nutrition and Health. 2016 , 611-674	1

(2020-2018)

227	Antioxidative Properties and Cytotoxic Activity Against Colon Cancer Cell WiDr of Rhizopus Oryzae and Rhizopus Oligosporus-Fermented Black Rice Bran Extract. 2018 , 6, 23-34	7
226	Phytochemical and antiproliferative activity of proso millet. 2014 , 9, e104058	57
225	Phytochemical profiles and antioxidant activities in six species of ramie leaves. 2014 , 9, e108140	34
224	The Profile and Bioaccessibility of Phenolic Compounds in Cereals Influenced by Improved Extrusion Cooking Treatment. 2016 , 11, e0161086	48
223	A Genome Wide Association Study of arabinoxylan content in 2-row spring barley grain. 2017 , 12, e0182537	14
222	Oljna pogali navadnega rika (Camelina sativa (L.) Crantz) âlheizkorilini vir fenolnih spojin. 2016 , 107, 243	1
221	Whole Grains in Amelioration of Metabolic Derangements. 2016 , 4, 1-11	9
220	Antioxidant Activity, Quality Parameters and Grain Characteristics of Rice Varieties of Afghanistan. 73, 26-35	4
219	Effect of Roasting on Phenolics Content and Antioxidant Activity of Proso Millet. 2018, 110-116	3
218	Association between whole grain intake and all-cause mortality: a meta-analysis of cohort studies. 2016 , 7, 61996-62005	16
217	Canopy Light Effects in Multiple Training Systems on Yield, Soluble Solids, Acidity, Phenol and Flavonoid Concentration of affrontenacal Grapes. 2013 , 23, 86-92	4
216	Biological role and health benefits of antioxidant compounds in cereals. 2020 , 65,	11
215	The Contribution of Buckwheat Genetic Resources to Health and Dietary Diversity. 2016, 17, 193-206	33
214	Valoracifi de polvos de cficara de mango (Mangifera indica L.) como una alternativa para la generacifi de alimentos funcionales. 22,	1
213	Chemical compositions as quality parameters of ZP soybean and wheat genotypes. 2009 , 41, 297-308	3
212	EFFECTS OF PROCESSING STEPS ON THE PHENOLIC CONTENT AND ANTIOXIDANT ACTIVITY OF OAT BREADS. 48-63	1
211	EFFECTS OF BAKERâß YEAST ADDITION ON SOME PROPERTIES AND PHYTIC ACID CONTENT OF TARHANA PREPARED WITH DIFFERENT CEREAL AND LEGUME PRODUCTS. 9-18	5
210	The Impact of Whole Grain Intake on Gastrointestinal Tumors: A Focus on Colorectal, Gastric, and Esophageal Cancers. 2020 , 13,	6

209	Antioxidative and Antimutagenic Effects of Korean Buckwheat, Sorghum, Millet and Job?s Tears. 2004 , 33, 921-929	43
208	Antiproliferation Effects of Germinated-Korean Rough Rice Extract on Human Cancer Cells. 2010 , 39, 325-330	18
207	Antiproliferation Effects of Ethanol and Water Extracts from Germinated Rough Rice. 2010 , 39, 1107-1112	7
206	A comparison between wheat and different kinds of corn flour based on minerals, free phenolic acid composition and antioxidant activity. 2019 , 11, 341-349	4
205	Natural maize phytochemicals for control of maize mycoflora and aflatoxigenic fungi. 2009 , 2, 305-312	8
204	Optimization of Germination Conditions of Blue Corn (Zea mays L.) by Taguchi Orthogonal Array Methodology. 2008 , 7, 682-686	5
203	Comparative Screening of Phytochemicals in Egyptian and Hungarian Wheat Varieties. 2014 , 9, 219-230	1
202	Cytotoxic and Apoptotic Effects of Sprouted and Non-sprouted Lentil, Green and Yellow Split-peas. 2015 , 12, 51-60	6
201	Effect of dragon fruit extract on oxidative stress and aortic stiffness in streptozotocin-induced diabetes in rats. 2010 , 2, 31-5	23
200	Optimization of Extrusion Process for Producing High Antioxidant Instant Amaranth (<i>Amaranthus hypochondriacus</i> L.) Flour Using Response Surface Methodology. 2012 , 03, 1516-1525	20
199	Antioxidant and Pasting Properties of Oat <i></i> -Glucan Hydrocolloids. 2012, 03, 827-835	6
198	Acceptability Properties and Antioxidant Pontential of Desi Chickpea (<i>Cicer arietinum</i> L.) Cultivars. 2012 , 03, 1281-1289	3
197	Antioxidant Activities of Selective Gluten Free Ancient Grains. 2015, 06, 612-621	11
196	Simulating of Top-Cross system for enhancement of antioxidants in maize grain. 2014 , 12, 467	7
195	Phytochemical Analysis and Antioxidant Activity of Aerial Extracts. 2016 , 18, e24836	6
194	Fatty acid, amino acid, mineral and antioxidant contents of acha () grown on the Jos Plateau, Nigeria. 2013 , 5, 1-8	4
193	Ameliorative Potential of Aqueous Extract of Broccoli Sprouts Against Triazophos Induced Ovarian Toxicity in Wistar Rats. 2021 , 14, 1267-1279	1
192	Biochemical Stress Markers, Antioxidants, and Infectious Wound-Healing Potential of UV Irradiation and Salt Stress Effects on the Pre-Treated Seed of Bitter Melon (L.). 2021 , 19, 15593258211044062	

191	Effect of polyphenols on mixing properties and solvent retention of wheat flour doughs. 2021,	
190	The effect of bread-making methods on functional and quality characteristics of oat bran blended bread. 2021 , 26, 100439	1
189	Immunomodulatory effect of metabolites from digested and fermented fractions from irradiated pineapple (Annanas comosus L.) snack-bars. 2022 , 373, 131375	1
188	Corn Husk Phenolics Modulate Hepatic Antioxidant Response in Nile Tilapia () Exposed to Hypoxia. 2021 , 26,	1
187	Whole-Grain Component Synergy and Cancer. 2005 , 175-191	
186	Starch Structures and Physicochemical Properties of a Novel Eglucan enriched Oat Hydrocolloid Product with and without Supercritical Carbon Dioxide Extraction*. 2007 , 2, 248-256	3
185	The potential health benefits of phytochemicals in berries for protecting against cancer and coronary heart disease. 2007 , 187-203	
184	Grains. 2008 , 25-44	
183	සිzi සිpa fajtඕ vas(III)-ion redukltantioxidසs aktivitඕසිak elඕetes eredm	
182	Antioxidant Activity/Capacity Assay Methods Applied to Fruit and Cereals. 2011, 375-398	1
182 181	Antioxidant Activity/Capacity Assay Methods Applied to Fruit and Cereals. 2011, 375-398 Characteristics of Sanghwabyung(traditional leavened bread)made with Black-wheat Flour. 2012, 28, 383-390	1
	Characteristics of Sanghwabyung(traditional leavened bread)made with Black-wheat Flour. 2012 ,	1 5
181	Characteristics of Sanghwabyung(traditional leavened bread)made with Black-wheat Flour. 2012 , 28, 383-390 Pharmacological Activity of Chaga Mushroom on Extraction Conditions and Immunostimulating	
181 180	Characteristics of Sanghwabyung(traditional leavened bread)made with Black-wheat Flour. 2012, 28, 383-390 Pharmacological Activity of Chaga Mushroom on Extraction Conditions and Immunostimulating Polysaccharide. 2012, 41, 1378-1387	
181 180 179	Characteristics of Sanghwabyung(traditional leavened bread)made with Black-wheat Flour. 2012, 28, 383-390 Pharmacological Activity of Chaga Mushroom on Extraction Conditions and Immunostimulating Polysaccharide. 2012, 41, 1378-1387 Whole Grains and Diet. 2013, 299-312 Antioxidant and Antimutagenic Activities of Optimized Extruded Desi Chickpea (Cicer arietinum L)	5
181 180 179 178	Characteristics of Sanghwabyung(traditional leavened bread)made with Black-wheat Flour. 2012, 28, 383-390 Pharmacological Activity of Chaga Mushroom on Extraction Conditions and Immunostimulating Polysaccharide. 2012, 41, 1378-1387 Whole Grains and Diet. 2013, 299-312 Antioxidant and Antimutagenic Activities of Optimized Extruded Desi Chickpea (Cicer arietinum L) Flours. Yield and quality of maize following the foliar application of a fertilizer based on the byproduct	2
181 180 179 178	Characteristics of Sanghwabyung(traditional leavened bread)made with Black-wheat Flour. 2012, 28, 383-390 Pharmacological Activity of Chaga Mushroom on Extraction Conditions and Immunostimulating Polysaccharide. 2012, 41, 1378-1387 Whole Grains and Diet. 2013, 299-312 Antioxidant and Antimutagenic Activities of Optimized Extruded Desi Chickpea (Cicer arietinum L) Flours. Yield and quality of maize following the foliar application of a fertilizer based on the byproduct aBhale wateralizous, 04, 56-65 Evaluation of antioxidant and cancer cell growth inhibition activities of red rice and black rice. 2013,	2

173	Lentils, Green and Yellow Split-Peas (Sprouted and Non-Sprouted) on Azoxymethane-Induced Colon Carcinogenesis. 2015 , 10, 36-48	
172	Solid State Bioconversion for Producing Functional Flours from Whole Quality Protein Maize and Common Beans with Enhanced Nutritional Value, Antioxidant and Antihypertensive Potential. 2015 , 2,	
171	Variation in Accumulation of Phenolics in Some Native Rice Cultivars of North Kerala, India in Response to Salt Stress. 2015 , 9, 315-324	3
170	Healthy Dietary Fibers from Plant Food By-Products. 2015 , 25-56	
169	Antioxidant Compounds and Activities of Methanolic Extracts from Oat Cultivars. 2015, 44, 1660-1665	5
168	Polyphenolic from grains: Importance for human nutrition. 2016 , 57, 47-52	3
167	Chapter 2 Advanced Techniques in Extraction of Phenolics from Cereals, Pulses, Fruits, and Vegetables. 2016 , 27-76	О
166	Chapter 2 Advanced Techniques in Extraction of Phenolics from Cereals, Pulses, Fruits, and Vegetables. 2016 , 27-76	
165	Antioxidant activity in different morphological fractions of some cereal grains. 2017, 58, 17-23	1
164	A Comparison of Selected Phytochemical and Antioxidant Potential of Two Tea Beverages. 2017 , 08, 1039-1049	O
163	Red Dragon Fruit Powder as a Basic Ingredient for Functional Foods Rich in Bioactive Compounds, Nutritional Substances and Antioxidants. 2017 , 16, 714-718	1
162	Phytochemical Content, Radical Scavenging Ability & Enzyme Inhibiting Activities of Selected Spices (Cinnamon, Cardamom and Cloves). 2019 , 10, 266-275	1
161	Corn. 2019 , 33-53	О
160	Kavrulmul T în Tane Brez G d alar ñ Antioksidan Bellikleri ve Kavurma L eminin Etkileri. 149-156	2
159	Development and evaluation of black rice fryums. 2020 , 57, 162-167	
158	Antioxidant and in vitro digestion property of black rice (Oryza sativa L.): a comparison study between whole grain and rice bran. 2020 , 16,	О
157	Ferulic acid mediates prebiotic responses of cereal-derived arabinoxylans on host health. 2021,	2
156	Red Rice. 2020 , 283-296	

155	Release of characteristic phenolics of quinoa based on extrusion technique. 2020 , 128780	2
154	Herbal biomolecules: anticancer agents. 2022 , 435-474	1
153	EGlucosidase inhibitors from brown rice bound phenolics extracts (BRBPE): Identification and mechanism. 2022 , 372, 131306	1
152	The Anti-oxidants. 2020 , 173-216	
151	Pumpkin Seeds: Phenolic Acids in Pumpkin Seed (Cucurbita pepo L.). 2020 , 533-542	2
150	Introduction and Background. 2020 , 1-6	
149	Functional Characteristics and Nutraceuticals of Grain Sorghum. 2020, 839-858	
148	Screening antioxidant capacity of Mexican maize (Zea mays L.) landraces with colored grain using ABTS, DPPH and FRAP methods. 1	Ο
147	In Vitro and In Vivo Evaluation of the Protective Potential of Moringa oleifera Against Dietary Acrylamide-induced Toxicity. 2020 , 14, 26-34	
146	Oat. 2007 , 151-160	
145	Cereals and childrenâl health. 2020 , 65, 162-169	
144	Association between whole grain intake and stroke risk: evidence from a meta-analysis. 2015 , 8, 16978-83	12
143	Cellulolytic and xylanolytic enzyme combinations in the hydrolysis of red rice bran: A disparity in the release of nutraceuticals and its correlation with bioactivities. 2022 , 154, 112856	0
142	Role of cereal bioactive compounds in the prevention of age-related diseases. 2022 , 247-286	
141	Onco-Preventive and Chemo-Protective Effects of Apple Bioactive Compounds. 2021, 13,	4
140	Content and bioaccessibility of phenolic compounds in blue corn products and tortillas using traditional and ecological nixtamalization. 2021 , 27, 100443	Ο
139	Invitro bioprocessing of corn as poultry feed additive by the influence of carbohydrate hydrolyzing metagenome derived enzyme cocktail 2022 , 12, 405	О
138	Traditional Foods From Maize (L.) in Europe 2021 , 8, 683399	2

137	Bioactive compounds of highland barley and their health benefits. 2022, 103, 103366	2
136	Bioprospecting Phenols as Inhibitors of Trichothecene-Producing: Sustainable Approaches to the Management of Wheat Pathogens 2022 , 14,	1
135	Comparison of antioxidant activity assays in fresh purple waxy corn (Zea mays L.) during grain filling. 2022 , 65,	3
134	Rye Flour and Rye Bran: New Perspectives for Use. 2022 , 10, 293	3
133	Effect of selenium biofortification on bioactive compounds and antioxidant activity in germinated black soybean 2022 ,	О
132	Effects of ascorbic acid and sugar on physical, textural and sensory properties of composite breads. 2021 , 48, 185-200	1
131	Spatial Distribution of Polyphenolic Compounds in Corn Grains (L. var.) Studied by Laser Confocal Microscopy and High-Resolution Mass Spectrometry 2022 , 11,	1
130	Cereal-Based Functional Foods. 2022 , 55-90	
129	Root Reinforcement Improved Performance, Productivity, and Grain Bioactive Quality of Field-Droughted Quinoa () 2022 , 13, 860484	2
128	Overview of the Composition of Whole Grains' Phenolic Acids and Dietary Fibre and Their Effect on Chronic Non-Communicable Diseases 2022 , 19,	6
127	Maize Silk Biogenic Nanoceria (CeONPs) Enhanced Sequential Injection-Chemiluminescence Detection of Ferulic, Sinapic and -Coumaric in Yellow Maize Kernels 2022 , 11,	1
126	Characterization of black rice flour modified by enzymatic and heat moisture treatment. 2022,	
125	Hydrolyzed Bound Phenolics from Rice Bran Alleviate Hyperlipidemia and Improve Gut Microbiota Dysbiosis in High-Fat-Diet Fed Mice 2022 , 14,	3
124	Genome-wide identification and expression analysis of the plant-specific PLATZ gene family in Tartary buckwheat (Fagopyrum tataricum) 2022 , 22, 160	1
123	Drying Behavior of Bulgur and Its Effect on Phytochemical Content 2022, 11,	1
122	Selection and improvement of alternative raw materials for rainbow trout (Oncorhynchus mykiss) aquafeeds through a multiparametric screening tool. 2022 , 115284	O
121	Comparison of Phenolic and Flavonoid Content and Antioxidant and Chelating Activities of Rhizophora mangle in Different Anthropogenically-Polluted Coastal Lagoons. 2022 , 9,	
120	Effects of soaking and germination on deoxynivalenol content, nutrition and functional quality of Fusarium naturally contaminated wheat. 2022 , 160, 113324	1

(2017-2022)

119	In Search of Resistance Against Fusarium Ear Rot: Ferulic Acid Contents in Maize Pericarp Are Associated With Antifungal Activity and Inhibition of Fumonisin Production 2022 , 13, 852257	O
118	Comparing impacts of dielectric barrier discharge plasma and electron beam irradiation processing on characteristics of Tartary buckwheat whole flour. 2022 , 77, 102986	O
117	Ultrasound-assisted extraction of bound phenolic compounds from the residue of Apocynum venetum tea and their antioxidant activities. 2022 , 47, 101646	1
116	Influence of radio-grain priming on growth, antioxidant capacity, and yield of barley plants. 2022 , 34, e00724	2
115	Cytotoxic Potential of Phenolic Glycosides from Stipagrostis plumosa. 2021 , 31, 842-847	
114	The grain quality of wheat wild relatives in the evolutionary context 2021, 1	1
113	Physiological-biochemical and genetic featuresof barley as a product for functionalnutrition. 2021 , 53, 463-483	
112	PartiklÎBoyutunun Renk Zerine Etkisi ve Rengin Kal lī m Derecesinin Belirlenmesi.	
111	Bioaccessibility of phenolic compounds from sesame seeds (Sesamum indicum L .) during in vitro gastrointestinal digestion and colonic fermentation.	2
110	Study the CAT-21 A/T (rs7943316) gene polymorphism and its correlation with physiological antioxidant index in the Iraqi patients with T2DM. 4429-4438	
109	Data_Sheet_1.docx. 2020 ,	
108	Image1.pdf. 2017 ,	
107	Table1.docx. 2017 ,	
106	Table2.docx. 2017 ,	
105	Table3.docx. 2017 ,	
104	Table4.docx. 2017 ,	
103	Table5.docx. 2017 ,	
102	Table6.docx. 2017 ,	

101 Table7.docx. **2017**,

100	Table8.docx. 2017 ,		
99	Table9.docx. 2017 ,		
98	Grain phenolics: critical role in quality, storage stability and effects of processing in major grain cropsâl concise review.		1
97	Grain-Priming with -Arginine Improves the Growth Performance of Wheat (L.) Plants under Drought Stress 2022 , 11,		3
96	Great Northern Beans (Phaseolus vulgaris L.) Lower Cholesterol in Hamsters Fed a High Saturated Fat Diet 2022 ,		1
95	Deep eutectic solvent-based ultrasonic-assisted extraction of phenolic compounds from different potato genotypes: Comparison of free and bound phenolic profiles and antioxidant activity 2022 , 388, 133058		1
94	CHARACTERIZATION of THE PHYSICO-CHEMICAL COMPOSITION, PHYTO-CHEMICAL PROPERTIES, COOKING CHARACTERISTICS and BIOACTIVE COMPOUNDS of KONURALP RICE. 518-530		
93	Polyphenol and Anthocyanin Composition and Activity of Highland Barley with Different Colors. 2022 , 27, 3411		4
92	Effect of Flaking and Precooking Procedures on Antioxidant Potential of Selected Ancient Cereal and Legume Flours. 2022 , 11, 1592		
91	Comparing the LC-MS Phenolic Acids Profiles of Seven Different Varieties of Brown Rice (Oryza sativa L.). 2022 , 11, 1552		2
90	Health Benefits of Minor Cereals. 2023,		
89	Minor Cereals and New Crops: Tritordeum. 2023,		
88	Bound phenolics in rice bran dietary fibre released by different chemical hydrolysis methods: content, composition and antioxidant activities.		
87	Phenolic composition and antioxidant potential in Turkish einkorn, emmer, durum, and bread wheat grain and grass. 2022 , 149, 407-415		
86	Corn Byproducts as Source of Nutraceuticals. 2022 , 185-202		
85	Maize: an underexploited golden cereal crop.		1
84	Valorization of Food Processing Waste to Produce Valuable Polyphenolics. <i>Journal of Agricultural and Food Chemistry</i> ,	5.7	3

83	Health-promoting germinated rice and value-added foods: a comprehensive and systematic review of germination effects on brown rice. 1-34	2
82	Morenga leaves for promotion the healthy benefits of oat fermented by probiotic bacteria: The first investigation. 2022 , 2, 100166	
81	Bioaktive fytokjemikalier i fullkorn og mulige fysiologiske virkningsmekanismer. 2017 , 15, 6-15	
80	Quantification of Phytochemicals, Cellular Antioxidant Activities and Antiproliferative Activities of Raw and Roasted American Pistachios (Pistacia vera L.). 2022 , 14, 3002	1
79	Environmental and cultivar variability in composition, content and biological activity of phenolic acids and alkylresorcinols of winter wheat grains from a multi-site field trial across Europe 2022 , 103527	2
78	Metabolite identification in fresh wheat grains of different colors and the influence of heat processing on metabolites via targeted and non-targeted metabolomics. 2022 , 160, 111728	Ο
77	Cardioprotective effects of Ferulic acid against various drugs and toxic agents. 2022, 11,	1
76	Ionizing Technology Effects on Bioactive Compounds from Food Products. 2022 , 104-119	
75	Sprouted Andean grains: an alternative for the development of nutritious and functional products. 1-29	
74	Antioxidant Capacity and Profiles of Phenolic Acids in Various Genotypes of Purple Wheat. 2022 , 11, 2515	1
73	Effect of steam explosion on nutritional components, physicochemical and rheological properties of brown rice powder. 9,	O
72	Polyphenols in Highland Barley Tea Inhibit the Production of Advanced Glycosylation End-Products and Alleviate the Skeletal Muscle Damage. 2200225	O
71	Functional Properties of Extracts from Wheat (Triticum aestivum L.) Coarse Bran and Shorts (Razmol) Obtained under Different Supercritical CO 2 Extraction Conditions.	
70	Effects of Different Drying Methods on Phenolic Composition and Antioxidant Activity in Corn Silk (Stigma Maydis).	
69	Effects of pozole broth production on phenolic acids and antioxidant activity of specialty maize landraces. 2022 , 107, 103543	0
68	Use of Ancient Wheat (Einkorn and Emmer) to Improve the Nutritional and Functional Properties of Gevreks. 1539-1549	O
67	Changes in phytochemical content, bioaccesibility and antioxidant capacity of corn tortillas during simulated in vitro gastrointestinal digestion. 2022 , 134223	О
66	Improvement of Genetic Variation for Nutrients and Bioactive Food Components in Cereal Crops. 2022 , 51-80	O

65	Functional Cereals: Functional Components and Benefits. 2022 , 3-25	1
64	Distribution of phenolic compounds and antioxidant activities in layered grinding wheat flour and the regulation effect of nitrogen fertilizer application. 2022 , 48, 704-715	1
63	Functional and physicochemical properties of milled and microfluidized bulgur and chickpea brans.	0
62	Simulated Gastrointestinal Digestion of Bioprocessed Spelt Seeds: Bioaccessibility and Bioactivity of Phenolics. 2022 , 11, 1703	1
61	Physiological and biochemical responses of hybrid maize (Zea mays L.) varieties grown under heat stress conditions. 10, e14141	О
60	Solid-state fermentation with Rhizopus oligosporus RT-3 enhanced the nutritional properties of soybeans. 9,	O
59	Extraction of ferulic acid from rice bran using NADES -ultrasound-assisted extraction: Kinetics and optimization.	0
58	The Antioxidant Potential of Grains in Selected Cereals Grown in an Organic and Conventional System. 2022 , 12, 1485	1
57	Enhancement Methods of Antioxidant Capacity in Rice Bran: A Review. 2022 , 11, 2994	1
56	Effect of nixtamalization extrusion conditions in purple creole corn (Zea mays L.) from the state of Guerrero on nutraceutical and functional properties of the optimized corn flour. 42,	O
55	Comparative Analysis of Multiple GWAS Results Identifies Metabolic Pathways Associated with Resistance to A. flavus Infection and Aflatoxin Accumulation in Maize. 2022 , 14, 738	0
54	Photochemistry, Functional Properties, Food Applications, and Health Prospective of Black Rice. 2022 , 2022, 1-21	2
53	Evaluation of graded levels of corn fermented protein (CFP) on stool quality, apparent nutrient digestibility, and palatability in healthy adult cats.	О
52	Combinatorial Analysis of Transcription and Metabolism Reveals the Regulatory Network Associated with Antioxidant Substances in Waxy Corn.	O
51	Transcriptome and Metabolome Analyses Reveals the Pathway and Metabolites of Grain Quality Under Phytochrome B in Rice (Oryza sativa L.). 2022 , 15,	О
50	Cereals as a Source of Bioactive Compounds with Anti-Hypertensive Activity and Their Intake in Times of COVID-19. 2022 , 11, 3231	O
49	Improving antioxidant activity and modifying Tartary buckwheat bran by steam explosion treatment. 2022 , 170, 114106	0
48	Comparative study on alleviating effect of kiwi berry (Actinidia arguta) polysaccharide and polyphenol extracts on constipated mice. 2022 , 162, 112037	1

47	Formation of cereal protein disulfide-linked stable matrices by apigeninidin, a 3-deoxyanthocyanidin. 2023 , 404, 134611	O
46	Antioxidant Activity, Quality Parameters and Grain Characteristics of Rice Varieties of Afghanistan. 73, 26-35	O
45	A pioneering study on the recovery of valuable functional compounds from olive pomace by using supercritical carbon dioxide extraction: Comparison of perlite addition and drying. 2023 , 306, 122593	0
44	Phenolic and Flavonoid Amounts and Antioxidant Capacity of Lavandula officinalis (Lavender) Callus Grown in Different Growth Regulator Combinations.	O
43	Ferulic Acid Mediates Metabolic Syndrome via the Regulation of Hepatic Glucose and Lipid Metabolisms and the Insulin/IGF-1 Receptor/PI3K/AKT Pathway in Palmitate-Treated HepG2 Cells.	1
42	A comparison between partially peeled hulless barley and whole grain hulless barley: beneficial effects on the regulation of serum glucose and the gut microbiota in high-fat diet-induced obese mice.	O
41	Chemical composition of bunya nuts (Araucaria bidwillii) compared to Araucaria angustifolia and Araucaria araucana species. 2023 , 163, 112269	O
40	Variations in phytochemical content and composition in distillers corn oil from 30 U.S. ethanol plants. 2023 , 193, 116108	0
39	TRK°YE'DE YET°T°R°LEN Citrus maxima (ADOK) MEYVES°N°N ATIK KISIMLARINDAK° ANT°OKS°DAN, FENOL°K VE FLAVONO°D MADDE M°KTARLARININ BEL°RLENMES°.	0
38	Phytochemical Profile, Antioxidant Potential, Proximate and Trace Elements Composition of Leaves, Stems and Ashes from 12 Combretum spp. Used as Food Additives. 2022 , 13, 561-578	0
37	Effects of Far-Infrared Radiation Drying on Starch Digestibility and the Content of Bioactive Compounds in Differently Pigmented Rice Varieties. 2022 , 11, 4079	0
36	Cereal intake and mortality in older Chinese: a 15-year follow-up of a prospective cohort study.	0
35	Phenolic profile, alpha-amylase inhibitory activity, and in vitro glycemic index of adzuki beans. 9,	1
34	Effects of pretreatment with a combination of ultrasound and Eminobutyric acid on polyphenol metabolites and metabolic pathways in mung bean sprouts. 9,	0
33	Natural antioxidants from some fruits, seeds, foods, natural products, and associated health benefits: An update.	2
32	Iron pulsing, a cost effective and affordable seed invigoration technique for iron bio-fortification and nutritional enrichment of rice grains.	O
31	Antioxidant Activity and Essential Amino acid Content of Bread Wheat (Triticum aestivum L.) Varieties. 130-141	0
30	Bioavailability of Phenolic Compounds in Californian-Style Table Olives with Tunisian Aqueous Olive Leaf Extracts. 2023 , 28, 707	3

29	The effects of wheat variety, sourdough treatment and sourdough level on nutritional characteristics of whole wheat bread. 2023 , 110, 103637	0
28	Water Deficit-Induced Changes in Phenolic Acid Content in Maize Leaves Is Associated with Altered Expression of Cinnamate 4-Hydroxylase and p-Coumaric Acid 3-Hydroxylase. 2023 , 12, 101	O
27	Colored cereals: Food applications. 2023 , 73-109	О
26	Colored cereals: Beyond nutritional values. 2023 , 47-72	O
25	Processing colored grains to optimize product quality. 2023 , 267-286	О
24	Application of Cellulase for Contributing Phenolic Release and Conversion in Oats (Avena sativa L.) During Microbial Fermentation.	O
23	Antioxidative Recovery Responses of Germinated Rough Rice (GRR) and Germinated Brown Rice (GBR) from Various Solvents and Their Potential towards Reactive Oxygen Species Quenching Capacity. 2022 , 18, 9-15	0
22	Recovery of insoluble-bound phenolics and bioactive volatile compounds from MD2 pineapple peel by enzyme-assisted extraction and kinetic model.	O
21	Structurally diverse specialized metabolites of maize and their extensive biological functions.	0
20	Study on the interaction between grain polyphenols and intestinal microorganisms: A review. 2023 , 53, 102536	O
19	Effect of ultrasound combined with exogenous GABA treatment on polyphenolic metabolites and antioxidant activity of mung bean during germination. 2023 , 94, 106311	O
18	Antioxidant Activities and Characterization of Polyphenols from Selected Northern Thai Rice Husks: Relation with Seed Attributes. 2023 , 30, 148-159	2
17	Comparison of Minerals, Ferulic Acid, Antioxidant, and Anti-inflammatory Properties of Products from Raw Maize and Germinated Maize with Selenium. 2023 , 3, 318-325	0
16	Quality assessment of maize tortillas produced from landraces and high yield hybrids and varieties. 10,	O
15	Sorghumathung bean combination snacks: Effect of extrusion temperature and moisture on chemical, functional, and nutritional characteristics.	0
14	Dietary approaches to stop hypertension (DASH)-style diet in association with gastroesophageal reflux disease in adolescents. 2023 , 23,	O
13	Topical Intervention of Natural Products Applied in Patients with Pressure Injuries: A Scoping Review. 2023 , 36, 1-8	O
12	Extraction and Quantification of Azelaic Acid from Different Wheat Samples (Triticum durum Desf.) and Evaluation of Their Antimicrobial and Antioxidant Activities. 2023 , 28, 2134	O

CITATION REPORT

11	The Promotive Effect of Putrescine on Growth, Biochemical Constituents, and Yield of Wheat (Triticum´aestivum L.) Plants under Water Stress. 2023 , 13, 587	O
10	Polyphenols: Natural food grade biomolecules for treating neurodegenerative diseases from a multi-target perspective. 10,	O
9	Assessment of Protein Nutritional Quality of Novel Hairless Canary Seed in Comparison to Wheat and Oat Using In Vitro Static Digestion Models. 2023 , 15, 1347	O
8	Compositional analysis of natural pomegranate peel powder dried by different methods and nutritional and sensory evaluation of cookies fortified with pomegranate peel powder. 10,	O
7	Inoculation of Arbuscular Mycorrhizal Fungi and Plant Growth Promoting Rhizobacteria Mediated Water Stress Tolerance in Quinoa Seeds by Modulating the Phenolics Compounds, Stress Markers, Osmolytes Accumulation and Antioxidant Defense.	О
6	Caracterizacifi tecnofuncional de harinas de trigo y X Triticosecale wittmack. 2023 , 4,	O
5	Technology, Science and Culture: A Global Vision, Volume IV.	O
4	The Accumulation and Biosynthesis of Anthocyanin in Black, White, and Yellow Waxy Corns (Zea mays L. sinensis kulesh) during Kernel Maturation. 2023 , 12, 1486	O
3	The effect of kiwi berry (<i>Actinidia arguta</i>) on preventing and alleviating loperamide-induced constipation. 2023 , 2, 1-8	O
2	Antioxidant Potential Profile of Portuguese Wheat (Bread and Durum) Germplasm. 2023, 3, 124-135	O
1	Screening and use of nutritional and health-related benefits of the minor crops. 2023 , 57-85	O