

# Divergence Time and Evolutionary Rate Estimation wit

Systematic Biology

51, 689-702

DOI: [10.1080/10635150290102456](https://doi.org/10.1080/10635150290102456)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Potential Applications and Pitfalls of Bayesian Inference of Phylogeny. <i>Systematic Biology</i> , 2002, 51, 673-688.	2.7	721
2	Phylogeny and Evolutionary History of the Ground Squirrels (Rodentia: Marmotinae). <i>Journal of Mammalian Evolution</i> , 2003, 10, 249-276.	1.0	129
3	Local Molecular Clocks in Three Nuclear Genes: Divergence Times for Rodents and Other Mammals and Incompatibility Among Fossil Calibrations. <i>Journal of Molecular Evolution</i> , 2003, 57, S201-S213.	0.8	92
4	A decade of progress in plant molecular phylogenetics. <i>Trends in Genetics</i> , 2003, 19, 717-724.	2.9	79
5	Genomic clocks and evolutionary timescales. <i>Trends in Genetics</i> , 2003, 19, 200-206.	2.9	257
6	Nuclear gene sequences confirm an ancient link between New Zealand's short-tailed bat and South American noctilionoid bats. <i>Molecular Phylogenetics and Evolution</i> , 2003, 28, 308-319.	1.2	55
7	Molecular estimation of eulipotyphlan divergence times and the evolution of "Insectivora". <i>Molecular Phylogenetics and Evolution</i> , 2003, 28, 285-296.	1.2	77
8	New frog family from India reveals an ancient biogeographical link with the Seychelles. <i>Nature</i> , 2003, 425, 711-714.	13.7	250
9	Time Flies, a New Molecular Time-Scale for Brachyceran Fly Evolution Without a Clock. <i>Systematic Biology</i> , 2003, 52, 745-756.	2.7	144
10	Timing the Origin of New World Monkeys. <i>Molecular Biology and Evolution</i> , 2003, 20, 1620-1625.	3.5	145
11	Measurably evolving populations. <i>Trends in Ecology and Evolution</i> , 2003, 18, 481-488.	4.2	371
12	Toward an Integrative Historical Biogeography. <i>Integrative and Comparative Biology</i> , 2003, 43, 261-270.	0.9	250
13	Evolution of the army ant syndrome: The origin and long-term evolutionary stasis of a complex of behavioral and reproductive adaptations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 6575-6579.	3.3	127
14	Inference of Viral Evolutionary Rates from Molecular Sequences. <i>Advances in Parasitology</i> , 2003, 54, 331-358.	1.4	161
15	The Sahara as a vicariant agent, and the role of Miocene climatic events, in the diversification of the mammalian order Macroscelidea (elephant shrews). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8325-8330.	3.3	140
16	The Role of Phylogenetics in Comparative Genetics. <i>Plant Physiology</i> , 2003, 132, 1790-1800.	2.3	97
17	Bayesian Models of Episodic Evolution Support a Late Precambrian Explosive Diversification of the Metazoa. <i>Molecular Biology and Evolution</i> , 2003, 20, 1947-1954.	3.5	141
18	Comparison of Likelihood and Bayesian Methods for Estimating Divergence Times Using Multiple Gene Loci and Calibration Points, with Application to a Radiation of Cute-Looking Mouse Lemur Species. <i>Systematic Biology</i> , 2003, 52, 705-716.	2.7	327

#	ARTICLE	IF	CITATIONS
19	Army Ants Trapped by Their Evolutionary History. <i>PLoS Biology</i> , 2003, 1, e37.	2.6	12
20	Gymnosperms from the Middle Triassic of Antarctica: The First Structurally Preserved Cycad Pollen Cone. <i>International Journal of Plant Sciences</i> , 2003, 164, 1007-1020.	0.6	34
21	Time scale of eutherian evolution estimated without assuming a constant rate of molecular evolution.. <i>Genes and Genetic Systems</i> , 2003, 78, 267-283.	0.2	134
22	Phylogeny of Basal Hexapod Lineages and Estimates of Divergence Times. <i>Annals of the Entomological Society of America</i> , 2004, 97, 411-419.	1.3	49
23	Detecting Gradients of Asymmetry in Site-Specific Substitutions in Mitochondrial Genomes. <i>DNA and Cell Biology</i> , 2004, 23, 707-714.	0.9	67
24	Patterns in the assembly of temperate forests around the Northern Hemisphere. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 1633-1644.	1.8	301
25	Multiple Miocene Melastomataceae dispersal between Madagascar, Africa and India. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 1485-1494.	1.8	111
26	Phylogeny of African <i>Myotis</i> Bats (Chiroptera, Vespertilionidae) Inferred from Cytochrome <i>b</i> Sequences. <i>Acta Chiropterologica</i> , 2004, 6, 177-192.	0.2	93
27	Single-Copy Nuclear Genes Recover Cretaceous-Age Divergences in Bees. <i>Systematic Biology</i> , 2004, 53, 309-326.	2.7	130
28	CALIBRATION OF MOLECULAR CLOCKS AND THE BIOGEOGRAPHIC HISTORY OF CRYPTERONIACEAE: A REPLY TO MOYLE. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 1874.	1.1	1
29	Estimating Absolute Rates of Synonymous and Nonsynonymous Nucleotide Substitution in Order to Characterize Natural Selection and Date Species Divergences. <i>Molecular Biology and Evolution</i> , 2004, 21, 1201-1213.	3.5	80
30	Recent Intron Gain in Elongation Factor-1 $\alpha$ of Colletid Bees (Hymenoptera: Colletidae). <i>Molecular Biology and Evolution</i> , 2004, 21, 691-696.	3.5	28
31	Bayesian analysis of combined chloroplast loci, using multiple calibrations, supports the recent arrival of Melastomataceae in Africa and Madagascar. <i>American Journal of Botany</i> , 2004, 91, 1427-1435.	0.8	52
32	The Molecular Population Genetics of HIV-1 Group O. <i>Genetics</i> , 2004, 167, 1059-1068.	1.2	105
33	Biogeography of the Pistia Clade (Araceae): Based on Chloroplast and Mitochondrial DNA Sequences and Bayesian Divergence Time Inference. <i>Systematic Biology</i> , 2004, 53, 422-432.	2.7	66
34	Molecular Phylogenetic Dating of Asterid Flowering Plants Shows Early Cretaceous Diversification. <i>Systematic Biology</i> , 2004, 53, 496-505.	2.7	226
35	Phylogeny and diversification of <i>MADS</i> -box genes in angiosperms: evolutionary and functional implications of a 260-million-year-old duplication. <i>American Journal of Botany</i> , 2004, 91, 2102-2118.	0.8	185
36	A phylogenetic review of the African leaf chameleons: genus <i>Rhampholeon</i> (Chamaeleonidae): the role of vicariance and climate change in speciation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004, 271, 1967-1975.	1.2	60

#	ARTICLE	IF	CITATIONS
37	Phylogenetic Supertrees. <i>Computational Biology</i> , 2004, , .	0.1	186
38	Unraveling the Evolutionary Radiation of the Thoracican Barnacles Using Molecular and Morphological Evidence: A Comparison of Several Divergence Time Estimation Approaches. <i>Systematic Biology</i> , 2004, 53, 244-264.	2.7	112
39	PATTERNS OF CALIBRATION AGE SENSITIVITY WITH QUARTET DATING METHODS. <i>Journal of Paleontology</i> , 2004, 78, 7-30.	0.5	26
40	The age of major monocot groups inferred from 800+rbcl sequences. <i>Botanical Journal of the Linnean Society</i> , 2004, 146, 385-398.	0.8	299
41	CALIBRATION OF MOLECULAR CLOCKS AND THE BIOGEOGRAPHIC HISTORY OF CRYPTERONIACEAE: A REPLY TO MOYLE. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 1874-1876.	1.1	22
42	Precision of molecular time estimates. <i>Trends in Genetics</i> , 2004, 20, 242-247.	2.9	259
43	Influence of Tertiary paleoenvironmental changes on the diversification of South American mammals: a relaxed molecular clock study within xenarthrans. <i>BMC Evolutionary Biology</i> , 2004, 4, 11.	3.2	174
44	How do insect nuclear and mitochondrial gene substitution patterns differ? Insights from Bayesian analyses of combined datasets. <i>Molecular Phylogenetics and Evolution</i> , 2004, 30, 686-702.	1.2	314
45	Divergence dates for Malagasy lemurs estimated from multiple gene loci: geological and evolutionary context. <i>Molecular Ecology</i> , 2004, 13, 757-773.	2.0	281
46	The colonization of land by animals: molecular phylogeny and divergence times among arthropods. <i>BMC Biology</i> , 2004, 2, 1.	1.7	239
47	Endemic ranid (Amphibia: Anura) genera in southern mountain ranges of the Indian subcontinent represent ancient frog lineages: evidence from molecular data. <i>Molecular Phylogenetics and Evolution</i> , 2004, 31, 730-740.	1.2	115
48	A Molecular Supermatrix of the Rabbits and Hares (Leporidae) Allows for the Identification of Five Intercontinental Exchanges During the Miocene. <i>Systematic Biology</i> , 2004, 53, 433-447.	2.7	198
49	Bayesian Phylogenetic Analysis of Combined Data. <i>Systematic Biology</i> , 2004, 53, 47-67.	2.7	1,636
50	Did Crypteroniaceae Really Disperse Out of India? Molecular Dating Evidence from rbcL, ndhF, and rpl16 Intron Sequences. <i>International Journal of Plant Sciences</i> , 2004, 165, S69-S83.	0.6	58
51	Molecular evidence on plant divergence times. <i>American Journal of Botany</i> , 2004, 91, 1656-1665.	0.8	256
52	Introduction and synthesis: plant phylogeny and the origin of major biomes. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 1455-1464.	1.8	83
53	Tropical Intercontinental Disjunctions: Gondwana Breakup, Immigration from the Boreotropics, and Transoceanic Dispersal. <i>International Journal of Plant Sciences</i> , 2004, 165, S1-S6.	0.6	126
54	The Role of Morphological Data in Phylogeny Reconstruction. <i>Systematic Biology</i> , 2004, 53, 653-661.	2.7	307

#	ARTICLE	IF	CITATIONS
55	Dating Lineages: Molecular and Paleontological Approaches to the Temporal Framework of Clades. <i>International Journal of Plant Sciences</i> , 2004, 165, S7-S21.	0.6	152
56	Toward a better understanding of the infrageneric relationships in <i>Cortinarius</i> (Agaricales). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	0.8	79
57	Madagascar as a Model Region for the Study of Tempo and Pattern in Adaptive Radiations. , 2005, , 69-84.		4
58	Reconstructing vertebrate phylogenetic trees. , 2005, , .		0
59	A Bayesian statistical analysis of human T-cell lymphotropic virus evolutionary rates. <i>Infection, Genetics and Evolution</i> , 2005, 5, 291-298.	1.0	35
60	Molecular phylogeny and evolution of the freshwater eels genus <i>Anguilla</i> based on the whole mitochondrial genome sequences. <i>Molecular Phylogenetics and Evolution</i> , 2005, 34, 134-146.	1.2	159
61	Taxon sampling effects in molecular clock dating: An example from the African Restionaceae. <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 569-582.	1.2	238
62	Systematics and evolution of the subfamily Gerbillinae (Mammalia, Rodentia, Muridae). <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 674-688.	1.2	116
63	Utility of nuclear DNA intron markers at lower taxonomic levels: Phylogenetic resolution among nine <i>Tragelaphus</i> spp.. <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 624-636.	1.2	56
64	Molecular phylogeny of the African pygmy mice, subgenus <i>Nannomys</i> (Rodentia, Murinae, Mus): Implications for chromosomal evolution. <i>Molecular Phylogenetics and Evolution</i> , 2005, 36, 358-369.	1.2	75
65	Cenozoic biogeography and evolution in direct-developing frogs of Central America (Leptodactylidae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i> <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 536-555.	1.2	104
66	Molecular systematics of the endemic Leptaxini (Gastropoda: Pulmonata) on the Azores islands. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 132-143.	1.2	50
67	A previously unrecognized radiation of ranid frogs in Southern Africa revealed by nuclear and mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 674-685.	1.2	76
68	Molecular phylogenetics and biogeography of <i>Lepus</i> in Eastern Asia based on mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 45-61.	1.2	58
69	Model-based multi-locus estimation of decapod phylogeny and divergence times. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 355-369.	1.2	223
70	Ubiquity of <i>Sicyopterus lagocephalus</i> (Teleostei: Gobioidae) and phylogeography of the genus <i>Sicyopterus</i> in the Indo-Pacific area inferred from mitochondrial cytochrome b gene. <i>Molecular Phylogenetics and Evolution</i> , 2005, 37, 721-732.	1.2	51
71	Phylogeny and Historical Biogeography of the Genus <i>Platanus</i> as Inferred From Nuclear and Chloroplast DNA. <i>Systematic Botany</i> , 2005, 30, 786-799.	0.2	45
72	Phylogenetic Relationships, Divergence Time Estimation, and Global Biogeographic Patterns of Calopterygoid Damselflies (Odonata, Zygoptera) Inferred from Ribosomal DNA Sequences. <i>Systematic Biology</i> , 2005, 54, 347-362.	2.7	87

#	ARTICLE	IF	CITATIONS
73	Understanding mammalian evolution using Bayesian phylogenetic inference. <i>Mammal Review</i> , 2005, 35, 188-198.	2.2	6
74	Biogeography of the t <sup>h</sup> ngara frog, <i>Physalaemus pustulosus</i> : a molecular perspective. <i>Molecular Ecology</i> , 2005, 14, 3857-3876.	2.0	64
75	Comparative phylogeography of livebearing fishes in the genera <i>Poeciliopsis</i> and <i>Poecilia</i> ( <i>Poeciliidae</i> ): Tj ETQqO 0 0 rgBT /Overlock 10 T	1.4	56
76	Molecular clocks: four decades of evolution. <i>Nature Reviews Genetics</i> , 2005, 6, 654-662.	7.7	329
77	Robust support for tardigrade clades and their ages from three protein-coding nuclear genes. <i>Invertebrate Biology</i> , 2004, 123, 93-100.	0.3	25
78	BATS, CLOCKS, AND ROCKS: DIVERSIFICATION PATTERNS IN CHIROPTERA. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 2243-2255.	1.1	135
79	DETECTING THE HISTORICAL SIGNATURE OF KEY INNOVATIONS USING STOCHASTIC MODELS OF CHARACTER EVOLUTION AND CLADOGENESIS. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 257-265.	1.1	143
80	THE AGE OF THE ANGIOSPERMS: A MOLECULAR TIMESCALE WITHOUT A CLOCK. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1245-1258.	1.1	158
81	ANGIOSPERM DIVERGENCE TIMES: THE EFFECT OF GENES, CODON POSITIONS, AND TIME CONSTRAINTS. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1653-1670.	1.1	134
82	PHYLOGENY, BIOGEOGRAPHY, AND MOLECULAR DATING OF CORNELIAN CHERRIES ( <i>CORNUS</i> , <i>CORNACEAE</i> ): TRACKING TERTIARY PLANT MIGRATION. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1685-1700.	1.1	71
83	Catarrhine primate divergence dates estimated from complete mitochondrial genomes: concordance with fossil and nuclear DNA evidence. <i>Journal of Human Evolution</i> , 2005, 48, 237-257.	1.3	340
84	Systematics and evolution of the cutworm moths ( <i>Lepidoptera</i> : <i>Noctuidae</i> ): evidence from two protein-coding nuclear genes. <i>Systematic Entomology</i> , 2005, 31, 21-46.	1.7	121
85	The Biogeography of Madagascar: Where to Turn when the Fossils aren't there. <i>The Paleontological Society Papers</i> , 2005, 11, 129-140.	0.8	0
86	Estimating Divergence Times in Phylogenetic Trees Without a Molecular Clock. <i>Systematic Biology</i> , 2005, 54, 500-507.	2.7	69
87	Mitogenomic Perspectives on the Origin and Phylogeny of Living Amphibians. <i>Systematic Biology</i> , 2005, 54, 391-400.	2.7	159
88	Asynchronous Colonization of Madagascar by the Four Endemic Clades of Primates, Tenrecs, Carnivores, and Rodents as Inferred from Nuclear Genes. <i>Systematic Biology</i> , 2005, 54, 719-730.	2.7	341
89	Accuracy of Rate Estimation Using Relaxed-Clock Models with a Critical Focus on the Early Metazoan Radiation. <i>Molecular Biology and Evolution</i> , 2005, 22, 1355-1363.	3.5	169
90	DETECTING THE HISTORICAL SIGNATURE OF KEY INNOVATIONS USING STOCHASTIC MODELS OF CHARACTER EVOLUTION AND CLADOGENESIS. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 257.	1.1	25

#	ARTICLE	IF	CITATIONS
91	ANGIOSPERM DIVERGENCE TIMES: THE EFFECT OF GENES, CODON POSITIONS, AND TIME CONSTRAINTS. Evolution; International Journal of Organic Evolution, 2005, 59, 1653.	1.1	137
92	PHYLOGENY, BIOGEOGRAPHY, AND MOLECULAR DATING OF CORNELIAN CHERRIES (CORNUS, CORNACEAE): TRACKING TERTIARY PLANT MIGRATION. Evolution; International Journal of Organic Evolution, 2005, 59, 1685.	1.1	5
93	THE AGE OF THE ANGIOSPERMS: A MOLECULAR TIMESCALE WITHOUT A CLOCK. Evolution; International Journal of Organic Evolution, 2005, 59, 1245.	1.1	13
94	Natural selection drives recurrent formation of activating killer cell immunoglobulin-like receptor and Ly49 from inhibitory homologues. Journal of Experimental Medicine, 2005, 201, 1319-1332.	4.2	199
95	Archaeobatrachian Paraphyly and Pangaeen Diversification of Crown-Group Frogs. Systematic Biology, 2005, 54, 111-126.	2.7	150
96	Clathrin heavy and light chain isoforms originated by independent mechanisms of gene duplication during chordate evolution. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 7209-7214.	3.3	58
97	Dating the Dipsacales: comparing models, genes, and evolutionary implications. American Journal of Botany, 2005, 92, 284-296.	0.8	138
98	Telling the Evolutionary Time: Molecular Clocks and the Fossil Record.â€”Philip C. J. Donoghue and M. Paul Smith, editors.. Systematic Biology, 2005, 54, 174-176.	2.7	0
99	Placing confidence limits on the molecular age of the human-chimpanzee divergence. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 18842-18847.	3.3	190
100	Phylogeography of Loaches of the Genus Lefua (Balitoridae, Cypriniformes) Inferred from Mitochondrial DNA Sequences. Zoological Science, 2005, 22, 157-168.	0.3	25
101	Divergence Times and Historical Biogeography of Nymphaeales. Systematic Botany, 2005, 30, 693-704.	0.2	54
102	Pancrustacean phylogeny: hexapods are terrestrial crustaceans and maxillopods are not monophyletic. Proceedings of the Royal Society B: Biological Sciences, 2005, 272, 395-401.	1.2	314
103	Initial Diversification of Living Amphibians Predated the Breakup of Pangaea. American Naturalist, 2005, 165, 590-599.	1.0	228
104	The mitochondrial genome of Indonesian coelacanth <i>Latimeria menadoensis</i> (Sarcopterygii): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 227-235.	1.0	110
105	The phylogeny of squamate reptiles (lizards, snakes, and amphisbaenians) inferred from nine nuclear protein-coding genes. Comptes Rendus - Biologies, 2005, 328, 1000-1008.	0.1	392
106	Consistency of genome-based methods in measuring Metazoan evolution. FEBS Letters, 2005, 579, 3355-3361.	1.3	26
107	Geologically ancient DNA: fact or artefact?. Trends in Microbiology, 2005, 13, 212-220.	3.5	149
108	Relaxed molecular clocks for dating historical plant dispersal events. Trends in Plant Science, 2005, 10, 550-558.	4.3	213

#	ARTICLE	IF	CITATIONS
109	Molecular dating when rates vary. <i>Trends in Ecology and Evolution</i> , 2005, 20, 320-327.	4.2	204
110	The complete mitochondrial genome of a tree frog, <i>Polypedates megacephalus</i> (Amphibia: Anura: Tj ETQq1 1 0.784314 rgBT /Overlock 1.0 47	1.0	47
111	Estimation of Divergence Times from Molecular Sequence Data. , 2005, , 233-256.		65
112	Patterns of Cladogenesis in the Venomous Marine Gastropod Genus <i>Conus</i> from the Cape Verde Islands. <i>Systematic Biology</i> , 2005, 54, 634-650.	2.7	52
113	Dating phylogenetically basal eudicots using <i>rbcL</i> sequences and multiple fossil reference points. <i>American Journal of Botany</i> , 2005, 92, 1737-1748.	0.8	165
114	A Nuclear DNA Phylogenetic Perspective on the Evolution of Echolocation and Historical Biogeography of Extant Bats (Chiroptera). <i>Molecular Biology and Evolution</i> , 2005, 22, 1869-1886.	3.5	211
116	BATS, CLOCKS, AND ROCKS: DIVERSIFICATION PATTERNS IN CHIROPTERA. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 2243.	1.1	5
117	Varying signals of the effects of natural selection during teleost growth hormone gene evolution. <i>Genome</i> , 2006, 49, 42-53.	0.9	10
118	Has Vicariance or Dispersal Been the Predominant Biogeographic Force in Madagascar? Only Time Will Tell. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2006, 37, 405-431.	3.8	410
119	Molecular Phylogenetics of the Exoneurine Allodapine Bees Reveal an Ancient and Puzzling Dispersal from Africa to Australia. <i>Systematic Biology</i> , 2006, 55, 31-45.	2.7	66
120	Phylogenetic Relationships and Historical Biogeography of Neotropical Parrots (Psittaciformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34 55, 454-470.	2.7	108
121	Range Size: Disentangling Current Traits and Phylogenetic and Biogeographic Factors. <i>American Naturalist</i> , 2006, 167, 555-567.	1.0	125
122	Vicariant Origin of Malagasy Reptiles Supports Late Cretaceous Antarctic Land Bridge. <i>American Naturalist</i> , 2006, 168, 730-741.	1.0	136
123	Phylogeny and Biogeography of a Cosmopolitan Frog Radiation: Late Cretaceous Diversification Resulted in Continent-Scale Endemism in the Family Ranidae. <i>Systematic Biology</i> , 2006, 55, 579-594.	2.7	190
124	Dating Methods and Corresponding Chronometers in Astrobiology. , 2006, , 11-38.		0
125	A Mitogenomic Timescale for Birds Detects Variable Phylogenetic Rates of Molecular Evolution and Refutes the Standard Molecular Clock. <i>Molecular Biology and Evolution</i> , 2006, 23, 1731-1740.	3.5	222
126	Recent and simultaneous origins of eusociality in halictid bees. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006, 273, 1643-1649.	1.2	130
127	That Awkward Age for Butterflies: Insights from the Age of the Butterfly Subfamily Nymphalinae (Lepidoptera: Nymphalidae). <i>Systematic Biology</i> , 2006, 55, 703-714.	2.7	87



#	ARTICLE	IF	CITATIONS
128	Dating Dispersal and Radiation in the Gymnosperm Gnetum (Gnetales)â€™ Clock Calibration When Outgroup Relationships Are Uncertain. <i>Systematic Biology</i> , 2006, 55, 610-622.	2.7	114
129	Mitochondrial molecular clocks and the origin of the major Otocephalan clades (Pisces: Teleostei): A new insight. <i>Gene</i> , 2006, 370, 113-124.	1.0	84
130	Dating divergences in the Fungal Tree of Life: review and new analyses. <i>Mycologia</i> , 2006, 98, 838-849.	0.8	279
131	Arrival and Diversification of Caviomorph Rodents and Platyrrhine Primates in South America. <i>Systematic Biology</i> , 2006, 55, 228-244.	2.7	194
132	Historical biogeography of Western Palaearctic pelobatid and pelodytid frogs: a molecular phylogenetic perspective. <i>Contributions To Zoology</i> , 2006, 75, 109-120.	0.2	39
133	An Overview of the Plant Diversity, Biogeography and Conservation of Neotropical Savannas and Seasonally Dry Forests. <i>Systematics Association Special Volume</i> , 2006, , 1-29.	0.2	56
134	Molecular clock and estimation of species divergence times. , 2006, , 223-258.		0
135	Eritreo-Arabian Affinities of the Socotran Flora as Revealed from the Molecular Phylogeny of <i>Aerva</i> (Amaranthaceae). <i>Systematic Botany</i> , 2006, 31, 560-570.	0.2	21
136	Phylogeny and Evolution. , 0, , 113-145.		9
137	Dating divergences in the Fungal Tree of Life: review and new analyses. <i>Mycologia</i> , 2006, 98, 838-849.	0.8	330
138	TEST FOR SIMULTANEOUS DIVERGENCE USING APPROXIMATE BAYESIAN COMPUTATION. <i>Evolution; International Journal of Organic Evolution</i> , 2006, 60, 2435.	1.1	107
139	The mitochondrial genome of spotted green pufferfish <i>Tetraodon nigroviridis</i> (Teleostei:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Genetic Systems, 2006, 81, 29-39.	0.2	112
140	Divergence time estimates for major cephalopod groups: evidence from multiple genes. <i>Cladistics</i> , 2006, 22, 89-96.	1.5	82
141	Phylogenetics, biogeography and classification of, and character evolution in, gamebirds (Aves:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 495-532.	1.5	144
142	TEST FOR SIMULTANEOUS DIVERGENCE USING APPROXIMATE BAYESIAN COMPUTATION. <i>Evolution; International Journal of Organic Evolution</i> , 2006, 60, 2435-2453.	1.1	145
143	An ancient African radiation of corvid birds (Aves: Passeriformes) detected by mitochondrial and nuclear sequence data. <i>Zoologica Scripta</i> , 2006, 35, 375-385.	0.7	34
144	Insights into the historical construction of speciesâ€™rich biomes from dated plant phylogenies, neutral ecological theory and phylogenetic community structure. <i>New Phytologist</i> , 2006, 172, 605-616.	3.5	186
145	'Andean-centred' genera in the short-branch clade of Annonaceae: testing biogeographical hypotheses using phylogeny reconstruction and molecular dating. <i>Journal of Biogeography</i> , 2006, 33, 31-46.	1.4	123

#	ARTICLE	IF	CITATIONS
146	Biogeographic patterns and phylogeography of dwarf chameleons ( <i>Bradypodion</i> ) in an African biodiversity hotspot. <i>Molecular Ecology</i> , 2006, 15, 781-793.	2.0	107
147	Phylogeography of the Western Lyresnake ( <i>Trimorphodon biscutatus</i> ): testing aridland biogeographical hypotheses across the Nearctic-Neotropical transition. <i>Molecular Ecology</i> , 2006, 15, 4387-4407.	2.0	117
148	Geological history and within-island diversity: a debris avalanche and the Tenerife lizard <i>Gallotia galloti</i> . <i>Molecular Ecology</i> , 2006, 15, 3631-3640.	2.0	28
149	Multilocus genealogies reveal multiple cryptic species and biogeographical complexity in the California turret spider <i>Antrodiaetus riversi</i> (Mygalomorphae, Antrodiaetidae). <i>Molecular Ecology</i> , 2006, 16, 583-604.	2.0	76
150	Amassing diversity in an ancient lake: evolution of a morphologically diverse parthenogenetic gastropod assemblage in Lake Malawi. <i>Molecular Ecology</i> , 2006, 16, 517-530.	2.0	34
151	Molecular dating of phylogenetic trees: A brief review of current methods that estimate divergence times. <i>Diversity and Distributions</i> , 2006, 12, 35-48.	1.9	211
152	Molecular phylogeny, evolutionary rates, and divergence timing of the symbiotic dinoflagellate genus <i>Symbiodinium</i> . <i>Molecular Phylogenetics and Evolution</i> , 2006, 38, 20-30.	1.2	290
153	A molecular timescale for galliform birds accounting for uncertainty in time estimates and heterogeneity of rates of DNA substitutions across lineages and sites. <i>Molecular Phylogenetics and Evolution</i> , 2006, 38, 499-509.	1.2	103
154	Molecular phylogenetic relationship of toads distributed in the Far East and Europe inferred from the nucleotide sequences of mitochondrial DNA genes. <i>Molecular Phylogenetics and Evolution</i> , 2006, 38, 250-260.	1.2	50
155	Phylogenetic relationships and divergence time estimate of African anguilliform catfish (Siluriformes: Clariidae) inferred from ribosomal gene and spacer sequences. <i>Molecular Phylogenetics and Evolution</i> , 2006, 38, 65-78.	1.2	36
156	Phylogeny and biogeography of the <i>Petaurista philippensis</i> complex (Rodentia: Sciuridae), inter- and intraspecific relationships inferred from molecular and morphometric analysis. <i>Molecular Phylogenetics and Evolution</i> , 2006, 38, 755-766.	1.2	35
157	Phylogeny and biogeography of Altingiaceae: Evidence from combined analysis of five non-coding chloroplast regions. <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 512-528.	1.2	75
158	Molecular phylogeny of the Cricetinae subfamily based on the mitochondrial cytochrome b and 12S rRNA genes and the nuclear vWF gene. <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 135-148.	1.2	100
159	Systematics and historical biogeography of Greater Antillean Cichlidae. <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 619-627.	1.2	73
160	Molecular phylogeny and intra- and intercontinental biogeography of Calycanthaceae. <i>Molecular Phylogenetics and Evolution</i> , 2006, 39, 1-15.	1.2	66
161	Mitochondrial and nuclear phylogenies of Cervidae (Mammalia, Ruminantia): Systematics, morphology, and biogeography. <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 101-117.	1.2	229
162	Evolution of Afrotropical freshwater crab lineages obscured by morphological convergence. <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 227-235.	1.2	70
163	Phylogeny, historical biogeography, and patterns of diversification for <i>Pinus</i> (Pinaceae): Phylogenetic tests of fossil-based hypotheses. <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 166-182.	1.2	155

#	ARTICLE	IF	CITATIONS
164	Dispersal and vicariance: The complex evolutionary history of boid snakes. <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 347-358.	1.2	166
165	Intercontinental biogeography of subfamily Orontoideae ( <i>Symplocarpus</i> , <i>Lysichiton</i> , and <i>Orontium</i> ) of Araceae in eastern Asia and North America. <i>Molecular Phylogenetics and Evolution</i> , 2006, 40, 155-165.	1.2	61
166	Species diversification patterns in the Polynesian jumping spider genus <i>Havaika</i> Prá³szyÅ,,ski, 2001 (Araneae, Salticidae). <i>Molecular Phylogenetics and Evolution</i> , 2006, 41, 472-495.	1.2	33
167	Primate molecular divergence dates. <i>Molecular Phylogenetics and Evolution</i> , 2006, 41, 384-394.	1.2	303
168	Hybrid origin of the Pliocene ancestor of wild goats. <i>Molecular Phylogenetics and Evolution</i> , 2006, 41, 395-404.	1.2	82
169	Phylogenetic systematics and tempo of evolution of the Viverrinae (Mammalia, Carnivora, Viverridae) within feliformians: Implications for faunal exchanges between Asia and Africa. <i>Molecular Phylogenetics and Evolution</i> , 2006, 41, 266-278.	1.2	45
170	Time Scale for Cyclostome Evolution Inferred with a Phylogenetic Diagnosis of Hagfish and Lamprey cDNA Sequences. <i>Zoological Science</i> , 2006, 23, 1053-1064.	0.3	196
171	Phylogenetic relationships of the cuscuses and brushtail possums (Marsupialia:Phalangeridae) using the nuclear gene BRCA1. <i>Australian Journal of Zoology</i> , 2006, 54, 353.	0.6	22
172	Molecular Phylogenetic Analysis of <i>Petunia</i> Juss. (Solanaceae). <i>Genetica</i> , 2006, 126, 3-14.	0.5	61
173	Chromosome painting and molecular dating indicate a low rate of chromosomal evolution in golden moles (Mammalia, Chrysochloridae). <i>Chromosome Research</i> , 2006, 14, 793-803.	1.0	15
174	2. Dating Methods and Corresponding Chronometers in Astrobiology. <i>Earth, Moon and Planets</i> , 2006, 98, 11-38.	0.3	0
175	Tempo and Mode of Spliceosomal Intron Evolution in Actin of Foraminifera. <i>Journal of Molecular Evolution</i> , 2006, 63, 30-41.	0.8	18
176	Accurate Branch Length Estimation in Partitioned Bayesian Analyses Requires Accommodation of Among-Partition Rate Variation and Attention to Branch Length Priors. <i>Systematic Biology</i> , 2006, 55, 993-1003.	2.7	132
177	Evolutionary Rates, Divergence Dates, and the Performance of Mitochondrial Genes in Bayesian Phylogenetic Analysis. <i>Systematic Biology</i> , 2006, 55, 289-300.	2.7	194
178	Molecular Phylogenetics and Evolutionary Diversification of Labyrinth Fishes (Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf,50 182 Td	2.7	81
179	Phylogenetic Methodology for Detecting Protein Interactions. <i>Molecular Biology and Evolution</i> , 2006, 24, 650-659.	3.5	17
180	Alkaloid polymorphism and ITS sequence variation in the <i>Spiraea japonica</i> complex (Rosaceae) in China: traces of the biological effects of the Himalaya-Tibet Plateau uplift. <i>American Journal of Botany</i> , 2006, 93, 762-769.	0.8	43
181	The origin and diversification of eukaryotes: problems with molecular phylogenetics and molecular clock estimation. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 1039-1054.	1.8	159

#	ARTICLE	IF	CITATIONS
182	The distribution of species diversity across a flora's component lineages: dating the Cape's "relicts". Proceedings of the Royal Society B: Biological Sciences, 2006, 273, 2149-2158.	1.2	19
183	Phylogenetic Analysis of Snow Sheep ( <i>Ovis nivicola</i> ) and Closely Related Taxa. Journal of Heredity, 2006, 97, 21-30.	1.0	67
184	Evolution of biogeographic disjunction between eastern Asia and eastern North America in <i>Phryma</i> (Phrymaceae). American Journal of Botany, 2006, 93, 1343-1356.	0.8	71
185	Testing the Molecular Clock: Molecular and Paleontological Estimates of Divergence Times in the Echinoidea (Echinodermata). Molecular Biology and Evolution, 2006, 23, 1832-1851.	3.5	188
186	Relaxed Phylogenetics and Dating with Confidence. PLoS Biology, 2006, 4, e88.	2.6	5,566
187	The Pattern and Timing of Diversification of Philippine Endemic Rodents: Evidence from Mitochondrial and Nuclear Gene Sequences. Systematic Biology, 2006, 55, 73-88.	2.7	192
188	Early Penguin Fossils, Plus Mitochondrial Genomes, Calibrate Avian Evolution. Molecular Biology and Evolution, 2006, 23, 1144-1155.	3.5	224
189	The evolutionary history of <i>Melianthus</i> (Melianthaceae). American Journal of Botany, 2006, 93, 1052-1064.	0.8	26
190	Multiple Cophylogenetic Analyses Reveal Frequent Cospeciation between Pelecaniform Birds and Pectinopygus Lice. Systematic Biology, 2007, 56, 232-251.	2.7	87
191	Inferring Speciation Times under an Episodic Molecular Clock. Systematic Biology, 2007, 56, 453-466.	2.7	388
192	Multiple molecular evidences for a living mammalian fossil. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 7495-7499.	3.3	141
193	The assembly of montane biotas: linking Andean tectonics and climatic oscillations to independent regimes of diversification in <i>Pionus</i> parrots. Proceedings of the Royal Society B: Biological Sciences, 2007, 274, 2399-2408.	1.2	135
194	Key transitions during the evolution of animal phototransduction: novelty, "tree-thinking," co-option, and co-duplication. Integrative and Comparative Biology, 2007, 47, 759-769.	0.9	44
195	Evolution of Killer Cell Ig-Like Receptor (KIR) Genes: Definition of an Orangutan KIR Haplotype Reveals Expansion of Lineage III KIR Associated with the Emergence of MHC-C. Journal of Immunology, 2007, 179, 491-504.	0.4	95
196	Phylogeography and Introgressive Hybridization of the Ground Beetle <i>Carabus yamato</i> in Japan Based on Mitochondrial Gene Sequences. Zoological Science, 2007, 24, 465-474.	0.3	33
197	Mitochondrial and Nuclear DNA Sequences Support a Cretaceous Origin of Columbiformes and a Dispersal-Driven Radiation in the Paleogene. Systematic Biology, 2007, 56, 656-672.	2.7	110
198	Age of Cichlids: New Dates for Ancient Lake Fish Radiations. Molecular Biology and Evolution, 2007, 24, 1269-1282.	3.5	268
199	Mitochondrial-DNA evidence shows the Australian Painted Snipe is a full species, <i>Rostratula australis</i> . Emu, 2007, 107, 185-189.	0.2	3

#	ARTICLE	IF	CITATIONS
200	The genetic basis of a plant–insect coevolutionary key innovation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 20427-20431.	3.3	325
201	Assessing Calibration Uncertainty in Molecular Dating: The Assignment of Fossils to Alternative Calibration Points. <i>Systematic Biology</i> , 2007, 56, 591-608.	2.7	126
202	Boreotropical migration explains hybridization between geographically distant lineages in the pantropical clade Sideroxyleae (Sapotaceae). <i>American Journal of Botany</i> , 2007, 94, 1491-1505.	0.8	52
203	Resolving a zoological mystery: the kouprey is a real species. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 2849-2855.	1.2	36
204	The Cape element in the Afrotemperate flora: from Cape to Cairo?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 535-543.	1.2	106
205	The Drowning of New Zealand and the Problem of Agathis. <i>Systematic Biology</i> , 2007, 56, 862-870.	2.7	82
206	The Impact of Fossils and Taxon Sampling on Ancient Molecular Dating Analyses. <i>Molecular Biology and Evolution</i> , 2007, 24, 1889-1897.	3.5	137
207	Phylogenomic Data Analyses Provide Evidence that Xenarthra and Afrotheria Are Sister Groups. <i>Molecular Biology and Evolution</i> , 2007, 24, 2059-2068.	3.5	115
208	Dates from the molecular clock: how wrong can we be?. <i>Trends in Ecology and Evolution</i> , 2007, 22, 180-184.	4.2	240
209	Major Caribbean and Central American frog faunas originated by ancient oceanic dispersal. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 10092-10097.	3.3	321
210	Fossils, Molecules, Divergence Times, and the Origin of Lissamphibians. <i>Systematic Biology</i> , 2007, 56, 369-388.	2.7	178
211	A General Comparison of Relaxed Molecular Clock Models. <i>Molecular Biology and Evolution</i> , 2007, 24, 2669-2680.	3.5	454
212	Extensive mitochondrial DNA transfer in a rapidly evolving rodent has been mediated by independent insertion events and by duplications. <i>Gene</i> , 2007, 401, 61-70.	1.0	49
213	Worldwide phylogeography of limpets of the order Patellogastropoda: molecular, morphological and palaeontological evidence. <i>Journal of Molluscan Studies</i> , 2007, 73, 79-99.	0.4	111
214	Global patterns of diversification in the history of modern amphibians. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 887-892.	3.3	571
215	A new time-scale for ray-finned fish evolution. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 489-498.	1.2	298
216	Discovery of African roots for the Mesoamerican Chiapas catfish, <i>Lacantunia enigmatica</i> , requires an ancient intercontinental passage. <i>Proceedings of the Academy of Natural Sciences of Philadelphia</i> , 2007, 156, 39-53.	1.3	74
217	Basal Clades and Molecular Systematics of Heteromyid Rodents. <i>Journal of Mammalogy</i> , 2007, 88, 1129-1145.	0.6	71

#	ARTICLE	IF	CITATIONS
218	Incongruence Between mtDNA Phylogeny and Morphological and Ecological Characters in Loaches of the Genus <i>Lefua</i> (Balitoridae, Cypriniformes). <i>Zoological Science</i> , 2007, 24, 666-675.	0.3	8
219	Intrinsic versus extrinsic biases in the fossil record: contrasting the fossil record of echinoids in the Triassic and early Jurassic using sampling data, phylogenetic analysis, and molecular clocks. <i>Paleobiology</i> , 2007, 33, 310-323.	1.3	44
220	Echolocation Calls, Diet, and Phylogenetic Relationships of Stoliczka's Trident Bat, <i>Aselliscus stoliczkanus</i> (Hipposideridae). <i>Journal of Mammalogy</i> , 2007, 88, 736-744.	0.6	26
221	PHYLOGENETIC POSITION OF THE NEW WORLD QUAIL (ODONTOPHORIDAE): EIGHT NUCLEAR LOCI AND THREE MITOCHONDRIAL REGIONS CONTRADICT MORPHOLOGY AND THE SIBLEY-AHLQUIST TAPESTRY. <i>Auk</i> , 2007, 124, 71.	0.7	29
222	Molecular Advances in the Study of Geographic Variation and Speciation in Birds. <i>Ornithological Monographs</i> , 2007, , 18-29.	1.3	0
223	From Fossils to Molecules: Phylogeny and the Core Eudicot Floral Groundplan in Hamamelidoideae (Hamamelidaceae, Saxifragales). <i>Systematic Botany</i> , 2007, 32, 317-347.	0.2	33
224	Phylogenetic relationships and divergence times of Charadriiformes genera: multigene evidence for the Cretaceous origin of at least 14 clades of shorebirds. <i>Biology Letters</i> , 2007, 3, 205-210.	1.0	173
225	Nuclear DNA does not reconcile "rocks"™ and "clocks"™ in Neoaves: a comment on Ericson et al .. <i>Biology Letters</i> , 2007, 3, 257-260.	1.0	67
226	Relative time scales reveal multiple origins of parallel disjunct distributions of African caecilian amphibians. <i>Biology Letters</i> , 2007, 3, 505-508.	1.0	59
227	Phylogenetic Position of the New World Quail (Odontophoridae): Eight Nuclear Loci and Three Mitochondrial Regions Contradict Morphology and the Sibley-Ahlquist Tapestry. <i>Auk</i> , 2007, 124, 71-84.	0.7	34
228	On the time scale of new world primate diversification. <i>American Journal of Physical Anthropology</i> , 2007, 132, 344-354.	2.1	89
229	Molecular phylogeny of New World <i>Myotis</i> (Chiroptera, Vespertilionidae) inferred from mitochondrial and nuclear DNA genes. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 32-48.	1.2	190
230	Phylogenetic affinities of Comoroan and East African day geckos (genus <i>Phelsuma</i> ): Multiple natural colonisations, introductions and island radiations. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 685-692.	1.2	28
231	Phylogeny and Bayesian divergence time estimations of small-headed flies (Diptera: Acroceridae) using multiple molecular markers. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 808-832.	1.2	63
232	Diversification of a large genus in a continental biodiversity hotspot: Temporal and spatial origin of <i>Muraltia</i> (Polygalaceae) in the Cape of South Africa. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 60-74.	1.2	40
233	Evolutionary history of Stratiomyidae (Insecta: Diptera): The molecular phylogeny of a diverse family of flies. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 660-673.	1.2	58
234	Age and biogeography of major clades in sturgeons and paddlefishes (Pisces: Acipenseriformes). <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 854-862.	1.2	141
235	Molecular phylogeny and biogeography of an ancient Holarctic lineage of mygalomorph spiders (Araneae: Antrodiaetidae: Antrodiaetus). <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 738-755.	1.2	43

#	ARTICLE	IF	CITATIONS
236	Complex biogeographic history of the cuckoo-shrikes and allies (Passeriformes: Campephagidae) revealed by mitochondrial and nuclear sequence data. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 138-153.	1.2	28
237	Molecular phylogeny and biogeography of West Indian frogs of the genus <i>Leptodactylus</i> (Anura). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	1.2	30
238	Molecular phylogenetics of shrews (Mammalia: Soricidae) reveal timing of transcontinental colonizations. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 126-137.	1.2	128
239	Re-assessed molecular phylogeny and evolutionary scenario within genets (Carnivora, Viverridae). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i>	1.2	13
240	Phylogeny of the Geometridae and the evolution of winter moths inferred from a simultaneous analysis of mitochondrial and nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 711-723.	1.2	75
241	Molecular phylogeny and biogeography of the Antillean geckos <i>Phyllodactylus wirshingi</i> , <i>Tarentola americana</i> , and <i>Hemidactylus haitianus</i> (Reptilia, Squamata). <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 409-416.	1.2	34
242	Nuclear gene phylogeny of narrow-mouthed toads (Family: Microhylidae) and a discussion of competing hypotheses concerning their biogeographical origins. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 1017-1030.	1.2	121
243	Phylogeny of "core Gruiformes" (Aves: Grues) and resolution of the Limkin "Sungrebe problem". <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 515-529.	1.2	70
244	A congruent molecular signature of vicariance across multiple plant lineages. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 1106-1117.	1.2	135
245	A phylogeny of Anisophylleaceae based on six nuclear and plastid loci: Ancient disjunctions and recent dispersal between South America, Africa, and Asia. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 1057-1067.	1.2	21
246	Evolutionary history and biogeography of the drongos (Dicruridae), a tropical Old World clade of corvid passerines. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 158-167.	1.2	37
247	Mid-Tertiary dispersal, not Gondwanan vicariance explains distribution patterns in the wax palm subfamily (Ceroxyloideae: Arecaceae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 272-288.	1.2	71
248	Colonization of and radiation in South America by butterflies in the subtribe Phyciodina (Lepidoptera). <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i>	1.2	53
249	Nuclear and mtDNA-based phylogeny of southern African sand lizards, <i>Pedioplanis</i> (Sauria: Lacertidae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 622-633.	1.2	30
250	Molecular phylogeny and dating of an insular endemic moth radiation inferred from mitochondrial and nuclear genes: The genus <i>Galagete</i> (Lepidoptera: Autostichidae) of the Galapagos Islands. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 180-192.	1.2	28
251	Molecular dating and phylogenetic relationships among Teiidae (Squamata) inferred by molecular and morphological data. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 168-179.	1.2	51
252	Partitioned Bayesian analyses, dispersal "vicariance analysis, and the biogeography of Chinese toad-headed lizards (Agamidae: Phrynocephalus): A re-evaluation. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 643-662.	1.2	58
253	Extended mitogenomic phylogenetic analyses yield new insight into crocodylian evolution and their survival of the Cretaceous "Tertiary boundary. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 663-673.	1.2	81

#	ARTICLE	IF	CITATIONS
254	Nuclear gene sequences resolve species phylogeny and mitochondrial introgression in <i>Leptocarabus</i> beetles showing trans-species polymorphisms. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 534-546.	1.2	27
255	Divergence times in the termite genus <i>Macrotermes</i> (Isoptera: Termitidae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 239-250.	1.2	29
256	The phylogeny of cobras inferred from mitochondrial DNA sequences: Evolution of venom spitting and the phylogeography of the African spitting cobras (Serpentes: Elapidae: <i>Naja nigricollis</i> complex). <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 437-453.	1.2	95
257	Divergence times and origin of neotropical sheath-tailed bats (Tribe Diclidurini) in South America. <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 777-791.	1.2	35
258	Are Cape floral clades the same age? Contemporaneous origins of two lineages in the genistoids s.l. (Fabaceae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 45, 952-970.	1.2	25
259	Pair of lice lost or parasites regained: the evolutionary history of anthropoid primate lice. <i>BMC Biology</i> , 2007, 5, 7.	1.7	168
260	Evolutionary radiation of the cicada genus <i>Maoricicada</i> Dugdale (Hemiptera: Cicadoidea) and the origins of the New Zealand alpine biota. <i>Biological Journal of the Linnean Society</i> , 0, 91, 419-435.	0.7	61
261	Synchronous intercontinental splits between assemblages of woodpeckers suggested by molecular data. <i>Zoologica Scripta</i> , 2007, 36, 11-25.	0.7	48
262	Morphological vs. molecular evolution: ecology and phylogeny both shape the mandible of rodents. <i>Zoologica Scripta</i> , 2007, 36, 525-535.	0.7	55
263	Molecular phylogeny of the genus <i>Alticola</i> (Cricetidae, Rodentia) as inferred from the sequence of the cytochrome <i>b</i> gene. <i>Zoologica Scripta</i> , 2007, 36, 547-563.	0.7	53
264	Around the world in 10 million years: biogeography of the nearly cosmopolitan true toads (Anura: <i>Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50</i> )	2.7	81
265	Phylogeographical and speciation patterns in subterranean worm lizards of the genus <i>Blanus</i> (Amphisbaenia: Blanidae). <i>Molecular Ecology</i> , 2007, 16, 1519-1531.	2.0	45
266	Fossorial but widespread: the phylogeography of the common spadefoot toad ( <i>Pelobates fuscus</i> ), and the role of the Po Valley as a major source of genetic variability. <i>Molecular Ecology</i> , 2007, 16, 2734-2754.	2.0	35
267	The role of tropical dry forest as a long-term barrier to dispersal: a comparative phylogeographical analysis of dry forest tolerant and intolerant frogs. <i>Molecular Ecology</i> , 2007, 16, 4789-4807.	2.0	69
268	Recent volcanism and mitochondrial DNA structuring in the lizard <i>Gallotia atlantica</i> from the island of Lanzarote. <i>Molecular Ecology</i> , 2008, 17, 854-866.	2.0	21
269	Molecular dating of the Gondwanan plant family Proteaceae is only partially congruent with the timing of the breakup of Gondwana. <i>Journal of Biogeography</i> , 2007, 34, 2012-2027.	1.4	170
270	Mammalian evolution and biomedicine: new views from phylogeny. <i>Biological Reviews</i> , 2007, 82, 375-392.	4.7	86
271	Phylogenetic autocorrelation of extinction threat in globally imperilled amphibians. <i>Diversity and Distributions</i> , 2008, 14, 614-629.	1.9	45



#	ARTICLE	IF	CITATIONS
272	BODY MASS AND TEMPERATURE INFLUENCE RATES OF MITOCHONDRIAL DNA EVOLUTION IN NORTH AMERICAN CYPRINID FISH. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 1176-1187.	1.1	31
273	THE ROLE OF BIOTIC AND ABIOTIC FACTORS IN EVOLUTION OF ANT DISPERSAL IN THE MILKWORT FAMILY (POLYGALACEAE). <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 1675-1694.	1.1	68
274	DO REEFS DRIVE DIVERSIFICATION IN MARINE TELEOSTS? EVIDENCE FROM THE PUFFERFISH AND THEIR ALLIES (ORDER TETRAODONTIFORMES). <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 2104-2126.	1.1	164
275	THE EVOLUTION OF DIOECY, HETERODICHO GAMY, AND LABILE SEX EXPRESSION IN ACER. <i>Evolution; International Journal of Organic Evolution</i> , 2007, 61, 2701-2719.	1.1	104
276	Signatures of seaway closures and founder dispersal in the phylogeny of a circumglobally distributed seahorse lineage. <i>BMC Evolutionary Biology</i> , 2007, 7, 138.	3.2	46
277	Phylogenetic analyses of complete mitochondrial genome sequences suggest a basal divergence of the enigmatic rodent <i>Anomalurus</i> . <i>BMC Evolutionary Biology</i> , 2007, 7, 16.	3.2	45
278	BEAST: Bayesian evolutionary analysis by sampling trees. <i>BMC Evolutionary Biology</i> , 2007, 7, 214.	3.2	11,072
279	Social complexity in bees is not sufficient to explain lack of reversions to solitary living over long time scales. <i>BMC Evolutionary Biology</i> , 2007, 7, 246.	3.2	29
280	Estimating Divergence Times in Large Phylogenetic Trees. <i>Systematic Biology</i> , 2007, 56, 741-752.	2.7	265
281	The expanded cattle KIR genes are orthologous to the conserved single-copy KIR3DX1 gene of primates. <i>Immunogenetics</i> , 2007, 59, 517-522.	1.2	55
282	Chromosomal evolution in tenrecs ( <i>Microgale</i> and <i>Oryzorictes</i> , Tenrecidae) from the Central Highlands of Madagascar. <i>Chromosome Research</i> , 2007, 15, 1075-1091.	1.0	9
283	Placing Biebersteiniaceae, a herbaceous clade of Sapindales, in a temporal and geographic context. <i>Plant Systematics and Evolution</i> , 2007, 266, 233-252.	0.3	55
284	A Phylogeny and Timescale for Marsupial Evolution Based on Sequences for Five Nuclear Genes. <i>Journal of Mammalian Evolution</i> , 2008, 15, 1-36.	1.0	130
285	Multiple invasions of Europe by East Asian cobitid loaches (Teleostei: Cobitidae). <i>Hydrobiologia</i> , 2008, 605, 17-28.	1.0	27
286	Bayesian mixed models and divergence time estimation of Chinese cavefishes (Cyprinidae: <i>Tetraodon</i> ). <i>Journal of Molecular Evolution</i> , 2008, 67, 101-110.	4.3	16
287	Placing the origin of two species-rich genera in the late cretaceous with later species divergence in the tertiary: a phylogenetic, biogeographic and molecular dating analysis of <i>Piper</i> and <i>Peperomia</i> (Piperaceae). <i>Plant Systematics and Evolution</i> , 2008, 275, 9-30.	0.3	69
288	Strong mitochondrial DNA support for a Cretaceous origin of modern avian lineages. <i>BMC Biology</i> , 2008, 6, 6.	1.7	208
289	Timing primate evolution: Lessons from the discordance between molecular and paleontological estimates. <i>Evolutionary Anthropology</i> , 2008, 17, 179-188.	1.7	54

#	ARTICLE	IF	CITATIONS
290	The tempo and mode of barnacle evolution. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 328-346.	1.2	127
291	Divergence dates of libelluloid dragonflies (Odonata: Anisoptera) estimated from rRNA using paired-site substitution models. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 426-432.	1.2	16
292	A dated phylogeny of the palm tribe Chamaedoreae supports Eocene dispersal between Africa, North and South America. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 760-775.	1.2	57
293	Molecular phylogeny and historical biogeography of the Holarctic wetland leaf beetle of the genus <i>Plateumaris</i> . <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 183-192.	1.2	20
294	Phylogeny of <i>Paramysis</i> (Crustacea: Mysida) and the origin of Ponto-Caspian endemic diversity: Resolving power from nuclear protein-coding genes. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 738-759.	1.2	35
295	Novel patterns of historical isolation, dispersal, and secondary contact across Baja California in the Rosy Boa ( <i>Lichanura trivirgata</i> ). <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 484-502.	1.2	33
296	DNA evidence for a Paleocene origin of the Alcidae (Aves: Charadriiformes) in the Pacific and multiple dispersals across northern oceans. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 430-445.	1.2	47
297	Dated historical biogeography of the temperate Loliinae (Poaceae, Pooideae) grasses in the northern and southern hemispheres. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 932-957.	1.2	145
298	Pliocene colonization and adaptive radiations in Australia and New Guinea (Sahul): Multilocus systematics of the old endemic rodents (Muroidea: Murinae). <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 84-101.	1.2	187
299	A timescale and phylogeny for <i>Bandicoots</i> (Peramelemorphia: Marsupialia) based on sequences for five nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 1-20.	1.2	37
300	Explosive avian radiations and multi-directional dispersal across Wallacea: Evidence from the Campephagidae and other Crown Corvida (Aves). <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 221-236.	1.2	71
301	A phylogeny of the oil bee tribe Ctenoplectrini (Hymenoptera: Anthophila) based on mitochondrial and nuclear data: Evidence for Early Eocene divergence and repeated out-of-Africa dispersal. <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 799-811.	1.2	52
302	Reticulate evolution in the natural range of the invasive wetland tree species <i>Melaleuca quinquenervia</i> . <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 506-522.	1.2	19
303	Erratic rates of molecular evolution and incongruence of fossil and molecular divergence time estimates in Ostracoda (Crustacea). <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 157-167.	1.2	44
304	Phylogenetic relationships of the Asian palm civets (Hemigalinae & Paradoxurinae, Viverridae.) <i>Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50</i>	1.2	28
305	Bayesian estimation of post-Messinian divergence times in Balearic Island lizards. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 350-358.	1.2	71
306	Genetic divergence and evolutionary relationships in six species of genera <i>Hoplobatrachus</i> and <i>Euphylyctis</i> (Amphibia: Anura) from Bangladesh and other Asian countries revealed by mitochondrial gene sequences. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 515-527.	1.2	35
307	Steady Plio-Pleistocene diversification and a 2-million-year sympatry threshold in a New Zealand cicada radiation. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 1054-1066.	1.2	59

#	ARTICLE	IF	CITATIONS
308	Mitochondrial diversity and phylogeography of the Chinese perch, <i>Siniperca chuatsi</i> (Perciformes: Cyprinidae). <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 1218-1222.	1.2	14
309	The systematic affinity of the enigmatic <i>Lamprolia victoriae</i> (Aves: Passeriformes) – An example of avian dispersal between New Guinea and Fiji over Miocene intermittent land bridges?. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 1218-1222.	1.2	39
310	Biogeographic origin and radiation of the Old World crocidurine shrews (Mammalia: Soricidae) inferred from mitochondrial and nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2008, 48, 953-963.	1.2	74
311	Rates of nucleotide substitution in Cornaceae (Cornales) – Pattern of variation and underlying causal factors. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 327-342.	1.2	32
312	Reduced genetic variation in the Japanese giant salamander, <i>Andrias japonicus</i> (Amphibia: Caudata). <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 318-326.	1.2	39
313	Dating of divergences within the <i>Rattus</i> genus phylogeny using whole mitochondrial genomes. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 460-466.	1.2	70
314	Molecular dating of the diversification of Phyllostominae bats based on nuclear and mitochondrial DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 653-658.	1.2	32
315	Phylogenetic relationships of <i>Loxosceles</i> and <i>Sicarius</i> spiders are consistent with Western Gondwanan vicariance. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 538-553.	1.2	71
316	Phylogeny and biogeography of the family Salamandridae (Amphibia: Caudata) inferred from complete mitochondrial genomes. <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 586-597.	1.2	197
317	A phylogeny and timescale for the living genera of kangaroos and kin (Macropodiformes: Marsupialia) based on nuclear DNA sequences. <i>Australian Journal of Zoology</i> , 2008, 56, 395.	0.6	100
318	The Ediacaran emergence of bilaterians: congruence between the genetic and the geological fossil records. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2008, 363, 1435-1443.	1.8	286
319	On the systematics and phylogeography of eight-barbel loaches of the genus <i>Lefua</i> (Cobitoidea: Cyprinidae). <i>Molecular Phylogenetics and Evolution</i> , 2008, 49, 1078-1084.	0.2	12
320	RATES AND PATTERNS IN THE EVOLUTION OF SNAKE-LIKE BODY FORM IN SQUAMATE REPTILES: EVIDENCE FOR REPEATED RE-EVOLUTION OF LOST DIGITS AND LONG-TERM PERSISTENCE OF INTERMEDIATE BODY FORMS. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 2042-2064.	1.1	181
321	TIMING DEEP DIVERGENCE EVENTS IN CALCAREOUS DINOFLAGELLATES. <i>Journal of Phycology</i> , 2008, 44, 429-438.	1.0	25
322	Phylogenetic analysis of 1.5 Mbp and platypus EST data refute the Marsupionta hypothesis and unequivocally support Monotremata as sister group to Marsupialia/Placentalia. <i>Zoologica Scripta</i> , 2008, 37, 115-127.	0.7	18
323	Molecular phylogeny of five species of <i>Dremomys</i> (Rodentia: Sciuridae), inferred from cytochrome <i>b</i> gene sequences. <i>Zoologica Scripta</i> , 2008, 37, 349-354.	0.7	15
324	Molecular phylogenetics of Vespoidea indicate paraphyly of the superfamily and novel relationships of its component families and subfamilies. <i>Zoologica Scripta</i> , 2008, 37, 539-560.	0.7	120
325	Molecular phylogenetic analysis of all members of the genus <i>Elminia</i> confirms their presence within the Stenostiridae clade. <i>Zoologica Scripta</i> , 2008, 37, 591-602.	0.7	8

#	ARTICLE	IF	CITATIONS
326	Geographically variable selection in <i>Ambystoma tigrinum</i> virus (Iridoviridae) throughout the western USA. <i>Journal of Evolutionary Biology</i> , 2008, 21, 1151-1159.	0.8	23
327	The age of the grasses and clusters of origins of C <sub>4</sub> photosynthesis. <i>Global Change Biology</i> , 2008, 14, 2963-2977.	4.2	282
328	Determining the origin and age of the Westland beech ( <i>Nothofagus</i> ) gap, New Zealand, using fungus beetle genetics. <i>Molecular Ecology</i> , 2008, 17, 1256-1276.	2.0	65
329	Historical biogeography of New World emballonurid bats (tribe Diclidurini): taxon pulse diversification. <i>Journal of Biogeography</i> , 2008, 35, 1385-1401.	1.4	25
330	Speciation and radiations track climate transitions since the Miocene Climatic Optimum: a case study of southern African chameleons. <i>Journal of Biogeography</i> , 2008, 35, 1402-1414.	1.4	98
331	The origin and evolution of Indomalayan, Australasian and Pacific island biotas: insights from Aglaiaeae (Meliaceae, Sapindales). <i>Journal of Biogeography</i> , 2008, 35, 1769-1789.	1.4	70
332	Molecular phylogeny and divergence times of Malagasy tenrecs: Influence of data partitioning and taxon sampling on dating analyses. <i>BMC Evolutionary Biology</i> , 2008, 8, 102.	3.2	63
333	Phylogeny and biogeography of African Murinae based on mitochondrial and nuclear gene sequences, with a new tribal classification of the subfamily. <i>BMC Evolutionary Biology</i> , 2008, 8, 199.	3.2	218
334	Suprafamilial relationships among Rodentia and the phylogenetic effect of removing fast-evolving nucleotides in mitochondrial, exon and intron fragments. <i>BMC Evolutionary Biology</i> , 2008, 8, 321.	3.2	84
335	Independent Origins of New Sex-Linked Chromosomes in the melanica and robusta Species Groups of <i>Drosophila</i> . <i>BMC Evolutionary Biology</i> , 2008, 8, 33.	3.2	27
336	Opossum carboxylesterases: sequences, phylogeny and evidence for CES gene duplication events predating the marsupial-eutherian common ancestor. <i>BMC Evolutionary Biology</i> , 2008, 8, 54.	3.2	12
337	Phylogenetics and temporal diversification of the earliest true flies (Insecta: Diptera) based on multiple nuclear genes. <i>Systematic Entomology</i> , 2008, 33, 668-687.	1.7	138
338	Molecular evidence for an independent origin of modern triserial planktonic foraminifera from benthic ancestors. <i>Marine Micropaleontology</i> , 2008, 69, 334-340.	0.5	34
339	An effect of 16S rRNA intergenic variability on coevolutionary analysis in symbiotic bacteria: Molecular phylogeny of <i>Arsenophonus triatominarum</i> . <i>Systematic and Applied Microbiology</i> , 2008, 31, 88-100.	1.2	29
340	Divergence Times and the Evolution of Epiphytism in Filmy Ferns (Hymenophyllaceae) Revisited. <i>International Journal of Plant Sciences</i> , 2008, 169, 1278-1287.	0.6	37
341	Molecular phylogeny and divergence times of ancient South American and Malagasy river turtles (Testudines: Pleurodira: Podocnemididae). <i>Organisms Diversity and Evolution</i> , 2008, 8, 388-398.	0.7	45
342	Gene discovery and comparative analysis of X-degenerate genes from the domestic cat Y chromosome. Sequence data from this article have been deposited with the EMBL/GenBank Data Libraries under Accession No. EU879967-EU879988.. <i>Genomics</i> , 2008, 92, 329-338.	1.3	47
343	The role of molecular genetics in sculpting the future of integrative biogeography. <i>Progress in Physical Geography</i> , 2008, 32, 173-202.	1.4	117

#	ARTICLE	IF	CITATIONS
344	Molecular phylogenetic and dating analyses using mitochondrial DNA sequences of eyelid geckos (Squamata: Eublepharidae). <i>Gene</i> , 2008, 407, 105-115.	1.0	32
345	Complete mitochondrial genomes of three neobatrachian anurans: A case study of divergence time estimation using different data and calibration settings. <i>Gene</i> , 2008, 407, 116-129.	1.0	68
346	Introns outperform exons in analyses of basal avian phylogeny using clathrin heavy chain genes. <i>Gene</i> , 2008, 410, 89-96.	1.0	77
347	An old bilbo-like non-LTR retroelement insertion provides insight into the relationship of species of the virilis group. <i>Gene</i> , 2008, 425, 48-55.	1.0	12
348	Phylogenetics of neotropical <i>Platymiscium</i> (Leguminosae: Dalbergieae): systematics, divergence times, and biogeography inferred from nuclear ribosomal and plastid DNA sequence data. <i>American Journal of Botany</i> , 2008, 95, 1270-1286.	0.8	39
349	A Likelihood Framework for Estimating Phylogeographic History on a Continuous Landscape. <i>Systematic Biology</i> , 2008, 57, 544-561.	2.7	142
350	Phylogenetic Analysis Informed by Geological History Supports Multiple, Sequential Invasions of the Mediterranean Basin by the Angiosperm Family Araceae. <i>Systematic Biology</i> , 2008, 57, 269-285.	2.7	135
351	The oldest platypus and its bearing on divergence timing of the platypus and echidna clades. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1238-1242.	3.3	116
352	A 15-Myr-Old Genetic Bottleneck. <i>Molecular Biology and Evolution</i> , 2008, 25, 655-663.	3.5	52
353	A smaller <i>Macadamia</i> from a more vagile tribe: inference of phylogenetic relationships, divergence times, and diaspore evolution in <i>Macadamia</i> and relatives (tribe Macadamieae). <i>Tj ETQq1 1 0.78434 rgBT@Overlock</i>	3.5	108
354	Phylogeny, Recombination, and Mechanisms of Stepwise Mitochondrial Genome Reorganization in Mantellid Frogs from Madagascar. <i>Molecular Biology and Evolution</i> , 2008, 25, 874-891.	3.5	108
355	Systematic Position of the Anomalous Genus <i>Cadia</i> and the Phylogeny of the Tribe Podalyrieae (Fabaceae). <i>Systematic Botany</i> , 2008, 33, 133-147.	0.2	39
356	Historical Biogeography, Divergence Times, and Diversification Patterns of Bumble Bees (Hymenoptera:). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 97 Td (l</i>	2.7	248
357	Hemiplasy and homoplasy in the karyotypic phylogenies of mammals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 14477-14481.	3.3	51
358	Hybridization, polyploidy, and evolutionary transitions between monoecy and dioecy in <i>Bryonia</i> (Cucurbitaceae). <i>American Journal of Botany</i> , 2008, 95, 1297-1306.	0.8	60
359	Building trees of algae: some advances in phylogenetic and evolutionary analysis. <i>European Journal of Phycology</i> , 2008, 43, 229-252.	0.9	46
360	The Relative Importance of Body Size and Paleoclimatic Change as Explanatory Variables Influencing Lineage Diversification Rate: An Evolutionary Analysis of Bullhead Catfishes (Siluriformes:). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 97 Td (l</i>	3.5	58
361	Reevaluation of the cox1 Group I Intron in Araceae and Angiosperms Indicates a History Dominated by Loss rather than Horizontal Transfer. <i>Molecular Biology and Evolution</i> , 2008, 25, 265-276.	3.5	58

#	ARTICLE	IF	CITATIONS
362	Rooting and Dating Maples ( <i>Acer</i> ) with an Uncorrelated-Rates Molecular Clock: Implications for North American/Asian Disjunctions. <i>Systematic Biology</i> , 2008, 57, 795-808.	2.7	80
363	The Taming of the Skew: Estimating Proper Confidence Intervals for Divergence Dates. <i>Systematic Biology</i> , 2008, 57, 317-328.	2.7	56
364	Explosive Speciation of <i>Takifugu</i> : Another Use of <i>Fugu</i> as a Model System for Evolutionary Biology. <i>Molecular Biology and Evolution</i> , 2008, 26, 623-629.	3.5	89
365	Breakdown and delayed cospeciation in the arbuscular mycorrhizal mutualism. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 1029-1035.	1.2	79
366	Phylogeny and Historical Biogeography of Geraniaceae in Relation to Climate Changes and Pollination Ecology. <i>Systematic Botany</i> , 2008, 33, 326-342.	0.2	79
367	Paleobotany, Evidence, and Molecular Dating: An Example from the Nymphaeales. <i>Annals of the Missouri Botanical Garden</i> , 2008, 95, 43-50.	1.3	14
368	How to Summarize Estimates of Ancestral Divergence Times. <i>Evolutionary Bioinformatics</i> , 2008, 4, EBO.S545.	0.6	22
369	Phylogenetic Detection of Recombination with a Bayesian Prior on the Distance between Trees. <i>PLoS ONE</i> , 2008, 3, e2651.	1.1	27
370	Phylogenetic Analyses: A Toolbox Expanding towards Bayesian Methods. <i>International Journal of Plant Genomics</i> , 2008, 2008, 1-16.	2.2	7
371	Speciation and biogeographical history of the <i>Campanula lusitanica</i> complex (Campanulaceae) in the Western Mediterranean region. <i>Taxon</i> , 2008, 57, 1252.	0.4	19
372	A test of the utility of DNA barcoding in the radiation of the freshwater stingray genus <i>Potamotrygon</i> (Potamotrygonidae, Myliobatiformes). <i>Genetics and Molecular Biology</i> , 2008, 31, 324-336.	0.6	51
373	Biogeography of Nymphaeales: extant patterns and historical events. <i>Taxon</i> , 2008, 57, 1123.	0.4	44
374	The historical biogeography of <i>Pteroglossus aracaris</i> (Aves, Piciformes, Ramphastidae) based on Bayesian analysis of mitochondrial DNA sequences. <i>Genetics and Molecular Biology</i> , 2008, 31, 964-973.	0.6	8
375	A new frog family (Anura: Terrarana) from South America and an expanded direct-developing clade revealed by molecular phylogeny. <i>Zootaxa</i> , 2009, 2211, 1-35.	0.2	110
377	Giant Panda Genomic Data Provide Insight into the Birth-and-Death Process of Mammalian Major Histocompatibility Complex Class II Genes. <i>PLoS ONE</i> , 2009, 4, e4147.	1.1	32
378	Systematics and evolutionary history of the circum-Mediterranean genus <i>Anagyris</i> L. (Fabaceae) based on morphological and molecular data. <i>Taxon</i> , 2009, 58, 1290-1306.	0.4	15
379	Molecular phylogeny, classification, and biogeography of West Indian racer snakes of the Tribe Alsophiini (Squamata, Dipsadidae, Xenodontinae). <i>Zootaxa</i> , 2009, 2067, 1-28.	0.2	40
380	Pleistocene Impacts on the Phylogeography of the Desert Pocket Mouse ( <i>Chaetodipus penicillatus</i> ). <i>Journal of Mammalogy</i> , 2009, 90, 306-320.	0.6	58

#	ARTICLE	IF	CITATIONS
381	Age at first reproduction explains rate variation in the strepsirrhine molecular clock. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 18165-18170.	3.3	26
382	Recent Long-Distance Dispersal Overshadows Ancient Biogeographical Patterns in a Pantropical Angiosperm Family (Simaroubaceae, Sapindales). Systematic Biology, 2009, 58, 395-410.	2.7	118
383	Mitochondrial phylogeography of Testudo graeca in the Western Mediterranean: Old complex divergence in North Africa and recent arrival in Europe. Amphibia - Reptilia, 2009, 30, 63-80.	0.1	69
384	Phylogenomics of C4 Photosynthesis in Sedges (Cyperaceae): Multiple Appearances and Genetic Convergence. Molecular Biology and Evolution, 2009, 26, 1909-1919.	3.5	136
385	Biogeography of the <i>Sulfolobus islandicus</i> pan-genome. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 8605-8610.	3.3	229
386	Significance of ecological vicariance and long-distance dispersal in the diversification of <i>Carex</i> sect. <i>Spirostachyae</i> (Cyperaceae). American Journal of Botany, 2009, 96, 2100-2114.	0.8	35
387	Molecular Decay of the Tooth Gene Enamelin (ENAM) Mirrors the Loss of Enamel in the Fossil Record of Placental Mammals. PLoS Genetics, 2009, 5, e1000634.	1.5	133
388	Colonization of South America from Caribbean Islands Confirmed by Molecular Phylogeny with Increased Taxon Sampling. Condor, 2009, 111, 575-579.	0.7	21
389	General Heterotachy and Distance Method Adjustments. Molecular Biology and Evolution, 2009, 26, 2689-2697.	3.5	14
390	Simultaneous Bayesian gene tree reconstruction and reconciliation analysis. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 5714-5719.	3.3	140
391	A Major Clade of Prokaryotes with Ancient Adaptations to Life on Land. Molecular Biology and Evolution, 2009, 26, 335-343.	3.5	279
392	Repeated independent evolution of obligate pollination mutualism in the Phyllanthaceae- <i>Epicephala</i> association. Proceedings of the Royal Society B: Biological Sciences, 2009, 276, 417-426.	1.2	99
393	The double odyssey of Madagascan polystome flatworms leads to new insights on the origins of their amphibian hosts. Proceedings of the Royal Society B: Biological Sciences, 2009, 276, 1575-1583.	1.2	31
394	Fine-scale cospeciation between <i>Brachycaudus</i> and <i>Buchnera aphidicola</i> : bacterial genome helps define species and evolutionary relationships in aphids. Proceedings of the Royal Society B: Biological Sciences, 2009, 276, 187-196.	1.2	92
395	Gourds afloat: a dated phylogeny reveals an Asian origin of the gourd family (Cucurbitaceae) and numerous overseas dispersal events. Proceedings of the Royal Society B: Biological Sciences, 2009, 276, 843-851.	1.2	265
396	Toad radiation reveals into-India dispersal as a source of endemism in the Western Ghats-Sri Lanka biodiversity hotspot. BMC Evolutionary Biology, 2009, 9, 131.	3.2	92
397	Evolutionary divergence times in the Annonaceae: evidence of a late Miocene origin of Pseuduvaria in Sundaland with subsequent diversification in New Guinea. BMC Evolutionary Biology, 2009, 9, 153.	3.2	60
398	Molecular phylogenetics and evolutionary history of ariid catfishes revisited: a comprehensive sampling. BMC Evolutionary Biology, 2009, 9, 175.	3.2	35

#	ARTICLE	IF	CITATIONS
399	Polyloid evolution in <i>Oryza officinalis</i> complex of the genus <i>Oryza</i> . <i>BMC Evolutionary Biology</i> , 2009, 9, 250.	3.2	24
400	Phylogenetic analysis and temporal diversification of mosquitoes (Diptera: Culicidae) based on nuclear genes and morphology. <i>BMC Evolutionary Biology</i> , 2009, 9, 298.	3.2	172
401	The erratic mitochondrial clock: variations of mutation rate, not population size, affect mtDNA diversity across birds and mammals. <i>BMC Evolutionary Biology</i> , 2009, 9, 54.	3.2	212
402	Impact of duplicate gene copies on phylogenetic analysis and divergence time estimates in butterflies. <i>BMC Evolutionary Biology</i> , 2009, 9, 99.	3.2	34
403	Intercontinental and intracontinental biogeography patterns and methods. <i>Journal of Systematics and Evolution</i> , 2009, 47, 327-330.	1.6	9
404	Evolution of the Madrean Tethyan disjunctions and the North and South American amphitropical disjunctions in plants. <i>Journal of Systematics and Evolution</i> , 2009, 47, 331-348.	1.6	154
405	Use of mitochondrial and nuclear genes to infer the origin of two endemic pigeons from the Canary Islands. <i>Journal of Ornithology</i> , 2009, 150, 357-367.	0.5	11
406	Multiple in-to-Africa dispersals of labeonin fishes (Teleostei: Cyprinidae) revealed by molecular phylogenetic analysis. <i>Hydrobiologia</i> , 2009, 632, 261-271.	1.0	25
407	The complete mitochondrial DNA sequence and the phylogenetic position of <i>Achalinus meiguensis</i> (Reptilia: Squamata). <i>Science Bulletin</i> , 2009, 54, 1713-1724.	4.3	16
408	Single-copy nuclear genes resolve the phylogeny of the holometabolous insects. <i>BMC Biology</i> , 2009, 7, 34.	1.7	255
409	Apes, lice and prehistory. <i>Journal of Biology</i> , 2009, 8, 20.	2.7	30
410	The origins and diversification of <i>C<sub>4</sub></i> grasses and savanna-adapted ungulates. <i>Global Change Biology</i> , 2009, 15, 2397-2417.	4.2	103
411	Comparative phylogeography of pitvipers suggests a consensus of ancient Middle American highland biogeography. <i>Journal of Biogeography</i> , 2009, 36, 88-103.	1.4	157
412	The collision of the Indian plate with Asia: molecular evidence for its impact on the phylogeny of freshwater crabs (Brachyura: Potamidae). <i>Journal of Biogeography</i> , 2009, 36, 703-719.	1.4	84
413	Surviving glacial ages within the Biotic Gap: phylogeography of the New Zealand cicada <i>Maoricicada campbelli</i> . <i>Journal of Biogeography</i> , 2009, 36, 675-692.	1.4	41
414	Closing the ring: historical biogeography of the salamander ring species <i>Ensatina eschscholtzii</i> . <i>Journal of Biogeography</i> , 2009, 36, 982-995.	1.4	69
415	Origin of Mediterranean insular endemics in the Boraginales: integrative evidence from molecular dating and ancestral area reconstruction. <i>Journal of Biogeography</i> , 2009, 36, 1282-1296.	1.4	91
416	Phylogeny, biogeography and evolution of clutch size in South American lizards of the genus <i>Kentropyx</i> (Squamata: Teiidae). <i>Molecular Ecology</i> , 2009, 18, 262-278.	2.0	41



#	ARTICLE	IF	CITATIONS
417	Spread of an introduced vector-borne banana virus in Hawaii. <i>Molecular Ecology</i> , 2009, 18, 136-146.	2.0	32
418	The phylogeographical history of the Iberian steppe plant <i>Ferula loscosii</i> (Apiaceae): a test of the abundant-centre hypothesis. <i>Molecular Ecology</i> , 2009, 18, 848-861.	2.0	46
419	Historical divergence of mechanical isolation agents in the ground beetle <i>Carabus arrowianus</i> as revealed by phylogeographical analyses. <i>Molecular Ecology</i> , 2009, 18, 1408-1421.	2.0	10
420	Species-level phylogeographical history of <i>Myricaria</i> plants in the mountain ranges of western China and the origin of <i>M. laxiflora</i> in the Three Gorges mountain region. <i>Molecular Ecology</i> , 2009, 18, 2700-2712.	2.0	45
421	Supraspecies relationships in the subfamily Arvicolinae (Rodentia, Cricetidae): An unexpected result of nuclear gene analysis. <i>Molecular Biology</i> , 2009, 43, 834-846.	0.4	59
422	Phylogeny and biogeography of the genus <i>Illadopsis</i> (Passeriformes: Timaliidae) reveal the complexity of diversification of some African taxa. <i>Journal of Avian Biology</i> , 2009, 40, 113-125.	0.6	11
423	ISLAND BIOGEOGRAPHY OF GALÁPAGOS LAVA LIZARDS (TROPIDURIDAE: <i>MICROLOPHUS</i> ): SPECIES DIVERSITY AND COLONIZATION OF THE ARCHIPELAGO. <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 1606-1626.	1.1	59
424	MOLECULAR CLOCKS PROVIDE NEW INSIGHTS INTO THE EVOLUTIONARY HISTORY OF GALEICHTHYINE SEA CATFISHES. <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 1232-1243.	1.1	18
425	The origin of a mega-diverse genus: dating <i>Begonia</i> (Begoniaceae) using alternative datasets, calibrations and relaxed clock methods. <i>Botanical Journal of the Linnean Society</i> , 2009, 159, 363-380.	0.8	33
426	Bias and conflict in phylogenetic inference of myco-heterotrophic plants: a case study in <i>Thismiaceae</i> . <i>Cladistics</i> , 2009, 25, 64-77.	1.5	54
427	Broken gears in the avian molecular clock: new phylogenetic analyses support stem galliform status for <i>Gallinuloides wyomingensis</i> and rallid affinities for <i>Amitabha urbsinterdictensis</i> . <i>Cladistics</i> , 2009, 25, 173-197.	1.5	42
428	Deciphering and dating the red panda's ancestry and early adaptive radiation of Musteloidea. <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 907-922.	1.2	133
429	The timing of Neotropical speciation dynamics: A reconstruction of <i>Myiopagis</i> flycatcher diversification using phylogenetic and paleogeographic data. <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 961-971.	1.2	16
430	The distribution and molecular diversity of the Eastern Atlantic and Mediterranean chthamalids (Crustacea, Cirripedia). <i>Zoologica Scripta</i> , 2009, 38, 365-378.	0.7	30
431	Climate and history explain the species richness peak at mid-elevation for <i>Schizothorax</i> fishes (Cypriniformes: Cyprinidae) distributed in the Tibetan Plateau and its adjacent regions. <i>Global Ecology and Biogeography</i> , 2009, 18, 264-272.	2.7	70
432	Combining genetic and ecological data to assess the conservation status of the endangered Ethiopian <i>walia ibex</i> . <i>Animal Conservation</i> , 2009, 12, 89-100.	1.5	59
433	Origin and diversification of the Greater Cape flora: Ancient species repository, hot-bed of recent radiation, or both?. <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 44-53.	1.2	198
434	Multigene analysis of phylogenetic relationships and divergence times of primate sucking lice (Phthiraptera: Anoplura). <i>Molecular Phylogenetics and Evolution</i> , 2009, 50, 376-390.	1.2	71

#	ARTICLE	IF	CITATIONS
435	Using fossils and molecular data to reveal the origins of the Cape proteas (subfamily Proteoideae). <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 31-43.	1.2	51
436	Phylogeny and biogeography of Alangiaceae (Cornales) inferred from DNA sequences, morphology, and fossils. <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 201-214.	1.2	27
437	The historical biogeography of the freshwater knifefishes using mitogenomic approaches: A Mesozoic origin of the Asian notopterids (Actinopterygii: Osteoglossomorpha). <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 486-499.	1.2	58
438	Mitochondrial evidence for the hybrid origin of the kipunji, <i>Rungwecebus kipunji</i> (Primates: Papionini). <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 340-348.	1.2	72
439	A phylogeny of Diprotodontia (Marsupialia) based on sequences for five nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2009, 51, 554-571.	1.2	99
440	Toward understanding the distribution of Laurasian frogs: A test of Savage's biogeographical hypothesis using the genus <i>Bombina</i> . <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 70-83.	1.2	26
441	Δ <sup>6</sup> -Desaturase sequence evidence for explosive Pliocene radiations within the adaptive radiation of Macaronesian <i>Echium</i> (Boraginaceae). <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 563-574.	1.2	60
442	Reconstructing the history of Campanulaceae with a Bayesian approach to molecular dating and dispersal vicariance analyses. <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 575-587.	1.2	84
443	Molecular dating and biogeography of fig-pollinating wasps. <i>Molecular Phylogenetics and Evolution</i> , 2009, 52, 715-726.	1.2	47
444	Tri-locus sequence data reject a "Gondwanan origin hypothesis" for the African/South Pacific crab genus <i>Hymenosoma</i> . <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 23-33.	1.2	28
445	Molecular phylogeny of the Herpestidae (Mammalia, Carnivora) with a special emphasis on the Asian <i>Herpestes</i> . <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 69-80.	1.2	64
446	A mitogenomic perspective on the phylogeny and biogeography of living caecilians (Amphibia): <i>Tj ETQq1 1 0.784314 rgBT /Oyerlock 10</i>	1.2	35
447	Higher-level salamander relationships and divergence dates inferred from complete mitochondrial genomes. <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 492-508.	1.2	146
448	Complex evolution in the Neotropics: The origin and diversification of the widespread genus <i>Leptodeira</i> (Serpentes: Colubridae). <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 653-667.	1.2	80
449	The phylogenetic relationships of cynopterine fruit bats (Chiroptera: Pteropodidae: Cynopterinae). <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 772-783.	1.2	12
450	Patterns of macroevolution among Primates inferred from a supermatrix of mitochondrial and nuclear DNA. <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 808-825.	1.2	194
451	Temporal and spatial diversification of the African disjunct genus <i>Androcymbium</i> (Colchicaceae). <i>Molecular Phylogenetics and Evolution</i> , 2009, 53, 848-861.	1.2	28
452	Freeze tolerance evolution among anurans: Frequency and timing of appearance. <i>Cryobiology</i> , 2009, 58, 241-247.	0.3	29

#	ARTICLE	IF	CITATIONS
453	Effect of taxon sampling on recovering the phylogeny of squamate reptiles based on complete mitochondrial genome and nuclear gene sequence data. <i>Gene</i> , 2009, 441, 12-21.	1.0	66
454	Branch-length estimation bias misleads molecular dating for a vertebrate mitochondrial phylogeny. <i>Gene</i> , 2009, 441, 132-140.	1.0	91
455	Molecular phylogeny and evolution of prosimians based on complete sequences of mitochondrial DNAs. <i>Gene</i> , 2009, 441, 53-66.	1.0	105
456	Chronology of the extant African elephant species and case study of the species identification of the small African elephant with the molecular phylogenetic method. <i>Gene</i> , 2009, 441, 176-186.	1.0	11
457	Accounting for Calibration Uncertainty in Phylogenetic Estimation of Evolutionary Divergence Times. <i>Systematic Biology</i> , 2009, 58, 367-380.	2.7	789
458	Demography and Phylogenetic Utility of Numt Pseudogenes in the Southern Red-Backed Vole ( <i>Myodes</i> ) Tj ETQq1 1.0,784314 rgBT /Overlock 10 Tf 50 0.6 11	0.6	11
459	Molecular Markers and Concepts of Plant Evolutionary Relationships: Progress, Promise, and Future Prospects. <i>Critical Reviews in Plant Sciences</i> , 2009, 28, 1-15.	2.7	23
461	Amazonian Amphibian Diversity Is Primarily Derived from Late Miocene Andean Lineages. <i>PLoS Biology</i> , 2009, 7, e1000056.	2.6	242
462	Divergence time of the two regional medaka populations in Japan as a new time scale for comparative genomics of vertebrates. <i>Biology Letters</i> , 2009, 5, 812-816.	1.0	90
463	Successive radiations, not stasis, in the South American primate fauna. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 5534-5539.	3.3	99
464	Contrasted patterns of hyperdiversification in Mediterranean hotspots. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 221-225.	3.3	199
466	Phylogenetic Inference Using Molecular Data. <i>Crustacean Issues</i> , 2009, , 67-88.	0.9	3
467	Molecular systematics: A synthesis of the common methods and the state of knowledge. <i>Cellular and Molecular Biology Letters</i> , 2010, 15, 311-41.	2.7	51
468	Mitochondrial genomic divergence in coelacanths ( <i>Latimeria</i> ): slow rate of evolution or recent speciation?. <i>Marine Biology</i> , 2010, 157, 2253-2262.	0.7	16
469	Red- and yellow-footed tortoises, <i>Chelonoidis carbonaria</i> and <i>C. denticulata</i> (Reptilia: Testudines:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 habitats?. <i>Organisms Diversity and Evolution</i> , 2010, 10, 161-172.	0.7	26
470	Estimated evolutionary tempo of East Asian gobionid fishes (Teleostei: Cyprinidae) from mitochondrial DNA sequence data. <i>Science Bulletin</i> , 2010, 55, 1501-1510.	1.7	16
471	Anthropological Genetics: Inferring the History of Our Species Through the Analysis of DNA. <i>Evolution: Education and Outreach</i> , 2010, 3, 387-398.	0.3	3
472	A Phylogeny and Timescale for the Evolution of Pseudocheiridae (Marsupialia: Diprotodontia) in Australia and New Guinea. <i>Journal of Mammalian Evolution</i> , 2010, 17, 75-99.	1.0	40

#	ARTICLE	IF	CITATIONS
473	The complete mitochondrial genomes of the whistling duck ( <i>Dendrocygna javanica</i> ) and black swan ( <i>Cygnus atratus</i> ): dating evolutionary divergence in Galloanserae. <i>Molecular Biology Reports</i> , 2010, 37, 3001-3015.	1.0	21
474	MetaPIGA v2.0: maximum likelihood large phylogeny estimation using the metapopulation genetic algorithm and other stochastic heuristics. <i>BMC Bioinformatics</i> , 2010, 11, 379.	1.2	89
475	Revisiting the taxonomy of the Rattini tribe: a phylogeny-based delimitation of species boundaries. <i>BMC Evolutionary Biology</i> , 2010, 10, 184.	3.2	176
476	Time and time again: unisexual salamanders (genus <i>Ambystoma</i> ) are the oldest unisexual vertebrates. <i>BMC Evolutionary Biology</i> , 2010, 10, 238.	3.2	51
477	Next generation sequencing and analysis of a conserved transcriptome of New Zealand's kiwi. <i>BMC Evolutionary Biology</i> , 2010, 10, 387.	3.2	13
478	Unusual conservation of mitochondrial gene order in <i>Crassostrea</i> oysters: evidence for recent speciation in Asia. <i>BMC Evolutionary Biology</i> , 2010, 10, 394.	3.2	119
479	Branch length estimation and divergence dating: estimates of error in Bayesian and maximum likelihood frameworks. <i>BMC Evolutionary Biology</i> , 2010, 10, 5.	3.2	56
480	Evolutionary history of anglerfishes (Teleostei: Lophiiformes): a mitogenomic perspective. <i>BMC Evolutionary Biology</i> , 2010, 10, 58.	3.2	82
481	Phylogeny and biogeography of the rice tribe ( <i>Oryzaceae</i> ): Evidence from combined analysis of 20 chloroplast fragments. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 266-277.	1.2	87
482	Molecular phylogenetics and historical biogeography of <i>Rhinolophus</i> bats. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 1-9.	1.2	64
483	Evidence for a vicariant origin of Macaronesian-Eritreo/Arabian disjunctions in <i>Campylanthus</i> Roth ( <i>Plantaginaceae</i> ). <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 607-616.	1.2	40
484	Evolution and taxonomy of the wild species of the genus <i>Ovis</i> (Mammalia, Artiodactyla, Bovidae). <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 315-326.	1.2	124
485	Co-estimation of phylogeny and divergence times of Argonautoidea using relaxed phylogenetics. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 701-708.	1.2	11
486	Phylogenetic relationships and divergence dates of the whole mitochondrial genome sequences among three gibbon genera. <i>Molecular Phylogenetics and Evolution</i> , 2010, 55, 454-459.	1.2	54
487	Supermatrix and species tree methods resolve phylogenetic relationships within the big cats, <i>Panthera</i> (Carnivora: Felidae). <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 64-76.	1.2	68
488	Molecular phylogeny and historical biogeography of <i>Nacella</i> (Patellogastropoda: Nacellidae) in the Southern Ocean. <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 115-124.	1.2	72
489	A multilocus timescale for the origin of extant amphibians. <i>Molecular Phylogenetics and Evolution</i> , 2010, 56, 554-561.	1.2	101
490	Phylogeny, biogeography, and host-plant association in the subfamily Apaturinae (Insecta: Lepidoptera: Tj ETQq1 1 0.784314 rgBT and Evolution, 2010, 57, 1026-1036.	1.2	18

#	ARTICLE	IF	CITATIONS
491	Bayesian random local clocks, or one rate to rule them all. <i>BMC Biology</i> , 2010, 8, 114.	1.7	367
492	Diversification and biogeography of <i>Juniperus</i> (Cupressaceae): variable diversification rates and multiple intercontinental dispersals. <i>New Phytologist</i> , 2010, 188, 254-272.	3.5	205
493	Where's the glass? Biomarkers, molecular clocks, and microRNAs suggest a 200-Myr missing Precambrian fossil record of siliceous sponge spicules. <i>Geobiology</i> , 2010, 8, 24-36.	1.1	154
494	The Great American Biotic Interchange revisited. <i>Ecography</i> , 2010, 33, 326-332.	2.1	98
495	Phylogenetic diversity of Sri Lankan freshwater crabs and its implications for conservation. <i>Molecular Ecology</i> , 2010, 19, 183-196.	2.0	31
496	Host-associated genetic differentiation in a seed parasitic weevil <i>Rhinusa antirrhini</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 2286-2300.	2.0	35
497	Complex phylogeographic patterns in the freshwater alga <i>Synura</i> provide new insights into ubiquity vs. endemism in microbial eukaryotes. <i>Molecular Ecology</i> , 2010, 19, 4328-4338.	2.0	77
498	Molecular clocks keep dispersal hypotheses afloat: evidence for trans-Atlantic rafting by rodents. <i>Journal of Biogeography</i> , 2010, 37, 305-324.	1.4	72
499	Evolutionary history of the <i>Paradoxurus</i> palm civets – a new model for Asian biogeography. <i>Journal of Biogeography</i> , 2010, 37, 2077-2097.	1.4	79
500	Divergence time uncertainty and historical biogeography reconstruction – an example from Urophylleae (Rubiaceae). <i>Journal of Biogeography</i> , 2010, 37, 2260-2274.	1.4	25
501	Gondwanan radiation of the Southern Hemisphere crayfishes (Decapoda: Parastacidae): evidence from fossils and molecules. <i>Journal of Biogeography</i> , 2010, 37, 2275-2290.	1.4	71
502	Biogeographic origin and radiation of Cuban <i>Eleutherodactylus</i> frogs of the <i>auriculatus</i> species group, inferred from mitochondrial and nuclear gene sequences. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 179-186.	1.2	29
503	Molecular phylogeography and population structure of a mid-elevation montane frog <i>Leptobrachium ailaonicum</i> in a fragmented habitat of southwest China. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 47-58.	1.2	53
504	Arthropod colonization of land – Linking molecules and fossils in oribatid mites (Acari, Oribatida). <i>Molecular Phylogenetics and Evolution</i> , 2010, 57, 113-121.	1.2	79
505	Phylogeographic structure in the gilgie (Decapoda: Parastacidae: <i>Cherax quinquecarinatus</i> ): a south-western Australian freshwater crayfish. <i>Biological Journal of the Linnean Society</i> , 0, 101, 385-402.	0.7	10
506	Pliocene isolation of a north-west Saharan cichlid fish. <i>Journal of Fish Biology</i> , 2010, 76, 435-441.	0.7	8
507	Phylogenetic position, systematic status, and divergence time of the Procarididea (Crustacea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 10 0.7 55	0.7	55
508	Extensive evolutionary rate variation in floral color determining genes in the genus <i>Ipomoea</i> . <i>Plant Species Biology</i> , 2010, 25, 30-42.	0.6	17

#	ARTICLE	IF	CITATIONS
509	Radiation of the „Drosophila“ subgenus (Drosophilidae, Diptera) in the Neotropics. Journal of Zoological Systematics and Evolutionary Research, 2010, 48, 310-321.	0.6	34
510	The evolution of South American endemic canids: a history of rapid diversification and morphological parallelism. Journal of Evolutionary Biology, 2010, 23, 311-322.	0.8	91
511	Phylogenetic comparative approaches for studying niche conservatism. Journal of Evolutionary Biology, 2010, 23, 2529-2539.	0.8	170
512	The subjective nature of Linnaean categories and its impact in evolutionary biology and biodiversity studies. Contributions To Zoology, 2010, 79, 131-146.	0.2	66
513	The application of cophylogenetic tools to gene sets. Taxon, 2010, 59, 1843-1852.	0.4	1
514	Did Kauri (Agathis: Araucariaceae) Really Survive the Oligocene Drowning of New Zealand?. Systematic Biology, 2010, 59, 594-602.	2.7	55
515	Tracing the Temporal and Spatial Origins of Island Endemics in the Mediterranean Region: A Case Study from the Citrus Family (Ruta L., Rutaceae). Systematic Biology, 2010, 59, 705-722.	2.7	83
516	Multiple speciation events in an arthropod with divergent evolution in sexual morphology. Proceedings of the Royal Society B: Biological Sciences, 2010, 277, 689-696.	1.2	49
517	More reliable estimates of divergence times in <i>Pan</i> using complete mtDNA sequences and accounting for population structure. Philosophical Transactions of the Royal Society B: Biological Sciences, 2010, 365, 3277-3288.	1.8	65
518	Biogeography of <i>Cedrela</i> (Meliaceae, Sapindales) in Central and South America. American Journal of Botany, 2010, 97, 511-518.	0.8	50
519	A Comparison of Global, Gene-Specific, and Relaxed Clock Methods in a Comparative Genomics Framework: Dating the Polyploid History of Soybean ( <i>Glycine max</i> ). Systematic Biology, 2010, 59, 534-547.	2.7	52
520	Unifying Vertical and Nonvertical Evolution: A Stochastic ARG-based Framework. Systematic Biology, 2010, 59, 27-41.	2.7	53
521	An uncorrelated relaxed-clock analysis suggests an earlier origin for flowering plants. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 5897-5902.	3.3	352
522	Using Fossils to Break Long Branches in Molecular Dating: A Comparison of Relaxed Clocks Applied to the Origin of Angiosperms. Systematic Biology, 2010, 59, 384-399.	2.7	136
523	Revisiting the Insect Mitochondrial Molecular Clock: The Mid-Aegean Trench Calibration. Molecular Biology and Evolution, 2010, 27, 1659-1672.	3.5	729
524	Performance of Relaxed-Clock Methods in Estimating Evolutionary Divergence Times and Their Credibility Intervals. Molecular Biology and Evolution, 2010, 27, 1289-1300.	3.5	85
525	Biogeography and divergence times of genus <i>Macroptilium</i> (Leguminosae). AoB PLANTS, 2010, 2010, plq018.	1.2	3
526	Bayesian Dating of Shallow Phylogenies with a Relaxed Clock. Systematic Biology, 2010, 59, 119-131.	2.7	52

#	ARTICLE	IF	CITATIONS
527	Adaptive Radiation of Neotropical Emballonurid Bats: Molecular Phylogenetics and Evolutionary Patterns in Behavior and Morphology. , 2010, , 283-299.		5
528	Molecular systematics of the neotropical scorpion genus Tityus (Buthidae): The historical biogeography and venom antigenic diversity of toxic Venezuelan species. <i>Toxicon</i> , 2010, 55, 436-454.	0.8	42
529	Evolutionary Origin and Phylogeny of the Modern Holocephalans (Chondrichthyes: Chimaeriformes): A Mitogenomic Perspective. <i>Molecular Biology and Evolution</i> , 2010, 27, 2576-2586.	3.5	195
530	Bayesian Phylogenetics and Its Influence on Insect Systematics. <i>Annual Review of Entomology</i> , 2010, 55, 189-206.	5.7	42
531	The impact of fossil calibrations, codon positions and relaxed clocks on the divergence time estimates of the native Australian rodents (Conilurini). <i>Gene</i> , 2010, 455, 22-31.	1.0	12
532	Unexpected synchronous differentiation in Mediterranean and Canarian <i>Cistus</i> (Cistaceae). <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2010, 12, 163-174.	1.1	21
533	Literature Citations. , 2010, , 1022-1194.		0
534	Accelerated Evolution of CES7, a Gene Encoding a Novel Major Urinary Protein in the Cat Family. <i>Molecular Biology and Evolution</i> , 2011, 28, 911-920.	3.5	10
535	Contemporaneous and recent radiations of the world's major succulent plant lineages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 8379-8384.	3.3	443
536	Multiple Invasions into Freshwater by Pufferfishes (Teleostei: Tetraodontidae): A Mitogenomic Perspective. <i>PLoS ONE</i> , 2011, 6, e17410.	1.1	71
537	Molecular and Fossil Dating: A Compatible Match?. <i>Entomologica Americana</i> , 2011, 117, 1-8.	0.2	3
539	Rock-inhabiting fungi originated during periods of dry climate in the late Devonian and middle Triassic. <i>Fungal Biology</i> , 2011, 115, 987-996.	1.1	102
540	Allopatric distribution and diversification without niche shift in a bryophyte-feeding basal moth lineage (Lepidoptera: Micropterigidae). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 3026-3033.	1.2	54
541	Anuran radiations and the evolution of tadpole morphospace. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 8731-8736.	3.3	74
542	Multiple Genome Alignments Facilitate Development of NPCL Markers: A Case Study of Tetrapod Phylogeny Focusing on the Position of Turtles. <i>Molecular Biology and Evolution</i> , 2011, 28, 3237-3252.	3.5	89
544	Phylogeny and divergence times of some racerunner lizards (Lacertidae: Eremias) inferred from mitochondrial 16S rRNA gene segments. <i>Molecular Phylogenetics and Evolution</i> , 2011, 61, 400-412.	1.2	56
545	Dating the arthropod tree based on large-scale transcriptome data. <i>Molecular Phylogenetics and Evolution</i> , 2011, 61, 880-887.	1.2	118
546	The historical biogeography of Mammalia. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2011, 366, 2478-2502.	1.8	90

#	ARTICLE	IF	CITATIONS
547	Age and diversity in Old World succulent species of <i>Euphorbia</i> (Euphorbiaceae). <i>Taxon</i> , 2011, 60, 1717-1733.	0.4	66
548	Macroevolutionary Patterns in the Aphidini Aphids (Hemiptera: Aphididae): Diversification, Host Association, and Biogeographic Origins. <i>PLoS ONE</i> , 2011, 6, e24749.	1.1	64
549	Temporal patterns of diversification in Andean Eois, a species-rich clade of moths (Lepidoptera). <i>Trends in Ecology and Evolution</i> , 2011, 26, 101-108.	0.8	22
550	Phylogenetic position of the Ohiya rat ( <i>Srilankamys ohiensis</i> ) based on mitochondrial and nuclear gene sequence analysis. <i>Zoologica Scripta</i> , 2011, 40, 545-553.	0.7	8
551	Phylogenetic relationships of elephant shrews (Afrotheria, Macroscelididae). <i>Journal of Zoology</i> , 2011, 284, 133-143.	0.8	29
552	CALIBRATING DIVERGENCE TIMES ON SPECIES TREES VERSUS GENE TREES: IMPLICATIONS FOR SPECIATION HISTORY OF APHELOCOMA JAYS. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 184-202.	1.1	227
553	COMPLEX EVOLUTIONARY TRANSITIONS AND THE SIGNIFICANCE OF C3-C4 INTERMEDIATE FORMS OF PHOTOSYNTHESIS IN MOLLUGINACEAE. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 643-660.	1.1	112
554	Pleistocene diversification of living squirrel monkeys ( <i>Saimiri</i> spp.) inferred from complete mitochondrial genome sequences. <i>Molecular Phylogenetics and Evolution</i> , 2011, 59, 736-745.	1.2	106
555	Bayesian relaxed clock estimation of divergence times in foraminifera. <i>Molecular Phylogenetics and Evolution</i> , 2011, 61, 157-166.	1.2	37
556	Phylogenetics and divergence times of Papilioninae (Lepidoptera) with special reference to the enigmatic genera <i>Teinopalpus</i> and <i>Meandrusa</i> . <i>Cladistics</i> , 2011, 27, 113-137.	1.5	53
557	Evidence from mitochondrial genomics supports the lower Mesozoic of South Asia as the time and place of basal divergence of cypriniform fishes (Actinopterygii: Ostariophysi). <i>Zoological Journal of the Linnean Society</i> , 2011, 161, 633-662.	1.0	79
558	Molecular phylogeny and evolution of the Perissodactyla. <i>Zoological Journal of the Linnean Society</i> , 2011, 163, 1289-1303.	1.0	95
559	Correlating Early Evolution of Parasitic Platyhelminths to Gondwana Breakup. <i>Systematic Biology</i> , 2011, 60, 762-781.	2.7	48
560	Major global radiation of corvid birds originated in the proto-Papuan archipelago. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 2328-2333.	3.3	163
561	Molecular phylogeny and evolution of Scomber (Teleostei: Scombridae) based on mitochondrial and nuclear DNA sequences. <i>Chinese Journal of Oceanology and Limnology</i> , 2011, 29, 297-310.	0.7	12
562	A late origin of the extant eukaryotic diversity: divergence time estimates using rare genomic changes. <i>Biology Direct</i> , 2011, 6, 26.	1.9	63
563	From Antarctica or Asia? New colonization scenario for Australian-New Guinean narrow mouth toads suggested from the findings on a mysterious genus <i>Gastrophrynoides</i> . <i>BMC Evolutionary Biology</i> , 2011, 11, 175.	3.2	30
564	Evolutionary history of Otophysi (Teleostei), a major clade of the modern freshwater fishes: Pangaeen origin and Mesozoic radiation. <i>BMC Evolutionary Biology</i> , 2011, 11, 177.	3.2	188



#	ARTICLE	IF	CITATIONS
565	Speciation in little: the role of range and body size in the diversification of Malagasy mantellid frogs. <i>BMC Evolutionary Biology</i> , 2011, 11, 217.	3.2	112
566	Reticulate evolution: frequent introgressive hybridization among chinese hares (genus <i>Lepus</i> ) revealed by analyses of multiple mitochondrial and nuclear DNA loci. <i>BMC Evolutionary Biology</i> , 2011, 11, 223.	3.2	33
567	Rate variation and estimation of divergence times using strict and relaxed clocks. <i>BMC Evolutionary Biology</i> , 2011, 11, 271.	3.2	93
568	Timing the origin of human malarias: the lemur puzzle. <i>BMC Evolutionary Biology</i> , 2011, 11, 299.	3.2	85
569	A Bayesian framework to estimate diversification rates and their variation through time and space. <i>BMC Evolutionary Biology</i> , 2011, 11, 311.	3.2	86
571	Phylogenetic analyses of mitochondrial and nuclear data in haematophagous flies support the paraphyly of the genus <i>Stomoxys</i> (Diptera: Muscidae). <i>Infection, Genetics and Evolution</i> , 2011, 11, 663-670.	1.0	21
572	Evolutionary history and taxonomy of a short-horned grasshopper subfamily: The Melanoplinae (Orthoptera: Acrididae). <i>Molecular Phylogenetics and Evolution</i> , 2011, 58, 22-32.	1.2	27
573	Mitochondrial DNA diversification, molecular phylogeny, and biogeography of the primitive rhacophorid genus <i>Buergeria</i> in East Asia. <i>Molecular Phylogenetics and Evolution</i> , 2011, 59, 139-147.	1.2	25
574	Resolving and dating the phylogeny of Cornales – Effects of taxon sampling, data partitions, and fossil calibrations. <i>Molecular Phylogenetics and Evolution</i> , 2011, 59, 123-138.	1.2	81
575	Resolving the phylogenetic relationships and evolutionary history of the <i>Drosophila virilis</i> group using multilocus data. <i>Molecular Phylogenetics and Evolution</i> , 2011, 60, 249-258.	1.2	33
576	Old-World and trans-African disjunctions of <i>Thamnosma</i> (Rutaceae): Intercontinental long-distance dispersal and local differentiation in the succulent biome. <i>American Journal of Botany</i> , 2011, 98, 76-87.	0.8	48
577	Multiple lineages of lice pass through the P <sub>g</sub> boundary. <i>Biology Letters</i> , 2011, 7, 782-785.	1.0	49
578	Fast and Slow Implementations of Relaxed-Clock Methods Show Similar Patterns of Accuracy in Estimating Divergence Times. <i>Molecular Biology and Evolution</i> , 2011, 28, 2439-2442.	3.5	30
579	Accommodating Heterogeneous Rates of Evolution in Molecular Divergence Dating Methods: An Example Using Intercontinental Dispersal of Pleistodon (Eumeces) Lizards. <i>Systematic Biology</i> , 2011, 60, 3-15.	2.7	139
580	Phylogenetic relationships of <i>Aristida</i> and relatives (Poaceae, Aristidoideae) based on noncoding chloroplast ( <i>trnL</i> , <i>rpl16</i> ) and nuclear (ITS) DNA sequences. <i>American Journal of Botany</i> , 2011, 98, 1868-1886.	0.8	22
581	Silencing, Positive Selection and Parallel Evolution: Busy History of Primate Cytochromes c. <i>PLoS ONE</i> , 2011, 6, e26269.	1.1	14
582	Exploring Patterns and Extent of Bias in Estimating Divergence Time from Mitochondrial DNA Sequence Data in a Particular Lineage: A Case Study of Salamanders (Order Caudata). <i>Molecular Biology and Evolution</i> , 2011, 28, 2521-2535.	3.5	121
583	Evaluation of Bayesian Models of Substitution Rate Evolution – Parental Guidance versus Mutual Independence. <i>Systematic Biology</i> , 2011, 60, 329-342.	2.7	37

#	ARTICLE	IF	CITATIONS
584	A Likelihood Method for Detecting Trait-Dependent Shifts in the Rate of Molecular Evolution. <i>Molecular Biology and Evolution</i> , 2011, 28, 759-770.	3.5	34
585	Tectonic calibrations in molecular dating. <i>Environmental Epigenetics</i> , 2011, 57, 116-124.	0.9	60
586	<i>Acheilognathus changtingensis</i> sp. nov., a New Species of the Cyprinid Genus <i>Acheilognathus</i> (Teleostei: Cyprinidae) from Southeastern China Based on Morphological and Molecular Evidence. <i>Zoological Science</i> , 2011, 28, 158-167.	0.3	12
587	Evolution of Pollen/Ovule Ratios and Breeding System in <i>Erodium</i> (Geraniaceae). <i>Systematic Botany</i> , 2011, 36, 661-676.	0.2	19
588	C4 eudicots are not younger than C4 monocots. <i>Journal of Experimental Botany</i> , 2011, 62, 3171-3181.	2.4	115
589	A Phylogenetic Model for Investigating Correlated Evolution of Substitution Rates and Continuous Phenotypic Characters. <i>Molecular Biology and Evolution</i> , 2011, 28, 729-744.	3.5	193
590	Evolution of Modern Birds Revealed by Mitogenomics: Timing the Radiation and Origin of Major Orders. <i>Molecular Biology and Evolution</i> , 2011, 28, 1927-1942.	3.5	211
591	The Permian–Triassic mass extinction forces the radiation of the modern marine phytoplankton. <i>Phycologia</i> , 2011, 50, 684-693.	0.6	14
592	Time-calibrated phylogeny of the woody Australian genus <i>Hakea</i> (Proteaceae) supports multiple origins of insect-pollination among bird-pollinated ancestors. <i>American Journal of Botany</i> , 2012, 99, 472-487.	0.8	37
593	Vertebrate time-tree elucidates the biogeographic pattern of a major biotic change around the Cretaceous boundary in Madagascar. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 5358-5363.	3.3	136
594	A Dirichlet Process Prior for Estimating Lineage-Specific Substitution Rates. <i>Molecular Biology and Evolution</i> , 2012, 29, 939-955.	3.5	98
595	Impact of the Partitioning Scheme on Divergence Times Inferred from Mammalian Genomic Data Sets. <i>Evolutionary Bioinformatics</i> , 2012, 8, EBO.S9627.	0.6	7
596	Mitochondrial genomes and divergence times of crocodile newts: Inter-islands distribution of <i>Echinotriton andersoni</i> and the origin of a unique repetitive sequence found in <i>Tylosotriton</i> mt genomes. <i>Genes and Genetic Systems</i> , 2012, 87, 39-51.	0.2	17
597	Genetic diversity and molecular epidemiology of HIV transmission. <i>Future Virology</i> , 2012, 7, 239-252.	0.9	11
598	Phylogeny and classification of whirligig beetles (Coleoptera: Gyrinidae): relaxed-clock model outperforms parsimony and time-free Bayesian analyses. <i>Systematic Entomology</i> , 2012, 37, 706-746.	1.7	41
599	Miocene and Pliocene dominated diversification of the lichen-forming fungal genus <i>Melanohalea</i> (Parmeliaceae, Ascomycota) and Pleistocene population expansions. <i>BMC Evolutionary Biology</i> , 2012, 12, 176.	3.2	62
600	Estimating divergence times in large molecular phylogenies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 19333-19338.	3.3	530
601	Miocene divergence, phenotypically cryptic lineages, and contrasting distribution patterns in common lichen-forming fungi (Ascomycota: Parmeliaceae). <i>Biological Journal of the Linnean Society</i> , 2012, 107, 920-937.	0.7	64

#	ARTICLE	IF	CITATIONS
602	Species delimitation and digit number in a <i>North African skink</i> . <i>Ecology and Evolution</i> , 2012, 2, 2962-2973.	0.8	9
603	MrBayes 3.2: Efficient Bayesian Phylogenetic Inference and Model Choice Across a Large Model Space. <i>Systematic Biology</i> , 2012, 61, 539-542.	2.7	20,458
604	A Total-Evidence Approach to Dating with Fossils, Applied to the Early Radiation of the Hymenoptera. <i>Systematic Biology</i> , 2012, 61, 973-999.	2.7	742
605	Pollination, biogeography and phylogeny of oceanic island bellflowers (Campanulaceae). <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2012, 14, 169-182.	1.1	36
606	Species identification in the taxonomically neglected, highly diverse, neotropical parasitoid wasp genus <i>Notiospathius</i> (Braconidae: Doryctinae) based on an integrative molecular and morphological approach. <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 485-495.	1.2	72
607	Dating cryptodiran nodes: Origin and diversification of the turtle superfamily Testudinoidea. <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 496-507.	1.2	63
608	Molecular phylogenetics unveils the ancient evolutionary origins of the enigmatic fairy armadillos. <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 673-680.	1.2	90
609	Mountain-associated clade endemism in an ancient frog family (Nyctibatrachidae) on the Indian subcontinent. <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 839-847.	1.2	50
610	Monophyly, divergence times, and evolution of host plant use inferred from a revised phylogeny of the <i>Drosophila repleta</i> species group. <i>Molecular Phylogenetics and Evolution</i> , 2012, 64, 533-544.	1.2	96
611	Molecular Phylogeny and Evolution in Primates. <i>Primate Monographs</i> , 2012, 65, 243-267.	0.8	12
612	Age of the last common ancestor of extant <i>Plasmodium</i> parasite lineages. <i>Gene</i> , 2012, 502, 36-39.	1.0	7
613	Evolutionary and biogeographic history of weasel-like carnivorans (Musteloidea). <i>Molecular Phylogenetics and Evolution</i> , 2012, 63, 745-757.	1.2	144
614	The origin of modern frogs (Neobatrachia) was accompanied by acceleration in mitochondrial and nuclear substitution rates. <i>BMC Genomics</i> , 2012, 13, 626.	1.2	53
615	Systematic position of <i>Pinus henryi</i> (Pinaceae) as revealed by multiple evidence. <i>Nordic Journal of Botany</i> , 2012, 30, 671-679.	0.2	2
616	Phylogeny of halictine bees supports a shared origin of eusociality for <i>Halictus</i> and <i>Lasioglossum</i> (Apoidea: Anthophila: Halictidae). <i>Molecular Phylogenetics and Evolution</i> , 2012, 65, 926-939.	1.2	137
617	Weak genetic divergence between the two South American toad-headed turtles <i>Mesoclemmys dahli</i> and <i>M. zuliae</i> (Testudines: Pleurodira: Chelidae). <i>Amphibia - Reptilia</i> , 2012, 33, 373-385.	0.1	9
619	From the Himalayan region or the Malay Archipelago: Molecular dating to trace the origin of a fern genus <i>Phymatopteris</i> (Polypodiaceae). <i>Science Bulletin</i> , 2012, 57, 4569-4577.	1.7	8
620	When Did Decapods Invade Hydrothermal Vents? Clues from the Western Pacific and Indian Oceans. <i>Molecular Biology and Evolution</i> , 2012, 30, 305-309.	3.5	45

#	ARTICLE	IF	CITATIONS
621	Estimating divergence dates and evaluating dating methods using phylogenomic and mitochondrial data in squamate reptiles. <i>Molecular Phylogenetics and Evolution</i> , 2012, 65, 974-991.	1.2	141
622	Molecular phylogeny of microhylid frogs (Anura: Microhylidae) with emphasis on relationships among New World genera. <i>BMC Evolutionary Biology</i> , 2012, 12, 241.	3.2	72
623	The Development of Three Long Universal Nuclear Protein-Coding Locus Markers and Their Application to Osteichthyan Phylogenetics with Nested PCR. <i>PLoS ONE</i> , 2012, 7, e39256.	1.1	28
624	Macroevolutionary Dynamics and Historical Biogeography of Primate Diversification Inferred from a Species Supermatrix. <i>PLoS ONE</i> , 2012, 7, e49521.	1.1	447
625	Recent progress in paleontological methods for dating the Tree of Life. <i>Frontiers in Genetics</i> , 2012, 3, 130.	1.1	23
626	<i>Vincetoxicum</i> and <i>Tylophora</i> (Apocynaceae: Asclepiadoideae: Asclepiadeae) – two sides of the same medal: Independent shifts from tropical to temperate habitats. <i>Taxon</i> , 2012, 61, 803-825.	0.4	26
627	Rocking clocks and clocking rocks: a critical look at divergence time estimation in mammals. , 0, , 38-82.		5
628	Menispermaceae and the diversification of tropical rainforests near the Cretaceous-Paleogene boundary. <i>New Phytologist</i> , 2012, 195, 470-478.	3.5	80
629	Distribution of living Cupressaceae reflects the breakup of Pangea. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7793-7798.	3.3	236
630	Evidence for a convergent slowdown in primate molecular rates and its implications for the timing of early primate evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 6006-6011.	3.3	120
631	A maximum likelihood approach to generate hypotheses on the evolution and historical biogeography in the Lower Volga Valley regions (southwest Russia). <i>Ecology and Evolution</i> , 2012, 2, 1765-1779.	0.8	4
632	Incorrect handling of calibration information in divergence time inference: an example from volcanic islands. <i>Ecology and Evolution</i> , 2012, 2, 493-500.	0.8	10
633	Genome sequence of foxtail millet ( <i>Setaria italica</i> ) provides insights into grass evolution and biofuel potential. <i>Nature Biotechnology</i> , 2012, 30, 549-554.	9.4	636
634	Phylogeny and divergence time estimation of <i>Coreoleuciscus splendidus</i> populations (Teleostei: Tj ETQq1 1 0.784314 rgBT /Overlock 34, 149-156.	0.5	9
635	Molecular phylogeny of an endemic radiation of Cuban toads (Bufonidae: <i>Peltophryne</i> ) based on mitochondrial and nuclear genes. <i>Journal of Biogeography</i> , 2012, 39, 434-451.	1.4	78
636	Marine dispersal as a prerequisite for Gondwanan vicariance among elements of the galaxiid fish fauna. <i>Journal of Biogeography</i> , 2012, 39, 306-321.	1.4	75
637	RECONSTRUCTING THE ORIGINS OF HIGH-ALPINE NICHES AND CUSHION LIFE FORM IN THE GENUS ANDROSACE S.L. (PRIMULACEAE). <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 1255-1268.	1.1	69
638	Dating clades with fossils and molecules: the case of Annonaceae. <i>Botanical Journal of the Linnean Society</i> , 2012, 169, 84-116.	0.8	74

#	ARTICLE	IF	CITATIONS
639	Phylogeny and speciation time estimation of two Koreocobitis species (Teleostei; Cypriniformes; Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 Genomics, 2012, 34, 35-42.	0.5	10
640	Molecular analyses of ostracod fossils from Lake Baikal and Lake Tanganyika. Hydrobiologia, 2012, 682, 91-110.	1.0	36
641	Molecular phylogeny of rhynchonellide articulate brachiopods (Brachiopoda, Rhynchonellida). Journal of Paleontology, 2013, 87, 211-216.	0.5	14
642	The linking of plate tectonics and evolutionary divergence. Current Biology, 2013, 23, R603-R605.	1.8	14
643	Efficient Sequencing of Anuran mtDNAs and a Mitogenomic Exploration of the Phylogeny and Evolution of Frogs. Molecular Biology and Evolution, 2013, 30, 1899-1915.	3.5	167
644	Rerooting the rDNA gene tree reveals phoronids to be "brachiopods without shells"; dangers of wide taxon samples in metazoan phylogenetics (Phoronida; Brachiopoda). Zoological Journal of the Linnean Society, 2013, 167, 82-92.	1.0	43
645	Inferring recent historic abundance from current genetic diversity. Molecular Ecology, 2013, 22, 22-40.	2.0	40
646	Building megaphylogenies for macroecology: taking up the challenge. Ecography, 2013, 36, 13-26.	2.1	79
648	Timetree of Aselloidea Reveals Species Diversification Dynamics in Groundwater. Systematic Biology, 2013, 62, 512-522.	2.7	55
649	The lemur revolution starts now: The genomic coming of age for a non-model organism. Molecular Phylogenetics and Evolution, 2013, 66, 442-452.	1.2	18
650	Molecular dating of phylogenies by likelihood methods: A comparison of models and a new information criterion. Molecular Phylogenetics and Evolution, 2013, 67, 436-444.	1.2	157
651	Species Spectral Signature: Discriminating closely related plant species in the Amazon with Near-Infrared Leaf-Spectroscopy. Forest Ecology and Management, 2013, 291, 240-248.	1.4	91
652	Multilocus estimation of divergence times and ancestral effective population sizes of <i>Oryza</i> species and implications for the rapid diversification of the genus. New Phytologist, 2013, 198, 1155-1164.	3.5	43
653	Tracing the history and biogeography of the Australian blindsnake radiation. Journal of Biogeography, 2013, 40, 928-937.	1.4	23
654	Phylogenetic Relationships and Molecular Dating of the Major Groups of Catfishes of the Neotropical Superfamily Pimelodoidea (Teleostei, Siluriformes). Proceedings of the Academy of Natural Sciences of Philadelphia, 2013, 162, 89-110.	1.3	40
655	The rediscovered Hula painted frog is a living fossil. Nature Communications, 2013, 4, 1959.	5.8	55
656	Replicated radiations of the alpine genus <i>Androsace</i> (Primulaceae) driven by range expansion and convergent key innovations. Journal of Biogeography, 2013, 40, 1874-1886.	1.4	57
657	Boosting the Performance of Bayesian Divergence Time Estimation with the Phylogenetic Likelihood Library. , 2013, , .		6

#	ARTICLE	IF	CITATIONS
658	Molecular phylogeny of <i>Koenigia</i> L. (Polygonaceae: Persicarieae): Implications for classification, character evolution and biogeography. <i>Molecular Phylogenetics and Evolution</i> , 2013, 69, 1093-1100.	1.2	25
659	Biogeography: Where do we go from here?. <i>Taxon</i> , 2013, 62, 912-927.	0.4	60
660	Undersampling Taxa Will Underestimate Molecular Divergence Dates: An Example from the South American Lizard Clade Liolaemini. <i>International Journal of Evolutionary Biology</i> , 2013, 2013, 1-12.	1.0	36
661	Tracking the impact of Pliocene/Pleistocene sea level and climatic oscillations on the cladogenesis of the Cape legless skink, <i>Acontias meleagris</i> species complex, in South Africa. <i>Journal of Biogeography</i> , 2013, 40, 492-506.	1.4	23
662	Genetic structure of <i>Ipomoea imperati</i> (Convolvulaceae) in the Mediterranean region and implications for its conservation. <i>Phytotaxa</i> , 2013, 141, 40.	0.1	10
663	Domestication Process of the Goat Revealed by an Analysis of the Nearly Complete Mitochondrial Protein-Encoding Genes. <i>PLoS ONE</i> , 2013, 8, e67775.	1.1	48
664	Linguistic Phylogenies Support Back-Migration from Beringia to Asia. <i>PLoS ONE</i> , 2014, 9, e91722.	1.1	47
665	Performance of genomic data sets on the estimation of the divergence time of New World and Old World anthropoids. <i>Genetics and Molecular Research</i> , 2014, 13, 1425-1437.	0.3	0
666	Relationships of North American members of <i>Rhodiola</i> (Crassulaceae). <i>Botany</i> , 2014, 92, 901-910.	0.5	5
667	A molecular phylogenetic study of <i>Hylomyscus</i> (Rodentia: Sciuridae) inferred from mitochondrial cytochrome-b gene. <i>Biologia (Poland)</i> , 2014, 69, 1777-1783.	0.8	3
668	The fossilized birth-death process for coherent calibration of divergence-time estimates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2957-66.	3.3	612
669	Dating the diversification of the major lineages of Passeriformes (Aves). <i>BMC Evolutionary Biology</i> , 2014, 14, 8.	3.2	57
670	Inside the Melanoplinae: New molecular evidence for the evolutionary history of the Eurasian Podismini (Orthoptera: Acrididae). <i>Molecular Phylogenetics and Evolution</i> , 2014, 71, 224-233.	1.2	15
671	Primate phylogenetic relationships and divergence dates inferred from complete mitochondrial genomes. <i>Molecular Phylogenetics and Evolution</i> , 2014, 75, 165-183.	1.2	260
672	The Molecular Clock. , 2014, , 55-61.		0
673	The influence of ignoring secondary structure on divergence time estimates from ribosomal RNA genes. <i>Molecular Phylogenetics and Evolution</i> , 2014, 71, 214-223.	1.2	2
674	The earliest known longhorn beetle (Cerambycidae: Prioninae) and implications for the early evolution of Chrysomeloidea. <i>Journal of Systematic Palaeontology</i> , 2014, 12, 565-574.	0.6	41
675	Delphinid systematics and biogeography with a focus on the current genus <i>Lagenorhynchus</i> : Multiple pathways for antitropical and trans-oceanic radiation. <i>Molecular Phylogenetics and Evolution</i> , 2014, 80, 217-230.	1.2	34

#	ARTICLE	IF	CITATIONS
676	Molecular phylogeny, systematics and morphological evolution of the acorn barnacles (Thoracica: Tj ETQq0 0 0 rgBT, /Overlock 10 Tf 50	1.2	40
677	Transcriptome analysis reveals positive selection on the divergent between topmouth culter and zebrafish. <i>Gene</i> , 2014, 552, 265-271.	1.0	17
678	The changing face of the molecular evolutionary clock. <i>Trends in Ecology and Evolution</i> , 2014, 29, 496-503.	4.2	110
679	Ancient dates or accelerated rates? Morphological clocks and the antiquity of placental mammals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20141278.	1.2	103
680	Congruence test of molecular clock calibration hypotheses based on <sc>B</sc> ayes factor comparisons. <i>Methods in Ecology and Evolution</i> , 2014, 5, 226-242.	2.2	21
681	Molecular clock methods for estimating evolutionary rates and timescales. <i>Molecular Ecology</i> , 2014, 23, 5947-5965.	2.0	290
682	Prospects for Building Large Timetrees Using Molecular Data with Incomplete Gene Coverage among Species. <i>Molecular Biology and Evolution</i> , 2014, 31, 2542-2550.	3.5	57
683	Integrating coalescent and phylogenetic approaches to delimit species in the lichen photobiont <i>Trebouxia</i> . <i>Molecular Phylogenetics and Evolution</i> , 2014, 76, 202-210.	1.2	42
685	Tree imbalance causes a bias in phylogenetic estimation of evolutionary timescales using heterochronous sequences. <i>Molecular Ecology Resources</i> , 2015, 15, 785-794.	2.2	39
686	The <i>Glycine max</i> cv. Enrei Genome for Improvement of Japanese Soybean Cultivars. <i>International Journal of Genomics</i> , 2015, 2015, 1-8.	0.8	40
687	Phylogenetics, divergence times and diversification from three genomic partitions in monocots. <i>Botanical Journal of the Linnean Society</i> , 2015, 178, 375-393.	0.8	81
688	Positive selection effects on the biochemical properties of fish pyroglutamylated RFamide peptide receptor (QRFPR). <i>Italian Journal of Zoology</i> , 2015, 82, 460-472.	0.6	3
689	Characterization of the Uncertainty of Divergence Time Estimation under Relaxed Molecular Clock Models Using Multiple Loci. <i>Systematic Biology</i> , 2015, 64, 267-280.	2.7	70
690	Analyses of the mitochondrial genome of <i>Leiopelma hochstetteri</i> argues against the full drowning of New Zealand. <i>Journal of Biogeography</i> , 2015, 42, 1066-1076.	1.4	18
691	Between a Rock and a Hard Place: Applications of the "Molecular Clock" in Systematic Biology. <i>Systematic Botany</i> , 2015, 40, 6-13.	0.2	12
692	Recognition of seven species in the <i>Cryptococcus gattii</i> / <i>Cryptococcus neoformans</i> species complex. <i>Fungal Genetics and Biology</i> , 2015, 78, 16-48.	0.9	590
693	Positive selection effects on the biochemical properties of mammal pyroglutamylated RFamide peptide receptor (QRFPR). <i>Italian Journal of Zoology</i> , 2015, 82, 309-326.	0.6	4
694	Bayesian analysis of a morphological supermatrix sheds light on controversial fossil hominin relationships. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20150943.	1.2	107

#	ARTICLE	IF	CITATIONS
695	The radish genome and comprehensive gene expression profile of tuberous root formation and development. <i>Scientific Reports</i> , 2015, 5, 10835.	1.6	154
696	Calibrated Birth-Death Phylogenetic Time-Tree Priors for Bayesian Inference. <i>Systematic Biology</i> , 2015, 64, 369-383.	2.7	48
697	Relaxing the Molecular Clock to Different Degrees for Different Substitution Types. <i>Molecular Biology and Evolution</i> , 2015, 32, 1948-1961.	3.5	7
698	The Sahul-Sunda floristic exchange: dated molecular phylogenies document Cenozoic intercontinental dispersal dynamics. <i>Journal of Biogeography</i> , 2015, 42, 11-24.	1.4	102
699	Paraphyly changes understanding of timing and tempo of diversification in subtribe Hakeinae (Proteaceae), a giant Australian plant radiation. <i>American Journal of Botany</i> , 2015, 102, 1634-1646.	0.8	27
700	A reinvestigation of phylogeny and divergence times of Hynobiidae (Amphibia, Caudata) based on 29 nuclear genes. <i>Molecular Phylogenetics and Evolution</i> , 2015, 83, 1-6.	1.2	26
701	Methods for the Quantitative Comparison of Molecular Estimates of Clade Age and the Fossil Record. <i>Systematic Biology</i> , 2015, 64, 25-41.	2.7	7
702	Phylogeographic history of the woodwardioid ferns, including species from the Himalayas. <i>Palaeoworld</i> , 2016, 25, 318-324.	0.5	12
703	Consequences of Secondary Calibrations on Divergence Time Estimates. <i>PLoS ONE</i> , 2016, 11, e0148228.	1.1	141
704	Multilocus Phylogeography and Species Delimitation in the Cumberland Plateau Salamander, <i>Plethodon kentucki</i> : Incongruence among Data Sets and Methods. <i>PLoS ONE</i> , 2016, 11, e0150022.	1.1	20
705	Early Gnathostome Phylogeny Revisited: Multiple Method Consensus. <i>PLoS ONE</i> , 2016, 11, e0163157.	1.1	54
706	Phylogenetic Position and Molecular Chronology of a Colonial Green Flagellate, <i>Stephanosphaera pluvialis</i> (Volvocales, Chlorophyceae), among Unicellular Algae. <i>Journal of Eukaryotic Microbiology</i> , 2016, 63, 340-348.	0.8	14
707	Divergence time estimates and the evolution of major lineages in the florideophyte red algae. <i>Scientific Reports</i> , 2016, 6, 21361.	1.6	139
708	Mitogenomic phylogeny, diversification, and biogeography of South American spiny rats. <i>Molecular Biology and Evolution</i> , 2017, 34, msw261.	3.5	40
709	Phylogeny and Divergence Times of Lemurs Inferred with Recent and Ancient Fossils in the Tree. <i>Systematic Biology</i> , 2016, 65, 772-791.	2.7	141
710	Molecular and morphological phylogenetics of chelonine parasitoid wasps (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Evolution, 2016, 101, 224-241.	1.2	27
711	The origin and divergence of Gobioninae fishes (Teleostei: Cyprinidae) based on complete mitochondrial genome sequences. <i>Journal of Applied Ichthyology</i> , 2016, 32, 32-39.	0.3	10
712	Molecular phylogeny of the horse flies: a framework for renewing tabanid taxonomy. <i>Systematic Entomology</i> , 2016, 41, 56-72.	1.7	34



#	ARTICLE	IF	CITATIONS
713	RevBayes: Bayesian Phylogenetic Inference Using Graphical Models and an Interactive Model-Specification Language. <i>Systematic Biology</i> , 2016, 65, 726-736.	2.7	538
714	A mixed relaxed clock model. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150132.	1.8	48
715	Grouping substitution types into different relaxed molecular clocks. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150141.	1.8	1
716	The evolution of methods for establishing evolutionary timescales. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20160020.	1.8	79
717	Linking the seroresponse to infection to within-host heterogeneity in antibody production. <i>Epidemics</i> , 2016, 16, 33-39.	1.5	50
719	The evolutionary relationships and age of <i>Homo naledi</i> : An assessment using dated Bayesian phylogenetic methods. <i>Journal of Human Evolution</i> , 2016, 97, 17-26.	1.3	107
720	Diversification of Sisorid catfishes (Teleostei: Siluriformes) in relation to the orogeny of the Himalayan Plateau. <i>Science Bulletin</i> , 2016, 61, 991-1002.	4.3	5
721	Fast Dating Using Least-Squares Criteria and Algorithms. <i>Systematic Biology</i> , 2016, 65, 82-97.	2.7	336
722	Geomolecular Dating and the Origin of Placental Mammals. <i>Systematic Biology</i> , 2016, 65, 546-557.	2.7	61
723	Puzzling rocks and complicated clocks: how to optimize molecular dating approaches in historical phytogeography. <i>New Phytologist</i> , 2016, 209, 1353-1358.	3.5	10
724	Bayesian molecular clock dating of species divergences in the genomics era. <i>Nature Reviews Genetics</i> , 2016, 17, 71-80.	7.7	244
725	The Antarctic Circumpolar Current as a diversification trigger for deep-sea octocorals. <i>BMC Evolutionary Biology</i> , 2016, 16, 2.	3.2	32
726	Phylogeny of the Ampelocissus/Vitis clade in Vitaceae supports the New World origin of the grape genus. <i>Molecular Phylogenetics and Evolution</i> , 2016, 95, 217-228.	1.2	81
727	Inflation of Molecular Clock Rates and Dates: Molecular Phylogenetics, Biogeography, and Diversification of a Global Cicada Radiation from Australasia (Hemiptera: Cicadidae: Cicadettini). <i>Systematic Biology</i> , 2016, 65, 16-34.	2.7	48
728	Total-Evidence Dating under the Fossilized Birth-Death Process. <i>Systematic Biology</i> , 2016, 65, 228-249.	2.7	304
729	Enlarged Multilocus Data set Provides Surprisingly Younger Time of Origin for the Plethodontidae, the Largest Family of Salamanders. <i>Systematic Biology</i> , 2016, 65, 66-81.	2.7	64
730	Multi-locus phylogeny and divergence time estimates of <i>Enallagma</i> damselflies (Odonata: Libellulidae). <i>Systematic Biology</i> , 2016, 65, 102-110.	1.2	23
731	The genera <i>Melanothamnus</i> Bornet & Falkenberg and <i>Vertebrata</i> S.F. Gray constitute well-defined clades of the red algal tribe Polysiphonieae (Rhodomelaceae, Ceramiales). <i>European Journal of Phycology</i> , 2017, 52, 1-30.	0.9	51

#	ARTICLE	IF	CITATIONS
732	StarBEAST2 Brings Faster Species Tree Inference and Accurate Estimates of Substitution Rates. <i>Molecular Biology and Evolution</i> , 2017, 34, 2101-2114.	3.5	371
733	Gecko phylogeography in the Western Indian Ocean region: the oldest clade of <i>Ebenavia inunguis</i> lives on the youngest island. <i>Journal of Biogeography</i> , 2017, 44, 409-420.	1.4	26
734	Evolutionary and Functional Mitogenomics Associated With the Genetic Restoration of the Florida Panther. <i>Journal of Heredity</i> , 2017, 108, 449-455.	1.0	9
735	Rates of Molecular Evolution Suggest Natural History of Life History Traits and a Post-K-Pg Nocturnal Bottleneck of Placentals. <i>Current Biology</i> , 2017, 27, 3025-3033.e5.	1.8	51
736	Tip-dated phylogeny of whirligig beetles reveals ancient lineage surviving on Madagascar. <i>Scientific Reports</i> , 2017, 7, 8619.	1.6	29
737	Mitogenome Sequencing in the Genus <i>Camelus</i> Reveals Evidence for Purifying Selection and Long-term Divergence between Wild and Domestic Bactrian Camels. <i>Scientific Reports</i> , 2017, 7, 9970.	1.6	45
738	Rates of Mutation and Recombination in Siphoviridae Phage Genome Evolution over Three Decades. <i>Molecular Biology and Evolution</i> , 2018, 35, 1147-1159.	3.5	61
739	The joint evolution of the Myxozoa and their alternate hosts: A cnidarian recipe for success and vast biodiversity. <i>Molecular Ecology</i> , 2018, 27, 1651-1666.	2.0	101
740	Out of the Antilles: Fossil phylogenies support reverse colonization of bats to South America. <i>Journal of Biogeography</i> , 2018, 45, 859-873.	1.4	26
741	Appropriate fossil calibrations and tree constraints uphold the Mesozoic divergence of solenodons from other extant mammals. <i>Molecular Phylogenetics and Evolution</i> , 2018, 121, 158-165.	1.2	31
742	Bayesian Inference of Species Networks from Multilocus Sequence Data. <i>Molecular Biology and Evolution</i> , 2018, 35, 504-517.	3.5	158
743	Using Phylogenomic Data to Explore the Effects of Relaxed Clocks and Calibration Strategies on Divergence Time Estimation: Primates as a Test Case. <i>Systematic Biology</i> , 2018, 67, 594-615.	2.7	143
744	Allegory of a cave crustacean: systematic and biogeographic reality of <i>Halosbaena</i> (Peracarida: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 26 1185-1202.	0.3	19
745	An Evaluation of Different Partitioning Strategies for Bayesian Estimation of Species Divergence Times. <i>Systematic Biology</i> , 2018, 67, 61-77.	2.7	32
746	The Past Sure is Tense: On Interpreting Phylogenetic Divergence Time Estimates. <i>Systematic Biology</i> , 2018, 67, 340-353.	2.7	67
747	Paleontology and Molecular Dating. <i>Zoological Monographs</i> , 2018, , 131-143.	1.1	6
748	The first set of universal nuclear protein-coding loci markers for avian phylogenetic and population genetic studies. <i>Scientific Reports</i> , 2018, 8, 15723.	1.6	16
749	Narrow thermal tolerance and low dispersal drive higher speciation in tropical mountains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 12471-12476.	3.3	161

#	ARTICLE	IF	CITATIONS
750	So many genes, so little time: A practical approach to divergence-time estimation in the genomic era. PLoS ONE, 2018, 13, e0197433.	1.1	167
751	Global Rate Variation in Bony Vertebrates. Genome Biology and Evolution, 2018, 10, 1803-1815.	1.1	28
752	Revision of Pazala Moore, 1888: The Graphium (Pazala) mandarinus (Oberthür, 1879) Group, with Treatments of Known Taxa and Descriptions of New Species and New Subspecies (Lepidoptera: Tj ETQq0 0 0 rgBT /Qverlock10 Tf 50 63	0.2	10
753	Flatfish monophyly refereed by the relationship of Psettodes in Carangimorphariae. BMC Genomics, 2018, 19, 400.	1.2	18
754	Rare coral under the genomic microscope: timing and relationships among Hawaiian Montipora. BMC Evolutionary Biology, 2019, 19, 153.	3.2	16
755	Phylogenomic Reconstruction of the Neotropical Poison Frogs (Dendrobatidae) and Their Conservation. Diversity, 2019, 11, 126.	0.7	23
756	Origin of horsetails and the role of whole-genome duplication in plant macroevolution. Proceedings of the Royal Society B: Biological Sciences, 2019, 286, 20191662.	1.2	17
757	The Estimated Pacemaker for Great Apes Supports the Hominoid Slowdown Hypothesis. Evolutionary Bioinformatics, 2019, 15, 117693431985598.	0.6	3
758	Complete chloroplast genome sequence and phylogenetic analysis of <i>Sinojackia sarcocarpa</i> , an endemic plant in Southwest China. Mitochondrial DNA Part B: Resources, 2019, 4, 1350-1351.	0.2	5
759	Large-scale ruminant genome sequencing provides insights into their evolution and distinct traits. Science, 2019, 364, .	6.0	266
760	Locating uncertainty in stochastic evolutionary models: divergence time estimation. Biology and Philosophy, 2019, 34, 1.	0.7	0
761	<code>FossilSim</code> : An <code>r</code> package for simulating fossil occurrence data under mechanistic models of preservation and recovery. Methods in Ecology and Evolution, 2019, 10, 835-840.	2.2	27
762	Digging for the spiny rat and hutia phylogeny using a gene capture approach, with the description of a new mammal subfamily. Molecular Phylogenetics and Evolution, 2019, 136, 241-253.	1.2	32
763	Parallel Miocene dispersal events explain the cosmopolitan distribution of the Hypogymnioid lichens. Journal of Biogeography, 2019, 46, 945-955.	1.4	6
764	Pleistocene range expansions might explain striking disjunctions between eastern Brazil, Andes and Mesoamerica in <i>Leandra</i> s.str. (Melastomataceae). Journal of Systematics and Evolution, 2019, 57, 646-654.	1.6	12
765	A New Species of the Graphium (Pazala) mandarinus Group from Central Vietnam (Lepidoptera: Tj ETQq1 1 0.784314 rgBT /Qverlock10 Tf 50 63	0.2	9
766	Exploring the evolution and terrestrialization of scorpions (Arachnida: Scorpiones) with rocks and clocks. Organisms Diversity and Evolution, 2019, 19, 71-86.	0.7	33
767	A new mid-Cretaceous cockroach of stem Nocticolidae and reestimating the age of Corydioidea (Dictyoptera: Blattodea). Cretaceous Research, 2020, 106, 104202.	0.6	17

#	ARTICLE	IF	CITATIONS
768	A Nearly Complete Juvenile Skull of the Marsupial <i>Sparassocynus derivatus</i> from the Pliocene of Argentina, the Affinities of <i>Sparassocynids</i> , and the Diversification of Opossums (Marsupialia); <i>TJ ETQq0 0 0 rgt /Overlock 10 Tf</i>		
769	Paleogene mammalian fauna exchanges and the paleogeographic pattern in Asia. <i>Science China Earth Sciences</i> , 2020, 63, 202-211.	2.3	16
770	The phylogeny of the African wood mice (Muridae, <i>Hylomyscus</i> ) based on complete mitochondrial genomes and five nuclear genes reveals their evolutionary history and undescribed diversity. <i>Molecular Phylogenetics and Evolution</i> , 2020, 144, 106703.	1.2	35
771	Deep Neighbor Information Learning From Evolution Trees for Phylogenetic Likelihood Estimates. <i>IEEE Access</i> , 2020, 8, 220692-220702.	2.6	4
772	Sphenodontian phylogeny and the impact of model choice in Bayesian morphological clock estimates of divergence times and evolutionary rates. <i>BMC Biology</i> , 2020, 18, 191.	1.7	40
773	Heterogeneity in the rate of molecular sequence evolution substantially impacts the accuracy of detecting shifts in diversification rates. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 1620-1639.	1.1	12
774	Animal Disease Surveillance in the 21st Century: Applications and Robustness of Phylodynamic Methods in Recent U.S. Human-Like H3 Swine Influenza Outbreaks. <i>Frontiers in Veterinary Science</i> , 2020, 7, 176.	0.9	1
775	Revision of <i>Pazala Moore, 1888: The Graphium (Pazala) alebion and G. (P.) tamerlanus</i> Groups, with Notes on Taxonomic and Distribution Confusions (Lepidoptera: Papilionidae). <i>Zootaxa</i> , 2020, 4759, zootaxa.4759.1.5.	0.2	7
776	Comparison of DNA extraction methods for non-marine molluscs: is modified CTAB DNA extraction method more efficient than DNA extraction kits?. <i>3 Biotech</i> , 2020, 10, 69.	1.1	21
777	Quantifying the Error of Secondary vs. Distant Primary Calibrations in a Simulated Environment. <i>Frontiers in Genetics</i> , 2020, 11, 252.	1.1	17
778	Dasycerine rove beetles: Cretaceous diversification, phylogeny and historical biogeography (Coleoptera: Staphylinidae: Dasycerinae). <i>Cladistics</i> , 2021, 37, 185-210.	1.5	11
780	Biogeography and genome size evolution of the oldest extant vascular plant genus, <i>Equisetum</i> (Equisetaceae). <i>Annals of Botany</i> , 2021, 127, 681-695.	1.4	9
781	Morphology and Bayesian tip-dating recover deep Cretaceous-age divergences among major chrysidid lineages (Hymenoptera: Chrysididae). <i>Zoological Journal of the Linnean Society</i> , 2022, 194, 36-79.	1.0	11
782	Inferring the Total-Evidence Timescale of Marattialean Fern Evolution in the Face of Model Sensitivity. <i>Systematic Biology</i> , 2021, 70, 1232-1255.	2.7	25
783	Inferring Long-Term Effective Population Size with Mutation-Selection Models. <i>Molecular Biology and Evolution</i> , 2021, 38, 4573-4587.	3.5	10
784	Comparative genetics of scyphozoan species reveals the geological history and contemporary processes of the Mediterranean Sea. <i>Ecology and Evolution</i> , 2021, 11, 10303-10319.	0.8	1
785	Pedigree-based and phylogenetic methods support surprising patterns of mutation rate and spectrum in the gray mouse lemur. <i>Heredity</i> , 2021, 127, 233-244.	1.2	30
786	New uses for old phylogenies. <i>Computational Biology</i> , 2004, , 3-14.	0.1	7

#	ARTICLE	IF	CITATIONS
787	Detecting Diversification Rate Variation in Supertrees. <i>Computational Biology</i> , 2004, , 487-533.	0.1	79
788	Total-Evidence Dating and the Fossilized Birth-Death Model. , 2020, , 175-193.		4
789	Calibrations from the Fossil Record. , 2020, , 117-133.		13
790	Studying Adaptive Radiation at the Molecular Level: A Case Study in the Macaronesian Crassulaceae-Sempervivoideae. , 2010, , 35-59.		2
791	A phylogenetic study of Haemocystidium parasites and other Haemosporida using complete mitochondrial genome sequences. <i>Infection, Genetics and Evolution</i> , 2020, 85, 104576.	1.0	9
794	Phylogenetic linguistic evidence and the Dene-Yeniseian homeland. <i>Diachronica</i> , 2020, 37, 410-446.	0.2	4
796	Phylogeny reconstruction: overview. , 2006, , 73-99.		1
797	Maximum likelihood methods. , 2006, , 100-144.		3
798	Bayesian methods. , 2006, , 145-184.		1
799	Neutral and adaptive protein evolution. , 2006, , 259-292.		6
800	Genomic, phylogenetic, and cell biological insights into metazoan origins. , 2009, , 24-32.		16
801	The mouth, the anus, and the blastopore-”open questions about questionable openings. , 2009, , 33-40.		21
802	Origins of metazoan body plans: the larval revolution. , 2009, , 43-51.		3
803	Assembling the spiralian tree of life. , 2009, , 52-64.		32
804	The origins and evolution of the Ecdysozoa. , 2009, , 71-79.		2
805	Deciphering deuterostome phylogeny: molecular, morphological, and palaeontological perspectives. , 2009, , 80-92.		5
806	Invertebrate Problematica: kinds, causes, and solutions. , 2009, , 107-126.		2
807	Improvement of molecular phylogenetic inference and the phylogeny of Bilateria. , 2009, , 127-138.		1

#	ARTICLE	IF	CITATIONS
808	Beyond linear sequence comparisons: the use of genome-level characters for phylogenetic reconstruction. , 2009, , 139-147.		1
809	The animal in the genome: comparative genomics and evolution. , 2009, , 148-156.		1
810	MicroRNAs and metazoan phylogeny: big trees from little genes. , 2009, , 157-170.		29
811	Reassembling animal evolution: a four-dimensional puzzle. , 2009, , 191-196.		2
816	Relaxed Molecular Clock Provides Evidence for Long-Distance Dispersal of Nothofagus (Southern) Tj ETQq0 0 0 rgBT JOverlock 10 Tf 50	2.6	177
817	Late Cretaceous Vicariance in Gondwanan Amphibians. PLoS ONE, 2006, 1, e74.	1.1	114
818	Marine Incursion: The Freshwater Herring of Lake Tanganyika Are the Product of a Marine Invasion into West Africa. PLoS ONE, 2008, 3, e1979.	1.1	35
819	Covariation of Branch Lengths in Phylogenies of Functionally Related Genes. PLoS ONE, 2009, 4, e8487.	1.1	5
820	Phylogenomic Analysis Resolves the Formerly Intractable Adaptive Diversification of the Endemic Clade of East Asian Cyprinidae (Cypriniformes). PLoS ONE, 2010, 5, e13508.	1.1	29
821	Paleogenetic Analyses Reveal Unsuspected Phylogenetic Affinities between Mice and the Extinct Malpaisomys insularis, an Endemic Rodent of the Canaries. PLoS ONE, 2012, 7, e31123.	1.1	17
822	Phylogenetic Relationships and Evolutionary Patterns of the Order Collodaria (Radiolaria). PLoS ONE, 2012, 7, e35775.	1.1	25
823	A Phylogenetic Perspective on the Evolution of Mediterranean Teleost Fishes. PLoS ONE, 2012, 7, e36443.	1.1	50
824	Using Phylogenetic and Coalescent Methods to Understand the Species Diversity in the Cladia aggregata Complex (Ascomycota, Lecanorales). PLoS ONE, 2012, 7, e52245.	1.1	56
825	In the Wake of Invasion: Tracing the Historical Biogeography of the South American Cricetid Radiation (Rodentia, Sigmodontinae). PLoS ONE, 2014, 9, e100687.	1.1	73
826	Phylogeography of the Central American lancehead Bothrops asper (SERPENTES: VIPERIDAE). PLoS ONE, 2017, 12, e0187969.	1.1	36
827	MOLECULAR ADVANCES IN THE STUDY OF GEOGRAPHIC VARIATION AND SPECIATION IN BIRDS. Ornithological Monographs, 2007, 63, 18.	1.3	4
828	A Review of the Effect of Relaxed Clock Method, Long Branches, Genes, and Calibrations in the Estimation of Angiosperm Age. Botanical Sciences, 2014, 92, 1-22.	0.3	25
829	A Large Evaluation of Passerine Cisticolids (Aves: Passeriformes): More About Their Phylogeny and Diversification. Open Ornithology Journal, 2012, 5, 42-56.	0.4	4

#	ARTICLE	IF	CITATIONS
830	Sixteen vetted fossil calibrations for divergence dating of Charadriiformes (Aves, Neognathae). <i>Palaeontologia Electronica</i> , 0, , .	0.9	11
832	Genetic diversity and geographic structure in <i>Aglaia elaeagnoidea</i> (Meliaceae). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf</i> <i>Blumea: Journal of Plant Taxonomy and Plant Geography</i> , 2009, 54, 207-216.	0.1	25
833	Evolution of the SEC1 gene in New World monkey lineages (Primates, Platyrrhini). <i>Genetics and Molecular Research</i> , 2008, 7, 663-678.	0.3	7
834	Gondwanan Vicariance or Dispersal in the Tropics? The Biogeographic History of the Tropical Monocot Family Costaceae (Zingiberales). <i>Aliso</i> , 2006, 22, 633-644.	0.4	13
835	Biogeography of Flowering Plants: A Case Study in Mignonettes (Resedaceae) and Sedges (Carex). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>		
836	Molecular and morphological analyses reveal cryptic crayfish invasions in the Appalachian Mountains. <i>Freshwater Crayfish</i> , 2015, 21, 51-62.	0.5	5
837	Models of amino acid and codon substitution. , 2006, , 40-70.		1
838	Models of nucleotide substitution. , 2006, , 3-39.		0
839	Simulating molecular evolution. , 2006, , 293-307.		7
841	Comparison of methods and tests on trees. , 2006, , 185-220.		0
842	Classification and Molecular Phylogeny. , 2007, , 95-125.		3
843	Conserved developmental processes and the evolution of novel traits: wounds, embryos, veins, and butterfly eyespots. , 2009, , 183-190.		0
844	The Ediacaran emergence of bilaterians: congruence between the genetic and the geological fossil records. , 2009, , 15-23.		0
845	The evolution of nervous system centralization. , 2009, , 65-70.		0
846	The evolution of developmental gene networks: lessons from comparative studies on holometabolous insects. , 2009, , 171-182.		0
847	The earliest fossil record of the animals and its significance. , 2009, , 3-14.		0
848	Molecular genetic insights into deuterostome evolution from the direct-developing hemichordate <i>Saccoglossus kowalevskii</i> . , 2009, , 93-104.		0
850	Key Transitions During Animal Phototransduction Evolution. , 2010, , 217-237.		1

#	ARTICLE	IF	CITATIONS
851	Matrilineal Genealogy of <i>Hynobius</i> (Caudata: Hynobiidae) and a Temporal Perspective on Varying Levels of Diversity among Lineages of Salamanders on the Japanese Islands. <i>Asian Herpetological Research</i> , 2013, 3, 288-302.	0.2	3
857	Bayesian Phylogenomic Dating. , 2020, , 221-249.		2
859	Clock Models for Evolution of Discrete Phenotypic Characters. , 2020, , 101-113.		2
862	New Diminutive Eocene Lizard Reveals High K-Pg Survivorship and Taxonomic Diversity of Stem Xenosaurs in North America. <i>American Museum Novitates</i> , 2022, 2022, .	0.2	0
863	An exceptionally preserved Sphenodon-like sphenodontian reveals deep time conservation of the tuatara skeleton and ontogeny. <i>Communications Biology</i> , 2022, 5, 195.	2.0	13
864	Selecting and averaging relaxed clock models in Bayesian tip dating of Mesozoic birds. <i>Paleobiology</i> , 2022, 48, 340-352.	1.3	7
865	Mesophotic Gorgonian Corals Evolved Multiple Times and Faster Than Deep and Shallow Lineages. <i>Diversity</i> , 2021, 13, 650.	0.7	8
882	Phylogeny of the Madagascar-centred tribe Danaideae (Rubiaceae) as a precursor to taxonomic revision: insights into its generic and species limits, affinities and distribution. <i>Annals of Botany</i> , 2022, 130, 849-867.	1.4	1
883	Between the Cape Fold Mountains and the deep blue sea: Comparative phylogeography of selected codistributed ectotherms reveals asynchronous cladogenesis. <i>Evolutionary Applications</i> , 2022, 15, 1967-1987.	1.5	6
885	No phylogenomic support for a Cenozoic origin of the 'living fossil' <i>Isoetes</i> . <i>American Journal of Botany</i> , 2023, 110, .	0.8	2
889	Structure, Function and Evolution of the Middle Ear of Extant and Extinct Vertebrates: Paleobiological and Phylogenetic Interpretations. <i>History, Philosophy and Theory of the Life Sciences</i> , 2023, , 169-182.	0.4	0