

CITATION REPORT

List of articles citing

Simultaneous determination of catechins, caffeine and gallic acids in green, Oolong, black and pu-erh teas using HPLC with a photodiode array detector

DOI: 10.1016/S0039-9140(02)00030-9
Talanta, 2002, 57, 307-16.

Source: <https://exaly.com/paper-pdf/34215993/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 495 | Separation, characterization, and quantitation of benzoic and phenolic antioxidants in American cranberry fruit by GC-MS. 2002 , 50, 3789-94 | | 178 |
| 494 | Current awareness in phytochemical analysis. 2002 , 13, 381-8 | | |
| 493 | Separation and determination of organic acids and phenolic compounds in fruit juices and drinks by high-performance liquid chromatography. 2002 , 977, 89-96 | | 204 |
| 492 | Determination of tea components with antioxidant activity. 2003 , 51, 4427-35 | | 317 |
| 491 | Antioxidant properties of tea investigated by EPR spectroscopy. 2003 , 106, 39-56 | | 111 |
| 490 | Analysis of green tea catechins: comparative study between HPLC and HPCE. 2003 , 81, 631-638 | | 64 |
| 489 | Determination of gallic acid after thin-layer chromatographic and paper chromatographic separations. <i>Journal of Planar Chromatography - Modern TLC</i> , 2004 , 17, 51-53 | 0.9 | 1 |
| 488 | Isolation and Determination of Phenolic Compounds in Fruit-Green Tea. 2004 , 27, 31-48 | | 3 |
| 487 | HPLC analyses of flavanols and phenolic acids in the fresh young shoots of tea (<i>Camellia sinensis</i>) grown in Australia. 2004 , 84, 253-263 | | 127 |
| 486 | Solid extraction of caffeine and theophylline from green tea by molecular imprinted polymers. 2004 , 21, 853-857 | | 32 |
| 485 | Optimisation of gradient HPLC analysis of phenolic compounds and flavonoids in beer using a coularray detector. 2004 , 27, 1345-59 | | 41 |
| 484 | HPTLC determination of caffeine in stimulant herbal products and power drinks. 2004 , 36, 617-20 | | 42 |
| 483 | Determination of chlorogenic acid and rutin in cigarettes by an improved capillary electrophoresis indirect chemiluminescence system. 2004 , 512, 111-119 | | 41 |
| 482 | MSPD Extraction of Phenolic Compounds from Fruit-Green Tea Using Various Non-Polar Sorbents. 2004 , 27, 2837-2845 | | 8 |
| 481 | GC-MS determination of flavonoids and phenolic and benzoic acids in human plasma after consumption of cranberry juice. 2004 , 52, 222-7 | | 153 |
| 480 | Polyphenolic compounds, antioxidant capacity, and quinone reductase activity of an aqueous extract of <i>Ardisia compressa</i> in comparison to mate (<i>Ilex paraguariensis</i>) and green (<i>Camellia sinensis</i>) teas. 2004 , 52, 3583-9 | | 189 |
| 479 | Qualitative Identification of Tea by near Infrared Spectroscopy Based on Soft Independent Modelling of Class Analogy Pattern Recognition. 2005 , 13, 327-332 | | 22 |

| | | | |
|-----|--|-----|------|
| 478 | Selective determination of aluminum bound with tannin in tea infusion. 2005 , 21, 1005-8 | | 20 |
| 477 | Antioxidant properties and components of some commercially available varieties of rice bran in Pakistan. 2005 , 93, 265-272 | | 276 |
| 476 | A study on chemical estimation of pu-erh tea quality. 2005 , 85, 381-390 | | 92 |
| 475 | Ultrasonic extraction followed by a novel filtration and clean-up device for screening of some polyphenols in tobaccos. 2005 , 28, 184-8 | | 3 |
| 474 | RP-HPLC analysis of phenolic compounds and flavonoids in beverages and plant extracts using a CoulArray detector. 2005 , 28, 1005-22 | | 86 |
| 473 | The use of etched, chemically modified, rectangular capillaries as a separation medium for open tubular capillary electrochromatography. 2005 , 382, 795-803 | | 5 |
| 472 | Quantitative HPLC Methods for Gallic Acids of Phyllanthus (Euphorbiaceae). 2005 , 28, 2965-2977 | | |
| 471 | Separation, characterization, and quantitation of phenolic acids in a little-known blueberry (<i>Vaccinium arctostaphylos</i> L.) fruit by HPLC-MS. 2005 , 53, 8116-22 | | 98 |
| 470 | Analysis of natural flavonoids by microchip-micellar electrokinetic chromatography with pulsed amperometric detection. 2005 , 130, 694-700 | | 45 |
| 469 | Application of densitometry and spectrophotometry for determination of gallic acid in tea after chromatographic separation. <i>Journal of Planar Chromatography - Modern TLC</i> , 2005 , 18, 290-293 | 0.9 | 1 |
| 468 | Beneficial effects of green tea--a review. 2006 , 25, 79-99 | | 1202 |
| 467 | HPTLC Methods for Identification of Green Tea and Green Tea Extract. 2006 , 29, 2141-2151 | | 39 |
| 466 | Determination of flavonoids in <i>Houttuynia cordata</i> Thunb. and <i>Saururus chinensis</i> (Lour.) Bail. by capillary electrophoresis with electrochemical detection. <i>Talanta</i> , 2006 , 68, 759-64 | 6.2 | 56 |
| 465 | Analysis of flavonoids and phenolic acids in Greek aromatic plants: Investigation of their antioxidant capacity and antimicrobial activity. 2006 , 95, 664-671 | | 328 |
| 464 | Effects of extraction solvents on concentration and antioxidant activity of black and black mate tea polyphenols determined by ferrous tartrate and Folin-Ciocalteu methods. 2006 , 99, 835-841 | | 438 |
| 463 | Analysis of phenolic acids as chloroformate derivatives using solid phase microextraction-gas chromatography. 2006 , 573-574, 231-41 | | 31 |
| 462 | Feasibility study on qualitative and quantitative analysis in tea by near infrared spectroscopy with multivariate calibration. 2006 , 572, 77-84 | | 103 |
| 461 | Comparison of bioactive components in GABA tea and green tea produced in Taiwan. 2006 , 96, 648-653 | | 101 |

| | | | |
|-----|--|-----|-----|
| 460 | Simultaneous determination of total polyphenols and caffeine contents of green tea by near-infrared reflectance spectroscopy. <i>Microchemical Journal</i> , 2006 , 83, 42-47 | 4.8 | 101 |
| 459 | Qualitative identification of tea categories by near infrared spectroscopy and support vector machine. 2006 , 41, 1198-204 | | 91 |
| 458 | Effect of season and production location on antioxidant activity of <i>Moringa oleifera</i> leaves grown in Pakistan. 2006 , 19, 544-551 | | 158 |
| 457 | Assessment of the polyphenolic composition of the organic extracts of Mauritian black teas: a potential contributor to their antioxidant functions. 2006 , 27, 79-91 | | 20 |
| 456 | Separation of catechin compounds from different teas. 2006 , 1, 209-13 | | 36 |
| 455 | Two-dimensional and serial column reversed-phase separation of phenolic antioxidants on octadecyl-, polyethyleneglycol-, and pentafluorophenylpropyl-silica columns. 2006 , 29, 555-66 | | 79 |
| 454 | Development of different comprehensive two dimensional systems for the separation of phenolic antioxidants. 2006 , 29, 2500-13 | | 74 |
| 453 | Determination of Phenolic Acids by a Modified HPLC: Its Application to Various Plant Materials. 2007 , 30, 587-596 | | 43 |
| 452 | Texture discrimination of green tea categories based on least squares support vector machine (LSSVM) classifier. 2007 , | | |
| 451 | Selective microbiologic effects of tea extract on certain antibiotics against <i>Escherichia coli</i> in vitro. 2007 , 13, 1119-24 | | 14 |
| 450 | Separation of Catechin Compounds by Retention Theory in RP-HPLC. 2007 , 30, 335-349 | | 5 |
| 449 | Designed polar cosolvent-modified supercritical CO ₂ removing caffeine from and retaining catechins in green tea powder using response surface methodology. 2007 , 55, 9014-20 | | 37 |
| 448 | Green tea modulates alpha(1)-adrenergic stimulated glucose transport in cultured rat cardiomyocytes. 2007 , 55, 7553-8 | | 7 |
| 447 | Antioxidant capacity of different types of tea products. 2007 , 6, 2287-2296 | | 94 |
| 446 | Polyphenolic Profile and Antioxidant Activities of Oolong Tea Infusion under Various Steeping Conditions. 2007 , 8, 1196-1205 | | 20 |
| 445 | Dynamic ultrasound-assisted extraction of catechins and caffeine in some tea samples. 2007 , 97, 321-30 | | 12 |
| 444 | Determination of alkaloids and phenolic compounds in black tea processed by two different methods in different plucking seasons. 2007 , 87, 1408-1416 | | 18 |
| 443 | A novel solid phase for selective separation of flavonoid compounds. 2007 , 30, 1300-6 | | 20 |

| | | |
|-----|--|-----|
| 442 | Temperature effects on separation on zirconia columns: applications to one- and two-dimensional LC separations of phenolic antioxidants. 2007 , 30, 462-74 | 34 |
| 441 | Optimisation of extraction of phenolics and antioxidants from black currant leaves and buds and of stability during storage. 2007 , 105, 1268-1275 | 85 |
| 440 | Simultaneous determination of tetracycline, oxytetracycline, and 4-epitetracycline in milk by high-performance liquid chromatography. 2007 , 105, 1297-1301 | 138 |
| 439 | Effects of different steeping methods and storage on caffeine, catechins and gallic acid in bag tea infusions. 2007 , 1156, 312-20 | 87 |
| 438 | Identification of flavonol glycosides in American cranberry fruit. 2007 , 101, 1357-1364 | 47 |
| 437 | The effects of solvents and extraction method on the phenolic contents and biological activities in vitro of Tunisian <i>Quercus coccifera</i> L. and <i>Juniperus phoenicea</i> L. fruit extracts. 2007 , 105, 1126-1134 | 241 |
| 436 | Feasibility study on identification of green, black and Oolong teas using near-infrared reflectance spectroscopy based on support vector machine (SVM). 2007 , 66, 568-74 | 203 |
| 435 | Full Validation of a Simple Method for Determination of Catechins and Caffeine in Brazilian Green Tea (<i>Camellia sinensis</i> var. <i>assamica</i>) Using HPLC. 2007 , 65, 607-610 | 12 |
| 434 | Determination of organic acids, total phenolic content, and antioxidant capacity of sour Citrus aurantium fruits. 2007 , 43, 607-609 | 21 |
| 433 | Application of image texture for the sorting of tea categories using multi-spectral imaging technique and support vector machine. 2008 , 88, 474-483 | 69 |
| 432 | Simultaneous determination of flavones and phenolic acids in the leaves of <i>Ricinus communis</i> Linn. by capillary electrophoresis with amperometric detection. 2008 , 863, 101-6 | 22 |
| 431 | HPLC-DAD-ESI-MS/MS analysis of polyphenols and purine alkaloids in leaves of 22 tea cultivars in China. 2008 , 21, 361-369 | 81 |
| 430 | An improved HPLC method for simultaneous determination of phenolic compounds, purine alkaloids and theanine in <i>Camellia</i> species. 2008 , 21, 559-563 | 86 |
| 429 | Effect of water composition on aluminium, calcium and organic carbon extraction in tea infusions. 2008 , 106, 1467-1475 | 48 |
| 428 | Polyphenol contents of Pu-Erh teas and their abilities to inhibit cholesterol biosynthesis in Hep G2 cell line. 2008 , 111, 67-71 | 42 |
| 427 | Chromatographic and electrophoretic methods for determining polyphenol compounds. 2008 , 63, 1024-1033 | 24 |
| 426 | Mechanisms and Effects of Green Tea on Cardiovascular Health. 2008 , 65, 361-375 | 133 |
| 425 | Antioxidant potential of rice bran extracts and its effects on stabilisation of cookies under ambient storage. 2008 , 43, 779-786 | 36 |

| | | | |
|-----|---|-----|-----|
| 424 | Tea Polyphenols as Nutraceuticals. 2008 , 7, 229-254 | | 96 |
| 423 | Tea category classification using morphological characteristics and support vector machines. 2008 , | | |
| 422 | Significance of Chromatographic and Voltammetric Data for the Classification of Green Teas in Türkiye: A Principle Component Analysis Approach. 2008 , 32, 221-241 | | 9 |
| 421 | Analysis of phenolic compounds by high performance liquid chromatography and ultra performance liquid chromatography. <i>Talanta</i> , 2008 , 76, 189-99 | 6.2 | 109 |
| 420 | Determination of seven polyphenols in water by high performance liquid chromatography combined with preconcentration. <i>Talanta</i> , 2008 , 77, 679-683 | 6.2 | 51 |
| 419 | Solubility of Gallic Acid in Methanol, Ethanol, Water, and Ethyl Acetate. 2008 , 53, 776-778 | | 92 |
| 418 | Identification of the green tea grade level using electronic tongue and pattern recognition. 2008 , 41, 500-504 | | 107 |
| 417 | Analysis of Anthocyanin, Flavonoids, and Phenolic Acids in Tropical Bignay Berries. 2008 , 8, 15-34 | | 16 |
| 416 | Green tea attenuates benzene-induced oxidative stress in pump workers. 2008 , 5, 69-80 | | 26 |
| 415 | Nondestructive identification of tea (<i>Camellia sinensis</i> L.) varieties using FT-NIR spectroscopy and pattern recognition. 2008 , 26, 360-367 | | 22 |
| 414 | Identification of Tea Varieties Using Computer Vision. 2008 , 51, 623-628 | | 25 |
| 413 | Synthesis and characterization of (zinc-layered-gallate) nanohybrid using structural memory effect. 2009 , 113, 491-496 | | 47 |
| 412 | Separation of catechins and methylxanthines in tea samples by capillary electrochromatography. 2009 , 32, 1002-10 | | 24 |
| 411 | Identification, quantitation, and method validation for flavan-3-ols in fermented ready-to-drink teas from the Italian market using HPLC-UV/DAD and LC-MS/MS. 2009 , 32, 3643-51 | | 14 |
| 410 | Ultrasonic extraction and HPLC determination of anthraquinones, aloe-emodine, emodine, rheine, chrysophanol and physcione, in roots of <i>Polygoni multiflori</i> . 2009 , 20, 272-8 | | 70 |
| 409 | Microwave-assisted water extraction of green tea polyphenols. 2009 , 20, 408-15 | | 90 |
| 408 | EFFECT OF FAR-INFRARED HEATER ON THE PHYSICOCHEMICAL CHARACTERISTICS OF GREEN TEA DURING PROCESSING. 2009 , 33, 149-162 | | 20 |
| 407 | Effect of green and black teas (<i>Camellia sinensis</i> L.) on the characteristic microflora of yogurt during fermentation and refrigerated storage. 2009 , 112, 614-620 | | 77 |

| | | |
|-----|---|----|
| 406 | Efficient procedure for isolating methylated catechins from green tea and effective simultaneous analysis of ten catechins, three purine alkaloids, and gallic acid in tea by high-performance liquid chromatography with diode array detection. 2009 , 1216, 3223-31 | 76 |
| 405 | Evaluation of Chinese tea by the electronic tongue: Correlation with sensory properties and classification according to geographical origin and grade level. 2009 , 42, 1462-1467 | 98 |
| 404 | FT-NIR spectroscopy for caffeine estimation in instant green tea powder and granules. 2009 , 42, 998-1002 | 57 |
| 403 | Automated tea quality classification by hyperspectral imaging. 2009 , 48, 3557-64 | 49 |
| 402 | Determination of catechin in lotus rhizomes by high-performance liquid chromatography. 2009 , 60, 432-8 | 9 |
| 401 | Estimation of antioxidative properties of tea leaves by abrasive stripping electrochemistry using paraffin-impregnated graphite electrode. 2009 , 74, 1467-1475 | 32 |
| 400 | Plant Products in Nutrition and Dietary Supplements. 2010 , 23-62 | |
| 399 | Possibilities and limitations of different modes of capillary electrophoresis for the quantitative determination of catechols and caffeine in black and green tea. 2010 , 65, 209-214 | 6 |
| 398 | CE Analysis of Endogenous Flavonoid Gallate Esters from <i>Nepenthes gracilis</i> (Nepenthaceae). 2010 , 72, 1013-1016 | 8 |
| 397 | Inhibition of three selected beverage extracts on alpha-glucosidase and rapid identification of their active compounds using HPLC-DAD-MS/MS and biochemical detection. 2010 , 58, 6608-13 | 75 |
| 396 | Utilization of coulometric array detection in analysis of beverages and plant extracts. 2010 , 2, 92-100 | 9 |
| 395 | Quantification of phenolic antioxidants in rat cerebrospinal fluid by GC-MS after oral administration of compounds. 2010 , 53, 103-8 | 16 |
| 394 | Classification of Black Tea Taste and Correlation With Tea Taster's Mark Using Voltammetric Electronic Tongue. 2010 , 59, 2230-2239 | 81 |
| 393 | Determination of phenolic composition and antioxidant activity in fruits, rhizomes and leaves of the white strawberry (<i>Fragaria chiloensis</i> spp. <i>chiloensis</i> form <i>chiloensis</i>) using HPLC-DAD-ESI-MS and free radical quenching techniques. 2010 , 23, 545-553 | 99 |
| 392 | Gallate ₂ ZnAl-layered double hydroxide as an intercalated compound with new controlled release formulation of anticarcinogenic agent. 2010 , 71, 1565-1570 | 31 |
| 391 | Cytoprotective effects of pu-erh tea on hepatotoxicity in vitro and in vivo induced by tert-butyl-hydroperoxide. 2010 , 119, 580-585 | 20 |
| 390 | Variation in catechin contents in relation to quality of Huang Zhi Xiang/Dolong tea (<i>Camellia sinensis</i>) at various growing altitudes and seasons. 2010 , 119, 648-652 | 74 |
| 389 | Comparison of positive and negative ion detection of tea catechins using tandem mass spectrometry and ultra high performance liquid chromatography. 2010 , 123, 535-541 | 47 |

| | | |
|-----|---|-----|
| 388 | Improved extraction and identification by ultra performance liquid chromatography tandem mass spectrometry of phenolic compounds in burdock leaves. 2010 , 1217, 2441-6 | 55 |
| 387 | An inhibition type alkaline phosphatase biosensor for amperometric determination of caffeine. 2010 , 55, 5195-5199 | 20 |
| 386 | Determination of phenolic compounds in macroalgae for human consumption. 2010 , 121, 634-638 | 60 |
| 385 | Characterisation of catechins in green and black teas using square-wave voltammetry and RP-HPLC-ECD. 2010 , 122, 1283-1289 | 57 |
| 384 | Comparison of extraction conditions for phenolic, flavonoid content and determination of rosmarinic acid from <i>Perilla frutescens</i> var. <i>acuta</i> . 2010 , 45, 1353-1359 | 19 |
| 383 | ORIGIN AND IDENTIFICATION OF THE POLYPHENOLS OF CORK OAK ACORNS ATTACKED BY CARPOPHAGOUS INSECTS. 2010 , 269-276 | 1 |
| 382 | Advances in Phytoremediation Research: A Case Study of <i>Gynura Pseudochina</i> (L.) DC.. 2010 , | 2 |
| 381 | Detection of total phenol in green and black teas by flow injection system and unmodified screen printed electrode. 2010 , 2010, 143714 | 3 |
| 380 | Dosage of 2,6-bis (1,1-dimethylethyl)-4-methylphenol (BHT) in the plant extract <i>Mesembryanthemum crystallinum</i> . 2010 , 2010, 142486 | 3 |
| 379 | Green tea polyphenol epigallocatechin-3-gallate: inflammation and arthritis. [corrected]. 2010 , 86, 907-18 | 136 |
| 378 | Analysis of Anthocyanin, Flavonoids, and Phenolic Acid Contents of Ten Fruits and Antioxidant Activity. 2010 , 10, 264-280 | 3 |
| 377 | DEVELOPMENT AND OPTIMIZATION OF AN HPLC METHOD FOR THE ROUTINE ANALYSIS OF CATECHINS, CAFFEINE, AND GALLIC ACID IN TEA (<i>CAMELLIA SINENSIS</i>). 2011 , 34, 2243-2255 | 6 |
| 376 | MULTI-SPE OF CAFFEINE AND CATECHIN COMPOUNDS FROM GREEN TEA BY CAFFEINE AND (+) CATECHIN MIPS. 2011 , 34, 1604-1616 | 6 |
| 375 | Two Validated Chromatographic Methods for Estimation of (-)-Epicatechin in Plant Sample and Marketed Extract. 2011 , 1, 135-146 | |
| 374 | Comparison of the chemical constituents of aged pu-erh tea, ripened pu-erh tea, and other teas using HPLC-DAD-ESI-MSn. 2011 , 59, 8754-60 | 105 |
| 373 | Chromatographic Fingerprint Analysis of Herbal Medicines. 2011 , | 43 |
| 372 | ¹ H NMR-based metabolomic characterization during green tea (<i>Camellia sinensis</i>) fermentation. 2011 , 44, 597-604 | 69 |
| 371 | The impact of tea supplementation on microflora, pH and antioxidant capacity of yoghurt. 2011 , 21, 568-574 | 74 |

| | | |
|-----|---|-----|
| 370 | Development of new antioxidant active packaging films based on ethylene vinyl alcohol copolymer (EVOH) and green tea extract. 2011 , 59, 7832-40 | 161 |
| 369 | Potent protection of gallic acid against DNA oxidation: results of human and animal experiments. 2011 , 715, 61-71 | 40 |
| 368 | Protective effect of a new amide compound from Pu-erh tea on human micro-vascular endothelial cell against cytotoxicity induced by hydrogen peroxide. 2011 , 82, 267-71 | 14 |
| 367 | Fast and simultaneous determination of phenolic compounds and caffeine in teas, mate, instant coffee, soft drink and energetic drink by high-performance liquid chromatography using a fused-core column. 2011 , 685, 204-11 | 121 |
| 366 | Effect of pu-erh tea on body fat and lipid profiles in rats with diet-induced obesity. 2011 , 25, 234-8 | 51 |
| 365 | Ten marker compounds-based comparative study of green tea and guava leaf by HPTLC densitometry methods: antioxidant activity profiling. 2011 , 34, 749-60 | 19 |
| 364 | Antioxidant activity prediction and classification of some teas using artificial neural networks. 2011 , 127, 1323-8 | 52 |
| 363 | Determination of caffeine content in tea based on poly(safranine T) electroactive film modified electrode. 2011 , 129, 1311-4 | 55 |
| 362 | A new method based on electrospray ionisation ion mobility spectrometry (ESI-IMS) for simultaneous determination of caffeine and theophylline. 2011 , 126, 1964-70 | 78 |
| 361 | Changes in antioxidant phytochemicals and volatile composition of <i>Camellia sinensis</i> by oxidation during tea fermentation. 2011 , 129, 1331-1342 | 171 |
| 360 | The influence of domestic culinary processes on the Trolox Equivalent Antioxidant Capacity of green tea infusions. 2011 , 24, 79-86 | 29 |
| 359 | Molecular Imprinting: Mimicking Molecular Receptors for Antioxidants. 2011 , 675-677, 515-520 | 8 |
| 358 | Color and Texture Classification of Green Tea Using Least Squares Support Vector Machine (LSSVM). 2011 , 460-461, 774-779 | 3 |
| 357 | The Influence of Oolong Tea Polyphenol and Black Tea Polyphenol on Gelatin Gels Texture. 2011 , 201-203, 2875-2878 | 1 |
| 356 | Discrimination of tea quality by polymer membrane electrode based potentiometric taste sensor. 2012 , | 4 |
| 355 | Studies of the Molecular Recognition Abilities of Gallic Acid-Imprinted Polymer Prepared Using a Molecular Imprinting Technique. 2012 , 30, 23-34 | 13 |
| 354 | Natural products as anti-glycation agents: possible therapeutic potential for diabetic complications. 2012 , 8, 92-108 | 107 |
| 353 | Optimization of the gallic acid extraction using ionic-liquid-based aqueous two-phase systems. 2012 , 97, 142-149 | 98 |

| | | |
|-----|---|----|
| 352 | Discrimination of vicinal-diol-containing flavonoids and black teas by arrays of host indicator ensembles. 2012 , 24, 520-525 | 10 |
| 351 | Reactions of green and black teas with Cu(II). 2012 , 3, 399-409 | 15 |
| 350 | Nutritional and functional characteristics of seven grades of black tea produced in Turkey. 2012 , 60, 7682-9 | 26 |
| 349 | Change in tea polyphenol and purine alkaloid composition during solid-state fungal fermentation of postfermented tea. 2012 , 60, 1213-7 | 62 |
| 348 | Ionic liquids based simultaneous ultrasonic and microwave assisted extraction of phenolic compounds from burdock leaves. 2012 , 716, 28-33 | 76 |
| 347 | Removal of caffeine from green tea by microwave-enhanced vacuum ice water extraction. 2012 , 716, 49-53 | 24 |
| 346 | Solubility of gallic acid in liquid mixtures of (ethanol+water) from (293.15 to 318.15)K. 2012 , 55, 75-78 | 76 |
| 345 | Green tea extract: possible mechanism and antibacterial activity on skin pathogens. 2012 , 135, 672-5 | 64 |
| 344 | Chapter 8: Simultaneous Determination of Caffeine and Phenolic Compounds in Tea and Coffee. 2012 , 130-153 | |
| 343 | Antioxidative activities and the chemical constituents of two Chinese teas, <i>Camellia kucha</i> and <i>C. pitilophylla</i> . 2012 , 47, 1063-1071 | 25 |
| 342 | Rapid simultaneous electrochemical sensing of tea polyphenols. 2012 , 4, 2922 | 22 |
| 341 | Liquid Chromatography. 2012 , 285-310 | |
| 340 | Sensitive determination of (-)-epigallocatechin gallate in tea infusion using a novel ionic liquid carbon paste electrode. 2012 , 60, 6333-40 | 38 |
| 339 | Quality Characteristics and Content of Polysaccharides in Green Tea Fermented by <i>Monascus pilosus</i> . 2012 , 17, 293-8 | 4 |
| 338 | Engineering the production of major catechins by <i>Escherichia coli</i> carrying metabolite genes of <i>Camellia sinensis</i> . 2012 , 2012, 529031 | 9 |
| 337 | Simultaneous determination of seven bioactive components in Oolong tea <i>Camellia sinensis</i> : quality control by chemical composition and HPLC fingerprints. 2012 , 60, 256-60 | 50 |
| 336 | Effect of Extraction Techniques and Solvent Systems on the Extraction of Antioxidant Components from Peanut (<i>Arachis hypogaea</i> L.) Hulls. 2012 , 5, 890-896 | 31 |
| 335 | Potential role of green tea catechins in various disease therapies: progress and promise. 2012 , 39, 265-73 | 96 |

| | | | |
|-----|---|-----|-----|
| 334 | Analysis of <i>Camellia sinensis</i> green and black teas via ultra high performance liquid chromatography assisted by liquid-liquid partition and two-dimensional liquid chromatography (size exclusion reversed phase). 2012 , 1222, 29-37 | | 88 |
| 333 | Analysis of polyphenols and methylxantines in tea samples by means of nano-liquid chromatography utilizing capillary columns packed with core-shell particles. 2012 , 1234, 38-44 | | 34 |
| 332 | Non-targeted analysis of tea by hydrophilic interaction liquid chromatography and high resolution mass spectrometry. 2012 , 134, 1616-23 | | 38 |
| 331 | Controlled release study of an anti-carcinogenic agent, gallate from the surface of magnetite nanoparticles. 2012 , 73, 936-942 | | 15 |
| 330 | Classification of black tea liquor using cyclic voltammetry. 2012 , 109, 120-126 | | 34 |
| 329 | Simultaneous determination of polyphenols and major purine alkaloids in Greek <i>Sideritis</i> species, herbal extracts, green tea, black tea, and coffee by high-performance liquid chromatography-diode array detection. 2012 , 35, 608-15 | | 42 |
| 328 | Catechins play key role in green tea extract-induced postprandial hypoglycemic potential in vitro. <i>European Food Research and Technology</i> , 2013 , 237, 89-99 | 3-4 | 16 |
| 327 | Changes in theanine and caffeine contents of black tea with different rolling methods and processing stages. <i>European Food Research and Technology</i> , 2013 , 237, 229-236 | 3-4 | 25 |
| 326 | Optimization of Supercritical Fluid Extraction of Phenolics from Date Seeds and Characterization of its Antioxidant Activity. 2013 , 6, 781-788 | | 18 |
| 325 | Measurement and correlation of the solubility of gallic acid in methanol plus water systems from (293.15 to 318.15) K. 2013 , 187, 226-229 | | 20 |
| 324 | Green tea extract: Chemistry, antioxidant properties and food applications – A review. <i>Journal of Functional Foods</i> , 2013 , 5, 1529-1541 | 5-1 | 264 |
| 323 | Determination of Gallic acid by differential pulse polarography: Application to fruit juices. 2013 , 68, 1064-1069 | 12 | |
| 322 | Make caffeine visible: a fluorescent caffeine "traffic light" detector. 2013 , 3, 2255 | | 39 |
| 321 | Antioxidant activity of white, green and black tea obtained from the same tea cultivar. 2013 , 53, 900-908 | | 154 |
| 320 | Catechin sublimation pressure and solubility in supercritical carbon dioxide. 2013 , 358, 220-225 | | 10 |
| 319 | Development of a generic assay for the determination of total trihydroxybenzoate derivatives based on gold-luminol chemiluminescence. 2013 , 764, 70-7 | | 20 |
| 318 | Green tea from purple leaf coloured tea clones in Kenya- their quality characteristics. 2013 , 141, 769-75 | | 23 |
| 317 | Measurement and modeling of epicatechin solubility in supercritical carbon dioxide fluid. 2013 , 340, 7-10 | | 9 |

| | | |
|-----|--|-----|
| 316 | Progress in the analysis of selected tea constituents over the past 20 years. 2013 , 53, 636-648 | 35 |
| 315 | Chinese dark teas: Postfermentation, chemistry and biological activities. 2013 , 53, 600-607 | 125 |
| 314 | Organochlorine insecticide residues are found in surface, irrigated water samples from several districts in Bangladesh. 2013 , 90, 149-54 | 20 |
| 313 | Green tea catechins during food processing and storage: A review on stability and detection. 2013 , 50, 469-479 | 222 |
| 312 | Processing and chemical constituents of Pu-erh tea: A review. 2013 , 53, 608-618 | 160 |
| 311 | Determination of catechins and caffeine in camillia sinensis raw materials, extracts, and dietary supplements by HPLC-uv: single-laboratory validation. 2013 , 96, 933-41 | 16 |
| 310 | Pu-erh Tea. 2013 , 59-71 | 3 |
| 309 | Metabolic changes during the pu-erh tea pile-fermentation revealed by a liquid chromatography tandem mass-spectrometry-based metabolomics approach. <i>Journal of Food Science</i> , 2013 , 78, C1665-72 ³⁻⁴ | 14 |
| 308 | Intermolecular force between monoamine oxidase B and Pseudarthria viscida (L.) using atomic force spectroscopy. 2013 , 8, 596-605 | |
| 307 | Phenolic compounds, antioxidant capacity, and in vitro α-amylase inhibitory potential of tea infusions (Camellia sinensis) commercialized in Chile. 2013 , 11, 60-67 | 16 |
| 306 | Green Tea and Feeling Depressed. 2013 , 1385-1398 | |
| 305 | Antifungal activity of crude tea extracts. 2013 , 8, 2086-2089 | 9 |
| 304 | Fermented Pu-erh tea increases in vitro anticancer activities in HT-29 cells and has antiangiogenic effects on HUVECs. 2013 , 32, 275-88 | 15 |
| 303 | Distribution patterns of polyphenols and alkaloids in instant coffee, soft and energy drinks, and tea. 2013 , 31, 483-500 | 8 |
| 302 | Green Tea: Just a Drink or Nutraceutical. 2014 , | |
| 301 | In vitro sustained release study of gallic acid coated with magnetite-PEG and magnetite-PVA for drug delivery system. 2014 , 2014, 416354 | 32 |
| 300 | Antioxidant and Antibacterial Activity of the Beverage Obtained by Fermentation of Sweetened Lemon Balm?(L.) Tea with Symbiotic Consortium ?of Bacteria and Yeasts. 2014 , 52, 420-429 | 47 |
| 299 | Utilization of Salicornia fruticosa herb for producing antioxidants. 2014 , 49, 53-58 | 1 |

| | | | |
|-----|--|---|-----|
| 298 | Antioxidants as Complementary Medication in Thalassemia. 2014, | | 1 |
| 297 | EFFECTIVE ON-LINE COMBINATION OF HIGH SHEAR TECHNIQUE AND CONTINUOUS SAMPLE INJECTION IN HIGH-PERFORMANCE COUNTER-CURRENT CHROMATOGRAPHY FOR ISOLATION AND PURIFICATION OF POLYPHENOLS IN GREEN TEA. 2014, 37, 2571-2586 | | 5 |
| 296 | Pine bark and green tea concentrated extracts: antioxidant activity and comprehensive characterization of bioactive compounds by HPLC-ESI-QTOF-MS. 2014, 15, 20382-402 | | 51 |
| 295 | Antioxidant Capacity of Tea. 2014, 109-120 | | 15 |
| 294 | Antioxidant Quality of Tea (<i>Camellia sinensis</i>) as Affected by Environmental Factors. 2014, 121-129 | | 5 |
| 293 | Rapid discrimination of the geographical origins of an oolong tea (anxi-tieguanyin) by near-infrared spectroscopy and partial least squares discriminant analysis. <i>Journal of Analytical Methods in Chemistry</i> , 2014, 2014, 704971 | 2 | 21 |
| 292 | Gallic acid protects against endothelial injury by restoring the depletion of DNA methyltransferase 1 and inhibiting proteasome activities. 2014, 171, 231-42 | | 16 |
| 291 | Orthogonal analytical methods for botanical standardization: determination of green tea catechins by qNMR and LC-MS/MS. 2014, 93, 59-67 | | 37 |
| 290 | Ionic liquids as additives to enhance the extraction of antioxidants in aqueous two-phase systems. 2014, 128, 1-10 | | 106 |
| 289 | Covalent immobilization of porcine pancreatic lipase on carboxyl-activated magnetic nanoparticles: characterization and application for enzymatic inhibition assays. 2014, 38, 278-85 | | 109 |
| 288 | Plant extracts as natural antioxidants in meat and meat products. 2014, 98, 21-33 | | 333 |
| 287 | Role of Gallic Acid in Cardiovascular Disorders. 2014, 1045-1047 | | 14 |
| 286 | The characterization of caffeine and nine individual catechins in the leaves of green tea (<i>Camellia sinensis</i> L.) by near-infrared reflectance spectroscopy. 2014, 158, 351-7 | | 59 |
| 285 | Flavonoid Determination in the Quality Control of Floral Bioresidues from <i>Crocus sativus</i> L. 2014, 62, 3125-3133 | | 29 |
| 284 | UHPLC determination of catechins for the quality control of green tea. 2014, 88, 307-14 | | 39 |
| 283 | Geographical tracing of Xihu Longjing tea using high performance liquid chromatography. 2014, 146, 98-103 | | 34 |
| 282 | Rapid tea catechins and caffeine determination by HPLC using microwave-assisted extraction and silica monolithic column. 2014, 147, 262-8 | | 67 |
| 281 | Antioxidant activity of different white teas: Comparison of hot and cold tea infusions. 2014, 33, 59-66 | | 75 |

| | | | |
|-----|---|-----|-----|
| 280 | A comparative study of the phenolic compounds and the in vitro antioxidant activity of different Brazilian teas using multivariate statistical techniques. 2014 , 60, 246-254 | | 124 |
| 279 | Catechin concentrates of garden tea leaves (<i>Camellia sinensis</i> L.): extraction/isolation and evaluation of chemical composition. 2014 , 94, 2921-8 | | 22 |
| 278 | Ripening stage and extraction method effects on physical properties, polyphenol composition and antioxidant activities of cumin (<i>Cuminum cyminum</i> L.) seeds. 2014 , 69, 358-64 | | 15 |
| 277 | Antioxidant activities of sea buckthorn leaf tea extracts compared with green tea extracts. <i>Food Science and Biotechnology</i> , 2014 , 23, 1295-1303 | 3 | 8 |
| 276 | Development of an active food packaging system with antioxidant properties based on green tea extract. 2014 , 31, 364-73 | | 31 |
| 275 | New dimensionality reduction model (manifold learning) coupled with electronic tongue for green tea grade identification. <i>European Food Research and Technology</i> , 2014 , 239, 157-167 | 3-4 | 2 |
| 274 | Optimisation of the Ethanol-Based Heat Reflux Extraction of Isoflavones from <i>Pueraria lobata</i> (Willd.) Ohwi Root. 2014 , 955-959, 180-186 | | 2 |
| 273 | Potentiality of chemometric approaches for the determination of (+)-catechin in green tea leaves at the surface of multiwalled carbon nanotube paste electrode. 2014 , 193, 582-591 | | 35 |
| 272 | HPLC coupled to UV-vis detection for quantitative determination of phenolic compounds and caffeine in different brands of coffee in the Algerian market. 2014 , 45, 1314-1320 | | 32 |
| 271 | Rapid HPLC-MS method for the simultaneous determination of tea catechins and folates. 2014 , 62, 4241-50 | | 22 |
| 270 | Analysis of green tea compounds and their stability in dentifrices of different pH levels. 2014 , 62, 328-35 | | 15 |
| 269 | Evaluation of ice-tea quality by DART-TOF/MS. 2015 , 50, 1214-21 | | 10 |
| 268 | Effect of Brewing Duration on the Antioxidant and Hepatoprotective Abilities of Tea Phenolic and Alkaloid Compounds in a t-BHP Oxidative Stress-Induced Rat Hepatocyte Model. <i>Molecules</i> , 2015 , 20, 14985-5002 | 4.8 | 6 |
| 267 | Determination of the Chemical Composition of Tea by Chromatographic Methods: A Review. 2015 , 4, 56 | | 51 |
| 266 | New Sample Preparation Method for Quantification of Phenolic Compounds of Tea (<i>Camellia sinensis</i> L. Kuntze): A Polyphenol Rich Plant. <i>Journal of Analytical Methods in Chemistry</i> , 2015 , 2015, 964341 | | 14 |
| 265 | Modulation of Mutagen-Induced Genotoxicity by two Lesotho Medicinal Plants in <i>Allium cepa</i> L. 2015 , 5, | | 1 |
| 264 | Potassium Phosphate Salts-Based Aqueous Two-Phase Systems Applied in the Extraction of Gallic Acid from Guava. 2015 , 50, 520-528 | | 12 |
| 263 | Using iSPA-PLS and NIR spectroscopy for the determination of total polyphenols and moisture in commercial tea samples. 2015 , 7, 3379-3384 | | 22 |

| | | | |
|-----|--|-----|----|
| 262 | Development and validation of UHPLC-MS/MS method for determination of eight naturally occurring catechin derivatives in various tea samples and the role of matrix effects. 2015 , 114, 62-70 | | 34 |
| 261 | Effects of Pu-erh tea aqueous extract (PTAE) on blood lipid metabolism enzymes. 2015 , 6, 2008-16 | | 22 |
| 260 | Solvent effect on total phenolic contents, antioxidant, and antibacterial activities of <i>Matricaria pubescens</i> . 2015 , 67, 249-256 | | 62 |
| 259 | Hydrophilic gallic acid-imprinted polymers over magnetic mesoporous silica microspheres with excellent molecular recognition ability in aqueous fruit juices. 2015 , 179, 206-12 | | 59 |
| 258 | Recent developments of green analytical techniques in analysis of tea's quality and nutrition. 2015 , 43, 63-82 | | 78 |
| 257 | Interaction of gallic acid with trypsin analyzed by spectroscopy. 2015 , 23, 234-242 | | 33 |
| 256 | Simultaneous and Rapid Measurement of Main Compositions in Black Tea Infusion Using a Developed Spectroscopy System Combined with Multivariate Calibration. 2015 , 8, 749-757 | | 34 |
| 255 | Controlled electrochemical synthesis of yttrium (III) hexacyanoferrate micro flowers and their composite with multiwalled carbon nanotubes, and its application for sensing catechin in tea samples. 2015 , 19, 1103-1112 | | 16 |
| 254 | Mechanisms of Nrf2/HO-1 pathway up-regulation induced by pu-erh black tea extract supplementation for quinocetone-treated Sprague-Dawley rats. <i>Journal of Functional Foods</i> , 2015 , 14, 767-778 | 5.1 | 3 |
| 253 | Using FTIR spectra and pattern recognition for discrimination of tea varieties. 2015 , 78, 439-46 | | 28 |
| 252 | Isolation and characterization of gallic acid and methyl gallate from the seed coats of Griff. and their anti-proliferative effect on human epidermoid carcinoma A431 cells. 2015 , 2, 520-529 | | 52 |
| 251 | Brick dark tea: a review of the manufacture, chemical constituents and bioconversion of the major chemical components during fermentation. 2015 , 14, 499-523 | | 89 |
| 250 | Determination of phenolic acids and a flavonoid in <i>Eleusine coracana</i> (L.) by semi-preparative HPLC photo diode array detector. 2015 , 70, 369-373 | | 1 |
| 249 | Effects of Extraction Process on Phenolic Content and Antioxidant Activity of Soybean. 2015 , 3, 33 | | 5 |
| 248 | Epigallocatechin gallate attenuated non-alcoholic steatohepatitis induced by methionine- and choline-deficient diet. 2015 , 761, 405-12 | | 20 |
| 247 | Simultaneous determination of seven catechins in rat plasma by ultra-high performance liquid chromatography tandem mass spectrometry and its application to a pharmacokinetics study. 2015 , 7, 9415-9420 | | 4 |
| 246 | Effect of Copper on Fatty Acid Profiles in Non- and Semifermented Teas Analyzed by LC-MS-Based Nontargeted Screening. 2015 , 63, 8519-26 | | 4 |
| 245 | Deodorizing function and antibacterial activity of fabrics dyed with gallnut (<i>Galla Chinensis</i>) extract. 2015 , 85, 1045-1054 | | 29 |

| | | | |
|-----|--|-----|-----|
| 244 | Flavanols, proanthocyanidins and antioxidant activity changes during cocoa (<i>Theobroma cacao</i> L.) roasting as affected by temperature and time of processing. 2015 , 174, 256-62 | | 98 |
| 243 | Metabolomic unveiling of a diverse range of green tea (<i>Camellia sinensis</i>) metabolites dependent on geography. 2015 , 174, 452-9 | | 100 |
| 242 | Biotransformation of tea catechins using <i>Aspergillus niger</i> tannase prepared by solid state fermentation on tea byproduct. 2015 , 60, 1206-1213 | | 39 |
| 241 | Changes of major tea polyphenols and production of four new B-ring fission metabolites of catechins from post-fermented Jing-Wei Fu brick tea. 2015 , 170, 110-7 | | 79 |
| 240 | Optimized Extraction of Phenolic Compounds from Barley (<i>Hordeum vulgare</i> L.) Seed and Their Radical Scavenging Properties. 2015 , 39, 793-799 | | 6 |
| 239 | Biochemical characterization and pharmacognostic evaluation of purified catechins in green tea (<i>Camellia sinensis</i>) cultivars of India. 2015 , 5, 285-294 | | 15 |
| 238 | Gallic Acid Content in Taiwanese Teas at Different Degrees of Fermentation and Its Antioxidant Activity by Inhibiting PKC β Activation: In Vitro and in Silico Studies. <i>Molecules</i> , 2016 , 21, | 4.8 | 18 |
| 237 | Quantitative Measurement of Caffeine by Optical Methods. 2016 , 815-826 | | 1 |
| 236 | Influence of shooting period and extraction conditions on bioactive compounds in Turkish green tea. 2016 , 36, 737-743 | | 7 |
| 235 | Effect of different extracting solvents on antioxidant activity and phenolic compounds of a fruit and vegetable residue flour. 2016 , 7, 07-14 | | 16 |
| 234 | Nanotechnology-Based Approach for Enhanced Bioavailability and Stability of Tea Polyphenols: A Review. 2016 , 399-410 | | 4 |
| 233 | Quality identification and evaluation of Pu-erh teas of different grade levels and various ages through sensory evaluation and instrumental analysis. 2016 , 51, 1338-1348 | | 19 |
| 232 | Quantitative Analysis of Major Phytochemicals in Orthodox tea (<i>Camellia sinensis</i>), Oxidized under Compressed Air Environment. <i>Journal of Food Science</i> , 2016 , 81, C858-66 | 3.4 | 6 |
| 231 | SVD based tea quality prediction using electronic tongue signal. 2016 , | | |
| 230 | Polyphenols for Brain and Cognitive Health. 2016 , 259-288 | | 4 |
| 229 | A fermented tea with high levels of gallic acid processed by anaerobic solid-state fermentation. 2016 , 71, 260-267 | | 27 |
| 228 | Sensitive analysis of trace caffeine in human serum by HPLC using tetraazacalix[2]arene[2]triazine-modified silica as SPE sorbent. 2016 , 8, 3613-3619 | | 5 |
| 227 | Titration and HPLC Characterization of Kombucha Fermentation: A Laboratory Experiment in Food Analysis. 2016 , 93, 1770-1775 | | 15 |

| | | | |
|-----|---|---|----|
| 226 | Correlation and semi-empirical modeling of solubility of gallic acid in different pure solvents and in binary solvent mixtures of propan-1-ol + water, propan-2-ol + water and acetonitrile + water from (293.2 to 318.2) K. 2016 , 222, 503-519 | | 11 |
| 225 | Simultaneous determination of eight catechins and four theaflavins in green, black and oolong tea using new HPLC-MS-MS method. 2016 , 131, 140-145 | | 51 |
| 224 | The identification and evaluation of two different color variations of tea. 2016 , 96, 4951-4961 | | 14 |
| 223 | Green tea polyphenols affect invasiveness of human gastric MKN-28 cells by inhibition of LPS or TNF- α -induced Matrix Metalloproteinase-9/2. 2016 , 3, 56-63 | | 12 |
| 222 | UV-Vis spectral fingerprinting and chemometric method applied to the evaluation of <i>Camellia sinensis</i> leaves from different harvests. 2016 , 8, 7537-7544 | | 8 |
| 221 | Graphene Oxide-Gallic Acid Nanodelivery System for Cancer Therapy. 2016 , 11, 491 | | 42 |
| 220 | Classification of five Chinese tea categories with different fermentation degrees using visible and near-infrared hyperspectral imaging. <i>International Journal of Food Properties</i> , 2016 , 1-8 | 3 | 11 |
| 219 | Phenolic compounds responding to zinc and/or cadmium treatments in <i>Gynura pseudochina</i> (L.) DC. extracts and biomass. 2016 , 109, 549-560 | | 24 |
| 218 | Simultaneous Identification of Neutral and Anionic Species in Complex Mixtures without Separation. 2016 , 128, 929-933 | | 8 |
| 217 | Simultaneous Identification of Neutral and Anionic Species in Complex Mixtures without Separation. 2016 , 55, 917-21 | | 30 |
| 216 | Diazo Coupling Reaction of Catechins and Alkylresorcinols with Diazotized Sulfanilic Acid for Quantitative Purposes in Edible Sources: Method Development and Validation. 2016 , 9, 411-418 | | 2 |
| 215 | Improved Quantification of Free and Ester-Bound Gallic Acid in Foods and Beverages by UHPLC-MS/MS. 2016 , 64, 1326-34 | | 20 |
| 214 | Spectroscopic fingerprint of tea varieties by surface enhanced Raman spectroscopy. 2016 , 53, 1709-16 | | 11 |
| 213 | On-column decaffeination and HPLC analysis of epigallocatechin gallate in green tea nutraceuticals. 2016 , 51, 664-672 | | 3 |
| 212 | Fast analysis of caffeine in beverages and drugs by paper spray tandem mass spectrometry. 2016 , 408, 3783-7 | | 18 |
| 211 | Tea Quality Prediction by Autoregressive Modeling of Electronic Tongue Signals. <i>IEEE Sensors Journal</i> , 2016 , 16, 4470-4477 | 4 | 15 |
| 210 | Evaluation of Phytic Acid Content of Some Tea and Nut Products by Reverse-Phase High Performance Liquid Chromatography/Visible Detector. 2016 , 9, 1391-1397 | | 6 |
| 209 | Determination of Contents of Catechins in Oolong Teas by Quantitative Analysis of Multi-components Via a Single Marker (QAMS) Method. 2017 , 10, 363-368 | | 20 |

| | | | |
|-----|---|-----|----|
| 208 | Quantification of Antioxidant Properties in Popular Leaf and Bottled Tea by High-performance Liquid Chromatography (HPLC), Spectrophotometry, and Voltammetry. 2017 , 50, 1640-1656 | | 6 |
| 207 | Computational analysis of the solvation of coffee ingredients in aqueous ionic liquid mixtures. 2017 , 7, 3495-3504 | | 15 |
| 206 | Optimization and validation of Folin-Ciocalteu method for the determination of total polyphenol content of Pu-erh tea. 2017 , 68, 913-918 | | 26 |
| 205 | Fast gradient HPLC/MS separation of phenolics in green tea to monitor their degradation. 2017 , 237, 471-480 | | 25 |
| 204 | Diabetes and Alzheimer's Disease: Can Tea Phytochemicals Play a Role in Prevention?. 2017 , 59, 481-501 | | 35 |
| 203 | Efficient approach for the extraction of proanthocyanidins from <i>Cinnamomum longepaniculatum</i> leaves using ultrasonic irradiation and an evaluation of their inhibition activity on digestive enzymes and antioxidant activity in vitro. 2017 , 40, 3100-3113 | | 20 |
| 202 | A rapid hydrophilic interaction liquid chromatographic determination of glimepiride in pharmaceutical formulations. 2017 , 25, 852-856 | | 1 |
| 201 | Quantum-Dot-Based Lateral Flow Immunoassay for Detection of Neonicotinoid Residues in Tea Leaves. 2017 , 65, 10107-10114 | | 36 |
| 200 | Extraction of caffeine and catechins using microwave-assisted and ultrasonic extraction from green tea leaves: an optimization study by the IV-optimal design. <i>Food Science and Biotechnology</i> , 2017 , 26, 1281-1290 | 3 | 10 |
| 199 | Antioxidant properties of tea blunt ROS-dependent lipogenesis: beneficial effect on hepatic steatosis in a high fat-high sucrose diet NAFLD obese rat model. 2017 , 40, 95-104 | | 39 |
| 198 | Simultaneous determination of ascorbic acid and caffeine in commercial soft drinks using reversed-phase ultraperformance liquid chromatography. 2017 , 25, 285-292 | | 33 |
| 197 | Activation of Casein Kinase II by Gallic Acid Induces BIK-BAX/BAK-Mediated ER Ca-ROS-Dependent Apoptosis of Human Oral Cancer Cells. 2017 , 8, 761 | | 10 |
| 196 | Inhibition of Cyclic Adenosine Monophosphate-Specific Phosphodiesterase by Various Food Plant-Derived Phytotherapeutic Agents. 2017 , 4, | | 8 |
| 195 | Effects on Quality Properties of Pork Sausages Enriched with Sea Buckthorn (<i>Hippophae rhamnoides</i> L.). 2017 , 2017, 1-7 | | 2 |
| 194 | Caffeine Consumption from Drinking Tea in Chinese Dim Sum Meal. 2018 , 8, 37-42 | | |
| 193 | Impact of resveratrol, epicatechin and rosmarinic acid on fluorescent AGEs and cytotoxicity of cookies. <i>Journal of Functional Foods</i> , 2018 , 40, 44-50 | 5.1 | 20 |
| 192 | The evaluation of the quality of Feng Huang Oolong teas and their modulatory effect on intestinal microbiota of high-fat diet-induced obesity mice model. 2018 , 69, 842-856 | | 13 |
| 191 | Comparative studies on the hypolipidemic, antioxidant and hepatoprotective activities of catechin-enriched green and oolong tea in a double-blind clinical trial. 2018 , 9, 1205-1213 | | 34 |

| | | |
|-----|--|-------|
| 190 | Effect of Green synthesized iron nanoparticles by Azardirachta Indica in different proportions on antibacterial activity. 2018 , 9, 85-94 | 36 |
| 189 | Poly(aminohippuric acid)Sodium dodecyl sulfate/functionalized graphene oxide nanocomposite for amplified electrochemical sensing of gallic acid. 2018 , 15, 1931-1938 | 8 |
| 188 | Exploring the relation between composition of extracts of healthy foods and their antioxidant capacities determined by electrochemical and spectrophotometrical methods. 2018 , 95, 157-166 | 11 |
| 187 | Quantitative analyses of the bitterness and astringency of catechins from green tea. 2018 , 258, 16-24 | 69 |
| 186 | Tea silkworm droppings as an enriched source of tea flavonoids. 2018 , 26, 41-46 | 5 |
| 185 | Polyphenol- and Caffeine-Rich Postfermented Pu-erh Tea Improves Diet-Induced Metabolic Syndrome by Remodeling Intestinal Homeostasis in Mice. 2018 , 86, | 55 |
| 184 | Effect of consecutive steeping on antioxidant potential of green, oolong and black tea. 2018 , 53, 182-187 | 10 |
| 183 | Measurement and modelling of tracer diffusivities of gallic acid in liquid ethanol and in supercritical CO ₂ modified with ethanol. 2018 , 131, 130-139 | 5 |
| 182 | Dynamic changes in amino acids, catechins, caffeine and gallic acid in green tea during withering. 2018 , 66, 98-108 | 39 |
| 181 | Enhanced anticancer effect of fabricated gallic acid/CdS on the rGO nanosheets on human glomerular mesangial (IP15) and epithelial proximal (HK2) kidney cell lines - Cytotoxicity investigations. 2018 , 178, 243-248 | 10 |
| 180 | Effect of altitude, shooting period, and tea grade on the catechins, caffeine, theaflavin, and thearubigin of Turkish black tea. 2018 , 42, 334-340 | 8 |
| 179 | Colon Bioaccessibility and Antioxidant Activity of White, Green and Black Tea Polyphenols Extract after In Vitro Simulated Gastrointestinal Digestion. 2018 , 10, | 53 |
| 178 | Stress Physiology of Tea in the Face of Climate Change. 2018 , | 7 |
| 177 | Production and Polyphenolic Composition of Tea. 2018 , 53, 268-278 | 6 |
| 176 | Independent Component Regression for the Development of Prediction Model for Analysis of Electronic Tongue Response. 2018 , | 1 |
| 175 | Tea Antioxidants As Affected by Environmental Factors. 2018 , 313-331 | |
| 174 | Cistus incanus a promising herbal tea rich in bioactive compounds: LCMS/MS determination of catechins, flavonols, phenolic acids and alkaloidsA comparison with Camellia sinensis, Rooibos and Hoan Ngoc herbal tea. 2018 , 74, 71-81 | 26 |
| 173 | Solvent effects on antioxidant activities and phenolic contents of the alhydwan (Boerhavia elegana choisy) seed flour. <i>Journal of Food Measurement and Characterization</i> , 2018 , 12, 2121-2127 | 2.8 5 |

| | | | |
|-----|--|-----|-----|
| 172 | Effect-directed analysis of <i>Pimpinella saxifraga</i> L. root extract via HPTLC/DV/Vis/FLD/EDAMS. <i>Journal of Planar Chromatography - Modern TLC</i> , 2018 , 31, 79-86 | 0.9 | 4 |
| 171 | Green Tea Quality Evaluation Based on Its Catechins and Metals Composition in Combination with Chemometric Analysis. <i>Molecules</i> , 2018 , 23, | 4.8 | 52 |
| 170 | Effect of drying methods and solvent extraction on the phenolic compounds of <i>Gynura pseudochina</i> (L.) DC. leaf extracts and their anti-psoriatic property. 2018 , 120, 34-46 | | 13 |
| 169 | Determination of total oxidized nitrogen in organic and conventional herbal infusions using high-resolution continuum source graphite furnace molecular absorption spectrometry. 2018 , 149, 156-162 | | 1 |
| 168 | Bioactive Compound Fingerprint Analysis of Aged Raw Pu'er Tea and Young Ripened Pu'er Tea. <i>Molecules</i> , 2018 , 23, | 4.8 | 7 |
| 167 | Effect of brewing conditions on caffeine content in tea infusions simulating home-made cup of tea. 2018 , 149, 1561-1566 | | 4 |
| 166 | Unexploited <i>Polygonum equisetiforme</i> seeds: Potential source of useful natural bioactive products. 2018 , 122, 349-357 | | 9 |
| 165 | Volatile components and nutritional qualities of Burm.f. parasitic on ancient tea trees. <i>Food Science and Nutrition</i> , 2019 , 7, 3017-3029 | 3.2 | 6 |
| 164 | A Convolutional Neural Network Based Auto Features Extraction Method for Tea Classification with Electronic Tongue. 2019 , 9, 2518 | | 11 |
| 163 | Physicochemical mechanisms of different biopolymers' (lysozyme, gum arabic, whey protein, chitosan) adsorption on green tea extract loaded liposomes. 2019 , 138, 473-482 | | 23 |
| 162 | Probiotics, Prebiotics, and Fibers in Nutritive and Functional Beverages. 2019 , 315-367 | | 8 |
| 161 | Theabrownin from Pu-erh tea attenuates hypercholesterolemia via modulation of gut microbiota and bile acid metabolism. 2019 , 10, 4971 | | 171 |
| 160 | Application of Ionic Liquids in Separation and Fractionation Processes. 2019 , 637-665 | | 1 |
| 159 | Metal-organic frameworks based fluorescent sensor array for discrimination of flavonoids. <i>Talanta</i> , 2019 , 203, 248-254 | 6.2 | 14 |
| 158 | Characteristics and chemical compositions of Pingwu Fuzhuan brick-tea, a distinctive post-fermentation tea in Sichuan province of China. <i>International Journal of Food Properties</i> , 2019 , 22, 878-889 | 3 | 13 |
| 157 | Multifunctional Platforms Based on Graphene Oxide and Natural Products. 2019 , 55, | | 9 |
| 156 | Separation and enrichment of phenolics improved the antibiofilm and antibacterial activity of the fractions from <i>Citrus medica</i> L. var. <i>sarcodactylis</i> in vitro and in tofu. 2019 , 294, 533-538 | | 10 |
| 155 | A circuit model estimation of voltammetric taste measurement system for black tea. 2019 , 140, 609-621 | | 9 |

| | | | |
|-----|---|-----|----|
| 154 | Effect of GABA-Fortified Oolong Tea on Reducing Stress in a University Student Cohort. <i>Frontiers in Nutrition</i> , 2019 , 6, 27 | 6.2 | 9 |
| 153 | Tea, the Ambrosia Beverage: Biochemical, Cellular, Molecular, and Clinical Evidences. 2019 , 1-61 | | |
| 152 | Dynamic Profiling of Phenolic Acids during Pu-erh Tea Fermentation Using Derivatization Liquid Chromatography-Mass Spectrometry Approach. 2019 , 67, 4568-4577 | | 25 |
| 151 | Effect of different drying methods on the physical properties and antioxidant activities of Hibiscus cannabinus leaves. <i>Journal of Food Measurement and Characterization</i> , 2019 , 13, 1279-1286 | 2.8 | 10 |
| 150 | METHYLXANTHINES IN STIMULANT FOODS AND BEVERAGES COMMONLY CONSUMED IN BRAZIL. 2019 , 78, 75-85 | | 9 |
| 149 | EFFECT OF SOLVENT WITH VARYING POLARITIES ON PHYTOCHEMICAL EXTRACTION FROM MATURE TEA LEAVES AND ITS EVALUATION USING BIOCHEMICAL, ANTIMICROBIAL AND IN-SILICO APPROACHES. 2019 , 10, 59-67 | | 4 |
| 148 | Simultaneous Electrochemical Determination of Isoquercitrin and Epigallocatechingallate at a Carbon Nanotube Electrode. 2019 , 87, 242-244 | | 2 |
| 147 | Antitumor Activities of Korean Ginseng as a Health Food Based Upon Underlying Mechanisms of Ginsenosides. <i>ACS Symposium Series</i> , 2019 , 149-168 | 0.4 | 0 |
| 146 | Chemistry of The Korean Traditional Alcoholic Beverage Makgeolli. <i>ACS Symposium Series</i> , 2019 , 97-103 | 0.4 | |
| 145 | Enlisting plants in the battle for new antibacterial compounds. 2019 , | | |
| 144 | Comparative Assessment Of Catechin And Gallic Acid Content In Different Brands Of Black And Green Tea. 2019 , 1294, 052056 | | 2 |
| 143 | Development of Active Packaging Technology for Kimchi: One-Way Gas Valve. <i>ACS Symposium Series</i> , 2019 , 11-23 | 0.4 | |
| 142 | Volatile Flavor Compounds and Nutritional Values in Alaska Pollack Sikhae Made by Two-Stage Fermentation. <i>ACS Symposium Series</i> , 2019 , 25-42 | 0.4 | |
| 141 | Effects of Different Harvesting Times and Oxidative Fermentation Methods on Phytochemicals, Flavors, and Sensory Properties of Korean Teas. <i>ACS Symposium Series</i> , 2019 , 77-95 | 0.4 | 1 |
| 140 | Health Benefits of Lactic Acid Bacteria Isolated from Kimchi. <i>ACS Symposium Series</i> , 2019 , 107-119 | 0.4 | 0 |
| 139 | Aflatoxins in Doenjang, a Traditional Korean Fermented Soybean Paste: A Safety Perspective. <i>ACS Symposium Series</i> , 2019 , 135-148 | 0.4 | 2 |
| 138 | Applications of Tea () and its Active Constituents in Cosmetics. <i>Molecules</i> , 2019 , 24, | 4.8 | 30 |
| 137 | Korean Traditional Fermented Foods (KTFFs): Antiobesity Effects and Salt Paradox. <i>ACS Symposium Series</i> , 2019 , 121-134 | 0.4 | 2 |

| | | | |
|-----|---|------|----|
| 136 | Polyphenolic compounds as electron shuttles for sustainable energy utilization. 2019 , 12, 271 | | 12 |
| 135 | Evaluation of Metabolites Derived from Lactic Acid Bacteria Isolated from Kimchi. <i>ACS Symposium Series</i> , 2019 , 3-10 | 0.4 | 2 |
| 134 | Chemistry of Sulfur-Containing Compounds Derived from Garlic and Their Functions. <i>ACS Symposium Series</i> , 2019 , 43-55 | 0.4 | 0 |
| 133 | Characterization of three different classes of non-fermented teas using untargeted metabolomics. 2019 , 121, 697-704 | | 16 |
| 132 | Metabolic Signature of a Functional High-Catechin Tea after Acute and Sustained Consumption in Healthy Volunteers through H NMR Based Metabolomics Analysis of Urine. 2019 , 67, 3118-3124 | | 6 |
| 131 | Gallic acid improved inflammation via NF- κ B pathway in TNBS-induced ulcerative colitis. 2019 , 67, 129-137 | | 55 |
| 130 | Separationless and Adsorptionless Quantification of Individual Catechins in Green Tea with a Carbon Nanotube-Carboxymethylcellulose Electrode. 2019 , 67, 943-954 | | 11 |
| 129 | Characterization of catechins, theaflavins, and flavonols by leaf processing step in green and black teas (<i>Camellia sinensis</i>) using UPLC-DAD-QToF/MS. <i>European Food Research and Technology</i> , 2019 , 245, 997-1010 | 3.4 | 27 |
| 128 | Spectrum-effect relationships between high-performance liquid chromatography fingerprints and anti-inflammatory activities of <i>Leontopodium leontopodioides</i> (Willd.) Beauv. 2019 , 1104, 11-17 | | 7 |
| 127 | Colorimetric detection of gallic acid based on the enhanced oxidase-like activity of floral-like magnetic Fe O @MnO. 2019 , 34, 55-63 | | 10 |
| 126 | Evaluating the temperature dependence of heat-transfer based detection: A case study with caffeine and Molecularly Imprinted Polymers as synthetic receptors. <i>Chemical Engineering Journal</i> , 2019 , 359, 505-517 | 14.7 | 25 |
| 125 | Non-targeted metabolomics reveals distinct chemical compositions among different grades of Bai Mudan white tea. 2019 , 277, 289-297 | | 41 |
| 124 | Multivariate analysis of the composition of bioactive in tea of the species <i>Camellia sinensis</i> . 2019 , 273, 39-44 | | 24 |
| 123 | Epigallocatechin (EGC) esters as potential sources of antioxidants. 2020 , 309, 125609 | | 18 |
| 122 | CdTe QDs based fluorescent sensor for the determination of gallic acid in tea. 2020 , 224, 117356 | | 11 |
| 121 | Ready-to-Drink Tea. 2020 , 101-140 | | 6 |
| 120 | Solvent and temperature effect of accelerated solvent extraction (ASE) coupled with ultra-high-pressure liquid chromatography (UHPLC-PDA) for the determination of methyl xanthines in commercial tea and coffee. 2020 , 311, 126021 | | 24 |
| 119 | Quantitative Analysis and Discrimination of Partially Fermented Teas from Different Origins Using Visible/Near-Infrared Spectroscopy Coupled with Chemometrics. 2020 , 20, | | 4 |

| | | | |
|-----|---|-----|----|
| 118 | Kombucha: Review. 2020 , 22, 100272 | | 13 |
| 117 | Exploring community evolutionary characteristics of microbial populations with supplementation of green tea extracts in microbial fuel cells. 2020 , 113, 214-222 | | 5 |
| 116 | Nondestructive monitoring of polyphenols and caffeine during green tea processing using Vis-NIR spectroscopy. <i>Food Science and Nutrition</i> , 2020 , 8, 5860-5874 | 3.2 | 10 |
| 115 | Determination of the GCMS analysis of seed oil and assessment of pharmacokinetics of leaf extract of <i>Camellia sinensis</i> L.. 2020 , 32, 3138-3144 | | 12 |
| 114 | Application of Deep Eutectic Solvents and Ionic Liquids in the Extraction of Catechins from Tea. <i>Molecules</i> , 2020 , 25, | 4.8 | 9 |
| 113 | Enforced C-Src Activation Causes Compartmental Dysregulation of PI3K and PTEN Molecules in Lipid Rafts of Tongue Squamous Carcinoma Cells by Attenuating Rac1-Akt-GLUT-1-Mediated Sphingolipid Synthesis. 2020 , 21, | | 2 |
| 112 | Metabolite and Microbiome Profilings of Pickled Tea Elucidate the Role of Anaerobic Fermentation in Promoting High Levels of Gallic Acid Accumulation. 2020 , 68, 13751-13759 | | 5 |
| 111 | Climate and Processing Effects on Tea (<i>L. Kuntze</i>) Metabolome: Accurate Profiling and Fingerprinting by Comprehensive Two-Dimensional Gas Chromatography/Time-of-Flight Mass Spectrometry. <i>Molecules</i> , 2020 , 25, | 4.8 | 15 |
| 110 | A Feature Extraction Method Using Linear Model Identification of Voltammetric Electronic Tongue. 2020 , 69, 9243-9250 | | 3 |
| 109 | Antibacterial activities of <i>Camellia sinensis</i> plant extracts against uropathogenic <i>E. coli</i> in vitro and in vivo. 2020 , 14, 147-155 | | 1 |
| 108 | Effects of dynamic and static withering technology on volatile and nonvolatile components of Keemun black tea using GC-MS and HPLC combined with chemometrics. 2020 , 130, 109547 | | 12 |
| 107 | Novel ABTS-dot-blot method for the assessment of antioxidant properties of food packaging. 2020 , 24, 100478 | | 7 |
| 106 | Variations of glaucine, quercetin and kaempferol contents in against AlO, NiO, and TiO nanoparticles. <i>Heliyon</i> , 2020 , 6, e04265 | 3.6 | 15 |
| 105 | Quantification of Polyphenols and Metals in Chinese Tea Infusions by Mass Spectrometry. <i>Foods</i> , 2020 , 9, | 4.9 | 9 |
| 104 | FT-NIRS Coupled with PLS Regression as a Complement to HPLC Routine Analysis of Caffeine in Tea Samples. <i>Foods</i> , 2020 , 9, | 4.9 | 4 |
| 103 | Synchronous fluorescence spectroscopy combined with chemometrics for determination of total phenolic content and antioxidant activity in different tea types. 2020 , 100, 3741-3747 | | 2 |
| 102 | Chemical profile and antioxidant potential of extractable and non-extractable polyphenols in commercial teas at different fermentation degrees. 2020 , 44, e14487 | | 4 |
| 101 | Optimising extraction of antioxidants from roasted <i>Moringa oleifera</i> Lam. leaves using response surface methodology. 2020 , 44, e14482 | | 4 |

| | | | |
|-----|--|------|---|
| 100 | Stabilisation of biofuels with hydrophilic, natural antioxidants solubilised by glycerol derivatives. 2021 , 284, 119055 | | 5 |
| 99 | Phytochemical characterization and biological activities of green tea (<i>Camellia sinensis</i>) produced in the Azores, Portugal. 2021 , 1, 100001 | | 2 |
| 98 | Measurement and PC-SAFT Modeling of the Solubility of Gallic Acid in Aqueous Mixtures of Deep Eutectic Solvents. 2021 , 66, 958-967 | | 8 |
| 97 | . 2021 , 9, 82761-82785 | | 4 |
| 96 | Herbal medicine use to treat andrological problems: Asian and Indian subcontinent: Ginkgo biloba, Curcuma longa, and Camellia sinensis. 2021 , 129-146 | | 2 |
| 95 | THE STRENGTH OF TRANSVERS ACRYLIC RESIN WITH GLASS FIBER SOAKED IN TEA. <i>Journal of Vocational Health Studies</i> , 2021 , 4, 131 | 0.2 | |
| 94 | The Importance of Developing Electrochemical Sensors Based on Molecularly Imprinted Polymers for a Rapid Detection of Antioxidants. <i>Antioxidants</i> , 2021 , 10, | 7.1 | 3 |
| 93 | GC-MS analysis and molecular docking of bioactive compounds of <i>Camellia sinensis</i> and <i>Camellia assamica</i> . <i>Archives of Microbiology</i> , 2021 , 203, 2501-2510 | 3 | 2 |
| 92 | Chitosan and glyceryl monooleate nanostructures containing gallic acid isolated from amla fruit: targeted delivery system. <i>Heliyon</i> , 2021 , 7, e06526 | 3.6 | 2 |
| 91 | CuO Nanoparticles Decorated MIP-Based Electrode for Sensitive Determination of Gallic Acid in Green Tea. <i>IEEE Sensors Journal</i> , 2021 , 21, 5687-5694 | 4 | 8 |
| 90 | Effect of Solid-State Fermentation on Nutritional Quality of Leaf Flour of the Drumstick Tree (Lam.). <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 626628 | 5.8 | 4 |
| 89 | Effects of temperature and ultrasonic scaler on the infusion process of green tea leaves and catechins stability under ultrasonic vibration. <i>Journal of Food Measurement and Characterization</i> , 2021 , 15, 3598-3607 | 2.8 | 0 |
| 88 | Validated HPTLC and antioxidant activities for quality control of catechin in a fermented tea (var. <i>assamica</i>). <i>Food Science and Nutrition</i> , 2021 , 9, 3228-3239 | 3.2 | 1 |
| 87 | Seed Exhibits Inhibitory Effect on Skin Senescence via SIRT1 and MMP-1 Regulation. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 5528795 | 6.7 | 2 |
| 86 | Gallic Acid Based Black Tea Extract as a Stabilizing Agent in ZnO Particles Green Synthesis. <i>Nanomaterials</i> , 2021 , 11, | 5.4 | 1 |
| 85 | Microbial, physiochemical and functional properties of probiotic yogurt containing and enriched by green tea aqueous extract. <i>Food Science and Nutrition</i> , 2021 , 9, 5536-5545 | 3.2 | 0 |
| 84 | Association of prenatal factors and cord blood lead levels in China: A nested cohort cross-sectional study. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021 , 67, 126783 | 4.1 | 2 |
| 83 | Improving Fenton-like system with Catechin, an environmental-friendly polyphenol: Effects and mechanism. <i>Chemical Engineering Journal</i> , 2021 , 426, 127946 | 14.7 | 4 |

| | | | |
|----|--|-----|----|
| 82 | Phenolic Compounds in Coffee and Tea Beverages. <i>Food Bioactive Ingredients</i> , 2021 , 31-81 | 0.2 | |
| 81 | HPLC determination of phenolic compounds in different solvent extracts of mulberry leaves and antioxidant capacity of extracts. <i>International Journal of Food Properties</i> , 2021 , 24, 544-552 | 3 | 3 |
| 80 | Phytochemical Analysis of Herbal Teas and Their Potential Health, and Food Safety Benefits: A Review. 2020 , 281-301 | | 1 |
| 79 | In Vitro Assessment of Antioxidant Enzymes, Phenolic Contents and Antioxidant Capacity of the Verdolaga (Portulacaceae). <i>International Journal of Nutrition</i> , 2019 , 4, 36-47 | 2.2 | 3 |
| 78 | Optimization of separation of (+)-catechin and (–)epicatechin on cellulose TLC plates. <i>Journal of Planar Chromatography - Modern TLC</i> , 2002 , 15, 433-436 | 0.9 | 19 |
| 77 | A Comparative Study of Antioxidant Potential and Phenolic Content in White (Silver Needle), Green and Black Tea. <i>Current Nutrition and Food Science</i> , 2019 , 15, 415-420 | 0.7 | 2 |
| 76 | [The mechanisms of weight-cutting effect and bioactive components in Pu-erh tea]. <i>Zoological Research</i> , 2012 , 33, 421-6 | | 2 |
| 75 | Quality Characteristics and Antioxidant Activity of Mulberry Leaf Tea Fermented by <i>Monascus pilosus</i> . <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2012 , 41, 706-713 | 1.5 | 7 |
| 74 | Antioxidant activity of Green Tea Fermented with <i>Monascus pilosus</i> . <i>Journal of Applied Biological Chemistry</i> , 2012 , 55, 19-25 | 0.7 | 10 |
| 73 | Utilization of Egyptian Tomato Waste as a Potential Source of Natural Antioxidants Using Solvents, Microwave and Ultrasound Extraction Methods. <i>American Journal of Food Technology</i> , 2014 , 10, 14-25 | 0.1 | 8 |
| 72 | The Effect of Green and Oolong Tea Extracts Supplementation on Body Composition in Wrestlers. <i>Pakistan Journal of Nutrition</i> , 2010 , 9, 696-702 | 0.3 | 3 |
| 71 | Unlighted Maceration and Ultrasound Technique: The Key to Gaining Stable Trans-Resveratrol from Alternative Sources in Tempeh and Soybean Seed Coat. <i>Pakistan Journal of Nutrition</i> , 2019 , 18, 548-553 | 0.3 | 1 |
| 70 | The effect of three different antioxidants on the dentinal tubular penetration of Resilon and Real Seal SE on sodium hypochlorite-treated root canal dentin: An in vitro study. <i>Journal of Conservative Dentistry</i> , 2016 , 19, 161-5 | 0.9 | 4 |
| 69 | Green tea extract for periodontal health. <i>Journal of Indian Society of Periodontology</i> , 2011 , 15, 18-22 | 1.1 | 24 |
| 68 | Reversed-phase-liquid chromatography method for separation and quantification of gallic acid from hydroalcoholic extracts of <i>Qualea grandiflora</i> and <i>Qualea parviflora</i> . <i>Pharmacognosy Magazine</i> , 2015 , 11, S316-21 | 0.8 | 2 |
| 67 | Quantitation of the Total Catechin Content in Oils Extracted from Seeds of Selected Tea (“ <i>Camellia sinensis</i> “) (L) O. Kuntze, Theaceae) Clones by RP-HPLC. <i>American Journal of Plant Sciences</i> , 2015 , 06, 1080-1089 | 0.5 | 8 |
| 66 | Determination of Catechin Compounds in Korean Green Tea Infusions under Various Extraction Conditions by High Performance Liquid Chromatography. <i>Bulletin of the Korean Chemical Society</i> , 2005 , 26, 747-754 | 1.2 | 22 |
| 65 | Solid-Phase Extraction of Caffeine and Catechin Compounds From Green Tea by Caffeine Molecular Imprinted Polymer. <i>Bulletin of the Korean Chemical Society</i> , 2007 , 28, 276-280 | 1.2 | 15 |

| | | | |
|----|---|-----|---|
| 64 | Development and validation of a simple and rapid UPLC method for the in-vitro estimation of (-)-epigallocatechin-3-gallate in lipid-based formulations. <i>European Journal of Chemistry</i> , 2018 , 9, 7-12 | 0.6 | 2 |
| 63 | Antioxidative Activity of Smilax china L. Leaf Teas Fermented by Different Strains. <i>The Korean Journal of Food and Nutrition</i> , 2012 , 25, 807-819 | | 6 |
| 62 | A facile and sensitive ratiometric fluorescent sensor for determination of gallic acid. <i>Microchemical Journal</i> , 2021 , 106922 | 4.8 | 1 |
| 61 | Development of HPLC Method for Catechins and Related Compounds Determination and Standardization in Miang (Traditional Lanna Fermented Tea Leaf in Northern Thailand). <i>Molecules</i> , 2021 , 26, | 4.8 | 2 |
| 60 | Organic Bases. <i>Food Additives</i> , 2004 , 603-656 | | |
| 59 | Analytical Methods for Determination of Polyphenols in Sweet Wort, Wort and Beer.. <i>Kvasn Průmysl</i> , 2006 , 52, 111-114 | 1.3 | 2 |
| 58 | Functional Foods and Men's Health. 2010 , 139-162 | | |
| 57 | Folium Camelliae [Cha-yeh. 2011 , 951-965 | | |
| 56 | The French Paradox at Tea Time: From Antioxidant Flavonoids and Stilbenes Toward Bio-inspired Synthetic Derivatives. 2014 , 149-189 | | 1 |
| 55 | Enhanced Anti-oxidant Activity Effects of Smilax china L. Rhizome Water Extracts Added with Its Fermented Leaf Water Extracts. <i>Journal of Applied Biological Chemistry</i> , 2014 , 57, 145-152 | 0.7 | 2 |
| 54 | Simultaneous Determination of Caffeine, Theobromine and Theophylline in Tea Leaves by HPLC. <i>Korean Journal of Food Science and Technology</i> , 2015 , 47, 556-560 | | 1 |
| 53 | Application of Ionic Liquids in Separation and Fractionation Processes. 2018 , 1-29 | | 0 |
| 52 | Spectrophotometric Determination of Polyphenols in Green Teas with 18-Molybdodiphosphate. <i>Chemistry and Chemical Technology</i> , 2018 , 12, 135-142 | 0.9 | 4 |
| 51 | Structural Characterization of the Recombinant Human Fibroblast Growth Factor Receptor 2b Kinase Domain Upon Interaction with Flavonoids. <i>Jundishapur Journal of Natural Pharmaceutical Products</i> , 2018 , In Press, | 1.1 | 1 |
| 50 | Title, Copyright, Foreword. <i>ACS Symposium Series</i> , 2019 , i-v | 0.4 | |
| 49 | Subject Index. <i>ACS Symposium Series</i> , 2019 , 191-195 | 0.4 | |
| 48 | Buddhist Temple Foods in Korea. <i>ACS Symposium Series</i> , 2019 , 169-183 | 0.4 | |
| 47 | Changes of Volatile Compositions in Soju Wash from Fermentation to Distillation Using Different Kinds of Fermentation Starters. <i>ACS Symposium Series</i> , 2019 , 57-76 | 0.4 | |

| | | | |
|----|---|-----|---|
| 46 | . ACS Symposium Series, 2019 , | 0.4 | |
| 45 | Preface. ACS Symposium Series, 2019 , ix-x | 0.4 | |
| 44 | Editors Biographies. ACS Symposium Series, 2019 , 185-186 | 0.4 | |
| 43 | Preface. ACS Symposium Series, 2019 , xi-xii | 0.4 | |
| 42 | Anti-oxidant, anti-inflammatory, and anti-bacterial effects of extracts from <i>Elaeagnus umbellata</i> leaves obtained using different extract conditions. <i>Korean Journal of Food Preservation</i> , 2020 , 27, 374-384 | 0.5 | 0 |
| 41 | Suadian Acacia Gerrardii: Antidiabetic Effect in Rats Suffering from Diabetic Nephropathy and DNA Fingerprinting Using ISSR. <i>Pakistan Journal of Biological Sciences</i> , 2020 , 23, 1162-1175 | 0.8 | 0 |
| 40 | Process optimization and bioactive compounds quantification from <i>Dactylorhiza hatagirea</i> tuber for alleviating glycemc and oxidative stress. <i>Journal of Applied Research on Medicinal and Aromatic Plants</i> , 2021 , 100352 | 2.6 | 1 |
| 39 | Evaluation on Gallic Acid, EGCG Contents and Antiradical Activity of Green Tea and Black Tea Extracts. <i>Ankara Universitesi Eczacilik Fakultesi Dergisi</i> , 50-60 | 0 | 1 |
| 38 | Analysis of phenolic compounds and immunomodulatory activity of areca nut extract from Aceh, Indonesia, against infection in Sprague-Dawley rats. <i>Veterinary World</i> , 2020 , 13, 134-140 | 1.7 | 1 |
| 37 | Siyah, yeşil ve beyaz çayların kalite kriterleri, mineral içerikleri, antioksidan ve antimikrobiyal aktivite yönünden karşılaştırılması. <i>Akademik Ziraat Dergisi</i> , | 1 | |
| 36 | Therapeutic effects of green tea as an antioxidant on oral health- A review.. <i>Journal of Family Medicine and Primary Care</i> , 2021 , 10, 3998-4001 | 1.5 | 2 |
| 35 | Development and Validation of Near-Infrared Methods for the Quantitation of Caffeine, Epigallocatechin-3-gallate, and Moisture in Green Tea Production. <i>Journal of Analytical Methods in Chemistry</i> , 2021 , 2021, 9563162 | 2 | 0 |
| 34 | Capillary electrophoresis-UV analysis using silica-layer coated capillary for separation of seven phenolic acids and caffeine and its application to tea analysis. <i>SN Applied Sciences</i> , 2021 , 3, 1 | 1.8 | 1 |
| 33 | Application of a direct immersion stir bar sorptive extraction (DI-SBSE) combined GC/MS method for fingerprinting alkylpyrazines in tea and tea-like infusions. <i>European Food Research and Technology</i> , 2022 , 248, 1179 | 3.4 | 0 |
| 32 | Color Shade Nets Affect Plant Growth and Seasonal Leaf Quality of Grown in Mississippi, the United States.. <i>Frontiers in Nutrition</i> , 2022 , 9, 786421 | 6.2 | 3 |
| 31 | Chemical profiling of ancient bud black tea with a focus on the effects of shoot maturity and fermentation by UHPLC-HRMS. <i>European Food Research and Technology</i> , 2022 , 248, 1379 | 3.4 | 1 |
| 30 | Antioxidant and anti-inflammatory roles of tea polyphenols in inflammatory bowel diseases. <i>Food Science and Human Wellness</i> , 2022 , 11, 502-511 | 8.3 | 3 |
| 29 | In vitro Micropropagation, Biological Activities and Phenolic Profile of <i>Astragalus fruticosus</i> Forssk. <i>Asian Journal of Plant Sciences</i> , 2022 , 21, 192-202 | 0.6 | 0 |

| | | | |
|----|---|-----|---|
| 28 | Effects of enzyme treatment on volatile and non-volatile compounds in dried green tea leaves.. <i>Food Science and Biotechnology</i> , 2022 , 31, 539-547 | 3 | |
| 27 | Phytochemical profile of differently processed tea: A review.. <i>Journal of Food Science</i> , 2022 , | 3.4 | 3 |
| 26 | Oleuropein Degradation Kinetics in Olive Leaf and Its Aqueous Extracts.. <i>Antioxidants</i> , 2021 , 10, | 7.1 | 0 |
| 25 | DEVELOPMENT OF THE TECHNOLOGY FOR THE SEPARATION OF THE COMPONENTS FROM GREEN TEA USING THE PREPARATIVE LIQUID CHROMATOGRAPHY BY DESIGN OF PERIODICAL PROCESS. <i>Khimiya Rastitel'nogo Syr'ya</i> , 2021 , 327-336 | 0.5 | |
| 24 | Puerin III alleviates glucose and lipid metabolism disorders in high-fat high-sucrose diet-induced hyperlipidemic and hyperglycemic ApoE ^{-/-} mice. <i>Journal of Functional Foods</i> , 2022 , 93, 105085 | 5.1 | |
| 23 | Recent Advances in Analytical Methods for Determination of Polyphenols in Tea: A Comprehensive Review. <i>Foods</i> , 2022 , 11, 1425 | 4.9 | 1 |
| 22 | Fluorescent enzymatic assay for direct total polyphenol determination in food-related samples. <i>Talanta</i> , 2022 , 247, 123576 | 6.2 | 3 |
| 21 | Spatholobus suberectus Dunn Water Extract Ameliorates Atopic Dermatitis-like Symptoms by Suppressing Proinflammatory Chemokine Production In Vivo and In Vitro. <i>Frontiers in Pharmacology</i> , 2021 , 13, | 5.6 | 1 |
| 20 | Catechin content and free radical scavenging activity of Camellia sinensis twig extracts. 2021 , 28, 248-254 | | 0 |
| 19 | Biochemical and Proteome Analysis Reveal Different Nutritional Compound Compositions and Chloroplast Development Situations between Purple-Red and White-Yellow Tea Plant Cultivars. 2022 , 8, 685 | | 1 |
| 18 | Polyphenols from Plants: Phytochemical Characterization, Antioxidant Capacity, and Antimicrobial Activity of Some Plants from Different Sites of Greece. 2022 , 9, 186 | | 1 |
| 17 | Evaluation of the effect of green tea and its constituents on embryo development in a zebrafish model. | | |
| 16 | Rapid Limit Test of Seven Pesticide Residues in Tea Based on the Combination of TLC and Raman Imaging Microscopy. 2022 , 27, 5151 | | |
| 15 | Analysis of polyphenols and xanthines in yerba mate (<i>Ilex paraguariensis</i>) infusions by high-pressure extraction and ultra-high performance liquid chromatography. 2022 , 2, 100192 | | 0 |
| 14 | Nutra-pharmaceutical potential and phytonutrients profiling of wild jujube fruits along with bioactivities studies. 2022 , 104240 | | 0 |
| 13 | Recent advances on analytical methodologies for screening and detection of biophenols and their challenges: A brief review. 2022 , 4, 100456 | | 0 |
| 12 | Wild olive fruits: phenolics profiling, antioxidants, antimicrobial, thrombolytic and haemolytic activities. 2022 , 104241 | | 1 |
| 11 | GABA-enriched Oolong Tea: Reducing Stress in a Student Cohort May Involve More than Just GABA. | | 0 |

- 10 Gallic, ellagic acids and their oral combined administration induce kidney, lung, and heart injury after acute exposure in Wistar rats. **2022**, 170, 113492 ○
- 9 Prediction of total phenolic acids contained in plant extracts by PLS-ATR-FTIR. **2022**, 151, 295-305 ○
- 8 Portable Electronic Tongue for Characterisation of Tea Taste. **2023**, 69-83 ○
- 7 Catechins and other phenolic compounds in herb of eight Ephedra species in comparison to Camellia sinensis. 1-6 ○
- 6 Blueberry-added black tea: Effects of infusion temperature, drying method, fruit concentration on the iron-polyphenol complex formation, polyphenols profile, antioxidant activity, and sensory properties. **2023**, 410, 135463 ○
- 5 Chitosan/gelatin-based multifunctional film integrated with green tea carbon dots to extend the shelf life of pork. **2023**, 37, 101075 ○
- 4 Green Extraction Techniques for the Determination of Active Ingredients in Tea: Current State, Challenges, and Future Perspectives. **2023**, 10, 121 ○
- 3 Processing Technologies for the Extraction of Value-Added Bioactive Compounds from Tea. ○
- 2 Investigation and dynamic changes of phenolic compounds during a new-type fermentation for ripened Pu-erh tea processing. **2023**, 180, 114683 ○
- 1 Characteristics and Relationships between Total Polyphenol and Flavonoid Contents, Antioxidant Capacities, and the Content of Caffeine, Gallic Acid, and Major Catechins in Wild/Ancient and Cultivated Teas in Vietnam. **2023**, 28, 3470 ○