

CITATION REPORT

List of articles citing

The validity of the Hospital Anxiety and Depression Scale. An updated literature review

DOI: 10.1016/s0022-3999(01)00296-3
Journal of Psychosomatic Research, 2002, 52, 69-77.

Source: <https://exaly.com/paper-pdf/34225216/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2259	.		
2258	Feasibility of using Arabic Hospital Anxiety and Depression Scale (HADS) to assess anxiety and depression among patients attending Accident and Emergency at a University Hospital setting in Riyadh, Saudi Arabia. 2015 , 31, 1366-71		2
2257	Prevalence of anxiety and depression among doctors; the unscreened and undiagnosed clientele in Lahore, Pakistan. 2016 , 32, 294-8		20
2256	Short Form 36 and Hospital Anxiety and Depression Scale. A comparison based on patients with testicular cancer. <i>Journal of Psychosomatic Research</i> , 2002 , 52, 79-87	4.1	47
2255	A population study of anxiety and depression among persons who report whiplash traumas. <i>Journal of Psychosomatic Research</i> , 2002 , 53, 831-35	4.1	50
2254	The hospital anxiety and depression scale in patients undergoing peritoneal dialysis: internal and test-retest reliability. 2002 , 6, 78-80		15
2253	Authors' reply. 2002 , 181, 166		1
2252	An association between depression, anxiety and thyroid function--a clinical fact or an artefact?. 2002 , 106, 27-34		114
2251	BRCA1 testing with definitive results: a prospective study of psychological distress in a large clinic-based sample. 2004 , 3, 21-8		54
2250	Coping, catastrophizing and chronic pain in breast cancer. 2003 , 26, 265-81		88
2249	Suicidal ideation and attempts in Norwegian police. 2003 , 33, 302-12		54
2248	Use of a supportive care team for screening and preemptive intervention among multiple myeloma patients receiving stem cell transplantation. 2003 , 11, 568-74		23
2247	Multiple chemical sensitivity in male painters; a controlled provocation study. 2003 , 206, 531-8		11
2246	The Cancer Care Monitor: psychometric content evaluation and pilot testing of a computer administered system for symptom screening and quality of life in adult cancer patients. 2003 , 26, 1077-92		89
2245	A validation study of the hospital anxiety and depression scale (HADS) in a Spanish population. 2003 , 25, 277-83		444
2244	Evaluation of the psychometric characteristics of the Spanish version of the Hospital Anxiety and Depression Scale. 2003 , 107, 216-21		225
2243	The association between age and depression in the general population: a multivariate examination. 2003 , 107, 132-41		125

2242	Defining, Recognizing and Managing Depression in Neurological Practice. 2003 , 3, 196-203		
2241	Internet-based treatment of headache: does telephone contact add anything?. 2003 , 43, 353-61		96
2240	Depression and anxiety disorders associated with headache frequency. The Nord-Trøndelag Health Study. 2003 , 10, 147-52		262
2239	When adolescents disagree with their mothers: CBCL-YSR discrepancies related to maternal depression and adolescent self-esteem. 2003 , 29, 207-13		111
2238	A psychometric analysis of the Needs Assessment Checklist (NAC). 2003 , 41, 490-501		31
2237	The Hospital Anxiety and Depression Scale (HADS): translation and validation study of the Iranian version. 2003 , 1, 14		341
2236	The Hospital Anxiety And Depression Scale. 2003 , 1, 29		1247
2235	Internet administration of the Hospital Anxiety and Depression Scale in a sample of tinnitus patients. <i>Journal of Psychosomatic Research</i> , 2003 , 55, 259-62	4.1	126
2234	Detecting panic disorder in medical and psychosomatic outpatients: comparative validation of the Hospital Anxiety and Depression Scale, the Patient Health Questionnaire, a screening question, and physicians' diagnosis. <i>Journal of Psychosomatic Research</i> , 2003 , 55, 515-9	4.1	196
2233	Circulating alpha-2-macroglobulin levels and depression scores in patients who underwent abdominal cancer surgery. 2003 , 114, 90-4		9
2232	Role loss and emotional adjustment in chronic pain. 2003 , 105, 363-70		100
2231	A confirmatory factor analysis of the Hospital Anxiety and Depression Scale in coronary care patients following acute myocardial infarction. 2003 , 120, 85-94		93
2230	Validity of the hospital anxiety and depression scale for use with patients with noncardiac chest pain. 2003 , 44, 329-35		36
2229	Depressive symptoms in hemodialysis patients with silent cerebral infarction. 2003 , 44, 352-3		8
2228	Fear of recurrence and possible cases of anxiety and depression in orofacial cancer patients. 2003 , 32, 486-491		90
2227	Anxiety and depression in individuals with somatic health problems. The Nord-Trøndelag Health Study (HUNT). 2003 , 21, 136-41		54
2226	Fatigue, anxiety, and depression in long-term survivors of testicular cancer. 2003 , 21, 1249-54		189
2225	Anxiety and depression influence the relation between disability status and quality of life in multiple sclerosis. 2003 , 9, 397-403		140

2224	Folate, vitamin B12, homocysteine, and the MTHFR 677C->T polymorphism in anxiety and depression: the Hordaland Homocysteine Study. 2003 , 60, 618-26	264
2223	Suicidal Behavior as a Cry of Pain: Test of a Psychological Model. 2003 , 7, 297-308	92
2222	Self-reported parental abuse relates to autobiographical memory style in patients with eating disorders. 2003 , 3, 211-22	92
2221	Is the 12-item General Health Questionnaire (GHQ-12) confounded by scoring method during pregnancy and following birth?. 2003 , 21, 267-278	24
2220	An investigation into the psychometric properties of the Hospital Anxiety and Depression Scale in individuals with chronic fatigue syndrome. 2003 , 8, 425-39	32
2219	[Psychosomatic complaints and utilisation of psychosomatic consultation services in gynecology and obstetrics]. 2003 , 53, 485-93	5
2218	A psychometric evaluation of the Hospital Anxiety and Depression Scale during pregnancy. 2003 , 8, 89-103	50
2217	High plasma levels of N-terminal pro-atrial natriuretic peptide associated with low anxiety in severe heart failure. 2003 , 65, 517-22	43
2216	Current World Literature. 2003 , 16, 89-119	
2215	Occupational differences in levels of anxiety and depression: the Hordaland Health Study. 2003 , 45, 628-38	42
2214	Depression in men attending a rural general practice: factors associated with prevalence of depressive symptoms and diagnosis. 2004 , 185, 239-44	13
2213	[Cardiological and psychosocial status of patients with malignant ventricular arrhythmias before implantation of a cardioverter defibrillator. First results from the German Austrian ICD Multicenter Study (GAIMS)]. 2004 , 54, 308-19	7
2212	Is the hospital anxiety and depression scale (HADS) a reliable screening tool in early pregnancy?. 2004 , 19, 787-800	49
2211	Chronic Social Stress in the Community and Associations with Psychological Distress: A Social Psychological Perspective. 2004 , 6, 5-17	24
2210	Personality change after stroke: some preliminary observations. 2004 , 75, 1708-13	56
2209	Prediction of psychological health after an accidental burn. 2004 , 57, 367-74	64
2208	Intensive radiologic surveillance: a focus on the psychological issues. 2004 , 15 Suppl 1, I43-I47	16
2207	Individuals with an increased risk of colorectal cancer: perceived benefits and psychological aspects of surveillance by means of regular colonoscopies. 2004 , 22, 1736-42	28

2206	Acupuncture for postchemotherapy fatigue: a phase II study. 2004 , 22, 1731-5	150
2205	Cancer patient preferences for communication of prognosis in the metastatic setting. 2004 , 22, 1721-30	351
2204	Major depression in outpatients attending a regional cancer centre: screening and unmet treatment needs. 2004 , 90, 314-20	172
2203	Anxiety and depressive symptoms measured by the Hospital Anxiety and Depression Scale as predictors of time to recurrence in localized cutaneous melanoma. 2004 , 43, 161-8	21
2202	Farmers are at risk for anxiety and depression: the Hordaland Health Study. 2004 , 54, 92-100	59
2201	Cognitive bias in dizziness: emotional Stroop and autobiographical memories. 2004 , 33, 208-20	7
2200	Problems experienced during the first year of an acute traumatic hand injury - a prospective study. 2004 , 13, 986-95	72
2199	Long-term negative impact on quality of life in patients with successfully treated Cushing's disease. 2004 , 61, 458-65	139
2198	UK patients with primary Sjögren's syndrome are at increased risk from clinical depression. 2004 , 21, 141-5	31
2197	Psychosocial adjustment and quality of life among multiple myeloma patients undergoing evaluation for autologous stem cell transplantation. 2004 , 33, 955-62	58
2196	Comparative validity of three screening questionnaires for DSM-IV depressive disorders and physicians' diagnoses. 2004 , 78, 131-40	737
2195	A study of lifetime prevalence of anxiety and depressive disorders in patients presenting with chest pain to emergency medicine. 2004 , 26, 470-4	18
2194	A psychometric evaluation of the Hospital Anxiety and Depression Scale in patients diagnosed with end-stage renal disease. 2004 , 43, 51-64	70
2193	The value of the Hospital Anxiety and Depression Scale (HADS) for comparing women with early onset breast cancer with population-based reference women. 2004 , 13, 191-206	82
2192	Anxiety and depression in the working population using the HAD Scale--psychometrics, prevalence and relationships with psychosocial work characteristics. 2004 , 39, 637-46	73
2191	Pessimism as a predictor of emotional morbidity one year following breast cancer surgery. 2004 , 13, 309-20	150
2190	Symptomatic hypogonadism in male survivors of cancer with chronic exposure to opioids. 2004 , 100, 851-8	170
2189	Occupational therapy in multiple system atrophy: a pilot randomized controlled trial. 2004 , 19, 1360-4	41

2188	The interrelationship of psychosocial risk factors for coronary artery disease in a working population: do we measure distinct or overlapping psychological concepts?. 2004 , 30, 35-43		68
2187	Validation of the translation and cross-cultural adaptation into Finnish of the Abdominal Symptom Questionnaire, the Hospital Anxiety and Depression Scale and the Complaint Score Questionnaire. 2004 , 39, 1201-8		26
2186	Quality of Life in Depression Scale (QLDS): adaptation and evaluation of the psychometric properties of the Norwegian version. 2004 , 58, 439-46		5
2185	Factor structure of the Hospital Anxiety and Depression Scale in individuals with facial disfigurement. 2004 , 9, 327-336		37
2184	The trauma of first episode psychosis: the role of cognitive mediation. 2004 , 38, 327-33		53
2183	Effect of acute physical and psychological stress on gut autonomic innervation in irritable bowel syndrome. 2004 , 127, 1695-703		127
2182	An examination of the psychometric properties of the Hospital Anxiety and Depression Scale in Chinese patients with acute coronary syndrome. 2004 , 129, 279-88		45
2181	Psychometric study of quality of life instruments used during hospitalization for stem cell transplantation. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 201-11	4.1	12
2180	Psychiatric morbidity and cognitive representations of illness in chronic daily headache. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 549-55	4.1	16
2179	The relation of depression and anxiety to life-stress and achievement in students. 2004 , 95, 509-21		394
2178	Controlled trial of Internet-based treatment with telephone support for chronic back pain. 2004 , 111, 368-377		155
2177	Automatic referral to cardiac rehabilitation. 2004 , 42, 661-9		55
2176	Type D personality is associated with increased anxiety and depressive symptoms in patients with an implantable cardioverter defibrillator and their partners. 2004 , 66, 714-9		138
2175	Risk of depression and anxiety in employees with chronic bronchitis: the modifying effect of cigarette smoking. 2004 , 66, 729-34		27
2174	The association between anxiety, depression, and somatic symptoms in a large population: the HUNT-II study. 2004 , 66, 845-51		215
2173	The Nottingham Study of Neurotic Disorder: predictors of 12-year outcome of dysthymic, panic and generalized anxiety disorder. 2004 , 34, 1385-94		92
2172	Health-related quality of life in patients with pulmonary arterial hypertension. 2004 , 126, 1452-9		123
2171	Athletic Identity and Sports Participation in People with Spinal Cord Injury. 2004 , 21, 364-378		64

2170	Internet-based treatment for insomnia: a controlled evaluation. 2004 , 72, 113-20	225
2169	Responsiveness of health-related quality of life outcome measures in cardiac rehabilitation: comparison of cardiac rehabilitation outcome measures. 2004 , 72, 1175-80	32
2168	Pre-coronary artery bypass graft measures and enrollment in cardiac rehabilitation. 2005 , 25, 343-9	13
2167	Social desirability, psychological symptoms, and perceived health in burn injured patients. 2005 , 193, 820-4	12
2166	Chronic bronchitis, cigarette smoking, and the subsequent onset of depression and anxiety: results from a prospective population-based cohort study. 2005 , 67, 656-60	52
2165	Health-related quality of life measured by the SF12 in working populations: associations with psychosocial work characteristics. 2005 , 10, 429-440	61
2164	Effects of age on symptoms of anxiety and depression in a sample of retired police officers. 2005 , 20, 202-10	21
2163	Factors associated with the positive impact of caring for elderly and dependent relatives. 2005 , 41, 81-94	120
2162	Drie vragenlijsten voor diagnostiek van depressie en angststoornissen. 2005 , 13, 114-119	18
2161	Therapeutic group programme for women with postnatal depression in rural Victoria: a pilot study. 2005 , 13, 291-295	11
2160	A randomized trial assessing the Five-Day Plan for smoking cessation. 2005 , 100, 1546-54	8
2159	Patient-rated emotional and physical functioning among hematologic cancer patients during hospitalization for stem-cell transplantation. 2005 , 35, 307-14	56
2158	Perceived Discrimination Among Ethnic Minority Young People: The Role of Psychological Variables ¹ . 2005 , 35, 1246-1265	8
2157	How does stroke restrict participation in long-term post-stroke survivors?. 2005 , 112, 157-62	87
2156	Help-seeking behaviour in patients with anxiety disorder and depression. 2005 , 111, 51-8	140
2155	Patient experiences of anxiety, depression and acute pain after surgery: a longitudinal perspective. 2005 , 42, 521-30	93
2154	Using the Hospital Anxiety and Depression Scale to screen for depression in cardiac patients. 2005 , 27, 275-84	70
2153	Pain severity in diabetic peripheral neuropathy is associated with patient functioning, symptom levels of anxiety and depression, and sleep. 2005 , 30, 374-85	350

2152	The Hospital Anxiety and Depression Rating Scale: a cross-sectional study of psychometrics and case finding abilities in general practice. 2005 , 5, 46	362
2151	Evaluating an intervention to reduce fear of falling and associated activity restriction in elderly persons: design of a randomised controlled trial [ISRCTN43792817]. 2005 , 5, 26	33
2150	Effectiveness and cost-effectiveness of a multidisciplinary intervention programme to prevent new falls and functional decline among elderly persons at risk: design of a replicated randomised controlled trial [ISRCTN64716113]. 2005 , 5, 6	24
2149	The impact of molar pregnancy on psychological symptomatology, sexual function, and quality of life. 2005 , 97, 535-42	31
2148	The factor structure of the Hospital Anxiety and Depression Scale in older individuals with acquired amputations: a comparison of four models using confirmatory factor analysis. 2005 , 20, 344-9	17
2147	The association between depression, anxiety, and cognitive function in the elderly general population--the Hordaland Health Study. 2005 , 20, 989-97	62
2146	The role of anxiety in prostate carcinoma: a structured review of the literature. 2005 , 104, 467-78	151
2145	The simulation heuristic and visual imagery in pessimism for future negative events in anxiety. 2005 , 12, 313-325	26
2144	Plasma total homocysteine and memory in the elderly: the Hordaland Homocysteine Study. 2005 , 58, 847-57	136
2143	Impact of chemotherapy-induced neutropenia on quality of life: a prospective pilot investigation. 2005 , 13, 522-8	22
2142	The association between self-reported physical activity and prevalence of depression and anxiety disorder in long-term survivors of testicular cancer and men in a general population sample. 2005 , 13, 637-46	67
2141	Neonatal outcomes in offspring of women with anxiety and depression during pregnancy. A linkage study from The Nord-Trøndelag Health Study (HUNT) and Medical Birth Registry of Norway. 2005 , 8, 181-9	119
2140	Religious struggle and religious comfort in response to illness: health outcomes among stem cell transplant patients. 2005 , 28, 359-67	111
2139	Cognitive-behavioral group therapy as an early intervention for insomnia: a randomized controlled trial. 2005 , 15, 177-90	53
2138	Psychological distress in women at risk of hereditary breast/ovarian or HNPCC cancers in the absence of demonstrated mutations. 2005 , 4, 121-6	37
2137	Frequent attenders in general practice: problem solving treatment provided by nurses [ISRCTN51021015]. 2005 , 6, 42	15
2136	The association of sports and physical recreation with life satisfaction in a community sample of people with spinal cord injuries. 2005 , 20, 253-265	96
2135	Psychosocial factors associated with acute cervical radiculopathy. 2005 , 61, 7	1

2134	Minor injuries, cognitive failures and accidents at work: incidence and associated features. 2005 , 55, 99-108	44
2133	Ingested foreign body, to remove or not to remove. 2006 , 55, 1103, 1155	
2132	Improving physical fitness and emotional well-being in adolescents of low socioeconomic status in Chile: results of a school-based controlled trial. 2005 , 20, 113-22	106
2131	Depression increasingly predicts mortality in the course of congestive heart failure. 2005 , 7, 261-7	146
2130	Goal disturbance, coping, and psychological distress in partners of myocardial infarction patients: Taking account of the dyad. 2005 , 18, 255-267	8
2129	The Caregivers for Alzheimer's disease Problems Scale (CAPS): development of a new scale within the LASER-AD study. 2005 , 34, 287-90	18
2128	Anxiety, depression, and quality of life in caregivers of patients with cancer in late palliative phase. 2005 , 16, 1185-91	196
2127	Testing the Job Demand-Control-Support model with anxiety and depression as outcomes: the Hordaland Health Study. 2005 , 55, 463-73	125
2126	What does the Hospital Anxiety and Depression Scale (HADS) Really Measure in Liaison Psychiatry Settings?. 2005 , 1, 69-73	59
2125	Study of anxiety disorder and depression in long-term survivors of testicular cancer. 2005 , 23, 2389-95	138
2124	A controlled crossover study of the selective serotonin reuptake inhibitor citalopram in irritable bowel syndrome. 2006 , 55, 1095-103	191
2123	Communicating with realism and hope: incurable cancer patients' views on the disclosure of prognosis. 2005 , 23, 1278-88	388
2122	Effectiveness of physical activity on cardiorespiratory fitness and health-related quality of life in young and middle-aged cancer patients shortly after chemotherapy. 2005 , 23, 2378-88	161
2121	Delirium, depression, and anxiety in the treatment of cancer pain. 2005 , 9, 139-144	0
2120	Anxiety and Depression in Family Caregivers of People With Alzheimer Disease: The LASER-AD Study. 2005 , 13, 795-801	263
2119	Stability in optimism-pessimism in relation to bad news: a study of women with breast cancer. 2005 , 84, 148-54	56
2118	Treatment of tinnitus in the elderly: a controlled trial of cognitive behavior therapy. 2005 , 44, 671-5	56
2117	The role of patient appraisal and coping in predicting distress in IVF. 2005 , 23, 319-332	32

2116	The Swedish Demand-Control-Support Questionnaire (DCSQ): factor structure, item analyses, and internal consistency in a large population. 2005 , 33, 166-74		169
2115	Partial substitution of thyroxine (T4) with tri-iodothyronine in patients on T4 replacement therapy: results of a large community-based randomized controlled trial. 2005 , 90, 805-12		96
2114	Anxiety and depression following myocardial infarction: gender differences in a 5-year prospective study. <i>Journal of Psychosomatic Research</i> , 2005 , 58, 153-61	4.1	69
2113	Extending the demand-control model to informal caregiving. <i>Journal of Psychosomatic Research</i> , 2005 , 58, 243-51	4.1	21
2112	Detecting and monitoring depression with a two-item questionnaire (PHQ-2). <i>Journal of Psychosomatic Research</i> , 2005 , 58, 163-71	4.1	753
2111	Is there an association between haemoglobin, depression, and anxiety in cancer patients?. <i>Journal of Psychosomatic Research</i> , 2005 , 58, 477-83	4.1	13
2110	Anxiety and depression 3 years following stroke: demographic, clinical, and psychological predictors. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 209-13	4.1	103
2109	Thyroid autoimmunity, depression and anxiety; are there any connections? An epidemiological study of a large population. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 263-8	4.1	82
2108	Illness perceptions among cardiac patients: relation to depressive symptomatology and sex. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 153-60	4.1	64
2107	Quality of life in survivors of testicular cancer. 2005 , 23, 193-200		70
2106	Concerns about the implantable cardioverter defibrillator: a determinant of anxiety and depressive symptoms independent of experienced shocks. 2005 , 149, 664-9		115
2105	Factor structure of the Hospital Anxiety and Depression Scale (HADS) in German coronary heart disease patients. 2005 , 3, 15		59
2104	An investigation into the psychometric properties of the Hospital Anxiety and Depression Scale in patients with breast cancer. 2005 , 3, 41		50
2103	Development and validation of a psychosocial screening instrument for cancer. 2005 , 3, 54		58
2102	Assessment of the structure of the Hospital Anxiety and Depression Scale in musculoskeletal patients. 2005 , 3, 82		105
2101	Biases in self-reports of self-care behaviours in type 2 diabetes. 2005 , 10, 305-315		7
2100	Depression and diabetes: a large population-based study of sociodemographic, lifestyle, and clinical factors associated with depression in type 1 and type 2 diabetes. 2005 , 28, 1904-9		133
2099	Evidence-based guidelines for the pharmacological treatment of anxiety disorders: recommendations from the British Association for Psychopharmacology. 2005 , 19, 567-96		449

2098	Thyroxine-triiodothyronine combination therapy versus thyroxine monotherapy for clinical hypothyroidism: meta-analysis of randomized controlled trials. 2006 , 91, 2592-9	206
2097	Evaluation of a coping skills group following traumatic brain injury. 2006 , 20, 167-78	124
2096	The factor structure of the Hospital Anxiety and Depression Scale in acquired brain injury. 2006 , 20, 1235-9	51
2095	Depression is the main determinant of quality of life in multiple sclerosis: a classification-regression (CART) study. 2006 , 28, 307-14	118
2094	Who benefits? Outcome following a coping skills group intervention for traumatically brain injured individuals. 2006 , 20, 1-13	70
2093	The role of anxiety and depression in the development of insomnia: Cross-sectional and prospective analyses. 2006 , 21, 383-397	56
2092	Rapid initial gastric emptying and hypersensitivity to gastric filling in functional dyspepsia: effects of duodenal lipids. 2006 , 41, 1028-36	46
2091	Factor structure and use of the hospital anxiety and depression scale in the homeless and socially marginalized. 2006 , 11, 190-7	11
2090	A validation study of two brief measures of depression in the cardiac population: the DMI-10 and DMI-18. 2006 , 47, 129-35	15
2089	Generalised anxiety disorder. 2006 , 368, 2156-66	181
2088	Assessment of quality of life outcomes in the treatment of advanced colorectal malignancies. 2006 , 35, 53-64	8
2087	Psychosocial aspects of the functional gastrointestinal disorders. 2006 , 130, 1447-58	348
2086	Interdisciplinary rehabilitation in fibromyalgia and chronic back pain: a prospective outcome study. 2006 , 7, 807-15	42
2085	A preliminary psychometric evaluation of the Hospital Anxiety and Depression Scale (HADS) in 963 people living with a spinal cord injury. 2006 , 11, 80-90	109
2084	Does methylphenidate reduce the symptoms of chronic fatigue syndrome?. 2006 , 119, 167.e23-30	66
2083	Functional somatic symptoms in accident and emergency--An exploratory study. 2006 , 14, 171-7	6
2082	Type D personality and diabetes predict the onset of depressive symptoms in patients after percutaneous coronary intervention. 2006 , 151, 367.e1-367.e6	35
2081	The Second Prevention of Syncope Trial (POST II)--a randomized clinical trial of fludrocortisone for the prevention of neurally mediated syncope: rationale and study design. 2006 , 151, 1186.e11-7	55

2080	Clinical factors associated with fatigue in haematologic cancer patients receiving stem-cell transplantation. 2006 , 42, 1749-55		20
2079	Are men more depressed than women in Norway? Validity of the Hospital Anxiety and Depression Scale. <i>Journal of Psychosomatic Research</i> , 2006 , 60, 195-8	4.1	32
2078	Anxiety and depression in primary care patients: predictors of symptom severity and developmental correlates. <i>Journal of Psychosomatic Research</i> , 2006 , 60, 445-53	4.1	27
2077	The Hospital Anxiety and Depression Scale depression subscale, but not the Beck Depression Inventory-Fast Scale, identifies patients with acute coronary syndrome at elevated risk of 1-year mortality. <i>Journal of Psychosomatic Research</i> , 2006 , 60, 461-7	4.1	57
2076	Number of bodily symptoms predicts outcome more accurately than health anxiety in patients attending neurology, cardiology, and gastroenterology clinics. <i>Journal of Psychosomatic Research</i> , 2006 , 60, 357-63	4.1	75
2075	Anxiety enhances the detrimental effect of depressive symptoms on health status following percutaneous coronary intervention. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 783-9	4.1	37
2074	Gender differences and quality of life in atrial fibrillation: the mediating role of depression. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 769-74	4.1	59
2073	Gender-specific risk factors for mortality associated with incident coronary heart disease--a prospective community-based study. 2006 , 43, 361-7		13
2072	The influence of prognostic factors on neck pain intensity, disability, anxiety and depression over a 2-year period in subjects with acute whiplash injury. 2006 , 125, 244-256		69
2071	Prčarit'et troubles psychologiques : l'effet m'diateur de la perspective temporelle. 2006 , Num'ro 72, 51		13
2070	Help-seeking in the Norwegian Police Service. 2006 , 48, 145-53		37
2069	Depression in the medically ill. 3-18		9
2068	Potential screening measures for depression and anxiety after stroke. 2006 , 13, 401-406		18
2067	A controlled study of alexithymia in adolescent patients with persistent somatoform pain disorder. 2006 , 51, 468-71		55
2066	Measurement of anxiety for patients with cardiac disease: a critical review and analysis. 2006 , 21, 412-9		7
2065	Coping and emotional adjustment following traumatic brain injury. 2006 , 21, 248-59		168
2064	A population-based cohort study of the effect of common mental disorders on disability pension awards. 2006 , 163, 1412-8		175
2063	Sleep impairment in patients with painful diabetic peripheral neuropathy. 2006 , 22, 681-5		141

2062	Pain, psychological distress and health-related quality of life at baseline and 3 months after radical prostatectomy. 2006 , 5, 8	27
2061	An exploration of job stress and health in the Norwegian police service: a cross sectional study. 2006 , 1, 26	62
2060	Association of coping style, pain, age and depression with fatigue in women with primary breast cancer. 2006 , 15, 772-9	58
2059	The caregiver reaction assessment: psychometrics, and temporal stability in primary caregivers of Norwegian cancer patients in late palliative phase. 2006 , 15, 517-27	76
2058	Breakthrough pain in opioid-treated chronic non-malignant pain patients referred to a multidisciplinary pain centre: a preliminary study. 2006 , 50, 1290-6	22
2057	Do people with diabetes who need to talk want to talk?. 2006 , 23, 917-9	12
2056	Psychological morbidity and problems of daily living in people with visual loss and diabetes: do they differ from people without diabetes?. 2006 , 23, 1110-6	17
2055	The prevalence of depression and anxiety in adults with Type 1 diabetes. 2006 , 23, 1381-4	45
2054	Health service utilisation of a regional cohort of very preterm infants over the first 2 years of life. 2006 , 42, 377-83	20
2053	Migraine with and without aura: association with depression and anxiety disorder in a population-based study. The HUNT Study. 2006 , 26, 1-6	80
2052	Psychologic morbidities prior to loop electrosurgical excision procedure in the treatment of cervical intraepithelial neoplasia. 2006 , 16, 1089-93	24
2051	Outcomes in adulthood for children with foetal growth retardation. A linkage study from the Nord-Trøndelag Health Study (HUNT) and the Medical Birth Registry of Norway. 2006 , 113, 501-9	45
2050	Depression and anxiety status of patients with implantable cardioverter defibrillator and precipitating factors. 2006 , 29, 619-26	124
2049	Causative or precipitating aspects of burning mouth syndrome: a case-control study. 2006 , 35, 466-71	62
2048	Effect of childhood eczema and asthma on parental sleep and well-being: a prospective comparative study. 2006 , 154, 514-8	87
2047	The Oxford Conception Study design and recruitment experience. 2006 , 20 Suppl 1, 51-9	21
2046	Quality of life, social participation, appraisals and coping post spinal cord injury: a review of four community samples. 2006 , 44, 95-105	180
2045	Burnout in the working population: relations to psychosocial work factors. 2006 , 13, 51-9	140

2044	The role of clinical and social cognitive variables in parasuicide. 2006 , 45, 465-81	36
2043	Screening for psychological distress using internet administration of the Hospital Anxiety and Depression Scale (HADS) in individuals with chronic fatigue syndrome. 2006 , 45, 483-98	40
2042	An investigation of the relationship between anxiety and depression and urge incontinence in women: development of a psychological model. 2006 , 11, 463-82	80
2041	Information, social support and anxiety before gastrointestinal endoscopy. 2006 , 11, 551-9	17
2040	Validation of the Hungarian translation of Hospital Anxiety and Depression Scale. 2006 , 15, 761-6	35
2039	Feasibility of mental health screening and intervention in the HUNT population study. 2006 , 41, 191-8	4
2038	Screening for mental disorders in cancer, cardiovascular and musculoskeletal diseases. Comparison of HADS and GHQ-12. 2006 , 41, 56-62	50
2037	Patient's satisfaction and distress compared with expectations of the medical staff. 2006 , 63, 118-25	11
2036	Validity and reliability of the Hospital Anxiety and Depression Scale in a hypertrophic cardiomyopathy clinic: the HADS in a cardiomyopathy population. 2006 , 28, 55-8	45
2035	Emotional distress and coping in the early stage of recovery following acute traumatic hand injury: a questionnaire survey. 2006 , 43, 557-65	40
2034	Coping strategies and anxiety in caregivers of people with Alzheimer's disease: the LASER-AD study. 2006 , 90, 15-20	110
2033	Student anxiety and depression: comparison of questionnaire and interview assessments. 2006 , 95, 29-34	36
2032	Coping strategies as predictors of psychosocial adaptation in a sample of elderly veterans with acquired lower limb amputations. 2006 , 62, 208-16	57
2031	Primary caregivers of cancer patients in the palliative phase: a path analysis of variables influencing their burden. 2006 , 63, 2429-39	74
2030	Multidimensional measurement of fatigue in advanced cancer patients in palliative care: an application of the multidimensional fatigue inventory. 2006 , 31, 533-41	40
2029	Alexithymia and insomnia. 2006 , 40, 1615-1624	15
2028	Employment status and perceived health in the Hordaland Health Study (HUSK). 2006 , 6, 219	28
2027	Impact of briefly-assessed depression on secondary prevention outcomes after acute coronary syndrome: a one-year longitudinal survey. 2006 , 6, 9	32

2026	Evaluation of a self-management programme for congestive heart failure patients: design of a randomised controlled trial. 2006 , 6, 91	24
2025	Detection and treatment of depressive and anxiety disorders among cancer patients: feasibility and preliminary findings from a liaison service in an oncology division. 2006 , 23, 441-8	42
2024	Personality traits as risk factors of depression and anxiety among Japanese students. 2006 , 62, 97-109	86
2023	Emotional symptoms in acute ischemic stroke. 2006 , 21, 382-7	65
2022	Comparison of the domains of anxiety and mood of the University of Washington Head and Neck Cancer Questionnaire (UW-QOL V4) with the CES-D and HADS. 2006 , 28, 697-704	21
2021	The long-term effect of insomnia on work disability: the HUNT-2 historical cohort study. 2006 , 163, 1018-24	130
2020	Reduced brain functional reserve and altered functional connectivity in patients with multiple sclerosis. 2006 , 129, 527-37	160
2019	Prevalence of dizziness in relation to psychological factors and general health in older adults. 2006 , 4, 144-150	6
2018	Caregivers' experience of risk in dementia: the LASER-AD study. 2006 , 10, 532-8	24
2017	Psychological well-being among mothers of children with cerebral palsy. 2006 , 176, 421-428	52
2016	Factor structure of the Chinese version of the Geriatric Depression Scale. 2006 , 11, 48-59	50
2015	A pilot investigation of a psychosocial activity course for people with spinal cord injuries. 2006 , 11, 91-9	37
2014	Psychological well-being correlates with free thyroxine but not free 3,5,3'-triiodothyronine levels in patients on thyroid hormone replacement. 2006 , 91, 3389-93	63
2013	Determinants of health-related quality of life in patients with coronary artery disease. 2006 , 13, 398-406	38
2012	Impact and perceptions of mandatory tumor biopsies for correlative studies in clinical trials of novel anticancer agents. 2006 , 24, 4801-7	87
2011	Anxiety disorder in patients with non-specific chest pain in the emergency setting. 2006 , 23, 99-102	32
2010	A comprehensive rehabilitation programme tailored to the needs of adults with muscular dystrophy. 2006 , 20, 132-41	16
2009	Positron emission tomography reveals correlations between brain metabolism and mood changes in hyperthyroidism. 2006 , 91, 4786-91	51

2008	A randomized controlled trial of a decision aid for women at increased risk of ovarian cancer. 2006 , 26, 360-72	28
2007	A brief measure for assessing generalized anxiety disorder: the GAD-7. 2006 , 166, 1092-7	10806
2006	Effects of an exercise intervention for older heart failure patients on caregiver burden and emotional distress. 2006 , 13, 381-7	16
2005	Consequences of suppressing thoughts about tinnitus and the effects of cognitive distraction on brain activity in tinnitus patients. 2006 , 11, 301-9	32
2004	A case-control study of risk factors for arm pain presenting to primary care services. 2006 , 56, 137-43	14
2003	Examining the career plateau among police officers. 2006 , 29, 691-703	14
2002	Issues in the Psychiatric Screening of Cancer Patients. 2006 , 2, 3-10	3
2001	A study exploring the role of intercostal nerve damage in chronic pain after thoracic surgery. 2006 , 29, 873-9	81
2000	Factor structure of the Chinese version of the 12-item General Health Questionnaire (GHQ-12) in pregnancy. 2006 , 24, 87-98	9
1999	The Edmonton Symptom Assessment System as a screening tool for depression and anxiety. 2006 , 9, 296-303	105
1998	Psychometric properties of a European Spanish version of the Perceived Stress Scale (PSS). 2006 , 9, 86-93	384
1997	Longitudinal predictors of psychological distress and self-esteem in people with ALS. 2006 , 67, 1652-8	49
1996	The rapid resolution of depression and anxiety symptoms after lower limb amputation. 2007 , 21, 754-9	45
1995	Mortality in relation to self-reported mixed anxiety and depression symptoms--The HUNT study. 2007 , 61, 6-11	10
1994	Association of low blood pressure with anxiety and depression: the Nord-Trøndelag Health Study. 2007 , 61, 53-8	101
1993	Overgeneral memory for public and autobiographical events in depression and schizophrenia. 2007 , 12, 301-21	22
1992	Controlled study of fatigue, quality of life, and somatic and mental morbidity in epithelial ovarian cancer survivors: how lucky are the lucky ones?. 2007 , 25, 2049-56	56
1991	Older Adult Psychological Assessment. 2007 , 31, 1-35	51

1990	Gastrointestinal symptoms are associated with hypothalamic-pituitary-adrenal axis suppression in healthy individuals. 2007 , 42, 1294-301	15
1989	The assessment of poststroke depression. 2007 , 14, 1-24	36
1988	Meaning in heart disease: measuring the search for meaning. 2007 , 15, 145-60	5
1987	Increased prevalence of post-traumatic stress disorder symptoms in critical care nurses. 2007 , 175, 693-7	1190
1986	Specificity in the Relationships Between Stressors and Psychological Distress among Romanian Adults: A Longitudinal Analysis. 2007 , 9, 4-15	2
1985	Prednisolone does not reduce withdrawal headache: a randomized, double-blind study. 2007 , 69, 26-31	73
1984	Hand and wrist problems in general practice--patient characteristics and factors related to symptom severity. 2007 , 46, 1723-8	18
1983	Self-efficacy and overprotection are related to quality of life, psychological well-being and self-management in cardiac patients. 2007 , 12, 4-16	79
1982	Short-term patient-reported outcomes after different exercise-based cardiac rehabilitation programmes. 2007 , 14, 441-7	31
1981	Cognitive behavioral therapy for functional dysphonia: a pilot study. 2007 , 116, 717-22	21
1980	Symptoms of anxiety and depression in patients with stable coronary heart disease: prognostic value and consideration of pathogenetic links. 2007 , 14, 547-54	77
1979	Association of anxiety and depression with reported disease severity in patients undergoing evaluation for chronic rhinosinusitis. 2007 , 116, 491-7	60
1978	Assessment of neutropenia-related quality of life in a clinical setting. 2007 , 34, 403-9	11
1977	The Cardiff Study of all Wales and North West of England Twins (CaStANET): a longitudinal research program of child and adolescent development. 2007 , 10, 13-23	18
1976	Epidemiology of Insomnia: a Longitudinal Study in a UK Population. 2007 ,	12
1975	Anxiety, post-traumatic stress disorder and depression in Korean War veterans 50 years after the war. 2007 , 190, 475-83	38
1974	Return to work and health-related quality of life after burn injury. 2007 , 39, 49-55	107
1973	Chronic insomnia as a risk factor for developing anxiety and depression. 2007 , 30, 873-80	426

1972	Liability to anxiety and severe life events as predictors of new-onset sleep disturbances. 2007 , 30, 1537-46	69
1971	Work productivity in brain tumor survivors. 2007 , 49, 803-11	104
1970	Social problem solving and noncardiac chest pain. 2007 , 69, 944-51	17
1969	Psychosocial and emotional outcomes 10 years following traumatic brain injury. 2007 , 22, 278-87	185
1968	Anxiety, depression, and cause-specific mortality: the HUNT study. 2007 , 69, 323-31	204
1967	Mental defeat in chronic pain: initial exploration of the concept. 2007 , 23, 222-32	42
1966	Relationship between anxiety and gastric sensorimotor function in functional dyspepsia. 2007 , 69, 455-63	92
1965	Pain, functional disability, and psychologic status in tennis elbow. 2007 , 23, 482-9	70
1964	Relationship of initial level of distress to changes in health-related quality of life during cardiac rehabilitation or usual care. 2007 , 69, 793-7	17
1963	Alcohol dependence and mood state in a population receiving methadone maintenance treatment. 2007 , 24, 19-22	5
1962	Assessment of the efficacy of a stress management program for informal caregivers of dependent older adults. 2007 , 47, 205-14	23
1961	A new case-finding tool for anxiety: a pragmatic diagnostic validity study in primary care. 2007 , 37, 371-81	9
1960	A systematic review of the prevalence and covariates of anxiety in caregivers of people with dementia. 2007 , 19, 175-95	246
1959	Perceived control and coping in women faced with activity restriction due to osteoarthritis: relations to anxious and depressive symptoms. 2007 , 26, 241-253	13
1958	Health locus of control in patients with epilepsy and its relationship to anxiety, depression, and seizure control. 2007 , 11, 347-50	49
1957	Evidence of diffuse noxious inhibitory controls (DNIC) elicited by cold noxious stimulation in patients with provoked vestibulodynia. 2007 , 130, 31-9	56
1956	Fluid collections in amputee stumps: a common phenomenon. 2007 , 88, 661-3	9
1955	The course of distress in women at increased risk of breast and ovarian cancer due to an (identified) genetic susceptibility who opt for prophylactic mastectomy and/or salpingo-oophorectomy. 2007 , 43, 95-103	52

1954	Symptoms of depression and cardiovascular reactions to acute psychological stress: evidence from a population study. 2007 , 75, 68-74		111
1953	Increased use of safety-seeking behaviors in chronic back pain patients with high health anxiety. 2007 , 45, 2821-35		56
1952	The role of depression and anxiety in onset of diabetes in a large population-based study. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 31-8	4.1	227
1951	Coping, affective distress, and psychosocial adjustment among people with traumatic upper limb amputations. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 15-21	4.1	68
1950	Effects of a home-based intervention program on anxiety and depression 6 months after coronary artery bypass grafting: a randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 411-8 ^{4.1}		64
1949	Performance of the Hospital Anxiety and Depression Scale as a screening tool for major depressive disorder in cancer patients. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 83-91	4.1	108
1948	Quality of life among patients with a brain tumor and their carers. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 617-23	4.1	127
1947	Social support predicts hemodynamic recovery from mental stress in patients with implanted defibrillators. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 515-23	4.1	13
1946	Depressive symptoms predict recurrence of atrial fibrillation after cardioversion. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 509-13	4.1	84
1945	Comprehensive clinical adherence interventions to enable antiretroviral therapy: a case report. 2007 , 18, 44-53		10
1944	Age, sex, and comorbidities were considered in comparing reference data for health-related quality of life in the general and cancer populations. 2007 , 60, 1164-75		65
1943	Impact of an early recovery management intervention on functioning in postoperative coronary artery bypass patients with diabetes. 2007 , 36, 418-30		17
1942	Performance characteristics of depression screening instruments in survivors of acute myocardial infarction: review of the evidence. 2007 , 48, 185-94		33
1941	Associations between anxiety, depression, and the metabolic syndrome. 2007 , 62, 1251-7		218
1940	Association of adult body mass index and height with anxiety, depression, and suicide in the general population: the HUNT study. 2008 , 167, 193-202		173
1939	Effects of acupuncture as a treatment for hyperventilation syndrome: a pilot, randomized crossover trial. 2007 , 13, 39-46		21
1938	Psychological adjustment and marital satisfaction following head injury. Which critical personal characteristics should both partners develop?. 2007 , 21, 357-72		24
1937	There are no association between IgE levels and symptoms of anxiety and depression in the adult female general population. The Hordaland Health Study (HUSK). 2007 , 61, 410-7		5

1936	A controlled study of job strain in primary-treated cancer patients without metastases. 2007 , 46, 534-44	25
1935	Alcohol and drug use following traumatic brain injury: a prospective study. 2007 , 21, 1385-92	96
1934	The challenge of patients' unmet palliative care needs in the final stages of chronic illness. 2007 , 21, 313-22	178
1933	Who is prone to high levels of distress after prophylactic mastectomy and/or salpingo-ovariectomy?. 2007 , 18, 1641-5	13
1932	Health related quality of life and psychosocial function among patients with carcinoid tumours. A longitudinal, prospective, and comparative study. 2007 , 5, 18	72
1931	Quality of life assessment in women with breast cancer: benefits, acceptability and utilization. 2007 , 5, 24	113
1930	[Measurement of anxiety and depression in preoperative patients. Comparative study.]. 2007 , 57, 157-66	26
1929	Screening for depression and anxiety disorders in primary care patients. 2007 , 24, 455-60	60
1928	An evaluation of two self-report screening measures for mood in an out-patient chronic heart failure population. 2007 , 22, 1147-53	39
1927	Illness perception in eating disorders and psychosocial adaptation. 2007 , 15, 373-84	16
1926	Depression rating scales in Parkinson's disease: critique and recommendations. 2007 , 22, 1077-92	490
1925	Psychological aspects of pain. 2007 , 44 Suppl 1, 321-6	
1924	What happens to people after malignant cord compression? Survival, function, quality of life, emotional well-being and place of care 1 month after diagnosis. 2007 , 19, 56-62	36
1923	A randomised controlled trial of a lengthened and multi-disciplinary consultation model in a socially deprived community: a study protocol. 2007 , 8, 38	2
1922	Anxiety and panic fear in adults with asthma: prevalence in primary care. 2007 , 8, 62	30
1921	Anxiety and depression in patients with gastrointestinal cancer: does knowledge of cancer diagnosis matter?. 2007 , 7, 28	77
1920	Cross-sectional validation of the Aging Perceptions Questionnaire: a multidimensional instrument for assessing self-perceptions of aging. 2007 , 7, 9	73
1919	Presence of depression and anxiety before and after coronary artery bypass graft surgery and their relationship to age. 2007 , 7, 47	63

1918	Cross-cultural adaptation into Punjabi of the English version of the Hospital Anxiety and Depression Scale. 2007 , 7, 5	8
1917	Prevalence and demographics of anxiety disorders: a snapshot from a community health centre in Pakistan. 2007 , 6, 30	15
1916	Reliability and validity of a Dutch version of the Leicester Cough Questionnaire. 2007 , 3, 3	27
1915	Screening new cancer patients for psychological distress using the hospital anxiety and depression scale. 2007 , 16, 534-42	129
1914	Extending the validity of the Memorial Anxiety Scale for Prostate Cancer (MAX-PC) at the time of prostate biopsy in a racially-mixed population. 2007 , 16, 493-8	20
1913	The development and evaluation of a measure to assess cancer survivors' unmet supportive care needs: the CaSUN (Cancer Survivors' Unmet Needs measure). 2007 , 16, 796-804	218
1912	Assessing unmet supportive care needs in partners of cancer survivors: the development and evaluation of the Cancer Survivors' Partners Unmet Needs measure (CaSPUN). 2007 , 16, 805-13	77
1911	Art therapy improved depression and influenced fatigue levels in cancer patients on chemotherapy. 2007 , 16, 980-4	129
1910	Condition-related coping strategies in persons with spinal cord lesion: a cross-national validation of the Spinal Cord Lesion-related Coping Strategies Questionnaire in four community samples. 2007 , 45, 420-8	33
1909	Emotional distress in cancer patients: the Edinburgh Cancer Centre symptom study. 2007 , 96, 868-74	129
1908	Depression and Antidepressant Use in Gastrointestinal Carcinoid Cancer Patients1. 2007 , 9, 80-90	7
1907	Evaluation of a stress management course in adult education centres in rural Australia. 2007 , 15, 107-13	4
1906	Psychiatric morbidity among patients with cancer of the esophagus or the gastro-esophageal junction: a prospective, longitudinal evaluation. 2007 , 20, 523-9	45
1905	The effects of a back rehabilitation programme for patients with chronic low back pain. 2007 , 13, 795-800	13
1904	Reduced positive affect (anhedonia) predicts major clinical events following implantation of coronary-artery stents. 2008 , 263, 203-11	60
1903	Prevalence and correlates of clinical insomnia co-occurring with chronic back pain. 2007 , 16, 85-95	237
1902	Psychological characteristics of Norwegian adolescents reporting no likelihood of visiting a dentist in a situation with toothache. 2007 , 17, 430-8	23
1901	No difference in symptoms of irritable bowel syndrome between healthy subjects and patients with recurrent depression in remission. 2007 , 19, 896-904	25

1900	Severe gastro-oesophageal reflux symptoms in relation to anxiety, depression and coping in a population-based study. 2007 , 26, 683-91	86
1899	Percutaneous implantation of a brachial plexus electrode for management of pain syndrome caused by a traction injury. 2007 , 10, 148-55	28
1898	ABSTRACTS. 2007 , 8, 88-117	
1897	The effect of anxiety and depression on improvements in pain in a randomized, controlled trial of pregabalin for treatment of fibromyalgia. 2007 , 8, 633-8	70
1896	Determinants and status of quality of life after long-term botulinum toxin therapy for cervical dystonia. 2007 , 14, 1129-37	51
1895	Chronic fatigue and its correlates in long-term survivors of cervical cancer treated with radiotherapy. 2007 , 114, 1150-8	54
1894	The emotional burden of miscarriage for women and their partners: trajectories of anxiety and depression over 13 months. 2007 , 114, 1138-45	61
1893	Illness perception and health-related quality of life in multiple sclerosis. 2007 , 116, 293-9	54
1892	Clustering of device-related concerns and type D personality predicts increased distress in ICD patients independent of shocks. 2008 , 31, 20-7	40
1891	Symptom clusters in patients with high-grade glioma. 2007 , 39, 61-7	101
1890	Predictors of functional performance in community-dwelling people with COPD. 2007 , 39, 222-8	14
1889	Efficacy of confrontational counselling for smoking cessation in smokers with previously undiagnosed mild to moderate airflow limitation: study protocol of a randomized controlled trial. 2007 , 7, 332	23
1888	Design considerations in a clinical trial of a cognitive behavioural intervention for the management of low back pain in primary care: Back Skills Training Trial. 2007 , 8, 14	13
1887	The association of depression and anxiety with medical symptom burden in patients with chronic medical illness. 2007 , 29, 147-55	608
1886	Validity of the Hospital Anxiety and Depression Scale and Patient Health Questionnaire-9 to screen for depression in patients with coronary artery disease. 2007 , 29, 417-24	176
1885	Type-D personality predicts chronic anxiety following percutaneous coronary intervention in the drug-eluting stent era. 2007 , 99, 173-9	37
1884	Reliability and validity of the Hospital Anxiety and Depression Scale and the Beck Depression Inventory (Full and FastScreen scales) in detecting depression in persons with hepatitis C. 2007 , 100, 265-9	52
1883	Associations between cod liver oil use and symptoms of depression: the Hordaland Health Study. 2007 , 101, 245-9	45

1882	Type-D personality and depressive symptoms predict anxiety 12 months post-percutaneous coronary intervention. 2007 , 103, 197-203	24
1881	Is the sexual function compromised in long-term testicular cancer survivors?. 2007 , 52, 1438-47	83
1880	Long-term survival from gynecologic cancer: psychosocial outcomes, supportive care needs and positive outcomes. 2007 , 104, 381-9	191
1879	An introduction to the Rasch measurement model: an example using the Hospital Anxiety and Depression Scale (HADS). 2007 , 46, 1-18	624
1878	Correlates of anxiety and depression among HIV test-seekers at a Voluntary Counseling and Testing facility in Pune, India. 2007 , 16, 41-52	20
1877	The Role of Coping Styles and Self-efficacy in the Development of Dysphoric Mood Among Nursing Students. 2007 , 29, 241-248	17
1876	A prospective examination of patterns and correlates of exercise maintenance in coronary artery disease patients. 2007 , 30, 411-21	26
1875	The influence of cancer-related distress and sense of coherence on anxiety and depression in patients with hereditary cancer: a study of patients' sense of coherence 6 months after genetic counseling. 2007 , 16, 607-15	19
1874	Assessment of psychosocial outcomes in genetic counseling research: an overview of available measurement scales. 2007 , 16, 693-712	57
1873	Life after cancer: couples' and partners' psychological adjustment and supportive care needs. 2007 , 15, 405-15	103
1872	Breast cancer survivors' supportive care needs 2-10 years after diagnosis. 2007 , 15, 515-23	211
1871	Screening for depressive symptoms in patients with unresectable lung cancer. 2007 , 15, 1207-12	29
1870	Young survivors of malignant bone tumours in the extremities: a comparative study of quality of life, fatigue and mental distress. 2007 , 15, 1087-96	42
1869	The associations between living conditions, demography, and the 'impact of cancer' scale in tumor-free cancer survivors: a NOCWO study. 2007 , 15, 1309-1318	17
1868	Screeninginstrumente für Depressionen. 2007 , 1, 144-153	1
1867	Psychoonkologisches Screening in der Routineversorgung. 2007 , 1, 293-297	5
1866	Psychological outcome two years after restrictive bariatric surgery. 2007 , 17, 785-91	69
1865	The association between substance use and the needs of patients with psychiatric disorder, levels of anxiety, and caregiving burden. 2008 , 22, 375-85	16

1864	Four weeks of daily assessments of anxiety, depression and activity compared to a point assessment with the Hospital Anxiety and Depression Scale. 2008 , 17, 95-104	40
1863	Psychosocial conditions of women awaiting genetic counseling: a population-based study. 2008 , 17, 242-51	5
1862	The relationship between psychological distress and personality in women from families with familial breast/ovarian or hereditary non-polyposis colorectal cancer in the absence of demonstrated mutations. 2008 , 17, 384-93	7
1861	Chronic pain and praying to a higher power: useful or useless?. 2008 , 47, 176-87	26
1860	Psychological and cancer-specific distress at 18 months post-testing in women with demonstrated BRCA1 mutations for hereditary breast/ovarian cancer. 2008 , 7, 245-54	27
1859	A 4-year follow-up study of syndromal and sub-syndromal anxiety and depression symptoms in the general population: the HUNT study. 2008 , 43, 192-9	26
1858	Birth factors and common mental health problems in young adults: a population-based study in North Staffordshire. 2008 , 43, 325-30	18
1857	Sexual function in ICU survivors more than 3 years after major trauma. 2008 , 34, 447-53	13
1856	Is cancer survivorship associated with reduced work engagement? A NOCWO Study. 2008 , 2, 159-68	41
1855	Douleur, stratégies d'ajustement et détresse psychologique. Analyse complémentaire sur la validité française du coping strategies questionnaire. 2008 , 21, 227-234	6
1854	Type D patients report poorer health status prior to and after cardiac rehabilitation compared to non-type D patients. 2008 , 36, 167-75	36
1853	Psychometric properties of a German version of the neck pain and disability scale. 2008 , 17, 922-9	42
1852	Religiosity, spirituality and antenatal anxiety in Southern U.S. women. 2008 , 11, 19-26	23
1851	Clinical heterogeneity in newly diagnosed Parkinson's disease. 2008 , 255, 716-22	64
1850	The role of disability and depression in cognitive functioning within 2 years after multiple sclerosis diagnosis. 2008 , 255, 910-6	30
1849	Measuring health-related quality of life and neutropenia-specific concerns among older adults undergoing chemotherapy: validation of the Functional Assessment of Cancer Therapy-Neutropenia (FACT-N). 2008 , 16, 47-56	19
1848	A study of work changes due to cancer in tumor-free primary-treated cancer patients. A NOCWO study. 2008 , 16, 1163-71	43
1847	Narcissism in patients admitted to psychiatric acute wards: its relation to violence, suicidality and other psychopathology. 2008 , 8, 13	19

1846	Depression and anxiety in relation to catechol-O-methyltransferase Val158Met genotype in the general population: the Nord-Trøndelag Health Study (HUNT). 2008 , 8, 48	30
1845	The effect of improvisational music therapy on the treatment of depression: protocol for a randomised controlled trial. 2008 , 8, 50	28
1844	Hospital Anxiety and Depression Scale (HADS): validation in a Greek general hospital sample. 2008 , 7, 4	149
1843	The relationship between coping strategies and anxiety in women from families with familial breast-ovarian cancer in the absence of demonstrated mutations. 2008 , 17, 49-57	14
1842	Psychiatric morbidity and quality of life in wives of men with long-term head and neck cancer. 2008 , 17, 199-204	43
1841	Optimism and psychological well-being among parents of children with cancer: an exploratory study. 2008 , 17, 401-9	63
1840	Pre-transplant depression as risk factor for survival of patients undergoing allogeneic haematopoietic stem cell transplantation. 2008 , 17, 480-7	45
1839	Psychosocial intervention as a component of routine breast cancer care-who participates and does it help?. 2008 , 17, 716-20	30
1838	Concerns of former breast cancer patients about disease recurrence: a validation and prevalence study. 2008 , 17, 1137-45	125
1837	Adherence to the immunomodulatory drugs for multiple sclerosis: contrasting factors affect stopping drug and missing doses. 2008 , 17, 565-76	65
1836	Chronic pain in Parkinson's disease: the cross-sectional French DoPaMiP survey. 2008 , 23, 1361-9	224
1835	Anxiety rating scales in Parkinson's disease: critique and recommendations. 2008 , 23, 2015-25	182
1834	Examining item bias in the anxiety subscale of the Hospital Anxiety and Depression Scale in patients with chronic obstructive pulmonary disease. 2008 , 17, 104-10	16
1833	Screening and referral for psychosocial distress in oncologic practice: use of the Distress Thermometer. 2008 , 113, 870-8	297
1832	Which patients with IBD need psychological interventions? A controlled study. 2008 , 14, 1273-80	57
1831	Screening for elder abuse in dementia in the LASER-AD study: prevalence, correlates and validation of instruments. 2008 , 23, 283-8	71
1830	Coping strategies, anxiety and depression in caregivers of people with Alzheimer's disease. 2008 , 23, 929-36	181
1829	Is there information contained within the sentence-writing component of the mini mental state examination? A retrospective study of community dwelling older people. 2008 , 23, 1283-9	7

1828	Clinical course and prognosis of hand and wrist problems in primary care. 2008 , 59, 1349-57	18
1827	Anxiety and depression among subjects attending genetic counseling for hereditary cancer. 2008 , 71, 234-43	17
1826	Vrees voor terugkeer van borstkanker. Validering van de Nederlandse versie van de Concerns About Recurrence Scale (CARS). 2008 , 36, 286-296	
1825	Hypericum perforatum extract in burning mouth syndrome: a randomized placebo-controlled study. 2008 , 37, 395-401	43
1824	Correlates of patient acceptance of the cardioverter defibrillator: cross-validation of the Florida Patient Acceptance Survey in Danish patients. 2008 , 31, 1168-77	42
1823	Impact of implantable cardioverter-defibrillator recalls on patients' anxiety, depression, and quality of life. 2008 , 31, 1411-8	30
1822	Psychosocial Correlates of Cardiovascular Reactivity to Anticipation of an Exercise Stress Test Prior to Attending Cardiac Rehabilitation: A Preliminary Test1. 2008 , 13, 20-41	5
1821	The impact of microinvasive cancer of the cervix on women during follow-up. 2008 , 18, 1289-93	4
1820	Physical activity and depressive symptoms among Norwegian adults aged 20-50. 2008 , 25, 536-45	25
1819	A cross-sectional study of psychological morbidity in patients with acne, psoriasis and atopic dermatitis in specialist dermatology and general practices. 2008 , 22, 1435-44	38
1818	Anxiety, stress and coping behaviours in primary care migraine patients: results of the SMILE study. 2008 , 28, 1115-25	38
1817	Consultation frequency and perceived consultation time in a Japanese psychiatric clinic: their relationship with patient consultation satisfaction and depression and anxiety. 2008 , 62, 129-34	2
1816	Clinical trial: a randomized controlled cross-over study of flupenthixol + melitracen in functional dyspepsia. 2008 , 27, 1148-55	28
1815	Evidence of high levels of anxiety and depression in polymorphic light eruption and their association with clinical and demographic variables. 2008 , 159, 439-44	22
1814	Do nurses and cancer patients agree on cancer patients' coping resources, emotional distress and quality of life?. 2008 , 17, 350-60	24
1813	Older people--recipients but also providers of informal care: an analysis among community samples in the Republic of Ireland and Northern Ireland. 2008 , 16, 548-53	13
1812	Factor structure of the Hospital Anxiety and Depression Scale in coronary heart disease patients in three countries. 2008 , 14, 281-7	39
1811	Validation of the Chinese version of the MacNew heart disease health-related quality of life questionnaire. 2008 , 14, 326-35	18

1810	Burnout and physical and mental health among Swedish healthcare workers. 2008 , 62, 84-95	278
1809	Evaluation of negative emotional care experiences in burn care. 2008 , 17, 1923-9	5
1808	A controlled study of sexual activity and functioning in epithelial ovarian cancer survivors. A therapeutic approach. 2008 , 108, 348-54	109
1807	Health problems and help-seeking in a nationwide sample of operational Norwegian ambulance personnel. 2008 , 8, 3	29
1806	Depression, anxiety and somatization in primary care: syndrome overlap and functional impairment. 2008 , 30, 191-9	421
1805	Prevalence and risk factors for chemical sensitivity and sensory hyperreactivity in teenagers. 2008 , 211, 690-7	34
1804	Depression profile in patients with and without chronic heart failure. 2008 , 105, 53-62	36
1803	Seasonality is associated with anxiety and depression: the Hordaland health study. 2008 , 105, 147-55	50
1802	Monthly variation in prevalence rates of comorbid depression and anxiety in the general population at 63-65 degrees North: the HUNT study. 2008 , 106, 273-8	33
1801	Anxiety disorders in adults treated by hemodialysis: a single-center study. 2008 , 52, 128-36	147
1800	Diminished cortisol responses to psychosocial stress associated with lifetime adverse events a study among healthy young subjects. 2008 , 33, 227-37	273
1799	Does a higher educational level protect against anxiety and depression? The HUNT study. 2008 , 66, 1334-45	304
1798	Efficacy of dronabinol as an adjuvant treatment for chronic pain patients on opioid therapy. 2008 , 9, 254-64	169
1797	What determines subjective health status in patients with chronic obstructive pulmonary disease: importance of symptoms in subjective health status of COPD patients. 2008 , 6, 115	29
1796	Correspondence between EQ-5D health state classifications and EQ VAS scores. 2008 , 6, 94	105
1795	Gender differences in the association of mixed anxiety and depression with suicide. 2008 , 192, 474-5	38
1794	Cluster analysis and clinical asthma phenotypes. 2008 , 178, 218-224	1355
1793	Aesthetic outcome, patient satisfaction, and health-related quality of life in women at high risk undergoing prophylactic mastectomy and immediate breast reconstruction. 2008 , 61, 1177-87	69

1792	Characteristics of visitors to homeopaths in a total adult population study in Norway (HUNT 2). 2008 , 97, 178-84		12
1791	Do antenatal religious and spiritual factors impact the risk of postpartum depressive symptoms?. 2008 , 17, 745-55		38
1790	A prospective, controlled multisite study of psychosocial and behavioral change following women's cardiac rehabilitation participation. 2008 , 17, 241-8		18
1789	Feelings of anxiety and symptoms of depression in community-living older persons who avoid activity for fear of falling. 2008 , 16, 186-93		108
1788	Symptoms of anxiety and depression in medical students and in humanities students: relationship with big-five personality dimensions and vulnerability to stress. 2008 , 54, 494-501		89
1787	Comparison of the Short Form 36 and the Hospital Anxiety and Depression Scale measuring emotional distress in patients admitted for elective coronary angiography. 2008 , 37, 286-95		18
1786	The frequency of perceived stress, anxiety, and depression in patients with common pathologies affecting voice. 2008 , 22, 472-88		128
1785	Psychometric properties of the DASS-Depression scale among a Brazilian population with chronic pain. <i>Journal of Psychosomatic Research</i> , 2008 , 64, 25-31	4.1	17
1784	The effectiveness of the Training and Support Program for parents of children with disabilities: a randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2008 , 64, 55-62	4.1	32
1783	Impact of physical symptoms on perceived health in the community. <i>Journal of Psychosomatic Research</i> , 2008 , 64, 265-74	4.1	58
1782	A bidirectional relationship between anxiety and depression, and insomnia? A prospective study in the general population. <i>Journal of Psychosomatic Research</i> , 2008 , 64, 443-9	4.1	360
1781	Chronic cancer-related fatigue in long-term survivors of testicular cancer. <i>Journal of Psychosomatic Research</i> , 2008 , 64, 363-71	4.1	69
1780	The prediction of self-care behaviors in end-stage renal disease patients using Leventhal's Self-Regulatory Model. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 191-200	4.1	57
1779	FKBP5, SERT and COMT mRNA expressions in the peripheral leukocytes during menstruation cycle in healthy reproductive females. 2008 , 434, 124-8		7
1778	Self-perception of seizure precipitants and their relation to anxiety level, depression, and health locus of control in epilepsy. 2008 , 17, 302-7		114
1777	Evaluating the efficacy of graded in vivo exposure for the treatment of fear in patients with chronic back pain: a randomized controlled clinical trial. 2008 , 136, 271-280		176
1776	Self-pain enmeshment: future possible selves, sociotropy, autonomy and adjustment to chronic pain. 2008 , 137, 366-377		33
1775	Effects of mood on pain responses and pain tolerance: an experimental study in chronic back pain patients. 2008 , 138, 392-401		90

1774	Pain perception of patients predisposed to anxiety and depressive disorders in emergency department. 2008 , 9, 150-3, 153.e1-3	10
1773	Patient satisfaction with burn care 1-6 years after injury. 2008 , 34, 783-90	10
1772	Socioeconomic disparities in psychosocial wellbeing in cancer patients. 2008 , 44, 572-8	33
1771	Efficacy of Raloxifen in treatment of fibromyalgia in menopausal women. 2008 , 19, 350-5	12
1770	Comorbidity in posttraumatic stress disorder: a structural equation modelling approach. 2008 , 49, 430-40	13
1769	The prevalence and correlates of mind-body therapy practices in patients with acute coronary syndrome. 2008 , 16, 254-61	10
1768	The association between attachment style, social mentalities, and paranoid ideation: an analogue study. 2008 , 81, 79-93	47
1767	Interferon-alpha in oncology patients: fewer psychiatric side effects than anticipated. 2008 , 49, 56-63	14
1766	A prospective examination of antidepressant use and its correlates in patients with acute coronary syndrome. 2008 , 49, 199-207	8
1765	Smoking in relation to anxiety and depression: evidence from a large population survey: the HUNT study. 2008 , 23, 77-84	145
1764	The Depression Scale (DEPS) as a case finder for depression in various subgroups of primary care patients. 2008 , 23, 580-6	10
1763	Subscales measuring symptoms of non-specific depression, anhedonia, and anxiety in the Edinburgh Postnatal Depression Scale. 2008 , 47, 153-69	74
1762	[New information and communication technologies in the treatment of chronic pain]. 2008 , 55, 426-33	3
1761	Psychological morbidity and illness appraisals of patients with cardiac and non-cardiac chest pain attending a rapid access chest pain clinic: a longitudinal cohort study. 2008 , 94, e12	42
1760	Depression and anxiety through the climacteric period: an epidemiological study (HUNT-II). 2008 , 29, 125-31	62
1759	Analysis of the efficacy of a psychotherapeutic program to improve the emotional status of caregivers of elderly dependent relatives. 2008 , 12, 451-61	17
1758	Deception and false belief in paranoia: modelling theory of mind stories. 2008 , 13, 8-32	23
1757	Symptomatic heart failure is the most important clinical correlate of impaired quality of life, anxiety, and depression in implantable cardioverter-defibrillator patients: a single-centre, cross-sectional study in 610 patients. 2008 , 10, 545-51	51

1756	Effects of progressive muscle relaxation training on anxiety and depression in patients enrolled in an outpatient pulmonary rehabilitation program. 2008 , 77, 119-25	56
1755	[Voice-related quality of life: structure, validity and factors of the German questionnaire]. 2008 , 60, 241-8	14
1754	The Course of Anxiety and Depression in Patients with Breast Cancer and Gynaecological Cancer. 2008 , 3, 417-422	42
1753	Psychological reactions, quality of life, and body image after bilateral prophylactic mastectomy in women at high risk for breast cancer: a prospective 1-year follow-up study. 2008 , 26, 3943-9	178
1752	Psychological and clinical factors implicated in decision making about a trial of low-dose tamoxifen in hormone replacement therapy users. 2008 , 26, 1537-43	30
1751	Reduced brainstem inhibition during anticipated pelvic visceral pain correlates with enhanced brain response to the visceral stimulus in women with irritable bowel syndrome. 2008 , 28, 349-59	194
1750	Do anxiety and depression confound symptom reporting and diagnostic accuracy in chronic rhinosinusitis?. 2008 , 117, 18-23	18
1749	Emotional distress and awareness following acquired brain injury: an exploratory analysis. 2008 , 22, 765-72	26
1748	A systematic review of depression in adults with heart failure: instruments and incidence. 2008 , 29, 1002-17	19
1747	Complaints about sleep in trauma patients in an emergency department in respect to alcohol use. 2008 , 43, 305-13	5
1746	The measurement of psychological distress in men being investigated for the presence of prostate cancer. 2008 , 11, 384-9	42
1745	A brief cognitive behavioural preimplantation and rehabilitation programme for patients receiving an implantable cardioverter-defibrillator improves physical health and reduces psychological morbidity and unplanned readmissions. 2009 , 95, 63-9	70
1744	A survey of cancer patients undergoing a radical course of radiotherapy, to establish levels of anxiety and depression. 2008 , 7, 89-98	11
1743	Cancer risk management practices of noncarriers within BRCA1/2 mutation positive families in the Kathleen Cuninghame Foundation Consortium for Research into Familial Breast Cancer. 2008 , 26, 225-32	16
1742	Depression and anxiety as predictors of 2-year cardiac events in patients with stable coronary artery disease. 2008 , 65, 62-71	407
1741	Clustering of psychosocial risk factors enhances the risk of depressive symptoms 12-months post percutaneous coronary intervention. 2008 , 15, 203-9	21
1740	Biobehavioral measures in a critical-care healing environment. 2008 , 26, 128-35; quiz 136-8	9
1739	Psychometric comparison of PHQ-9 and HADS for measuring depression severity in primary care. 2008 , 58, 32-6	318

1738	A new scale for measuring insomnia: the Bergen Insomnia Scale. 2008 , 107, 691-706	179
1737	Independent effect of depression and anxiety on chronic obstructive pulmonary disease exacerbations and hospitalizations. 2008 , 178, 913-20	222
1736	Anxiety and depression after coronary artery bypass graft surgery: most get better, some get worse. 2008 , 15, 434-40	62
1735	A European consensus on outcome measures for psychosocial intervention research in dementia care. 2008 , 12, 14-29	272
1734	Attachment style and anxiety in carers of people with Alzheimer's disease: results from the LASER-AD study. 2008 , 20, 494-507	20
1733	Incidence and recurrence of late-life depression. 2008 , 65, 1394-401	132
1732	Effect of anxiety and depression on blood pressure: 11-year longitudinal population study. 2008 , 193, 108-13	94
1731	Depression, anxiety, and within-person variability in adults aged 18 to 85 years. 2008 , 23, 848-58	31
1730	Refined insights into the pain-depression association in chronic pain patients. 2008 , 24, 808-16	16
1729	Debriefing for the prevention of psychological trauma in women following childbirth. 2008 ,	5
1728	Posttraumatic stress disorder in the family and friends of patients who have suffered spontaneous subarachnoid hemorrhage. 2008 , 109, 1027-33	24
1727	Working overtime is associated with anxiety and depression: the Hordaland Health Study. 2008 , 50, 658-66	74
1726	The additive effect of co-occurring anxiety and depression on health status, quality of life and coping strategies in help-seeking tinnitus sufferers. 2008 , 29, 947-56	76
1725	Perceptions of a 24-hour visiting policy in the intensive care unit. 2008 , 36, 30-5	600
1724	High prevalence of anxiety and depression in patients with primary open-angle glaucoma. 2008 , 17, 552-7	105
1723	Breast cancer survivors at work. 2008 , 50, 777-84	114
1722	Treatment of generalised anxiety and somatoform disorders. 525-541	
1721	Guilt and its multidimensionality: empirical approaches using Klein's view. 2008 , 62, 117-42	2

1720	A comparison of insomnia and depression as predictors of disability pension: the HUNT Study. 2008 , 31, 875-80	62
1719	Assessment of anxiety and depression after lower limb amputation in Jordanian patients. 2008 , 4, 627-33	41
1718	Anxiety and depression among long-term survivors of cancer in Australia: results of a population-based survey. 2009 , 191, 294-5	2
1717	A review and critique of assessment instruments for patients with persistent pain. 2009 , 2, 21-47	20
1716	Empirical Support for Resilience as More than the Counterpart and Absence of Vulnerability and Symptoms of Mental Disorder. 2009 , 30, 138-151	61
1715	Relationship between occupational gaps in everyday life, depressive mood and life satisfaction after acquired brain injury. 2009 , 41, 187-94	56
1714	Use of the hospital anxiety and depression scale (HADS) in a cardiac emergency room: chest pain unit. 2009 , 64, 209-14	32
1713	Anxiety and depression among long-term survivors of cancer in Australia: results of a population-based survey. 2009 , 190, S94-8	53
1712	Does classification of persons with fibromyalgia into Multidimensional Pain Inventory subgroups detect differences in outcome after a standard chronic pain management program?. 2009 , 14, 445-53	27
1711	Monocyte chemotactic protein-1 (MCP-1) and growth factors called into question as markers of prolonged psychosocial stress. 2009 , 4, e7659	36
1710	Functional status after intensive care: a challenge for rehabilitation professionals to improve outcome. 2009 , 41, 360-6	72
1709	Anxiety and depression among long-term survivors of cancer in Australia: results of a population-based survey. Comment. 2009 , 191, 295	10
1708	The role of post-traumatic stress disorder and depression in predicting disability after injury. 2009 , 190, S71-4	35
1707	Avaliaço clnica e funcional no properato de doenças degenerativas da coluna vertebral. 2009 , 8, 245-253	16
1706	Accumulation of cortical lesions in MS: relation with cognitive impairment. 2009 , 15, 708-14	191
1705	Insomnia symptoms and use of health care services and medications: the HUNT-2 study. 2009 , 7, 210-22	42
1704	Does a Lack of Life Meaning Cause Boredom? Results from Psychometric, Longitudinal, and Experimental Analyses. 2009 , 28, 307-340	113
1703	Measuring psychological outcomes after cognitive behaviour therapy in primary care: a comparison between a new patient-generated measure PSYCHLOPSI(Psychological Outcome Profiles) and HADS(Hospital Anxiety and Depression Scale). 2009 , 18, 169-177	23

1702	History of foot ulcer increases mortality among individuals with diabetes: ten-year follow-up of the Nord-Trøndelag Health Study, Norway. 2009 , 32, 2193-9	145
1701	Lower-leg symptoms in peripheral arterial disease are associated with anxiety, depression, and anhedonia. 2009 , 14, 297-304	47
1700	Long-term outcome following traumatic brain injury: a comparison of subjective reports by those injured and their relatives. 2009 , 19, 645-61	50
1699	Evaluation of group cognitive behavioral therapy for adults with ADHD. 2009 , 12, 434-41	93
1698	Hospital anxiety and depression scale cutoff scores for cancer patients in acute care. 2009 , 100, 908-12	174
1697	Concurrent validity of the PSYCH-6, a very short scale for detecting anxiety and depression, among oncology outpatients. 2009 , 43, 682-8	14
1696	Effects of a yoga program on cortisol rhythm and mood states in early breast cancer patients undergoing adjuvant radiotherapy: a randomized controlled trial. 2009 , 8, 37-46	184
1695	Effectiveness of a home care nursing program in the symptom management of patients with colorectal and breast cancer receiving oral chemotherapy: a randomized, controlled trial. 2009 , 27, 6191-8	96
1694	SPIFA-A presentation of the Structured Psychiatric Interview for General Practice. 2009 , 63, 443-53	3
1693	Multiple symptoms in pediatric oncology patients: a systematic review. 2009 , 26, 325-39	63
1692	Weight-management interventions in primary care: a pilot randomised controlled trial. 2009 , 59, e157-66	29
1691	Diabetic neuropathy, part 1: Pharmacology. 2009 , 20, 246-250	1
1690	[The role of next of kin in medical decision-making--empirical findings from haemato-oncological diseases]. 2009 , 71, 469-75	0
1689	Comparison of two self-rating scales to detect depression: HADS and PHQ-9. 2009 , 59, e283-8	113
1688	Levels of anxiety and depression as predictors of mortality: the HUNT study. 2009 , 195, 118-25	200
1687	[Change in psychological distress of cancer in-patients attending a structured psychooncological care program]. 2009 , 59, 432-9	5
1686	[Measurement of change with the Hospital Anxiety and Depression Scale (HADS): sensitivity and reliability of change]. 2009 , 59, 394-400	18
1685	Depression in RA patients treated with anti-TNF is common and under-recognized in the rheumatology clinic. 2009 , 48, 1152-4	88

1684	The role of anxiety sensitivity and behavioral avoidance in tinnitus disability. 2009 , 48, 295-9	53
1683	Anxiety and depression after acute myocardial infarction: an 18-month follow-up study with repeated measures and comparison with a reference population. 2009 , 16, 651-9	62
1682	Do corticotropin releasing factor-1 receptors influence colonic transit and bowel function in women with irritable bowel syndrome?. 2009 , 296, G1299-306	97
1681	Received and needed social support at the workplace in Norwegian and Finnish stage 1 breast cancer survivors: a study from the Nordic Study Group of Cancer and Work (NOCWO). 2009 , 48, 67-75	14
1680	Quality of life and psychological health indicators in the national social life, health, and aging project. 2009 , 64 Suppl 1, i30-7	76
1679	Choline in anxiety and depression: the Hordaland Health Study. 2009 , 90, 1056-60	32
1678	Validity and reliability of the chronic heart failure questionnaire mastery subscale in patients with defibrillators. 2009 , 31, 1057-75	1
1677	Does enhanced information at cancer genetic counseling improve counselees' knowledge, risk perception, satisfaction and negotiation of information to at-risk relatives?--a randomized study. 2009 , 48, 999-1009	34
1676	Patient anxiety about prostate cancer independently predicts early initiation of androgen deprivation therapy for biochemical cancer recurrence in older men: a prospective cohort study. 2009 , 27, 1557-63	39
1675	Common variation in the DIO2 gene predicts baseline psychological well-being and response to combination thyroxine plus triiodothyronine therapy in hypothyroid patients. 2009 , 94, 1623-9	224
1674	The cognitive and affective structure of paranoid delusions: a transdiagnostic investigation of patients with schizophrenia spectrum disorders and depression. 2009 , 66, 236-47	218
1673	Quality of life and non-pain symptoms in patients with cancer. 2009 , 38, 216-33	56
1672	Associations between maternal older age, family environment and parent and child wellbeing in families using assisted reproductive techniques to conceive. 2009 , 68, 1948-55	45
1671	Morbidity associated with "self-rated health" in epithelial ovarian cancer survivors. 2009 , 9, 2	17
1670	Improving the outcome of infants born at . 2009 , 9, 73	37
1669	Prevention of depression and anxiety in later life: design of a randomized controlled trial for the clinical and economic evaluation of a life-review intervention. 2009 , 9, 250	17
1668	Depression and anxiety as major determinants of neck pain: a cross-sectional study in general practice. 2009 , 10, 13	64
1667	Psychopathology predicts the outcome of medial branch blocks with corticosteroid for chronic axial low back or cervical pain: a prospective cohort study. 2009 , 10, 22	37

1666	Exercise and manual physiotherapy arthritis research trial (EMPART): a multicentre randomised controlled trial. 2009 , 10, 9	12
1665	Effects and feasibility of a standardised orientation and mobility training in using an identification cane for older adults with low vision: design of a randomised controlled trial. 2009 , 9, 153	19
1664	A controlled study of mental distress and somatic complaints after risk-reducing salpingo-oophorectomy in women at risk for hereditary breast ovarian cancer. 2009 , 113, 128-33	34
1663	Melancholic features related to rimonabant. 2009 , 31, 583-5	10
1662	A comparison of anxiety, depression and quality of life between device shock and nonshock groups in implantable cardioverter defibrillator recipients. 2009 , 31, 266-73	62
1661	Severity of injury does not have any impact on posttraumatic stress symptoms in severely injured patients. 2009 , 40, 498-505	38
1660	Overlap and distinctiveness of psychological risk factors in patients with ischemic heart disease and chronic heart failure: are we there yet?. 2009 , 113, 150-6	33
1659	Validity of the Hospital Anxiety and Depression Scale to assess depression and anxiety following traumatic brain injury as compared with the Structured Clinical Interview for DSM-IV. 2009 , 114, 94-102	158
1658	A longitudinal analysis of alcohol consumption and the risk of posttraumatic symptoms. 2009 , 118, 166-72	65
1657	Factors associated with cancer distress in the Asbestos Post-Exposure Survey (APEXS). 2009 , 52, 288-96	12
1656	Quality of life and psychological distress in hypertrophic cardiomyopathy mutation carriers: a cross-sectional cohort study. 2009 , 149A, 602-12	92
1655	Association between depression and the Gln460Arg polymorphism of P2RX7 gene: a dimensional approach. 2009 , 150B, 295-9	61
1654	Unrecognised psychological problems impair quality of life and increase consultation rates in Chinese elderly patients. 2009 , 24, 979-89	12
1653	Brief problem-solving treatment in primary care (PST-PC) was not more effective than placebo for elderly patients screened positive of psychological problems. 2010 , 25, 968-80	12
1652	An exploration of self-complexity in individuals experiencing auditory hallucinations. 2009 , 16, 172-81	11
1651	Eating disorders: a basic emotion perspective. 2009 , 16, 328-35	27
1650	The incidence of anxiety and depression among employees--the role of psychosocial work characteristics. 2009 , 26, 1040-8	44
1649	The prevalence and impact of post traumatic stress disorder and burnout syndrome in nurses. 2009 , 26, 1118-26	231

1648	Prevalence and impact of pain in diabetic neuropathy. 2009 , 6, 58-64	6
1647	Psychometric attributes of the Hospital Anxiety and Depression Scale in Parkinson's disease. 2009 , 24, 519-25	56
1646	Rasch analysis of the hospital anxiety and depression scale in Parkinson's disease. 2009 , 24, 526-32	26
1645	A dimensional versus a categorical approach to diagnosis: anxiety and depression in the HUNT 2 study. 2009 , 18, 128-37	52
1644	The latent structure of the Peritraumatic Dissociative Experiences Questionnaire. 2009 , 22, 69-73	4
1643	The latent structure of the Peritraumatic Dissociative Experiences Questionnaire. 2009 , 22, 153-7	19
1642	Symptom profile of persons self-reporting whiplash: a Norwegian population-based study (HUNT 2). 2009 , 18, 1363-70	20
1641	Patterns of fatigue related to advanced disease and radiotherapy in patients with cancer-a comparative cross-sectional study of fatigue intensity and characteristics. 2009 , 17, 519-26	25
1640	The Medical Care Continuity (MCC) project. A pilot study of video-assisted home care within the eTEN European Community program. The Italian experience. 2009 , 17, 471-8	3
1639	Randomized clinical trial of an intensive nursing-based pain education program for cancer outpatients suffering from pain. 2009 , 17, 1089-99	26
1638	Cervical cancer patient information-seeking behaviors, information needs, and information sources in South Korea. 2009 , 17, 1277-83	19
1637	Depression in lung cancer patients: is the HADS an effective screening tool?. 2009 , 17, 1129-32	24
1636	Is my patient suffering clinically significant emotional distress? Demonstration of a probabilities approach to evaluating algorithms for screening for distress. 2009 , 17, 1455-62	32
1635	Socioeconomic inequalities in health in older women. 2009 , 6, 39-47	19
1634	What mediates the effect of confrontational counselling on smoking cessation in smokers with COPD?. 2009 , 76, 16-24	30
1633	A randomised controlled trial of lay-led self-management for people with multiple sclerosis. 2009 , 77, 81-9	55
1632	Social Problem-Solving Processes and Mood in College Students: An Examination of Self-report and Performance-based Approaches. 2009 , 33, 175-186	26
1631	Co-occurrence of diabetes and hopelessness predicts adverse prognosis following percutaneous coronary intervention. 2009 , 32, 294-301	1

1630	The association among depressive symptoms, smoking status and antidepressant use in cardiac outpatients. 2009 , 32, 478-90	28
1629	Cancer genetic counselees' self-reported psychological distress, changes in life, and adherence to recommended surveillance programs 3-7 years post counseling. 2009 , 18, 185-94	6
1628	More evidence that depressive symptoms predict mortality in COPD patients: is type D personality an alternative explanation?. 2009 , 38, 86-93	30
1627	Is somatic comorbidity associated with more somatic symptoms, mental distress, or unhealthy lifestyle in elderly cancer survivors?. 2009 , 3, 109-16	14
1626	Increased anxiety and depression in Danish cardiac patients with a type D personality: cross-validation of the Type D Scale (DS14). 2009 , 16, 98-107	59
1625	Is childhood pain associated with future mental health problems? A population based study of young adults in North Staffordshire. 2009 , 44, 489-94	5
1624	A cross-sectional study of mental health and well-being and their associations in the UK veterinary profession. 2009 , 44, 1075-85	87
1623	A comparison of women who continue and discontinue treatment for borderline personality disorder. 2009 , 3, 142-149	24
1622	The impact of perceived stage of cancer on carers' anxiety and depression during the patients' final year of life. 2009 , 18, 615-23	44
1621	Fear of recurrence in long-term testicular cancer survivors. 2009 , 18, 580-8	114
1620	Relations between depressive and anxious symptoms and quality of life in caregivers of children with cystic fibrosis. 2009 , 44, 784-92	36
1619	Detecting depressive and anxiety disorders in distressed patients in primary care; comparative diagnostic accuracy of the Four-Dimensional Symptom Questionnaire (4DSQ) and the Hospital Anxiety and Depression Scale (HADS). 2009 , 10, 58	76
1618	The association between history of diabetic foot ulcer, perceived health and psychological distress: the Nord-Trøndelag Health Study. 2009 , 9, 18	30
1617	The Irish DAFNE study protocol: a cluster randomised trial of group versus individual follow-up after structured education for type 1 diabetes. 2009 , 10, 88	20
1616	The Nordic Subpopulation Research Programme: prediction of treatment outcome in patients with low back pain treated by chiropractors--does the psychological profile matter?. 2009 , 17, 14	19
1615	Anxiety and depression among abstainers and low-level alcohol consumers. The Nord-Trøndelag Health Study. 2009 , 104, 1519-29	128
1614	Psychological factors in leg ulceration: a case-control study. 2009 , 161, 750-6	39
1613	A paradoxical difference in relationship between anxiety, depression and thyroid function in subjects on and not on T4: findings from the HUNT study. 2009 , 71, 574-80	76

1612	Anxiety and depression in cancer patients compared with the general population. 2010 , 19, 522-9	135
1611	A psychometric evaluation of the Chinese version of the Hospital Anxiety and Depression Scale in patients with coronary heart disease. 2009 , 18, 1908-15	51
1610	Anxiety in the operating theatre: a study of frequency and environmental impact in patients having local, plexus or regional anaesthesia. 2009 , 18, 2301-10	44
1609	A psychometric evaluation of the Chinese version of the Hospital Anxiety and Depression Scale in patients with coronary heart disease. 2009 , 18, 2436-43	28
1608	An exploratory study of anxiety in carers of stroke survivors. 2010 , 19, 2032-8	28
1607	Can the Hospital Anxiety and Depression Scale be used in patients with schizophrenia?. 2009 , 15, 134-41	10
1606	Post-operative anxiety and depression levels in orthopaedic surgery: a study of 56 patients undergoing hip or knee arthroplasty. 2009 , 15, 307-10	40
1605	Coronary artery bypass graft (CABG) surgery patients in a clinical pathway gained less in health-related quality of life as compared with patients who undergo CABG in a conventional-care plan. 2009 , 15, 498-505	13
1604	Responsiveness of the EQ-5D to HADS-identified anxiety and depression. 2009 , 15, 820-5	15
1603	Insomnia and long sleep duration are risk factors for later work disability. The Hordaland Health Study. 2009 , 18, 122-8	88
1602	Increased anxiety in partners of patients with a cardioverter-defibrillator: the role of indication for ICD therapy, shocks, and personality. 2009 , 32, 184-92	40
1601	Clustering of poor device acceptance and Type D personality is associated with increased distress in Danish cardioverter-defibrillator patients. 2009 , 32, 29-36	20
1600	Gender differences in anxiety and concerns about the cardioverter defibrillator. 2009 , 32, 614-21	42
1599	Dental beliefs: factor structure of the revised dental beliefs survey in a group of regular dental patients. 2009 , 117, 720-7	9
1598	No association of depression and anxiety with the metabolic syndrome: the Norwegian HUNT study. 2009 , 120, 14-22	72
1597	Patent foramen ovale closure in post-CVA/TIA patients: psychological distress, quality of life and optimism. 2010 , 64, 182-7	9
1596	Health beliefs toward cardiovascular risk reduction in patients admitted to chest pain observation units. 2009 , 16, 379-87	16
1595	Effects of coping styles and stressful life events on depression and anxiety in Japanese nursing students: a longitudinal study. 2009 , 15, 198-204	27

1594	The Danish version of the questionnaire on pain communication: preliminary validation in cancer patients. 2009 , 53, 807-15	5
1593	Adding gabapentin to a multimodal regimen does not reduce acute pain, opioid consumption or chronic pain after total hip arthroplasty. 2009 , 53, 1073-83	95
1592	Disease stage and psychosocial outcomes in colorectal cancer. 2009 , 11, 19-25	47
1591	Physiological, psychological and behavioural characteristics of men and women with faecal incontinence. 2009 , 11, 927-32	22
1590	The burden of lower urinary tract symptoms: evaluating the effect of LUTS on health-related quality of life, anxiety and depression: EpiLUTS. 2009 , 103 Suppl 3, 4-11	293
1589	The prevalence of lower urinary tract symptoms (LUTS) in the USA, the UK and Sweden: results from the Epidemiology of LUTS (EpiLUTS) study. 2009 , 104, 352-60	467
1588	The relationship between depression and diabetes mellitus: findings from the Hertfordshire Cohort Study. 2009 , 26, 641-8	67
1587	The Danish Barriers Questionnaire-II: preliminary validation in cancer pain patients. 2009 , 9, 266-74	11
1586	Psychosocial consequences of genetic counseling: a population-based follow-up study. 2009 , 15, 61-8	17
1585	Association between longitudinal changes in depressive symptoms and plasma fibrinogen levels in school teachers. 2009 , 46, 473-80	18
1584	Is satisfaction with doctors' care related to health-related quality of life, anxiety and depression among patients with carcinoid tumours? A longitudinal report. 2009 , 23, 107-16	29
1583	The GRIM2005 study of migraine consultation in France. III: Psychological features of subjects with migraine. 2009 , 29, 338-50	46
1582	Prospective study of psychosocial distress among patients undergoing radiotherapy for head and neck cancer. 2009 , 73, 187-93	93
1581	Intestinal malabsorption in long-term survivors of cervical cancer treated with radiotherapy. 2009 , 73, 1141-7	13
1580	Self-help treatment for insomnia through television and book: a randomized trial. 2009 , 74, 29-34	31
1579	Cognitive complaints in a general population of older adults: prevalence, association with pain and the influence of concurrent affective disorders. 2009 , 13, 970-6	40
1578	Life after survival: long-term daily functioning and quality of life after an out-of-hospital cardiac arrest. 2009 , 80, 517-22	177
1577	Internettherapie bij depressieve klachten: een gerandomiseerde studie. 2009 , 37, 202-212	1

1576	Chronic pain syndrome associated with health anxiety: a qualitative thematic comparison between pain patients with high and low health anxiety. 2009 , 48, 1-20	27
1575	Symptoms of depression in non-routine caregivers: the role of caregiver strain and burden. 2009 , 48, 335-46	32
1574	Comparing perceived burden for Korean and American informal caregivers of stroke survivors. 2009 , 34, 141-50	17
1573	The influence of fear of falling on gait and balance in older people. 2009 , 38, 435-40	151
1572	Anxiety and depression in multiple sclerosis. A comparative population-based study in Nord-Trøndelag County, Norway. 2009 , 15, 1495-501	88
1571	Family members' perceptions of genetic testing for malignant melanoma--a prospective interview study. 2009 , 13, 74-80	14
1570	Levels of circulating interleukin-1 receptor antagonist and C-reactive protein in long-term survivors of testicular cancer with chronic cancer-related fatigue. 2009 , 23, 868-74	65
1569	Obstructive sleep apnea and depression. 2009 , 13, 437-44	209
1568	Quality of life, coping, and mental health status after living kidney donation. 2009 , 41, 1483-8	42
1567	Anxiety and depression in patients with prostate cancer and other urogenital cancer: a longitudinal study. 2009 , 27, 367-72	30
1566	[Multicenter multidisciplinary training program for chronic low back pain: French experience of the Renodos back pain network (Réseau Nord-Pas-de-Calais du DOS)]. 2009 , 52, 3-16	8
1565	Physical training combined with dietary measures in the treatment of adult obesity. A comparison of two protocols. 2009 , 52, 394-413	22
1564	Erectile function, sexual desire, and psychological well-being in men with epilepsy. 2009 , 15, 351-7	38
1563	Prospective judgments of acceptable outcomes for pain, interference and activity: Patient-determined outcome criteria. 2009 , 144, 262-269	20
1562	Cognitions associated with anxiety in Multiple Sclerosis disease. <i>Journal of Psychosomatic Research</i> , 2009 , 66, 111-8	4.1 36
1561	Does insomnia predict sick leave? The Hordaland Health Study. <i>Journal of Psychosomatic Research</i> , 2009 , 66, 67-74	4.1 75
1560	The relationship between abdominal fat, obesity, and common mental disorders: results from the HUNT study. <i>Journal of Psychosomatic Research</i> , 2009 , 66, 269-75	4.1 92
1559	Are illness perceptions about coronary artery disease predictive of depression and quality of life outcomes?. <i>Journal of Psychosomatic Research</i> , 2009 , 66, 211-20	4.1 84

1558	Feelings of being disabled as a prognostic factor for mortality in the drug-eluting stent era. <i>Journal of Psychosomatic Research</i> , 2009 , 67, 85-91	4.1	4
1557	Positive affect and negative affect correlate differently with distress and health-related quality of life in patients with cardiac conditions: validation of the Danish Global Mood Scale. <i>Journal of Psychosomatic Research</i> , 2009 , 67, 57-65	4.1	11
1556	Meaning in life, anxiety, depression, and general health among smoking cessation patients. <i>Journal of Psychosomatic Research</i> , 2009 , 67, 353-8	4.1	135
1555	Screening for anxiety and depression after stroke: comparison of the hospital anxiety and depression scale and the Montgomery and Asberg depression rating scale. <i>Journal of Psychosomatic Research</i> , 2009 , 67, 325-32	4.1	132
1554	The epidemiology of insomnia: associations with physical and mental health. The HUNT-2 study. <i>Journal of Psychosomatic Research</i> , 2009 , 67, 109-16	4.1	250
1553	The relationship between adverse childhood experience and obsessive-compulsive symptoms and beliefs: the role of anxiety, depression, and experiential avoidance. 2009 , 23, 1037-46		83
1552	Healthcare provided by a homeopath as an adjunct to usual care for Fibromyalgia (FMS): results of a pilot Randomised Controlled Trial. 2009 , 98, 77-82		19
1551	The psychosocial screen for cancer (PSSCAN): further validation and normative data. 2009 , 7, 16		33
1550	Factor structure of the Hospital Anxiety and Depression Scale in Japanese psychiatric outpatient and student populations. 2009 , 7, 42		62
1549	Predicting deliberate self-harm in adolescents: a six month prospective study. 2009 , 39, 364-75		61
1548	Specificity of age differences in emotion regulation. 2009 , 13, 818-26		75
1547	Association between magnesium intake and depression and anxiety in community-dwelling adults: the Hordaland Health Study. 2009 , 43, 45-52		95
1546	The relationship between disease activity, sleep, psychiatric distress and pain sensitivity in rheumatoid arthritis: a cross-sectional study. 2009 , 11, R160		87
1545	[Evaluation of preoperative anxiety and depression in patients undergoing invasive cardiac procedures]. 2009 , 59, 431-8		9
1544	Depression and anxiety symptoms after lower limb amputation: the rise and fall. 2009 , 23, 281-6		75
1543	What type of service provision do patients with chronic pain want from primary care providers?. 2009 , 31, 1514-9		8
1542	The complex interplay between pain intensity, depression, anxiety and catastrophising with respect to quality of life and disability. 2009 , 31, 1605-13		65
1541	Post-concussion symptoms after traumatic brain injury at 3 and 12 months post-injury: a prospective study. 2009 , 23, 489-97		142

1540	Psychological adjustment to spinal cord injury: the contribution of coping, hope and cognitive appraisals. 2009 , 14, 17-33	74
1539	Development and psychometric properties of the HPV Impact Profile (HIP) to assess the psychosocial burden of HPV. 2009 , 25, 2609-19	41
1538	Stability and change in burnout profiles over time: A prospective study in the working population. 2009 , 23, 264-283	31
1537	Predictive risk factors for pain during extracorporeal shockwave lithotripsy. 2009 , 23, 2021-7	10
1536	Fatigue in Psychiatric HIV Patients: A Pilot Study of Psychological Correlates. 2009 , 50, 455-460	9
1535	Poor Perceived Social Support in Implantable Cardioverter Defibrillator (ICD) Patients and Their Partners: Cross-Validation of the Multidimensional Scale of Perceived Social Support. 2009 , 50, 461-467	56
1534	An Ultra-Brief Screening Scale for Anxiety and Depression: The PHQ-4. 2009 , 50, 613-621	152
1533	When knee pain becomes severe: a nested case-control analysis in community-dwelling older adults. 2009 , 10, 798-808	13
1532	Gender as a determinant of responses to a self-screening questionnaire on anxiety and depression by patients with coronary artery disease. 2009 , 6, 479-87	8
1531	Are intensive care factors associated with depressive symptoms 6 months after acute lung injury?. 2009 , 37, 1702-7	69
1530	Factors associated with abdominal discomfort during colonoscopy: a prospective analysis. 2009 , 21, 1076-82	59
1529	Sleep disturbance and pain in an obese residential treatment-seeking population. 2009 , 25, 584-9	7
1528	Health anxiety and disability pension award: The HUSK Study. 2009 , 71, 353-60	56
1527	The Neck Bournemouth Questionnaire cross-cultural adaptation into Dutch and evaluation of its psychometric properties in a population with subacute and chronic whiplash associated disorders. 2009 , 34, 2551-61	20
1526	Depressive complaints as a predictor of sickness absence among the working population. 2009 , 51, 887-95	30
1525	Outcome after injury: memories, health-related quality of life, anxiety, and symptoms of depression after intensive care. 2009 , 66, 1226-33	84
1524	Ironic effects of emotion suppression when recounting distressing memories. 2009 , 9, 744-9	63
1523	Consequences of controlling background sounds: the effect of experiential avoidance on tinnitus interference. 2009 , 54, 381-389	28

1522	Cognitive-personality style as vulnerability to depression in patients with coronary artery disease: roles of sociotropy and autonomy. 2009 , 71, 63-9	14
1521	Fatigue and quality of life after risk-reducing salpingo-oophorectomy in women at increased risk for hereditary breast-ovarian cancer. 2009 , 19, 1029-36	20
1520	Physical function of patients with implantable cardioverter-defibrillators. 2009 , 24, 398-409	6
1519	Attentional bias and symptoms of posttraumatic stress disorder one year after burn injury. 2009 , 197, 850-5	15
1518	Postpsychotic posttraumatic stress disorder: associations with fear of recurrence and intolerance of uncertainty. 2009 , 197, 841-9	32
1517	A pilot study to assess the effects of a guided imagery audiotape intervention on psychological outcomes in patients undergoing coronary artery bypass graft surgery. 2010 , 24, 213-22	25
1516	Psychological distress after severe trauma: a prospective 1-year follow-up study of a trauma intensive care unit population. 2010 , 69, 1552-9	27
1515	Cognitive performance among the elderly in relation to the intake of plant foods. The Hordaland Health Study. 2010 , 104, 1190-201	70
1514	Prevalence of symptoms of anxiety and depression in German patients with cystic fibrosis. 2010 , 138, 929-36	67
1513	People with dementia living alone: what are their needs and what kind of support are they receiving?. 2010 , 22, 607-17	113
1512	The structure of the Hospital Anxiety and Depression Scale in four cohorts of community-based, healthy older people: the HALCyon program. 2010 , 22, 559-71	20
1511	The impact of Type D personality on health-related quality of life in tinnitus patients is mainly mediated by anxiety and depression. 2010 , 31, 11-8	49
1510	Emotional theory of mind and emotional awareness in recovered anorexia nervosa patients. 2010 , 72, 73-9	148
1509	Living With Moebius Syndrome: Adjustment, Social Competence, and Satisfaction With Life. 2010 , 47, 134-142	27
1508	Participant-proxy agreement on objective and subjective aspects of societal participation following traumatic brain injury. 2010 , 25, 339-48	18
1507	Dysfunctional cognitions, anxiety and depression in irritable bowel syndrome. 2010 , 44, e236-41	68
1506	Depression, anxiety, and stress comorbidities in sickle cell anemia patients with vaso-occlusive crisis. 2010 , 32, 345-9	23
1505	The association of age and time postinjury with long-term emotional outcome following traumatic brain injury. 2010 , 25, 330-8	21

1504	Determinants of global perceived health in community-dwelling elderly screened for heart failure and sleep-disordered breathing. 2010 , 25, E16-26	14
1503	The benefits of antenatal education for the childbirth process in Spain. 2010 , 59, 194-202	42
1502	Role of cardiac disease severity in the predictive value of anxiety for all-cause mortality. 2010 , 72, 9-15	56
1501	Rationale and design of a randomized clinical trial comparing stress reduction treatment to usual cardiac care: the Reducing Vulnerability to Implantable Cardioverter Defibrillator Shock-Treated Ventricular Arrhythmias (RISTA) trial. 2010 , 72, 172-7	15
1500	Psychometric properties of the Impact of Event Scale-Revised in patients one year after burn injury. 2010 , 31, 310-8	28
1499	Memories and health-related quality of life after intensive care: a follow-up study. 2010 , 38, 38-44	60
1498	Evaluation of the linking youth life experience scale. 2010 , 198, 768-74	21
1497	Symptom burden clusters and their impact on psychosocial functioning following coronary artery bypass surgery. 2010 , 25, 301-10	14
1496	Subjective perception of sleep, but not its objective quality, is associated with immediate postpartum mood disturbances in healthy women. 2010 , 33, 531-8	135
1495	The sequelae of anxiety in breast cancer: a human response to illness model. 2010 , 37, 469-75	24
1494	Prevalence and predictors of anxiety and depression among cervical cancer survivors in Korea. 2010 , 20, 1017-24	43
1493	Depression and anxiety in the reindeer-herding Sami population of Sweden. 2010 , 69, 383-93	22
1492	Resilience in the face of coping with a severe physical injury: a study of trajectories of adjustment in a rehabilitation setting. 2010 , 55, 12-22	132
1491	The balance of give and take in caregiver-partner relationships: An examination of self-perceived burden, relationship equity, and quality of life from the perspective of care recipients following stroke. 2010 , 55, 194-203	77
1490	Elaborating the cry of pain model of suicidality: Testing a psychological model in a sample of first-time and repeat self-harm patients. 2010 , 49, 15-30	80
1489	Validity of the Hospital Anxiety and Depression Scale and the Beck Depression Inventory for use in end-stage renal disease patients. 2010 , 49, 507-16	74
1488	A psychometric evaluation of the Hospital Anxiety and Depression Scale in cardiac patients: addressing factor structure and gender invariance. 2010 , 15, 97-114	35
1487	Anger and childhood sexual abuse are independently associated with irritable bowel syndrome. 2010 , 15, 389-99	29

1486	Cognitive vulnerability in the development of concomitant pain and sleep disturbances. 2010 , 15, 417-34	16
1485	Symptom cluster and physical activity in relapsing-remitting multiple sclerosis. 2010 , 33, 398-412	27
1484	Symptoms of depression but not anxiety are associated with central obesity and cardiovascular disease in people with type 2 diabetes: the Edinburgh Type 2 Diabetes Study. 2010 , 53, 467-71	52
1483	Depression predicts first but not recurrent diabetic foot ulcers. 2010 , 53, 2241-8	59
1482	Anxiety and depressive symptoms related to parenthood in a large Norwegian community sample: the HUNT2 study. 2010 , 45, 713-21	13
1481	Prevalence of anxiety and depression in osteoarthritis: use of the Hospital Anxiety and Depression Scale as a screening tool. 2010 , 29, 1277-83	108
1480	Self-reported exhaustion: a possible indicator of reduced work ability and increased risk of sickness absence among human service workers. 2010 , 83, 511-20	77
1479	Anxiety and depression symptoms as risk factors for non-adherence to antiretroviral therapy in Brazil. 2010 , 14, 289-99	97
1478	Long-term return to work after a functional restoration program for chronic low-back pain patients: a prospective study. 2010 , 19, 1153-61	48
1477	A review and recommendations for optimal outcome measures of anxiety, depression and general distress in studies evaluating psychosocial interventions for English-speaking adults with heterogeneous cancer diagnoses. 2010 , 18, 1241-62	112
1476	Acute pain after total hip arthroplasty does not predict the development of chronic postsurgical pain 6 months later. 2010 , 24, 537-43	22
1475	Does pain predict interference with daily functioning and weight loss in an obese residential treatment-seeking population?. 2010 , 17, 118-24	16
1474	The folic acid endophenotype and depression in an elderly population. 2010 , 14, 829-33	9
1473	Self-report mindfulness as a mediator of psychological well-being in a stress reduction intervention for cancer patients--a randomized study. 2010 , 39, 151-61	215
1472	A controlled study of risk factors for disease and current problems in long-term testicular cancer survivors. 2010 , 4, 256-65	6
1471	Prophylactic pancreatectomy for intraductal papillary mucinous neoplasm does not negatively impact quality of life: a preliminary study. 2010 , 14, 1847-52	3
1470	Pre-intervention distress moderates the efficacy of psychosocial treatment for cancer patients: a meta-analysis. 2010 , 33, 1-14	131
1469	Type D personality is a predictor of poor emotional quality of life in primary care heart failure patients independent of depressive symptoms and New York Heart Association functional class. 2010 , 33, 72-80	39

1468	Fatigue and physical disability in patients with multiple sclerosis: a structural equation modeling approach. 2010 , 33, 355-63	39
1467	Anxiety and depression in Brazilian orthopaedics inpatients: a cross sectional study with a clinical sample comparison. 2010 , 17, 31-7	21
1466	Evaluation of screening instruments for depression and anxiety in breast cancer survivors. 2010 , 122, 573-8	41
1465	Opinions of families, staff, and patients about family participation in care in intensive care units. 2010 , 25, 634-40	81
1464	Psychological impact of short-term isolation measures in hospitalised patients. 2010 , 75, 124-7	34
1463	Substance misuse treatment for high-risk chronic pain patients on opioid therapy: a randomized trial. 2010 , 150, 390-400	142
1462	Mental defeat is linked to interference, distress and disability in chronic pain. 2010 , 149, 547-554	26
1461	Development and validation of the Fibromyalgia Rapid Screening Tool (FiRST). 2010 , 150, 250-256	93
1460	Depression and anxiety: Associations with biological and perceived stress reactivity to a psychological stress protocol in a middle-aged population. 2010 , 35, 866-77	106
1459	Prevention of recurrent sickness absence among employees with common mental disorders: design of a cluster-randomised controlled trial with cost-benefit and effectiveness evaluation. 2010 , 10, 132	27
1458	The cost effectiveness of an early transition from hospital to nursing home for stroke patients: design of a comparative study. 2010 , 10, 279	1
1457	A pragmatic randomised controlled trial of the Welsh National Exercise Referral Scheme: protocol for trial and integrated economic and process evaluation. 2010 , 10, 352	27
1456	Anxiety and depression in association with morbid obesity: changes with improved physical health after duodenal switch. 2010 , 8, 52	53
1455	The course of anxiety and depression over 5 years of follow-up and risk factors in women with early breast cancer: results from the UK Standardisation of Radiotherapy Trials (START). 2010 , 19, 84-91	78
1454	Anxiety and depression in patients with self-reported food hypersensitivity. 2010 , 32, 42-8	25
1453	Increased fear of progression in cancer patients with recurrence. 2010 , 32, 169-75	41
1452	Do parents benefit from the offer of a follow-up appointment after their child's admission to intensive care?: an exploratory randomised controlled trial. 2010 , 26, 146-53	26
1451	Sustained gains from a diabetes prevention program and the role of telephone support. 2010 , 2, 95-100	4

1450	The association between depression and anxiety disorders following facial trauma--a comparative study. 2010 , 41, 92-6	39
1449	The determinants of family carers' abusive behaviour to people with dementia: results of the CARD study. 2010 , 121, 136-42	90
1448	A 4-item measure of depression and anxiety: validation and standardization of the Patient Health Questionnaire-4 (PHQ-4) in the general population. 2010 , 122, 86-95	957
1447	Emotional disorders in testicular cancer survivors in relation to hypogonadism, androgen receptor polymorphism and treatment modality. 2010 , 122, 260-6	11
1446	Screening for depression: Rasch analysis of the dimensional structure of the PHQ-9 and the HADS-D. 2010 , 122, 241-6	63
1445	The differentiation between depressive and anxious adolescent females and controls by behavioural self-rating scales. 2010 , 122, 232-40	21
1444	Patients' beliefs about the cause of their depression. 2010 , 124, 54-9	30
1443	Comorbidity of PTSD and depression in Korean War veterans: prevalence, predictors, and impairment. 2010 , 125, 279-86	108
1442	Diagnostic validity of the Hospital Anxiety and Depression Scale (HADS) in cancer and palliative settings: a meta-analysis. 2010 , 126, 335-48	228
1441	Predictors of outcome in a multi-component treatment program for chronic fatigue syndrome. 2010 , 126, 174-9	35
1440	A study of body image in long-term breast cancer survivors. 2010 , 116, 3549-57	146
1439	Screening for depression in elderly medical inpatients from rural area of Norway: prevalence and associated factors. 2010 , 25, 150-9	34
1438	Gender differences in the relationship between depression and cardiac autonomic function among community elderly. 2010 , 25, 314-22	29
1437	Fatigue and health-related quality of life in inflammatory bowel disease: results from a population-based study in the Netherlands: the IBD-South Limburg cohort. 2010 , 16, 2137-47	138
1436	An Overview of the Major CNS Disorders. 13-41	
1435	Randomized clinical trial of prehabilitation in colorectal surgery. 2010 , 97, 1187-97	309
1434	Anxious and depressive symptoms in Parkinson's disease: the French cross-sectionnal DoPaMiP study. 2010 , 25, 157-66	115
1433	Psychological functioning and health-related quality of life (HRQoL) in older patients following percutaneous closure of the secundum atrial septal defect (ASD). 2010 , 50, e5-8	12

1432	Self-reported pain interference and symptoms of anxiety and depression in community-dwelling older adults: can a temporal relationship be determined?. 2010 , 14, 966-71	66
1431	Classification and identification of opioid addiction in chronic pain patients. 2010 , 14, 1014-20	61
1430	Development of a short version of the Neck Pain and Disability Scale. 2010 , 14, 864.e1-7	6
1429	Catastrophizing moderates the effect of exposure in vivo for back pain patients with pain-related fear. 2010 , 14, 887-92	27
1428	Antidepressant treatment and cultural differences--a survey of the attitudes of physicians and patients in Sweden and Turkey. 2010 , 11, 93	6
1427	The COMTval158met polymorphism is associated with symptom relief during exposure-based cognitive-behavioral treatment in panic disorder. 2010 , 10, 99	69
1426	Singing teaching as a therapy for chronic respiratory disease--a randomised controlled trial and qualitative evaluation. 2010 , 10, 41	73
1425	Factors accounting for the association between anxiety and depression, and eczema: the Hordaland health study (HUSK). 2010 , 10, 3	23
1424	Guided self-help on the Internet for Turkish migrants with depression: the design of a randomized controlled trial. 2010 , 11, 101	9
1423	The effectiveness of a web-based self-help intervention to reduce suicidal thoughts: a randomized controlled trial. 2010 , 11, 25	57
1422	Affect School for chronic benign pain patients showed improved alexithymia assessments with TAS-20. 2010 , 4, 5	28
1421	The Norwegian version of the Mini-Mental Adjustment to Cancer Scale: factor structure and psychometric properties. 2010 , 19, 216-21	25
1420	The psychological impact of a specialist referral and telephone intervention on male cancer patients: a randomised controlled trial. 2010 , 19, 617-25	36
1419	Distress, anxiety, depression, and emotional well-being in African-American men with prostate cancer. 2010 , 19, 1052-60	28
1418	Facing haematopoietic stem-cell transplantation: do patients and their physicians agree regarding the prognosis?. 2010 , 19, 1035-43	7
1417	Barriers to pain management among Lithuanian cancer patients. 2010 , 10, 145-57	20
1416	Differences in pain, psychological symptoms, and gender distribution among patients with left- vs right-sided chronic spinal pain. 2010 , 11, 1373-80	12
1415	Validity study of Kessler's psychological distress scales conducted among patients admitted to French emergency department for alcohol consumption-related disorders. 2010 , 34, 1235-45	46

1414	Acne's relationship with psychiatric and psychological morbidity: results of a school-based cohort study of adolescents. 2010 , 24, 58-64	20
1413	Gender Differences in Self-Silencing and Psychological Distress in Informal Cancer Carers. 2010 , 34, 228-242	35
1412	The Norwegian version of the chronic obstructive pulmonary disease self-efficacy scale (CSES): a validation and reliability study. 2010 , 24, 600-9	17
1411	Psychological and behavioural predictors of pain management outcomes in patients with cancer. 2010 , 24, 781-90	16
1410	Using Group-Based Parent Training Interventions with Parents of Children with Disabilities: A Description of Process, Content and Outcomes in Clinical Practice. 2010 , 15, 171-175	25
1409	Psychopathology in patients with ICDs over time: results of a prospective study. 2010 , 33, 198-208	78
1408	Efficacy of topical Aloe vera in patients with oral lichen planus: a randomized double-blind study. 2010 , 39, 735-40	62
1407	Activity of daily living problems in older cancer survivors: a population-based controlled study. 2010 , 18, 396-406	25
1406	Are cancer patients whose problems are overestimated by nurses less satisfied with their care?. 2010 , 19, 382-92	7
1405	Is nurse-patient agreement of importance to cancer nurses' satisfaction with care?. 2010 , 66, 573-82	5
1404	Association of breathlessness with multiple symptoms in chronic obstructive pulmonary disease. 2010 , 66, 2688-700	64
1403	Patient satisfaction with GP-led melanoma follow-up: a randomised controlled trial. 2010 , 102, 1447-55	43
1402	Depressive symptoms in the first year from diagnosis of Type 2 diabetes: results from the DESMOND trial. 2010 , 27, 965-7	26
1401	Adverse clinical phenotype in inflammatory bowel disease: a cross sectional study identifying factors potentially amenable to change. 2010 , 25, 1250-8	28
1400	Rearing practices and impulsivity/hyperactivity symptoms in relation to inflated responsibility and obsessive-compulsive symptoms. 2010 , 51, 392-7	2
1399	Composite risk scores and depression as predictors of competing waiting-list outcomes: the Waiting for a New Heart Study. 2010 , 23, 1223-32	19
1398	Persistent fatigue in liver transplant recipients: a two-year follow-up study. 2010 , 24, E10-6	45
1397	Psychological distress (depression and anxiety) in people with head and neck cancers. 2010 , 193, S48-51	60

1396	Similarity in predictors between near miss and adverse event among Japanese nurses working at teaching hospitals. 2010 , 48, 775-82	10
1395	. 2010 ,	3
1394	Familial aggregation in children affected by functional gastrointestinal disorders. 2010 , 50, 500-5	33
1393	Living with Moebius syndrome: adjustment, social competence, and satisfaction with life. 2010 , 47, 134-42	25
1392	Depression, anxiety and glucose metabolism in the general dutch population: the new Hoorn study. 2010 , 5, e9971	72
1391	Characteristics of patients with chronic obstructive pulmonary disease choosing rehabilitation. 2010 , 42, 362-7	12
1390	Tentativa de suicídio entre pacientes com uso nocivo de bebidas alcoólicas internados em hospital geral. 2010 , 59, 167-172	6
1389	Depression, alcohol use disorders and nicotine dependence among patients at a general hospital. 2010 , 32, 250-6	15
1388	Anxiety and depression in adult patients with celiac disease on a gluten-free diet. 2010 , 16, 2780-7	57
1387	'A no means no'--measuring depression using a single-item question versus Hospital Anxiety and Depression Scale (HADS-D). 2010 , 21, 1905-1909	45
1386	Family functioning and emotional state two and five years after traumatic brain injury. 2010 , 16, 306-17	82
1385	A meta-analysis of depression during pregnancy and the risk of preterm birth, low birth weight, and intrauterine growth restriction. 2010 , 67, 1012-24	1163
1384	Improving care in cardiac rehabilitation for minority ethnic populations. 2010 , 9, 272-7	8
1383	Effect of transurethral resection of the prostate on erectile function: a prospective comparative study. 2010 , 22, 146-51	35
1382	Influence of anxiety on health outcomes in COPD. 2010 , 65, 229-34	166
1381	Effects of a rehabilitation programme on daily functioning, participation, health-related quality of life, anxiety and depression in liver transplant recipients. 2010 , 32, 2107-12	28
1380	An exploration into physiological and self-report measures of stress in pre-registration doctors at the beginning and end of a clinical rotation. 2010 , 13, 155-62	28
1379	Sleep in Lung Cancer. 2010 , 21, 130-138	3

1378	Do oncology nurses provide more care to patients with high levels of emotional distress?. 2010 , 37, E34-42	5
1377	Self-reported mental health and its gender differences as a predictor of suicide in the middle-aged. 2010 , 172, 160-6	27
1376	Long-term harm of low preparedness for a wife's death from cancer--a population-based study of widowers 4-5 years after the loss. 2010 , 172, 389-96	54
1375	Adverse effects of multiple physical symptoms on the course of depressive and anxiety symptoms in primary care. 2010 , 79, 389-91	23
1374	Coping-related variables associated with individual differences in adjustment to cancer. 2010 , 28, 1-22	39
1373	Anxiety and depression in head and neck out-patients. 2010 , 124, 774-7	6
1372	Pulmonary rehabilitation reduces depression and enhances health-related quality of life in COPD patients--especially in patients with mild or moderate disease. 2010 , 7, 229-37	26
1371	Educational inequalities in ischaemic heart disease mortality in 44,000 Norwegian women and men: the influence of psychosocial and behavioural factors. The HUNT Study. 2010 , 38, 678-85	18
1370	Parenting an adolescent with chronic pain: an investigation of how a taxonomy of adolescent functioning relates to parent distress. 2010 , 35, 748-57	28
1369	A naturalistic evaluation of psychosocial interventions for cancer patients in a community setting. 2010 , 28, 23-42	6
1368	Patient-based outcome assessment instruments in acupuncture research. 2010 , 16, 27-35	6
1367	Effects of a brief psychosocial intervention in patients with cancer receiving adjuvant therapy. 2010 , 37, E98-104	14
1366	Conditional goal-setting, personal goals and hopelessness about the future. 2010 , 24, 1191-1198	38
1365	Mild traumatic brain injury and fatigue: a prospective longitudinal study. 2010 , 24, 1528-38	75
1364	Does experiential avoidance mediate the effects of maladaptive coping styles on psychopathology and mental health?. 2010 , 34, 503-19	64
1363	The symptom of functional weakness: a controlled study of 107 patients. 2010 , 133, 1537-51	177
1362	Biases in everyday reasoning: Associations with subclinical anxiety, depression and paranoia. 2010 , 2, 227-237	11
1361	Harmful alcohol consumption and patterns of substance use in HIV-infected patients receiving antiretrovirals (ANRS-EN12-VESPA Study): relevance for clinical management and intervention. 2010 , 22, 1136-45	21

1360	The role of health and non-health-related factors in repeat emergency department visits in an elderly urban population. 2010 , 27, 683-7	30
1359	Boredom-proneness, loneliness, social engagement and depression and their association with cognitive function in older people: a population study. 2010 , 15, 463-73	56
1358	Cognitive-behavioral therapy for psychogenic nonepileptic seizures: a pilot RCT. 2010 , 74, 1986-94	317
1357	Depression, heart rate variability, and exercise training in dialysis patients. 2010 , 17, 160-7	81
1356	Coping using positive reinterpretation in parents of children with cerebral palsy. 2010 , 15, 801-10	18
1355	Surgical resection margins do not influence health related quality of life or emotional distress in patients with cutaneous melanoma: results of a prospective randomised trial. 2010 , 44, 146-55	9
1354	The quality of life and factors associated with it in the medically hospitalised elderly. 2010 , 14, 861-9	35
1353	Receptive music therapy for the treatment of depression: a proof-of-concept study and prospective controlled clinical trial of efficacy. 2010 , 79, 321-2	24
1352	Measuring outcomes in people who have had a stroke and their carers: can the telephone be used?. 2010 , 17, 119-27	17
1351	Shared genetic factors in migraine and depression: evidence from a genetic isolate. 2010 , 74, 288-94	75
1350	Family carers' distress and abusive behaviour: longitudinal study. 2010 , 196, 480-5	55
1349	Physical activity and common mental disorders. 2010 , 197, 357-64	141
1348	Evaluation of quality of life in relation to anxiety and depression in primary Sjögren's syndrome. 2010 , 20, 588-597	29
1347	[Inflammatory bowel diseases as multi-focal disorders: results from a multi-regional survey on bodily and psychosocial problems in IBD patients]. 2010 , 48, 381-91	15
1346	Acceptability of a Cognitive Behavior Therapy Intervention to Implantable Cardioverter Defibrillator Recipients. 2010 , 24, 246-264	8
1345	Structural and functional hippocampal changes in multiple sclerosis patients with intact memory function. 2010 , 255, 595-604	95
1344	Réhabilitation du patient atteint de BPCO. 2010 , 27, S36-S69	3
1343	Relationship of airway sensory hyperreactivity to asthma and psychiatric morbidity. 2010 , 105, 20-3	10

1342	Psychological and somatic symptoms of anxiety and risk of coronary heart disease: the health and social support prospective cohort study. 2010 , 67, 378-85		77
1341	Factors affecting the relationship between psychological status and quality of life in COPD patients. 2010 , 8, 108		53
1340	Unmet needs, quality of life and support networks of people with dementia living at home. 2010 , 8, 132		76
1339	The psychosocial well-being of parents of children with cerebral palsy: a comparison study. 2010 , 32, 1673-7		63
1338	A study of coping in long-term testicular cancer survivors. 2010 , 15, 146-58		22
1337	Differential Outcomes to a Pain Management Programme Based on Coping Style. 2010 , 31, 11-26		
1336	A longitudinal study of family functioning after TBI and relatives' emotional status. 2010 , 20, 813-29		70
1335	Posttraumatic stress, anxiety and depression symptoms in patients during the first year post intensive care unit discharge. 2010 , 14, R14		194
1334	Ustekinumab significantly improves symptoms of anxiety, depression, and skin-related quality of life in patients with moderate-to-severe psoriasis: Results from a randomized, double-blind, placebo-controlled phase III trial. 2010 , 63, 457-65		139
1333	Depressive symptoms in persons with acute coronary syndrome: specific symptom scales and prognosis. <i>Journal of Psychosomatic Research</i> , 2010 , 68, 121-30	4.1	55
1332	The Beliefs about Emotions Scale: validity, reliability and sensitivity to change. <i>Journal of Psychosomatic Research</i> , 2010 , 68, 285-92	4.1	101
1331	Common mental disorders and disability pension award: seven year follow-up of the HUSK study. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 59-67	4.1	87
1330	The Hospital Anxiety and Depression Scale: a diagnostic meta-analysis of case-finding ability. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 371-8	4.1	223
1329	Anxiety and depression in patients with chronic temporomandibular pain and in controls. 2010 , 38, 369-76		94
1328	Anxiety and depressive disorders in patients presenting with chest pain to the emergency department: a comparison between cardiac and non-cardiac origin. 2010 , 39, 144-50		29
1327	Anxiety, depression, and psychological well-being 2 to 5 years poststroke. 2010 , 19, 364-9		52
1326	Emotion regulation in pathological skin picking: findings from a non-treatment seeking sample. 2010 , 41, 238-45		87
1325	Predicting depression, anxiety and self-harm in adolescents: the role of perfectionism and acute life stress. 2010 , 48, 52-9		139

1324	Painful engagement in deliberate self-harm: The role of conditional goal setting. 2010 , 48, 915-20	8
1323	Pre-existing psychiatric disorders, psychological reactions to stress and the recovery of burn survivors. 2010 , 36, 183-91	62
1322	An obesity provoking behaviour negatively influences young normal weight subjects' health related quality of life and causes depressive symptoms. 2010 , 11, 247-52	7
1321	Posttraumatic stress, depression and anxiety among adult long-term survivors of cancer in adolescence. 2010 , 46, 1596-606	110
1320	Ductal carcinoma in situ of the breast. Long-term follow-up of health-related quality of life, emotional reactions and body image. 2010 , 36, 756-62	33
1319	Clinical anxiety, cortisol and interleukin-6: evidence for specificity in emotion-biology relationships. 2010 , 24, 1074-7	183
1318	Assessing mixed anxiety-depressive disorder. A national primary care survey. 2010 , 176, 197-201	16
1317	Psychological risk factors and the metabolic syndrome in patients with coronary heart disease: findings from the Heart and Soul Study. 2010 , 175, 133-7	75
1316	The factor structure of the Hospital Anxiety and Depression Scale in individuals with traumatic brain injury. 2010 , 179, 342-9	71
1315	Asthma in men and women: treatment adherence, anxiety, and quality of sleep. 2010 , 104, 337-44	48
1314	Suicidal thoughts in epilepsy: a community-based study in Brazil. 2010 , 17, 483-8	23
1313	Health-related quality of life and emotional status of anophthalmic patients in Korea. 2010 , 149, 1005-1011.e144	144
1312	Patients' perceptions and illness severity at start of antidepressant treatment in general practice. 2010 , 18, 217-25	12
1311	Motivation for Psychotherapy in Patients With Functional Gastrointestinal Disorders. 2010 , 51, 225-229	11
1310	Prevention of medication overuse in patients with migraine. 2010 , 151, 404-413	46
1309	Quality of Life, Anxiety, and Oncological Factors: A Follow-Up Study of Breast Cancer Patients. 2010 , 51, 112-123	30
1308	Individualized vs. global assessments of quality of life after head injury and their susceptibility to response shift. 2010 , 24, 833-43	11
1307	Impact of the interaction between self-efficacy, symptoms and catastrophising on disability, quality of life and health in with chronic pain patients. 2010 , 32, 1387-96	66

1306	The utility of a psychological intervention for coping with spontaneous abortion. 2010 , 28, 287-296	11
1305	A study of outcome in patients treated at a psychiatric emergency unit. 2010 , 64, 363-71	9
1304	Applicability of the DEPS Depression Scale: assessing format and individual items in subgroups of patients. 2010 , 64, 384-90	4
1303	Hazardous drinking and drinking patterns among the reindeer-herding Sami population in Sweden. 2011 , 46, 1318-27	11
1302	Health-related quality of life among women with breast cancer - a population-based study. 2011 , 50, 1015-26	71
1301	What predicts depression in cardiac patients: sociodemographic factors, disease severity or theoretical vulnerabilities?. 2011 , 26, 619-34	26
1300	Health-related quality of life during hormone therapy after breast cancer: a randomized trial. 2011 , 14, 164-70	10
1299	Posttraumatic stress following childbirth in homelike- and hospital settings. 2011 , 32, 88-97	81
1298	Psychosocial factors associated with the effects of physiotherapy in the acute hospital. 2011 , 33, 2311-21	6
1297	Is genetic counseling a stressful event?. 2011 , 50, 1089-97	9
1296	A simultaneous test of the relationship between identified psychosocial risk factors and recurrent events in coronary artery disease patients. 2011 , 24, 463-75	13
1295	Psychological impact of genetic counseling for hereditary nonpolyposis colorectal cancer: the role of cancer history, gender, age, and psychological distress. 2011 , 15, 219-25	7
1294	Predictors of outcome in patients consulting their general practitioners for headache: a prospective study. 2011 , 26, 751-64	5
1293	Relationship between anxiety and dyspnea on exertion in patients with chronic obstructive pulmonary disease. 2011 , 24, 439-49	29
1292	Psychological well-being, negative affectivity, and functional impairment in fibromyalgia. 2011 , 80, 256-8	11
1291	Ustekinumab decreases work limitations, improves work productivity, and reduces work days missed in patients with moderate-to-severe psoriasis: results from PHOENIX 2. 2011 , 22, 337-47	31
1290	In the beginning: role of autonomy support on the motivation, mental health and intentions of participants entering an exercise referral scheme. 2011 , 26, 729-49	63
1289	Exercise may reduce depression but not anxiety in self-referred cancer patients undergoing chemotherapy. Post-hoc analysis of data from the 'Body & Cancer' trial. 2011 , 50, 660-9	31

1288	Home-based exercise improves the quality of life and physical function but not the psychological status of people with chronic heart failure: a randomised trial. 2011 , 57, 157-63	30
1287	Anxiety and depression in adolescents with CF and their caregivers. 2011 , 10, 435-42	38
1286	Treating anxiety in patients with coronary heart disease: a randomized controlled trial. 2011 , 80, 365-70	15
1285	Depression and anxiety in a Portuguese MS population: associations with physical disability and severity of disease. 2011 , 306, 66-70	54
1284	Denial and social and emotional outcomes in lung cancer patients: the protective effect of denial. 2011 , 72, 119-24	37
1283	Assessment of psychotropic-like properties of a probiotic formulation (<i>Lactobacillus helveticus</i> R0052 and <i>Bifidobacterium longum</i> R0175) in rats and human subjects. 2011 , 105, 755-64	846
1282	Algometry with a clothes peg compared to an electronic pressure algometer: a randomized cross-sectional study in pain patients. 2011 , 12, 174	19
1281	Association of serotonin transporter gene variation with smoking, chronic obstructive pulmonary disease, and its depressive symptoms. 2011 , 56, 41-6	30
1280	Maternal anxiety, behavioral inhibition, and attachment. 2011 , 13, 199-215	44
1279	Guarana (<i>Paullinia cupana</i>) improves fatigue in breast cancer patients undergoing systemic chemotherapy. 2011 , 17, 505-12	87
1278	The Swedish validation of Edinburgh Postnatal Depression Scale (EPDS) during pregnancy. 2011 , 65, 414-8	145
1277	Post-traumatic stress symptoms, parenting stress and mother-child relationships following childbirth and at 2 years postpartum. 2011 , 32, 141-6	78
1276	Serum levels of interleukin-6 and interleukin-10 in relation to depression scores in patients with cardiovascular risk factors. 2011 , 37, 105-12	16
1275	[Anxiety and depression in COPD: a review]. 2011 , 28, 739-48	9
1274	The relationship between somatic symptoms, health anxiety, and outcome in medical out-patients. 2011 , 34, 545-64	21
1273	Investigating environmental links between parent depression and child depressive/anxiety symptoms using an assisted conception design. 2011 , 50, 451-459.e1	75
1272	Psychological contributions to functional independence: a longitudinal investigation of spinal cord injury rehabilitation. 2011 , 92, 597-602	37
1271	Relationship of fatigue and exercise capacity with emotional and physical state in patients with coronary artery disease admitted for rehabilitation program. 2011 , 162, 310-6	32

1270	Peripheral neuropathy, decreased muscle strength and obesity are strongly associated with walking in persons with type 2 diabetes without manifest mobility limitations. 2011 , 91, 32-9		64
1269	Efficacy of an early intervention based on acceptance and commitment therapy for adults with depressive symptomatology: Evaluation in a randomized controlled trial. 2011 , 49, 62-7		128
1268	A feasibility study of Acceptance and Commitment Therapy for emotional dysfunction following psychosis. 2011 , 49, 901-7		104
1267	Psychological problems in children with burns--parents' reports on the Strengths and Difficulties Questionnaire. 2011 , 37, 1309-16		11
1266	The effects of depression on the course of functional limitations in patients with chronic heart failure. 2011 , 17, 503-10		12
1265	Short-term and long-term elderly cancer survivors: a population-based comparative and controlled study of morbidity, psychosocial situation, and lifestyle. 2011 , 15, 213-20		19
1264	Prevalence of psychiatric disorders in sick listed chronic low back pain patients. 2011 , 15, 1075-80		75
1263	The impact of pain in patients with polyneuropathy. 2011 , 15, 1015-22		41
1262	Fatigued breast cancer survivors and gene polymorphisms in the inflammatory pathway. 2011 , 25, 1376-83		43
1261	The association between habitual diet quality and the common mental disorders in community-dwelling adults: the Hordaland Health study. 2011 , 73, 483-90		194
1260	Emotion dysregulation and anxiety in late adulthood. 2011 , 25, 1019-23		14
1259	Mood and anxiety disorders in systemic sclerosis patients. 2011 , 40, e111-9		52
1258	Impact of childhood trauma, alexithymia, dissociation, and emotion suppression on emotional Stroop task. <i>Journal of Psychosomatic Research</i> , 2011 , 70, 53-8	4.1	23
1257	Advice on total-score reliability issues in psychosomatic measurement. <i>Journal of Psychosomatic Research</i> , 2011 , 70, 565-72	4.1	23
1256	The relationship between body image disturbance and distress in colorectal cancer patients with and without stomas. <i>Journal of Psychosomatic Research</i> , 2011 , 70, 395-402	4.1	77
1255	Normative values for the hospital anxiety and depression scale (HADS) in the general German population. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 74-8	4.1	217
1254	No association between anxiety and depression and adverse clinical outcome among patients with cardiovascular disease: findings from the DANREHAB trial. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 207-14	4.1	12
1253	Type D personality and metabolic syndrome in a 7-year prospective occupational cohort. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 357-63	4.1	18

1252	Distinct psychological distress trajectories in rheumatoid arthritis: findings from an inception cohort. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 290-5	4.1	26
1251	Review of major measuring instruments in comorbid depression and coronary heart disease. 2011 , 35, 905-12		8
1250	Quick and easy self-rating of Generalized Anxiety Disorder: validity of the Dutch web-based GAD-7, GAD-2 and GAD-SI. 2011 , 188, 58-64		131
1249	A collaborative care depression management program for cardiac inpatients: depression characteristics and in-hospital outcomes. 2011 , 52, 26-33		53
1248	Spinal pain and post poliomyelitis syndrome. 2011 , 54, e267-e268		
1247	Chronic low back pain and obsessive compulsive disorder: Union is strength. 2011 , 54, e268		1
1246	Biomechanical evaluation after a Light Functional Restoration Program (FRP) in chronic low back pain. 2011 , 54, e268		
1245	Arm/shoulder problems and insomnia symptoms in breast cancer survivors: cross-sectional, controlled and longitudinal observations. 2011 , 12, 584-90		20
1244	Cognitive function, dementia and type 2 diabetes mellitus in the elderly. 2011 , 7, 108-14		265
1243	Clinical and psychosocial factors associated with depression and anxiety in Singaporean patients with rheumatoid arthritis. 2011 , 14, 37-47		69
1242	Association of baseline anxiety with depression persistence at 6 months in patients with acute cardiac illness. 2012 , 74, 93-9		7
1241	Modifiable and fixed factors predicting quality of life in people with colorectal cancer. 2011 , 104, 1697-703		59
1240	Impact of relaxation training on patient-perceived measures of anxiety, pain, and outcomes after interventional electrophysiology procedures. 2011 , 34, 821-6		1
1239	Early intra-intensive care unit psychological intervention promotes recovery from post traumatic stress disorders, anxiety and depression symptoms in critically ill patients. 2011 , 15, R41		123
1238	Depression related to (neo)adjuvant hormonal therapy for prostate cancer. 2011 , 98, 203-6		18
1237	Depression and perceptions about heart failure predict quality of life in patients with advanced heart failure. 2011 , 40, 111-21		66
1236	Calidad de vida relacionada con la salud de las personas afectadas por quemaduras despu� de la cicatrizaci�, Medell�, Colombia. 2011 , 30, 494		1
1235	Identification, assessment and treatment of individual patients. 175-216		3

1234	The association of fatigue with depression and insomnia in HIV-seropositive patients: a pilot study. 2011 , 34, 1723-6	26
1233	The structure and reliability of the amharic version of the hospital anxiety and depression scale in orphan adolescents in addis ababa. 2011 , 21, 27-35	6
1232	Depression and anxiety in a community sample with epilepsy in Brazil. 2011 , 69, 342-8	24
1231	Cognitive behavioral therapy for insomnia comorbid with COPD is feasible with preliminary evidence of positive sleep and fatigue effects. 2011 , 6, 625-35	52
1230	A Randomised, Placebo-controlled Trial of the Effects of Preoperative Pregabalin on Pain Intensity and Opioid Consumption following Lumbar Discectomy. 2011 , 24, 22-30	21
1229	Anxiety, depression and quality of life in patients with irritable bowel syndrome. 2011 , 5, 29-36	91
1228	Dyadic coping, quality of life, and psychological distress among chronic obstructive pulmonary disease patients and their partners. 2011 , 6, 583-96	58
1227	Die zeitliche Stabilität (Test-Retest-Reliabilität) von Angst und Depressivität bei Patienten und in der Allgemeinbevölkerung. 2011 , 20, 24-31	
1226	Feasibility of a pancreatic cancer surveillance program from a psychological point of view. 2011 , 13, 1015-24	28
1225	Application of the HADS to academic and non-academic nurses in Germany. 2011 , 2, 27-32	
1224	Development of a Positive Psychology Intervention for Patients with Acute Cardiovascular Disease. 2011 , 6, hi.2011.e13a	4
1223	An eight-week yoga intervention is associated with improvements in pain, psychological functioning and mindfulness, and changes in cortisol levels in women with fibromyalgia. 2011 , 4, 189-201	81
1222	Loneliness is associated with sleep fragmentation in a communal society. 2011 , 34, 1519-26	138
1221	Reliability and validity of the Ethiopian version of the hospital anxiety and depression scale (HADS) in HIV infected patients. 2011 , 6, e16049	67
1220	The relationship between the val158met catechol-O-methyltransferase (COMT) polymorphism and irritable bowel syndrome. 2011 , 6, e18035	32
1219	Human papillomavirus infection and anxiety: analyses in women with low-grade cervical cytological abnormalities unaware of their infection status. 2011 , 6, e21046	13
1218	Burnout levels and self-rated health prospectively predict future long-term sickness absence: a study among female health professionals. 2011 , 53, 788-93	71
1217	A multidimensional measure of pain interference: reliability and validity of the pain disability assessment scale. 2011 , 27, 338-43	51

1216	Clinical characteristics, pain, and disability in relation to alar ligament MRI findings. 2011 , 36, E862-7	19
1215	Mindfulness training for coping with hot flashes: results of a randomized trial. 2011 , 18, 611-20	102
1214	A randomized controlled trial of cognitive behavior therapy tailored to psychological adaptation to an implantable cardioverter defibrillator. 2011 , 73, 226-33	61
1213	Type D personality and all-cause mortality in cardiac patients--data from a German cohort study. 2011 , 73, 548-56	71
1212	Reverse causality in the association between whiplash and symptoms of anxiety and depression: the HUNT study. 2011 , 36, 1380-6	19
1211	Burn Specific Health up to 24 months after the Burn-A prospective validation of the simplified model of the Burn Specific Health Scale-Brief. 2011 , 71, 78-84	37
1210	Functional and psychological outcomes following burn injury: reduced income and hidden emotions are predictors of greater distress. 2011 , 32, 468-74	21
1209	Reasons why family members become carers and the outcome for the person with dementia: results from the CARD study. 2011 , 23, 1442-50	15
1208	Self-reported depression and anxiety after prenatal famine exposure: mediation by cardio-metabolic pathology?. 2011 , 2, 136-43	17
1207	Athletic identity, sport participation, and psychological adjustment in people with spinal cord injury. 2011 , 28, 233-50	37
1206	Validity of 2 Sleep Quality Items to Be Used in a Large Cohort Study of Kidney Transplant Recipients. 2011 , 21, 27-35	13
1205	Palliative care or end-of-life care in advanced chronic obstructive pulmonary disease: a prospective community survey. 2011 , 61, e362-70	41
1204	Measuring depression severity in general practice: discriminatory performance of the PHQ-9, HADS-D, and BDI-II. 2011 , 61, e419-26	72
1203	Perceived participation and autonomy: aspects of functioning and contextual factors predicting participation after stroke. 2011 , 43, 388-97	39
1202	Evaluation of a comprehensive rehabilitation program for post-treatment patients with cancer. 2011 , 38, E418-24	16
1201	The impact of overactive bladder on mental health, work productivity and health-related quality of life in the UK and Sweden: results from EpiLUTS. 2011 , 108, 1459-71	164
1200	Functional gastrointestinal disorders in inflammatory bowel disease: impact on quality of life and psychological status. 2011 , 26, 916-23	58
1199	Preoperative psychological distress and functional outcome after knee replacement. 2011 , 81, 681-7	30

1198	Anxiety and quality of recovery in day surgery: A questionnaire study using Hospital Anxiety and Depression Scale and Quality of Recovery Score. 2011 , 17, 85-92	28
1197	Anxiety and depression levels of inpatients in the city centre of Kirsehir in Turkey. 2011 , 17, 411-8	7
1196	Mode of administration only has a small effect on data quality and self-reported health status and emotional distress among Swedish adolescents and young adults. 2011 , 20, 1568-77	6
1195	Correlation and agreement of self-assessed and objective skin disease severity in a cross-sectional study of patients with acne, psoriasis, and atopic eczema. 2011 , 50, 1486-90	22
1194	Randomised clinical trial: the safety and efficacy of AST-120 in non-constipating irritable bowel syndrome - a double-blind, placebo-controlled study. 2011 , 34, 868-77	30
1193	Impaired psychometric testing in polyglandular autoimmunity. 2011 , 74, 394-403	7
1192	Anxiety, helplessness/hopelessness and 'desire for hastened death' in Korean cancer patients. 2011 , 20, 395-402	30
1191	Preoccupation with death as predictor of psychological distress in patients with haematologic malignancies. 2011 , 20, 403-11	10
1190	Fast screening of depression in cancer patients: the effectiveness of the HADS. 2011 , 20, 528-33	30
1189	Gender differences in cancer carer psychological distress: an analysis of moderators and mediators. 2011 , 20, 610-9	41
1188	Feelings of loss and uneasiness or shame after removal of a testicle by orchidectomy: a population-based long-term follow-up of testicular cancer survivors. 2011 , 34, 183-92	46
1187	Quality of life in patients with various liver diseases: patients with HCV show greater mental impairment, while patients with PBC have greater physical impairment. 2011 , 18, 252-61	44
1186	Blunted cardiac reactions to acute psychological stress predict symptoms of depression five years later: evidence from a large community study. 2011 , 48, 142-8	76
1185	Which patients with headache do not seek medical attention?. 2011 , 51, 1279-84	13
1184	Headaches and academic performance in university students: a cross-sectional study. 2011 , 51, 1493-502	39
1183	Depression, chronic pain, and suicide by overdose: on the edge. 2011 , 12 Suppl 2, S43-8	99
1182	Coping with chronic musculoskeletal pain in Portugal and in the United States: a cross-cultural study. 2011 , 12, 1470-80	29
1181	Increasing prevalence of chronic musculoskeletal complaints. A large 11-year follow-up in the general population (HUNT 2 and 3). 2011 , 12, 1657-66	73

1180	Prevalence and effect on health-related quality of life of overactive bladder in older americans: results from the epidemiology of lower urinary tract symptoms study. 2011 , 59, 1465-70	111
1179	Psychological adjustment in ICD patients living with advisory fidelis leads. 2011 , 22, 57-63	34
1178	A prospective, randomized study on the efficacy of tongue protector in patients with burning mouth syndrome. 2011 , 17, 277-82	31
1177	Long-term psychosocial impact of alternative management policies in women with low-grade abnormal cervical cytology referred for colposcopy: a randomised controlled trial. 2011 , 104, 255-64	11
1176	Genetic risk profiles for depression and anxiety in adult and elderly cohorts. 2011 , 16, 773-83	116
1175	Impact of preoperative change in physical function on postoperative recovery: argument supporting prehabilitation for colorectal surgery. 2011 , 150, 505-14	293
1174	Spirituality, religiosity, and spiritual pain in advanced cancer patients. 2011 , 41, 986-94	172
1173	Anxiety in terminally ill cancer patients. 2011 , 42, 691-701	56
1172	Is anxiety about health associated with desire to exercise, physical activity, and exercise dependence?. 2011 , 51, 1059-1062	12
1171	A prospective study of neuropathic pain induced by thoracotomy: incidence, clinical description, and diagnosis. 2011 , 152, 74-81	94
1170	Chronic pain in the Republic of Ireland--community prevalence, psychosocial profile and predictors of pain-related disability: results from the Prevalence, Impact and Cost of Chronic Pain (PRIME) study, part 1. 2011 , 152, 1096-1103	114
1169	Associations between recreational exercise and chronic pain in the general population: evidence from the HUNT 3 study. 2011 , 152, 2241-2247	103
1168	Comparing support to breast cancer patients from online communities and face-to-face support groups. 2011 , 85, e95-100	36
1167	The impact of injuries study. multicentre study assessing physical, psychological, social and occupational functioning post injury--a protocol. 2011 , 11, 963	15
1166	The impact on sleep of a multidisciplinary cognitive behavioural pain management programme: a pilot study. 2011 , 12, 5	4
1165	Base rates for depersonalization according to the 2-item version of the Cambridge Depersonalization Scale (CDS-2) and its associations with depression/anxiety in the general population. 2011 , 128, 106-11	22
1164	Social capital and the course of depression: six-month prospective cohort study. 2011 , 129, 149-57	47
1163	The association between depressive and anxiety symptoms and bone mineral density in the general population: the HUNT Study. 2011 , 131, 164-71	36

1162	Glutamate cysteine ligase (GCL) and self reported depression: an association study from the HUNT. 2011 , 131, 207-13	12
1161	Confirmation of the factorial structure of temperamental autoquestionnaire TEMPS-A in non-clinical young adults and relation to current state of anxiety, depression and to schizotypal traits. 2011 , 131, 37-44	24
1160	Flourishing or floundering? Prevalence and correlates of anxiety and depression among a population-based sample of adult cancer survivors 6months after diagnosis. 2011 , 135, 184-92	71
1159	Relation of symptomatic heart failure and psychological status to persistent depression in patients with implantable cardioverter-defibrillator. 2011 , 108, 69-74	21
1158	Depressive vulnerabilities predict depression status and trajectories of depression over 1 year in persons with acute coronary syndrome. 2011 , 33, 224-31	34
1157	Specific fatigue-related items in self-rating depression scales do not bias an association between depression and fatigue in patients with coronary artery disease. 2011 , 33, 527-9	17
1156	Psychiatric disorders, body mass index and C-reactive protein in dialysis patients. 2011 , 33, 454-61	25
1155	Motor inhibition, reflection impulsivity, and trait impulsivity in pathological skin picking. 2011 , 42, 521-32	38
1154	Psychological impact of recall on women with BRCA mutations undergoing MRI surveillance. 2011 , 20, 424-30	22
1153	Mental health and sleep in permanent atrial fibrillation patients from the general population. 2011 , 34, 327-31	16
1152	Making self-help more helpful: a randomized controlled trial of the impact of augmenting self-help materials with implementation intentions on promoting the effective self-management of anxiety symptoms. 2011 , 79, 123-8	32
1151	Větu du cancer du sein entre discours et prouvé. 2011 , 5, 219-226	
1150	The association between dispositional mindfulness, psychological well-being, and perceived health in a Swedish population-based sample. 2011 , 16, 300-16	150
1149	Long-term mental health of men who lose a wife to cancer--a population-based follow-up. 2013 , 22, 352-61	5
1148	Coronary heart disease: health knowledge and behaviour. 2011 , 33, 111-23	19
1147	Life satisfaction in adult survivors of cancer during adolescence: what contributes to the latter satisfaction with life?. 2011 , 20, 225-36	26
1146	Explaining rural/non-rural disparities in physical health-related quality of life: a study of United Methodist clergy in North Carolina. 2011 , 20, 807-15	14
1145	Ego defense mechanisms in COPD: impact on health-related quality of life and dyspnoea severity. 2011 , 20, 1401-10	13

1144	Maternal health-related quality of life after induction of labor or expectant monitoring in pregnancy complicated by intrauterine growth retardation beyond 36 weeks. 2011 , 20, 1427-36	14
1143	Measurement of psychological distress in patients with intracranial tumours: the NCCN distress thermometer. 2011 , 104, 357-64	78
1142	Psychological distress and needs of cancer patients: a prospective comparison between the diagnostic and the therapeutic phase. 2010 , 19, 291-5	25
1141	Are there sex differences in the work ability of cancer survivors? Norwegian experiences from the NOCWO study. 2011 , 19, 323-31	16
1140	Insomnia in elderly cancer survivors--a population-based controlled study of associations with lifestyle, morbidity, and psychosocial factors. Results from the Health Survey of North-Trøndelag County (HUNT-2). Insomnia in elderly cancer survivors. 2011 , 19, 1319-26	7
1139	Coping and psychological distress among head and neck cancer patients. 2011 , 19, 1735-41	28
1138	Predictors of existential and religious well-being among cancer patients. 2011 , 19, 1931-7	21
1137	Accuracy of the Hospital Anxiety and Depression Scale as a screening tool in cancer patients: a systematic review and meta-analysis. 2011 , 19, 1899-908	196
1136	Wunsch nach psychologischer Begleitung bei kardiochirurgischen Patienten. 2011 , 25, 38-42	1
1135	Neurophysiological characterization of persistent pain after laparoscopic inguinal hernia repair. 2011 , 15, 521-9	26
1134	Self-esteem mediates the relationship between maladaptive perfectionism and depression in chronic fatigue syndrome. 2011 , 30, 1543-8	13
1133	Sensitivity to change of the Neck Pain and Disability Scale. 2011 , 20, 882-9	18
1132	Translation and discriminative validation of the STarT Back Screening Tool into Danish. 2011 , 20, 2166-73	58
1131	Tension-type headache and sleep apnea in the general population. 2011 , 12, 63-9	23
1130	Migraine and sleep apnea in the general population. 2011 , 12, 55-61	49
1129	[Development of a German language questionnaire for assessing chronic pruritus (AGP-questionnaire): background and first results]. 2011 , 62, 914-27	20
1128	Effects of a 1-week inpatient course including information, physical activity, and group sessions for prostate cancer patients. 2011 , 26, 754-60	10
1127	Validation and reliability of distress thermometer in chinese cancer patients. 2011 , 23, 54-8	54

1126	A study of chronic pelvic pain after radiotherapy in survivors of locally advanced cervical cancer. 2011 , 5, 208-16	40
1125	Cell phone-supported cognitive behavioural therapy for anxiety disorders: a protocol for effectiveness studies in frontline settings. 2011 , 11, 3	8
1124	Do gastrointestinal complaints increase the risk for subsequent medically certified long-term sickness absence? The HUSK study. 2011 , 11, 88	4
1123	The NKF-NUS hemodialysis trial protocol - a randomized controlled trial to determine the effectiveness of a self management intervention for hemodialysis patients. 2011 , 12, 4	32
1122	Protocol for a double-blind randomised placebo-controlled trial of lithium carbonate in patients with amyotrophic lateral sclerosis (LiCALS) [Eudract number: 2008-006891-31]. 2011 , 11, 111	14
1121	Perceived wellbeing of patients one year post stroke in general practice--recommendations for quality aftercare. 2011 , 11, 42	28
1120	Effects on quality of life, anti-cancer responses, breast conserving surgery and survival with neoadjuvant docetaxel: a randomised study of sequential weekly versus three-weekly docetaxel following neoadjuvant doxorubicin and cyclophosphamide in women with primary breast cancer. 2011 , 11, 179	21
1119	Morbidity, life style and psychosocial situation in cancer survivors aged 60-69 years: results from the Nord-Trøndelag health study (the HUNT-II study). 2011 , 11, 34	4
1118	Dimensionality and scale properties of the Edinburgh Depression Scale (EDS) in patients with type 2 diabetes mellitus: the DiaDDzoB study. 2011 , 11, 141	21
1117	Association of depression with treatment outcomes in Type 2 Diabetes Mellitus: a cross-sectional study from Karachi, Pakistan. 2011 , 11, 27	29
1116	Health problems account for a small part of the association between socioeconomic status and disability pension award. Results from the Hordaland Health Study. 2011 , 11, 12	31
1115	Testing the effectiveness of a mindfulness-based intervention to reduce emotional distress in outpatients with diabetes (DiaMind): design of a randomized controlled trial. 2011 , 11, 131	26
1114	Adverse outcomes after colposcopy. 2011 , 11, 2	14
1113	A multidisciplinary primary care team consultation in a socio-economically deprived community: an exploratory randomised controlled trial. 2011 , 11, 15	8
1112	Evaluating an in-home multicomponent cognitive behavioural programme to manage concerns about falls and associated activity avoidance in frail community-dwelling older people: Design of a randomised control trial [NCT01358032]. 2011 , 11, 228	15
1111	Reliability and validity of a single item measure of quality of life scale for adult patients with cystic fibrosis. 2011 , 9, 105	53
1110	Identification of clinically significant psychological distress and psychiatric morbidity by examining quality of life in subjects with occupational asthma. 2011 , 9, 76	13
1109	Rasch analysis of the hospital anxiety and depression scale (HADS) for use in motor neurone disease. 2011 , 9, 82	79

1108	The use of carer assisted adherence therapy for people with Parkinson's disease and their carers (CAAT-PARK): study protocol for a randomised controlled trial. 2011 , 12, 251	6
1107	Health related quality of life in trauma patients. Data from a one-year follow up study compared with the general population. 2011 , 19, 22	55
1106	The desire for shared decision making among patients with solid and hematological cancer. 2011 , 20, 186-93	33
1105	Is psychological distress in men recently diagnosed with testicular cancer associated with their neuropsychological test performance?. 2011 , 20, 369-77	12
1104	Psychological distress among family carers of oesophageal cancer survivors: the role of illness cognitions and coping. 2011 , 20, 698-705	27
1103	Rasch analysis of the Hospital Anxiety and Depression Scale among caregivers of cancer survivors: implications for its use in psycho-oncology. 2011 , 20, 919-25	31
1102	Prognostic value of health-related quality-of-life parameters in early-stage breast cancer: an 8-year follow-up study. 2011 , 20, 1102-7	7
1101	Prevalence of anxiety in patients awaiting diagnostic procedures in an oncology center in Brazil. 2011 , 20, 1242-5	17
1100	The HADS and the DT for screening psychosocial distress of cancer patients in Taiwan. 2011 , 20, 639-46	61
1099	Anxiety, depression, and life satisfaction in parents caring for children with cystic fibrosis. 2011 , 46, 672-82	52
1098	Mindfulness-based Coping with University Life: A Non-randomized Wait-list-controlled Pilot Evaluation. 2011 , 27, 365-375	56
1097	Progression and prognostic factors of motor impairment, disability and quality of life in newly diagnosed Parkinson's disease. 2011 , 26, 449-56	61
1096	Measures of depression and depressive symptoms: Beck Depression Inventory-II (BDI-II), Center for Epidemiologic Studies Depression Scale (CES-D), Geriatric Depression Scale (GDS), Hospital Anxiety and Depression Scale (HADS), and Patient Health Questionnaire-9 (PHQ-9). 2011 , 63 Suppl 11, S454-66	501
1095	Measures of anxiety: State-Trait Anxiety Inventory (STAI), Beck Anxiety Inventory (BAI), and Hospital Anxiety and Depression Scale-Anxiety (HADS-A). 2011 , 63 Suppl 11, S467-72	815
1094	Experimental measurement of the regulation of anger and aggression in women with anorexia nervosa. 2011 , 18, 445-52	24
1093	Preliminary examination of the relations between disease activity, illness perceptions, coping strategies, and psychological morbidity in Crohn's disease guided by the common sense model of illness. 2011 , 17, 2551-7	84
1092	Student attitudes toward cadaveric dissection at a UK medical school. 2011 , 4, 200-7	35
1091	Comparison of psychological symptoms in post-cryptogenic cerebral-vascular accident (CVA) and/or transient ischemic attack (TIA) patients who have undergone foramen ovale closure, and in post-CVA patients. 2011 , 52, e152-5	1

1090	Opioid therapy in patients with chronic noncancer pain: diagnostic and clinical challenges. 2011 , 30, 61-91	24
1089	Implementierung eines EDV- und Screening-gestützten psychoonkologischen Versorgungspfads. 2011 , 71, 853-861	1
1088	Effect of deep wound infection following lumbar arthrodesis for degenerative disc disease on long-term outcome: a prospective study: clinical article. 2011 , 15, 399-403	29
1087	The treatment of patients with medically unexplained physical symptoms in China: a study comparing expectations and treatment satisfaction in psychosomatic medicine, biomedicine, and traditional Chinese medicine. 2011 , 41, 229-44	6
1086	Biomedical and psychosocial factors associated with disability after peripheral nerve injury. 2011 , 93, 929-36	82
1085	[The reliable, valid and economic assessment of early traumatization: first psychometric characteristics of the German version of the Adverse Childhood Experiences Questionnaire (ACE)]. 2011 , 61, e10-4	76
1084	Appearance concerns in ophthalmic patients. 2011 , 25, 1039-44	23
1083	Utilization of psychosocial care and oncological follow-up assessments among German long-term survivors of cancer with onset during adolescence. 2011 , 223, 152-8	30
1082	Palliative care for patients with Down syndrome #243. 2011 , 14, 1174-5	
1081	Multidisciplinary pain education program (MPEP) for chronic pain patients: preliminary evidence for effectiveness and mechanisms of change. 2011 , 27, 1595-601	21
1080	An investigation into the validity of effort tests in a working age dementia population. 2011 , 15, 47-57	30
1079	Do changes in illness perceptions predict changes in psychological distress among oesophageal cancer survivors?. 2011 , 16, 500-9	56
1078	Emotion recognition and emotional theory of mind in chronic fatigue syndrome. 2011 , 26, 989-1005	13
1077	Characteristics of Dispositional Mindfulness in Patients with Severe Cardiac Disease. 2011 , 16, 218-225	8
1076	The Factor Structure of the Hospital Anxiety and Depression Scale (HADS) in a Traumatic Brain Injury (TBI) Population. 2011 , 12, 22-32	10
1075	Impact of a depression care management program for hospitalized cardiac patients. 2011 , 4, 198-205	68
1074	A psychometric evaluation of the Hospital Anxiety and Depression Scale for the medically hospitalized elderly. 2011 , 65, 338-44	59
1073	Insomnia and the risk of acute myocardial infarction: a population study. 2011 , 124, 2073-81	271

1072	Psychological correlates of adherence to self-care, disease activity and functioning in persons with systemic lupus erythematosus. 2011 , 20, 14-22	21
1071	Defining hospital anxiety and depression scale (HADS) structure by confirmatory factor analysis: a contribution to validation for oncological settings. 2011 , 22, 2330-3	67
1070	Feasibility and effectiveness of activity-scheduling as a guided self-help intervention for the prevention of depression and anxiety in residents in homes for the elderly: a pragmatic randomized controlled trial. 2011 , 23, 969-78	14
1069	Simplifying Fibromyalgia Assessment: The VASFIQ Brief Symptom Scale. 2011 , 3, 215-26	14
1068	Health-related quality of life after induction of labor versus expectant monitoring in gestational hypertension or preeclampsia at term. 2011 , 30, 260-74	15
1067	Relationship between psychological distress and endogenous anticoagulants in patients with a previous venous thromboembolic event. 2011 , 17, 171-80	3
1066	Psychological well-being of caregivers of children with intellectual disabilities: using parental stress as a mediating factor. 2011 , 15, 101-13	62
1065	Anxiety and depression in cardiac patients: age differences and comparisons with the general population. 2011 , 44, 289-95	13
1064	Platypnea-orthodeoxia due to osteoporosis and severe kyphosis: a rare cause for dyspnea and hypoxemia. 2011 , 6, e13	11
1063	A Multidisciplinary Social Communication and Coping Skills Group Intervention for Adults with Acquired Brain Injury (ABI): A Pilot Feasibility Study in an Inpatient Setting. 2011 , 12, 210-222	9
1062	Redefining diagnostic symptoms of depression using Rasch analysis: testing an item bank suitable for DSM-V and computer adaptive testing. 2011 , 45, 846-52	8
1061	Occupational Gaps in Everyday Life after Stroke and the Relation to Functioning and Perceived Life Satisfaction. 2011 , 31, 200-208	6
1060	Blunted affect is associated with hypothalamic-pituitary-adrenal axis (HPA) hypoactivity and elevated CSF-interleukin-1 beta (IL-1 β) in response to lumbar puncture. 2011 , 13, 164-74	1
1059	Psychological characteristics and outcomes of elective cosmetic surgery patients: the influence of cosmetic surgery history. 2011 , 31, 176-84	1
1058	Relationship among pain catastrophizing, depressed mood, and outcomes across physical therapy treatments. 2011 , 91, 754-64	63
1057	Pharmacological versus microvascular decompression approaches for the treatment of trigeminal neuralgia: clinical outcomes and direct costs. 2011 , 4, 233-44	22
1056	Validity of the Psycho-Oncology Screening Tool (POST). 2011 , 29, 475-98	7
1055	The effect of patient characteristics upon uptake of the influenza vaccination: a study comparing community-based older adults in two healthcare systems. 2011 , 40, 35-41	21

1054	The associations of high levels of C-reactive protein with depression and myocardial infarction in 9258 women and men from the HUNT population study. 2011 , 41, 345-52	29
1053	Generalized Anxiety Disorder. 2011 , 4, 685-690	1
1052	The pathway from glandular fever to chronic fatigue syndrome: can the cognitive behavioural model provide the map?. 2011 , 41, 1099-107	57
1051	Ageing, social class and common mental disorders: longitudinal evidence from three cohorts in the West of Scotland. 2011 , 41, 565-74	32
1050	Making sense of theory of mind and paranoia: the psychometric properties and reasoning requirements of a false belief sequencing task. 2011 , 16, 547-61	7
1049	Relationship of weight status with mental and physical health in female fibromyalgia patients. 2011 , 4, 443-8	21
1048	Patient-reported outcomes in Danish implantable cardioverter defibrillator patients with a Sprint Fidelis lead advisory notification. 2011 , 13, 1292-8	13
1047	Psychological adjustment to spinal cord injury in Ireland: quality of life, appraisals and coping. 2011 , 32, 116-129	5
1046	Patient anxiety and IV sedation in Northern Ireland. 2011 , 210, 575-9	4
1045	Effects of change in fatigue and depression on physical activity over time in relapsing-remitting multiple sclerosis. 2011 , 16, 1-11	33
1044	Anxiety in palliative care: causes and diagnosis #186. 2011 , 14, 1173-4	7
1043	Exercise in elderly patients with chronic heart failure in primary care: effects on physical capacity and health-related quality of life. 2011 , 10, 150-8	28
1042	The Dutch Objective Burden Inventory: validity and reliability in a Canadian population of caregivers for people with heart failure. 2011 , 10, 234-40	22
1041	[Psychological distress and quality of life in COPD-patients and their spouses]. 2011 , 100, 407-15	1
1040	Psychological Co-morbidities of Physical Illness. 2011 ,	10
1039	Early self-care rehabilitation of head and neck cancer patients. 2011 , 131, 552-61	56
1038	Somatoform and psychoform dissociation among women with orgasmic and sexual pain disorders. 2011 , 12, 526-34	20
1037	Estimates of outcomes up to ten years after stroke: analysis from the prospective South London Stroke Register. 2011 , 8, e1001033	148

1036	Validation of a specific health-related quality of life instrument in a large cohort of patients with psoriasis: the QualiPso Questionnaire. 2011 , 91, 660-5	9
1035	Quality of life, psychosocial consequences, and audiological rehabilitation after sudden sensorineural hearing loss. 2011 , 50, 139-44	56
1034	Early exercise and attenuation of myopathy in the patient with sepsis in ICU. 2011 , 16, 58-65	5
1033	Relationship between current psychological symptoms and future risk of asthma outcomes: a 12-month prospective cohort study. 2011 , 48, 1041-50	30
1032	A structural equation modelling approach to the complex path from postural stability to morale in elderly people with fear of falling. 2011 , 33, 352-9	9
1031	The predictive ability of self-rated health on ischaemic heart disease and all-cause mortality in elderly women and men: the Nord-Trondelag Health Study (HUNT). 2011 , 40, 105-11	22
1030	A randomised controlled single-blind trial of the efficacy of reiki at benefitting mood and well-being. 2011 , 2011, 381862	22
1029	The Swedish Depressive Personality Disorder Inventory: psychometrics and clinical correlates from a DSM-IV and proposed DSM-5 perspective. 2012 , 66, 167-77	4
1028	Body dysmorphic disorder in aesthetic rhinoplasty candidates. 2013 , 29, 197-200	8
1027	Clinically relevant fatigue in recurrence-free prostate cancer survivors. 2012 , 23, 65-72	46
1026	General and disease-specific psychosocial adjustment in patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy with implantable cardioverter defibrillators: a large cohort study. 2012 , 5, 18-24	49
1025	Acupuncture in the inpatient acute care setting: a pragmatic, randomized control trial. 2012 , 2012, 309762	7
1024	The relationship among neuroticism, extraversion, and depression in the HUNT Study: in relation to age and gender. 2012 , 33, 777-85	46
1023	Symptom distress associated with biopsy in women with suspect breast lesions. 2012 , 2012, 898327	8
1022	Psychological distress does not compromise outcome in spinal surgery. 2012 , 26, 466-71	19
1021	A randomised controlled trial of support group intervention after breast cancer treatment: results on anxiety and depression. 2012 , 51, 198-207	38
1020	Design and methods for a pilot study of a phone-delivered, mindfulness-based intervention in patients with implantable cardioverter defibrillators. 2012 , 2012, 972106	4
1019	Decision making and distress among individuals diagnosed with follicular lymphoma. 2012 , 30, 426-45	9

1018	Health anxiety in women with early-stage breast cancer: What is the relationship to social support?. 2012 , 44, 108-116	14
1017	A comparison of depressive symptoms in elderly medical inpatients and the elderly in a population-based health study (the Nord-Trøndelag Health Study 3). 2012 , 66, 189-97	11
1016	The rescripting of pain images. 2012 , 40, 558-76	14
1015	Pain related-visual imagery is associated with distress in chronic pain sufferers. 2012 , 40, 577-89	8
1014	Dimensionality of the hospital anxiety and depression scale (HADS) in cardiac patients: comparison of Mokken scale analysis and factor analysis. 2012 , 19, 337-53	37
1013	Assessment of sexual function and related factors in mid-aged sexually active Spanish women with the six-item Female Sex Function Index. 2012 , 19, 1224-30	54
1012	Who responds better? Factors influencing a positive response to brief alcohol interventions for individuals with traumatic brain injury. 2012 , 27, 342-8	5
1011	Stroke survivors' evaluations of a stroke workbook-based intervention designed to increase perceived control over recovery. 2012 , 71, 17-29	4
1010	Effects of false-positive results in a breast screening program on anxiety, depression and health-related quality of life. 2012 , 35, E26-34	18
1009	The impact of type D personality and high-sensitivity C-reactive protein on health-related quality of life in patients with atrial fibrillation. 2012 , 11, 304-12	13
1008	Improved biomedical and psychological outcomes 1 year after structured education in flexible insulin therapy for people with type 1 diabetes: the U.K. DAFNE experience. 2012 , 35, 1638-42	174
1007	Illness burden and symptoms of anxiety in older adults: optimism and pessimism as moderators. 2012 , 24, 1614-21	31
1006	Anxiety, depression, and comorbid anxiety and depression: risk factors and outcome over two years. 2012 , 24, 1622-32	60
1005	Keeping children safe at home: protocol for three matched case-control studies of modifiable risk factors for falls. 2012 , 18, e3	13
1004	Clinically relevant fatigue in men with hormone-sensitive prostate cancer on long-term androgen deprivation therapy. 2012 , 23, 1542-9	45
1003	[Psychological distress of breast cancer patients: screening and patients' request for psycho-oncological care as indicators of health-related quality of life]. 2012 , 62, 129-35	2
1002	Type D moderates the effects of expressive writing on health-related quality of life (HRQOL) following myocardial infarction (MI). 2012 , 33, 107-114	7
1001	Psychische Belastung von Brustkrebspatientinnen: Screening und psychoonkologischer Unterstützungswunsch als Indikatoren der Lebensqualität. 2012 , 9, 173-179	2

1000	[Mental distress and quality of life in tinnitus patients]. 2012 , 91, 774-81	1
999	Depressive symptoms and impaired physical function after acute lung injury: a 2-year longitudinal study. 2012 , 185, 517-24	146
998	Assessing the efficacy of 2 screening measures for depression in people with epilepsy. 2012 , 79, 371-5	31
997	Suicidality and its associated factors in cancer patients: results of a multi-center study in Korea. 2012 , 43, 381-403	23
996	The experience of teasing in elective cosmetic surgery patients. 2012 , 38, 129-37	9
995	Effects of a Cognitive Behavioral Self-help program on emotional problems for people with acquired hearing loss: a randomized controlled trial. 2012 , 17, 75-84	21
994	Mood and pain responses to repeat dose intramuscular ketamine in a depressed patient with advanced cancer. 2012 , 15, 400-3	33
993	What made me feel better? Patients' own explanations for the improvement of their depression. 2012 , 66, 290-6	3
992	The contribution of heart failure to sleep disturbances and depressive symptoms in older adults. 2012 , 25, 179-87	19
991	Efficacy of a Character Strengths and Gratitude Intervention for People with Chronic Back Pain. 2012 , 18, 135-147	7
990	Effect of home blood pressure telemonitoring with self-care support on uncontrolled systolic hypertension in diabetics. 2012 , 60, 51-7	134
989	Personality factors predicting changes in shift work tolerance: A longitudinal study among nurses working rotating shifts. 2012 , 26, 143-160	33
988	The cut-off points of the Depression and Somatic Symptoms Scale and the Hospital Anxiety and Depression Scale in detecting non-full remission and a current major depressive episode. 2012 , 16, 33-40	39
987	Sleep apnoea headache in the general population. 2012 , 32, 451-8	38
986	Patient-acceptable symptom state as an outcome measure in the daily care of patients with ankylosing spondylitis. 2012 , 39, 1424-32	16
985	A blind randomized controlled trial of cognitive versus behavioral versus cognitive-behavioral therapy for patients with rheumatoid arthritis. 2012 , 81, 145-52	21
984	An investigation of factors supporting the psychological health of staff in a UK emergency department. 2012 , 29, 533-5	14
983	Psychiatric outcomes in operatively compared with non-operatively managed patients with facial trauma: Is there a difference?. 2012 , 46, 399-403	3

982	Does Death of a Family Member Moderate the Relationship between Religious Attendance and Depressive Symptoms? The HUNT Study, Norway. 2012 , 2012, 396347	7
981	A comprehensive evaluation of standardized assessment tools in the diagnosis of fibromyalgia and in the assessment of fibromyalgia severity. 2012 , 2012, 653714	27
980	Quantitative sensory testing in painful hand osteoarthritis demonstrates features of peripheral sensitisation. 2012 , 2012, 703138	15
979	Now what? Toward an integrated research and practice agenda in distress screening. 2012 , 30, 715-27	7
978	Relationship between anxiety, depression, and quality of life in adult patients with cystic fibrosis. 2012 , 57, 550-6	59
977	Factors associated with perceived health in elderly medical inpatients: a particular focus on personal coping recourses. 2012 , 16, 795-803	12
976	Are depressive symptoms related to physical inactivity in chronic obstructive pulmonary disease?. 2012 , 32, 405-9	9
975	Is Seeking God's Help Associated with Life Satisfaction and Disease-specific Quality of Life in Cancer Patients? The HUNT Study. 2012 , 34, 191-213	10
974	Long-term follow-up of cortisol awakening response in patients treated for stress-related exhaustion. 2012 , 2,	15
973	Home-based cardiac rehabilitation is an attractive alternative to no cardiac rehabilitation for elderly patients with coronary heart disease: results from a randomised clinical trial. 2012 , 2,	43
972	The welfare burden of adolescent anxiety and depression: a prospective study of 7500 young Norwegians and their families: the HUNT study. 2012 , 2,	26
971	Beta-blocker therapy is not associated with symptoms of depression and anxiety in patients receiving an implantable cardioverter-defibrillator. 2012 , 14, 74-80	7
970	Glucocorticoid treatment and impaired mood, memory and metabolism in people with diabetes: the Edinburgh Type 2 Diabetes Study. 2012 , 166, 861-8	16
969	Anxiety and depression symptoms in patients with dengue fever and their correlation with symptom severity. 2012 , 44, 199-210	8
968	Anxiety: a hidden element in dementia. 2012 , 18, 119-128	11
967	Long-term psychological functioning of adults with severe congenital facial disfigurement. 2012 , 129, 110-117	36
966	Deciphering the temporal link between pain and sleep in a heterogeneous chronic pain patient sample: a multilevel daily process study. 2012 , 35, 675-87A	108
965	Screening for antenatal psychological distress. 2012 , 20, 396-401	8

964	Pain-related insomnia versus primary insomnia: a comparison study of sleep pattern, psychological characteristics, and cognitive-behavioral processes. 2012 , 28, 428-36	37
963	Insomnia and high-sensitivity C-reactive protein: the HUNT study, Norway. 2012 , 74, 543-53	33
962	Thermal detection and pain thresholds but not pressure pain thresholds are correlated with psychological factors in women with chronic whiplash-associated pain. 2012 , 28, 211-21	39
961	Fatigue in patients with coronary artery disease: association with thyroid axis hormones and cortisol. 2012 , 74, 848-53	18
960	The influence of stress, depression, and anxiety on PSA screening rates in a nationally representative sample. 2012 , 50, 1037-44	22
959	Physical symptom reporting is associated with a tendency to experience somatosensory distortion. 2012 , 74, 648-55	19
958	Impact of an intensive care unit diary on psychological distress in patients and relatives*. 2012 , 40, 2033-40	190
957	Somatization and health anxiety as predictors of health care use. 2012 , 74, 656-64	34
956	Attitudes Toward Assisted Suicide and Life-Prolonging Measures in Swiss ALS Patients and Their Caregivers. 2012 , 3, 443	17
955	Psychosocial functioning in adults with congenital craniofacial conditions. 2012 , 49, 276-85	37
954	Increased prevalence of depression in cohorts of the elderly: an 11-year follow-up in the general population - the HUNT study. 2012 , 24, 151-8	57
953	Contradictory effects for prevention of depression and anxiety in residents in homes for the elderly: a pragmatic randomized controlled trial. 2012 , 24, 1242-51	34
952	Compensatory expressive behavior for facial paralysis: adaptation to congenital or acquired disability. 2012 , 57, 43-51	42
951	Paternal involvement in pediatric Type 1 diabetes: fathers' and mothers' psychological functioning and disease management. 2012 , 30, 47-59	55
950	Self-criticism, neediness, and distress among women undergoing treatment for breast cancer: A preliminary test of the moderating role of adjustment to illness.. 2012 , 19, 151-174	11
949	Undertreatment of anxiety and depression in patients with an implantable cardioverter-defibrillator: impact on health status. 2012 , 31, 745-53	28
948	Effectiveness and safety of tapentadol prolonged release for severe, chronic low back pain with or without a neuropathic pain component: results of an open-label, phase 3b study. 2012 , 28, 911-36	62
947	Characteristics of people with epilepsy who attend emergency departments: prospective study of metropolitan hospital attendees. 2012 , 53, 1820-8	47

946	Quantity vs. quality: an exploration of the predictors of posttreatment sexual adjustment for women affected by early stage cervical and endometrial cancer. 2012 , 9, 2952-60	21
945	Health-related quality of life, anxiety and depression related to mammography screening in Norway. 2012 , 21, 3223-34	3
944	Leptin levels and depressive symptoms in people with type 2 diabetes: the edinburgh type 2 diabetes study. 2012 , 74, 39-45	20
943	Self-reported physical activity and aerobic fitness are differently related to mental health. 2012 , 5, 28-34	51
942	Fatigue: a prevalent symptom in gastroparesis. 2012 , 57, 2088-95	11
941	Pre-operative stress, anxiety, depression and coping strategies adopted by patients experiencing their first or recurrent brain neoplasm: an explorative study. 2012 , 28, 416-25	15
940	Patterns of post-traumatic stress symptoms in families after paediatric intensive care. 2012 , 38, 1523-31	76
939	Too little appreciation for great expenditure? Workload and resources in ICUs. 2012 , 85, 753-61	18
938	The role of trait emotional intelligence in the diagnostic cancer pathway. 2012 , 20, 2933-9	9
937	Social implications of balloon kyphoplasty: prospective study from a single UK centre. 2012 , 21, 1880-6	8
936	Correlates of anxiety in women living with HIV of reproductive age. 2012 , 16, 2181-91	26
935	Cross-cultural adaptation, reliability, internal consistency and validation of the Spinal Function Sort (SFS) for French- and German-speaking patients with back complaints. 2012 , 22, 387-93	14
934	"The impact of cancer scale" version 1: psychometric testing of the Norwegian translation in a heterogeneous sample of cancer survivors. 2012 , 21, 1459-70	8
933	Growing up with cystic fibrosis: achievement, life satisfaction, and mental health. 2012 , 21, 1829-35	16
932	Effects of patient education and progressive muscle relaxation alone or combined on adherence to continuous positive airway pressure treatment in obstructive sleep apnea patients. 2012 , 16, 1049-57	31
931	Evaluation of buspirone for relapse-prevention in adults with cocaine dependence: an efficacy trial conducted in the real world. 2012 , 33, 993-1002	14
930	Prevalence and predictors of return to work in hospitalised trauma patients during the first year after discharge: a prospective cohort study. 2012 , 43, 1606-13	30
929	Medical exercise therapy, and not arthroscopic surgery, resulted in decreased depression and anxiety in patients with degenerative meniscus injury. 2012 , 16, 456-63	53

928	Long-term follow-up of pain and emotional characteristics of women after surgery for breast cancer. 2012 , 44, 608-14		23
927	The prevalence and predictors of anxiety and depression in adolescents with heart disease. 2012 , 161, 943-6		48
926	Predictors of mental and physical health in non-cirrhotic patients with viral hepatitis: a case control study. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 218-24	4.1	25
925	Emotional intelligence in anorexia nervosa: is anxiety a missing piece of the puzzle?. 2012 , 200, 12-9		44
924	Early screening and identification of psychological comorbidities in pediatric epilepsy is necessary. 2012 , 25, 495-500		28
923	Evolution of functional capacity and health status two years after a pulmonary rehabilitation programme. 2012 , 18, 217-25		1
922	Mood swings in patients with Crohn's disease: incidence and associated factors. 2012 , 58, 481-488		1
921	Self-regulation of unattainable goals in suicide attempters: a two year prospective study. 2012 , 142, 248-55		40
920	Oscilaçã do humor em pacientes com doençã de Crohn: incidênciã e fatores associados. 2012 , 58, 481-488		1
919	Predictors of quality of life gains among people with type 1 diabetes participating in the Dose Adjustment for Normal Eating (DAFNE) structured education programme. 2012 , 98, 243-8		22
918	Symptoms of posttraumatic stress disorder among pediatric acute care nurses. 2012 , 27, 357-65		87
917	Depression, anxiety and cardiovascular disease: which symptoms are associated with increased risk in community dwelling older adults?. 2012 , 142, 132-8		36
916	Intêr de la concertation pluridisciplinaire entre un dpartement d'valuation de la douleur et les mdecins du travail dans la prise en charge des salari's atteints de douleurs chroniques. 2012 , 73, 20-27		1
915	Mesure du stress en milieu de travail par autoquestionnaires valid's en franais : revue de la litt'ature. 2012 , 73, 596-606		5
914	Therapeutic education in cardiovascular diseases: state of the art and perspectives. 2012 , 55, 322-41		28
913	Glycemic outcome not predicted by baseline psychological measures in a diabetes management program. 2012 , 15, 163-7		7
912	A reliability and validity study of the Bergen Shift Work Sleep Questionnaire in nurses working three-shift rotations. 2012 , 29, 937-46		19
911	Therapeutic effects of short-term monochromatic infrared energy therapy on patients with knee osteoarthritis: a double-blind, randomized, placebo-controlled study. 2012 , 42, 947-56		13

910	Hypertension Analysis of stress Reduction using Mindfulness meditatiON and Yoga (The HARMONY Study): study protocol of a randomised control trial. 2012 , 2, e000848	10
909	An exploration of patient-reported symptoms in systemic lupus erythematosus and the relationship to health-related quality of life. 2012 , 41, 383-90	70
908	Association between psychological measures and brain natriuretic peptide in heart failure patients. 2012 , 46, 154-62	9
907	Subjective caregiver burden of parents of adults with Duchenne muscular dystrophy. 2012 , 34, 988-96	67
906	Post-concussion syndrome: prevalence after mild traumatic brain injury in comparison with a sample without head injury. 2012 , 26, 14-26	81
905	Fear of cancer recurrence after curative pancreatectomy: a cross-sectional study in survivors of pancreatic and periampullary tumors. 2012 , 19, 4078-84	37
904	Factors associated with suicidal thoughts in a large community study of older adults. 2012 , 201, 466-72	131
903	[Psychometric instruments for the diagnosis of tinnitus]. 2012 , 60, 732-42	2
902	Anxiety and depression in Australian chronic hepatitis C outpatients: prevalence and predictors. 2012 , 20, 496-500	13
901	Psychological adjustment and sibling relationships in siblings of children with Autism Spectrum Disorders: Environmental stressors and the Broad Autism Phenotype. 2012 , 6, 546-555	70
900	Lung function and anxiety in association with dyspnoea: the HUNT study. 2012 , 106, 1148-57	15
899	The development of a QALY measure for epilepsy: NEWQOL-6D. 2012 , 24, 36-43	51
898	Racial differences in the prevalence of overactive bladder in the United States from the epidemiology of LUTS (EpiLUTS) study. 2012 , 79, 95-101	59
897	Self-reported sleep and health among Norwegian hospital nurses in intensive care units. 2012 , 17, 180-8	39
896	Relapse of health related quality of life and psychological health in patients with chronic obstructive pulmonary disease 6 months after rehabilitation. 2012 , 26, 219-27	9
895	[Anxiety and depression in cancer patients during the course of radiotherapy treatment]. 2012 , 188, 940-5	10
894	A population-based cohort study of anxiety, depression, sleep and alcohol outcomes among benzodiazepine and z-hypnotic users. 2012 , 37, 1151-7	16
893	Short-term effect of superficial heat treatment on paraspinal muscle activity, stature recovery, and psychological factors in patients with chronic low back pain. 2012 , 93, 367-72	13

892	Effect of fluid collections on long-term outcome after lower limb amputation. 2012 , 93, 509-11		2
891	Subtle problems in activities of daily living after a transient ischemic attack or an apparently fully recovered non-disabling stroke. 2012 , 21, 124-30		38
890	Physical activity and mental well-being in student nurses. 2012 , 32, 325-31		65
889	Medical and psychosocial predictors of mechanical circulatory support device implantation and competing outcomes in the Waiting for a New Heart Study. 2012 , 31, 16-26		22
888	Symptoms of anxiety and depression after percutaneous coronary intervention are associated with decreased heart rate variability, impaired endothelial function and increased inflammation. 2012 , 158, 173-6		27
887	Factors associated with anxiety and depression in the management of acoustic neuroma patients. 2012 , 19, 246-51		11
886	Craving of prescription opioids in patients with chronic pain: a longitudinal outcomes trial. 2012 , 13, 146-54		69
885	Latent structure of the Hospital Anxiety And Depression Scale: a 10-year systematic review. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 180-4	4.1	276
884	Diagnostic accuracy of self-rating scales for screening of depression in coronary artery disease patients. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 22-5	4.1	64
883	Six year stability of Type-D personality in a German cohort of cardiac patients. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 136-41	4.1	13
882	The relationship between religious coping, psychological distress and quality of life in hemodialysis patients. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 129-35	4.1	94
881	The Hospital Anxiety and Depression Scale (HADS) is dead, but like Elvis, there will still be citings. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 77-78	4.1	26
880	Further research needed: a comment on Coyne and van Sonderen's call to abandon the Hospital Anxiety and Depression Scale. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 75-6; author reply 77-8	4.1	17
879	Screening for anxiety and depression in dialysis patients: comparison of the Hospital Anxiety and Depression Scale and the Beck Depression Inventory. <i>Journal of Psychosomatic Research</i> , 2012 , 73, 139-44 ¹		52
878	Psychometric properties of the Japanese version of the Clinical Outcomes in Routine Evaluation-Outcome Measure. 2012 , 53, 600-8		16
877	Design considerations for a study to evaluate the impact of smoking cessation treatment on stimulant use outcomes in stimulant-dependent individuals. 2012 , 33, 197-205		12
876	Nonischemic chest pain following successful percutaneous coronary intervention at a regional referral centre in southern Ontario. 2012 , 28, S60-9		6
875	Quality-of-life among head and neck cancer survivors at one year after treatment--a systematic review. 2012 , 48, 2391-408		94

874	Effects of progressive muscular relaxation training on anxiety, depression and quality of life of endometriosis patients under gonadotrophin-releasing hormone agonist therapy. 2012 , 162, 211-5	51
873	Do nurses risk underestimating the problems of patients with frontal lobe neoplasms?. 2012 , 16, 158-64	1
872	Walking away from type 2 diabetes: trial protocol of a cluster randomised controlled trial evaluating a structured education programme in those at high risk of developing type 2 diabetes. 2012 , 13, 46	44
871	Quality of life of elderly ischaemic stroke patients one year after thrombolytic therapy. A comparison between patients with and without thrombolytic therapy. 2012 , 12, 61	14
870	Study protocol: brief intervention for medication overuse headache--a double-blinded cluster randomised parallel controlled trial in primary care. 2012 , 12, 70	11
869	Can father inclusive practice reduce paternal postnatal anxiety? A repeated measures cohort study using the Hospital Anxiety and Depression Scale. 2012 , 12, 75	39
868	Anxiety and depression amongst patients enrolled in a public sector antiretroviral treatment programme in South Africa: a cross-sectional study. 2012 , 12, 244	68
867	Factors associated with differences in perceived health among German long-term unemployed. 2012 , 12, 485	13
866	Subjective health complaints in older adolescents are related to perceived stress, anxiety and gender - a cross-sectional school study in Northern Sweden. 2012 , 12, 993	133
865	Education-based health inequalities in 18,000 Norwegian couples: the Nord-Trøndelag Health Study (HUNT). 2012 , 12, 998	9
864	The Dutch Lower Extremity Functional Scale was highly reliable, valid and responsive in individuals with hip/knee osteoarthritis: a validation study. 2012 , 13, 117	64
863	Gender differences in patients with dizziness and unsteadiness regarding self-perceived disability, anxiety, depression, and its associations. 2012 , 12, 2	18
862	Acupressure for persistent cancer-related fatigue in breast cancer survivors (AcuCrft): a study protocol for a randomized controlled trial. 2012 , 12, 132	16
861	The chronic care model: congruency and predictors among patients with cardiovascular diseases and chronic obstructive pulmonary disease in the Netherlands. 2012 , 12, 242	25
860	A pilot randomized controlled trial of the feasibility of a self-directed coping skills intervention for couples facing prostate cancer: rationale and design. 2012 , 10, 119	21
859	Enhancing rigour in the validation of patient reported outcome measures (PROMs): bridging linguistic and psychometric testing. 2012 , 10, 64	6
858	Interactive wiimote gaze stabilization exercise training system for patients with vestibular hypofunction. 2012 , 9, 77	28
857	Patient directed self management of pain (PaDSMaP) compared to treatment as usual following total knee replacement: study protocol for a randomized controlled trial. 2012 , 13, 204	3

856	Influence of macrolide maintenance therapy and bacterial colonisation on exacerbation frequency and progression of COPD (COLUMBUS): study protocol for a randomised controlled trial. 2012 , 13, 82	10
855	Physical capacity and psychological mood in association with self-reported work ability in vibration-exposed patients with hand symptoms. 2012 , 7, 22	10
854	Diabetes severely affects attentional performance after coronary artery bypass grafting. 2012 , 7, 115	4
853	Effectiveness, attendance, and completion of an integrated, system-wide pulmonary rehabilitation service for COPD: prospective observational study. 2012 , 9, 546-54	65
852	Using clinical practice guidelines in multimorbid older adults--a challenging clinical dilemma. 2012 , 60, 2180-2	3
851	Assessment of patient dignity in geriatric palliative care. 2012 , 60, 2178-80	2
850	Longitudinal Relationships Between Pain and Stress Problems in the General Population: Predicting Trajectories From Cognitive Behavioral Variables. 2012 , 17, 229-248	
849	Psychological morbidity in chronic orofacial pain and headaches. 2012 , 5, 173-181	1
848	Effect of vitamin D supplement on depression scores in people with low levels of serum 25-hydroxyvitamin D: nested case-control study and randomised clinical trial. 2012 , 201, 360-8	141
847	Potential risk factors for medication non-adherence in patients with chronic obstructive pulmonary disease (COPD). 2012 , 68, 1365-73	91
846	Éducation thérapeutique du patient dans les pathologies cardiovasculaires. 2012 , 4, 299-309	2
845	The profile and follow-up of patients who attend the Emergency Department following a fall. 2012 , 20, 243-50	8
844	The prevalence of psychological distress in a sample of facial trauma victims. A comparative cross-sectional study between UK and Australia. 2012 , 40, 82-5	22
843	Adverse childhood experiences and intimate partner violence: testing psychosocial mediational pathways among couples. 2012 , 22, 832-9	63
842	Effects of a single 1200-mg preoperative dose of gabapentin on anxiety and memory. 2012 , 31, e223-7	9
841	Manual wheelchair skills capacity predicts quality of life and community integration in persons with spinal cord injury. 2012 , 93, 2237-43	67
840	Investigating the effect of intolerance of uncertainty on catastrophic worrying and mood. 2012 , 50, 690-8	27
839	Hybrid cognitive-behaviour therapy for individuals with insomnia and chronic pain: a pilot randomised controlled trial. 2012 , 50, 814-21	74

838	Both early and late changes in psychological variables relate to treatment outcome for musculoskeletal pain patients at risk for disability. 2012 , 50, 726-34	25
837	Do Inflammatory Bowel Disease patients with anxiety and depressive symptoms receive the care they need?. 2012 , 6, 68-76	83
836	"Everything was spiraling out of control": experiences of anxiety in people with chronic obstructive pulmonary disease. 2012 , 41, 562-71	21
835	Depressive symptoms, perceived social support, and prothrombotic measures in patients with venous thromboembolism. 2012 , 130, 374-80	11
834	Depression, anxiety, and neuroticism in obese patients waiting for bariatric surgery: Differences between patients with and without eating disorders and subthreshold binge eating disorders. 2012 , 6, e91-e174	7
833	Evolution of functional capacity and health status 2 years after a Pulmonary Rehabilitation Program. 2012 , 18, 217-225	1
832	The MacNew Heart Disease Health-Related Quality of Life Questionnaire in patients with angina and patients with ischemic heart failure. 2012 , 15, 143-50	30
831	Factors associated with smoking abstinence among smokers and recent-quitters with lung and head and neck cancer. 2012 , 76, 144-9	41
830	The bidirectional association between depression and insomnia: the HUNT study. 2012 , 74, 758-65	186
829	A randomized study of the effects of mindfulness training on psychological well-being and symptoms of stress in patients treated for cancer at 6-month follow-up. 2012 , 19, 535-42	64
828	Prevalence and persistence of depression among undergraduate medical students: a longitudinal study at one UK medical school. 2012 , 2,	55
827	Benign paroxysmal positional vertigo (BPPV): influence of pharmacotherapy and rehabilitation therapy on patients' recovery rate and life quality. 2012 , 31, 435-41	12
826	Stress and Cardiovascular Disease. 2012 ,	10
825	Sensitivity and specificity of the Geriatric Anxiety Inventory and the Hospital Anxiety and Depression Scale in the detection of anxiety disorders in older people with chronic obstructive pulmonary disease. 2012 , 24, 128-36	28
824	The HUNT study: participation is associated with survival and depends on socioeconomic status, diseases and symptoms. 2012 , 12, 143	243
823	Reactions to caregiving during an intervention targeting frailty in community living older people. 2012 , 12, 66	8
822	The effectiveness of cognitive behavioral therapy on the quality of life of patients with inflammatory bowel disease: multi-center design and study protocol (KLIC- study). 2012 , 12, 227	20
821	Quality of care for major depression and its determinants: a multilevel analysis. 2012 , 12, 142	39

820	Somatic symptoms beyond those generally associated with a whiplash injury are increased in self-reported chronic whiplash. A population-based cross sectional study: the Hordaland Health Study (HUSK). 2012 , 12, 129	14
819	Cardiac vagal control and theoretical models of co-occurring depression and anxiety: a cross-sectional psychophysiological study of community elderly. 2012 , 12, 93	7
818	Course of mental symptoms in patients with stress-related exhaustion: does sex or age make a difference?. 2012 , 12, 18	63
817	The Prevention Of WEight Regain in diabetes type 2 (POWER) study: the effectiveness of adding a combined psychological intervention to a very low calorie diet, design and pilot data of a randomized controlled trial. 2012 , 12, 1026	9
816	Singing classes for chronic obstructive pulmonary disease: a randomized controlled trial. 2012 , 12, 69	64
815	Prevalence and correlations with depression, anxiety, and other features in outpatients with chronic obstructive pulmonary disease in China: a cross-sectional case control study. 2012 , 12, 53	65
814	Pain drawings in somatoform-functional pain. 2012 , 13, 257	11
813	A large-scale study of anxiety and depression in people with Multiple Sclerosis: a survey via the web portal of the UK MS Register. 2012 , 7, e41910	108
812	Effectiveness of holistic interventions for people with severe chronic obstructive pulmonary disease: systematic review of controlled clinical trials. 2012 , 7, e46433	13
811	Metabolic and functional connectivity changes in mal de débarquement syndrome. 2012 , 7, e49560	50
810	Efficacy of hypnosis-based treatment in amyotrophic lateral sclerosis: a pilot study. 2012 , 3, 465	14
809	Depression and chronic physical illness: its prevalence and diagnosis, and implications for therapeutic practice. 2012 , 19, 394-403	2
808	Self-Perceived non-motor aspects of cervical dystonia and their association with disability. 2012 , 44, 950-4	18
807	Depression Subscale of the Hospital Anxiety and Depression Scale applied preoperatively in spinal surgery. 2012 , 70, 352-6	33
806	Psychometric properties of the Flemish version of the MacNew heart disease health-related quality of life questionnaire. 2012 , 67, 31-9	11
805	Emotional Distress and Needs in Italian Cancer Patients: Prevalence and Associations with Socio-Demographic and Clinical Factors. 2012 , 98, 119-125	5
804	Association of Baseline Anxiety With Depression Persistence at 6 Months in Patients With Acute Cardiac Illness. 2012 , 74, 93-99	22
803	Validaõ da versõ brasileira da escala de religiosidade de Duke (DUREL). 2012 , 39, 130-135	32

802	Resilience as a possible predictor for psychological distress in chronic spinal cord injured patients living in the community. 2012 , 36, 815-20	25
801	Subgroups based on thermal and pressure pain thresholds in women with chronic whiplash display differences in clinical presentation - an explorative study. 2012 , 5, 511-21	13
800	Patient perception of disease control and psychological distress. 2012 , 4, 335-40	6
799	Effectiveness and safety of tapentadol prolonged release with tapentadol immediate release on-demand for the management of severe, chronic osteoarthritis-related knee pain: results of an open-label, phase 3b study. 2012 , 5, 121-38	31
798	Prediction of pain sensitivity in healthy volunteers. 2012 , 5, 313-26	32
797	One-year follow-up of two different rehabilitation strategies for patients with chronic pain. 2012 , 44, 764-73	24
796	Depression and anxiety in patients with rheumatoid arthritis: prevalence rates based on a comparison of the Depression, Anxiety and Stress Scale (DASS) and the hospital, Anxiety and Depression Scale (HADS). 2012 , 12, 6	165
795	An examination of distress, sleep, and fatigue in metastatic breast cancer patients. 2012 , 21, 100-7	57
794	The psychometric properties of the Icelandic version of the distress thermometer and problem list. 2012 , 21, 730-6	21
793	Initial evaluation of an Internet intervention to improve the sleep of cancer survivors with insomnia. 2012 , 21, 695-705	181
792	The nature and structure of psychological distress in people at high risk for melanoma: a factor analytic study. 2012 , 21, 845-56	7
791	Sleep problems in cancer patients: prevalence and association with distress and pain. 2012 , 21, 1003-9	64
790	Can a tailored telephone intervention delivered by volunteers reduce the supportive care needs, anxiety and depression of people with colorectal cancer? A randomised controlled trial. 2012 , 21, 1053-62	33
789	Identifying psychological morbidity among people with cancer using the Hospital Anxiety and Depression Scale: time to revisit first principles?. 2012 , 21, 229-38	44
788	Associations between psychological factors and nighttime/daytime symptomatology in insomnia. 2012 , 41, 273-87	18
787	Effects of depressive and anxiety symptoms during pregnancy on pregnant, obstetric and neonatal outcomes: a follow-up study. 2012 , 32, 237-40	47
786	Effects of an uncertainty management intervention on uncertainty, anxiety, depression, and quality of life of chronic obstructive pulmonary disease outpatients. 2012 , 35, 409-18	40
785	Beliefs about emotions as a metacognitive construct: initial development of a self-report questionnaire measure and preliminary investigation in relation to emotion regulation. 2012 , 19, 235-46	39

784	Childhood maltreatment and internalized shame in adults with a diagnosis of bipolar disorder. 2012 , 19, 450-7	23
783	Meditative therapies for reducing anxiety: a systematic review and meta-analysis of randomized controlled trials. 2012 , 29, 545-62	179
782	Core cognitions related to health anxiety in self-reported medical and non-medical samples. 2012 , 35, 167-78	39
781	A randomized controlled trial of mindfulness-based stress reduction to manage affective symptoms and improve quality of life in gay men living with HIV. 2012 , 35, 272-85	106
780	Prediction of long-term sickness absence among employees with depressive complaints. 2012 , 22, 262-9	14
779	Capabilities and quality of life in Dutch psycho-geriatric nursing homes: an exploratory study using a proxy version of the ICECAP-O. 2012 , 21, 801-12	57
778	Symptoms of anxiety and cardiac hospitalizations at 12 months in patients with heart failure. 2012 , 27, 345-50	15
777	Screening of adult ADHD among patients presenting for bariatric surgery. 2012 , 22, 918-26	26
776	Estimation of anxiety and depression in patients with early stage breast cancer before and after radiation therapy. 2012 , 19, 147-52	23
775	Development and preliminary evaluation of a telephone-based coping skills training intervention for survivors of acute lung injury and their informal caregivers. 2012 , 38, 1289-97	35
774	Psychosocial impact of implantable cardioverter defibrillators (ICD) in young adults with Tetralogy of Fallot. 2012 , 101, 509-19	27
773	Art therapy in psycho-oncology--recruitment of participants and gender differences in usage. 2012 , 20, 679-86	14
772	Audio recordings of mindfulness-based stress reduction training to improve cancer patients' mood and quality of life--a pilot feasibility study. 2012 , 20, 1291-7	27
771	Postnatal depression, maternal bonding failure, and negative attitudes towards pregnancy: a longitudinal study of pregnant women in Japan. 2012 , 15, 211-6	37
770	Prevalence and risk factors for depression and anxiety among outpatient migraineurs in mainland China. 2012 , 13, 303-10	22
769	Psychological distress and coping strategies in patients attending a dermatology outpatient clinic. 2012 , 26, 746-54	12
768	Self-reported health outcomes in patients with psoriasis and psoriatic arthritis randomized to two etanercept regimens. 2012 , 26, 1436-43	45
767	Oro-buccal symptoms (dysphagia, dysarthria, and sialorrhea) in patients with Parkinson's disease: preliminary analysis from the French COPARK cohort. 2012 , 19, 28-37	57

766	Alcohol consumption, problem drinking, abstinence and disability pension award. The Nord-Trøndelag Health Study (HUNT). 2012 , 107, 98-108	33
765	Education and support needs of the older adult with congenital heart disease. 2012 , 68, 1050-60	16
764	Association between social support and depression in the general population: the HUNT study, a cross-sectional survey. 2012 , 21, 111-20	176
763	Psoriasis, a model of dermatologic psychosomatic disease: psychiatric implications and treatments. 2012 , 51, 12-26	67
762	Monitoring device acceptance in implantable cardioverter defibrillator patients using the Florida Patient Acceptance Survey. 2012 , 35, 283-93	21
761	Evaluation of FactORs Impacting CLinical Outcome and Cost EffectiveneSS of the S-ICD: design and rationale of the EFFORTLESS S-ICD Registry. 2012 , 35, 574-9	34
760	Effects of depression and anxiety improvement on adherence to medication and health behaviors in recently hospitalized cardiac patients. 2012 , 109, 1266-71	93
759	Can telerehabilitation services combined with caregiver-mediated exercises improve early supported discharge services poststroke? A study protocol for a multicentre, observer-blinded, randomized controlled trial.. 2022 , 22, 29	1
758	Clinical meaning of body temperatures in anorexia nervosa and bulimia nervosa.. 2022 ,	
757	Intensive Care Unit-Specific Virtual Reality (ICU-VR) for Critically Ill COVID-19 Patients: A Multicenter, Randomized Controlled Trial.. 2021 ,	3
756	Psychological risk factors that characterize acute stress disorder and trajectories of posttraumatic stress disorder after injury: a study using latent class analysis.. 2022 , 13, 2006502	
755	Prevalence of depression and anxiety symptoms and their determinant factors among patients with cancer in southern Ethiopia: a cross-sectional study.. 2022 , 12, e051317	1
754	Long-term outcome after severe traumatic brain injury: a systematic literature review.. 2022 , 164, 599	0
753	Prevalence and factors associated with sleep disturbance in adult patients with psoriasis.. 2022 ,	1
752	COVID-19: Contrasting experiences of South African physiotherapists based on patient exposure.. 2022 , 78, 1576	
751	Sex and Gender Differences in Overlap Syndrome of Functional Gastrointestinal Disorder and Effect of Genetic Polymorphisms in South Korea: A Long-term Follow-up Study.. 2022 , 28, 145-158	2
750	The Role of Carbohydrates in Irritable Bowel Syndrome: Protocol for a Randomized Controlled Trial Comparing Three Different Treatment Options.. 2022 , 11, e31413	
749	Prognostic impact of depressive symptoms on all-cause mortality in individuals with abdominal aortic aneurysm and in the general population: a population-based prospective HUNT study in Norway.. 2022 , 12, e049055	

- 748 Adoptive parents' finances and employment status: a 5-year longitudinal study.. **2022**, 1
- 747 Bodily Illusions and Motor Imagery in Fibromyalgia.. **2021**, 15, 798912 ○
- 746 Is the EORTC QLQ-C30 emotional functioning scale appropriate as an initial screening measure to identify brain tumour patients who may possibly have a mood disorder?. **2022**,
- 745 Morning Chronotype Decreases the Risk of Chemotherapy-Induced Peripheral Neuropathy in Women With Breast Cancer.. **2022**, 37, e34
- 744 Examining Cultural Differences in the Associations between Appraisals and Emotion Regulation and PostTraumatic Stress Disorder in Malaysian and Australian Trauma Survivors.. **2022**, 19, 1
- 743 Comparing two identically protocolized, multicentre, randomized controlled trials on caregiver-mediated exercises poststroke: Any differences across countries?. **2022**, 17, e0263013
- 742 Needs assessment in patients surgically treated for head and neck cancer-a randomized controlled trial.. **2022**, 30, 4201 ○
- 741 Psychosocial issues and quality of life of parenting partners of young women with breast cancer.. **2022**, 30, 4265 ○
- 740 Delirium and long-term psychopathology following surgery in older adults.. *Journal of Psychosomatic Research*, **2022**, 155, 110746 4.1
- 739 One year follow-up of 18 women who infected COVID-19 while pregnant.. **2022**, 1
- 738 Post-amputation cognitive impairment is related to worse perceived physical function among middle age and older prosthesis users.. **2022**,
- 737 Feasibility, Acceptability, and Clinical Significance of a Dyadic, Web-Based, Psychosocial and Physical Activity Self-Management Program () Tailored to the Needs of Men with Prostate Cancer and Their Caregivers: A Multi-Center Randomized Pilot Trial.. **2022**, 29, 785-804
- 736 Mental well-being during stages of COVID-19 lockdown among pregnant women and new mothers.. **2022**, 22, 92 ○
- 735 Anxiety and depression among vaccinated anesthesia and intensive care doctors during COVID-19 pandemic in United Arab Emirates: a cross-sectional study. **2022**, 29, ○
- 734 PreEMPT (Preterm infant Early intervention for Movement and Participation Trial): Feasibility outcomes of a randomised controlled trial.. **2022**, 166, 105551 ○
- 733 Postoperative poor sleep quality and its associated factors among adult patients: A multicenter cross-sectional study.. **2022**, 74, 103273 ○
- 732 Coping strategies, anxiety and depressive symptoms in family members of patients treated with extracorporeal membrane oxygenation: A prospective cohort study.. **2022**, 52, 146-151 ○
- 731 The impact of partial-oral endocarditis treatment on anxiety and depression in the POET trial.. *Journal of Psychosomatic Research*, **2022**, 154, 110718 4.1 1

730	Dialectical behavior therapy skills training for individuals with multiple sclerosis and their support partners: A pilot randomized controlled trial.. 2022 , 59, 103481	
729	Depression and anxiety symptoms remained elevated after 10 months of the COVID-19 pandemic in southern Brazil: findings from the PAMPA cohort.. 2021 , 204, 14-20	0
728	The prevalence and correlates of anxiety and depression amongst essential workers during the COVID-19 lockdown in Ekiti State, Nigeria.. 2022 , 28, 1610	
727	Systematic screening for anxiety and depression in cardiac rehabilitation - are we there yet?. 2022 ,	1
726	Childhood Trauma in Patients With PAH-Prevalence, Impact on QoL, and Mental Health-A Preliminary Report.. 2022 , 13, 812862	
725	Negative Mood Regulation Expectancies (NMRE) as a Moderator of the Association between Stress and Treatment Outcome in Interdisciplinary Chronic Pain Treatment.. 2022 , 38,	
724	Prevalence and determinants of anxiety and depression in long-term breast cancer survivors.. 2022 , 22, 101	7
723	Fear of Progression in chronic illnesses other than cancer: A systematic review and meta-analysis of a transdiagnostic construct.. 2022 , 1-40	2
722	Randomized Trial of a Palliative Care Intervention to Improve End-of-Life Care Discussions in Patients With Metastatic Breast Cancer.. 2022 , 20, 136-143	3
721	Temperament and character dimensions differ in chronic post-surgical neuropathic pain and cold pressure pain.. 2022 ,	
720	Effectiveness of wearable devices as a support strategy for maintaining physical activity after a structured exercise intervention for employees with metabolic syndrome: a randomized controlled trial.. 2022 , 14, 24	0
719	Effects of a group-based weight management programme on anxiety and depression: A randomised controlled trial (RCT).. 2022 , 17, e0263228	0
718	Evaluating the GAD-2 to screen for post-stroke anxiety on an acute stroke unit.. 2022 , 1-17	0
717	Uptake of Recommendations for Posttreatment Cancer-Related Fatigue Among Breast Cancer Survivors.. 2022 , 1-13	0
716	An m-Health telerehabilitation and health education program on physical performance in patients with hip fracture and their family caregivers: Study protocol for the ActiveHip+ randomized controlled trial.. 2022 ,	1
715	Cross-cultural adaptation and validation of the Hebrew version of the Injustice Experience Questionnaire - long and short versions.. 2022 , 1-7	
714	Depressive symptoms in the general population: The 7th Tromsø Study. 2022 , 8, 100322	0
713	Effects of an online self-help intervention on university students' mental health during COVID-19: A non-randomized controlled pilot study.. 2022 , 5, 100175	4

712	[Prevalence of Depressive Symptoms, Predictive Factors, and Diagnosis of Suspicion of Depression in Patients with COPD].. 2022 , 54, 102236	1
711	Hair cortisol change at COVID-19 pandemic onset predicts burnout among health personnel.. 2021 , 138, 105645	0
710	Characteristics and influence on quality of life of New-onset Pain in critical COVID-19 survivors. 2021 ,	7
709	Operational definitions of sarcopenia should consider depressive symptoms. 2021 , 6, 62-68	2
708	Evaluation of predictor factors of psychological distress in women with unexplained infertility.. 2022 , 16, 26334941211068010	
707	THE EFFECT OF PREOPERATIVE EDUCATION ON ANXIETY LEVELS AND QUALITY OF LIFE OF PATIENTS UNDERGOING ELECTIVE SURGERY. 2022 , 51-55	
706	Insomnia as a predictor of recurrent cardiovascular events in patients with coronary heart disease. 2022 , 3,	0
705	Gender differences in patient-reported outcomes in patients with acute myocardial infarction.. 2022 ,	0
704	Factors associated with participation in life situations in people with COPD.. 2022 , 19, 14799731221079305	0
703	The acute hypoalgesic effect of bicycling on pain for patients with knee osteoarthritis: a cohort study. 2022 , 180,	
702	Health Disparities and Differences in Health-Care-Utilization in Patients With Pulmonary Arterial Hypertension.. 2022 , 13, 813506	0
701	Traumatic stress, depression, and non-bereavement grief following non-fatal traffic accidents: Symptom patterns and correlates.. 2022 , 17, e0264497	1
700	The mental health impact of aortic dissection.. 2022 , 35, 88-99	2
699	Generalized Joint Hypermobility and Anxiety Are Serious Risk Factors for Dysfunctioning in Dance Students: A One-Year Follow-Up Study.. 2022 , 19,	
698	Investigating the Long-Term Effect of an Interdisciplinary Multimodal Rehabilitation Program on Levels of Bioactive Lipids and Telomerase Activity in Blood from Patients with Chronic Pain.. 2022 , 11,	
697	Sleep and Circadian Health of Critical COVID-19 Survivors 3 Months After Hospital Discharge.. 2022 , 50,	2
696	Radiotherapy-Related Fatigue Associated Impairments in Lung Cancer Survivors during COVID-19 Voluntary Isolation.. 2022 , 10,	
695	Intimate Partner Violence and Mental Health during Lockdown of the COVID-19 Pandemic.. 2022 , 19,	4

- 694 Quality of Life in the First Year of Follow-Up in a Randomized Multicenter Trial Assessing the Role of Imaging after Radical Surgery of Stage IIB-C and III Cutaneous Melanoma (TRIM Study).. **2022**, 14, ○
- 693 Associaçã de sintomas ansiosos e depressivos em pacientes com capsulite adesiva.
- 692 Health and Well-Being of Persons of Working Age up to Seven Years after Severe Traumatic Brain Injury in Northern Sweden: A Mixed Method Study.. **2022**, 11,
- 691 Increased Risk of Parental Instability for Children Born Very Preterm and Impacts on Neurodevelopmental Outcomes at Age 12.. **2022**, 9,
- 690 Socio-demographic, health and drug use characteristics among people with different frequency patterns of cannabis use in Brazil. 1-9 ○
- 689 Qigong Training Positively Impacts Both Posture and Mood in Breast Cancer Survivors With Persistent Post-surgical Pain: Support for an Embodied Cognition Paradigm.. **2022**, 13, 800727 1
- 688 Association between depression and anxiety on symptom and function after surgery for lumbar spinal stenosis.. **2022**, 12, 2821 ○
- 687 Whole Life: a feasibility study of a recovery-focussed intervention in patients with stabilised schizophrenia [version 2; peer review: 2 approved, 1 approved with reservations].. **2022**, 1, 13220 ○
- 686 Patients' perspectives show us how to care for their needs when living with an abdominal aortic aneurysm: Development of an eHealth solution. **2022**, ○
- 685 The interplay between multisite pain and insomnia on the risk of anxiety and depression: the HUNT study.. **2022**, 22, 124
- 684 Somatosensory assessments in patients with inflammatory bowel disease: a cross-sectional study examining pain processing pathways and the role of multiple patient factors.. **2022**,
- 683 Dialysis headache: characteristics, impact and cerebrovascular evaluation.. **2022**, 80, 129-136 ○
- 682 Training for Awareness, Resilience and Action (TARA) for medical students: a single-arm mixed methods feasibility study to evaluate TARA as an indicated intervention to prevent mental disorders and stress-related symptoms.. **2022**, 22, 132 ○
- 681 Prevalence of Pruritus and Association with Anxiety and Depression in Patients with Nonalcoholic Fatty Liver Disease.. **2022**, 10, ○
- 680 Family caregiving during the COVID-19 pandemic: factors associated with anxiety and depression of carers for community-dwelling older adults in Hong Kong.. **2022**, 22, 125 ○
- 679 Health-related quality of life in outpatients with substance use disorder: evolution over time and associated factors.. **2022**, 20, 26 ○
- 678 Does Surgical Treatment Affect the Degree of Anxiety or Depression in Patients With Degenerative Cervical Myelopathy?. **2022**, 21925682221088549
- 677 A phone and text message intervention to improve physical activity in midlife: initial feasibility testing.. **2022**, 10, 291-315 ○

- 676 High Intensity Aerobic exercise training and Immune cell Mobilization in patients with lung cancer (HI AIM)-a randomized controlled trial.. **2022**, 22, 246 0
- 675 An Editorial Review of Prognostic Awareness and Considerations for the Clinical Setting.. **2022**,
- 674 Cancer-Related Fatigue: A Pilot Study Evaluating the Effect of Frankincense Essential Oil in Patients With Cancer Receiving Chemotherapy.. **2022**,
- 673 Trained lay coaches and self-care cognitive-behavioral tools improve depression outcomes.. **2022**, 0
- 672 Evaluating the clinical benefit of brain-computer interfaces for control of a personal computer.. **2022**, 0
- 671 Outcomes of the Tree Theme Method versus regular occupational therapy: A longitudinal follow-up.. **2022**, 2
- 670 Association of Excessive Sleepiness, Pathological Fatigue, Depression, and Anxiety With Different Severity Levels of Obstructive Sleep Apnea.. **2022**, 13, 839408 0
- 669 The role of self-compassion in the mental health of adults with ADHD.. **2022**, 3
- 668 Factors affecting the outcome of vestibular rehabilitation in patients with peripheral vestibular disorders.. **2022**, 0
- 667 Disease management knowledge is poor in Greek patients with chronic obstructive pulmonary disease before entering pulmonary rehabilitation: A qualitative study. **2022**, 35, 1-8
- 666 Seeing is relieving: effects of serious storytelling with images on interview performance anxiety. 1
- 665 Effectiveness of internet-based cognitive behavioural therapy (ICBT) for employees with depression: A systematic review and meta-analysis.. **2022**, 1-31
- 664 Effect of central sensitization on dizziness-related symptoms of persistent postural-perceptual dizziness.. **2022**, 16, 7
- 663 Cognitive Impairment in Convalescent COVID-19 Patients Undergoing Multidisciplinary Rehabilitation: The Association with the Clinical and Functional Status.. **2022**, 10, 0
- 662 Non-organ-specific manifestations of sarcoidosis. **2022**, 206-222
- 661 The importance of using ordinal scores for patient classification based on health-related quality of life trajectories.. **2022**,
- 660 Illness Identity in Inflammatory Bowel Disease.. **2022**, 1 1
- 659 Association Between Risk Factors and Readmission for Patients With Atrial Fibrillation Treated With Catheter Ablation: Results From the Nationwide DenHeart Study.. **2022**,

658	Social and Psychological Factors Influencing HIV Sexual Risk Behaviors among Young Adult Filipino Men Who Have Sex with Men (MSM) in Metro Manila. 1-18	0
657	Can subjective cognitive complaints at three months post stroke predict alteration in information processing speed during the first year?. 2022 , 1-14	1
656	Cost-effectiveness of Web-Based and Home-Based Postnatal Psychoeducational Interventions for First-time Mothers: Economic Evaluation Alongside Randomized Controlled Trial.. 2022 , 24, e25821	0
655	Méditation de pleine conscience pour les patients en oncologie : adapter la pratique en temps de pandémie. 2022 , 16, 182-191	
654	Depression before and after diagnostic procedures among women with abnormal finding of Papanicolaou screening test.. 2022 ,	
653	Factors associated with psychological distress in caregivers of patients with malignant gliomas.. 2022 , 1	1
652	Spectrum of neuropsychiatric symptoms in chronic post-stroke aphasia.. 2022 , 12, 450-469	1
651	Unravelling the complex interactions between self-awareness, cognitive change, and mood at 6-months post-stroke using the Y-shaped model.. 2022 , 1-23	
650	Cardiac rehabilitation designed for patients with obesity: OPTICARE XL RCT results on health-related quality of life and psychosocial well-being.. 2022 , 1-10	0
649	Three-year prediction of depression and anxiety with a single self-rated health item.. 2022 , 1-8	1
648	Developing and Field Testing BOLSTER: A Nurse-Led Care Management Intervention to Support Patients and Caregivers following Hospitalization for Gynecologic Cancer-Associated Peritoneal Carcinomatosis.. 2022 ,	0
647	COVID-19 Health Crisis Workloads and Screening for Psychological Impact in Nursing Home Staff: A Qualitative and Quantitative Survey.. 2022 , 19,	1
646	Supervised Exercise Therapy is Effective for Patients With Intermittent Claudication Regardless of Psychological Constructs. 2021 ,	
645	The Therapeutic Effect of Exogenous Melatonin on Depressive Symptoms: A Systematic Review and Meta-Analysis.. 2022 , 13, 737972	0
644	Clinical and functional characteristics and comorbidity in postmenopausal patients taking low doses of cholecalciferol. 2022 , 21, 48-56	
643	Pride and adversity among nurses and physicians during the pandemic in two US healthcare systems: a mixed methods analysis.	
642	Job Demands, Work Functioning and Mental Health in Dutch Nursing Home Staff during the COVID-19 Outbreak: A Cross-Sectional Multilevel Study.. 2022 , 19,	1
641	The unique contribution of depression to cognitive impairment in Post-Acute Sequelae of SARS-CoV-2 infection.. 2022 , 100460	0

- 640 A Novel Somatic Treatment for Post-traumatic Stress Disorder: A Case Report of Hydrodissection of the Cervical Plexus Using 5% Dextrose.. **2022**, 14, e23909
- 639 Foot and ankle Osteoarthritis and Cognitive impairment in retired UK Soccer players (FOCUS): protocol for a cross-sectional comparative study with general population controls.. **2022**, 12, e054371
- 638 Metacognitive Short-Term Intervention in Patients With Mental Disorders Following Cardiovascular Events.. **2022**, 13, 812807
- 637 Autobiographical memory predicts postsurgical pain up to 12 months after major surgery.. **2022**, 0
- 636 Threat vigilance and intrinsic amygdala connectivity.. **2022**, 0
- 635 Psychological distress and well-being among students of health disciplines in Geneva, Switzerland: The importance of academic satisfaction in the context of academic year-end and COVID-19 stress on their learning experience.. **2022**, 17, e0266612 1
- 634 Acute kidney injury contributes to worse physical and quality of life outcomes in survivors of critical illness.. **2022**, 23, 137 0
- 633 Idiopathic mast cell activation syndrome is more often suspected than diagnosed-A prospective real-life study.. **2022**, 1
- 632 Improvement of quality of life after 2-month exoskeleton training in patients with chronic spinal cord injury.. **2022**, 1-7 2
- 631 The Concomitant Pattern of Association Between Subjective Global Sleep Quality and Daytime Dysfunction in Hypnotic-Treated Older Adults: The Yilan Study, Taiwan.. **2022**, 14, 567-579
- 630 Trajectories of depression and anxiety during the COVID-19 pandemic in a population-based sample of middle-aged and older adults.. **2022**, 149, 274-280 0
- 629 The longitudinal effects of chronotype on chemotherapy-induced nausea and vomiting in patients with breast cancer receiving neoadjuvant chemotherapy.. *Journal of Psychosomatic Research*, **2022**, 157, 110804 4.1 0
- 628 Clinical characteristics and diagnostic aspects of cervicogenic dizziness in patients with chronic dizziness: A cross-sectional study.. **2022**, 60, 102559
- 627 Latent profiles of PTSD, anxiety and depression and association with trauma exposure within prison personnel. **2022**, 6, 100268
- 626 Changes in Exercise Capacity and Health-Related Quality of Life at Four and Eight Weeks of a Pulmonary Rehabilitation Program in People with COPD.. **2021**, 1-9 0
- 625 L'ypnose comme outil thrapeutique dans les cystites rcidivantes: une tude pilote. **2021**, N° 4, 332-339
- 624 Does effort-cost decision-making relate to real-world motivation in people living with HIV?. **2022**, 1-12 0
- 623 Feasibility, Acceptability, and Preliminary Efficacy of Dignity Therapy in Patients With Early Stage Dementia and Their Family. A Pilot Randomized Controlled Trial.. **2021**, 12, 795813 1

622	Preoperative anxiety as predictor of perioperative clinical events following carotid surgery: a prospective observational study. 2021 , 10, 53	0
621	Educational and Psychological Support Combined with Minimally Invasive Surgical Technique Reduces Perioperative Depression and Anxiety in Patients with Bladder Cancer Undergoing Radical Cystectomy.. 2021 , 18,	1
620	E-nergEYEze, a vision-specific eHealth intervention based on cognitive behavioral therapy and self-management to reduce fatigue in adults with visual impairment: study protocol for a randomized controlled trial.. 2021 , 22, 966	1
619	Physiotherapy using a free-standing robotic exoskeleton for patients with spinal cord injury: a feasibility study.. 2021 , 18, 180	0
618	The Relationship between Cancer Caregiver Burden and Psychological Outcomes: The Moderating Role of Social Connectedness.. 2021 , 29, 14-26	0
617	Will I or my loved one die? Concordant awareness between terminal cancer patients and their caregivers is associated with lower patient anxiety and caregiver burden.. 2021 ,	1
616	Low adherence to treatment is a weak link in the problems of ulcerative colitis. 2021 , 93, 1419-1427	0
615	TIMELAPSE study-efficacy of low-dose amitriptyline versus cognitive behavioral therapy for chronic insomnia in patients with medical comorbidity: study protocol of a randomized controlled multicenter non-inferiority trial.. 2021 , 22, 904	
614	Feasibility of an adjunctive cognitive task in the treatment of posttraumatic stress disorder. 2021 , 1, 1	
613	Effectiveness of a Videoconferencing-Delivered Psychological Intervention for Mental Health Problems during COVID-19: A Proof-of-Concept Randomized Clinical Trial. 2021 , 1-10	1
612	The effectiveness of exercise therapy and education plus cognitive behavioral therapy, alone or in combination with total knee arthroplasty in patients with knee osteoarthritis - study protocol for the MultiKnee trial.. 2021 , 22, 1054	0
611	Acute Stress in Health Workers during Two Consecutive Epidemic Waves of COVID-19.. 2021 , 19,	0
610	An Adaptive, Algorithm-based Text Message Intervention to Promote Health Behavior Adherence in Type 2 Diabetes: Treatment Development and Proof-of-Concept Trial.. 2021 , 19322968211065067	0
609	Assessment of Anxiety in Cognitive-Behavior Therapy in Young University Students with Autism Spectrum Disorders: A Review.. 2021 , 11, 1571-1580	0
608	Autonomic symptoms and associated factors in patients with chronic heart failure. 2021 , 1-9	1
607	Guided self-determination intervention versus attention control for people with type 2 diabetes in outpatient clinics: a protocol for a randomised clinical trial.. 2021 , 11, e047037	0
606	A sexual rehabilitation intervention for women with gynaecological cancer receiving radiotherapy (SPARC study): design of a multicentre randomized controlled trial. 2021 , 21, 1295	1
605	A lay navigator-led, early palliative care intervention for African American and rural family caregivers of individuals with advanced cancer (Project Cornerstone): Results of a pilot randomized trial. 2021 ,	1

- 604 Post-stroke Anxiety Among Patients in Jordan: A Multihospital Study.. **2021**, 8919887211060015 1
- 603 Prevalence of Anxiety, Depression and Stress among Antenatal Women attending a Tertiary Care Centre in Kerala during COVID-19 pandemic. **2021**, 12, 46-52
- 602 OUP accepted manuscript.
- 601 The behavioural phenotype of SATB2-associated syndrome: a within-group and cross-syndrome analysis.. **2022**, 14, 25
- 600 Maternal self-efficacy and emotional well-being in Chilean adolescent mothers: the relationship with their children's social-emotional development.. **2022**, 10, e13162
- 599 Effectiveness of the eVISualisation of physical activity and pain intervention (eVIS) in Swedish Interdisciplinary Pain Rehabilitation Programmes: study protocol for a registry-based randomised controlled clinical trial.. **2022**, 12, e055071 0
- 598 The Use of Virtual Therapy in Cardiac Rehabilitation of Male Patients with Coronary Heart Disease: A Randomized Pilot Study.. **2022**, 10, 1
- 597 The Relationship Between Self/Value Discrepancies and Anxiety: The Mediation Effect of Depressogenic Attributional Style. 1
- 596 Illness Perceptions, Coping, Health-Related Quality of Life and Psychological Outcomes in Cervical Dystonia.. **2022**, 1 0
- 595 Polyarthrite rhumatoïde et dépression. **2022**,
- 594 Improving physical function of patients following intensive care unit admission (EMPRESS): protocol of a randomised controlled feasibility trial.. **2022**, 12, e055285
- 593 Randomised, double-blind, placebo-controlled study investigating Safety and efficacy of MLC901 in post-traumatic BRAin Injury: the SAMURAI study protocol.. **2022**, 12, e059167
- 592 Psychometrics of the Pearlin Mastery Scale among Family Caregivers of Older Adults Who Require Assistance in Activities of Daily Living.. **2022**, 19,
- 591 An Integrated Psychosomatic Treatment Program for People With Diabetes (psy-PAD)- Results of a Randomized Controlled Trial.. **2022**, 0
- 590 The effect of implant loss after immediate breast reconstruction on patient satisfaction with outcome and quality of life after five years - a case-control study.. **2022**, 1-8
- 589 Volunteer participation differentially moderates the association between insomnia and poor subjective well-being in community-dwelling older adults: the Yilan study, Taiwan.. **2022**, 22, 324 0
- 588 Problem Gambling Poker Players: Do They Fit into Blaszczynski and Nower's Pathways Model?. **2022**, 1
- 587 Dietary Interventions for Gastroparesis: A Systematic Review.. **2022**,

- 586 Validity and Reliability of the Japanese Version of the Dyspnea-12 Questionnaire in Patients with Lung Cancer.. **2022**,
- 585 Physical multimorbidity predicts the onset and persistence of anxiety: A prospective analysis of the Irish Longitudinal Study on Ageing.. **2022**, 1
- 584 Differential linguistic features of verbal fluency in behavioral variant frontotemporal dementia and primary progressive aphasia.. **2022**, 1-9
- 583 Feasibility and Impact of Adapted Physical Activity (APA) in Cancer Outpatients Beginning Medical Anti-Tumoral Treatment: The UMA-CHAPA Study.. **2022**, 14, 0
- 582 Application of a home-based exercise program combined with tele-rehabilitation in previously hospitalized patients with COVID-19: A feasibility, single-cohort interventional study. **2022**, 35, 1-10 0
- 581 Protocol of the Fit-For-Fertility study: a multicentre randomised controlled trial assessing a lifestyle programme targeting women with obesity and infertility.. **2022**, 12, e061554
- 580 Categorizing individuals based on the severity of visual vertigo analogue scale symptoms1.. **2022**, 0
- 579 Efficacy of models of palliative care delivered beyond the traditional physician-led, subspecialty consultation service model: a systematic review and meta-analysis.. **2022**, 0
- 578 Co-occurrence of Adult ADHD Symptoms and Problematic Internet Use and Its Links With Impulsivity, Emotion Regulation, Anxiety, and Depression.. **2022**, 13, 792206 2
- 577 Emotional Functioning in the Context of Health Behaviors During the COVID-19 Pandemic in Health Sciences Students: The Polish Case.. **2022**, 15, 953-964
- 576 Psychometric Evaluation of the Mandarin HeartQoL Health-Related Quality of Life Questionnaire Among Patients With Ischemic Heart Disease in China.. **2022**, 31, 53-60
- 575 Table_1.docx. **2019**,
- 574 Table_1.pdf. **2020**,
- 573 Data_Sheet_1.DOCX. **2018**,
- 572 Image_1.pdf. **2018**,
- 571 Table_1.pdf. **2018**,
- 570 Table_2.pdf. **2018**,
- 569 Data_Sheet_1.docx. **2020**,

568 Table_1.docx. **2018**,

567 Table_1.DOCX. **2018**,

566 Table_1.DOCX. **2020**,

565 DataSheet_1.docx. **2020**,

564 Table_1.DOCX. **2020**,

563 Table_1.DOCX. **2019**,

562 Table_1.docx. **2019**,

561 Table_2.docx. **2019**,

560 DataSheet1.DOC. **2016**,

559 Correlation between anxiety and depression risk and atopic dermatitis severity in Taiwan: A cross-sectional study.. **2022**, 7, 22-30 ○

558 [Comparison of behavioral orthopedic and classical orthopedic rehabilitation : A retrospective cohort study on the factors of mental comorbidity, gender and employment status].. **2022**, 1 ○

557 Intolerance of Uncertainty in Pediatric Chronic Pain: Dyadic Relationships between Youth and Parents.. **2022**,

556 Initial evaluation of the Optimal Health Program for people with diabetes: 12-month outcomes of a randomised controlled trial.. **2022**, 1-21

555 Psychosocial and Drug Use Assessment of Regular vs. Non-Regular Ayahuasca Users in a Brazilian Sample: a Web-Based Survey.. **2022**, 1-10 ○

554 Pragmatic Uncontrolled Study of Specialized Cognitive Behavioral Therapy for Adults With Chronic Tinnitus.. **2022**, 1 ○

553 Quality of life in patients with glioblastoma and their relatives.. **2022**, 1 ○

552 Protocol for assessment of sleep quality and duration in the Treatment In Morning versus Evening (TIME) study: a randomised controlled trial using online patient-reported outcome measures. **2018**, 8, e021890 ○

551 Evidence-based digital support during 1 year after an Interdisciplinary Pain Rehabilitation Programme for persons with chronic musculoskeletal pain to facilitate a sustainable return to work: a study protocol for a registry-based multicentre randomised controlled trial.. **2022**, 12, e060452

- 550 The effect of a social network-based cognitive behavioral therapy intervention on the severity of premenstrual syndrome symptoms: a protocol of a randomized clinical trial study.. **2022**, 23, 346 1
- 549 Hepatitis C Virus Infection and the New Therapeutical Approach.. **2021**, 47, 353-360
- 548 Prediction of Neurocognitive Outcome after Moderate-Severe Traumatic Brain Injury Using Serum Neuron-Specific Enolase and S100 biomarkers. **2020**, 13, 306-313 1
- 547 Heart-Focused Anxiety, General Anxiety, Depression and Health-Related Quality of Life in Patients with Atrial Fibrillation Undergoing Pulmonary Vein Isolation.. **2022**, 11, 0
- 546 Treatment of Axillary Bromhidrosis with Topical 2% Glycopyrronium Bromide Cream: A Prospective, Non-randomized, Open-label Study.. **2021**, 14, E61-E63
- 545 Activities of daily living and psychiatric symptoms after intensive care unit discharge among critically ill patients with or without tracheostomy: a single center longitudinal study.. **2022**, 9, e753
- 544 Machine learning based analysis and prediction of college students' mental health during COVID-19 in India. **2022**, 167-187
- 543 OUP accepted manuscript.
- 542 The Difference in Anxiety Scores Prior and After Cataract Surgery among Bilateral Senile Cataract Patients at Sumatera Eye Center Medan. **2022**, 10, 1-4
- 541 General and Central Obesity Are Associated With Increased Severity of the VMS and Sexual Symptoms of Menopause Among Chinese Women: A Longitudinal Study.. **2022**, 13, 814872 1
- 540 Spouse caregivers' identification of the patient as their primary support person is associated with better patient psychological well-being.. **2022**, 1-13
- 539 Psychometric properties of the Persian version of the somatic symptom disorderB Criteria Scale (SSD-12) in community and clinical samples. **2022**,
- 538 The Association between Psychosocial and Age-Related Factors with Adherence to Immunosuppressive Therapies after Renal Transplantation.. **2022**, 11,
- 537 Fatigue Is a Major Symptom at COVID-19 Hospitalization Follow-Up.. **2022**, 11, 0
- 536 Strategies for optimal perioperative outcomes in gastric cancer.. **2022**, 125, 1135-1141
- 535 Acceptance and commitment therapy versus mindfulness-based stress reduction for newly diagnosed head and neck cancer patients: A randomized controlled trial assessing efficacy for positive psychology, depression, anxiety, and quality of life.. **2022**, 17, e0267887 0
- 534 The associations of psychological symptoms and cognitive patterns with pain and pain sensitization in people with hand osteoarthritis. **2022**, 100267
- 533 Nomogram to Predict the Risk of Postoperative Anxiety and Depression in Colorectal Cancer Patients.. **2022**, 15, 4881-4895 0

532	Depression symptoms 6 years after stroke are associated with higher perceived impact of stroke, limitations in ADL and restricted participation.. 2022 , 12, 7816	0
531	Correlation Between Chronic Tinnitus Distress and Symptoms of Depression: A Systematic Review.. 2022 , 13, 870433	1
530	Development and Initial Psychometric Evaluation of the Self-Efficacy Scale for Voice Modification in Trans Women.. 2022 ,	0
529	Effect of Banded Roux-en-Y Gastric Bypass Versus Sleeve Gastrectomy on Diabetes Remission at 5 Years Among Patients With Obesity and Type 2 Diabetes: A Blinded Randomized Clinical Trial.. 2022	1
528	Baseline depressive symptoms, personal control, and concern moderate the effects of preoperative psychological interventions: the randomized controlled PSY-HEART trial.. 2022 , 1	0
527	Prevalence of Anxiety, Depression, and Sleep Disturbances Associated With the COVID-19 Outbreak in Riyadh, Saudi Arabia. 2022 ,	
526	Impact of anxiety, depression and disease-related distress on long-term glycaemic variability among subjects with Type 1 diabetes mellitus.. 2022 , 22, 122	0
525	Prevalence of post-intensive care syndrome in mechanically ventilated patients with COVID-19.. 2022 , 12, 7977	2
524	The reliability, validity, and responsiveness of Cognitive Exercise Therapy Approach-Biopsychosocial Questionnaire for patients with fibromyalgia.. 2022 ,	1
523	Social activity promotes resilience against loneliness in depressed individuals: a study over 14-days of physical isolation during the COVID-19 pandemic in Australia.. 2022 , 12, 7155	3
522	Association between systemic inflammation and experimental pain sensitivity in subjects with pain and painless neuropathy after traumatic nerve injuries.. 2022 ,	
521	Conspiratorial Beliefs About COVID-19 Pandemic - Can They Pose a Mental Health Risk? The Relationship Between Conspiracy Thinking and the Symptoms of Anxiety and Depression Among Adult Poles. 2022 , 13,	0
520	Concurrent associations of dimensions of anger with posttraumatic stress, depression, and functional impairment following non-fatal traffic accidents.. 2022 , 13, 2068912	
519	The Effect of Cerebrolysin on Anxiety, Depression, and Cognition in Moderate and Severe Traumatic Brain Injury Patients: A CAPTAIN II Retrospective Trial Analysis. 2022 , 58, 648	0
518	Depressive and anxiety symptoms in patients with COPD: A network analysis.. 2022 , 198, 106865	2
517	Association between sleep quality and depressive symptoms.. 2022 , 310, 258-265	0
516	Allostatic load index in patients with multiple sclerosis: A case-control study.. 2022 , 142, 105788	1
515	Factors associated with psychological symptoms in hospital workers of a French hospital during the COVID-19 pandemic: Lessons from the first wave.. 2022 , 17, e0267032	0

- 514 The Effect of Creative Arts Therapy on Psychological Distress in Healthcare Professionals.. **2022**, ○
- 513 Shared-care survivorship program for testicular cancer patients: safe and feasible.. **2022**, 7, 100488
- 512 ~~Exploration of the feasibility to combine patients with chronic obstructive pulmonary disease and chronic heart failure in self-management groups with focus on exercise self-efficacy.. **2022**, 1-9~~
Exploration of the feasibility to combine patients with chronic obstructive pulmonary disease and chronic heart failure in self-management groups with focus on exercise self-efficacy.. **2022**, 8, ○
- 511 Exploration of the feasibility to combine patients with chronic obstructive pulmonary disease and chronic heart failure in self-management groups with focus on exercise self-efficacy.. **2022**, 1-9
- 510 Depressive, Anxiety Symptom Frequency and Related Factors Among Prisoners During the COVID-19 Pandemic in Northeastern Ethiopia, a Cross-Sectional Study. **2022**, 13, 1
- 509 The effect of sleep continuity disruption on multimodal emotion processing and regulation: a laboratory-based, randomised, controlled experiment in good sleepers.. **2022**, e13634
- 508 Impact of the Covid-19 Pandemic on Children and Families in PICU Follow-Up Clinic.
- 507 Bibliographie. **2021**, 298-310
- 506 Divergent decennial trends in mental health according to age reveal poorer mental health for young people: repeated cross-sectional population-based surveys from the HUNT Study, Norway.. **2022**, 12, e057654 ○
- 505 Factors Related to the Caregiving Burden on Families of Korean Patients With Lung Cancer.. **2022**, 1054773822109815 ○
- 504 The Promoting Resilience in Stress Management (PRISM) intervention for adolescents and young adults receiving hematopoietic cell transplantation: a randomized controlled trial protocol.. **2022**, 21, 82 ○
- 503 Validation of the mental health continuum-short form: The bifactor model of emotional, social, and psychological well-being.. **2022**, 17, e0268232 ○
- 502 Sleep health and the circadian rest-activity pattern four months after COVID-19.. **2022**, 48, e20210398 ○
- 501 The effect of sleep continuity disruption on multimodal emotion processing and regulation: a laboratory-based, randomized, controlled experiment in good sleepers. ○
- 500 Cost-effectiveness of a smartphone Application for Tinnitus Treatment (the CATT trial): a study protocol of a randomised controlled trial. **2022**, 23,
- 499 Association between depression symptoms and moderately increased levels of the inflammation marker albuminuria is explained by age and comorbidity. **2022**, 12, ○
- 498 Venlafaxine as an Adjuvant Therapy for Inflammatory Bowel Disease Patients With Anxious and Depressive Symptoms: A Randomized Controlled Trial. **2022**, 13, ○
- 497 Pre- and post-operative psychological interventions to prevent pain and fatigue after breast cancer surgery (PREVENT): a randomized controlled trial.

- 496 Victorian Evolution of Inherited Retinal Diseases Natural History Registry (VENTURE study): Rationale, methodology, and initial participant characteristics. 1
- 495 The Impact of COVID-19 on the Lives of Individuals With Multiple Sclerosis: 1 Year Into the Pandemic. **2022**, 24, 139-144
- 494 Relation Among Anxiety, Depression, Sleep Quality and Health-Related Quality of Life Among Patients with Systemic Lupus Erythematosus: Path Analysis. Volume 16, 1351-1358 0
- 493 Frequency of fruit consumption and savoury snacking predict psychological health; selective mediation via cognitive failures. 1-26
- 492 Comparison of Clinical Balance and Visual Dependence Tests in Patients With Chronic Dizziness With and Without Persistent Postural-Perceptual Dizziness: A Cross-Sectional Study. 13, 1
- 491 Cognitive behavioral therapy for an individual suffering from chronic pain with overactivity and sleep disturbance: A case report. **2022**, 10,
- 490 The feasibility and acceptability of a home-based, virtual exercise intervention for older patients with hepatocellular carcinoma: protocol for a non-randomised feasibility study (TELEX-Liver Cancer). **2022**, 8, 0
- 489 A novel health behaviour intervention to promote adherence in kidney failure.
- 488 Mental health and COVID-19 in a general population cohort in Spain (COVICAT study). 0
- 487 The core minimum dataset for measuring pain outcomes in pain services across Scotland. Developing and testing a brief multi-dimensional questionnaire. 204946372210929 1
- 486 Text message preferences among individuals with type 2 diabetes: A brief report of an online survey study.
- 485 The Effect of Duloxetine on Mechanistic Pain Profiles, Cognitive Factors, and Clinical Pain in Patients with Painful Knee Osteoarthritis [A Randomized, Double-Blind , Placebo-Controlled , Crossover Study]. 1
- 484 Evaluation of mindfulness based stress reduction in symptomatic knee or hip osteoarthritis patients: a pilot randomized controlled trial. **2022**, 6,
- 483 Fecal Microbiota Signatures Are Not Consistently Related to Symptom Severity in Irritable Bowel Syndrome. 1
- 482 Predicting anxiety, depression, and wellbeing in professional and nonprofessional musicians. 030573562210965
- 481 Breast Cancer Survivorship Programme: Follow-Up, Rehabilitation, Psychosocial Oncology Care. 1st Central-Eastern European Professional Consensus Statement on Breast Cancer. 28, 0
- 480 Quality of life after extra corporeal life support therapy. 026765912211061 1
- 479 The association between health anxiety, physical disease and cardiovascular risk factors in the general population [a cross-sectional analysis from the Tromsø study: Tromsø]. **2022**, 23,

- 478 The Project ENABLE Cornerstone randomized controlled trial: study protocol for a lay navigator-led, early palliative care coaching intervention for African American and rural-dwelling advanced cancer family caregivers. **2022**, 23, 0
- 477 The Price of Internship Through COVID-19: 1st Year Physicians Report Substantial Mental Health Symptoms During the Pandemic.
- 476 Longitudinal study about the impact of COVID-19 pandemic in a southern Brazilian state: the PAMPA cohort. **2022**, 94,
- 475 Pain and Fear of Cancer Recurrence in Survivors of Childhood Cancer. **2022**, 38, 484-491 1
- 474 Predictors of anxiety and depression in differentiated thyroid cancer survivors: Results of a cross-sectional Study.
- 473 A comparison of pain, fatigue, and function between post-COVID-19 condition, fibromyalgia, and chronic fatigue syndrome: a survey study. **2022**, Publish Ahead of Print, 1
- 472 Psychological adjustment in disclosing and non-disclosing heterosexual-couple families following conception with oocytes or sperm from identity-release donors. **2022**, 1
- 471 Efficacy, efficiency and safety of a cardiac telerehabilitation programme using wearable sensors in patients with coronary heart disease: the TELEWEAR-CR study protocol. **2022**, 12, e059945 4
- 470 Evaluating the feasibility and acceptability of an exercise and behaviour change intervention in socioeconomically deprived patients with peripheral arterial disease: The textpad study protocol. **2022**, 17, e0269999
- 469 Body Composition-Specific Asthma Phenotypes: Clinical Implications. **2022**, 14, 2525
- 468 Correlatos psicosociales de calidad de vida en trastornos gastrointestinales funcionales. **2022**,
- 467 Psychological distress and quality of life in Chinese early-stage breast cancer patients throughout chemotherapy. **2022**,
- 466 Minding the Baby versus usual care: study protocol for a quasi-cluster-randomized controlled study in Denmark of an early interdisciplinary home-visiting intervention for families at increased risk for adversity. **2022**, 23,
- 465 Effects of a nurse-led peer support intervention for stroke survivors: protocol for a randomised controlled trial. **2022**, 12, e062531 1
- 464 Posttraumatic Growth, Positive Psychology, Perceived Spousal Support, and Psychological Complications in Head and Neck Cancer: Evaluating Their Association in a Longitudinal Study. 13, 0
- 463 Random Forest Classification to Predict Response to High-Definition Transcranial Direct Current Stimulation for Tinnitus Relief: A Preliminary Feasibility Study. Publish Ahead of Print,
- 462 A comprehensive, tri-national, cross-sectional analysis of characteristics and impact of pruritus in psoriasis. 0
- 461 Functional Connectivity Dynamics Altered of the Resting Brain in Subjective Cognitive Decline. 14,

- 460 Potential Explanatory Factors for the Concurrent Experience of Dyspnea and Pain in Patients with COPD. **2022**, 19, 282-289
- 459 Les couples mis ^ l^breuve du confinement de la crise Covid. **2022**, ○
- 458 The Effects of Long Working Hours on Mental Health Among Resident Physicians in Saudi Arabia. Volume 15, 1545-1557 1
- 457 Depression, anxiety, and post-traumatic stress disorder symptoms after hyperemesis gravidarum: a prospective cohort study. 1-9 ○
- 456 Impact of Obstructive Sleep Apnea (OSA) in COVID-19 Survivors, Symptoms Changes Between 4-Months and 1 Year After the COVID-19 Infection. 9, 1
- 455 Association between screen time exposure, anxiety, and sleep quality in adolescents. **2022**, 45, 125-133 ○
- 454 Post-traumatic stress disorder, anxiety, depression and related factors among COVID-19 patients during the fourth wave of the pandemic in Vietnam. 1
- 453 Inclusion of information technology-based assessments of health-related quality of life in routine oncology practice in Uruguay. **2022**, 6,
- 452 Risk factors associated with post-intensive care syndrome in family members (PICS-F): A prospective observational study. 175114372211089
- 451 Extended High Frequency Hearing, but Not Tinnitus, Is Associated With Every-Day Cognitive Performance. 13, ○
- 450 Why Being Stressed Is Desserts In Reverse The Effect of Acute Psychosocial Stress on Food Pleasure and Food Choice. **2022**, 11, 1756 ○
- 449 Construct Validity and Responsiveness of Instruments Measuring Depression and Anxiety in Pregnancy: A Comparison of EPDS, HADS-A and CES-D. **2022**, 19, 7563 1
- 448 The efficacy of transdiagnostic cognitive behavioral therapy on migraine headache: a pilot, feasibility study. **2022**, 22,
- 447 Prognosis of shoulder pain in those with and without a psychological disorder: A prospective cohort study with a six-month follow-up. **2022**, 1-11
- 446 What predicts climate change activism?: An examination of how depressive symptoms, climate change distress, and social norms are associated with climate change activism. **2022**, 100146 ○
- 445 The Impact of Cancer-Related Fatigue on HRQOL in Survivors of Childhood Cancer: A DCCSS LATER Study. **2022**, 14, 2851 ○
- 444 CE: An Evidence-Based Yoga Practice for Hospitalized Adults on Medical Psychiatric Units. **2022**, 122, 28-36
- 443 Fatigue in multiple sclerosis is associated with socioeconomic factors. **2022**, 64, 103955

- 442 Persistent Symptoms After Acute COVID-19 Infection in Omicron Era. **2022**, 37, 1
- 441 Differences in Pulmonary and Extra-Pulmonary Traits between Women and Men with Chronic Obstructive Pulmonary Disease. **2022**, 11, 3680 0
- 440 Investigating the association of mood and fatigue with objective and subjective cognitive impairment in multiple sclerosis. 1
- 439 The Qigong of Prolong Life With Nine Turn Method Relieve Fatigue, Sleep, Anxiety and Depression in Patients With Chronic Fatigue Syndrome: A Randomized Controlled Clinical Study. 9, 0
- 438 Co-Rumination in Social Networks. 216769682211113
- 437 Postintensive Care Syndrome-Family Associated With COVID-19 Infection. **2022**, 4, e0725 0
- 436 Feasibility of an Extensive Strategy for Adult Diagnosis of Attention Deficit Hyperactivity Disorder Among Patients Suffering From Substance Use Disorders. 13,
- 435 Incomplete recovery in patients with minor head injury directly discharged home from the emergency department: a prospective cohort follow-up study. **2022**, 12, e057308
- 434 Validation of Two Screening Tools for Anxiety in Hemodialysis Patients. **2022**, 12, 1077 1
- 433 Cognitive Behavioral Therapy and Acceptance and Commitment Therapy (CBT-ACT) vs. Standard Care After Critical Illness Due to COVID-19: Protocol for a Pilot Randomized Controlled Trial. 13,
- 432 Pre- and post-operative psychological interventions to prevent pain and fatigue after breast cancer surgery (PREVENT): Protocol for a randomized controlled trial. **2022**, 17, e0268606 0
- 431 The joint effect of sleep duration and insomnia symptoms on the risk of recurrent spinal pain: The HUNT study. **2022**,
- 430 Families Addressing Cancer Together (FACT): feasibility and acceptability of a web-based psychosocial intervention for parents with cancer.
- 429 Psychosocial quality-of-life correlates in functional gastrointestinal disorders. **2022**, 0
- 428 Cortisol, Depression, and Anxiety Levels Before and After Short-Term Intensive Nutritional Stabilization in Patients With Severe Anorexia Nervosa. 13,
- 427 Only One Way Out Partners' Experiences and Grief Related to the Death of Their Loved One by Suicide or Physician-Assisted Dying Due to a Mental Disorder. 13,
- 426 Psychometric Evaluation of Three Translated Measures of Functional Health Literacy among Jordanians. 019394592211104
- 425 Genetic variations in IFNGR1, BDNF and IL-10 may predict the susceptibility to depression and anxiety in Chinese women with breast cancer.. **2022**,

- 424 Remote Working and Home Learning: How the Italian Academic Population Dealt with Changes Due to the COVID-19 Pandemic Lockdown. **2022**, 14, 8161 1
- 423 Depression is a main determinant of health-related quality of life in patients with diabetic kidney disease. **2022**, 12, 1
- 422 Psychische Belastung und ihre Folgen für die Krankheitskosten – eine Längsschnittstudie in Deutschland. 1
- 421 Associations of Cardiovascular Agents and Metformin with Depression Symptoms: A Cross-Sectional Analysis from the HUNT Study, Norway. 1
- 420 Exercise training to increase tumour natural killer-cell infiltration in men with localised prostate cancer: a randomised controlled trial. 1
- 419 Are the goals of therapy achievable in patients with rheumatoid arthritis receiving upadacitinib in real clinical practice?. **2022**, 60, 327-333 1
- 418 A mixed-methods feasibility study of a comorbidity-adapted exercise program for low back pain in older adults (COMEBACK): a protocol. **2022**, 8, 1
- 417 Quality of Life and Mental Health Status Among Cancer Patients With Metastatic Spinal Disease. 10, 1
- 416 Characteristics of Hospital Workers Using a Wellbeing Center Implemented During the COVID-19 Pandemic to Prevent the Emotional Impacts of the Crisis. 10, 1
- 415 Attachment-Based Compassion Therapy for Reducing Anxiety and Depression in Fibromyalgia. **2022**, 19, 8152 1
- 414 Is frailty associated with long-term survival, neurological function and patient-reported outcomes after in-hospital cardiac arrest? - A Swedish cohort study. **2022**, 10, 0
- 413 Assessment of Insomnia and Associated Factors Among Patients Who Have Recovered from COVID-19 in Vietnam. Volume 16, 1637-1647 1
- 412 Incremental validity of acceptance over coping in predicting adjustment to endometriosis. 3, 1
- 411 Assessment of mental health in patients with chronic liver disease. 1
- 410 Cohort profile: the Halland osteoarthritis (HALLOA) cohort – from knee pain to osteoarthritis: a longitudinal observational study in Sweden. **2022**, 12, e057086 0
- 409 Direct assessment of overnight parent-child proximity in children with behavioral insomnia: Extending models of operant and classical conditioning. 1-19 1
- 408 COVID-19 Effects on Medical Education: A Viral Transfer of Knowledge to Radiation Oncology. **2022**, 113, 705-713 0
- 407 Does an increase in physiological indexes predict better cognitive performance: the PhyCog randomised cross-over protocol in type 2 diabetes. **2022**, 12, e060057 1

406 Covert and overt stuttering: Concepts and comparative findings. **2022**, 99, 106246

405 Physical multimorbidity and wish to die among adults aged 65 years: A cross-sectional analysis of the Irish Longitudinal Study on Ageing. **2022**, 313, 263-269

404 Relationship Satisfaction Mediates the Association Between Emotional Expressiveness and Depressive Symptoms Among Asian Women. **2019**, 48, 396-402

403 A study of high neuroticism in long-term survivors of childhood, adolescence, and young adult cancers. **2022**, 12,

402 Irritable bowel syndrome in women: association between decreased insular subregion volumes and gastrointestinal symptoms. **2022**, 103128

401 The APPLE Tree programme: Active Prevention in People at risk of dementia through Lifestyle, bEhaviour change and Technology to build RESilience—randomised controlled trial. **2022**, 23,

400 Social Determinants of Alcohol Use Disorder, Depression, and Anxiety Among Sexual Minority Males During the COVID-19 Pandemic. **2022**, 30,

399 Impact of SARS-Cov-2 on Clinical Trial Unit Staff: The EPIC Observational Study.

398 Self-reported limitations in physical function are common 6 months after out-of-hospital cardiac arrest. **2022**, 11, 100275

397 Discriminative power of salivary gland ultrasound in relation to symptom-based endotypes in suspected and definite primary Sjögren's Syndrome. **2022**, 56, 152075

396 Tablet-Based Assessment of Cognitive Function Among Heart Failure Patients. **2022**, 21, 147-152

395 A shift to something better? A longitudinal study of work schedule and prescribed sleep medication use in nurses. oemed-2022-108251

394 Association between demographic factors, anxiety and depression in smokers.

393 Using prosocial behavior to safeguard mental health and foster emotional well-being during the COVID-19 pandemic: A registered report of a randomized trial. **2022**, 17, e0272152

392 Intensive Care Based Interventions to Reduce Family Member Stress Disorders: A Systematic Review of the Literature. **2022**, 8, 145-155

391 App-based intervention among adolescents with persistent pain: a pilot feasibility randomized controlled trial. **2022**, 8,

390 The Attention Training Technique Reduces Anxiety and Depression in Patients With Coronary Heart Disease: A Pilot Feasibility Study. 13,

389 Lower Serum Calcium Levels Associated with Disrupted Sleep and Rest-Activity Rhythm in Shift Workers. **2022**, 14, 3021

- 388 Incidence of Revision Surgery After Decompression With vs Without Fusion Among Patients With Degenerative Lumbar Spinal Stenosis. **2022**, 5, e2223803 0
- 387 Burden, anxiety and depressive symptoms in partners course and predictors during the first two years after stroke. 1-10
- 386 Recovering from COVID-19: psychological sequelae and post-traumatic growth six months after discharge. **2022**, 13, 1
- 385 Profiling Police Forces against Stress: Risk and Protective Factors for Post-Traumatic Stress Disorder and Burnout in Police Officers. **2022**, 19, 9218 0
- 384 Psychometric Properties of the Hospital Anxiety and Depression Scale (HADS) in Previously Hospitalized COVID-19 Patients. **2022**, 19, 9273 2
- 383 Fatigue 7 years post-stroke: Predictors and correlated features. **2022**, 146, 295-303 1
- 382 Association of anxiety and depression with chronic liver diseases in patients with noncardiac chest pain: A cross-sectional study. **2022**, 101, e29620
- 381 Local brain oscillations and inter-regional connectivity differentially serve sensory and expectation effects on pain.
- 380 Prevalence and Risk Factors of Sarcopenia in Patients with Dizziness. Publish Ahead of Print,
- 379 Association between Sleep Quality and Depression Symptoms in Chinese College Students during the COVID-19 Lockdown Period. **2022**, 9, 1237 1
- 378 Coping strategies and anxiety in young breast cancer survivors. 0
- 377 Latent growth curve modeling of physical activity trajectories in a positive-psychology and motivational interviewing intervention for people with type 2 diabetes. **2022**, 10, 713-730
- 376 Depression, anxiety, and psychosocial stressors across BMI classes: A Norwegian population study - The HUNT Study. 13, 0
- 375 [I was young, I wanted to return to sport, and re-ruptured my ACL] young active female patients' voices on the experience of sustaining an ACL re-rupture, a qualitative study. **2022**, 23,
- 374 The late onset of emotional distress in people with progressive multiple sclerosis during the Covid-19 pandemic: longitudinal findings from the CogEx study.
- 373 Psychometric assessment of the Concerns about Late Effects in Oncology Questionnaire (CLEO) among female breast cancer survivors. **2022**,
- 372 Chinese elderly migrants' loneliness, anxiety and depressive symptoms: The mediation effect of perceived stress and resilience. 10, 0
- 371 The right prefrontal cortex (PFC) can distinguish anxious depression from non-anxious depression: A promising functional near infrared spectroscopy study (fNIRS). **2022**,

- 370 Food Addiction und Alkoholkonsum vor Adipositaschirurgie. **2022**, 68, 195-211 ○
- 369 Influence of Subclinical Anxiety and Depression on Quality of Life and Perception of Facial Paralysis. ○
- 368 Neuroticism as a covariate of cognitive task performance in individuals with tinnitus. 13,
- 367 Psychological Distress among Hospitalized COVID-19 Patients in Denmark during the First 12 Months of the Pandemic. **2022**, 19, 10097 ○
- 366 Understanding the Associations across Fibromyalgia-Related Fatigue, Depression, Anxiety, Self-Esteem Satisfaction with Life and Physical Activity in Portuguese and Brazilian Patients: A Structural Equation Modeling Analysis. **2022**, 58, 1097
- 365 Relationship between Depression and Constipation: Results from a Large Cross-sectional Study in Adults. **2022**, 80, 77-84 ○
- 364 Effectiveness of a perioperative support programme to reduce psychological distress for family caregivers of patients with early-stage lung cancer: study protocol for a randomised controlled trial. **2022**, 12, e064416 1
- 363 Sensitivity to movement-evoked pain, central sensitivity symptoms, and pro-nociceptive profiles in people with chronic shoulder pain: A parallel-group cross-sectional investigation. 1
- 362 Pain Extent Is Not Associated with Sensory-Associated Symptoms, Cognitive or Psychological Variables in COVID-19 Survivors Suffering from Post-COVID Pain. **2022**, 11, 4633 ○
- 361 Implementation of video-calls between patients admitted to intensive care unit during the COVID-19 pandemic and their families: a pilot study of psychological effects. **2022**, 2,
- 360 Somatic symptom disorder in patients with post-COVID-19 neurological symptoms: a preliminary report from the somatic study (Somatic Symptom Disorder Triggered by COVID-19). jnnp-2021-327899 ○
- 359 Maternal Anemia during the First Trimester and Its Association with Psychological Health. **2022**, 14, 3505 1
- 358 Anxiety and depression following facial and dental trauma [A prospective study]. **2022**,
- 357 Establishing a Cardiac ICU Recovery Clinic: Characterizing a Model for Continuity of Cardiac Critical Care. **2022**, 21, 135-140
- 356 Perceived Injustice and Psychological Well-Being in Couples Seeking Fertility Treatment. 0192513X2210877
- 355 Utility and Optimal Cut-off point of the Somatic Symptom Scale-8 in severe Somatic Symptoms and Related Disorders with Central Sensitization Syndrome.
- 354 A Controlled Community Study of Distress and Resilience in Women Diagnosed with Fibromyalgia and Systemic Lupus Erythematosus.
- 353 Six-year prognosis of anxiety and depression caseness and their comorbidity in a prospective population-based adult sample. **2022**, 22, ○

- 352 Factors influencing hospital anxiety and depression among emergency department nurses during the COVID-19 pandemic: A multi-center cross-sectional study. 13, 0
- 351 Improving communication about goals of care for hospitalized patients with serious illness: Study protocol for two complementary randomized trials. **2022**, 120, 106879 1
- 350 The price of internship through COVID-19: 1st year physicians report substantial mental health symptoms during the pandemic. **2022**, 78, 111-116
- 349 Cognitive function is well preserved in a cohort of breast cancer survivors: Roles of cognitive reserve, resilience, and general health. **2022**, 65, 157-163
- 348 Depressive symptomology and cancer incidence in men and women: Longitudinal evidence from the HUNT study. **2022**, 316, 1-9
- 347 EVALUATION OF ANXIETY AND DEPRESSION SYMPTOMS AMONG U-20 SOCCER ATHLETES IN RECIFE-PE: A CROSS-SECTIONAL STUDY. 29,
- 346 Changes in health status and health related quality of life from six months to five years in out-of-hospital cardiac arrest survivors [A NORCAST sub study]. **2022**, 0
- 345 Guided imagery for treatment (GIFT): protocol of a pilot trial of guided imagery versus treatment as usual to address radiotherapy-related distress in head and neck cancer. **2022**, 8, 0
- 344 Effectiveness of rib fixation compared to pain medication alone on pain control in patients with uncomplicated rib fractures: study protocol of a pragmatic multicenter randomized controlled trial [The PAROS study (Pain After Rib Osteosynthesis)]. **2022**, 23, 0
- 343 Acceptance and commitment therapy for episodic migraine: Rationale and design of a pilot randomized controlled trial. **2022**, 121, 106907 0
- 342 Direction-dependency of the kinematic indices in upper extremities motor assessment of stroke patients. **2022**, 108, 103880 0
- 341 Effect of dexamethasone on dyspnoea in patients with cancer (ABCD): a parallel-group, double-blind, randomised, controlled trial. **2022**, 23, 1321-1331 0
- 340 The effects of antidepressants on depressive symptoms in manifest Huntington's disease. **2022**, 162, 111023 0
- 339 Virtual Reality Enhances EEG-Based Neurofeedback for Emotional Self-regulation. **2022**, 420-431 0
- 338 Exploring the Relationship Between Endogenous Pain Modulation, Pain Intensity, and Depression in Patients Using Opioids for Chronic Low Back Pain. **2022**, 38, 595-600 0
- 337 Association of Acute Headache of COVID-19 and Anxiety/Depression Symptoms in Adults Undergoing Post-COVID-19 Rehabilitation. **2022**, 11, 5002 0
- 336 Predictive Validity and Patterns of Change Over Time of the Sensitivity to Pain Traumatization Scale: A Trajectory Analysis of Patients Seen by the Transitional Pain Service Up to Two Years After Surgery. Volume 15, 2587-2605 0
- 335 Social Media Users Potentially Experience Different Withdrawal Symptoms to Non-social Media Users. 0

334	Rehabilitation of Severe-to-Profound Hearing Loss in Adults in Sweden. 2022 , 12, 433-444	0
333	Mental well-being of intensive care unit nurses after the second surge of the COVID-19 pandemic: A cross-sectional and longitudinal study. 2022 , 103313	1
332	Describing, predicting and explaining adherence to total skin self-examination (TSSE) in people with melanoma: a 12-month longitudinal study. 2022 , 12, e056755	1
331	Work-related stress in medical personnel: A new instrument for screening and evidence-based recommendations for therapeutic management. 2022 , 125, 523-530	0
330	A cross-sectional study on fatigue, anxiety, and symptoms of depression and their relation with medical status in adult patients with M arfan syndrome. Psychological consequences in M arfan syndrome. 2022 , 102, 404-413	0
329	The bidirectional association between depressive symptoms, assessed by the HADS, and albuminuria: A longitudinal population-based cohort study with repeated measures from the HUNT2 and HUNT3 Study. 2022 , 17, e0274271	0
328	Altered regional homogeneity of spontaneous brain activity in patients with toothache: A resting-state functional magnetic resonance imaging study. 16,	0
327	Release of Cervical Muscle Tension Improves Psychological Stress and Symptoms of Moderate-to-Severe Atopic Dermatitis: a Case Series with 20 Patients. 2022 , 12, 2383-2395	0
326	Exploratory application of machine learning methods on patient reported data in the development of supervised models for predicting outcomes. 2022 , 22,	0
325	Prevalence and risk factors for sexual dysfunction in young women following a cancer diagnosis: A population-based study. 1-8	0
324	Psychological and Functional Impact of a Small Unruptured Intracranial Aneurysm Diagnosis: A Mixed-Methods Evaluation of the Patient Journey.	0
323	Effect of intensive care unit-specific virtual reality (ICU-VR) to improve psychological well-being in ICU survivors: study protocol for an international, multicentre, randomised controlled trial: the HORIZON-IC study. 2022 , 12, e061876	0
322	Integrating specialist palliative care to improve care and reduce suffering: cystic fibrosis (InSPIRe:CF) study protocol for a multicentre randomised clinical trial. 2022 , 9, e001381	0
321	A Description of Interventions Prompted by Preoperative Comprehensive Geriatric Assessment and Optimization in Older Elective Noncardiac Surgical Patients. 2022 ,	1
320	Physical activity levels in people with Parkinson disease treated by subthalamic nucleus deep brain stimulation. 1-6	0
319	A comparison of health-related factors between patients diagnosed with ME/CFS and patients with a related symptom picture but no ME/CFS diagnosis: A cross-sectional exploratory study.	0
318	A Scoping Review of the Measurement of Depression in Older Adults with Cognitive Impairment. 1-13	0
317	Sensory Profiles in Patients with Low Back Pain with and Without Radiculopathy.	0

316	Fatigue, sleep quality and mental health symptoms in Brazilian women during the COVID-19 pandemic [longitudinal study].	0
315	Effects of kinesiology taping and core stability exercise on clinical variables in patients with non-specific chronic low back pain: A randomized controlled trial. 2022,	0
314	Age-related clinical, inflammatory characteristics, phenotypes and treatment response in asthma. 2022,	1
313	Parent post-traumatic growth after a child's critical illness. 10,	0
312	Predictive Factors of Anxiety, Depression, and Health-Related Quality of Life in Community-Dwelling and Institutionalized Elderly during the COVID-19 Pandemic. 2022, 19, 10913	1
311	Mainstream genetic testing for women with ovarian cancer provides a solid basis for patients to make a well-informed decision about genetic testing. 2022, 20,	1
310	Levels of depressive symptoms in cardiac patients attending cardiac rehabilitation with a history of depression: pre Covid-19 and Covid-19 period comparison. 2022, 22,	0
309	Economic living standard and abdominal pain mediate the association between functional gastrointestinal disorders and depression or anxiety.	0
308	Chronic pain, psychological distress, and quality of life in males with Duchenne muscular dystrophy.	1
307	End-of-life cancer patients' total pain: the necessity to supplement pharmacology with psycho-socio-spiritual treatments.	0
306	Exercise training as part of multidisciplinary rehabilitation in cancer survivors: an observational study on changes in physical performance and patient-reported outcomes.	0
305	The diagnostic accuracy of widely used self-report questionnaires for detecting anxiety disorders in adults. 2022, 2022,	0
304	Première étude des qualités psychométriques de la version française du questionnaire d'attitudes parentales (QIPS-R15) dans le cadre d'une maladie chronique pédiatrique. 2022, 72, 100765	0
303	Caregiver burden and health-related quality of life among family caregivers of oesophageal cancer patients: a prospective nationwide cohort study. 1-6	0
302	Development of a nomogram prediction model for depression in patients with systemic lupus erythematosus. 13,	0
301	Attenuated cardiovascular reactivity to acute psychological stress predicts future fatigue symptoms in truck drivers. Publish Ahead of Print,	0
300	Frontal alpha asymmetry: A potential biomarker of approach-withdrawal motivation towards pain. 3,	0
299	Assessment of an Integrated Psychiatric Pharmacy Practice within a Rural Internal Medicine Clinic. 2022,	0

- 298 Sound-Induced Flash Illusions Support Cortex Hyperexcitability in Fibromyalgia. **2022**, 2022, 1-6 ○
- 297 Association of Depression and Anxiety With Hypertensive Crisis: A Cross-Sectional Study From a Hospital Setting in Karachi, Pakistan. **2022**, ○
- 296 Men's perception of information and psychological distress in the diagnostic phase of prostate cancer: a comparative mixed methods study. **2022**, 21, ○
- 295 Interactions between symptoms and psychological status in irritable bowel syndrome: An exploratory study of the impact of a probiotic combination. ○
- 294 Benchmarks for machine learning in depression discrimination using electroencephalography signals. ○
- 293 Patient-Reported Outcome Measures to Screen for Depressive Symptoms and Depression in Patients with Colorectal and Anal Cancer: a Systematic Scoping Review. **2022**, 4, ○
- 292 Psychological and Cognitive Functioning Among Patients Receiving Outpatient Rehabilitation for post-COVID sequelae: An Observational Study. **2022**, ○
- 291 Antidepressant use and risk of myocardial infarction A long:itudinal investigation of sex-specific associations in the HUNT study. Publish Ahead of Print, ○
- 290 Quality of life and sexual function analysis in a group of Italian postmenopausal women after COVID-19 vaccination. 1-4 ○
- 289 Compassion-Focused Therapy for an Older Adult with Motor Functional Neurological Disorder: A Case Study. 1-10 ○
- 288 CALIDAD DE VIDA RELACIONADA CON LA SALUD Y ADHESIÓN TERAPEUTICA A LA PRESIÓN POSITIVA CONTINUA EN LA VÍA AEREA (CPAP) EN PACIENTES CON APNEA OBSTRUCTIVA DEL SUEÑO (AOS). **2022**, 100214 ○
- 287 Exploring the over-time, multifaceted impacts of three COVID-19 lockdowns on aspects of capability, wellbeing and mental health across vulnerabilities in Austria. **2022**, 12, ○
- 286 A Positive Emotion-Focused Intervention to Increase Physical Activity After Bariatric Surgery: Protocol for a Pilot Randomized Controlled Trial. **2022**, 11, e39856 ○
- 285 Mindfulness-based stress reduction with acupuncture for sleep quality in breast cancer patients with insomnia undergoing chemotherapy: A randomized controlled trial. **2022**, 102219 ○
- 284 Stroke Survivors and their Physiotherapists' Perceptions of Recovery: A Multiple Methods Approach. ○
- 283 A nurse-delivered intervention to reduce insomnia in cancer survivors: Study protocol for a randomized-controlled trial. **2022**, 122, 106939 ○
- 282 Assessing the temporal stability of psychological constructs: An illustration of Type D personality, anxiety and depression. **2022**, 101, 104299 ○
- 281 The effect of exercise engagement on low back disability at 12-months is mediated by pain and catastrophizing in a community sample of people with chronic low back pain. **2022**, 159, 104205 ○

- 280 Etiology of Substance Use Disorders. **2022**, 205-231 ○
- 279 The Psychological Treatment of Cardiac Patients. **2022**, 1317-1339 ○
- 278 Considerations for clinical trial design and conduct in the evaluation of novel advanced therapeutics in neurodegenerative disease. **2022**, ○
- 277 Clinical Rating Instruments in Tourette Syndrome. **2022**, 343-365 ○
- 276 Implementation of E-Mental Health Interventions for Informal Caregivers of Adults with Chronic Diseases: A Mixed-Methods Systematic Review with Qualitative Comparative Analysis and Thematic Synthesis (Preprint). ○
- 275 Prevalence and Predictors of Sleep Disturbance, Anxiety and Depression among Patients with Chronic Respiratory Diseases. **2022**, 19, 12819 1
- 274 Long-Term Follow-Up, Treatment Strategies, Functional Outcome, and Health-Related Quality of Life after Surgery for WHO Grade 2 and 3 Intracranial Meningiomas. **2022**, 14, 5038 ○
- 273 Differences in clinical characteristics of rosacea across age groups: a retrospective study of 840 female patients. ○
- 272 Predictors for physical activity and its change after active physical therapy in people with spinal pain and insomnia: Secondary analysis of a randomized controlled trial. **2022**, 100456 ○
- 271 Assessing a 12-month course of oral alendronate for adults with avascular necrosis of the hip: MANTIS RCT with internal pilot. **2022**, 26, 1-58 ○
- 270 The influence of family support during endoscopic submucosal dissection on patient's anxiety. 10, ○
- 269 Long-term impact of a behavioral weight management program on depression and anxiety symptoms: 5-year follow-up of the WRAP trial. ○
- 268 Associations between the misinformation effect, trauma exposure and symptoms of posttraumatic stress disorder and depression. 1-13 ○
- 267 Cannabidiol-enriched cannabis extraction product in Parkinson's disease: A randomized, double-blind, and placebo-controlled trial in Buriram Hospital. 1-6 ○
- 266 Irritable Bowel Syndrome Symptoms in Nonalcoholic Fatty Liver Disease Patients Are an Indicator of Depression and Anxiety. Publish Ahead of Print, ○
- 265 Type of Rectal Barostat Protocol Affects Classification of Hypersensitivity and Prediction of Symptom Severity in Irritable Bowel Syndrome. **2022**, 28, 630-641 ○
- 264 Post-intensive care syndrome in out-of-hospital cardiac arrest patients: A prospective observational cohort study. **2022**, 17, e0276011 ○
- 263 Sex-related differences in experimental pain sensitivity in subjects with painful or painless neuropathy after surgical repair of traumatic nerve injuries. **2022**, 7, e1033 ○

262	Association Between Cardiorespiratory Fitness and Incident Purchase of Hypnotic Drugs in Adults: The HUNT Study. 2022,	0
261	Post-acute symptoms four months after SARS-CoV-2 infection during the Omicron period: a nationwide Danish questionnaire study.	0
260	Patients with inflammatory bowel disease at risk of sub-optimal outcomes report poorer biopsychosocial functioning than controls: data from two cross-sectional surveys. 1-16	0
259	Attentional bias toward negative stimuli in PTSD: an eye-tracking study. 1-9	0
258	Implementation of advance care planning decision aids for patients undergoing high-risk surgery: a field-testing study. 2022, 21,	0
257	The Big Five personality traits and the fear of COVID-19 in predicting depression and anxiety among Japanese nurses caring for COVID-19 patients: A cross-sectional study in Wakayama prefecture. 2022, 17, e0276803	0
256	Prevalence of depression and its associated factors among stroke survivors in Saudi Arabia.	0
255	Gender Differences in Anxiety, Depression, Insomnia, and Quality of Life in Heart Failure With Preserved Ejection Fraction: A Multicenter, Cross-sectional Study. Publish Ahead of Print,	0
254	Oral health-related quality of life is more strongly correlated with mental health than with oral health in relapsing-remitting multiple sclerosis.	0
253	Remote versus in-office monitoring for implantable cardioverter defibrillators: Results from a randomized pragmatic controlled study in Portugal. 2022,	0
252	Sexual Quality of life, Depression, and Anxiety Symptoms in Women Candidates for Social Egg Freezing.	0
251	Methanogen Levels Are Significantly Associated with Fecal Microbiota Composition and Alpha Diversity in Healthy Adults and Irritable Bowel Syndrome Patients.	0
250	Life after COVID-19: the road from intensive care back to living a prospective cohort study. 2022, 12, e062332	0
249	Outcomes and predictors of functioning, mental health, and health-related quality of life in adults born with very low birth weight: a prospective longitudinal cohort study. 2022, 22,	0
248	Assessment of socio-relational self-efficacy in breast cancer patients: Italian validation of the social relationship coping efficacy scale (SRCE-I). 2022, 10,	0
247	Subjective and objective cognitive function in adolescent with chronic fatigue following Epstein-Barr virus infection. 2022, 163, 111063	0
246	The effect of Tai Chi in elderly individuals with sarcopenia and frailty: A systematic review and meta-analysis of randomized controlled trials. 2022, 82, 101747	1
245	Exploring factors associated with complete mental health of pregnant women during the COVID-19 pandemic. 2023, 116, 103521	0

- 244 Differential effects of anxiety on long-term outcomes of acute coronary syndrome and stroke according to their disease severities. **2023**, 321, 56-58 ○
- 243 Translating Evidence to Practice: From Clinical Research to Real-World Experience. 2-12 ○
- 242 Pride and adversity among nurses and physicians during the pandemic in two US healthcare systems: a mixed methods analysis. **2022**, 21, ○
- 241 Impact of virtual reality on cardiac rehabilitation-related anxiety: a protocol for systematic review and meta-analysis. **2022**, 9, e002094 ○
- 240 Socioeconomic and ethnical disparity in coronary heart disease outcomes in Denmark and the effect of cardiac rehabilitation: A nationwide registry study. **2022**, 17, e0276768 ○
- 239 Health-related quality of life and chronic fatigue in long-term survivors of indolent lymphoma: A comparison with normative data. 1-7 ○
- 238 Sexual abuse and harsh punishment in early life are associated with more obsessive-compulsive symptoms in adulthood: An online survey. ○
- 237 Sex differences in the course of implantable cardioverter defibrillator concerns (Results from the Danish national DEFIB-WOMEN study). **2022**, 111072 ○
- 236 Medical Cannabis Use and Inflammatory Cytokines and Chemokines Among Adult Chronic Pain Patients. ○
- 235 The OPRM1 gene and interactions with the 5-HT1a gene regulate conditioned pain modulation in fibromyalgia patients and healthy controls. **2022**, 17, e0277427 ○
- 234 Patient-centered management strategy for concurrent musculoskeletal complaints in elbows, shoulders and neck after an isolated hand/forearm complaint: A prospective interventional study. **2022**, ○
- 233 The Impact of the COVID-19 Crisis on the Practices and Mental Health of Psychologists in Belgium: Between Exhaustion and Resilience. **2022**, 19, 14410 ○
- 232 COVID-19 Fear and Anxiety among Patients with Chronic Heart Failure: A Cross Sectional Study. **2022**, 11, 6586 ○
- 231 Nicotine-Free E-Cigarettes Might Promote Tobacco Smoking Reduction Better Than Nicotine Delivery Devices: Results of a Double-Blind Randomized Controlled Trial at 1 Year. **2022**, 29, 8579-8590 ○
- 230 Testing the effects of the Strong Together self-advocacy serious game among women with advanced cancer: Protocol for the STRONG randomized clinical trial. **2022**, 107003 ○
- 229 In-Hospital Symptoms of Depression and Anxiety are Strong Risk Factors for Post-Stroke Depression 90 Days After Ischemic Stroke. 194187442211326 ○
- 228 MSmonitor-plus program and video calling care (MPVC) for multidisciplinary care and self-management in multiple sclerosis: study protocol of a single-center randomized, parallel-group, open label, non-inferiority trial. **2022**, 22, ○
- 227 Changes in Tobacco and Alcohol Consumption in France during the Spring 2020 Lockdown: Results of the Coviprev and Viquop Surveys. **2022**, 19, 14808 ○

- 226 Infralow closed-loop brain training for anxiety and depression (ISAD): a protocol for a randomized, double-blind, sham-controlled pilot trial in adult females with internalizing disorders. **2022**, 23, ○
- 225 Embedded Specialist Palliative Care in Cystic Fibrosis: Results of a Randomized Feasibility Clinical Trial. ○
- 224 Screening and assessment for cancer patients' psychosocial support needs: Development and validation of the psychosocial risk questionnaire. **2022**, 102240 ○
- 223 Trajectories of child mental health, physical activity and screen-time during the COVID-19 pandemic considering different family situations: results from a longitudinal birth cohort.. ○
- 222 A randomised pilot feasibility study of eye movement desensitisation and reprocessing recent traumatic episode protocol, to improve psychological recovery following intensive care admission for COVID-19. 175114372211368 ○
- 221 Vaccination with SARS-CoV-2 inactivated vaccines reduced the risk of anxiety and depression in a population majored by health care workers during the recent omicron variant outbreak. 13, ○
- 220 The CERAD Word List Memory Test: Normative Data Based on a Norwegian Population-Based Sample of Healthy Older Adults 70 Years and Above. The HUNT Study. **2022**, 1-23 ○
- 219 Predictors of Long-term Muscle Weakness in Survivors of Covid-19 Acute Respiratory Distress Syndrome. ○
- 218 Feasibility and acceptability of cognitive behavioural therapy in older Japanese people with cognitive decline: a single-arm intervention. **2022**, 15, ○
- 217 Stress-induced hyperalgesia instead of analgesia in patients with chronic musculoskeletal pain. **2023**, 13, 100110 ○
- 216 The presence of extra-pulmonary treatable traits increases the likelihood of responding to pulmonary rehabilitation. **2023**, 206, 107086 ○
- 215 Effect of mixed and collective physical activity in chronic stroke rehabilitation: A randomized cross-over trial in low-income settings. **2023**, 66, 101704 ○
- 214 Effect of adjunctive transcranial direct current stimulation and cognitive behavior therapy on headache disability in episodic frequent or chronic tension-type headache: A pilot, exploratory study. **2022**, 36, 140 ○
- 213 Factors Associated with Anxiety Scores in People with Epilepsy in Neurological Installations of Haji Adam Medan Center General Hospital. **2022**, 10, 108-112 ○
- 212 Factors Influencing the Anxiety of Nursing Students in Clinical Practice during the COVID-19 Pandemic. **2022**, 47, 363-369 ○
- 211 Fear of hypoglycemia and its predictive factors among diabetic pregnant women. **2022**, ○
- 210 Use of psychoactive substances and alcohol during the first three waves of the COVID-19 pandemic: Croatian experience. 1-12 ○
- 209 Laparoscopic mesh removal for chronic postoperative inguinal pain following endoscopic hernia repair: a cohort study on the effect on pain. ○

208	Adherence to inhaled corticosteroids in relation to quality of life and symptoms of anxiety and depression in asthma. 2023 , 10,	0
207	A multicomponent structured health behaviour intervention to improve physical activity in long-distance HGV drivers: the SHIFT cluster RCT. 2022 , 10, 1-174	0
206	Direct and indirect effects of alexithymia on disordered eating in a non-clinical female sample: Determining the role of negative affect. 13,	0
205	Video education about side effects of chemotherapy and immunotherapy and its impact on the anxiety, depression, and distress level of cancer patients. 2022 , 10,	0
204	What are the predictive factors of body image disturbance in patients with systemic lupus erythematosus? A cross-sectional study in China. 2022 , 12, e060049	1
203	Everybody is watching me! A closer look at anxiety in people with facial palsy. 2022 ,	0
202	The Performance of the Hospital Anxiety and Depression Scale for Screening of Anxiety and Depressive Disorders in Chinese Patients with Rheumatoid Arthritis in Hong Kong. 1-8	0
201	Impact of kinesiophobia on initiation of cardiac rehabilitation: a prospective cohort path analysis. 2022 , 12, e066435	0
200	Utility and optimal cut-off point of the Somatic Symptom Scale-8 for central sensitization syndrome among outpatients with somatic symptoms and related disorders. 2022 , 16,	0
199	Fatigue, sleep quality and mental health symptoms in Brazilian women during the COVID-19 pandemic: longitudinal study. 2022 , 12,	1
198	Emotional wellbeing of student midwives during COVID-19. 2022 ,	0
197	Cross-Cultural Validation of the Short Version of the Questionnaire of Olfactory Disorders Negative Statements into Italian: Towards Personalized Patient Care. 2022 , 12, 2010	0
196	Patients with multidrug-resistant organisms feel inadequately informed about their status: Adverse effects of contact isolation. 2022 ,	0
195	Effectiveness of an Inpatient Virtual Reality-Based Pulmonary Rehabilitation Program among COVID-19 Patients on Symptoms of Anxiety, Depression and Quality of Life: Preliminary Results from a Randomized Controlled Trial. 2022 , 19, 16980	1
194	The effectiveness of a psychoeducational intervention on health outcomes of patients undergoing haemodialysis: A randomized controlled trial.	0
193	Disaster Preparedness Among Nurses in China: A Cross-Sectional Study. Publish Ahead of Print,	0
192	Impact of educational programme on patient's health outcomes following open heart surgeries.	0
191	Validation of an Instrument to Measure Family Engagement in Acute Cardiac Care. 2022 ,	0

- 190 A behavioural activation intervention to increase engagement with life and wellbeing in older adults: Study protocol for a randomised controlled trial. **2022**, 10, ○
- 189 Different effects between the current capability of and changes in self-management strategies on improving health behavior and psychological health after 6 months: evidence from a prospective cohort study of patients with cancer. ○
- 188 The Psychosocial Burden of Hidradenitis Suppurativa in Singapore. **2022**, ○
- 187 Caregiver Burden, Psychological Distress and Quality of Life among Informal Caregivers of Patients with Head and Neck Cancer: A Longitudinal Study. **2022**, 19, 16304 ○
- 186 A comparison of health-related factors between patients diagnosed with ME/CFS and patients with a related symptom picture but no ME/CFS diagnosis: a cross-sectional exploratory study. **2022**, 20, ○
- 185 Development of a Long-Term Cross-Sectoral Case and Care Management Manual for Patients With Severe Multiple Sclerosis and Their Caregivers. Publish Ahead of Print, ○
- 184 A Comparison of Occupational Balance, Fatigue, Depression, and Anxiety in Hospital-Discharged COVID-19 Survivors with Healthy Individuals: A Cross-sectional Study. **2022**, 20, ○
- 183 Evaluating feasibility of using national registries for identification, invitation, and ultrasound examination of persons with hereditary risk for aneurysm disease—detecting abdominal aortic aneurysms in first degree relatives (adult offspring) to AAA patients (DAAAD). **2022**, 8, ○
- 182 Anxiety and Social Support Are Associated with Loneliness among Adults with Disabilities and Older Adults with No Self-Reported Disabilities 10 Months Post COVID-19 Restrictions. **2023**, 3, 1-11 ○
- 181 Longitudinal Associations of Work Stress with Changes in Quality of Life among Patients after Acute Coronary Syndrome: A Hospital-Based Study. **2022**, 19, 17018 ○
- 180 Experiential Avoidance in Primary Care Providers: Psychometric Properties of the Brazilian Acceptance and Action Questionnaire (AAQ-II) and Its Criterion Validity on Mood Disorder-Related Psychological Distress. **2023**, 20, 225 ○
- 179 Decisional Conflict in Patients With Head and Neck Cancer. ○
- 178 Risk of depression, anxiety, and stress among the Saudi general population during the COVID-19 pandemic. **2022**, 10, ○
- 177 Avoidance Behavior in Patients with Chronic Dizziness: A Prospective Observational Study. **2022**, 11, 7473 ○
- 176 Exploring the relationship between DNA methylation age measures and psychoneurological symptoms in women with early-stage breast cancer. **2023**, 31, ○
- 175 Physical, social, mental and spiritual functioning of COVID-19 intensive care unit-survivors and their family members one year after intensive care unit-discharge: A prospective cohort study. **2022**, 103366 1
- 174 Mental Health and Emotional Disorders During the COVID-19 Pandemics: Prevalence and Extent in PICU Staff. Publish Ahead of Print, ○
- 173 Standardized instruments for assessing psychiatric, behavioral, sexual problems, and quality of life in male and female adults with disorders of sex development in Indonesia. 11, 1536 ○

- 172 When I am breathless now, I don't have the fear that's linked to it—a case series on the potential of EMDR to break the dyspnea-anxiety cycle in COPD. **2022**, 22, ○
- 171 Mental health among patients with chronic musculoskeletal pain and its relation to number of pain sites and pain intensity, a cross-sectional study among primary health care patients. **2022**, 23, ○
- 170 A postbiotic fermented oat gruel may have a beneficial effect on the colonic mucosal barrier in patients with irritable bowel syndrome. 9, ○
- 169 Reduced Skeletal Muscle Mass Is Associated with an Increased Risk of Asthma Control and Exacerbation. **2022**, 11, 7241 ○
- 168 Persons with rheumatoid arthritis have higher barriers to physical activity than controls: a cross-sectional study using the Facilitators and Barriers to Physical Activity Questionnaire (FasBarPAQ). ○
- 167 VETERAN SPORCULARIN YAAM KALTES, EGZERSZ BAMLILIVE YEME DAVRANIARININ NCELENMES. ○
- 166 The 2000HIV study: Design, multi-omics methods and participant characteristics. 13, ○
- 165 Worries and Psychological Well-Being in Potential Hematopoietic Stem Cell Donors Before Donation—Swedish National Study. **2022**, ○
- 164 Optimization of blood pressure control in patients with resistant arterial hypertension and visceral obesity. **2022**, 24, 671-680 ○
- 163 Muscle dysmorphia from an addictive perspective: Validation of the Addiction to Body Image Inventory (ABII). **2022**, ○
- 162 Prevention and Management of Chronic Postsurgical Pain and Persistent Opioid Use Following Solid Organ Transplantation: Experiences From the Toronto General Hospital Transitional Pain Service. Publish Ahead of Print, 1
- 161 Deficits in ascending pain modulation pathways in breast cancer survivors with chronic neuropathic pain: A resting-state fMRI study. 13, ○
- 160 Alcohol drinking and associated factors among chronic disease patients in primary health centers in Cambodia: a cross-sectional study. ○
- 159 Early follow-up quality of life and mental health of patients with congenital vascular malformations cared for in a multi-disciplinary specialist centre. 02683552211474 1
- 158 Including a Three-Party Meeting Using the Demand and Ability Protocol in an Interdisciplinary Pain Rehabilitation Programme for a Successful Return to Work Process. **2022**, 19, 16614 ○
- 157 Personalised rehabilitation to improve return to work in patients with persistent spinal pain syndrome type II after spinal cord stimulation implantation: a study protocol for a 12-month randomised controlled trial—the OPERA study. **2022**, 23, ○
- 156 Impact of adjuvant trastuzumab treatment on fatigue, emotional status and quality of personal and work life of patients with localised breast cancer: results of the HER-ception study. **2023**, 31, ○
- 155 A Proof-of-Concept Randomized Controlled Trial of Follow-Up Mental Health Care for Traumatic Injury Patients Following Hospital Discharge. **2023**, ○

- 154 Positive psychological well-being: A novel concept for improving symptoms, quality of life, and health behaviors in irritable bowel syndrome. ○
- 153 Can Baseline IL-6 Levels Predict Long COVID in Subjects Hospitalized for SARS-CoV-2 Disease?. **2023**, 24, 1731 ○
- 152 Evaluation of a culturally adapted cognitive behavior therapy-based, third-wave therapy manual. 13, 15-35 ○
- 151 The impact of group cognitive behavioural therapy on anxiety and level of functioning in people with a diagnosis of chronic fatigue syndrome. **2016**, 1, 15-20 ○
- 150 Depression/Anxiety. **2022**, 639-648 ○
- 149 Individually delivered Mindfulness-Based Cognitive Therapy in concomitant problematic substance use and emotional symptoms: A process-based case study. ○
- 148 Self-efficacy and coping style in relation to psychological distress and quality of life in informal caregivers of patients with head and neck cancer: a longitudinal study. **2023**, 31, ○
- 147 Health-Related Quality of Life in Spinal Muscular Atrophy Patients and Their Caregivers: A Prospective, Cross-Sectional, Multi-Center Analysis. **2023**, 13, 110 ○
- 146 A randomised controlled trial of the non-inferiority of erector spinae plane block vs. thoracic paravertebral block for laparoscopic nephro-ureterectomy. ○
- 145 Current status and influencing factors of care burden of pancreatic cancer caregivers under COVID-19. 13, ○
- 144 Childhood trauma and depressive level among non-clinical Chinese college students: the roles of rumination and perceived stress. ○
- 143 Digital peer-to-peer support programme for informal caregivers of people living with motor neuron disease: study protocol for a multi-centre parallel group, single blinded (outcome assessor) randomised controlled superiority trial. ○
- 142 The same but different. Multidimensional assessment of depression in students of natural science and music. ○
- 141 Hippocampal neurochemicals are associated with exercise group and intensity, psychological health, and general cognition in older adults. ○
- 140 Factors influencing self-care among patients with primary hypertension: Path analysis of mediating roles of self-efficacy and depressive symptoms. ○
- 139 Health-related quality of life after curative treatment for muscle-invasive bladder cancer. ○
- 138 The predictive role of fatigue and neuropsychological components on functional outcomes in COVID-19 after a multidisciplinary rehabilitation program. **2023**, 51, 030006052211484 ○
- 137 Cognitive-behavioural therapy reduces psychological distress in younger patients with cardiac disease: a randomized trial. ○

- 136 The effects of a 15-week physical exercise intervention on pain modulation in fibromyalgia: Increased pain-related processing within the cortico-striatal- occipital networks, but no improvement of exercise-induced hypoalgesia. **2023**, 13, 100114 ○
- 135 Acute and subacute postsurgical pain in women with breast cancer: incidence and associations with biopsychosocial predictors—secondary analysis of a randomized controlled trial. **2023**, 8, e1058 ○
- 134 A Prospective Study of Chronic Postsurgical Pain in Elderly Patients: Prevalence, Characteristics and Risk factors. ○
- 133 Anxiety and Depression Levels in Parents after Counselling for Fetal Heart Disease. **2023**, 12, 394 ○
- 132 Dissociation between physical capacity and daily physical activity in COPD patients. A population-based approach. **2023**, 207, 107115 ○
- 131 Depression and anxiety up to two years after acute pulmonary embolism: Prevalence and predictors. **2023**, 222, 68-74 1
- 130 The impact of psychological distress on weight regain in post-bariatric patients during the COVID-19 pandemic: A latent profile analysis. **2023**, 165, 111144 ○
- 129 The prevalence of anxiety and depression symptoms in people attending colorectal clinics under the Two week rule—for suspected cancer. **2013**, 1, 32-36 ○
- 128 A survey on the impact of IBD in sexual health: Into intimacy. **2022**, 101, e32279 ○
- 127 Average and Interindividual Effects to a Comprehensive Cardiovascular Rehabilitation Program. **2023**, 20, 261 ○
- 126 Parental Coping, Representations, and Interactions with Their Infants at High Risk of Cerebral Palsy. **2023**, 12, 277 ○
- 125 Myalgic Encephalomyelitis/Chronic Fatigue Syndrome and Post-COVID Syndrome: A Common Neuroimmune Ground?. **2023**, 13, 66 ○
- 124 Impact of COVID-19 Epidemic on Psycho-Oncological Distress in Neuro-Oncological Patients. **2023**, 30, 358-369 ○
- 123 Education and employment status among adults with Loeys-Dietz syndrome and vascular Ehlers-Danlos syndrome in Norway, a questionnaire based study. **2022**, 17, e0279848 ○
- 122 The impact of depression and anxiety on the risk of exacerbation in adults with bronchiectasis: a prospective cohort study. **2023**, 61, 2201695 ○
- 121 Effectiveness of a Primary Care Multidisciplinary Treatment for Patients with Chronic Pain Compared with Treatment as Usual. **2023**, 12, 885 ○
- 120 Self-regulation in Gender and Sexual Orientation Diverse Adults: Exploring Patterns of Risk and Resilience Using a Person-centered Approach. **2023**, 17, 22-39 ○
- 119 Pain-related cognitions and emotional distress are not associated with conditioned pain modulation: an explorative analysis of 1142 participants with acute, subacute, and chronic pain. **2023**, Publish Ahead of Print, ○

- 118 A randomized comparison of group mindfulness and group cognitive behavioral therapy vs control for couples after prostate cancer with sexual dysfunction. ○
- 117 Discovering the Relationship between Anxiety or Depression and Risk Factors of Coronary Artery Disease. **2023**, 11, 5-8 ○
- 116 Insomnia and risk of dementia in a large population-based study with 11-year follow-up: The HUNT study. ○
- 115 Autoantibody Correlation Signatures in Fibromyalgia and Myalgic Encephalomyelitis/Chronic Fatigue Syndrome: Association with Symptom Severity. **2023**, 11, 257 ○
- 114 Diagnosis and treatment of intractable idiopathic orofacial pain with attention-deficit/hyperactivity disorder. **2023**, 13, ○
- 113 Metacognitive therapy home-based self-help for anxiety and depression in cardiovascular disease patients in the UK: A single-blind randomised controlled trial. **2023**, 20, e1004161 ○
- 112 Patient-reported burden of myasthenia gravis: baseline results of the international prospective, observational, longitudinal real-world digital study MyRealWorld-MG. **2023**, 13, e066445 ○
- 111 Development and Validation of a Multidimensional Short Version Zarit Burden Interview (ZBI-9) for Caregivers of Persons With Cognitive Impairment. Publish Ahead of Print, ○
- 110 A Longitudinal Study Exploring the Role of Mental Health Symptoms and Social Support Regarding Life Satisfaction 18 Months after Initiation of Gender-Affirming Hormone Treatment. **2023**, 11, 379 ○
- 109 Mood symptoms in cervical dystonia: Relationship with motor symptoms and quality of life. **2023**, 8, 100186 ○
- 108 Patients' Expectations Before Initiation of Intrathecal Baclofen Treatment: A Longitudinal Study with 1-Year Follow-Up. 55, jrm00371 ○
- 107 A study of modifiable factors associated with health-related quality of life in long-term cervical cancer survivors. **2023**, 102, 218-225 ○
- 106 Evaluation of Satisfaction with Healthcare Services in Multimorbid Patients Using PACIC+ Questionnaire: A Cross-Sectional Study. **2023**, 59, 276 ○
- 105 Changes to coping and its relationship to improved wellbeing in the optimal health program for chronic disease. **2023**, 3, 100190 ○
- 104 Diagnostic Imaging for Chronic Orofacial Pain, Maxillofacial Osseous and Soft Tissue Pathology and Temporomandibular Disorders. **2006**, 34, 633-644 ○
- 103 The Effect of Intervention Approaches of Emotion Regulation and Learning Strategies on Students' Learning and Mental Health. **2023**, 60, 004695802311599 ○
- 102 Telephone-based evaluation of cognitive impairment and mood disorders among out-of-hospital cardiac arrest survivors with good neurologic outcome: a retrospective cohort study. ○
- 101 Me & my family: a programme for children and parents in families with parental substance use problems. An outcome study. 1-12 ○

- 100 Using Positive Psychology to Address Emotional Barriers to Physical Activity After Bariatric Surgery: Proof-of-Concept Trial of the Gaining Optimism After Weight Loss Surgery (GOALS) Project. **2023**, ○
- 99 Longitudinal association between N-terminal B-type natriuretic peptide, anxiety and social support in patients with HFpEF: results from the multicentre randomized controlled Aldo-DHF trial. **2023**, 23, ○
- 98 Long-term outcome after decompressive hemicraniectomy for malignant middle cerebral artery infarction. ○
- 97 Anxiety and depression are associated with poor outcomes in open elbow arthrolysis. **2023**, ○
- 96 Somatic symptoms in burnout in a general adult population. **2023**, 168, 111217 ○
- 95 The impact of Virtual Reality on Anxiety and Functional Capacity in Cardiac Rehabilitation: A Systematic Review and Meta-analysis. **2023**, 48, 101628 1
- 94 COVID-19 and coping: Absence of previous mental health issues as a potential risk factor for poor wellbeing in females. **2023**, 2, 100113 ○
- 93 A Randomized Controlled Trial of Mindfulness in Recovery from Colorectal Cancer. ○
- 92 Evaluation of a step-up treatment programme for individuals inscribed with a psychiatric diagnosis of eating disorder. **2019**, 1, 23-27 ○
- 91 A psychological symptom based machine learning model for clinical evaluation of irritable bowel syndrome. 3, 19 ○
- 90 Assessment of preoperative anxiety and depression in patients with pulmonary ground-glass opacities: Risk factors and postoperative outcomes. 10, ○
- 89 Validation of the Arabic Version of the Edmonton Symptom Assessment System. **2023**, 20, 2571 ○
- 88 Changes in Health Status and Health Related Quality of Life from Six Months to Five Years in Out-Of-Hospital Cardiac Arrest Survivors I^A NORCAST Sub Study. ○
- 87 Effect of receiving mobile text messages on cortisol concentrations in students at the University of the Free State. 28, ○
- 86 A Cross-Sequential Study of the Effect of the Coronavirus Disease 2019 Pandemic on the Risk of Anxiety and Depression of Royal Flying Doctors Staff, an Australian Air Medical Organization. **2023**, ○
- 85 Identifying frailty and its associated factors in patients with axial spondyloarthritis. **2023**, 26, 519-530 ○
- 84 Mindfulness-based intervention for clinical and subthreshold perinatal depression and anxiety: A systematic review and meta-analysis of randomized controlled trial. **2023**, 122, 152375 ○
- 83 Prevalence and risk factors for anxiety and depression among community dwelling patients with cervical spondylosis during the COVID-19 pandemic. **2023**, 9, e13497 ○

82	Prognostic Value of Magnesium in COVID-19: Findings from the COMEPA Study. 2023 , 15, 830	○
81	Dyadic Associations Between Burden and Depressive Symptoms Among Patients With Heart Failure and Their Caregivers. Publish Ahead of Print,	○
80	Related Factors with Depression and Anxiety in Mastectomized Women Breast Cancer Survivors. 2023 , 20, 2881	1
79	Biofeedback EMG alternative therapy for chronic low back pain (the BEAT-pain study). 2023 , 9, 205520762311543	○
78	Depression screening in patients with aneurysmal subarachnoid haemorrhage and their caregivers: A systematic review. 2023 ,	○
77	Musculoskeletal Health Complaints and Associated Risk Factors in Freshmen Music Students. 2023 , 20, 3169	○
76	Anxiety and Depression Levels and Coping Strategies among Polish Healthcare Workers during the COVID-19 Pandemic. 2023 , 20, 3319	○
75	Establishing the Minimum Clinically Significant Difference (MCID) and the Patient Acceptable Symptom Score (PASS) for the Hospital Anxiety and Depression Scale (HADS) in Patients with Rotator Cuff Disease and Shoulder Prosthesis. 2023 , 12, 1540	○
74	How subjective well-being, patient-reported clinical improvement (PROMs) and experience of care (PREMs) relate in an acute psychiatric care setting?. 2023 , 66,	○
73	Digital peer-to-peer support programme for informal caregivers of people living with motor neuron disease: study protocol for a multi-centre parallel group, single-blinded (outcome assessor) randomised controlled superiority trial. 2023 , 24,	○
72	Proportion of clinical holistic responders in patients with persistent spinal pain syndrome type II treated by subthreshold spinal cord stimulation compared to best medical treatment: a study protocol for a multicentric randomised controlled trial (TRADITION). 2023 , 24,	○
71	EEG Beta functional connectivity decrease in the left amygdala correlates with the affective pain in fibromyalgia: A pilot study. 2023 , 18, e0281986	○
70	Factors influencing COVID-19 health protective behaviours in Zambian university students with symptoms of low mood. 2023 , 23,	○
69	Levels of Anxiety and Fear among Nurses During the COVID-19 Pandemic: A Systematic Review. 2023 , 2023, 1-18	○
68	Negative representations of night-shift work and mental health of public hospital healthcare workers in the COVID-19 era (Aladdin survey). 2023 , 23,	○
67	A network analysis of difficulties in emotion regulation, anxiety, and depression for adolescents in clinical settings. 2023 , 17,	○
66	Impact of insomnia on mental status among chronic disease patients during Covid-19 pandemic. 2023 , 27, 100879	○
65	Complementary Therapy Learning in the Setting of Lung Transplantation: A Single-Center Observational Study of Appropriation and Efficacy. 2023 , 12, 1722	○

- 64 Food avoidance in anorexia nervosa: associated and predicting factors. **2023**, 28,
- 63 Social Stigma, Mental Health, Stress, and Health-Related Quality of Life in People with Long COVID. **2023**, 20, 3927
- 62 Physicians' Distress Related to Moral Issues and Mental Health In-Between Two Late Waves of COVID-19 Contagions. **2023**, 20, 3989
- 61 Patterns of Objectively Measured Sedentary Behavior and Physical Activity and Their Association with Changes in Physical and Functional Performance in Geriatric Rehabilitation Inpatients. **2023**,
- 60 A feasibility study of pre-sleep audio and visual alpha brain entrainment for people with chronic pain and sleep disturbance. 4,
- 59 Affective and cognitive symptoms associated with burnout in a general population: Are there sex-related differences?.
- 58 Normative Scores on the Norwegian Version of the Mini-Mental State Examination. **2023**, 92, 831-842
- 57 A randomised trial of Mindfulness-based Social Work and Self-Care with social workers.
- 56 Twelve-month follow-up after hospitalization for SARS-COV-2: physiology improves, symptoms remain. **2023**, 104686
- 55 Sensory profiling in classical Ehlers-Danlos syndrome: a case-control study revealing pain characteristics, somatosensory changes, and impaired pain modulation.
- 54 Determinants of information needs in patients with coronary artery disease receiving cardiac rehabilitation: a prospective observational study. **2023**, 13, e068351
- 53 One Meaning for Two Persons: An Actor-Partner Interdependence Model Analysis of Meaning in Life, Anxiety, and Depression Among Rehabilitation Patients and Caregivers. **2023**,
- 52 Vascular Factors in Patients with Midlife Sensorineural Hearing Loss and the Progression to Mild Cognitive Impairment. **2023**, 59, 481
- 51 Pain intensity and psychological distress show different associations with interference and lack of life control: A clinical registry-based cohort study of >40,000 chronic pain patients from SQRP. 4,
- 50 Test-retest reliability of a simple bedside-quantitative sensory testing battery for chronic neuropathic pain. **2023**, 8, e1049
- 49 Phase I cardiac rehabilitation with 5-phase music after emergency percutaneous coronary intervention for acute myocardial infarction: A prospective randomized study. **2023**, 102, e33183
- 48 Management of neuropsychiatric adverse events in a prostate cancer patient undergoing chimeric antigen receptor T-cell immunotherapy (a phase I clinical trial): A case report. **2023**, 10, 100211
- 47 The complex relation between visual complaints and decline in visual, visuoperceptual and cognitive functions in people with multiple sclerosis. 1-24

- 46 Impact of the COVID-19 Pandemic on the Level of Anxiety and Depression in Caregivers of Children Benefiting from Neurorehabilitation Services. **2023**, 20, 4564 ○
- 45 Neurological and Psychiatric Manifestations of Post-COVID-19 Conditions. **2023**, 38, ○
- 44 Stress, mental ill-health and functional somatic syndromes in incident and chronic sleep disturbance in a general adult population. **2023**, 11, ○
- 43 Genicular artery embolization for early-stage knee osteoarthritis: results from a triple-blind single-centre randomized controlled trial. **2023**, 4, 158-167 ○
- 42 A temporal examination of inspiratory muscle strength and endurance in hospitalized COVID-19 patients. **2023**, 60, 95-101 ○
- 41 Massed v. standard prolonged exposure therapy for PTSD in military personnel and veterans: 12-month follow-up of a non-inferiority randomised controlled trial. 1-8 ○
- 40 Interdisciplinary Multimodal Pain Rehabilitation in Patients with Chronic Musculoskeletal Pain in Primary Care: A Cohort Study from the Swedish Quality Registry for Pain Rehabilitation (SQRP). **2023**, 20, 5051 ○
- 39 Cross-cultural adaptation, reliability, and validity of the pain self-efficacy questionnaire - Hebrew version. **2023**, 64, 102749 ○
- 38 Clinical outcomes of a short-term family-focused intervention for patients with atrial fibrillation: A randomised clinical trial. **2023**, 18, e0282639 ○
- 37 Trait profiles in difficult-to-treat asthma: Clinical impact and response to systematic assessment. ○
- 36 Trajectories of child mental health, physical activity and screen-time during the COVID-19 pandemic considering different family situations: results from a longitudinal birth cohort. **2023**, 17, ○
- 35 Autobiographical memories cued by self-statements in patients with alcohol use disorder: linking self-conceptions to past events. **2023**, 31, 732-746 ○
- 34 Bariatric Surgery and Psychological Health: A Randomised Clinical Trial in Patients with Obesity and Type 2 Diabetes. ○
- 33 Role of depressive symptoms on the development of pelvic girdle pain in pregnancy: A prospective inception cohort study. ○
- 32 Post-Intensive Care Syndrome in Patients Suffering From Acute Subarachnoid Hemorrhage: Results From an Outpatient Post-ICU Aftercare Clinic. **2023**, ○
- 31 Risk of recurrent cardiovascular events in coronary artery disease patients with Type D personality. 14, ○
- 30 Comparing two durations of medically tailored meals posthospitalization: A randomized clinical trial. ○
- 29 The relationship between peer victimisation, self-esteem, and internalizing symptoms in adolescents: A systematic review and meta-analysis. **2023**, 18, e0282224 ○

- 28 A brief online mindful parenting program: Feasibility and initial effects pilot in a community sample. ○
- 27 Anxiety and depression in maintenance hemodialysis patients: prevalence and their effects on health-related quality of life. ○
- 26 The added value of supervised hydrotherapy sessions to a 12-week exercise program after breast cancer treatment: a three-arm pseudo-randomized pilot study. **2023**, 14, 540 ○
- 25 Associations between excessive fatigue and pain, sleep, mental-health and work factors in Norwegian nurses. **2023**, 18, e0282734 ○
- 24 Solution Based on Mobile Web Application to Detect and Treat Patients with Mental Disorders. **2023**, 223-231 ○
- 23 Protocol for The Promoting Resilience in Stress Management (PRISM) Intervention: a multi-site randomized controlled trial for adolescents and young adults with advanced cancer. ○
- 22 Reducing Anxiety and Dyspnea via Device-Guided Breathing (RELAX): A Multi-Site Feasibility Study in Post-Treatment Lung Cancer Survivors at Community Cancer Clinics (WF-01213). **2023**, 22, 153473542311644 ○
- 21 Guided Self-rehabilitation Contract vs conventional therapy in chronic peripheral facial paresis: VISAGE, a multicenter randomized controlled trial. **2023**, 23, ○
- 20 Predictors and sub-groups in the treatment of stress-induced exhaustion disorder. 1-22 ○
- 19 Evaluaci3n del Miedo a la Recurrencia del c3ncer en espa3ol: el Cuestionario de Miedo a la Recurrencia del C3ncer y Escala General del Miedo a la Recurrencia del C3ncer: un estudio piloto. **2023**, 20, 155-173 ○
- 18 Buspirone for early satiety and symptoms of gastroparesis: A multi-centre, randomised, placebo-controlled, double-masked trial (BESST). ○
- 17 Unmet supportive care needs among informal caregivers of patients with head and neck cancer in the first 2 years after diagnosis and treatment: a prospective cohort study. **2023**, 31, ○
- 16 Cohort profile: Recruitment and retention in a prospective cohort of Canadian health care workers during the Covid-19 pandemic. ○
- 15 Automated Oxygen Administration Alleviates Dyspnea in Patients Admitted with Acute Exacerbation of COPD: A Randomized Controlled Trial. Volume 18, 599-614 ○
- 14 Local brain oscillations and interregional connectivity differentially serve sensory and expectation effects on pain. **2023**, 9, ○
- 13 Cohort profile of PLUTO: a perioperative biobank focusing on prediction and early diagnosis of postoperative complications. **2023**, 13, e068970 ○
- 12 Development and preliminary psychometric evaluation of the COPD-related Stigma Scale. **2023**, 61, 22-28 ○
- 11 Neurodevelopmental outcomes of neonatal posthemorrhagic hydrocephalus and psychological effects on the parents. ○

- 10 How Treatment Motivation Predicts Favorable Outcomes in Interdisciplinary Multimodal Pain Treatment Among Patients with Chronic Primary Pain. ○
- 9 To Be Aware, or To Accept, that is the Question: Differential Roles of Awareness of Automaticity and Pain Acceptance in Opioid Misuse. **2023**, 109890 ○
- 8 A randomized trial to evaluate the effects of a supervised exercise program on insomnia in patients with non-metastatic breast cancer undergoing chemotherapy: design of the FATSOMCAN study. ○
- 7 Anxiety and Depressive Symptoms Correlated to Patient-Reported Outcome Measures after Rotator Cuff Repair: A Prospective Study in the Perioperative Period. **2023**, 12, 2999 ○
- 6 Validation of the Hospital Anxiety and Depression Scale Russian-language version in the general population. **2023**, 26, 7 ○
- 5 Acupuncture for chemotherapy-associated insomnia in breast cancer patients: an assessor-participant blinded, randomized, sham-controlled trial. **2023**, 25, ○
- 4 Effects of interdisciplinary pain rehabilitation programs on neuropathic and non-neuropathic chronic pain conditions: a registry-based cohort study from Swedish Quality Registry for Pain Rehabilitation (SQRP). **2023**, 24, ○
- 3 Immersive virtual reality as support for the mental health of elderly women: a randomized controlled trial. ○
- 2 Religious coping and depressive symptoms in people living with HIV in Ghana. 1-15 ○
- 1 Protocol for the promoting resilience in stress management (PRISM) intervention: a multi-site randomized controlled trial for adolescents and young adults with advanced cancer. **2023**, 22, ○