CITATION REPORT List of articles citing

Postnatal developmental profile of brain-derived neurotrophic factor in rat brain and platelets

DOI: 10.1016/s0304-3940(02)00529-3 Neuroscience Letters, 2002, 328, 261-4.

Source: https://exaly.com/paper-pdf/34297182/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
683	Postnatal developmental profile of brain-derived neurotrophic factor in rat brain and platelets. <i>Neuroscience Letters</i> , 2002 , 328, 261-4	3.3	654
682	Levels of serum brain-derived neurotrophic factor in primates. 2003, 44, 167-9		11
681	Serum brain-derived neurotrophic factor (BDNF) levels in schizophrenia are indistinguishable from controls. <i>Neuroscience Letters</i> , 2003 , 351, 111-111	3.3	1
680	Serum brain-derived neurotrophic factor (BDNF) levels in schizophrenia are indistinguishable from controls. <i>Neuroscience Letters</i> , 2003 , 351, 111-4	3.3	121
679	Alterations of serum levels of brain-derived neurotrophic factor (BDNF) in depressed patients with or without antidepressants. 2003 , 54, 70-5		887
678	Changes in neurotrophin levels in umbilical cord blood from infants with different gestational ages and clinical conditions. <i>Pediatric Research</i> , 2003 , 53, 965-9	3.2	73
677	BDNF serum concentrations in healthy volunteers are associated with depression-related personality traits. 2004 , 29, 795-8		184
676	Serum neurotrophin concentrations in autism and mental retardation: a pilot study. 2004 , 26, 292-5		161
675	Perinatal changes of brain-derived neurotrophic factor in pre- and fullterm neonates. 2004 , 76, 17-22		42
674	State of the art of the neurotrophin hypothesis in psychiatric disorders: implications and limitations. 2004 , 111, 387-411		104
673	Impact of aerobic training on immune-endocrine parameters, neurotrophic factors, quality of life and coordinative function in multiple sclerosis. 2004 , 225, 11-8		213
672	Critical role of brain-derived neurotrophic factor in mood disorders. 2004 , 45, 104-14		373
671	Low serum levels of brain-derived neurotrophic factor in patients with schizophrenia do not elevate after antipsychotic treatment. 2004 , 28, 709-13		112
670	Brain-derived neurotrophic factor serum concentrations are increased in drug-naive schizophrenic patients with chronic cannabis abuse and multiple substance abuse. <i>Neuroscience Letters</i> , 2004 , 371, 79-83	3.3	79
669	Opposite changes in the serum brain-derived neurotrophic factor in anorexia nervosa and obesity. 2004 , 66, 744-8		88
668	Transcranial magnetic stimulation and BDNF plasma levels in amyotrophic lateral sclerosis. 2004 , 15, 717-20		53
667	Effect of treatment on serum brain-derived neurotrophic factor levels in depressed patients. 2005 , 255, 381-6		270

(2006-2005)

666	Association of BDNF serum concentrations with central serotonergic activity: evidence from auditory signal processing. 2005 , 30, 1148-53	50
665	Brain-derived neurotrophic factor in platelets and airflow limitation in asthma. 2005 , 171, 115-20	94
664	Regulation of brain-derived neurotrophic factor (BDNF) during sleep apnoea treatment. 2005 , 60, 688-92	23
663	Circulating brain-derived neurotrophic factor is decreased in women with anorexia and bulimia nervosa but not in women with binge-eating disorder: relationships to co-morbid depression, psychopathology and hormonal variables. 2005 , 35, 897-905	93
662	Partial normalization of serum brain-derived neurotrophic factor in remitted patients after a major depressive episode. 2005 , 51, 234-8	157
661	Dysfunction of Glia-Neuron Communication in Pathophysiology of Schizophrenia. 2005 , 1, 151-163	62
660	Decreased BDNF in serum of patients with chronic schizophrenia on long-term treatment with antipsychotics. <i>Neuroscience Letters</i> , 2005 , 382, 27-32	125
659	High concentrations of plasma brain-derived neurotrophic factor in methamphetamine users. Neuroscience Letters, 2005, 388, 112-5 3-3	70
658	Is autism caused by early hyperactivity of brain-derived neurotrophic factor?. 2005, 65, 79-82	74
657	Possible involvement of the BDNF-dependent pathway in treatment-emergent suicidality or decreased response to antidepressants. 2005 , 65, 942-6	18
656	Neurotrophins in clinical diagnostics: pathophysiology and laboratory investigation. 2005, 352, 49-74	51
655	Serum brain-derived neurotrophic factor (BDNF) levels in patients with panic disorder: as a biological predictor of response to group cognitive behavioral therapy. 2005 , 29, 658-63	63
654	The impact of age, weight and gender on BDNF levels in human platelets and plasma. 2005, 26, 115-23	593
653	Caloric restriction does not reverse aging-related changes in hippocampal BDNF. 2005 , 26, 683-8	47
652	Decreased plasma brain-derived neurotrophic factor levels in schizophrenic patients with tardive dyskinesia: association with dyskinetic movements. 2005 , 74, 263-70	73
651	Peripheral levels of BDNF and NGF in primary headaches. 2006 , 26, 136-42	51
650	Electroconvulsive Therapy (ECT) increases serum Brain Derived Neurotrophic Factor (BDNF) in drug resistant depressed patients. 2006 , 16, 620-4	131
649	Serum brain-derived neurotrophic factor level is increased and associated with obesity in newly diagnosed female patients with type 2 diabetes mellitus. 2006 , 55, 852-7	137

648	Serum brain-derived neurotrophic factor is decreased in bipolar disorder during depressive and manic episodes. <i>Neuroscience Letters</i> , 2006 , 398, 215-9	3.3	311
647	Adequate antipsychotic treatment normalizes serum nerve growth factor concentrations in schizophrenia with and without cannabis or additional substance abuse. <i>Neuroscience Letters</i> , 2006 , 400, 262-6	3.3	23
646	Selected neurotrophins, neuropeptides, and cytokines: developmental trajectory and concentrations in neonatal blood of children with autism or Down syndrome. 2006 , 24, 73-80		112
645	Plasma levels of brain derived-neurotrophic factor and catecholamine metabolites are increased during active phase of psychotic symptoms in CNS lupus: a case report. 2006 , 30, 1359-63		13
644	Brain-derived neurotrophic factor (BDNF) changes in the serum of depressed women. 2006 , 30, 1256-6	0	159
643	Reduced serum levels of brain-derived neurotrophic factor in adult male patients with autism. 2006 , 30, 1529-31		94
642	[Depression and BDNF]. 2006 , 127, 201-4		6
641	Decreased levels of whole blood glial cell line-derived neurotrophic factor (GDNF) in remitted patients with mood disorders. 2006 , 9, 607-12		98
640	Stage-dependent BDNF serum concentrations in Alzheimer's disease. 2006 , 113, 1217-24		246
639	Serum BDNF, TNF-alpha and IL-1beta levels in dementia patients: comparison between Alzheimer's disease and vascular dementia. 2006 , 256, 402-6		125
638	[Brain-derived neurotrophic factor: from nerve growth factor to modulator of brain plasticity in cognitive processes and psychiatric diseases]. 2006 , 77, 523-37		21
637	Brain-derived neurotrophic factor serum concentrations in depressive patients during vagus nerve stimulation and repetitive transcranial magnetic stimulation. 2006 , 187, 56-9		53
636	Effect of repetitive transcranial magnetic stimulation on serum brain derived neurotrophic factor in drug resistant depressed patients. <i>Journal of Affective Disorders</i> , 2006 , 91, 83-6	6.6	118
635	Associations between serum brain-derived neurotrophic factor levels and clinical phenotypes in schizophrenia patients. <i>Journal of Psychiatric Research</i> , 2006 , 40, 664-8	5.2	100
634	Growth-associated gene and protein expression in the region of axonal sprouting in the aged brain after stroke. 2006 , 23, 362-73		126
633	Maternal serum concentrations of BDNF and depression in the perinatal period. 2006 , 31, 388-94		83
632	Effect of risperidone on plasma catecholamine metabolites and brain-derived neurotrophic factor in patients with bipolar disorders. 2006 , 21, 433-8		41
631	Serum brain-derived neurotrophic factor concentrations in lean and overweight children and adolescents. 2006 , 91, 3548-52		87

(2007-2006)

630	influencing catecholamine and brain-derived neurotrophic factors. 2006 , 39, 52-9	112
629	Effect of Brain Derived Neurotrophic Factor (BDNF) Gene Variants on Therapeutic Response and the Risk for Schizophrenia. 2006 , 4, 169-175	1
628	Immobilization stress induces BDNF in rat submandibular glands. 2006 , 85, 844-8	37
627	Brain-derived neurotrophic factor in schizophrenia and its relation with dopamine. 2007 , 78, 377-95	42
626	Chronic heroin and cocaine abuse is associated with decreased serum concentrations of the nerve growth factor and brain-derived neurotrophic factor. 2007 , 21, 820-5	93
625	The effect of acute exercise on serum brain-derived neurotrophic factor levels and cognitive function. 2007 , 39, 728-34	555
624	Brain-derived neurotrophic factor and its intracellular signaling pathways in cocaine addiction. 2007 , 55, 2-13	66
623	Blood levels of brain-derived neurotrophic factor correlate with several psychopathological symptoms in anorexia nervosa patients. 2007 , 56, 185-90	25
622	Changes in brain-derived neurotrophic factor following treatment with mifepristone in bipolar disorder and schizophrenia. 2007 , 41, 321-6	35
621	Brain-Derived Neurotrophic Factor and Major Depression. 2007 , 42, 59-66	
620	Psychopharm Review: CME QUIZ. 2007 , 42, 66	
619	A Clinical View of BDNF-TrkB Signaling in the Treatment of Major Depression. 2007 , 2, 186-189	O
618	Low plasma BDNF is associated with suicidal behavior in major depression. 2007, 31, 78-85	195
617	Treatment with risperidone for 4 weeks increased plasma 3-methoxy-4-hydroxypnenylglycol (MHPG) levels, but did not alter plasma brain-derived neurotrophic factor (BDNF) levels in schizophrenic patients. 2007 , 31, 1072-7	51
616	Serum neurotrophinsa study on the time course and influencing factors in a large old age sample. 2007 , 28, 1436-45	220
615	Measurements of brain-derived neurotrophic factor: methodological aspects and demographical data. 2007 , 73, 143-9	160
615		160 29

612	Increased plasma brain-derived neurotrophic factor levels in chronic smokers following unaided smoking cessation. <i>Neuroscience Letters</i> , 2007 , 423, 53-7	3.3	65
611	Age-related changes in BDNF protein levels in human serum: differences between autism cases and normal controls. 2007 , 25, 367-72		113
610	Influence of endogenous and exogenous sex hormones on plasma brain-derived neurotrophic factor. 2007 , 22, 995-1002		175
609	Neurotrophins and schizophrenia. 2007 , 94, 1-11		134
608	Decreased plasma brain derived neurotrophic factor levels in unmedicated bipolar patients during manic episode. 2007 , 61, 142-4		177
607	Correlation between serum brain-derived neurotrophic factor level and an in vivo marker of cortical integrity. 2007 , 62, 530-5		128
606	Low brain-derived neurotrophic factor (BDNF) levels in serum of Huntington's disease patients. 2007 , 144B, 574-7		122
605	Val66met polymorphism and serum brain-derived neurotrophic factor levels in bipolar disorder. 2007 , 12, 230-1		49
604	Traumatic life events in bipolar disorder: impact on BDNF levels and psychopathology. 2007 , 9 Suppl 1, 128-35		112
603	Decreased plasma brain-derived neurotrophic factor levels in patients with alcohol dependence. 2007 , 31, 1833-8		99
602	Altered brain-derived neurotrophic factor blood levels and gene variability are associated with anorexia and bulimia. 2007 , 6, 706-16		67
601	Neurobiology of depression: an integrated view of key findings. 2007 , 61, 2030-40		222
600	Intrauterine growth restriction and circulating neurotrophin levels at term. 2007, 83, 465-9		33
599	The nitric oxide system response to hypoxia/reoxygenation in the aged cerebral cortex. 2007 , 42, 1137	7-45	17
598	Reduced serum BDNF levels in schizophrenic patients on clozapine or typical antipsychotics. Journal of Psychiatric Research, 2007 , 41, 31-5	5.2	130
597	BDNF serum and CSF concentrations in Alzheimer's disease, normal pressure hydrocephalus and healthy controls. <i>Journal of Psychiatric Research</i> , 2007 , 41, 387-94	5.2	204
596	Increased BDNF serum concentration in fibromyalgia with or without depression or antidepressants. <i>Journal of Psychiatric Research</i> , 2007 , 41, 600-5	5.2	79
595	Serum BDNF levels and weight gain in schizophrenic patients on long-term treatment with antipsychotics. <i>Journal of Psychiatric Research</i> , 2007 , 41, 997-1004	5.2	74

(2008-2008)

594	Plasma concentrations of brain-derived neurotrophic factor in patients undergoing minor surgery: a randomized controlled trial. 2008 , 33, 1325-31		12
593	Reduced number of taste papillae in patients with eating disorders. 2008, 115, 537-44		14
592	Increase of BDNF serum concentration during donepezil treatment of patients with early Alzheimer's disease. 2008 , 258, 124-8		91
591	Addition of risperidone to sertraline improves sertraline-resistant refractory depression without influencing plasma concentrations of sertraline and desmethylsertraline. 2008 , 23, 707-13		12
590	Brain-derived neurotrophic factor and autism: maternal and infant peripheral blood levels in the Early Markers for Autism (EMA) Study. 2008 , 1, 130-7		48
589	Decreased levels of serum brain-derived neurotrophic factor in both depressed and euthymic patients with unipolar depression and in euthymic patients with bipolar I and II disorders. 2008 , 10, 95-	100	121
588	Neurobiology of addiction. An integrative review. 2008 , 75, 266-322		276
587	Plasma and serum brain-derived neurotrophic factor (BDNF) in depressed patients during 1 year of antidepressant treatments. <i>Journal of Affective Disorders</i> , 2008 , 105, 279-83	6.6	160
586	Acute prefrontal cortex transcranial magnetic stimulation in healthy volunteers: no effects on brain-derived neurotrophic factor (BDNF) concentrations in serum. <i>Journal of Affective Disorders</i> , 2008 , 107, 255-8	6.6	24
585	Whole blood BDNF levels in healthy twins discordant for affective disorder: association to life events and neuroticism. <i>Journal of Affective Disorders</i> , 2008 , 108, 165-9	6.6	28
584	Serum brain-derived neurotrophic factor levels in patients with major depression: effects of antidepressants. <i>Journal of Psychiatric Research</i> , 2008 , 42, 521-5	5.2	125
583	Brain-derived neurotrophic factor and its receptor tropomyosin-related kinase B in the mechanism of action of antidepressant therapies. 2008 , 117, 30-51		150
582	Ethanol-BDNF interactions: still more questions than answers. 2008, 118, 36-57		112
581	A systematic review and meta-analysis of clinical studies on major depression and BDNF levels: implications for the role of neuroplasticity in depression. 2008 , 11, 1169-80		644
580	Low serum levels of brain-derived neurotrophic factor and epidermal growth factor in patients with chronic schizophrenia. 2008 , 101, 58-66		117
579	Serum brain-derived neurotrophic factor, depression, and antidepressant medications: meta-analyses and implications. 2008 , 64, 527-32		891
578	Diurnal variation of plasma brain-derived neurotrophic factor (BDNF) in humans: an analysis of sex differences. 2008 , 25, 819-26		84
577	Influence of exercise on serum brain-derived neurotrophic factor concentrations in healthy human subjects. <i>Neuroscience Letters</i> , 2008 , 431, 62-5	3.3	184

576	Decreased serum brain-derived neurotrophic factor in trained men. <i>Neuroscience Letters</i> , 2008 , 437, 29-323	68
575	Increased serum levels of brain-derived neurotrophic factor in chronic institutionalized patients with schizophrenia. <i>Neuroscience Letters</i> , 2008 , 439, 157-9	83
574	Relationship of serum brain-derived neurotrophic factor (BDNF) and health-related lifestyle in healthy human subjects. <i>Neuroscience Letters</i> , 2008 , 447, 124-8	67
573	Facteurs de risque environnementaux 🛭 a schizophr 🖺 ie. 2008 , 166, 606-611	О
572	Impact of exercise on neuroplasticity-related proteins in spinal cord injured humans. 2008, 153, 1064-70	44
571	BDNF is a novel marker of cognitive function in ageing women: the DR's EXTRA Study. 2008 , 90, 596-603	237
570	Stress at work alters serum brain-derived neurotrophic factor (BDNF) levels and plasma 3-methoxy-4-hydroxyphenylglycol (MHPG) levels in healthy volunteers: BDNF and MHPG as possible biological markers of mental stress?. 2008 , 32, 679-85	68
569	Efficacy of electroconvulsive therapy is associated with changing blood levels of homovanillic acid and brain-derived neurotrophic factor (BDNF) in refractory depressed patients: a pilot study. 2008 , 32, 1185-90	67
568	Investigation of serum BDNF levels in drug-naive patients with schizophrenia. 2008, 32, 1308-11	89
567	Brain-derived neurotrophic factor and neuroplasticity in bipolar disorder. 2008 , 8, 1101-13	133
566	Abeta(1-42) injection causes memory impairment, lowered cortical and serum BDNF levels, and decreased hippocampal 5-HT(2A) levels. 2008 , 210, 164-71	71
565	Acute tryptophan depletion does not alter central or plasma brain-derived neurotrophic factor in the rat. 2008 , 18, 317-22	9
564	Reduced serum concentrations of nerve growth factor, but not brain-derived neurotrophic factor, in chronic cannabis abusers. 2008 , 18, 882-7	31
563	Serum brain-derived neurotrophic factor response to aerobic exercise in multiple sclerosis. 2008 , 269, 85-91	99
562	BDNF levels and genotype are associated with antipsychotic-induced weight gain in patients with chronic schizophrenia. 2008 , 33, 2200-5	85
561	Plasma brain-derived neurotrophic factor as a peripheral marker for the action mechanism of antidepressants. 2008 , 57, 194-9	100
560	Alterations of serum brain-derived neurotrophic factor levels in early alcohol withdrawal. 2008, 43, 241-5	57
559	Brain-derived neurotrophic factor and antidepressant action: another piece of evidence from pharmacogenetics. 2008 , 9, 1353-8	20

558	Neurobiological factors linking personality traits and major depression. 2008, 53, 6-13	26
557	No influence of noradrenaline manipulation on acute exercise-induced increase of brain-derived neurotrophic factor. 2008 , 40, 1990-6	42
556	Peripheral Blood Leukocyte Production of BDNF following Mitogen Stimulation in Early Onset and Regressive Autism. 2008 , 4, 121-129	17
555	Continuous decrease in serum brain-derived neurotrophic factor (BDNF) levels in a neuropsychiatric syndrome of systemic lupus erythematosus patient with organic brain changes. 2008 , 4, 1277-81	11
554	Brain-derived neurotrophic factor in infants . <i>Pediatric Research</i> , 2009 , 65, 548-52	33
553	Brain-derived neurotrophic factor: role in depression and suicide. 2009 , 5, 433-49	210
552	Correlations and discrepancies between serum and brain tissue levels of neurotrophins after electroconvulsive treatment in rats. 2009 , 42, 270-6	205
551	Changes in BDNF serum levels in patients with major depression disorder (MDD) after 6 months treatment with sertraline, escitalopram, or venlafaxine. <i>Journal of Psychiatric Research</i> , 2009 , 43, 247-54 ^{5,2}	189
550	Changes in plasma levels of BDNF and NGF reveal a gender-selective vulnerability to early adversity in rhesus macaques. 2009 , 34, 172-180	55
549	Alterations of behavioral and endocrinological reactivity induced by 3 brief social defeats in rats: relevance to human psychopathology. 2009 , 34, 1405-16	30
548	The NGF saga: from animal models of psychosocial stress to stress-related psychopathology. 2009 , 30, 379-95	113
547	Decreased levels of serum brain-derived neurotrophic factor in drug-nalle first-episode schizophrenia: relationship to clinical phenotypes. 2009 , 207, 375-80	110
546	Depression and antidepressants: molecular and cellular aspects. 2009 , 66, 2985-3008	57
545	Cognitive function and serum levels of brain-derived neurotrophic factor in patients with bipolar disorder. 2009 , 11, 663-71	70
544	Relation between plasma brain-derived neurotrophic factor and nerve growth factor in the male patients with alcohol dependence. 2009 , 43, 265-9	45
543	Plasma brain-derived neurotrophic factor in women after bariatric surgery: a pilot study. 2009 , 91, 1544-8	21
542	Plasma BDNF is reduced among middle-aged and elderly women with impaired insulin function: evidence of a compensatory mechanism. 2009 , 71, 147-52	21
541	Effects of fluoxetine and venlafaxine on serum brain derived neurotrophic factor levels in depressed patients. 2009 , 33, 281-5	62

540	Reduced platelet BDNF level in patients with major depression. 2009, 33, 849-53	90
539	Brain-derived neurotrophic factor plasma levels in patients suffering from post-traumatic stress disorder. 2009 , 33, 899-902	104
538	Decreased serum BDNF levels in chronic institutionalized schizophrenia on long-term treatment with typical and atypical antipsychotics. 2009 , 33, 1508-12	121
537	Cardio-respiratory fitness, habitual physical activity and serum brain derived neurotrophic factor (BDNF) in men and women. <i>Neuroscience Letters</i> , 2009 , 451, 152-5	96
536	Is serum brain-derived neurotrophic factor a biomarker for cognitive enhancement in schizophrenia?. 2009 , 66, 549-53	184
535	Brain-derived neurotrophic factor in patients with normal-tension glaucoma. 2009 , 80, 635-8	44
534	Brain-derived neurotrophic factor and inflammatory markers in patients with early- vs. late-stage bipolar disorder. 2009 , 12, 447-58	292
533	Blood levels of catecholamine metabolites and brain-derived neurotrophic factor in a case of Sydenham's chorea. 2009 , 10, 248-51	4
532	Plasma Brain-Derived Neurotrophic Factor in treatment-resistant depressed patients receiving electroconvulsive therapy. 2009 , 19, 349-55	83
531	Low serum BDNF and food intake regulation: a possible new explanation of the pathophysiology of eating disorders. 2009 , 33, 312-6	46
530	Increase of BDNF serum concentration in lithium treated patients with early Alzheimer's disease. 2009 , 16, 649-56	124
529	Accelerated age-related decrease in brain-derived neurotrophic factor levels in bipolar disorder. 2009 , 12, 137-9	41
528	Reduced peripheral brain-derived neurotrophic factor mRNA levels are normalized by antidepressant treatment. 2010 , 13, 103-8	77
527	Peripheral brain-derived neurotrophic factor (BDNF) as a biomarker for affective disorders?. 2010 , 13, 1-4	47
526	Inverse correlation of brain and blood BDNF levels in a genetic rat model of depression. 2010 , 13, 563-72	73
525	Nicotine dependence and serum BDNF levels in male patients with schizophrenia. 2010 , 212, 301-7	35
524	Facilitation of the development of fungiform taste buds by early intraoral acesulfame-K stimulation to mice. 2010 , 117, 1261-4	7
523	Increased stress reactivity is associated with cognitive deficits and decreased hippocampal brain-derived neurotrophic factor in a mouse model of affective disorders. <i>Journal of Psychiatric</i> 5.2 <i>Research</i> , 2010 , 44, 566-75	45

(2010-2010)

-	Acute exercise ameliorates reduced brain-derived neurotrophic factor in patients with panic disorder. 2010 , 35, 364-8	93
521	BDNF Val66Met polymorphism and protein levels in amniotic fluid. 2010 , 11, 16	14
520	Varenicline does not increase serum BDNF levels in patients with nicotine dependence. 2010 , 25, 276-9	16
519	Plasma BDNF concentration, Val66Met genetic variant and depression-related personality traits. 2010 , 9, 512-8	48
518	Increased BDNF levels and NTRK2 gene association suggest a disruption of BDNF/TrkB signaling in autism. 2010 , 9, 841-8	91
517	Brain-derived neurotrophic factor as a biomarker for mood disorders: an historical overview and future directions. 2010 , 64, 341-57	281
516	The level of serum brain-derived neurotrophic factor is associated with the therapeutic efficacy of modified electroconvulsive therapy in Chinese patients with depression. 2010 , 26, 121-5	44
515	Altered production of brain-derived neurotrophic factor by peripheral blood immune cells in multiple sclerosis. 2010 , 16, 1178-88	25
514	Association of serum brain-derived neurotrophic factor and duration of untreated psychosis in first-episode patients with schizophrenia. 2010 , 62, 87-90	35
513	Decreased serum BDNF levels in patients with epileptic and psychogenic nonepileptic seizures. 2010 , 75, 1285-91	65
512	Brain-derived neurotrophic factor is associated with age-related decline in hippocampal volume. 2010 , 30, 5368-75	
	2010, 30, 3300-73	352
511	Associations between brain-derived neurotrophic factor plasma levels and severity of the illness, recurrence and symptoms in depressed patients. 2010 , 62, 207-12	45
	Associations between brain-derived neurotrophic factor plasma levels and severity of the illness,	
511	Associations between brain-derived neurotrophic factor plasma levels and severity of the illness, recurrence and symptoms in depressed patients. 2010 , 62, 207-12 Circulating levels of brain-derived neurotrophic factor: correlation with mood, cognition and motor	45
510	Associations between brain-derived neurotrophic factor plasma levels and severity of the illness, recurrence and symptoms in depressed patients. 2010 , 62, 207-12 Circulating levels of brain-derived neurotrophic factor: correlation with mood, cognition and motor function. 2010 , 4, 871-87 Serum brain-derived neurotrophic factor levels as a novel biological marker for the activities of	45 116
511 510 509	Associations between brain-derived neurotrophic factor plasma levels and severity of the illness, recurrence and symptoms in depressed patients. 2010, 62, 207-12 Circulating levels of brain-derived neurotrophic factor: correlation with mood, cognition and motor function. 2010, 4, 871-87 Serum brain-derived neurotrophic factor levels as a novel biological marker for the activities of psychiatric symptoms in systemic lupus erythematosus. 2010, 11, 121-8 Reduced serum BDNF levels in patients with chronic schizophrenic disorder in relapse, who were	45 116 17
511 510 509 508	Associations between brain-derived neurotrophic factor plasma levels and severity of the illness, recurrence and symptoms in depressed patients. 2010, 62, 207-12 Circulating levels of brain-derived neurotrophic factor: correlation with mood, cognition and motor function. 2010, 4, 871-87 Serum brain-derived neurotrophic factor levels as a novel biological marker for the activities of psychiatric symptoms in systemic lupus erythematosus. 2010, 11, 121-8 Reduced serum BDNF levels in patients with chronic schizophrenic disorder in relapse, who were treated with typical or atypical antipsychotics. 2010, 11, 251-5 Alzheimer's disease (AD) and Mild Cognitive Impairment (MCI) patients are characterized by	45 116 17 84

504	Serum and plasma BDNF levels in major depression: a replication study and meta-analyses. 2010 , 11, 763-73	306
503	Involvement of BDNF in age-dependent alterations in the hippocampus. 2010 , 2,	38
502	Decreased BDNF in patients with antipsychotic nalle first episode schizophrenia. 2010 , 119, 47-51	96
501	Changes in plasma brain-derived neurotrophic factor levels in smokers after smoking cessation. Neuroscience Letters, 2010 , 468, 7-11	53
500	The effect of depression, BDNF gene val66met polymorphism and gender on serum BDNF levels. 2010 , 81, 61-5	91
499	Adding a low dose atypical antipsychotic drug to an antidepressant induced a rapid increase of plasma brain-derived neurotrophic factor levels in patients with treatment-resistant depression. 2010 , 34, 308-12	35
498	Serum brain-derived neurotrophic factor in patients with trauma psychopathology. 2010 , 34, 459-62	57
497	Serum brain-derived neurotrophic factor predicts responses to escitalopram in chronic posttraumatic stress disorder. 2010 , 34, 1279-84	34
496	Differential regulation of neurotrophin S100B and BDNF in two rat models of depression. 2010 , 34, 1433-9	54
495	Effect of antidepressants on brain-derived neurotrophic factor (BDNF) release from platelets in the rats. 2010 , 34, 1450-4	42
494	Molecular mechanisms and potential therapeutical targets in Huntington's disease. 2010 , 90, 905-81	616
493	Neuroprotection in Bipolar Depression. 2010 , 451-483	O
492	Brain-derived neurotrophic factor and suicide pathogenesis. 2010 , 42, 87-96	86
491	Serum levels of BDNF are associated with craving in opiate-dependent patients. 2011 , 25, 1480-4	47
490	Supplementation with eicosapentaenoic omega-3 fatty acid does not influence serum brain-derived neurotrophic factor in diabetes mellitus patients with major depression: a randomized controlled pilot study. 2011 , 63, 219-23	28
489	Association of serum BDNF levels with hippocampal volumes in first psychotic episode drug-naive schizophrenic patients. 2011 , 129, 201-4	72
488	Depressive symptoms following interferon-therapy: mediated by immune-induced reductions in brain-derived neurotrophic factor?. 2011 , 14, 247-53	41
487	The relation of physical activity to functional connectivity between brain regions. 2011 , 122, 81-9	15

(2011-2011)

486	Lactate infusion at rest increases BDNF blood concentration in humans. <i>Neuroscience Letters</i> , 2011 , 488, 234-7	75
485	Lithium increases plasma brain-derived neurotrophic factor in acute bipolar mania: a preliminary 4-week study. <i>Neuroscience Letters</i> , 2011 , 494, 54-6	109
484	Decreased serum brain-derived neurotrophic factor levels in schizophrenic patients with tardive dyskinesia. <i>Neuroscience Letters</i> , 2011 , 502, 37-40	21
483	Elucidating biological risk factors in suicide: role of protein kinase A. 2011 , 35, 831-41	22
482	The brain-derived neurotrophic factor (BDNF) polymorphism Val66Met is associated with neither serum BDNF level nor response to selective serotonin reuptake inhibitors in depressed Japanese patients. 2011 , 35, 1022-5	53
481	Effects of increased opportunity for physical exercise and learning experiences on recognition memory and brain-derived neurotrophic factor levels in brain and serum of rats. 2011 , 199, 284-91	23
480	Effects of antipsychotics on the serum BDNF levels in schizophrenia. 2011 , 189, 327-30	36
479	Blood BDNF concentrations reflect brain-tissue BDNF levels across species. 2011 , 14, 347-53	409
478	Is serum brain-derived neurotrophic factor related to craving for or use of alcohol, cocaine, or methamphetamine?. 2011 , 7, 357-64	19
477	Glycosides, depression and suicidal behaviour: the role of glycoside-linked proteins. 2011 , 16, 2688-713	5
476	Increased secreted amyloid precursor protein-{sAPP}in severe autism: proposal of a specific, anabolic pathway and putative biomarker. <i>PLoS ONE</i> , 2011 , 6, e20405	86
475	Brain-derived neurotrophic factor as a biomarker in primary open-angle glaucoma. 2011 , 88, 80-5	45
474	Differential patterns of serum brain-derived neurotrophic factor levels in alcoholic patients with and without delirium tremens during acute withdrawal. 2011 , 35, 126-31	36
473	Alterations of brain-derived neurotrophic factor serum levels in patients with alcohol dependence. 2011 , 35, 1529-33	27
472	Serum levels of brain-derived neurotrophic factor in major depressive disorder: state-trait issues, clinical features and pharmacological treatment. 2011 , 16, 1088-95	313
471	Plasma brain-derived neurotrophic factor concentrations in children and adolescents. 2011 , 45, 205-11	44
470	Determinants of serum brain-derived neurotrophic factor. 2011 , 36, 228-39	206
469	Brain-derived neurotrophic factor plasma variation during the different phases of the menstrual cycle in women with premenstrual syndrome. 2011 , 36, 523-30	57

468	Correlations between brain-derived neurotrophic factor and clinical symptoms in medicated patients with major depression. <i>Journal of Affective Disorders</i> , 2011 , 135, 332-5	6.6	46
467	Brain-derived neurotrophic factor: the link between amyloid-land memory loss. 2011 , 6, 627-639		36
466	BDNF serum levels, but not BDNF Val66Met genotype, are correlated with personality traits in healthy subjects. 2011 , 261, 323-9		47
465	The impact of childhood abuse and recent stress on serum brain-derived neurotrophic factor and the moderating role of BDNF Val66Met. 2011 , 214, 319-28		92
464	Changes in plasma and platelet BDNF levels induced by S-citalopram in major depression. 2011 , 216, 1-8		50
463	Low serum BDNF may indicate the development of PSD in patients with acute ischemic stroke. 2011 , 26, 495-502		62
462	Association between plasma paroxetine concentration and changes in plasma brain-derived neurotrophic factor levels in patients with major depressive disorder. 2011 , 26, 194-200		15
461	Decreased serum brain-derived neurotrophic factor concentration in young nonobese subjects with low insulin sensitivity. 2011 , 44, 817-20		23
460	Inflammatory and neurodegenerative pathways in depression: a new avenue for antidepressant development?. 2011 , 18, 245-55		107
459	Decreased serum brain-derived neurotrophic factor (BDNF) is associated with post-stroke depression but not with BDNF gene Val66Met polymorphism. 2011 , 49, 185-9		52
458	A meta-analysis of circulating BDNF concentrations in anorexia nervosa. 2011 , 12, 444-54		49
457	The effect of the Mediterranean diet on plasma brain-derived neurotrophic factor (BDNF) levels: the PREDIMED-NAVARRA randomized trial. 2011 , 14, 195-201		74
456	A study of brain and serum brain-derived neurotrophic factor protein in Wistar and Wistar-Kyoto rat strains after electroconvulsive stimulus. 2012 , 45, 244-9		25
455	A putative model of overeating and obesity based on brain-derived neurotrophic factor: direct and indirect effects. 2012 , 126, 505-14		7
454	Increase in serum brain-derived neurotrophic factor in met allele carriers of the BDNF Val66Met polymorphism is specific to males. 2012 , 65, 183-7		27
453	Age-dependent deficits in fear learning in heterozygous BDNF knock-out mice. 2012 , 19, 561-70		35
452	Circulating brain-derived neurotrophic factor concentration is downregulated by intralipid/heparin infusion or high-fat meal in young healthy male subjects. 2012 , 35, 358-62		45
451	Serum protein levels of brain-derived neurotrophic factor and tropomyosin-related kinase B in bipolar disorder: effects of mood stabilizers. 2012 , 65, 65-9		16

(2012-2012)

450	Dikkat Eksiklilive Hiperaktivite Bozukluli (DEHB) Tanllolan Bcuklarda Serum Beyinden Klen Alan Nilotrofik Faktil (BDNF) Seviyelerinin Delirlendirilmesi: licliBulgular. <i>Noropsikiyatri Arsivi</i> , 2012 , 49, 96-101	0.4	1	
449	Alterations in Serum BDNF Levels in Early Alcohol Withdrawal and Comparison with Healthy Controls. 2012 , 22, 210-215		6	
448	Potential moderators of physical activity on brain health. 2012 , 2012, 948981		24	
447	Altered serum levels of brain-derived neurotrophic factor in patients with pathological gambling. 2012 , 18, 297-301		17	
446	Acute running stimulates hippocampal dopaminergic neurotransmission in rats, but has no influence on brain-derived neurotrophic factor. 2012 , 112, 535-41		40	
445	Mechanisms Underlying the Relationship Between Physical Activity and Anxiety.			
444	Activation of TrkB by 7,8-dihydroxyflavone prevents fear memory defects and facilitates amygdalar synaptic plasticity in aging. 2012 , 31, 765-78		52	
443	Peripheral brain-derived neurotrophic factor changes along treatment with extended release quetiapine during acute mood episodes: an open-label trial in drug-free patients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1511-4	5.2	30	
442	Brain-derived neurotrophic factor plasma levels are associated with mortality in critically ill patients even in the absence of brain injury. 2012 , 16, R234		13	
441	Decreased plasma brain-derived neurotrophic factor levels in institutionalized elderly with depressive disorder. 2012 , 13, 434-7		22	
440	Serum brain-derived neurotrophic factor: determinants and relationship with depressive symptoms in a community population of middle-aged and elderly people. 2012 , 13, 39-47		80	
439	7,8-dihydroxyflavone rescues spatial memory and synaptic plasticity in cognitively impaired aged rats. 2012 , 122, 800-11		58	
438	Is BDNF biological link between depression and type 2 diabetes mellitus?. 2012 , 79, 255-8		11	
437	Various levels of plasma brain-derived neurotrophic factor in patients with tinnitus. <i>Neuroscience Letters</i> , 2012 , 510, 73-7	3.3	21	
436	The impact of the frequency of moderate exercise on memory and brain-derived neurotrophic factor signaling in young adult and middle-aged rats. 2012 , 222, 100-9		15	
435	Inflammation in patients with schizophrenia: the therapeutic benefits of risperidone plus add-on dextromethorphan. 2012 , 7, 656-64		30	
434	BDNF function as a potential mediator of bipolar disorder and post-traumatic stress disorder comorbidity. 2012 , 17, 22-35		82	
433	Long-term course of brain-derived neurotrophic factor serum levels in a patient treated with deep brain stimulation of the lateral habenula. 2012 , 65, 147-52		29	

432	Gender specific associations of serum levels of brain-derived neurotrophic factor in anxiety. 2012 , 13, 535-43	40
431	Serum brain-derived neurotrophic factor, nerve growth factor and neurotrophin-3 levels in dementia. 2012 , 112, 255-60	17
430	Hemodialysis decreases serum brain-derived neurotrophic factor concentration in humans. 2012 , 37, 2715-24	18
429	Effects of electroconvulsive therapy and repetitive transcranial magnetic stimulation on serum brain-derived neurotrophic factor levels in patients with depression. <i>Frontiers in Psychiatry</i> , 2012 , 3, 12 ⁵	51
428	Differential effects of diazepam, tandospirone, and paroxetine on plasma brain-derived neurotrophic factor level under mental stress. 2012 , 27, 329-33	8
427	Possible involvement of brain-derived neurotrophic factor in eating disorders. 2012 , 64, 355-61	19
426	[The development of depression: the role of brain-derived neurotrophic factor]. 2012, 83, 869-77	7
425	Low-dose memantine attenuated morphine addictive behavior through its anti-inflammation and neurotrophic effects in rats. 2012 , 7, 444-53	51
424	Low BDNF is associated with cognitive impairment in chronic patients with schizophrenia. 2012 , 222, 277-84	112
423	The role of BDNF in the pathophysiology and treatment of schizophrenia. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1-11	137
422	Childhood trauma and platelet brain-derived neurotrophic factor (BDNF) after a three month follow-up in patients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 966-72	22
421	Comparison of neurogenesis in the dentate gyrus between the adult and aged gerbil following transient global cerebral ischemia. 2012 , 37, 802-10	17
420	Low BDNF is associated with cognitive deficits in patients with type 2 diabetes. 2013 , 227, 93-100	71
419	Plasma brain-derived neurotrophic factor levels, learning capacity and cognition in patients with first episode psychosis. <i>BMC Psychiatry</i> , 2013 , 13, 27	25
418	Neurobiological markers of exercise-related brain plasticity in older adults. 2013, 28, 90-9	266
417	Identification of REST-regulated genes and pathways using a REST-targeted antisense approach. 2013 , 23, 389-400	6
416	Association between plasma brain-derived neurotrophic factor levels and personality traits in healthy Japanese subjects. 2013 , 210, 220-3	9
415	Etazolate rescues behavioral deficits in chronic unpredictable mild stress model: modulation of hypothalamic-pituitary-adrenal axis activity and brain-derived neurotrophic factor level. 2013 , 63, 465-75	32

(2013-2013)

lifestyle modification and behavior therapy effectively reduce body weight and increase serum level of brain-derived neurotrophic factor in obese non-diabetic patients with schizophrenia. 2013 , 209, 150-4		37
Toward clinically applicable biomarkers in bipolar disorder: focus on BDNF, inflammatory markers, and endothelial function. 2013 , 15, 425		53
Brain-derived neurotrophic factor-estrogen interactions in the hippocampal mossy fiber pathway: implications for normal brain function and disease. 2013 , 239, 46-66		74
Alterations of neocortical development and maturation in autism: insight from valproic acid exposure and animal models of autism. 2013 , 36, 57-66		37
Changes in plasma Brain-derived neurotrophic factor (BDNF) levels induced by methylphenidate in children with Attention deficit-hyperactivity disorder (ADHD). 2013 , 47, 20-4		31
BDNF promoter methylation and suicidal behavior in depressive patients. <i>Journal of Affective Disorders</i> , 2013 , 151, 679-685	6.6	160
Senescent-induced dysregulation of cAMP/CREB signaling and correlations with cognitive decline. 2013 , 1516, 93-109		21
Serum level of brain-derived neurotrophic factor in fibromyalgia syndrome correlates with depression but not anxiety. 2013 , 62, 281-6		24
Maternal generalized anxiety disorder during pregnancy and fetal brain development: a comparative study on cord blood brain-derived neurotrophic factor levels. 2013 , 75, 346-50		27
Human adipose tissue-derived mesenchymal stem cells improve cognitive function and physical activity in ageing mice. 2013 , 91, 660-70		63
Concomitant BDNF and sleep slow wave changes indicate ketamine-induced plasticity in major depressive disorder. 2013 , 16, 301-11		141
Peripheral toxicity in crack cocaine use disorders. <i>Neuroscience Letters</i> , 2013 , 544, 80-4	3.3	44
Sex differences and the role of estrogen in animal models of schizophrenia: interaction with BDNF. 2013 , 239, 67-83		72
Post-stroke infections exacerbate ischemic brain injury in middle-aged rats: immunomodulation and neuroprotection by progesterone. 2013 , 239, 92-102		50
BDNF Val66Met and DRD2 Taq1A polymorphisms interact to influence PTSD symptom severity: a preliminary investigation in a South African population. 2013 , 40, 273-80		30
Reduced levels of brain derived neurotrophic factor (BDNF) in the serum of diabetic retinopathy patients and in the retina of diabetic rats. 2013 , 33, 359-67		74
Neurogenesis and increase in differentiated neural cell survival via phosphorylation of Akt1 after fluoxetine treatment of stem cells. 2013 , 2013, 582526		17
Association of obesity-mediated insulin resistance and hypothalamic volumes: possible sex differences. 2013 , 35, 249-59		11
	level of brain-derived neurotrophic factor in obese non-diabetic patients with schizophrenia. 2013, 209, 150-4 Toward clinically applicable biomarkers in bipolar disorder: focus on BDNF, inflammatory markers, and endothelial function. 2013, 15, 425 Brain-derived neurotrophic factor-estrogen interactions in the hippocampal mossy fiber pathway: implications for normal brain function and disease. 2013, 239, 46-66 Alterations of neocortical development and maturation in autism: insight from valproic acid exposure and animal models of autism. 2013, 36, 57-66 Changes in plasma Brain-derived neurotrophic factor (BDNF) levels induced by methylphenidate in children with Attention deficit-hyperactivity disorder (ADHD). 2013, 47, 20-4 BDNF promoter methylation and suicidal behavior in depressive patients. Journal of Affective Disorders, 2013, 151, 679-685 Senescent-induced dysregulation of cAMP/CREB signaling and correlations with cognitive decline. 2013, 1516, 93-109 Serum level of brain-derived neurotrophic factor in fibromyalgia syndrome correlates with depression but not anxiety. 2013, 62, 281-6 Maternal generalized anxiety disorder during pregnancy and fetal brain development: a comparative study on cord blood brain-derived neurotrophic factor levels. 2013, 75, 346-50 Human adipose tissue-derived mesenchymal stem cells improve cognitive function and physical activity in ageing mice. 2013, 91, 660-70 Concomitant BDNF and sleep slow wave changes indicate ketamine-induced plasticity in major depressive disorder. 2013, 16, 301-11 Peripheral toxicity in crack cocaine use disorders. Neuroscience Letters, 2013, 544, 80-4 Sex differences and the role of estrogen in animal models of schizophrenia: interaction with BDNF. 2013, 239, 67-83 BDNF Val66Met and DRD2 Taq1A polymorphisms interact to influence PTSD symptom severity: a preliminary investigation in a South African population. 2013, 40, 273-80 Reduced levels of brain derived neurotrophic factor (BDNF) in the serum of diabetic retinopathy patients and in the	level of brain-derived neurotrophic factor in obese non-diabetic patients with schizophrenia. 2013, 209, 150-4 Toward clinically applicable biomarkers in bipolar disorder: focus on BDNF, inflammatory markers, and endothelial function. 2013, 15, 425 Brain-derived neurotrophic factor-estrogen interactions in the hippocampal mossy fiber pathway: implications for normal brain function and disease. 2013, 239, 46-66 Alterations of neocortical development and maturation in autism: insight from valproic acid exposure and animal models of autism. 2013, 36, 57-66 Changes in plasma Brain-derived neurotrophic factor (BDNF) levels induced by methylphenidate in children with Attention deficit-hyperactivity disorder (ADHD). 2013, 47, 20-4 BDNF promoter methylation and suicidal behavior in depressive patients. Journal of Affective Disorders, 2013, 151, 679-685 Senescent-induced dysregulation of cAMP/CREB signaling and correlations with cognitive decline. 2013, 1516, 93-109 Serum level of brain-derived neurotrophic factor in fibromyalgia syndrome correlates with depression but not anxiety. 2013, 62, 281-6 Maternal generalized anxiety disorder during pregnancy and fetal brain development: a comparative study on cord blood brain-derived neurotrophic factor levels. 2013, 75, 346-50 Human adipose tissue-derived mesenchymal stem cells improve cognitive function and physical activity in ageing mice. 2013, 91, 660-70 Concomitant BDNF and sleep slow wave changes indicate ketamine-induced plasticity in major depressive disorder. 2013, 16, 301-11 Peripheral toxicity in crack cocaine use disorders. Neuroscience Letters, 2013, 544, 80-4 3-3 Sex differences and the role of estrogen in animal models of schizophrenia: interaction with BDNF. 2013, 239, 67-83 Post-stroke infections exacerbate ischemic brain injury in middle-aged rats: immunomodulation and neuroprotection by progesterone. 2013, 239, 92-102 BDNF Val66Met and DRD2 Taq1A polymorphisms interact to influence PTSD symptom severity: a preliminary investigation in a South

396	Effect of dexmedetomidine on plasma brain-derived neurotrophic factor: A double-blind, randomized and placebo-controlled study. 2013 , 118, 235-9	12
395	Decreased serum levels of brain-derived neurotrophic factor in adults with attention-deficit hyperactivity disorder. 2013 , 16, 1267-1275	40
394	Effects of early intraoral acesulfame-K stimulation to mice on the adult's sweet preference and the expression of ⊞gustducin in fungiform papilla. 2013 , 38, 447-55	10
393	Metabolic and glutathione redox markers associated with brain-derived neurotrophic factor in depressed african men and women: evidence for counterregulation?. 2013 , 67, 33-40	13
392	Electroconvulsive therapy improves clinical manifestation with plasma BDNF levels unchanged in treatment-resistant depression patients. 2013 , 68, 110-5	23
391	Serum brain-derived neurotrophic factor levels and cocaine-induced transient psychotic symptoms. 2013 , 68, 146-55	13
390	Neonatal levels of neurotrophic factors and risk of autism spectrum disorders. 2013 , 128, 61-9	49
389	Trauma profile in Egyptian adolescents with first-episode schizophrenia: relation to psychopathology and plasma brain-derived neurotrophic factor. 2013 , 201, 23-9	10
388	Brain-derived neurotrophic factor blood levels in two models of transient brain ischemia in rats. 2013 , 32, 139-42	4
387	Alterations of serum levels of BDNF-related miRNAs in patients with depression. <i>PLoS ONE</i> , 2013 , 8, e63648	117
386	Nicotine Blocks the Depressogenic Effects of Alcohol: Implications for Drinking-Smoking Co-Morbidity. 2013 , 2, 235709	17
385	Effects of fluoxetine on brain-derived neurotrophic factor serum concentration and cognition in patients with vascular dementia. 2014 , 9, 411-8	26
384	A longitudinal study of alterations of hippocampal volumes and serum BDNF levels in association to atypical antipsychotics in a sample of first-episode patients with schizophrenia. <i>PLoS ONE</i> , 2014 , 9, e879 $\frac{3}{2}$	26
383	Plasma brain-derived neurotrophic factor and reverse dipping pattern of nocturnal blood pressure in patients with cardiovascular risk factors. <i>PLoS ONE</i> , 2014 , 9, e105977	22
382	The Brain Derived Neurotrophic Factor and Personality. 2014 , 2014, 1-15	12
381	Relationships between brain-derived neurotrophic factor, clinical symptoms, and decision-making in chronic schizophrenia: data from the Iowa Gambling Task. 2014 , 8, 417	18
380	BDNF–TrkB signaling as a therapeutic target in neuropsychiatric disorders. 2014 , 61	1
379	Receptor signaling in suicide. 343-356	

 $378\,$ Genome-wide association studies of suicidal behaviors. 277-287

377	BDNF blood levels after electroconvulsive therapy in patients with mood disorders: a systematic review and meta-analysis. 2014 , 15, 411-8	73
376	BDNF and S100B in psychotic disorders: evidence for an association with treatment responsiveness. 2014 , 26, 223-9	3
375	Decreased BDNF and TrkB mRNA expression in multiple cortical areas of patients with schizophrenia and mood disorders. 2014 , 4, e389	92
374	Cognitive function and plasma BDNF levels among manganese-exposed smelters. 2014 , 71, 189-94	26
373	Bihemispheric tDCS enhances language recovery but does not alter BDNF levels in chronic aphasic patients. 2014 , 32, 367-79	37
372	Altered DNA methylation status of human brain derived neurotrophis factor gene could be useful as biomarker of depression. 2014 , 165B, 357-64	42
371	Therapeutic effects of add-on low-dose dextromethorphan plus valproic acid in bipolar disorder. 2014 , 24, 1753-9	25
370	Neuroprotective effects of physical activity on the brain: a closer look at trophic factor signaling. 2014 , 8, 170	182
369	BDNF mediates improvements in executive function following a 1-year exercise intervention. 2014 , 8, 985	151
368	Vascular endothelial growth factor and brain-derived neurotrophic factor in quetiapine treated first-episode psychosis. 2014 , 2014, 719395	20
367	Preanalysis storage conditions influence the measurement of brain-derived neurotrophic factor levels in peripheral blood. 2014 , 69, 83-8	29
366	Effects of deep repetitive transcranial magnetic stimulation on brain-derived neurotrophic factor serum concentration in healthy volunteers. 2014 , 69, 112-9	7
365	Decreased plasma levels of brain-derived neurotrophic factor and its relationship with obesity and birth weight in obese Japanese children. 2014 , 8, e63-9	30
364	Serum brain-derived neurotrophic factor (BDNF) levels in attention deficit-hyperactivity disorder (ADHD). 2014 , 23, 173-7	31
363	Serum BDNF concentrations as peripheral manifestations of depression: evidence from a systematic review and meta-analyses on 179 associations (N=9484). 2014 , 19, 791-800	420
362	Changes in the serum levels of brain-derived neurotrophic factor in adults with attention deficit hyperactivity disorder after treatment with atomoxetine. 2014 , 231, 1389-95	14
361	Serial repetitive transcranial magnetic stimulation (rTMS) decreases BDNF serum levels in healthy male volunteers. 2014 , 121, 307-13	20

360	Altered peripheral BDNF mRNA expression and BDNF protein concentrations in blood of children and adolescents with autism spectrum disorder. 2014 , 121, 1117-28		42
359	Impact of acute aerobic exercise and cardiorespiratory fitness on visuospatial attention performance and serum BDNF levels. 2014 , 41, 121-31		97
358	The BDNF Val66Met polymorphism and plasma brain-derived neurotrophic factor levels in Han Chinese patients with bipolar disorder and schizophrenia. 2014 , 51, 99-104		33
357	BDNF-TrkB receptor regulation of distributed adult neural plasticity, memory formation, and psychiatric disorders. <i>Progress in Molecular Biology and Translational Science</i> , 2014 , 122, 169-92	4	113
356	Acute exercise improves motor memory: exploring potential biomarkers. 2014 , 116, 46-58		193
355	Comparison of serum BDNF levels in deficit and nondeficit chronic schizophrenia and healthy controls. 2014 , 220, 197-200		15
354	Mineralocorticoid receptor genotype moderates the association between physical neglect and serum BDNF. <i>Journal of Psychiatric Research</i> , 2014 , 59, 8-13	5.2	8
353	Serum levels of BDNF, folate and homocysteine: in relation to hippocampal volume and psychopathology in drug nale, first episode schizophrenia. 2014 , 159, 51-5		33
352	Fast BDNF serum level increase and diurnal BDNF oscillations are associated with therapeutic response after partial sleep deprivation. <i>Journal of Psychiatric Research</i> , 2014 , 59, 1-7	5.2	43
351	Serum brain-derived neurotrophic factor and nerve growth factor decreased in chronic ketamine abusers. 2014 , 142, 290-4		26
350	Cognition: the new frontier for nuts and berries. 2014 , 100 Suppl 1, 347S-52S		44
349	"Platelet-associated regulatory system (PARS)" with particular reference to female reproduction. 2014 , 7, 55		9
348	BDNF plasma levels after antidepressant treatment with sertraline and transcranial direct current stimulation: results from a factorial, randomized, sham-controlled trial. 2014 , 24, 1144-51		34
347	Correlation between n-3 polyunsaturated fatty acids consumption and BDNF peripheral levels in adolescents. 2014 , 13, 44		20
346	Serum Brain-derived neurotrophic factor levels in Chinese children with autism spectrum disorders: a pilot study. 2014 , 37, 65-8		25
345	Low serum BDNF levels in depressed patients cannot be attributed to individual depressive symptoms or symptom cluster. 2014 , 15, 561-9		13
344	The structure of the geriatric depressed brain and response to electroconvulsive therapy. 2014 , 222, 1-9		20
343	Relationship between brain-derived neurotrophic factor and stress in saliva and salivary glands. 2014 , 26, 379-389		3

(2015-2014)

342	Elevated levels of plasma brain derived neurotrophic factor in rapid cycling bipolar disorder patients. 2014 , 47, 199-211		40
341	Alterations in BDNF (brain derived neurotrophic factor) and GDNF (glial cell line-derived neurotrophic factor) serum levels in bipolar disorder: The role of lithium. <i>Journal of Affective Disorders</i> , 2014 , 166, 193-200	6.6	50
340	Effects of electroconvulsive therapy on serum levels of brain-derived neurotrophic factor and nerve growth factor in treatment resistant major depression. 2014 , 104, 82-7		31
339	Serum brain-derived neurotrophic factor levels were reduced during methamphetamine early withdrawal. 2014 , 19, 482-5		30
338	Exercise, Neuroplasticity, and Growth Factors in Adolescence. 2015 , 323-337		1
337	Peripheral brain-derived neurotrophic factor (BDNF) as a biomarker in bipolar disorder: a meta-analysis of 52 studies. 2015 , 13, 289		176
336	Increased cerebellar volume and BDNF level following quadrato motor training. 2015, 69, 1-6		16
335	Development of mature BDNF-specific sandwich ELISA. 2015 , 134, 75-85		33
334	Increased Serum Brain-derived Neurotrophic Factor in Multiple Sclerosis Patients on Interferon- and Its Impact on Functional Abilities. 2015 , 20, 57-60		7
333	Serum BDNF: A Potential Biomarker for Major Depressive Disorder and Antidepressant Response Prediction. 2015 , 04,		3
332	Endurance Exercise as an "Endogenous" Neuro-enhancement Strategy to Facilitate Motor Learning. 2015 , 9, 692		44
331	Serum concentrations of brain-derived neurotrophic factor and mental disorders in imprisoned women. 2015 , 37, 113-20		6
330	Riluzole stimulates BDNF release from human platelets. 2015 , 2015, 189307		18
329	Neurotrophic Factors and Major Depressive Disorder. 2015,		2
328	. 2015,		4
327	Different Mechanisms Between Melancholic and Atypical Depression. 2015,		3
326	The search for new biomarkers for cognition in schizophrenia. 2015 , 2, 172-178		19
325	LPS reduces BDNF and VEGF expression in the structures of the HPA axis of chronic social stressed female rats. 2015 , 54, 17-27		17

324	Evidence for proangiogenic cellular and humoral systemic response in patients with acute onset of spinal cord injury. 2015 , 38, 729-44	10
323	Changes in brain-derived neurotrophic factor (BDNF) during abstinence could be associated with relapse in cocaine-dependent patients. 2015 , 225, 309-14	18
322	Epigenetic mechanisms underlying the role of brain-derived neurotrophic factor in depression and response to antidepressants. 2015 , 218, 21-31	63
321	Methodological considerations to determine the effect of exercise on brain-derived neurotrophic factor levels. 2015 , 48, 162-6	31
320	Dietary DHA during development affects depression-like behaviors and biomarkers that emerge after puberty in adolescent rats. 2015 , 56, 151-66	31
319	Altered BDNF is correlated to cognition impairment in schizophrenia patients with tardive dyskinesia. 2015 , 232, 223-32	13
318	Exercise Augmentation of Exposure Therapy for PTSD: Rationale and Pilot Efficacy Data. 2015 , 44, 314-27	100
317	Neurotrophin blood-based gene expression and social cognition analysis in patients with autism spectrum disorder. 2015 , 16, 123-31	22
316	Serum brain-derived neurotrophic factor levels and psychotic symptoms in heroin dependence. 2015 , 62, 80-5	5
315	7,8-Dihydroxyflavone as a pro-neurotrophic treatment for neurodevelopmental disorders. 2015 , 89, 170-80	29
314	Attenuated brain-derived neurotrophic factor and hypertrophic remodelling: the SABPA study. 2015 , 29, 33-9	11
313	Doxorubicin and cyclophosphamide treatment produces anxiety-like behavior and spatial cognition impairment in rats: Possible involvement of hippocampal neurogenesis via brain-derived neurotrophic factor and cyclin D1 regulation. 2015 , 292, 184-93	52
312	Effects of chronic manganese exposure on the learning and memory of rats by observing the changes in the hippocampal cAMP signaling pathway. 2015 , 83, 261-7	28
311	Peripheral BDNF: a candidate biomarker of healthy neural activity during learning is disrupted in schizophrenia. 2015 , 45, 841-54	18
310	Prenatal zinc prevents communication impairments and BDNF disturbance in a rat model of autism induced by prenatal lipopolysaccharide exposure. 2015 , 130, 12-7	47
309	Evaluation of brain-derived neurotrophic factor in diabetic rats. 2015 , 37, 217-22	10
308	BDNF blood levels after non-invasive brain stimulation interventions in major depressive disorder: a systematic review and meta-analysis. 2015 , 16, 114-22	30
307	Lack of an association of BDNF Val66Met polymorphism and plasma BDNF with hippocampal volume and memory. 2015 , 15, 625-43	34

(2016-2015)

306	Anti-depression effects of electroacupuncture through up-regulating serum E2 and BDNF and expression of BDNF in hippocampus in chronic depression rats. 2015 , 13, 141-145	5
305	The mechanisms of action of flavonoids in the brain: Direct versus indirect effects. 2015 , 89, 126-39	103
304	The BDNF Val66Met polymorphism and plasma brain-derived neurotrophic factor levels in Han Chinese heroin-dependent patients. <i>Scientific Reports</i> , 2015 , 5, 8148	12
303	Bāqueda De Nuevos Biomarcadores De La Cognicifi En Esquizofrenia. 2015 , 2, 196-203	
302	Plasma brain-derived neurotrophic factor levels in patients suffering from post-traumatic stress disorder. 2015 , 229, 365-9	13
301	A meta-analytic review of the effects of exercise on brain-derived neurotrophic factor. <i>Journal of Psychiatric Research</i> , 2015 , 60, 56-64	405
300	The Physiology of BDNF and Its Relationship with ADHD. 2015 , 52, 1467-1476	53
299	The interplay between BDNF and oxidative stress in chronic schizophrenia. 2015 , 51, 201-8	57
298	Decreased plasma levels of brain-derived neurotrophic factor (BDNF) during mixed episodes of bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 171, 167-70	21
297	Association between smoking, nicotine dependence, and BDNF Val66Met polymorphism with BDNF concentrations in serum. 2015 , 17, 323-9	47
296	Peripheral brain-derived neurotrophic factor in schizophrenia and the role of antipsychotics: meta-analysis and implications. 2015 , 20, 1108-19	158
295	Serum BDNF levels in unaffected first-degree relatives of patients with bipolar disorder. 2016 , 38, 197-200	7
294	High-flavonoid intake induces cognitive improvements linked to changes in serum brain-derived neurotrophic factor: Two randomised, controlled trials. 2016 , 4, 81-93	61
293	The Effects of Acute Physical Exercise on Memory, Peripheral BDNF, and Cortisol in Young Adults. 2016 , 2016, 6860573	71
292	Influence of Aerobic Training and Combinations of Interventions on Cognition and Neuroplasticity after Stroke. 2016 , 8, 164	20
291	Motor Cortex Excitability and BDNF Levels in Chronic Musculoskeletal Pain According to Structural Pathology. 2016 , 10, 357	50
290	The Efficacy of Non-Pharmacological Interventions on Brain-Derived Neurotrophic Factor in Schizophrenia: A Systematic Review and Meta-Analysis. 2016 , 17,	19
289	The BDNF Val66Met Polymorphism Influences Reading Ability and Patterns of Neural Activation in Children. <i>PLoS ONE</i> , 2016 , 11, e0157449	17

Cardiorespiratory Fitness Is Associated with Better Executive Function in Young Women. 2016, 48, 1994-2002 18 288 Effects of acute aerobic exercise on a task-switching protocol and brain-derived neurotrophic 287 44 factor concentrations in young adults with different levels of cardiorespiratory fitness. 2016, 101, 836-50 Serum BDNF levels in patients with gambling disorder are associated with the severity of gambling 286 5 disorder and Iowa Gambling Task indices. 2016, 5, 135-139 Peripheral brain-derived neurotrophic factor in autism spectrum disorder: a systematic review and 285 4.9 37 meta-analysis. Scientific Reports, 2016, 6, 31241 Altered Acoustic Startle Reflex, Prepulse Inhibition, and Peripheral Brain-Derived Neurotrophic 284 9 Factor in Morphine Self-Administered Rats. 2017, 20, 383-391 BDNF serum levels in schizophrenic patients during treatment augmentation with sarcosine 6 283 (results of the PULSAR study). 2016, 242, 54-60 Targeting MicroRNAs Involved in the BDNF Signaling Impairment in Neurodegenerative Diseases. 282 8 **2016**, 18, 540-550 281 Age-related differences in plasma BDNF levels after prolonged bed rest. 2016, 120, 1118-23 13 Conversion from MCI to AD in patients with the APOE 4 genotype: Prediction by plasma HCY and 280 16 3.3 serum BDNF. Neuroscience Letters, 2016, 626, 19-24 Possible biomarkers modulating haloperidol efficacy and/or tolerability. 2016, 17, 507-29 279 Neuroscience-informed Auditory Training in Schizophrenia: A Final Report of the Effects on 278 35 Cognition and Serum Brain-Derived Neurotrophic Factor. 2016, 3, 1-7 Decreased Brain-Derived Neurotrophic Factor in Older Adults with Bipolar Disorder. 2016, 24, 596-601 277 15 Effect of childhood maltreatment and brain-derived neurotrophic factor on brain morphology. 276 34 **2016**, 11, 1841-1852 Decreased Brain-Derived Neurotrophic Factor Serum Concentrations in Chronic Post-Stroke 275 21 Subjects. 2016, 25, 2968-2974 Relationships between serum BDNF and the antidepressant effect of acute exercise in depressed 16 274 women. 2016, 74, 286-294 Brain-derived neurotrophic factor protein and mRNA levels in patients with bipolar mania - A 273 11 preliminary study. 2016, 39, 272-276 Acute high-intensity exercise-induced cognitive enhancement and brain-derived neurotrophic 61 272 3.3 factor in young, healthy adults. Neuroscience Letters, 2016, 630, 247-253 BDNF isoforms: a round trip ticket between neurogenesis and serotonin?. 2016, 138, 204-21 271 93

270	The neuroprotective and anti-apoptotic effects of melatonin on hemolytic hyperbilirubinemia-induced oxidative brain damage. 2016 , 60, 74-83	25
269	Increased BDNF levels after electroconvulsive therapy in patients with major depressive disorder: A meta-analysis study. <i>Journal of Psychiatric Research</i> , 2016 , 83, 47-53	73
268	A prospective, longitudinal study of platelet serotonin and plasma brain-derived neurotrophic factor concentrations in major depression: effects of vortioxetine treatment. 2016 , 233, 3259-67	22
267	Association of peripheral BDNF level with cognition, attention and behavior in preschool children. 2016 , 10, 10	30
266	Time-Dependent Serum Brain-Derived Neurotrophic Factor Decline During Methamphetamine Withdrawal. 2016 , 95, e2604	20
265	The effects of motor rehabilitation training on clinical symptoms and serum BDNF levels in Parkinson's disease subjects. 2016 , 94, 455-61	33
264	Understanding Suicide. 2016 ,	2
263	Relationships of peripheral IGF-1, VEGF and BDNF levels to exercise-related changes in memory, hippocampal perfusion and volumes in older adults. 2016 , 131, 142-54	153
262	Neurotrophic growth factor responses to lower body resistance training in older adults. 2016 , 41, 315-23	23
261	Circulating Brain-Derived Neurotrophic Factor Has Diagnostic and Prognostic Value in Traumatic Brain Injury. 2016 , 33, 215-25	88
260	Peripheral blood brain-derived neurotrophic factor in bipolar disorder: a comprehensive systematic review and meta-analysis. 2016 , 21, 216-28	91
259	A possible role for ghrelin, leptin, brain-derived neurotrophic factor and docosahexaenoic acid in reducing the quality of life of coeliac disease patients following a gluten-free diet. 2017 , 56, 807-818	12
258	Identification of Relationships Between Interleukin 15 mRNA and Brain-Derived Neurotrophic Factor II mRNA Levels With Formal Components of Temperament in Asthmatic Patients. 2017 , 54, 1733-1744	6
257	The effects of desipramine, fluoxetine, or tianeptine on changes in bulbar BDNF levels induced by chronic social instability stress and inflammation. 2017 , 69, 520-525	6
256	Neuroprotection and neurotoxicity in the developing brain: an update on the effects of dexmedetomidine and xenon. 2017 , 60, 102-116	72
255	Circadian Rhythms in Plasma Brain-derived Neurotrophic Factor Differ in Men and Women. 2017 , 32, 75-82	31
254	Neurotrophins in the Brain: Interaction With Alcohol Exposure During Development. 2017, 104, 197-242	27
253	The effect of acute exercise on blood concentrations of brain-derived neurotrophic factor in healthy adults: a meta-analysis. 2017 , 46, 1635-1646	135

252	Determinants of Blood Brain-Derived Neurotrophic Factor Blood Levels in Patients with Alcohol Use Disorder. 2017 , 41, 1280-1287	13
251	The effects of aging in the hippocampus and cognitive decline. 2017 , 79, 66-86	186
250	Determinants of neonatal brain-derived neurotrophic factor and association with child development. 2017 , 29, 1499-1511	16
249	Increased BDNF may not be associated with cognitive impairment in heroin-dependent patients. 2017 , 96, e6582	5
248	Differences in biomarkers of crack-cocaine adolescent users before/after abstinence. 2017 , 177, 207-213	11
247	Effect of a Comprehensive Intervention on Plasma BDNF in Patients with Alzheimer's Disease. 2017 , 57, 37-43	13
246	Biomarkers for Hearing Dysfunction: Facts and Outlook. 2017 , 79, 93-111	21
245	Effects of prolonged abstinence from METH on the hippocampal BDNF levels, neuronal numbers and apoptosis in methamphetamine-sensitized rats. <i>Neuroscience Letters</i> , 2017 , 645, 80-85	9
244	Putative biological predictors of treatment response in bipolar disorders. 2017 , 1-2, 39-58	1
243	BDNF During Withdrawal. 2017 , 104, 475-496	12
242	Novel Blood-Based Biomarkers of Cognition, Stress, and Physical or Cognitive Training in Older Adults at Risk of Dementia: Preliminary Evidence for a Role of BDNF, Irisin, and the Kynurenine Pathway. 2017 , 59, 1097-1111	51
241	Dose-Dependent Effects of Binge-Like Methamphetamine Dosing on Dopamine and Neurotrophin Levels in Rat Brain. 2017 , 75, 63-71	3
240	Predicting postoperative brain function from the blood: is there a role for biomarkers?. 2017 , 119, 291-293	4
239	The effect of childhood trauma on serum BDNF in bipolar depression is modulated by the serotonin promoter genotype. <i>Neuroscience Letters</i> , 2017 , 656, 177-181	12
238	Correlates of early pregnancy serum brain-derived neurotrophic factor in a Peruvian population. 2017 , 20, 777-785	3
237	Long-term heroin use was associated with the downregulation of systemic platelets, BDNF, and TGF-1, and it contributed to the disruption of executive function in Taiwanese Han Chinese. 2017 , 179, 139-145	10
236	Effects of Fluid Ingestion on Brain-Derived Neurotrophic Factor and Cognition During Exercise in the Heat. 2017 , 58, 73-86	4
235	Association of serum BDNF levels with psychotic symptom in chronic patients with treatment-resistant depression in a Chinese Han population. 2017 , 257, 279-283	7

234	Estrogens and the cognitive symptoms of schizophrenia: Possible neuroprotective mechanisms. 2017 , 47, 19-33	49
233	BDNF as a possible modulator of EEG oscillatory response at the parietal cortex during visuo-tactile integration processes using a rubber hand. 2017 , 124, 16-24	5
232	Low plasma BDNF is not a biomarker for cognitive dysfunction in elderly T2DM patients. 2017 , 38, 1691-1696	3
231	The effect of exercise intensity on brain derived neurotrophic factor and memory in adolescents. 2017 , 22, 27	72
230	Increased serum brain-derived neurotrophic factor in male schizophrenic patients with metabolic syndrome. 2017 , 96, e7089	11
229	Acute exercise has a general facilitative effect on cognitive function: A combined ERP temporal dynamics and BDNF study. 2017 , 54, 289-300	41
228	Peripheral Brain-Derived Neurotrophic Factor Levels in Alzheimer's Disease and Mild Cognitive Impairment: a Comprehensive Systematic Review and Meta-analysis. 2017 , 54, 7297-7311	24
227	Theranostic Biomarkers for Schizophrenia. 2017 , 18,	53
226	Plasma Brain-Derived Neurotrophic Factor Levels in Newborn Infants with Neonatal Abstinence Syndrome. 2017 , 5, 238	8
225	Involvement of Normalized Glial Fibrillary Acidic Protein Expression in the Hippocampi in Antidepressant-Like Effects of Xiaoyaosan on Chronically Stressed Mice. 2017 , 2017, 1960584	17
224	The Association of Serum Levels of Brain-Derived Neurotrophic Factor with the Occurrence of and Recovery from Delirium in Older Medical Inpatients. 2017 , 2017, 5271395	6
223	Propentofylline Prevents Sickness Behavior and Depressive-Like Behavior Induced by Lipopolysaccharide in Rats via Neuroinflammatory Pathway. <i>PLoS ONE</i> , 2017 , 12, e0169446	22
222	Antidepressant-Like Effect of 1Hydroxyvitamin D on Mice in the Forced Swimming Test. 2017 , 63, 81-84	7
221	Brain derived neurotrophic factor (BDNF), its tyrosine kinase receptor B (TrkB) and nicotine. 2018 , 65, 186-195	25
220	Brain-derived neurotrophic factor (BDNF) in children with ASD and their parents: a 3-year follow-up. 2018 , 137, 433-441	10
219	Cognitive impairments and low BDNF serum levels in first-episode drug-naive patients with schizophrenia. 2018 , 263, 1-6	37
218	Serum nerve growth factor beta, brain- and glial-derived neurotrophic factor levels and psychopathology in unmedicated patients with schizophrenia. 2018 , 81, 577-581	5
217	Nasal obstruction during adolescence induces memory/learning impairments associated with BDNF/TrkB signaling pathway hypofunction and high corticosterone levels. 2018 , 96, 1056-1065	5

216	Brain-derived neurotrophic factor (BDNF) serum level in women with first-episode depression, correlation with clinical and metabolic parameters. 2018 , 72, 191-196	8
215	Plasticity after pediatric cochlear implantation: Implication from changes in peripheral plasma level of BDNF and auditory nerve responses. 2018 , 105, 103-110	2
214	Peripheral Blood Brain-Derived Neurotrophic Factor as a Biomarker of Alzheimer's Disease: Are There Methodological Biases?. 2018 , 55, 6661-6672	36
213	Biomarkers of Depression: Potential Diagnostic Tools. 2018 , 35-51	1
212	Pathophysiology and Treatment Strategies for Different Types of Depression. 2018 , 167-176	
211	Mitochondria Are Critical for BDNF-Mediated Synaptic and Vascular Plasticity of Hippocampus following Repeated Electroconvulsive Seizures. 2018 , 21, 291-304	15
210	Chronic treatment with the new anticonvulsant drug lacosamide impairs learning and memory processes in rats: A possible role of BDNF/TrkB ligand receptor system. 2018 , 169, 1-9	10
209	The VITamin D and OmegA-3 TriaL-Depression Endpoint Prevention (VITAL-DEP): Rationale and design of a large-scale ancillary study evaluating vitamin D and marine omega-3 fatty acid supplements for prevention of late-life depression. 2018 , 68, 133-145	24
208	Cortisol, cortisone, and BDNF in amniotic fluid in the second trimester of pregnancy: Effect of early life and current maternal stress and socioeconomic status. 2018 , 30, 971-980	19
207	Differential expression of cord blood neurotrophins in gestational diabetes: the impact of fetal growth abnormalities. 2018 , 31, 278-283	9
206	Association between serum levels of glutamate and neurotrophic factors and response to clozapine treatment. 2018 , 192, 226-231	14
205	An acute bout of aerobic or strength exercise specifically modifies circulating exerkine levels and neurocognitive functions in elderly individuals with mild cognitive impairment. 2018 , 17, 272-284	54
204	Working memory and salivary brain-derived neurotrophic factor as developmental predictors of cocaine seeking in male and female rats. 2018 , 23, 868-879	9
203	Val66Met functional polymorphism and serum protein level of brain-derived neurotrophic factor (BDNF) in acute episode of schizophrenia and depression. 2018 , 70, 55-59	11
202	Effect of maternal iron deficiency anemia on fetal neural development. 2018, 38, 233-239	16
201	A comprehensive review of genetic and epigenetic mechanisms that regulate BDNF expression and function with relevance to major depressive disorder. 2018 , 177, 143-167	61
200	Head-out immersion in hot water increases serum BDNF in healthy males. 2018 , 34, 834-839	13
199	Developmental origins of adult health and disease: The metabolic role of BDNF from early life to adulthood. 2018 , 81, 45-51	37

(2018-2018)

-	198	Peripheral brain-derived neurotrophic factor in attention-deficit/hyperactivity disorder: A comprehensive systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2018 , 227, 298-304	16
	197	Exercise during pregnancy and its impact on mothers and offspring in humans and mice. 2018 , 9, 63-76	26
-	196	Effects of Risperidone and Paliperidone on Brain-Derived Neurotrophic Factor and N400 in First-Episode Schizophrenia. 2018 , 131, 2297-2301	7
	195	Dual mechanisms for the regulation of brain-derived neurotrophic factor by valproic acid in neural progenitor cells. 2018 , 22, 679-688	4
-	194	Acute high-intensity interval exercise induces greater levels of serum brain-derived neurotrophic factor in obese individuals. 2018 , 243, 1153-1160	13
-	193	Cognition, serum BDNF levels, and BDNF Val66Met polymorphism in type 2 diabetes patients and healthy controls. 2018 , 9, 3653-3662	12
-	192	Reduced Serum Levels of Brain-Derived Neurotrophic Factor Are Related to Mild Cognitive Impairment in Chinese Patients with Type 2 Diabetes Mellitus. 2018 , 73, 271-281	10
-	191	Changes in the Brain-Derived Neurotrophic Factor Are Associated with Improvements in Diabetes Risk Factors after Exercise Training in Adolescents with Obesity: The HEARTY Randomized Controlled Trial. 2018 , 2018, 7169583	15
-	190	Exercise-induced brain-derived neurotrophic factor expression: Therapeutic implications for Alzheimer's dementia. 2018 , 48, 109-121	60
-	189	Brain-derived neurotrophic factor in substance use disorders: A systematic review and meta-analysis. 2018 , 193, 91-103	16
-	188	Gender-dependent changes in physical development, BDNF content and GSH redox system in a model of acute neonatal hypoxia in rats. 2018 , 350, 87-98	13
-	187	Biofluid Biomarkers in Huntington's Disease. 2018 , 1780, 329-396	13
-	186	Altered levels of brain-derived neurotrophic factor, proBDNF and tissue plasminogen activator in children with posttraumatic stress disorder. 2018 , 268, 478-483	7
	185	Perinatal hypoxia as a risk factor for psychopathology later in life: the role of dopamine and neurotrophins. 2018 , 17, 25-32	37
-	184	Brain-derived neurotrophic factor in serum as an animal welfare indicator of environmental enrichment in pigs. 2018 , 65, 67-70	12
	183	The effects of repeated antibiotic administration to juvenile BALB/c mice on the microbiota status and animal behavior at the adult age. 2018 , 4, e00644	29
	182	A novel ex vivo Huntington's disease model for studying GABAergic neurons and cell grafts by laser microdissection. <i>PLoS ONE</i> , 2018 , 13, e0193409	3
-	181	An Update on Promising Biomarkers in Schizophrenia. 2018 , 16, 153-163	7

180	The Serum BDNF Level Offers Minimum Predictive Value for Motor Function Recovery After Stroke. 2019 , 10, 342-351		21
179	Plasma and serum brain-derived neurotrophic factor (BDNF) levels and their association with neurocognition in at-risk mental state, first episode psychosis and chronic schizophrenia patients. 2019 , 20, 545-554		21
178	Brain-Derived Neurotrophic Factor in Brain Disorders: Focus on Neuroinflammation. 2019 , 56, 3295-331	12	206
177	Repetitive enhancement of serum BDNF subsequent to continuation ECT. 2019, 140, 426-434		11
176	Comparison of Hypnotic Suggestion and Transcranial Direct-Current Stimulation Effects on Pain Perception and the Descending Pain Modulating System: A Crossover Randomized Clinical Trial. <i>Frontiers in Neuroscience</i> , 2019 , 13, 662	5.1	4
175	Peripheral blood brain-derived neurotrophic factor level and tyrosine kinase B expression on T lymphocytes in systemic lupus erythematosus: Implications for systemic involvement. 2019 , 123, 15476	4	7
174	Altered temporal sensitivity in obesity is linked to pro-inflammatory state. <i>Scientific Reports</i> , 2019 , 9, 15508	4.9	3
173	Acute normobaric hypoxia does not affect the simultaneous exercise-induced increase in circulating BDNF and GDNF in young healthy men: A feasibility study. <i>PLoS ONE</i> , 2019 , 14, e0224207	3.7	5
172	Does metabolic status affect serum levels of BDNF and MMP-9 in patients with schizophrenia?. 2019 , 73, 515-521		5
171	Screening of brain-derived neurotrophic factor (BDNF) single nucleotide polymorphisms and plasma BDNF levels among Malaysian major depressive disorder patients. <i>PLoS ONE</i> , 2019 , 14, e021124	13.7	17
170	Plasma Brain-Derived Neurotrophic Factor (BDNF) and serum cortisol levels in a sample of workers exposed to occupational stress and suffering from Adjustment Disorders. 2019 , 9, e01298		15
169	Association of brain-derived neurotrophic factor levels and depressive symptoms in young adults with acne vulgaris. <i>BMC Psychiatry</i> , 2019 , 19, 193	4.2	8
168	Long-term environmental modifications affect BDNF concentrations in rat hippocampus, but not in serum. 2019 , 372, 111965		6
167	Effects of Exercise on Cognitive Performance in Children and Adolescents with ADHD: Potential Mechanisms and Evidence-based Recommendations. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	20
166	Dexmedetomidine improves cognition after carotid endarterectomy by inhibiting cerebral inflammation and enhancing brain-derived neurotrophic factor expression. 2019 , 47, 2471-2482		10
165	Oral administration of BDNF and/or GDNF normalizes serum BDNF level in the olfactory bulbectomized rats: A proof of concept study. 2019 , 71, 669-675		3
164	A multicentre randomised controlled trial of the effect of intra-operative dexmedetomidine on cognitive decline after surgery. 2019 , 74, 741-750		25
163	Acute and subsequent continuation electroconvulsive therapy elevates serum BDNF levels in patients with major depression. 2019 , 12, 1041-1050		18

(2020-2019)

162	Evaluation of serum levels of neurotrophin 4 and brain-derived nerve growth factor in uremic pruritus patients. 2019 , 12, 109-114	8
161	Association between the novel seizure quality index for the outcome prediction in electroconvulsive therapy and brain-derived neurotrophic factor serum levels. <i>Neuroscience Letters</i> , 3.3 2019 , 704, 164-168	4
160	Prognostic effect of serum BDNF levels in late-life depression: Moderated by childhood trauma and SSRI usage?. 2019 , 103, 276-283	4
159	The role of neurotrophins in psychopathology and cardiovascular diseases: psychosomatic connections. 2019 , 126, 265-278	12
158	Resistance Exercise-Induced Responses in Physiological Factors Linked with Cognitive Health. 2019 , 68, 39-64	17
157	The Effects of Melatonin on the Descending Pain Inhibitory System and Neural Plasticity Markers in Breast Cancer Patients Receiving Chemotherapy: Randomized, Double-Blinded, Placebo-Controlled Trial. 2019 , 10, 1382	10
156	BDNF Genotype and Baseline Serum Levels in Relation to Electroconvulsive Therapy Effectiveness in Treatment-Resistant Depressed Patients. 2019 , 35, 189-194	7
155	High-Intensity Aerobic Exercise Acutely Increases Brain-derived Neurotrophic Factor. 2019 , 51, 1698-1709	9
154	Metabolic Health-The Role of Adipo-Myokines. 2019 , 20,	23
153	Elevated brain-derived neurotrophic factor (BDNF) serum levels in an acute episode of schizophrenia in polish women: Correlation with clinical and metabolic parameters. 2019 , 271, 89-95	2
152	Demographic and lifestyle correlates of brain-derived neurotrophic factor in a working population: The Furukawa Nutrition and Health Study. 2019 , 272, 581-586	4
151	Changes in neuroplasticity following early-life social adversities: the possible role of brain-derived neurotrophic factor. <i>Pediatric Research</i> , 2019 , 85, 225-233	12
150	Over-expression of TGF-II gene in medication free Schizophrenia. 2019 , 99, 265-270	9
149	Plasma levels of brain-derived neurotrophic factor in patients with Parkinson disease: A systematic review and meta-analysis. 2019 , 1704, 127-136	35
148	Candidate metabolic biomarkers for schizophrenia in CNS and periphery: Do any possible associations exist?. 2020 , 226, 95-110	7
147	Neuroinflammation and neuroprotection in schizophrenia and autism spectrum disorder. 2020 , 101-122	1
146	Human Plasma BDNF Is Associated With Amygdala-Prefrontal Cortex Functional Connectivity and Problem Drinking Behaviors. 2020 , 23, 1-11	O
145	Ketamine-induced changes in plasma brain-derived neurotrophic factor (BDNF) levels are associated with the resting-state functional connectivity of the prefrontal cortex. 2020 , 21, 696-710	20

144	Perinatal biomarkers implying 'Developmental Origins of Health and Disease' consequences in intrauterine growth restriction. 2020 , 109, 1317-1322	5
143	Protective role of functional food in cognitive deficit in young and senile rats. 2020 , 31, 81-96	2
142	Brain-derived neurotrophic factor is related to stress and chewing in saliva and salivary glands. 2020 , 56, 43-49	5
141	Serum pro-BDNF levels correlate with phospho-tau staining in Alzheimer's disease. 2020 , 87, 49-59	23
140	The Brain-Derived Neurotrophic Factor: Missing Link Between Sleep Deprivation, Insomnia, and Depression. 2020 , 45, 221-231	19
139	Serum and follicular fluid levels of serotonin, kisspeptin, and brain-derived neurotrophic factor in patients undergoing fertilization: an observational study: Neurohormones in patients receiving IVF. 2020 , 48, 300060519879330	3
138	Depression and Cardiovascular Disease: The Viewpoint of Platelets. 2020 , 21,	6
137	Effect of 4-Fluoro-N-(4-sulfamoylbenzyl) Benzene Sulfonamide on cognitive deficits and hippocampal plasticity during nicotine withdrawal in rats. 2020 , 131, 110783	2
136	Exercise-Induced Elevated BDNF Level Does Not Prevent Cognitive Impairment Due to Acute Exposure to Moderate Hypoxia in Well-Trained Athletes. 2020 , 21,	4
135	Can low serum brain-derived neurotrophic factor levels be associated with lifelong premature ejaculation?; A pilot study. 2020 , 52, e13746	3
134	Co-Administration of Iron and a Bioavailable Curcumin Supplement Increases Serum BDNF Levels in Healthy Adults. 2020 , 9,	5
133	Association of circulating BDNF levels with BDNF rs6265 polymorphism in schizophrenia. 2020 , 394, 112832	3
132	Circulating Brain-Derived Neurotrophic Factor, Antioxidant Enzymes Activities, and Mitochondrial DNA in Bipolar Disorder: An Exploratory Report. <i>Frontiers in Psychiatry</i> , 2020 , 11, 514658	6
131	Sexual function and depression in polycystic ovary syndrome: Is it associated with inflammation and neuromodulators?. 2020 , 84, 102099	2
130	Is there a relationship between morphological and functional platelet changes and depressive disorder?. 2020 , 1-34	0
129	Assessment of BDNF serum levels as a diagnostic marker in children with autism spectrum disorder. Scientific Reports, 2020 , 10, 17348 4-9	5
128	Serum BDNF levels correlate with regional cortical thickness in minor depression: a pilot study. Scientific Reports, 2020 , 10, 14524	2
127	Fetal alcohol and maternal stress modify the expression of proteins controlling postnatal development of the male rat hippocampus. 2020 , 46, 718-730	O

(2021-2020)

126	Brain-derived neurotrophic factor levels and psychopathology scores in drug-naMe first-episode psychosis. 2020 , 12, e12415		1
125	Brain-Derived Neurotrophic Factor in the Cerebrospinal Fluid Increases During Electroconvulsive Therapy in Patients With Depression: A Preliminary Report. 2020 , 36, 193-197		3
124	The genetics of circulating BDNF: towards understanding the role of BDNF in brain structure and function in middle and old ages. 2020 , 2, fcaa176		1
123	Brain-derived neurotrophic factor and mental disorders. 2020 , 43, 134-142		40
122	Childhood trauma, psychiatric disorders, and criminality in women: Associations with serum levels of brain-derived neurotrophic factor. 2020 , 71, 101574		1
121	The Reduction of Seizure Intensity and Attenuation of Memory Deficiency and Anxiety-Like Behavior through Aerobic Exercise by Increasing the BDNF in Mice with Chronic Epilepsy. 2020 , 14, 197-	-203	
120	Aging increases vulnerability to stress-induced depression via upregulation of NADPH oxidase in mice. 2020 , 3, 292		9
119	Acute increases in brain-derived neurotrophic factor in plasma following physical exercise relates to subsequent learning in older adults. <i>Scientific Reports</i> , 2020 , 10, 4395	4.9	30
118	The role of CREB and BDNF in neurobiology and treatment of Alzheimer's disease. 2020 , 257, 118020		57
117	Early changes of serum BDNF and SSRI response in adolescents with major depressive disorder. Journal of Affective Disorders, 2020 , 265, 325-332	6.6	10
116	Brain-derived neurotrophic factor association with amygdala response in major depressive disorder. <i>Journal of Affective Disorders</i> , 2020 , 267, 103-106	6.6	7
115	Brain-derived neurotrophic factor blood levels after electroconvulsive therapy in patients with major depressive disorder: A systematic review and meta-analysis. 2020 , 51, 101983		12
114	Acute Sprint Interval Exercise Increases Both Cognitive Functions and Peripheral Neurotrophic Factors in Humans: The Possible Involvement of Lactate. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1455	5.1	28
113	Growth Factors and Alcohol Use Disorder. 2020 , 10,		10
112	Molecular Biomarkers Predictive of Sertraline Treatment Response in Young Children With Autism Spectrum Disorder. 2020 , 11, 308		1
111	Polyphenols selectively reverse early-life stress-induced behavioural, neurochemical and microbiota changes in the rat. 2020 , 116, 104673		27
110	CSF levels of a set of neurotrophic factors (brain-derived neurotrophic factor, nerve growth factor) and neuropeptides (neuropeptide Y, galanin) in epileptic children. 2020 , 76, 41-45		2
109	From the gut to the heart: L. plantarum and inulin administration as a novel approach to control cardiac apoptosis via 5-HT2B and TrkB receptors in diabetes. 2021 , 40, 190-201		4

108	Cognitive dysfunction and serum levels of brain-derived neurotrophic factor (BDNF) in primary anti-phospholipid syndrome (PAPS). 2021 , 60, 179-187	2
107	Urinary Nerve Growth Factor in full-term, preterm and intra uterine growth restriction neonates: Association with brain growth at 30-40 days of postnatal period and with neuro-development 3.3 outcome at two years. A pilot study. <i>Neuroscience Letters</i> , 2021 , 741, 135459	1
106	Plasma brain-derived neurotrophic factor and dynamic cerebral autoregulation in acute response to glycemic control following breakfast in young men. 2021 , 320, R69-R79	1
105	Is Serum BDNF Altered in Acute, Short- and Long-Term Recovered Restrictive Type Anorexia Nervosa?. 2021 , 13,	4
104	BDNF and nicotine dependence: associations and potential mechanisms. 2020,	2
103	The Interaction of Selective A1 and A2A Adenosine Receptor Antagonists with Magnesium and Zinc Ions in Mice: Behavioural, Biochemical and Molecular Studies. 2021 , 22,	2
102	Association of neonatal blood levels of brain-derived neurotrophic factor with development of autism spectrum disorder: a systematic review and meta-analysis. 2021 , 17, 164-170	2
101	Understanding the Neurophysiological and Molecular Mechanisms of Exercise-Induced Neuroplasticity in Cortical and Descending Motor Pathways: Where Do We Stand?. 2021 , 457, 259-282	7
100	Role of the Intestinal Microbiome, Intestinal Barrier and Psychobiotics in Depression. 2021, 13,	14
99	Antidepressant action of transcranial direct current stimulation in olfactory bulbectomised adolescent rats. 2021 , 35, 1003-1016	2
98	The endogenous and exogenous brain-derived neurotrophic factor plays pivotal roles in the pathogenesis of stroke onset in high salt-loaded hypertensive rats. 2021 , 147, 111286	2
97	Plasma brain-derived neurotrophic factor (BDNF) in Egyptian children with attention deficit hyperactivity disorder. 2021 , 28,	O
96	Current Methodological Pitfalls and Caveats in the Assessment of Exercise-Induced Changes in Peripheral Brain-Derived Neurotrophic Factor: How Result Reproducibility Can Be Improved. 2021 , 2,	
95	Investigating associations of childhood abuse and serum brain-derived neurotrophic factor levels with suicidal behaviours in patients with depressive disorders 2021 , 219, 598-605	O
94	Sex Differences in the Association of HOMA-IR Index and BDNF in Han Chinese Patients With Chronic Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021 , 12, 656230	3
93	The effect of zinc supplementation on brain derived neurotrophic factor: A meta-analysis. 2021 , 66, 126753	3 3
92	The mediating effect of brain-derived neurotrophic factor levels on childhood trauma and psychiatric symptoms in patients with first-episode schizophrenia. 2021 , 48674211031478	
91	Stress-Related Dysfunction of Adult Hippocampal Neurogenesis-An Attempt for Understanding Resilience?. 2021 , 22,	6

90	New Avenues for the Treatment of Huntington's Disease. 2021 , 22,	7
89	Association Between Components of Cognitive Reserve and Serum BDNF in Healthy Older Adults. 2021 , 13, 725914	2
88	Moderate Exercise Combined with Enriched Environment Enhances Learning and Memory through BDNF/TrkB Signaling Pathway in Rats. 2021 , 18,	2
87	Serum mBDNF and ProBDNF Expression Levels as Diagnosis Clue for Early Stage Parkinson's Disease. 2021 , 12, 680765	O
86	Molecular Biomarkers of Electroconvulsive Therapy Effects and Clinical Response: Understanding the Present to Shape the Future. 2021 , 11,	2
85	Bicarbonate supplementation via lactate efflux improves anaerobic and cognitive performance in elite combat sport athletes 2021 , 38, 545-553	1
84	Peripheral Biological Markers for Mood Disorders. 2009 , 121-149	1
83	Cholinergic Component of Autism Spectrum Disorder. 2010 , 129-161	6
82	Biochemical Markers. 2016 , 155-176	2
81	- Noradrenergic Dysfunction in Depression and Suicide. 2012 , 56-91	9
81 80	- Noradrenergic Dysfunction in Depression and Suicide. 2012 , 56-91 Peripheral administration of brain-derived neurotrophic factor to Rett syndrome animal model: a possible approach for the treatment of Rett syndrome. <i>Medical Science Monitor</i> , 2012 , 18, HY33-36	9
	Peripheral administration of brain-derived neurotrophic factor to Rett syndrome animal model: a	
80	Peripheral administration of brain-derived neurotrophic factor to Rett syndrome animal model: a possible approach for the treatment of Rett syndrome. <i>Medical Science Monitor</i> , 2012 , 18, HY33-36 Efficacy of Acupuncture Therapy for Chemotherapy-Related Cognitive Impairment in Breast Cancer	8
80 79	Peripheral administration of brain-derived neurotrophic factor to Rett syndrome animal model: a possible approach for the treatment of Rett syndrome. <i>Medical Science Monitor</i> , 2012 , 18, HY33-36 Efficacy of Acupuncture Therapy for Chemotherapy-Related Cognitive Impairment in Breast Cancer Patients. <i>Medical Science Monitor</i> , 2018 , 24, 2919-2927 Age-dependent differences of treadmill exercise on spatial learning ability between young- and	8
80 79 78	Peripheral administration of brain-derived neurotrophic factor to Rett syndrome animal model: a possible approach for the treatment of Rett syndrome. <i>Medical Science Monitor</i> , 2012 , 18, HY33-36 Efficacy of Acupuncture Therapy for Chemotherapy-Related Cognitive Impairment in Breast Cancer Patients. <i>Medical Science Monitor</i> , 2018 , 24, 2919-2927 Age-dependent differences of treadmill exercise on spatial learning ability between young- and adult-age rats. <i>Journal of Exercise Rehabilitation</i> , 2017 , 13, 381-386 Circulating brain-derived neurotrophic factor and indices of metabolic and cardiovascular health:	8 22 14
80 79 78 77	Peripheral administration of brain-derived neurotrophic factor to Rett syndrome animal model: a possible approach for the treatment of Rett syndrome. <i>Medical Science Monitor</i> , 2012 , 18, HY33-36 Efficacy of Acupuncture Therapy for Chemotherapy-Related Cognitive Impairment in Breast Cancer Patients. <i>Medical Science Monitor</i> , 2018 , 24, 2919-2927 Age-dependent differences of treadmill exercise on spatial learning ability between young- and adult-age rats. <i>Journal of Exercise Rehabilitation</i> , 2017 , 13, 381-386 Circulating brain-derived neurotrophic factor and indices of metabolic and cardiovascular health: data from the Baltimore Longitudinal Study of Aging. <i>PLoS ONE</i> , 2010 , 5, e10099	8 22 14 144 58
80 79 78 77 76	Peripheral administration of brain-derived neurotrophic factor to Rett syndrome animal model: a possible approach for the treatment of Rett syndrome. <i>Medical Science Monitor</i> , 2012 , 18, HY33-36 Efficacy of Acupuncture Therapy for Chemotherapy-Related Cognitive Impairment in Breast Cancer Patients. <i>Medical Science Monitor</i> , 2018 , 24, 2919-2927 Age-dependent differences of treadmill exercise on spatial learning ability between young- and adult-age rats. <i>Journal of Exercise Rehabilitation</i> , 2017 , 13, 381-386 Circulating brain-derived neurotrophic factor and indices of metabolic and cardiovascular health: data from the Baltimore Longitudinal Study of Aging. <i>PLoS ONE</i> , 2010 , 5, e10099 3-7 Circulating and brain BDNF levels in stroke rats. Relevance to clinical studies. <i>PLoS ONE</i> , 2011 , 6, e294053.7	8 22 14 144 58

72	Association of serum brain derived neurotropic factor with duration of drug-naive period and positive-negative symptom scores in drug naive schizophrenia. <i>PLoS ONE</i> , 2017 , 12, e0189373	3.7	8
71	The influence of brain-derived neurotrophic factor (BDNF) in the pathogenesis of chronic tension-type headache. <i>Russian Journal of Pain</i> , 2020 , 18, 5	0.3	1
70	Measuring myokines with cardiovascular functions: pre-analytical variables affecting the analytical output. <i>Annals of Translational Medicine</i> , 2017 , 5, 299	3.2	6
69	Clinical and Environmental Correlates of Serum BDNF: A Descriptive Study with Plausible Implications for AD Research. <i>Current Alzheimer Research</i> , 2017 , 14, 722-730	3	8
68	Brain derived neurotrophic factor and cognitive status: the delicate balance among people living with HIV, with and without alcohol abuse. <i>Current HIV Research</i> , 2014 , 12, 254-64	1.3	8
67	Neurofeedback Treatment on Depressive Symptoms and Functional Recovery in Treatment-Resistant Patients with Major Depressive Disorder: an Open-Label Pilot Study. <i>Journal of Korean Medical Science</i> , 2019 , 34, e287	4.7	9
66	Brain-Derived Neurotrophic Factor (BDNF) protein levels in anxiety disorders: systematic review and meta-regression analysis. <i>Frontiers in Integrative Neuroscience</i> , 2013 , 7, 55	3.2	121
65	Advances in Relationship Between Brain-derived Neurotrophic Factor and Depressive Disorder*. <i>Progress in Biochemistry and Biophysics</i> , 2012 , 38, 1085-1090		1
64	Protective Effects of Water Extract of Propolis on Dopaminergic Neurons, Brain Derived Neurotrophic Factor and Stress Oxidative Factors in the Rat Model of Parkinson Disease. <i>International Journal of Pharmacology</i> , 2015 , 11, 300-308	0.7	8
63	Serum brain-derived neurotrophic factor (BDNF) levels in schizophrenia: A systematic review. <i>Shanghai Archives of Psychiatry</i> , 2012 , 24, 250-61		12
62	Stress and inflammation reduce brain-derived neurotrophic factor expression in first-episode psychosis: a pathway to smaller hippocampal volume. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1677-1684	4.6	206
61	Plasma levels of catecholamine metabolites and serum levels of brain-derived neurotorophic factor in smokers with schizophrenia treated with varenicline: A pilot study. <i>Open Journal of Psychiatry</i> , 2012 , 02, 327-334	0.2	1
60	Brain-derived neurotrophic factor plasma levels and premature cognitive impairment/dementia in type 2 diabetes. <i>World Journal of Diabetes</i> , 2016 , 7, 615-620	4.7	17
59	Decreased serum brain-derived neurotrophic factor levels in elderly korean with dementia. <i>Psychiatry Investigation</i> , 2009 , 6, 299-305	3.1	82
58	Serum Levels of Brain-Derived Neurotrophic Factor at 4 Weeks and Response to Treatment with SSRIs. <i>Psychiatry Investigation</i> , 2014 , 11, 84-8	3.1	11
57	Decreased Plasma BDNF Levels of Patients with Somatization Disorder. <i>Psychiatry Investigation</i> , 2016 , 13, 526-530	3.1	5
56	Serum Brain-derived Neurotrophic Factor Levels among Euthymic Adolescents with Bipolar Disorder Type I. <i>Noropsikiyatri Arsivi</i> , 2016 , 53, 267-271	0.4	5
55	The Effect of Anaesthetic Techniques on Maternal and Cord Blood Brain-Derived Neurotrophic		

54	Brain-derived neurotrophic factor as a potential biomarker of cognitive recovery in schizophrenia. <i>World Journal of Psychiatry</i> , 2013 , 3, 93	3	4
53	Carbohydrate-restricted Diet and Exercise Increase Brain-derived Neurotrophic Factor and Cognitive Function: A Randomized Crossover Trial. <i>Cureus</i> , 2019 , 11, e5604	1.2	17
52	Brain-derived neurotrophic factor in patients with epilepsy: A systematic review and meta-analysis. <i>Epilepsy Research</i> , 2021 , 178, 106794	3	O
51	Epigenetic studies in suicidal ideation and behavior. <i>Psychiatric Genetics</i> , 2021 , 31, 205-215	2.9	O
50	Information Retrieval System for R2SS. <i>The Journal of the Korea Contents Association</i> , 2009 , 9, 39-51		
49	The Effect of the Swimming Exercise by Load on Concentration of BDNF in Serum and Behavioral Change of CNS Injury in the Rats. <i>The Journal of the Korea Contents Association</i> , 2009 , 9, 391-399		
48	Effects of Acute Soccer Game on Serum Levels of Neurotrophins and Neurocognitive Functions in Male Adolescents. <i>Journal of Life Science</i> , 2012 , 22, 1444-1450		2
47	Blood Brain-Derived Neurotrophic Factor Levels and Mood Disorders. 2014 , 1633-1642		
46	Translational Research in Social Anxiety: Summary of Newest Developments and Future Directions. 38	39-408	
45	Serum Brain-derived Neurotrophic Factor Levels Following Electroconvulsive Therapy in Treatment-resistant Depressed Patients. <i>Journal of St Marianna University</i> , 2015 , 6, 253-261	0.1	
44	Serum hs-CRP, YKL-40 and brain-derived neurotrophic factor (BDNF) associated biomarkers in non-dipper hypertension profile?. <i>Romanian Journal of Laboratory Medicine</i> , 2018 , 26, 313-324	0.3	
43	Neuron-specific enolase and brain-derived neurotrophic factor levels in umbilical cord blood in full-term newborns with intrauterine growth retardation. <i>Journal of Obstetrics and Womeni</i> s <i>Diseases</i> , 2019 , 68, 29-36	0.4	5
42	Level of Expression of BDNF and TNF-Alpha in the Somatosensory Cortex and its Effect on Social Interaction in Autism Model Rats Induced by Valproic Acid. 2020 , 2, 1-13		
41	The early overgrowth theory of autism spectrum disorder: Insight into convergent mechanisms from valproic acid exposure and translational models. <i>Progress in Molecular Biology and Translational Science</i> , 2020 , 173, 275-300	4	1
40	The Role of Brain-Derived Neurotrophic Factor and Glial Cell Line-Derived Neurotrophic Factor in Chronic Fetal Oxygen Deprivation. <i>Sovremennye Tehnologii V Medicine</i> , 2020 , 12, 25-31	1.2	1
39	BDNF protein levels are decreased in transformed lymphoblasts from lithium-responsive patients with bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2008 , 33, 449-53	4.5	27
38	Serum brain-derived neurotrophic factor and peripheral indicators of the serotonin system in underweight and weight-recovered adolescent girls and women with anorexia nervosa. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 323-9	4.5	33
37	Aging and stress: past hypotheses, present approaches and perspectives. 2011 , 2, 80-99		18

36	Role of brain-derived neurotrophic factor in the molecular neurobiology of major depressive disorder. <i>Translational Perioperative and Pain Medicine</i> , 2017 , 4, 20-30	1.7	3
35	Changes in white matter microstructure and MRI-derived cerebral blood flow after 1-week of exercise training. <i>Scientific Reports</i> , 2021 , 11, 22061	4.9	3
34	A meta-analysis of the effects of physical exercise on peripheral levels of a brain-derived neurotrophic factor in the elderly <i>Biomarkers</i> , 2022 , 1-10	2.6	2
33	Brain-derived neurotrophic factor and inflammation in depression: Pathogenic partners in crime?. <i>World Journal of Psychiatry</i> , 2022 , 12, 77-97	3	3
32	Probiotics and the gut-brain axis. 2022 , 451-466		
31	Brain-Derived Neurotrophic Factor Levels in Cord Blood from Growth Restricted Fetuses with Doppler Alteration Compared to Adequate for Gestational Age Fetuses <i>Medicina (Lithuania)</i> , 2022 , 58,	3.1	
30	TGF-II in plasma and cerebrospinal fluid can be used as a biological indicator of chronic pain in patients with osteoarthritis <i>PLoS ONE</i> , 2022 , 17, e0262074	3.7	0
29	Association between brain-derived neurotropic factor (BDNF), high-sensitivity C-reactive protein (hs-CRP) and psychiatric symptoms in medicated and unmedicated patients <i>BMC Psychiatry</i> , 2022 , 22, 84	4.2	O
28	Serum brain injury biomarkers are gestationally and post-natally regulated in non-brain injured neonates <i>Pediatric Research</i> , 2021 ,	3.2	0
27	Cord serum brain-derived neurotrophic factor levels at birth associate with temperament outcomes at one year <i>Journal of Psychiatric Research</i> , 2022 , 150, 47-53	5.2	
26	Serum and plasma brain-derived neurotrophic factor concentration are elevated by systemic but not local passive heating. <i>PLoS ONE</i> , 2021 , 16, e0260775	3.7	O
25	Brain-derived neurotrophic factor in war veterans with or without a history of suicide attempt <i>Journal of Affective Disorders</i> , 2022 ,	6.6	
24	Table_1.DOCX. 2019 ,		
23	DataSheet_1.docx. 2020 ,		
22	DataSheet_2.docx. 2020 ,		
21	No Effects of Photobiomodulation on Prefrontal Cortex and Hippocampal Cytochrome C Oxidase Activity and Expression of c-Fos Protein of Young Male and Female Rats. <i>Frontiers in Neuroscience</i> , 2022 , 16,	5.1	2
20	Molecular Mechanisms of Exercise in Brain Disorders: a Focus on the Function of Brain-Derived Neurotrophic Factor Narrative Review. <i>Neurotoxicity Research</i> ,	4.3	
19	Association Between Depressive Symptoms and Serum Brain-Derived Neurotrophic Factor Levels in Patients With First-Episode and Drug-NaWe Schizophrenia. <i>Frontiers in Psychiatry</i> , 13,	5	

18	The Effect of Endurance Training on Serum BDNF Levels in the Chronic Post-Stroke Phase: Current Evidence and Qualitative Systematic Review. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3556	5.1	O
17	Differential effects of excess high-fructose corn syrup on the DNA methylation of hippocampal neurotrophic factor in childhood and adolescence. <i>PLoS ONE</i> , 2022 , 17, e0270144	3.7	1
16	The Relationship Among BDNF Val66Met Polymorphism, Plasma BDNF Level, and Trait Anxiety in Chinese Patients With Panic Disorder. <i>Frontiers in Psychiatry</i> , 13,	5	О
15	Serum and plasma levels of brain-derived neurotrophic factor in individuals with eating disorders (EDs): a systematic review and meta-analysis. <i>Journal of Eating Disorders</i> , 2022 , 10,	4.1	Ο
14	Evaluation of rosmarinic acid against myocardial infarction in maternally separated rats.		
13	The Effect of Aerobic Exercise on Brain-Derived Neurotrophic Factor (BDNF) in Individuals with Mild Cognitive Impairment: a Systematic Review and Meta-Analysis of a Randomized Controlled Trials. 2022 , 11, 304-310		1
12	Features of headache in young persons with different phenotypes of masked arterial hypertension. 2022 , 20, 10		O
11	Brain-Derived Neurotrophic Factor: A Novel Dynamically Regulated Therapeutic Modulator in Neurological Disorders.		O
10	CCRT and aerobic exercise: a randomised controlled study of processing speed, cognitive flexibility, and serum BDNF expression in schizophrenia. 2022 , 8,		1
9	Intricate role of sleep deprivation in modulating depression: focusing on BDNF, VEGF, serotonin, cortisol, and TNF- $\!$		О
8	Difference in Methylation and Expression of Brain-Derived Neurotrophic Factor in Alzheimer Disease and Mild Cognitive Impairment. 2023 , 11, 235		1
7	BDNF as a biomarker for neuropathic pain: Consideration of mechanisms of action and associated measurement challenges. 2023 , 13,		O
6	Longitudinal Changes in BDNF and MMP-9 Protein Plasma Levels in Children after Cochlear Implantation. 2023 , 24, 3714		О
5	Cognition and BDNF levels in prediabetes and diabetes: A mediation analysis of a cross-sectional study. 14,		О
4	Four anti-aging drugs and calorie-restricted diet produce parallel effects in fat, brain, muscle, macrophages, and plasma of young mice.		О
3	Serum brain-derived neurotrophic factor as diagnosis clue for Alzheimer's disease: A cross-sectional observational study in the elderly. 14,		O
2	Relationship between Brain-Derived Neurotrophic Factor and Cognitive Decline in Patients with Mild Cognitive Impairment and Dementia. 2023 , 13, 570		0
1	Maternal exposure to fine particulate matter and brain-derived neurotrophic factor (BDNF) in the fetus: A prospective cohort study. 2023 , 257, 114912		О