

The Fugl-Meyer Assessment of Motor Recovery after Stroke: Measurement Properties

Neurorehabilitation and Neural Repair

16, 232-240

DOI: [10.1177/154596802401105171](https://doi.org/10.1177/154596802401105171)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Toward Wisdom From Failure. <i>Stroke</i> , 2002, 33, 2123-2136.	1.0	610
2	Unconstrained monitoring of body motion during walking. <i>IEEE Engineering in Medicine and Biology Magazine</i> , 2003, 22, 104-109.	1.1	28
3	Psychometric properties of the sensory scale of the Fugl-Meyer Assessment in stroke patients. <i>Clinical Rehabilitation</i> , 2004, 18, 391-397.	1.0	75
4	Fractal dynamics of body motion in post-stroke hemiplegic patients during walking. <i>Journal of Neural Engineering</i> , 2004, 1, 111-116.	1.8	28
5	Functional Improvement Using Observational Movement Analysis and Task Specific Training for an Individual with Chronic Severe Upper Extremity Hemiparesis. <i>Journal of Neurologic Physical Therapy</i> , 2004, 28, 91-99.	0.7	3
6	Effects of Acupuncture Treatment on Poststroke Motor Recovery and Physical Function: A Pilot Study. <i>Neurorehabilitation and Neural Repair</i> , 2004, 18, 259-267.	1.4	36
7	Ankle dorsiflexion as an fMRI paradigm to assay motor control for walking during rehabilitation. <i>NeuroImage</i> , 2004, 23, 370-381.	2.1	270
8	Locomotor Training with Body W of Different Training Parameters. <i>Journal of Neurologic Physical Therapy</i> , 2004, 28, 20.	0.7	5
9	Comparison of Two Techniques of Robot-Aided Upper Limb Exercise Training After Stroke. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2004, 83, 720-728.	0.7	164
10	Constraint-induced movement therapy for recovery of upper-limb function following traumatic brain injury. <i>Journal of Rehabilitation Research and Development</i> , 2005, 42, 769.	1.6	87
11	Residual Motor Control and Cortical Representations of Function Following Hemispherectomy: Effects of Etiology. <i>Journal of Child Neurology</i> , 2005, 20, 64-75.	0.7	60
12	Arm Function after Stroke: From Physiology to Recovery. <i>Seminars in Neurology</i> , 2005, 25, 384-395.	0.5	166
13	Issues for selection of outcome measures in stroke rehabilitation: ICF Body Functions. <i>Disability and Rehabilitation</i> , 2005, 27, 191-207.	0.9	116
14	Constraint-Induced Movement Therapy After Stroke: Efficacy for Patients With Minimal Upper-Extremity Motor Ability. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 1867-1873.	0.5	76
15	Stroke Rehabilitation Patients, Practice, and Outcomes: Is Earlier and More Aggressive Therapy Better?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2005, 86, 101-114.	0.5	255
16	The Stroke Activity Scale: Results of a validity study. <i>Disability and Rehabilitation</i> , 2006, 28, 937-941.	0.9	7
17	Greater Transfer to Walking of Lower Extremity Training with Robotics and Virtual Reality than Robotics Training Alone: Preliminary Findings. , 2006, , .		0
18	Contracture preventive positioning of the hemiplegic arm in subacute stroke patients: a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2006, 20, 656-667.	1.0	53

#	ARTICLE	IF	CITATIONS
19	Back From the Brink: Electromyography-Triggered Stimulation Combined With Modified Constraint-Induced Movement Therapy in Chronic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 27-31.	0.5	36
20	A Community-Based Upper-Extremity Group Exercise Program Improves Motor Function and Performance of Functional Activities in Chronic Stroke: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 1-9.	0.5	181
21	Delay in Initiation and Termination of Tibialis Anterior Contraction in Lower-Limb Hemiparesis: Relationship to Lower-Limb Motor Impairment and Mobility. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 1230-1234.	0.5	20
22	Estudo de confiabilidade da aplicação da escala de Fugl-Meyer no Brasil. <i>Brazilian Journal of Physical Therapy</i> , 2006, 10, 177-183.	1.1	109
23	The influence of neuropsychological characteristics on the use of CI therapy with persons with traumatic brain injury. <i>NeuroRehabilitation</i> , 2006, 21, 131-137.	0.5	17
24	A treatment for a chronic stroke patient with a plegic hand combining CI therapy with conventional rehabilitation procedures: Case report. <i>NeuroRehabilitation</i> , 2006, 21, 167-176.	0.5	32
25	Combined Task-Specific Training and Strengthening Effects On Locomotor Recovery Post-Stroke. <i>Journal of Neurologic Physical Therapy</i> , 2006, 30, 130-141.	0.7	22
26	Issues in selecting outcome measures to assess functional recovery after stroke. <i>NeuroRx</i> , 2006, 3, 505-524.	6.0	124
27	Physiotherapy Coupled With Dextroamphetamine for Rehabilitation After Hemiparetic Stroke. <i>Stroke</i> , 2006, 37, 179-185.	1.0	134
28	CMAS: Clinical movement assessment system for neuromotor disorders. , 2006, , .		3
29	Pain, Fatigue, and Intensity of Practice in People With Stroke Who Are Receiving Constraint-Induced Movement Therapy. <i>Physical Therapy</i> , 2006, 86, 1241-1250.	1.1	30
30	Changing Motor Synergies in Chronic Stroke. <i>Journal of Neurophysiology</i> , 2007, 98, 757-768.	0.9	212
31	Effects of Task-Specific Locomotor and Strength Training in Adults Who Were Ambulatory After Stroke: Results of the STEPS Randomized Clinical Trial. <i>Physical Therapy</i> , 2007, 87, 1580-1602.	1.1	202
32	Predicting Functional Gains in a Stroke Trial. <i>Stroke</i> , 2007, 38, 2108-2114.	1.0	112
33	Mental Practice in Chronic Stroke. <i>Stroke</i> , 2007, 38, 1293-1297.	1.0	376
34	Evolution of fMRI Activation in the Perilesional Primary Motor Cortex and Cerebellum With Rehabilitation Training-Related Motor Gains After Stroke: A Pilot Study. <i>Neurorehabilitation and Neural Repair</i> , 2007, 21, 412-428.	1.4	75
35	Motor and functional outcomes of a patient post-stroke following combined activity and impairment level training. <i>Physiotherapy Theory and Practice</i> , 2007, 23, 219-229.	0.6	10
36	Feasibility of Using the Sony PlayStation 2 Gaming Platform for an Individual Poststroke: A Case Report. <i>Journal of Neurologic Physical Therapy</i> , 2007, 31, 180-189.	0.7	265

#	ARTICLE	IF	CITATIONS
37	Poststroke Shoulder Pain: Its Relationship to Motor Impairment, Activity Limitation, and Quality of Life. Archives of Physical Medicine and Rehabilitation, 2007, 88, 298-301.	0.5	102
38	Dimensionality and Construct Validity of the Fugl-Meyer Assessment of the Upper Extremity. Archives of Physical Medicine and Rehabilitation, 2007, 88, 715-723.	0.5	109
39	Effects of Stroke Severity and Training Duration on Locomotor Recovery After Stroke: A Pilot Study. Neurorehabilitation and Neural Repair, 2007, 21, 137-151.	1.4	132
40	Locomotor Training Remodels fMRI Sensorimotor Cortical Activations in Children After Cerebral Hemispherectomy. Neurorehabilitation and Neural Repair, 2007, 21, 497-508.	1.4	46
41	Motor Cortex Stimulation for Enhancement of Recovery after a Stroke : A Case Report. Japanese Journal of Neurosurgery, 2007, 16, 717-722.	0.0	3
42	Protocol for the Locomotor Experience Applied Post-stroke (LEAPS) trial: a randomized controlled trial. BMC Neurology, 2007, 7, 39.	0.8	176
43	Ankle dexterity is less impaired than muscle strength in incomplete spinal cord lesion. Journal of Neurology, 2008, 255, 273-279.	1.8	14
44	Efficacy of motor imagery in post-stroke rehabilitation: a systematic review. Journal of NeuroEngineering and Rehabilitation, 2008, 5, 8.	2.4	234
45	A randomised controlled trial evaluating family mediated exercise (FAME) therapy following stroke. BMC Neurology, 2008, 8, 22.	0.8	13
46	Fractal dimension assessment of brain white matter structural complexity post stroke in relation to upper-extremity motor function. Brain Research, 2008, 1228, 229-240.	1.1	43
47	Electroacupuncture may help motor recovery in chronic stroke survivors: A pilot study. Journal of Rehabilitation Research and Development, 2008, 45, 587-596.	1.6	30
48	Neutral Functional Realignment Orthosis Prevents Hand Pain in Patients With Subacute Stroke: A Randomized Trial. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1857-1862.	0.5	38
50	Abnormal corticomotor excitability assessed in biceps brachii preceding pronator contraction post-stroke. Clinical Neurophysiology, 2008, 119, 683-692.	0.7	26
51	Usefulness of the Berg Balance Scale in Stroke Rehabilitation: A Systematic Review. Physical Therapy, 2008, 88, 559-566.	1.1	870
52	Feature selection and classification for assessment of chronic stroke impairment. , 2008, , .		0
53	A Standardized Approach to Performing the Action Research Arm Test. Neurorehabilitation and Neural Repair, 2008, 22, 78-90.	1.4	484
54	Hierarchical Properties of the Motor Function Sections of the Fugl-Meyer Assessment Scale for People After Stroke: A Retrospective Study. Physical Therapy, 2008, 88, 1554-1567.	1.1	74
55	Electrical stimulation of the upper extremity in stroke: cyclic versus EMG-triggered stimulation. Clinical Rehabilitation, 2008, 22, 690-697.	1.0	73

#	ARTICLE	IF	CITATIONS
56	Actigraphic Measurement of Motor Deficits in Acute Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2008, 26, 533-540.	0.8	53
57	An Ankle to Computer Virtual Reality System for Improving Gait and Function in a Person 9 Months Poststroke. <i>Topics in Stroke Rehabilitation</i> , 2008, 15, 602-610.	1.0	21
58	Trial map : A visualization approach for verification of stroke impairment assessment database. , 2008, , .		1
59	A hierarchical ensemble model for automated assessment of stroke impairment. , 2008, , .		4
60	Inter-individual Variability in the Capacity for Motor Recovery After Ischemic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2008, 22, 64-71.	1.4	432
61	Estimating the Minimal Clinically Important Difference of the Stroke Rehabilitation Assessment of Movement Measure. <i>Neurorehabilitation and Neural Repair</i> , 2008, 22, 723-727.	1.4	21
62	A Four-Week, Task-Specific Neuroprosthesis Program for a Person With No Active Wrist or Finger Movement Because of Chronic Stroke. <i>Physical Therapy</i> , 2008, 88, 397-405.	1.1	18
63	Relationship between walking function and 1-legged bicycling test in subjects in the later stage post-stroke. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 721-726.	0.8	27
64	Survey of domain-specific performance measures in assistive robotic technology. , 2008, , .		13
65	A clinical evaluation of non-invasive motor imagery-based brain-computer interface in stroke. , 2008, 2008, 4178-81.		18
66	Sensory Dysfunction Following Stroke: Incidence, Significance, Examination, and Intervention. <i>Topics in Stroke Rehabilitation</i> , 2008, 15, 200-217.	1.0	142
67	MRI Findings in the Painful Poststroke Shoulder. <i>Stroke</i> , 2008, 39, 1808-1813.	1.0	50
68	Upper Limb Robotic Therapy for Children with Hemiplegia. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2008, 87, 929-936.	0.7	84
69	Medida da funÃ§Ã£o motora: versÃ£o da escala para o portuguÃªs e estudo de confiabilidade. <i>Brazilian Journal of Physical Therapy</i> , 2008, 12, 417-424.	1.1	47
70	Robot-mediated ACTIVE REhabilitation (ACRE2) for the hemiplegic upper limb after a stroke: A pilot study. <i>Technology and Disability</i> , 2008, 19, 199-203.	0.3	5
71	Mirror, Mirror, Move My Manu!. <i>Neurorehabilitation and Neural Repair</i> , 2009, 23, 207-208.	1.4	6
72	Acupuncture of Motor-Implicated Acupoints on Subacute Stroke Patients: An fMRI Evaluation Study. <i>Medical Acupuncture</i> , 2009, 21, 233-241.	0.3	3
73	Recombination of common sensory-motor impairment evaluation techniques using a committee of classifiers. , 2009, 2009, 857-60.		3

#	ARTICLE	IF	CITATIONS
74	Preliminary results of training with gravity compensation of the arm in chronic stroke survivors. , 2009, 2009, 2426-9.		5
75	Design for the Everest Randomized Trial of Cortical Stimulation and Rehabilitation for Arm Function Following Stroke. Neurorehabilitation and Neural Repair, 2009, 23, 32-44.	1.4	72
76	A Double-Blind, Placebo-Controlled, Randomized Phase II Pilot Study to Investigate the Potential Efficacy of the Traditional Chinese Medicine Neuroaid (MLC 601) in Enhancing Recovery after Stroke (TIERS). Cerebrovascular Diseases, 2009, 28, 514-521.	0.8	32
77	Using the International Classification of Functioning, Disability and Health as a Framework to Examine the Association Between Falls and Clinical Assessment Tools in People With Stroke. Physical Therapy, 2009, 89, 816-825.	1.1	111
79	Responsiveness and Validity of Three Outcome Measures of Motor Function After Stroke Rehabilitation. Stroke, 2009, 40, 1386-1391.	1.0	185
80	Intramuscular Electrical Stimulation for Upper Limb Recovery in Chronic Hemiparesis: An Exploratory Randomized Clinical Trial. Neurorehabilitation and Neural Repair, 2009, 23, 569-578.	1.4	39
81	Feasibility of Iterative Learning Control Mediated by Functional Electrical Stimulation for Reaching After Stroke. Neurorehabilitation and Neural Repair, 2009, 23, 559-568.	1.4	89
82	A Randomized Controlled Trial of Gravity-Supported, Computer-Enhanced Arm Exercise for Individuals With Severe Hemiparesis. Neurorehabilitation and Neural Repair, 2009, 23, 505-514.	1.4	300
83	Minimal Detectable Change and Clinically Important Difference of the Wolf Motor Function Test in Stroke Patients. Neurorehabilitation and Neural Repair, 2009, 23, 429-434.	1.4	157
84	Constraint-Induced Movement Therapy for Individuals After Cerebral Hemispherectomy: A Case Series. Physical Therapy, 2009, 89, 361-369.	1.1	11
85	Aerobic Exercise Improves Cognition and Motor Function Poststroke. Neurorehabilitation and Neural Repair, 2009, 23, 879-885.	1.4	245
86	Posterior probability profiles for the automated assessment of the recovery of patients with stroke from activity of daily living tasks. Artificial Intelligence in Medicine, 2009, 46, 233-249.	3.8	8
87	Early imaging correlates of subsequent motor recovery after stroke. Annals of Neurology, 2009, 65, 596-602.	2.8	113
88	Minimally assistive robot training for proprioception enhancement. Experimental Brain Research, 2009, 194, 219-231.	0.7	73
89	Effects of intensive arm training with the rehabilitation robot ARMin II in chronic stroke patients: four single-cases. Journal of NeuroEngineering and Rehabilitation, 2009, 6, 46.	2.4	140
90	Robotic neurorehabilitation: a computational motor learning perspective. Journal of NeuroEngineering and Rehabilitation, 2009, 6, 5.	2.4	320
91	Sensor-driven four-channel stimulation of paretic leg: Functional electrical walking therapy. Journal of Neuroscience Methods, 2009, 181, 100-105.	1.3	47
92	Measuring functional recovery of hemiparetic subjects during gentle robot therapy. Measurement: Journal of the International Measurement Confederation, 2009, 42, 1176-1187.	2.5	10

#	ARTICLE	IF	CITATIONS
93	Analysis of stroke patient walking dynamics using a tri-axial accelerometer. <i>Gait and Posture</i> , 2009, 30, 60-64.	0.6	198
94	Effects of Constraint-Induced Therapy Versus Bilateral Arm Training on Motor Performance, Daily Functions, and Quality of Life in Stroke Survivors. <i>Neurorehabilitation and Neural Repair</i> , 2009, 23, 441-448.	1.4	118
95	Mirror Therapy Promotes Recovery From Severe Hemiparesis: A Randomized Controlled Trial. <i>Neurorehabilitation and Neural Repair</i> , 2009, 23, 209-217.	1.4	323
96	A simple bedside test for upper extremity impairment after stroke: Validation of the Utrecht Arm/Hand Test. <i>Disability and Rehabilitation</i> , 2009, 31, 1338-1343.	0.9	19
97	An explorative study into changes in reach performance after gravity compensation training in chronic stroke patients. , 2009, , .		6
98	The influence of two rehabilitation protocols in upper-limb function of stroke patients. <i>International Journal of Therapy and Rehabilitation</i> , 2010, 17, 464-472.	0.1	5
99	Upper limb robot-assisted therapy: A new option for children with hemiplegia1. <i>Technology and Disability</i> , 2010, 22, 193-198.	0.3	13
100	Sensor-Based Arm Skill Training in Chronic Stroke Patients: Results on Treatment Outcome, Patient Motivation, and System Usability. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2010, 18, 284-292.	2.7	73
101	Neurorehabilitation Following Stroke. , 2010, , 377-394.		2
102	Instrumentos de avaliação da função de membros superiores após acidente vascular encefálico: uma revisão sistemática. <i>Fisioterapia E Pesquisa</i> , 2010, 17, 178-183.	0.3	13
103	Hemiparetic Stepping to the Beat: Asymmetric Response to Metronome Phase Shift During Treadmill Gait. <i>Neurorehabilitation and Neural Repair</i> , 2010, 24, 428-434.	1.4	62
104	Rehabilitation of Reaching Poststroke. <i>Journal of Neurologic Physical Therapy</i> , 2010, 34, 138-144.	0.7	47
105	Low-frequency repetitive transcranial magnetic stimulation and intensive occupational therapy for poststroke patients with upper limb hemiparesis: preliminary study of a 15-day protocol. <i>International Journal of Rehabilitation Research</i> , 2010, 33, 339-345.	0.7	55
106	Kinematic Robot-Based Evaluation Scales and Clinical Counterparts to Measure Upper Limb Motor Performance in Patients With Chronic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2010, 24, 62-69.	1.4	234
107	Deficits Underlying Impaired Visually Triggered Step Adjustments in Mildly Affected Stroke Patients. <i>Neurorehabilitation and Neural Repair</i> , 2010, 24, 393-400.	1.4	32
108	Predictors of Change in Quality of Life After Distributed Constraint-Induced Therapy in Patients With Chronic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2010, 24, 559-566.	1.4	30
109	The impact of bilateral therapy on upper limb function after chronic stroke: a systematic review. <i>Disability and Rehabilitation</i> , 2010, 32, 1221-1231.	0.9	51
110	Walking speed and distance in different environments of subjects in the later stage post-stroke. <i>Physiotherapy Theory and Practice</i> , 2010, 26, 519-527.	0.6	42

#	ARTICLE	IF	CITATIONS
111	Comprehensive Overview of Nursing and Interdisciplinary Rehabilitation Care of the Stroke Patient. <i>Stroke</i> , 2010, 41, 2402-2448.	1.0	621
112	Transcranial direct current stimulation: a place in the future of physiotherapy?. <i>Physical Therapy Reviews</i> , 2010, 15, 320-326.	0.3	4
113	Responsiveness and validity of the Motor Activity Log in patients during the subacute phase after stroke. <i>Disability and Rehabilitation</i> , 2010, 32, 1184-1193.	0.9	31
114	Validity of Movement Pattern Kinematics as Measures of Arm Motor Impairment Poststroke. <i>Stroke</i> , 2010, 41, 2303-2308.	1.0	136
115	Force control and degree of motor impairments in chronic stroke. <i>Clinical Neurophysiology</i> , 2010, 121, 1952-1961.	0.7	96
116	Six-day course of repetitive transcranial magnetic stimulation plus occupational therapy for post-stroke patients with upper limb hemiparesis: A case series study. <i>Disability and Rehabilitation</i> , 2010, 32, 801-807.	0.9	41
117	Predicting Home and Community Walking Activity in People With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 1582-1586.	0.5	141
118	Motor Learning Principles for Rehabilitation: A Pilot Randomized Controlled Study in Poststroke Patients. <i>Neurorehabilitation and Neural Repair</i> , 2010, 24, 501-508.	1.4	92
119	Orthotic functional electrical stimulation following botulinum toxin for a young adult with severe hand impairment due to childhood stroke. <i>Physiotherapy Theory and Practice</i> , 2010, 26, 267-274.	0.6	3
120	Low-frequency rTMS combined with intensive occupational therapy for upper limb hemiparesis after brain tumour resection. <i>Brain Injury</i> , 2010, 24, 1505-1510.	0.6	14
121	Objective measurement of synergistic movement patterns of the upper extremity following stroke: An explorative study. , 2011, 2011, 5975430.		8
122	Modeling upper limb clinical scales by robot-measured performance parameters. , 2011, 2011, 5975401.		5
123	An explorative study into changes in circle drawing after gravity compensation training in chronic stroke patients. , 2011, 2011, 5975402.		4
124	Application of combined 6-Hz primed low-frequency rTMS and intensive occupational therapy for upper limb hemiparesis after stroke. <i>NeuroRehabilitation</i> , 2011, 29, 365-371.	0.5	22
125	Combination Treatment of Low-Frequency rTMS and Occupational Therapy with Levodopa Administration: An Intensive Neurorehabilitative Approach for Upper Limb Hemiparesis After Stroke. <i>International Journal of Neuroscience</i> , 2011, 121, 373-378.	0.8	40
126	Anti-spastic effect of low-frequency rTMS applied with occupational therapy in post-stroke patients with upper limb hemiparesis. <i>Brain Injury</i> , 2011, 25, 496-502.	0.6	91
127	Baseline Severity of Upper Limb Hemiparesis Influences the Outcome of Low-Frequency rTMS Combined With Intensive Occupational Therapy in Patients Who Have Had a Stroke. <i>PM and R</i> , 2011, 3, 516-522.	0.9	22
128	Effects of Sensory Cueing on Voluntary Arm Use for Patients With Chronic Stroke: A Preliminary Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 15-23.	0.5	19

#	ARTICLE	IF	CITATIONS
129	Arm Motor Control as Predictor for Hypertonia After Stroke: A Prospective Cohort Study. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1411-1417.	0.5	18
130	Effects of Intensive Arm Training With an Electromechanical Orthosis in Chronic Stroke Patients: A Preliminary Study. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1746-1753.	0.5	15
131	Effect of Gravity on Robot-Assisted Motor Training After Chronic Stroke: A Randomized Trial. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1754-1761.	0.5	87
132	Facilitation of motor and balance recovery by thermal intervention for the paretic lower limb of acute stroke: a single-blind randomized clinical trial. Clinical Rehabilitation, 2011, 25, 823-832.	1.0	28
134	Tradução, adaptação e confiabilidade interexaminadores do manual de administração da escala de Fugl-Meyer. Brazilian Journal of Physical Therapy, 2011, 15, 80-88.	1.1	74
135	Application of Constraint-induced Movement Therapy for People with Severe Chronic Plegic Hand. Asian Journal of Occupational Therapy, 2011, 9, 7-14.	0.1	7
136	Muscle Synergies: Implications for Clinical Evaluation and Rehabilitation of Movement. Topics in Spinal Cord Injury Rehabilitation, 2011, 17, 16-24.	0.8	195
137	Arm use in patients with subacute stroke monitored by accelerometry: Association with motor impairment and influence on self-dependence. Journal of Rehabilitation Medicine, 2011, 43, 299-304.	0.8	72
138	Stroke Rehabilitation in Frail Elderly with the Robotic Training Device ACRE: A Randomized Controlled Trial and Cost-Effectiveness Study. Journal of Robotics, 2011, 2011, 1-10.	0.6	5
139	Extracting Attempted Hand Movements from EEGs in People with Complete Hand Paralysis Following Stroke. Frontiers in Neuroscience, 2011, 5, 39.	1.4	60
140	A speedy recovery: amphetamines and other therapeutics that might impact the recovery from brain injury. Current Opinion in Anaesthesiology, 2011, 24, 144-153.	0.9	6
141	Perceived participation and autonomy: Aspects of functioning and contextual factors predicting participation after stroke. Journal of Rehabilitation Medicine, 2011, 43, 388-397.	0.8	49
142	Effect of methylphenidate and/or levodopa coupled with physiotherapy on functional and motor recovery after stroke - a randomized, double-blind, placebo-controlled trial. Acta Neurologica Scandinavica, 2011, 123, 266-273.	1.0	43
143	Fluoxetine for motor recovery after acute ischaemic stroke (FLAME): a randomised placebo-controlled trial. Lancet Neurology, The, 2011, 10, 123-130.	4.9	795
144	Markedly impaired bilateral coordination of gait in post-stroke patients: Is this deficit distinct from asymmetry? A cohort study. Journal of NeuroEngineering and Rehabilitation, 2011, 8, 23.	2.4	40
145	The Armeo Spring as training tool to improve upper limb functionality in multiple sclerosis: a pilot study. Journal of NeuroEngineering and Rehabilitation, 2011, 8, 5.	2.4	157
146	Dynamic Time Warping as a spatial assessment of sensorimotor impairment resulting from stroke. , 2011, 2011, 8235-8.		0
147	A comparison of treatment effects after sensor- and robot-based task-oriented arm training in highly functional stroke patients. , 2011, 2011, 3507-10.		6

#	ARTICLE	IF	CITATIONS
148	Focal Pontine Lesions Provide Evidence That Intrinsic Functional Connectivity Reflects Polysynaptic Anatomical Pathways. <i>Journal of Neuroscience</i> , 2011, 31, 15065-15071.	1.7	118
149	Quantifying learned non-use after stroke using unilateral and bilateral steering tasks. , 2011, 2011, 5975457.		11
150	Outcome Measures in Neurological Physical Therapy Practice. <i>Journal of Neurologic Physical Therapy</i> , 2011, 35, 65-74.	0.7	30
151	Prediction of Natural History of Neuromuscular Properties After Stroke Using Fugl-Meyer Scores at 1 Month. <i>Neurorehabilitation and Neural Repair</i> , 2011, 25, 458-468.	1.4	21
152	Mesencephalic Corticospinal Atrophy Predicts Baseline Deficit but Not Response to Unilateral or Bilateral Arm Training in Chronic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2011, 25, 81-87.	1.4	22
153	Effects of Wrist Tendon Vibration on Targeted Upper-Arm Movements in Poststroke Hemiparesis. <i>Neurorehabilitation and Neural Repair</i> , 2011, 25, 61-70.	1.4	46
154	Body-Weightâ€‘Supported Treadmill Rehabilitation after Stroke. <i>New England Journal of Medicine</i> , 2011, 364, 2026-2036.	13.9	551
155	Occupational Gaps in Everyday Life after Stroke and the Relation to Functioning and Perceived Life Satisfaction. <i>OTJR Occupation, Participation and Health</i> , 2011, 31, 200-208.	0.4	12
156	Speed-Dependent Body Weight Supported Sit-to-Stand Training in Chronic Stroke. <i>Journal of Neurologic Physical Therapy</i> , 2011, 35, 178-184.	0.7	26
157	Early detection of hand movements from electroencephalograms for stroke therapy applications. <i>Journal of Neural Engineering</i> , 2011, 8, 046003.	1.8	10
158	Fugl-Meyer Assessment of Sensorimotor Function After Stroke. <i>Stroke</i> , 2011, 42, 427-432.	1.0	325
159	Prediction of Motor Recovery Using Initial Impairment and fMRI 48 h Poststroke. <i>Cerebral Cortex</i> , 2011, 21, 2712-2721.	1.6	122
160	Clinical Identification for the Use of Light Touch Cues with a Cane in Gait Rehabilitation Poststroke. <i>Topics in Stroke Rehabilitation</i> , 2011, 18, 633-642.	1.0	16
161	Estimating the Minimal Clinically Important Difference of an Upper Extremity Recovery Measure in Subacute Stroke Patients. <i>Topics in Stroke Rehabilitation</i> , 2011, 18, 599-610.	1.0	173
162	Family-Mediated Exercise Intervention (FAME). <i>Stroke</i> , 2011, 42, 681-686.	1.0	105
163	Assessing the Streamlined Wolf Motor Function Test as an Outcome Measure for Stroke Rehabilitation. <i>Neurorehabilitation and Neural Repair</i> , 2011, 25, 194-199.	1.4	25
164	Translating measurement findings into rehabilitation practice: An example using Fugl-Meyer Assessment-Upper Extremity with patients following stroke. <i>Journal of Rehabilitation Research and Development</i> , 2011, 48, 1211.	1.6	59
165	Robot-assisted upper-limb therapy in acute rehabilitation setting following stroke: Department of Veterans Affairs multisite clinical trial. <i>Journal of Rehabilitation Research and Development</i> , 2011, 48, 445.	1.6	139

#	ARTICLE	IF	CITATIONS
166	Implanted neuroprosthesis for assisting arm and hand function after stroke: A case study. <i>Journal of Rehabilitation Research and Development</i> , 2012, 49, 1505.	1.6	29
167	Clinically Important Differences for the Upper-Extremity Fugl-Meyer Scale in People With Minimal to Moderate Impairment Due to Chronic Stroke. <i>Physical Therapy</i> , 2012, 92, 791-798.	1.1	453
168	Effects of robot-assisted therapy on stroke rehabilitation in upper limbs: Systematic review and meta-analysis of the literature. <i>Journal of Rehabilitation Research and Development</i> , 2012, 49, 479.	1.6	308
169	ENGAGE: Guided Activity-Based Gaming in Neurorehabilitation after Stroke: A Pilot Study. <i>Stroke Research and Treatment</i> , 2012, 2012, 1-10.	0.5	22
170	Rehabilitation of the Upper Extremity after Stroke: A Case Series Evaluating REO Therapy and an Auditory Sensor Feedback for Trunk Control. <i>Stroke Research and Treatment</i> , 2012, 2012, 1-7.	0.5	5
171	Assessing Longitudinal Change in Coordination of the Paretic Upper Limb Using On-Site 3-Dimensional Kinematic Measurements. <i>Physical Therapy</i> , 2012, 92, 142-151.	1.1	36
172	Robotic Assessment of Sensorimotor Deficits After Traumatic Brain Injury. <i>Journal of Neurologic Physical Therapy</i> , 2012, 36, 58-67.	0.7	59
173	Psychometric comparison of the shortened Fugl-Meyer Assessment and the streamlined Wolf Motor Function Test in stroke rehabilitation. <i>Clinical Rehabilitation</i> , 2012, 26, 1043-1047.	1.0	18
174	MARHS. , 2012, , .		6
175	Training and assessment of upper limb motor function with a robotic exoskeleton after stroke. , 2012, , .		7
176	A network-based monitoring system for rehabilitation. , 2012, , .		8
177	Contralaterally Controlled Functional Electrical Stimulation for Upper Extremity Hemiplegia. <i>Neurorehabilitation and Neural Repair</i> , 2012, 26, 239-246.	1.4	79
178	Bilateral upper limb trainer with virtual reality for post-stroke rehabilitation: case series report. <i>Disability and Rehabilitation: Assistive Technology</i> , 2012, 7, 55-62.	1.3	33
179	Beyond the standard clinical rating scales: Fine-grained assessment of post-stroke motor functionality using wearable inertial sensors. , 2012, 2012, 6111-5.		29
180	Prediction of Stroke Motor Recovery Using Reflex Stiffness Measures at One Month. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2012, 20, 762-770.	2.7	9
181	Compelled Body Weight Shift Technique to Facilitate Rehabilitation of Individuals with Acute Stroke. <i>ISRN Rehabilitation</i> , 2012, 2012, 1-7.	0.6	23
182	Comparison of "Less Affected Limb" Reaching Kinematics in Individuals with Chronic Stroke and Healthy Age-Matched Controls. <i>Physical and Occupational Therapy in Geriatrics</i> , 2012, 30, 245-259.	0.2	6
183	Identifying Activity Levels and Steps of People With Stroke Using a Novel Shoe-Based Sensor. <i>Journal of Neurologic Physical Therapy</i> , 2012, 36, 100-107.	0.7	39

#	ARTICLE	IF	CITATIONS
184	Compelled Body Weight Shift Approach in Rehabilitation of Individuals With Chronic Stroke. Topics in Stroke Rehabilitation, 2012, 19, 556-563.	1.0	49
185	An imaging informatics-based ePR (electronic patient record) system for providing decision support in evaluating dose optimization in stroke rehabilitation. , 2012, , .		2
186	Robotic Assessment of Upper Limb Motor Function After Stroke. American Journal of Physical Medicine and Rehabilitation, 2012, 91, S255-S269.	0.7	115
187	Comparison of Three-Dimensional, Assist-as-Needed Robotic Arm/Hand Movement Training Provided with Pneu-WREX to Conventional Tabletop Therapy After Chronic Stroke. American Journal of Physical Medicine and Rehabilitation, 2012, 91, S232-S241.	0.7	83
188	A Study of the Clinical Utility of the BPI-12 and 23 in Predicting Shoulder Pain in Stroke Patients. Journal of Physical Therapy Science, 2012, 24, 455-460.	0.2	2
189	Clinical Feasibility of Mirror Therapy Combined with Electromyography-Triggered Neuromuscular Stimulation for the Paretic Hand after Stroke: a Pilot Study. Rigakuryoho Kagaku, 2012, 27, 231-238.	0.0	0
190	Comparing the effects of rhythmic auditory cueing and visual cueing in acute hemiparetic stroke. International Journal of Therapy and Rehabilitation, 2012, 19, 344-351.	0.1	12
191	Reliability, Concurrent Validity, and Responsiveness of the Fugl-Meyer Assessment (FMA) for Hemiplegic Patients. Journal of Physical Therapy Science, 2012, 24, 893-899.	0.2	51
192	Comparison of Brunnstrom movement therapy and motor relearning program in rehabilitation of post-stroke hemiparetic hand: A randomized trial. Journal of Bodywork and Movement Therapies, 2012, 16, 330-337.	0.5	38
193	Longitudinal studies of motor cortical excitability and transcallosal inhibition after subcortical stroke. , 2012, , .		0
194	Afferent stimulation provided by glove electrode during task-specific arm exercise following stroke. Clinical Rehabilitation, 2012, 26, 1010-1020.	1.0	25
195	Effects of robot-assisted upper limb rehabilitation on daily function and real-world arm activity in patients with chronic stroke: a randomized controlled trial. Clinical Rehabilitation, 2012, 26, 111-120.	1.0	135
196	Meaningful Task-Specific Training (MTST) for Stroke Rehabilitation: A Randomized Controlled Trial. Topics in Stroke Rehabilitation, 2012, 19, 193-211.	1.0	101
197	Development of a Computerized Adaptive Testing System of the Fugl-Meyer Motor Scale in Stroke Patients. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1014-1020.	0.5	31
198	Minimal Detectable Changes of the Berg Balance Scale, Fugl-Meyer Assessment Scale, Timed Up & Go Test, Gait Speeds, and 2-Minute Walk Test in Individuals With Chronic Stroke With Different Degrees of Ankle Plantarflexor Tone. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1201-1208.	0.5	245
199	Modification of altered ankle motor control after stroke using focal application of Botulinum toxin type A. Clinical Neurology and Neurosurgery, 2012, 114, 498-501.	0.6	10
200	Bimanual isometric force control: Asymmetry and coordination evidence post stroke. Clinical Neurophysiology, 2012, 123, 787-795.	0.7	60
201	Technologies and combination therapies for enhancing movement training for people with a disability. Journal of NeuroEngineering and Rehabilitation, 2012, 9, 17.	2.4	86

#	ARTICLE	IF	CITATIONS
202	Influence of gravity compensation training on synergistic movement patterns of the upper extremity after stroke, a pilot study. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2012, 9, 44.	2.4	41
203	Psychometric Properties and Administration of the Wrist/Hand Subscales of the Fugl-Meyer Assessment in Minimally Impaired Upper Extremity Hemiparesis in Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 2373-2376.e5.	0.5	64
204	Activation likelihood estimation meta-analysis of motor-related neural activity after stroke. <i>NeuroImage</i> , 2012, 59, 2771-2782.	2.1	289
205	Bimanual force control strategies in chronic stroke: Finger extension versus power grip. <i>Neuropsychologia</i> , 2012, 50, 2536-2545.	0.7	38
206	Effects of a repetitive gaming intervention on upper extremity impairments and function in persons with chronic stroke: a preliminary study. <i>Disability and Rehabilitation</i> , 2012, 34, 1291-1298.	0.9	34
207	Measuring environmental barriers faced by individuals living with stroke: Development and validation of the Chinese version of the Craig Hospital Inventory of Environmental Factors. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 740-746.	0.8	13
208	A multi-center study on low-frequency rTMS combined with intensive occupational therapy for upper limb hemiparesis in post-stroke patients. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2012, 9, 4.	2.4	90
209	Effects of a nurse-led acupuncture programme for stroke patients in China. <i>Journal of Clinical Nursing</i> , 2013, 22, 1182-1188.	1.4	9
210	Heart Rate Variability in Stroke Patients Submitted to an Acute Bout of Aerobic Exercise. <i>Translational Stroke Research</i> , 2013, 4, 488-499.	2.3	33
211	The Resonating Arm Exerciser: design and pilot testing of a mechanically passive rehabilitation device that mimics robotic active assistance. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2013, 10, 39.	2.4	22
212	A meta-analysis of the efficacy of anodal transcranial direct current stimulation for upper limb motor recovery in stroke survivors. <i>Journal of Hand Therapy</i> , 2013, 26, 162-171.	0.7	129
213	A Pervasive Assessment of Motor Function: A Lightweight Grip Strength Tracking System. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2013, 17, 1023-1030.	3.9	8
214	Umbilical cord mesenchymal stem cell transplantation significantly improves neurological function in patients with sequelae of traumatic brain injury. <i>Brain Research</i> , 2013, 1532, 76-84.	1.1	131
215	A Standardized Approach to the Fugl-Meyer Assessment and Its Implications for Clinical Trials. <i>Neurorehabilitation and Neural Repair</i> , 2013, 27, 732-741.	1.4	204
216	Visual cue training to improve walking and turning after stroke: a study protocol for a multi-centre, single blind randomised pilot trial. <i>Trials</i> , 2013, 14, 276.	0.7	12
217	Comparison between the six-minute walk test and the six-minute step test in post stroke patients. <i>International Archive of Medicine</i> , 2013, 6, 31.	1.2	12
218	Acupuncture in Subacute Stroke: No Benefits Detected. <i>Physical Therapy</i> , 2013, 93, 1447-1455.	1.1	21
219	Post-stroke maintenance therapy using a novel vibrating brace: A case study. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
220	Individual patterns of motor deficits evident in movement distribution analysis. , 2013, 2013, 6650430.		9
221	The Home Stroke Rehabilitation and Monitoring System Trial: A Randomized Controlled Trial. International Journal of Stroke, 2013, 8, 46-53.	2.9	49
222	More Outcomes than Trials: A Call for Consistent Data Collection across Stroke Rehabilitation Trials. International Journal of Stroke, 2013, 8, 18-24.	2.9	39
223	White matter structural connectivity is associated with sensorimotor function in stroke survivors. NeuroImage: Clinical, 2013, 2, 767-781.	1.4	21
224	Combined arm stretch positioning and neuromuscular electrical stimulation during rehabilitation does not improve range of motion, shoulder pain or function in patients after stroke: a randomised trial. Journal of Physiotherapy, 2013, 59, 245-254.	0.7	29
225	Functional repetitive transcranial magnetic stimulation increases motor cortex excitability in survivors of stroke. Clinical Neurophysiology, 2013, 124, 371-378.	0.7	28
226	Effects of Task-Specific and Impairment-Based Training Compared With Usual Care on Functional Walking Ability After Inpatient Stroke Rehabilitation. Neurorehabilitation and Neural Repair, 2013, 27, 370-380.	1.4	81
227	Rasch Analysis Staging Methodology to Classify Upper Extremity Movement Impairment After Stroke. Archives of Physical Medicine and Rehabilitation, 2013, 94, 1527-1533.	0.5	148
228	A tele-monitoring system for gait rehabilitation with an inertial measurement unit and a shoe-type ground reaction force sensor. Mechatronics, 2013, 23, 646-651.	2.0	54
229	Interdisciplinary Comprehensive Arm Rehabilitation Evaluation (ICARE): a randomized controlled trial protocol. BMC Neurology, 2013, 13, 5.	0.8	57
230	Improving Motor Activation Patterns After Stroke with Wii-based Movement Therapy. Neuromethods, 2013, , 301-314.	0.2	7
231	Neural correlates of motor impairment during motor imagery and motor execution in sub-cortical stroke. Brain Injury, 2013, 27, 651-663.	0.6	13
232	Prospective, Randomized Controlled Trial of Physiotherapy and Acupuncture on Motor Function and Daily Activities in Patients with Ischemic Stroke. Journal of Alternative and Complementary Medicine, 2013, 19, 684-689.	2.1	9
233	Constraint-Induced Movement Therapy Combined With Conventional Neurorehabilitation Techniques in Chronic Stroke Patients With Plegic Hands: A Case Series. Archives of Physical Medicine and Rehabilitation, 2013, 94, 86-94.	0.5	74
234	Low-Cost Tele-assessment System for Home-Based Evaluation of Reaching Ability Following Stroke. Telemedicine Journal and E-Health, 2013, 19, 973-978.	1.6	11
235	Functional Cortical Reorganization after Low-Frequency Repetitive Transcranial Magnetic Stimulation plus Intensive Occupational Therapy for Upper Limb Hemiparesis: Evaluation by Functional Magnetic Resonance Imaging in Poststroke Patients. International Journal of Stroke, 2013, 8, 422-429.	2.9	42
236	Gaussian mixture modeling in stroke patients' rehabilitation EEG data analysis. , 2013, 2013, 2208-11.		10
237	Improvements in spasticity and motor function using a static stretching device for people with chronic hemiparesis following stroke. NeuroRehabilitation, 2013, 32, 369-375.	0.5	15

#	ARTICLE	IF	CITATIONS
238	Extracorporeal Shock Wave Therapy reduces upper limb spasticity and improves motricity in patients with chronic hemiplegia: A case series. <i>NeuroRehabilitation</i> , 2013, 33, 399-405.	0.5	21
239	EMG-Force Relations During Isometric Contractions of the First Dorsal Interosseous Muscle After Stroke. <i>Topics in Stroke Rehabilitation</i> , 2013, 20, 537-543.	1.0	23
240	Safety, Pharmacokinetics, and Pharmacodynamics of Escalating Repeat Doses of GSK249320 in Patients With Stroke. <i>Stroke</i> , 2013, 44, 1337-1342.	1.0	28
241	Patient-Reported Measures Provide Unique Insights Into Motor Function After Stroke. <i>Stroke</i> , 2013, 44, 1111-1116.	1.0	125
242	CONTRAST. , 2013, , .		28
243	Effectiveness of mirror therapy on lower extremity motor recovery, balance and mobility in patients with acute stroke: A randomized sham-controlled pilot trial. <i>Annals of Indian Academy of Neurology</i> , 2013, 16, 634.	0.2	53
244	A Randomized Controlled Pilot Study of the Triple Stimulation Technique in the Assessment of Electroacupuncture for Motor Function Recovery in Patients with Acute Ischemic Stroke. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-8.	0.5	18
245	Levodopa/Carbidopa to Improve Motor Function Subsequent to Brain Tumor Excision. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013, 92, 307-311.	0.7	3
246	Predictive value of upper-limb accelerometry in acute stroke with hemiparesis. <i>Journal of Rehabilitation Research and Development</i> , 2013, 50, 1099-106.	1.6	19
247	Feasibility of Virtual Reality Augmented Cycling for Health Promotion of People Poststroke. <i>Journal of Neurologic Physical Therapy</i> , 2013, 37, 118-124.	0.7	21
248	Incorporating Robotic-Assisted Telerehabilitation in a Home Program to Improve Arm Function Following Stroke. <i>Journal of Neurologic Physical Therapy</i> , 2013, 37, 125-132.	0.7	26
249	Segmental muscle vibration improves reaching movement in patients with chronic stroke. A randomized controlled trial. <i>NeuroRehabilitation</i> , 2013, 32, 591-599.	0.5	41
250	Converging Clinical and Engineering Research on Neurorehabilitation. <i>Biosystems and Biorobotics</i> , 2013, , .	0.2	9
251	The NIHSS Supplementary Motor Scale: A Valid Tool for Multidisciplinary Recovery Trials. <i>Cerebrovascular Diseases</i> , 2013, 36, 69-73.	0.8	3
252	Step by step: A proof of concept study of C-Mill gait adaptability training in the chronic phase after stroke. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 616-622.	0.8	63
253	Assessing Goal-Directed Three-Dimensional Movements in a Virtual Reality Block Design Task. , 2013, , .		2
254	Effect of Task-Based Mirror Therapy on Motor Recovery of the Upper Extremity in Chronic Stroke Patients: A Pilot Study. <i>Topics in Stroke Rehabilitation</i> , 2013, 20, 210-217.	1.0	23
255	Longitudinal Cortical Volume Changes Correlate With Motor Recovery in Patients After Acute Local Subcortical Infarction. <i>Stroke</i> , 2013, 44, 2795-2801.	1.0	56

#	ARTICLE	IF	CITATIONS
256	Improvement After Constraint-Induced Movement Therapy. <i>Neurorehabilitation and Neural Repair</i> , 2013, 27, 99-109.	1.4	144
257	Efficacy of Integrated Rehabilitation Techniques of Traditional Chinese Medicine for Ischemic Stroke: A Randomized Controlled Trial. <i>The American Journal of Chinese Medicine</i> , 2013, 41, 971-981.	1.5	20
258	Power spectral analysis of surface EMG in stroke: A preliminary study. , 2013, , .		5
259	Clinical Decision Making when Addressing Upper Limb Post-Stroke Sensory Impairments. <i>British Journal of Occupational Therapy</i> , 2013, 76, 254-263.	0.5	11
260	Measurement of Lower Limb Joint Kinematics using Inertial Sensors During Stair Ascent and Descent in Healthy Older Adults and Stroke Survivors. <i>Journal of Healthcare Engineering</i> , 2013, 4, 555-576.	1.1	29
261	The Functional Ambulation: Standard Treatment versus Electrical Stimulation Therapy (FASTEST) trial for stroke: study design and protocol. <i>Open Access Journal of Clinical Trials</i> , 0, , 39.	1.5	11
262	Increased Force Variability in Chronic Stroke: Contributions of Force Modulation below 1 Hz. <i>PLoS ONE</i> , 2013, 8, e83468.	1.1	43
263	Resting State Interhemispheric Motor Connectivity and White Matter Integrity Correlate with Motor Impairment in Chronic Stroke. <i>Frontiers in Neurology</i> , 2013, 4, 178.	1.1	84
264	Motor imagery ability in stroke patients: the relationship between implicit and explicit motor imagery measures. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 790.	1.0	31
265	Application of the Fugl-Meyer Assessment (FMA) and the Wolf Motor Function Test (WMFT) in the recovery of upper limb function in patients after chronic stroke: a literature review. <i>Acta FisiÅ¡trica</i> , 2013, 20, 42-49.	0.0	5
266	Benefits of Repetitive Transcranial Magnetic Stimulation (rTMS) for Spastic Subjects: Clinical, Functional, and Biomechanical Parameters for Lower Limb and Walking in Five Hemiparetic Patients. <i>Scientific World Journal</i> , The, 2014, 2014, 1-7.	0.8	7
267	Brain-computer interface-based robotic end effector system for wrist and hand rehabilitation: results of a three-armed randomized controlled trial for chronic stroke. <i>Frontiers in Neuroengineering</i> , 2014, 7, 30.	4.8	252
268	Methods for an International Randomized Clinical Trial to Investigate the Effect of Gsk249320 on Motor Cortex Neurophysiology using Transcranial Magnetic Stimulation in Survivors of Stroke. <i>Journal of Clinical Trials</i> , 2014, 04, 1-9.	0.1	9
269	Stroke Recovery after Unilateral Posterior Spinal Artery Stroke: A Case Report. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2014, s3, .	0.5	0
270	Applying Tai Chi as a rehabilitation program for stroke patients in the recovery phase: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 484.	0.7	13
271	Effects of the addition of transcranial direct current stimulation to virtual reality therapy after stroke: A pilot randomized controlled trial. <i>NeuroRehabilitation</i> , 2014, 34, 437-446.	0.5	107
272	NMES with rTMS for moderate to severe dysfunction after stroke. <i>NeuroRehabilitation</i> , 2014, 35, 363-368.	0.5	13
273	Using clinical and robotic assessment tools to examine the feasibility of pairing tDCS with upper extremity physical therapy in patients with stroke and TBI: A consideration-of-concept pilot study. <i>NeuroRehabilitation</i> , 2014, 35, 741-754.	0.5	38

#	ARTICLE	IF	CITATIONS
274	Grasps Recognition and Evaluation of Stroke Patients for Supporting Rehabilitation Therapy. <i>BioMed Research International</i> , 2014, 2014, 1-14.	0.9	8
275	Bilateral high- and low-frequency rTMS in acute stroke patients with hemiparesis: A comparative study with unilateral high-frequency rTMS. <i>Brain Injury</i> , 2014, 28, 1682-1686.	0.6	41
276	Segmental muscle vibration modifies muscle activation during reaching in chronic stroke: A pilot study. <i>NeuroRehabilitation</i> , 2014, 35, 405-414.	0.5	21
277	Adherence to Accelerometry Measurement of Community Ambulation Poststroke. <i>Physical Therapy</i> , 2014, 94, 101-110.	1.1	25
278	A Prospective Test of the Late Effects of Potentially Antineuroplastic Drugs in a Stroke Rehabilitation Study. <i>International Journal of Stroke</i> , 2014, 9, 449-456.	2.9	11
279	Stroke Rehabilitation in China: A Systematic Review and Meta-Analysis. <i>International Journal of Stroke</i> , 2014, 9, 494-502.	2.9	32
280	Body weight-supported treadmill training vs. overground walking training for persons with chronic stroke: a pilot randomized controlled trial. <i>Clinical Rehabilitation</i> , 2014, 28, 873-884.	1.0	54
281	Continuous theta-burst stimulation combined with occupational therapy for upper limb hemiparesis after stroke: a preliminary study. <i>Acta Neurologica Belgica</i> , 2014, 114, 279-284.	0.5	10
282	Local Muscle Injection of Botulinum Toxin Type A Synergistically Improves the Beneficial Effects of Repetitive Transcranial Magnetic Stimulation and Intensive Occupational Therapy in Post-Stroke Patients with Spastic Upper Limb Hemiparesis. <i>European Neurology</i> , 2014, 72, 290-298.	0.6	12
283	Home-based Computer Assisted Arm Rehabilitation (hCAAR) robotic device for upper limb exercise after stroke: results of a feasibility study in home setting. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 163.	2.4	98
284	Maximum Walking Speed Is a Key Determinant of Long Distance Walking Function After Stroke. <i>Topics in Stroke Rehabilitation</i> , 2014, 21, 502-509.	1.0	20
285	Mental Practice and Mirror Therapy Associated with Conventional Physical Therapy Training on the Hemiparetic Upper Limb in Poststroke Rehabilitation: A Preliminary Study. <i>Topics in Stroke Rehabilitation</i> , 2014, 21, 484-494.	1.0	9
286	Prediction of Upper Limb Recovery, General Disability, and Rehabilitation Status by Activity Measurements Assessed by Accelerometers or the Fugl-Meyer Score in Acute Stroke. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2014, 93, 245-252.	0.7	40
287	Postural Alignment Is Altered in People With Chronic Stroke and Related to Motor and Functional Performance. <i>Journal of Neurologic Physical Therapy</i> , 2014, 38, 239-245.	0.7	34
288	Inpatient Rehabilitation Outcomes of Patients With Apraxia After Stroke. <i>Topics in Stroke Rehabilitation</i> , 2014, 21, 211-219.	1.0	10
289	Design and validation of a lower limb exoskeleton employing the recumbent cycling modality for post-stroke rehabilitation. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2014, 228, 3517-3525.	1.1	10
290	Effects of electrode configurations in transcranial direct current stimulation after stroke. , 2014, , .		2
291	Stroke Survivors Scoring Zero on the NIH Stroke Scale Score Still Exhibit Significant Motor Impairment and Functional Limitation. <i>Stroke Research and Treatment</i> , 2014, 2014, 1-6.	0.5	21

#	ARTICLE	IF	CITATIONS
292	Effect of Auditory Constraints on Motor Performance Depends on Stage of Recovery Post-Stroke. <i>Frontiers in Neurology</i> , 2014, 5, 106.	1.1	27
293	Effects of Repetitive Peripheral Magnetic Stimulation on Upper-Limb Spasticity and Impairment in Patients With Spastic Hemiparesis: A Randomized, Double-Blind, Sham-Controlled Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1039-1047.	0.5	59
294	Efficacy of Coupling Repetitive Transcranial Magnetic Stimulation and Physical Therapy to Reduce Upper-Limb Spasticity in Patients With Stroke: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 222-229.	0.5	123
295	Development of virtual reality proprioceptive rehabilitation system for stroke patients. <i>Computer Methods and Programs in Biomedicine</i> , 2014, 113, 258-265.	2.6	94
296	Longitudinal changes of motor cortical excitability and transcallosal inhibition after subcortical stroke. <i>Clinical Neurophysiology</i> , 2014, 125, 2055-2069.	0.7	68
297	Randomized, Multicenter, Comparative Study of NEURO versus CIMT in Poststroke Patients with Upper Limb Hemiparesis: The NEURO-VERIFY Study. <i>International Journal of Stroke</i> , 2014, 9, 607-612.	2.9	63
298	Effects of a Mirror-Induced Visual Illusion on a Reaching Task in Stroke Patients. <i>Neurorehabilitation and Neural Repair</i> , 2014, 28, 652-659.	1.4	44
299	Mirror-neuron system recruitment by action observation: Effects of focal brain damage on mu suppression. <i>NeuroImage</i> , 2014, 87, 127-137.	2.1	54
300	Are the Hierarchical Properties of the Fugl-Meyer Assessment Scale the Same in Acute Stroke and Chronic Stroke?. <i>Physical Therapy</i> , 2014, 94, 977-986.	1.1	23
301	Reliability and Validity of the Balance Evaluation Systems Test (BESTest) in People With Subacute Stroke. <i>Physical Therapy</i> , 2014, 94, 1632-1643.	1.1	81
302	Deep flexion activity training in a patient with stroke using task-oriented exercise: a case report. <i>Physiotherapy Theory and Practice</i> , 2014, 30, 196-201.	0.6	4
303	Automated Fugl-Meyer Assessment using SVR model. , 2014, , .		11
304	A neurally inspired robotic control algorithm for gait rehabilitation in hemiplegic stroke patients. , 2014, , .		2
305	Influence of single centers in a multicenter trial on robot-assisted therapy?. , 2014, , .		0
306	Feasibility study of a combined treatment of electromyography-triggered neuromuscular stimulation and mirror therapy in stroke patients: A randomized crossover trial. <i>NeuroRehabilitation</i> , 2014, 34, 235-244.	0.5	14
307	Mirror Therapy Enhances Motor Performance in the Paretic Upper Limb After Stroke: A Pilot Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 2000-2005.	0.5	73
308	Effect of ankle-foot orthosis on postural control after stroke: A systematic review. <i>NeurologÃa (English Edition)</i> , 2014, 29, 423-432.	0.2	12
309	Test-Retest Reliability of Robotic Assessment Measures for the Evaluation of Upper Limb Recovery. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2014, 22, 1020-1029.	2.7	35

#	ARTICLE	IF	CITATIONS
310	Strength and Motor Function after Arm Training with an Exoskeleton Robot. <i>Biosystems and Biorobotics</i> , 2014, , 39-46.	0.2	0
311	Is the Long Form of the Fugl-Meyer Motor Scale More Responsive Than the Short Form in Patients With Stroke?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 941-949.	0.5	24
312	A task-specific interactive game-based virtual reality rehabilitation system for patients with stroke: a usability test and two clinical experiments. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 32.	2.4	156
313	Effects of task-oriented robot training on arm function, activity, and quality of life in chronic stroke patients: a randomized controlled trial. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 45.	2.4	83
314	A robotic object hitting task to quantify sensorimotor impairments in participants with stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 47.	2.4	82
315	Quantitative assessment of upper limb motor function in Multiple Sclerosis using an instrumented Action Research Arm Test. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 67.	2.4	86
316	Retraining and assessing hand movement after stroke using the MusicGlove: comparison with conventional hand therapy and isometric grip training. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 76.	2.4	119
317	Kinetic measurements of hand motor impairments after mild to moderate stroke using grip control tasks. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 84.	2.4	20
318	Efecto de la ortesis de tobillo pie en el control postural tras el accidente cerebrovascular: revisi3n sistem4tica. <i>Neurolog4a</i> , 2014, 29, 423-432.	0.3	16
319	Motor recovery and microstructural change in rubro-spinal tract in subcortical stroke. <i>NeuroImage: Clinical</i> , 2014, 4, 201-208.	1.4	72
320	Variability, frequency composition, and complexity of submaximal isometric knee extension force from subacute to chronic stroke. <i>Neuroscience</i> , 2014, 273, 189-198.	1.1	21
321	Stroke-related motor outcome measures: Do they quantify the neurophysiological aspects of upper extremity recovery?. <i>Journal of Bodywork and Movement Therapies</i> , 2014, 18, 412-423.	0.5	45
322	A Reliability of the Prototype Trunk Training System for Sitting Balance. <i>Journal of Physical Therapy Science</i> , 2014, 26, 1745-1747.	0.2	3
323	Psychometric Properties of the Lower Extremity Subscale of the Fugl-Myer Assessment for Community-dwelling Hemiplegic Stroke Patients. <i>Journal of Physical Therapy Science</i> , 2014, 26, 1775-1777.	0.2	33
324	A preliminary investigation of error enhancement of the velocity component in stroke patients's™ reaching movements. <i>International Journal of Therapy and Rehabilitation</i> , 2014, 21, 160-168.	0.1	10
325	Computer game-based upper extremity training in the home environment in stroke persons: a single subject design. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2014, 11, 35.	2.4	35
326	Current trends in tai chi for stroke rehabilitation. <i>Journal of Traditional Chinese Medical Sciences</i> , 2015, 2, 135-139.	0.1	3
327	Predictive factors of hypertonia in the upper extremity of chronic stroke survivors. <i>Journal of Physical Therapy Science</i> , 2015, 27, 2545-2549.	0.2	5

#	ARTICLE	IF	CITATIONS
328	A double-blinded randomised controlled trial exploring the effect of anodal transcranial direct current stimulation and uni-lateral robot therapy for the impaired upper limb in sub-acute and chronic stroke. <i>NeuroRehabilitation</i> , 2015, 37, 181-191.	0.5	63
329	Reinforcement-induced movement therapy: A novel approach for overcoming learned non-use in chronic stroke patients. , 2015, , .		10
330	Using surface electromyography to guide the activation during motor-evoked potential measurement: An activation control method for follow-up studies. <i>Brain Injury</i> , 2015, 29, 1661-1666.	0.6	3
331	Test-retest reliability of Kinect™s measurements for the evaluation of upper body recovery of stroke patients. <i>BioMedical Engineering OnLine</i> , 2015, 14, 75.	1.3	42
332	Brain-controlled functional electrical stimulation therapy for gait rehabilitation after stroke: a safety study. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2015, 12, 57.	2.4	43
333	Passive standing as an adjunct rehabilitation intervention after stroke: a randomized controlled trial. <i>Archives of Physiotherapy</i> , 2015, 5, 2.	0.7	4
334	Rasch Analysis of the Wrist and Hand Fugl-Meyer. <i>Journal of Neurologic Physical Therapy</i> , 2015, 39, 185-192.	0.7	11
335	Monitoring hemodynamic changes in stroke-affected muscles using near-infrared spectroscopy. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2015, 2, 205566831561419.	0.6	3
336	The proportional recovery rule for stroke revisited. <i>Annals of Neurology</i> , 2015, 78, 845-847.	2.8	96
337	Quantitative motor assessment of upperlimb after unilateral stroke: A preliminary feasibility study with H-Man, a planar robot. , 2015, , .		8
338	Electromyogram-controlled assistive exercise for the motor recovery of shoulder in chronic hemiplegia: A pilot study. <i>Bio-Medical Materials and Engineering</i> , 2015, 26, S861-S869.	0.4	0
339	JSU-Diagram: A Guideline for Treatment of the Upper Limb in Stroke Patients. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2015, 03, .	0.5	2
340	Similar effects of two modified constraint-induced therapy protocols on motor impairment, motor function and quality of life in patients with chronic stroke. <i>Neurology International</i> , 2015, 7, 5430.	1.3	16
341	Clinical Assessments for Predicting Functional Recovery after Stroke. <i>International Journal of Neurorehabilitation</i> , 2015, 02, .	0.1	4
342	Dalfampridine in chronic sensorimotor deficits after ischemic stroke: A proof of concept study. <i>Journal of Rehabilitation Medicine</i> , 2015, 47, 924-931.	0.8	13
343	A Framework to Automate Assessment of Upper-Limb Motor Function Impairment: A Feasibility Study. <i>Sensors</i> , 2015, 15, 20097-20114.	2.1	69
344	A Single-Session Preliminary Evaluation of an Affordable BCI-Controlled Arm Exoskeleton and Motor-Proprioception Platform. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 168.	1.0	30
345	The effect of transcranial direct current stimulation on the expression of the flexor synergy in the paretic arm in chronic stroke is dependent on shoulder abduction loading. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 262.	1.0	16

#	ARTICLE	IF	CITATIONS
346	Evaluation of clinical outcomes of patients with post-stroke wrist and finger spasticity after ultrasonography-guided BTX-A injection and rehabilitation training. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 485.	1.0	8
347	Do post-stroke patients benefit from robotic verticalization? A pilot-study focusing on a novel neurophysiological approach. <i>Restorative Neurology and Neuroscience</i> , 2015, 33, 671-681.	0.4	32
348	Combining Diffusion Tensor Imaging and Gray Matter Volumetry to Investigate Motor Functioning in Chronic Stroke. <i>PLoS ONE</i> , 2015, 10, e0125038.	1.1	12
349	The Microstructural Status of the Corpus Callosum Is Associated with the Degree of Motor Function and Neurological Deficit in Stroke Patients. <i>PLoS ONE</i> , 2015, 10, e0122615.	1.1	53
350	The Effect of Acupuncture on the Motor Function and White Matter Microstructure in Ischemic Stroke Patients. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-10.	0.5	17
351	Improving Quality of Life and Depression After Stroke Through Telerehabilitation. <i>American Journal of Occupational Therapy</i> , 2015, 69, 6902290020p1-6902290020p10.	0.1	91
352	Forced Aerobic Exercise Enhances Motor Recovery After Stroke: A Case Report. <i>American Journal of Occupational Therapy</i> , 2015, 69, 6904210010p1-6904210010p8.	0.1	21
353	Concurrent and Predictive Validity of Arm Kinematics With and Without a Trunk Restraint During a Reaching Task in Individuals With Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1666-1675.	0.5	11
354	Brain-computer interface boosts motor imagery practice during stroke recovery. <i>Annals of Neurology</i> , 2015, 77, 851-865.	2.8	452
355	Stroke-Related Sarcopenia: Specific Characteristics. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 272-276.	1.2	124
356	The Effect of Arm Support Combined With Rehabilitation Games on Upper-Extremity Function in Subacute Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2015, 29, 174-182.	1.4	72
357	Evaluation of a portable markerless finger position capture device: accuracy of the Leap Motion controller in healthy adults. <i>Physiological Measurement</i> , 2015, 36, 1025-1035.	1.2	43
358	Examining Differences in Patterns of Sensory and Motor Recovery After Stroke With Robotics. <i>Stroke</i> , 2015, 46, 3459-3469.	1.0	73
359	How Do Fugl-Meyer Arm Motor Scores Relate to Dexterity According to the Action Research Arm Test at 6 Months Poststroke?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1845-1849.	0.5	98
360	Combining EPI and motion correction for fMRI human brain images with big motion. , 2015, 2015, 5449-52.		1
361	Multifactor analysis for risk factors involved in the fear of falling in patients with chronic stroke from mainland China. <i>Topics in Stroke Rehabilitation</i> , 2015, 22, 368-373.	1.0	10
362	Music-supported therapy (MST) in improving post-stroke patients' upper-limb motor function: a randomised controlled pilot study. <i>Neurological Research</i> , 2015, 37, 434-440.	0.6	40
363	Combined Clinic-Home Approach for Upper Limb Robotic Therapy After Stroke: A Pilot Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 2243-2248.	0.5	35

#	ARTICLE	IF	CITATIONS
364	Improved gait adjustments after gait adaptability training are associated with reduced attentional demands in persons with stroke. <i>Experimental Brain Research</i> , 2015, 233, 1007-1018.	0.7	41
365	Assist-as-Needed Robot-Aided Gait Training Improves Walking Function in Individuals Following Stroke. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2015, 23, 956-963.	2.7	119
366	Effects of repetitive transcranial magnetic stimulation and intensive occupational therapy on motor neuron excitability in poststroke hemiparetic patients: A neurophysiological investigation using F-wave parameters. <i>International Journal of Neuroscience</i> , 2015, 125, 25-31.	0.8	27
367	Structural remodeling of white matter in the contralesional hemisphere is correlated with early motor recovery in patients with subcortical infarction. <i>Restorative Neurology and Neuroscience</i> , 2015, 33, 309-319.	0.4	27
368	Task-Based Mirror Therapy Augmenting Motor Recovery in Poststroke Hemiparesis: A Randomized Controlled Trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 1738-1748.	0.7	60
369	Fast gait speed and self-perceived balance as valid predictors and discriminators of independent community walking at 6 months post-stroke – a preliminary study. <i>Disability and Rehabilitation</i> , 2015, 37, 129-134.	0.9	31
370	Quantifying changes in material properties of stroke-impaired muscle. <i>Clinical Biomechanics</i> , 2015, 30, 269-275.	0.5	101
371	Diffusion tensor imaging change in crus cerebri in striatocapsular infarction and correlation with upper extremity motor dysfunction. <i>Radiologia Medica</i> , 2015, 120, 1064-1070.	4.7	1
372	Mirror therapy enhances upper extremity motor recovery in stroke patients. <i>Acta Neurologica Belgica</i> , 2015, 115, 597-603.	0.5	35
373	Evaluation of Tai Chi Yunshou exercises on community-based stroke patients with balance dysfunction: a study protocol of a cluster randomized controlled trial. <i>BMC Complementary and Alternative Medicine</i> , 2015, 15, 31.	3.7	19
374	Proof of Principle of a Brain-Computer Interface Approach to Support Poststroke Arm Rehabilitation in Hospitalized Patients: Design, Acceptability, and Usability. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, S71-S78.	0.5	84
375	Psychometrics of the Wrist Stability and Hand Mobility Subscales of the Fugl-Meyer Assessment in Moderately Impaired Stroke. <i>Physical Therapy</i> , 2015, 95, 103-108.	1.1	40
376	The HAAPI (Home Arm Assistance Progression Initiative) Trial. <i>Neurorehabilitation and Neural Repair</i> , 2015, 29, 958-968.	1.4	91
377	Pressure-Controlled Treadmill Training in Chronic Stroke. <i>Journal of Neurologic Physical Therapy</i> , 2015, 39, 127-133.	0.7	11
378	A Fully Automated, Quantitative Test of Upper Limb Function. <i>Journal of Motor Behavior</i> , 2015, 47, 19-28.	0.5	22
379	Quantitative Assessment of Upper Limb Motion in Neurorehabilitation Utilizing Inertial Sensors. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2015, 23, 232-243.	2.7	41
380	Robotic therapy for chronic stroke: general recovery of impairment or improved task-specific skill?. <i>Journal of Neurophysiology</i> , 2015, 114, 1885-1894.	0.9	47
381	Increased Lower Limb Spasticity but Not Strength or Function Following a Single-Dose Serotonin Reuptake Inhibitor in Chronic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 2112-2119.	0.5	15

#	ARTICLE	IF	CITATIONS
382	Chronic Stroke Outcome Measures for Motor Function Intervention Trials. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, S163-9.	0.9	81
383	Generalizability of the Proportional Recovery Model for the Upper Extremity After an Ischemic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2015, 29, 614-622.	1.4	250
384	Objective Assessment of Upper Limb Mobility for Post-stroke Rehabilitation. <i>IEEE Transactions on Biomedical Engineering</i> , 2015, 63, 1-1.	2.5	53
385	Fluoxetine Maintains a State of Heightened Responsiveness to Motor Training Early After Stroke in a Mouse Model. <i>Stroke</i> , 2015, 46, 2951-2960.	1.0	75
386	Safety and Efficacy of Selective Neurectomy of the Gastrocnemius Muscle for Calf Reduction in 300 Cases. <i>Aesthetic Plastic Surgery</i> , 2015, 39, 674-679.	0.5	7
387	Upper Limb Motor Impairment After Stroke. <i>Physical Medicine and Rehabilitation Clinics of North America</i> , 2015, 26, 599-610.	0.7	222
388	Quantitative assessment of motor deficit with an intelligent key Object: A Pilot Study. , 2015, , .		1
389	Clinical feasibility of interactive motion-controlled games for stroke rehabilitation. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2015, 12, 63.	2.4	82
390	Neurofeedback training of alpha-band coherence enhances motor performance. <i>Clinical Neurophysiology</i> , 2015, 126, 1754-1760.	0.7	56
391	Comparison of Three Tools to Measure Improvements in Upper-Limb Function With Poststroke Therapy. <i>Neurorehabilitation and Neural Repair</i> , 2015, 29, 341-348.	1.4	27
392	Knee posture during gait and global functioning post-stroke: a theoretical ICF framework using current measures in stroke rehabilitation. <i>Disability and Rehabilitation</i> , 2015, 37, 904-913.	0.9	8
393	Efficacy of Constraint-Induced Movement Therapy in Early Stroke Rehabilitation. <i>Neurorehabilitation and Neural Repair</i> , 2015, 29, 517-525.	1.4	33
394	Positive Effect of Impairment-Oriented Training on N-Acetylaspartate Levels of Ipsilesional Motor Cortex in Subcortical Stroke: A Case Study. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2016, 04, .	0.5	1
395	Efficacy of Modified Constraint Induced Movement Therapy in the Treatment of Hemiparetic Upper Limb in Stroke Patients: A Randomized Controlled Trial. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2016, 10, YC01-YC05.	0.8	12
396	Investigation of isometric strength and control of the upper extremities in multiple sclerosis. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2016, 3, 205566831666397.	0.6	5
397	Robotic Assist-As-Needed as an Alternative to Therapist-Assisted Gait Rehabilitation. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2016, 4, .	0.5	24
398	Stroke rehabilitation. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2016, 21, 297-305.	0.5	19
399	Acupuncture for Poststroke Shoulder Pain: A Systematic Review and Meta-Analysis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-8.	0.5	27

#	ARTICLE	IF	CITATIONS
400	The Use of an MEG/fMRI-Compatible Finger Motion Sensor in Detecting Different Finger Actions. <i>Frontiers in Bioengineering and Biotechnology</i> , 2015, 3, 205.	2.0	4
401	An Exploratory Investigation on the Use of Closed-Loop Electrical Stimulation to Assist Individuals with Stroke to Perform Fine Movements with Their Hemiparetic Arm. <i>Frontiers in Bioengineering and Biotechnology</i> , 2016, 4, 20.	2.0	12
402	Upper-Extremity Dual-Task Function: An Innovative Method to Assess Cognitive Impairment in Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 167.	1.7	45
403	Neurophysiological Characterization of Subacute Stroke Patients: A Longitudinal Study. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 574.	1.0	13
404	Dominance of the Unaffected Hemisphere Motor Network and Its Role in the Behavior of Chronic Stroke Survivors. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 650.	1.0	25
405	Influence of Corticospinal Tracts from Higher Order Motor Cortices on Recruitment Curve Properties in Stroke. <i>Frontiers in Neuroscience</i> , 2016, 10, 79.	1.4	33
406	Self-Paced Reaching after Stroke: A Quantitative Assessment of Longitudinal and Directional Sensitivity Using the H-Man Planar Robot for Upper Limb Neurorehabilitation. <i>Frontiers in Neuroscience</i> , 2016, 10, 477.	1.4	16
407	The effect of bilateral trainings on upper extremities muscle activation on level of motor function in stroke patients. <i>Journal of Physical Therapy Science</i> , 2016, 28, 3427-3431.	0.2	2
408	Home-based hand rehabilitation after chronic stroke: Randomized, controlled single-blind trial comparing the MusicGlove with a conventional exercise program. <i>Journal of Rehabilitation Research and Development</i> , 2016, 53, 457-472.	1.6	81
409	Haptic Neurorehabilitation and Virtual Reality for Upper Limb Paralysis: A Review. <i>Critical Reviews in Biomedical Engineering</i> , 2016, 44, 1-32.	0.5	31
410	Facilitation of the Lesioned Motor Cortex During Tonic Contraction of the Unaffected Limb Corresponds to Motor Status After Stroke. <i>Journal of Neurologic Physical Therapy</i> , 2016, 40, 15-21.	0.7	2
411	Randomized Trial of Peripheral Nerve Stimulation to Enhance Modified Constraint-Induced Therapy After Stroke. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, 397-406.	0.7	38
412	Changes of Brain Connectivity in the Primary Motor Cortex After Subcortical Stroke. <i>Medicine (United States)</i> , 2016, 95, e2579.	0.4	39
413	Construct validity and reliability of the Selective Control Assessment of the Lower Extremity in children with cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2016, 58, 167-172.	1.1	40
414	Technology-assisted stroke rehabilitation in Mexico: a pilot randomized trial comparing traditional therapy to circuit training in a Robot/technology-assisted therapy gym. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2016, 13, 83.	2.4	49
415	Variability, frequency composition, and temporal regularity of submaximal isometric elbow flexion force in subacute stroke. <i>Experimental Brain Research</i> , 2016, 234, 3145-3155.	0.7	5
416	A modular sensorized handle for the training of functional tasks with planar neurorehabilitation setups. , 2016, , .		0
417	Robotic finger rehabilitation system for stroke patient using surface EMG armband. , 2016, , .		5

#	ARTICLE	IF	CITATIONS
418	Instrumental indices for upper limb function assessment in stroke patients: a validation study. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2016, 13, 52.	2.4	29
419	Mobile game-based virtual reality rehabilitation program for upper limb dysfunction after ischemic stroke. <i>Restorative Neurology and Neuroscience</i> , 2016, 34, 455-463.	0.4	74
420	Comparison of the effects of mirror therapy and electromyography-triggered neuromuscular stimulation on hand functions in stroke patients: a pilot study. <i>International Journal of Rehabilitation Research</i> , 2016, 39, 302-307.	0.7	20
421	Dimensionality and Item-Difficulty Hierarchy of the Lower Extremity Fugl-Meyer Assessment in Individuals With Subacute and Chronic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 582-589.e2.	0.5	23
422	Nerve Stimulation Enhances Task-Oriented Training in Chronic, Severe Motor Deficit After Stroke. <i>Stroke</i> , 2016, 47, 1879-1884.	1.0	44
423	Does an association exist between the hierarchical motor components of upper and lower limbs in stroke?. <i>Journal of Bodywork and Movement Therapies</i> , 2016, 20, 504-511.	0.5	1
424	Responsiveness of the Balance Evaluation Systems Test (BESTest) in People With Subacute Stroke. <i>Physical Therapy</i> , 2016, 96, 1638-1647.	1.1	42
425	Synergistic effect of moxibustion and rehabilitation training in functional recovery of post-stroke spastic hemiplegia. <i>Complementary Therapies in Medicine</i> , 2016, 26, 55-60.	1.3	7
426	Minimal clinically important difference of the lower-extremity fugl-meyer assessment in chronic-stroke. <i>Topics in Stroke Rehabilitation</i> , 2016, 23, 233-239.	1.0	51
427	Movement distributions of stroke survivors exhibit distinct patterns that evolve with training. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2016, 13, 23.	2.4	20
428	A novel and simple test of gait adaptability predicts gold standard measures of functional mobility in stroke survivors. <i>Gait and Posture</i> , 2016, 43, 170-175.	0.6	18
429	Predicting motor improvement after stroke with clinical assessment and diffusion tensor imaging. <i>Neurology</i> , 2016, 86, 1924-1925.	1.5	80
430	Comparison of individualized virtual reality- and group-based rehabilitation in older adults with chronic stroke in community settings: a pilot randomized controlled trial. <i>European Journal of Integrative Medicine</i> , 2016, 8, 738-746.	0.8	22
432	Gait training assisted by multi-channel functional electrical stimulation early after stroke: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 477.	0.7	11
433	Robotic and Wearable Sensor Technologies for Measurements/Clinical Assessments. , 2016, , 183-207.		13
434	Serious Games. , 2016, , .		155
435	Performance Assessment in Serious Games. , 2016, , 273-302.		12
436	Effect of mirror therapy on upper extremity motor function in stroke patients: a randomized controlled trial. <i>Journal of Physical Therapy Science</i> , 2016, 28, 2501-2506.	0.2	31

#	ARTICLE	IF	CITATIONS
437	Increased resting state connectivity between ipsilesional motor cortex and contralesional premotor cortex after transcranial direct current stimulation with physical therapy. <i>Scientific Reports</i> , 2016, 6, 23271.	1.6	25
438	EEG patterns of subacute stroke patients performing motor tasks correlate with motor functional outcome: Preliminary results. , 2016, 2016, 4674-4677.		3
439	Effect of whole-body vibration exercise in a sitting position prior to therapy on muscle tone and upper extremity function in stroke patients. <i>Journal of Physical Therapy Science</i> , 2016, 28, 558-562.	0.2	8
440	Effects of repetitive transcranial magnetic stimulation on motor recovery and motor cortex excitability in patients with stroke: a randomized controlled trial. <i>European Journal of Neurology</i> , 2016, 23, 1666-1672.	1.7	93
441	An extended kinematic model for arm rehabilitation training and assessment. , 2016, , .		1
442	A Low-Dimensional Dissimilarity Analysis of Unilateral and Bilateral Stroke-Impacted Hand Trajectories. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2016, 138, .	0.9	1
443	How to design clinical rehabilitation trials for the upper paretic limb early post stroke?. <i>Trials</i> , 2016, 17, 468.	0.7	39
444	Differences in motor recovery between upper and lower limbs: does stroke subtype make the difference?. <i>International Journal of Rehabilitation Research</i> , 2016, 39, 185-187.	0.7	15
445	Falls and Fear of Falling After Stroke: A Caseâ€Control Study. <i>PM and R</i> , 2016, 8, 1173-1180.	0.9	59
446	Clinical Outcomes of Transplanted Modified Bone Marrowâ€Derived Mesenchymal Stem Cells in Stroke. <i>Stroke</i> , 2016, 47, 1817-1824.	1.0	337
447	Towards clinically relevant automatic assessment of upper-limb motor function impairment. , 2016, , .		10
448	A Further Step to Develop Patient-Friendly Implementation Strategies for Virtual Realityâ€Based Rehabilitation in Patients With Acute Stroke. <i>Physical Therapy</i> , 2016, 96, 1554-1564.	1.1	31
449	Cerebrolysin combined with rehabilitation promotes motor recovery in patients with severe motor impairment after stroke. <i>BMC Neurology</i> , 2016, 16, 31.	0.8	57
450	Microstructural properties of premotor pathways predict visuomotor performance in chronic stroke. <i>Human Brain Mapping</i> , 2016, 37, 2039-2054.	1.9	15
451	A kinematic and electromyographic study of grip in extension in a clinical setting. <i>Disability and Rehabilitation: Assistive Technology</i> , 2016, 11, 228-234.	1.3	1
452	The impact of transcranial direct current stimulation (tDCS) combined with modified constraint-induced movement therapy (mCIMT) on upper limb function in chronic stroke: a double-blind randomized controlled trial. <i>Disability and Rehabilitation</i> , 2016, 38, 653-660.	0.9	84
453	Acupuncture treatment for ischaemic stroke in young adults: protocol for a randomised, sham-controlled clinical trial. <i>BMJ Open</i> , 2016, 6, e010073.	0.8	9
454	Early Fiber Number Ratio Is a Surrogate of Corticospinal Tract Integrity and Predicts Motor Recovery After Stroke. <i>Stroke</i> , 2016, 47, 1053-1059.	1.0	63

#	ARTICLE	IF	CITATIONS
455	Body Tracking in Healthcare. Synthesis Lectures on Assistive Rehabilitative and Health-Preserving Technologies, 2016, 5, 1-151.	0.2	7
456	Assessing Multiple Sclerosis With Kinect: Designing Computer Vision Systems for Real-World Use. Human-Computer Interaction, 2016, 31, 191-226.	3.1	15
457	Improving motor imagery practice with synchronous action observation in stroke patients. Topics in Stroke Rehabilitation, 2016, 23, 245-253.	1.0	83
458	Effect of Leg Selection on the Berg Balance Scale Scores of Hemiparetic Stroke Survivors: A Cross-Sectional Study. Archives of Physical Medicine and Rehabilitation, 2016, 97, 545-551.	0.5	10
459	Locomotor Recovery in Spinal Cord Injury: Insights Beyond Walking Speed and Distance. Journal of Neurotrauma, 2016, 33, 1428-1435.	1.7	15
460	Combination Protocol of Low-Frequency rTMS and Intensive Occupational Therapy for Post-stroke Upper Limb Hemiparesis: a 6-year Experience of More Than 1700 Japanese Patients. Translational Stroke Research, 2016, 7, 172-179.	2.3	59
461	The Effects of Combination of Robot-Assisted Therapy With Task-Specific or Impairment-Oriented Training on Motor Function and Quality of Life in Chronic Stroke. PM and R, 2016, 8, 721-729.	0.9	35
462	Clinical diagnostic tools for screening of perioperative stroke in general surgery: a systematic review. British Journal of Anaesthesia, 2016, 116, 328-338.	1.5	29
463	A remote quantitative Fugl-Meyer assessment framework for stroke patients based on wearable sensor networks. Computer Methods and Programs in Biomedicine, 2016, 128, 100-110.	2.6	97
464	Quantifying Poststroke Apathy With Actimeters. Journal of Neuropsychiatry and Clinical Neurosciences, 2016, 28, 199-204.	0.9	4
465	Effects of virtual reality-based rehabilitation on distal upper extremity function and health-related quality of life: a single-blinded, randomized controlled trial. Journal of NeuroEngineering and Rehabilitation, 2016, 13, 17.	2.4	142
466	Exergaming and rehabilitation: A methodology for the design of effective and safe therapeutic exergames. Entertainment Computing, 2016, 14, 55-65.	1.8	102
467	Dysfunction of the Human Mirror Neuron System in Ideomotor Apraxia: Evidence from Mu Suppression. Journal of Cognitive Neuroscience, 2016, 28, 775-791.	1.1	13
468	Neural substrates of lower extremity motor, balance, and gait function after supratentorial stroke using voxel-based lesion symptom mapping. Neuroradiology, 2016, 58, 723-731.	1.1	27
469	Effects of Unilateral Upper Limb Training in Two Distinct Prognostic Groups Early After Stroke. Neurorehabilitation and Neural Repair, 2016, 30, 804-816.	1.4	140
470	Comparing prognostic strength of acute corticospinal tract injury measured by a new diffusion tensor imaging based template approach versus common approaches. Journal of Neuroscience Methods, 2016, 257, 204-213.	1.3	6
471	The use of augmented auditory feedback to improve arm reaching in stroke: a case series. Disability and Rehabilitation, 2016, 38, 1115-1124.	0.9	21
472	Therapeutic administration of atomoxetine combined with rTMS and occupational therapy for upper limb hemiparesis after stroke: a case series study of three patients. Acta Neurologica Belgica, 2016, 116, 31-37.	0.5	8

#	ARTICLE	IF	CITATIONS
473	Faster Reaching in Chronic Spastic Stroke Patients Comes at the Expense of Arm-Trunk Coordination. <i>Neurorehabilitation and Neural Repair</i> , 2016, 30, 209-220.	1.4	33
474	Using Functional Electrical Stimulation Mediated by Iterative Learning Control and Robotics to Improve Arm Movement for People With Multiple Sclerosis. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2016, 24, 235-248.	2.7	79
475	Epidural Electrical Stimulation for Stroke Rehabilitation. <i>Neurorehabilitation and Neural Repair</i> , 2016, 30, 107-119.	1.4	131
476	Prevalence, impact and treatment of spasticity in nursing home patients with central nervous system disorders: a cross-sectional study. <i>Disability and Rehabilitation</i> , 2017, 39, 363-371.	0.9	16
477	Scoping review of outcome measures used in telerehabilitation and virtual reality for post-stroke rehabilitation. <i>Journal of Telemedicine and Telecare</i> , 2017, 23, 567-587.	1.4	33
478	Effects of botulinum toxin A therapy and multidisciplinary rehabilitation on upper and lower limb spasticity in post-stroke patients. <i>International Journal of Neuroscience</i> , 2017, 127, 469-478.	0.8	12
479	The Fugl-Meyer assessment of the upper extremity: reliability, responsiveness and validity of the Danish version. <i>Disability and Rehabilitation</i> , 2017, 39, 934-939.	0.9	75
480	Variability in Motor and Language Recovery during the Acute Stroke Period. <i>Cerebrovascular Diseases Extra</i> , 2017, 6, 12-21.	0.5	24
481	Falls amongst older people in Southeast Asia: a scoping review. <i>Public Health</i> , 2017, 145, 96-112.	1.4	48
482	Predicting Home and Community Walking Activity Poststroke. <i>Stroke</i> , 2017, 48, 406-411.	1.0	174
483	Intravenous Autologous Bone Marrow Mononuclear Cell Transplantation for Stroke Patients. , 2017, , 135-146.		0
484	Functional electrical stimulation therapy for severe hemiplegia: Randomized control trial revisited. <i>Canadian Journal of Occupational Therapy</i> , 2017, 84, 87-97.	0.8	16
485	Effectiveness of Bilateral Arm Training for Improving Extremity Function and Activities of Daily Living Performance in Hemiplegic Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 1020-1025.	0.7	42
486	Quantitative EEG for Predicting Upper Limb Motor Recovery in Chronic Stroke Robot-Assisted Rehabilitation. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2017, 25, 1058-1067.	2.7	55
487	Robotic approaches for the rehabilitation of upper limb recovery after stroke: a systematic review and meta-analysis. <i>International Journal of Rehabilitation Research</i> , 2017, 40, 19-28.	0.7	47
489	Refining 3 Measures to Construct an Efficient Functional Assessment of Stroke. <i>Stroke</i> , 2017, 48, 1630-1635.	1.0	17
490	Validity of Robot-Based Assessments of Upper Extremity Function. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1969-1976.e2.	0.5	15
491	A novel fuzzy approach for automatic Brunnstrom stage classification using surface electromyography. <i>Medical and Biological Engineering and Computing</i> , 2017, 55, 1367-1378.	1.6	23

#	ARTICLE	IF	CITATIONS
492	The potential of iRest in measuring the hand function performance of stroke patients. <i>Bio-Medical Materials and Engineering</i> , 2017, 28, 105-116.	0.4	8
493	Combined transcranial direct current stimulation and robotic upper limb therapy improves upper limb function in an adult with cerebral palsy. <i>NeuroRehabilitation</i> , 2017, 41, 41-50.	0.5	12
494	Skilled Reach Performance Correlates With Corpus Callosum Structural Integrity in Individuals With Mild Motor Impairment After Stroke: A Preliminary Investigation. <i>Neurorehabilitation and Neural Repair</i> , 2017, 31, 657-665.	1.4	9
495	Gray matter volume changes in chronic subcortical stroke: A cross-sectional study. <i>NeuroImage: Clinical</i> , 2017, 14, 679-684.	1.4	38
496	Electrical somatosensory stimulation followed by motor training of the paretic upper limb in acute stroke: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 84.	0.7	11
497	A Short and Distinct Time Window for Recovery of Arm Motor Control Early After Stroke Revealed With a Global Measure of Trajectory Kinematics. <i>Neurorehabilitation and Neural Repair</i> , 2017, 31, 552-560.	1.4	82
498	Pattern of improvement in upper limb pointing task kinematics after a 3-month training program with robotic assistance in stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2017, 14, 105.	2.4	30
499	A novel Robotic Gait Training System (RGTS) may facilitate functional recovery after stroke: A feasibility and safety study. <i>NeuroRehabilitation</i> , 2017, 41, 453-461.	0.5	9
500	Robotic-assisted gait training combined with transcranial direct current stimulation in chronic stroke patients: A pilot double-blind, randomized controlled trial. <i>Restorative Neurology and Neuroscience</i> , 2017, 35, 527-536.	0.4	51
501	Effects of action observation therapy on upper extremity function, daily activities and motion evoked potential in cerebral infarction patients. <i>Medicine (United States)</i> , 2017, 96, e8080.	0.4	40
502	Rehabilitation potential of post-stroke patients training for kinesthetic movement imagination: Motor and cognitive aspects. <i>Human Physiology</i> , 2017, 43, 532-541.	0.1	5
503	Examining a new functional electrical stimulation therapy with people with severe upper extremity hemiparesis and chronic stroke: A feasibility study. <i>British Journal of Occupational Therapy</i> , 2017, 80, 651-659.	0.5	18
504	High-resolution automated Fugl-Meyer Assessment using sensor data and regression model. , 2017, , .		12
505	Prediction of motor recovery after stroke: advances in biomarkers. <i>Lancet Neurology</i> , The, 2017, 16, 826-836.	4.9	248
506	Blood Oxygenation Level-Dependent Functional Magnetic Resonance Imaging in Early Days: Correlation between Passive Activation and Motor Recovery After Unilateral Striatocapsular Cerebral Infarction. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 2652-2661.	0.7	2
507	Modified Ashworth Scale (MAS) Model based on Clinical Data Measurement towards Quantitative Evaluation of Upper Limb Spasticity. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 260, 012024.	0.3	6
508	Longitudinal Structural and Functional Differences Between Proportional and Poor Motor Recovery After Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2017, 31, 1029-1041.	1.4	49
509	Transcranial direct current stimulation combined with visuo-motor training as treatment for chronic stroke patients. <i>Restorative Neurology and Neuroscience</i> , 2017, 35, 307-317.	0.4	9

#	ARTICLE	IF	CITATIONS
510	Effects of Transcranial Direct Current Stimulation With Sensory Modulation on Stroke Motor Rehabilitation: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2017, 98, 2477-2484.	0.5	25
511	Randomized Trial on the Effects of Attentional Focus on Motor Training of the Upper Extremity Using Robotics With Individuals After Chronic Stroke. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1924-1931.	0.5	18
512	Inter-rater reliability of kinesthetic measurements with the KINARM robotic exoskeleton. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 42.	2.4	14
513	Acupuncture treatment on the motor area of the scalp for motor dysfunction in patients with ischemic stroke: study protocol for a randomized controlled trial. Trials, 2017, 18, 287.	0.7	27
514	The Fugl-Meyer Upper Extremity Scale. Journal of Physiotherapy, 2017, 63, 53.	0.7	70
515	Improving Upper Extremity Impairments with Tongue Driven Robotic Assisted Rehabilitation: A Pilot Study. Biosystems and Biorobotics, 2017, , 1181-1186.	0.2	1
516	Pilot randomized controlled trial to assess a physical therapy program on upper extremity function to counteract inactivity in chronic stroke. Topics in Stroke Rehabilitation, 2017, 24, 183-193.	1.0	4
517	Determining Levels of Upper Extremity Movement Impairment by Applying a Cluster Analysis to the Fugl-Meyer Assessment of the Upper Extremity in Chronic Stroke. Archives of Physical Medicine and Rehabilitation, 2017, 98, 456-462.	0.5	211
518	Effectiveness and safety of Chinese massage therapy (Tui Na) on post-stroke spasticity: a prospective multicenter randomized controlled trial. Clinical Rehabilitation, 2017, 31, 904-912.	1.0	16
519	Ventilatory threshold may be a more specific measure of aerobic capacity than peak oxygen consumption rate in persons with stroke. Topics in Stroke Rehabilitation, 2017, 24, 149-157.	1.0	27
520	Constraining movement reveals motor capability in chronic stroke: an initial study. Clinical Rehabilitation, 2017, 31, 1126-1133.	1.0	2
521	Effects of Robot-Assisted Therapy for the Upper Limb After Stroke. Neurorehabilitation and Neural Repair, 2017, 31, 107-121.	1.4	398
522	Structural and functional improvements due to robot-assisted gait training in the stroke-injured brain. Neuroscience Letters, 2017, 637, 114-119.	1.0	23
523	Clinically Important Difference of the Arm Motor Ability Test in Stroke Survivors. Neurorehabilitation and Neural Repair, 2017, 31, 272-279.	1.4	16
524	Reduction in spasticity in stroke patient with paraffin therapy. Neurological Research, 2017, 39, 36-44.	0.6	8
525	Topographical measures of functional connectivity as biomarkers for post-stroke motor recovery. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 67.	2.4	57
526	Review of Upper Limb Hybrid Exoskeletons. IFAC-PapersOnLine, 2017, 50, 15169-15178.	0.5	41
527	Effect of acupuncture plus conventional treatment on brain activity in ischemic stroke patients: a regional homogeneity analysis. Journal of Traditional Chinese Medicine = Chung I Tsa Chih Ying Wen Pan / Sponsored By All-China Association of Traditional Chinese Medicine, Academy of Traditional Chinese Medicine, 2017, 37, 650-658.	0.4	14

#	ARTICLE	IF	CITATIONS
528	Flexible feedback system for posture monitoring and correction. , 2017, , .		11
529	Quantitative assessment of motor functions post-stroke: Responsiveness of upper-extremity robotic measures and its task dependence. , 2017, 2017, 1037-1042.		6
530	Motor Function Evaluation of Hemiplegic Upper-Extremities Using Data Fusion from Wearable Inertial and Surface EMG Sensors. Sensors, 2017, 17, 582.	2.1	33
531	Rehabilitation plus OnabotulinumtoxinA Improves Motor Function over OnabotulinumtoxinA Alone in Post-Stroke Upper Limb Spasticity: A Single-Blind, Randomized Trial. Toxins, 2017, 9, 216.	1.5	12
532	Usability Evaluations of a Wearable Inertial Sensing System and Quality of Movement Metrics for Stroke Survivors by Care Professionals. Frontiers in Bioengineering and Biotechnology, 2017, 5, 20.	2.0	10
533	Using Brain Oscillations and Corticospinal Excitability to Understand and Predict Post-Stroke Motor Function. Frontiers in Neurology, 2017, 8, 187.	1.1	48
534	Upper Extremity Motor Impairments and Microstructural Changes in Bulbospinal Pathways in Chronic Hemiparetic Stroke. Frontiers in Neurology, 2017, 8, 257.	1.1	78
535	Usability of Videogame-Based Dexterity Training in the Early Rehabilitation Phase of Stroke Patients: A Pilot Study. Frontiers in Neurology, 2017, 8, 654.	1.1	58
536	Parameters and Measures in Assessment of Motor Learning in Neurorehabilitation; A Systematic Review of the Literature. Frontiers in Human Neuroscience, 2017, 11, 82.	1.0	36
537	ArmAssist Robotic System versus Matched Conventional Therapy for Poststroke Upper Limb Rehabilitation: A Randomized Clinical Trial. BioMed Research International, 2017, 2017, 1-7.	0.9	37
538	Improving Upper Extremity Function and Quality of Life with a Tongue Driven Exoskeleton: A Pilot Study Quantifying Stroke Rehabilitation. Stroke Research and Treatment, 2017, 2017, 1-13.	0.5	7
539	No changes in functional connectivity during motor recovery beyond 5 weeks after stroke; A longitudinal resting-state fMRI study. PLoS ONE, 2017, 12, e0178017.	1.1	12
540	Functional classification of grasp strategies used by hemiplegic patients. PLoS ONE, 2017, 12, e0187608.	1.1	22
541	Is two better than one? Muscle vibration plus robotic rehabilitation to improve upper limb spasticity and function: A pilot randomized controlled trial. PLoS ONE, 2017, 12, e0185936.	1.1	52
542	Comprehensive measurement of stroke gait characteristics with a single accelerometer in the laboratory and community: a feasibility, validity and reliability study. Journal of NeuroEngineering and Rehabilitation, 2017, 14, 130.	2.4	35
543	Effects of high-frequency transcranial magnetic stimulation on functional performance in individuals with incomplete spinal cord injury: study protocol for a randomized controlled trial. Trials, 2017, 18, 522.	0.7	21
544	Clinical Applicability and Psychometric Properties of Manual Function Test for Patients with Stroke. Tohoku Journal of Experimental Medicine, 2017, 243, 85-93.	0.5	4
545	Forced Aerobic Exercise Preceding Task Practice Improves Motor Recovery Poststroke. American Journal of Occupational Therapy, 2017, 71, 7102290020p1-7102290020p9.	0.1	26

#	ARTICLE	IF	CITATIONS
546	Feasibility of Rehabilitation Training With a Newly Developed, Portable, Gait Assistive Robot for Balance Function in Hemiplegic Patients. <i>Annals of Rehabilitation Medicine</i> , 2017, 41, 178.	0.6	10
547	Novel Upper-Limb Rehabilitation System Based on Attention Technology for Post-Stroke Patients: A Preliminary Study. <i>IEEE Access</i> , 2018, 6, 2720-2731.	2.6	33
548	Robot Training With Vector Fields Based on Stroke Survivors'™ Individual Movement Statistics. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018, 26, 307-323.	2.7	11
549	Extraction of corticospinal tract microstructural properties in chronic stroke. <i>Journal of Neuroscience Methods</i> , 2018, 301, 34-42.	1.3	10
550	Automated Evaluation of Upper-Limb Motor Function Impairment Using Fugl-Meyer Assessment. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2018, 26, 125-134.	2.7	77
551	Effects of combining high- and low-frequency repetitive transcranial magnetic stimulation on upper limb hemiparesis in the early phase of stroke. <i>Restorative Neurology and Neuroscience</i> , 2018, 36, 21-30.	0.4	36
552	Enhancing endogenous capacity to repair a stroke-damaged brain: An evolving field for stroke research. <i>Progress in Neurobiology</i> , 2018, 163-164, 5-26.	2.8	85
553	Electroacupuncture for poststroke spasticity (EAPSS): protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e017912.	0.8	6
554	Does Stroke Rehabilitation Really Matter? Part B: An Algorithm for Prescribing an Effective Intensity of Rehabilitation. <i>Neurorehabilitation and Neural Repair</i> , 2018, 32, 73-83.	1.4	81
555	Visual feedback alters force control and functional activity in the visuomotor network after stroke. <i>NeuroImage: Clinical</i> , 2018, 17, 505-517.	1.4	33
556	Functional Reach, Depression Scores, and Number of Medications Are Associated With Number of Falls in People With Chronic Stroke. <i>PM and R</i> , 2018, 10, 806-816.	0.9	22
557	An <scp>EEG</scp> index of sensorimotor interhemispheric coupling after unilateral stroke: clinical and neurophysiological study. <i>European Journal of Neuroscience</i> , 2018, 47, 158-163.	1.2	29
558	Innovative STRoke Interactive Virtual thErapy (STRIVE) online platform for community-dwelling stroke survivors: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e018388.	0.8	21
559	Does Stroke Rehabilitation Really Matter? Part A: Proportional Stroke Recovery in the Rat. <i>Neurorehabilitation and Neural Repair</i> , 2018, 32, 3-6.	1.4	27
560	Predicting post-stroke activities of daily living through a machine learning-based approach on initiating rehabilitation. <i>International Journal of Medical Informatics</i> , 2018, 111, 159-164.	1.6	86
561	Relationships between muscle mass, intramuscular adipose and fibrous tissues of the quadriceps, and gait independence in chronic stroke survivors: a cross-sectional study. <i>Physiotherapy</i> , 2018, 104, 438-445.	0.2	48
562	Kinect V2 implementation and testing of the reaching performance scale for motor evaluation of patients with neurological impairment. <i>Medical Engineering and Physics</i> , 2018, 56, 54-58.	0.8	28
563	Virtual Reality Rehabilitation With Functional Electrical Stimulation Improves Upper Extremity Function in Patients With Chronic Stroke: A Pilot Randomized Controlled Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1447-1453.e1.	0.5	35

#	ARTICLE	IF	CITATIONS
564	Automated objective robot-assisted assessment of wrist passive ranges of motion. <i>Journal of Biomechanics</i> , 2018, 73, 223-226.	0.9	9
565	Development of a Minimal-Intervention-Based Admittance Control Strategy for Upper Extremity Rehabilitation Exoskeleton. <i>IEEE Transactions on Systems, Man, and Cybernetics: Systems</i> , 2018, 48, 1005-1016.	5.9	69
566	Mobile Game-based Virtual Reality Program for Upper Extremity Stroke Rehabilitation. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	46
567	The relationship between BDNF Val66Met polymorphism and functional mobility in chronic stroke survivors. <i>Topics in Stroke Rehabilitation</i> , 2018, 25, 276-280.	1.0	12
568	Type-2 diabetes mellitus reduces cortical thickness and decreases oxidative metabolism in sensorimotor regions after stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 823-834.	2.4	8
569	Infarct topography and functional outcomes. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 1517-1532.	2.4	30
570	A randomized controlled trial of a modified wheelchair arm-support to reduce shoulder pain in stroke patients. <i>Clinical Rehabilitation</i> , 2018, 32, 37-47.	1.0	18
571	Early versus lateâ€applied constraintâ€induced movement therapy: A multisite, randomized controlled trial with a 12â€month followâ€up. <i>Physiotherapy Research International</i> , 2018, 23, e1689.	0.7	11
572	Development of a Computerized Adaptive Testing System of the Functional Assessment of Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 676-683.	0.5	6
573	Using Robotics to Quantify Impairments in Sensorimotor Ability, Visuospatial Attention, Working Memory, and Executive Function After Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2018, 33, E61-E73.	1.0	16
574	Spasticity measurement. <i>Noropsikiyatri Arsivi</i> , 2018, 55, S49-S53.	0.2	17
575	Hand Motor Rehabilitation of Patients with Stroke Using Physiologically Congruent Neurofeedback. , 2018, , .		4
576	Mapping ADL Motion Capture Data to BLUE SABINO Exoskeleton Kinematics and Dynamics. , 2018, 2018, 4914-4919.		1
577	Relative Efficacy of Sensor Modalities for Estimating Post-Stroke Motor Impairment. , 2018, 2018, 2503-2506.		2
578	Spiking-Neural-Network Based Fugl-Meyer Hand Gesture Recognition For Wearable Hand Rehabilitation Robot. , 2018, , .		8
579	Game analysis and clinical use of the Xbox-Kinect for stroke rehabilitation. <i>International Journal of Rehabilitation Research</i> , 2018, 41, 323-330.	0.7	18
580	Biomechanical Assessment of Fugl-Meyer Score: The Case of One Post Stroke Patient Who has Undergone the Rehabilitation using Hand Exoskeleton Controlled by Brain-Computer Interface. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2018, 06, .	0.5	6
581	Energetics during robot-assisted training predicts recovery in stroke. , 2018, 2018, 2507-2510.		3

#	ARTICLE	IF	CITATIONS
582	Use of Robotic Devices in Post-Stroke Rehabilitation. <i>Neuroscience and Behavioral Physiology</i> , 2018, 48, 1053-1066.	0.2	15
583	Aberrances of Cortex Excitability and Connectivity Underlying Motor Deficit in Acute Stroke. <i>Neural Plasticity</i> , 2018, 2018, 1-10.	1.0	17
584	Relationships Between Affected-Leg Motor Impairment, Postural Asymmetry, and Impaired Body Sway Control After Unilateral Supratentorial Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2018, 32, 953-960.	1.4	21
585	Effects of Tai Chi Yunshou exercise on community-based stroke patients: a cluster randomized controlled trial. <i>European Review of Aging and Physical Activity</i> , 2018, 15, 17.	1.3	54
586	Perturbation-Based Balance Training to Improve Step Quality in the Chronic Phase After Stroke: A Proof-of-Concept Study. <i>Frontiers in Neurology</i> , 2018, 9, 980.	1.1	22
587	Dynamic Information Flow Based on EEG and Diffusion MRI in Stroke: A Proof-of-Principle Study. <i>Frontiers in Neural Circuits</i> , 2018, 12, 79.	1.4	16
588	Patient-Active Control of a Powered Exoskeleton Targeting Upper Limb Rehabilitation Training. <i>Frontiers in Neurology</i> , 2018, 9, 817.	1.1	28
589	The Effect of Unihemispheric Concurrent Dual-Site Transcranial Direct Current Stimulation of Primary Motor and Dorsolateral Prefrontal Cortices on Motor Function in Patients With Sub-Acute Stroke. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 441.	1.0	12
590	Oropharyngeal Muscle Exercise Therapy Improves Signs and Symptoms of Post-stroke Moderate Obstructive Sleep Apnea Syndrome. <i>Frontiers in Neurology</i> , 2018, 9, 912.	1.1	19
591	The efficacy of intravenous thrombolysis in acute ischemic stroke patients with white matter hyperintensity. <i>Brain and Behavior</i> , 2018, 8, e01149.	1.0	5
592	The Effect of Repeated Botulinum Toxin A Therapy Combined with Intensive Rehabilitation on Lower Limb Spasticity in Post-Stroke Patients. <i>Toxins</i> , 2018, 10, 349.	1.5	16
593	Randomized Sham-Controlled Trial of Navigated Repetitive Transcranial Magnetic Stimulation for Motor Recovery in Stroke. <i>Stroke</i> , 2018, 49, 2138-2146.	1.0	113
594	Early functional MRI activation predicts motor outcome after ischemic stroke: a longitudinal, multimodal study. <i>Brain Imaging and Behavior</i> , 2018, 12, 1804-1813.	1.1	13
595	Multisensory stimulation to promote upper extremity motor recovery in stroke: A pilot study. <i>British Journal of Occupational Therapy</i> , 2018, 81, 641-648.	0.5	5
596	Nerve Stimulation Enhances Task-Oriented Training for Moderate-to-Severe Hemiparesis 3â€“12 Months After Stroke. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, 808-815.	0.7	17
597	Reliability, validity and discriminant ability of the instrumental indices provided by a novel planar robotic device for upper limb rehabilitation. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2018, 15, 39.	2.4	30
598	Diffusion Tensor Imaging Evaluation of Neural Network Development in Patients Undergoing Therapeutic Repetitive Transcranial Magnetic Stimulation following Stroke. <i>Neural Plasticity</i> , 2018, 2018, 1-8.	1.0	12
599	The Timed 180Â° Turn Test for Assessing People with Hemiplegia from Chronic Stroke. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	9

#	ARTICLE	IF	CITATIONS
600	Gesture spotting algorithm for door opening using single wearable sensor. , 2018, , .		4
601	Quantification of Upper Limb Motor Recovery and EEG Power Changes after Robot-Assisted Bilateral Arm Training in Chronic Stroke Patients: A Prospective Pilot Study. <i>Neural Plasticity</i> , 2018, 2018, 1-15.	1.0	40
602	Using a Module-Based Analysis Framework for Investigating Muscle Coordination during Walking in Individuals Poststroke: A Literature Review and Synthesis. <i>Applied Bionics and Biomechanics</i> , 2018, 2018, 1-16.	0.5	6
603	The effects of mental practice based on motor imagery for mobility recovery after subacute stroke: Protocol for a randomized controlled trial. <i>Complementary Therapies in Clinical Practice</i> , 2018, 33, 36-42.	0.7	5
604	Recovery of kinematic arm function in well-performing people with subacute stroke: a longitudinal cohort study. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2018, 15, 67.	2.4	23
605	Muscle mass and intramuscular fat of the quadriceps are related to muscle strength in non-ambulatory chronic stroke survivors: A cross-sectional study. <i>PLoS ONE</i> , 2018, 13, e0201789.	1.1	55
606	Short-term Efficacy of Hand-Arm Bimanual Intensive Training on Upper Arm Function in Acute Stroke Patients: A Randomized Controlled Trial. <i>Frontiers in Neurology</i> , 2017, 8, 726.	1.1	22
607	Encouragement-Induced Real-World Upper Limb Use after Stroke by a Tracking and Feedback Device: A Study Protocol for a Multi-Center, Assessor-Blinded, Randomized Controlled Trial. <i>Frontiers in Neurology</i> , 2018, 9, 13.	1.1	16
608	Upper Limb Kinematics in Stroke and Healthy Controls Using Target-to-Target Task in Virtual Reality. <i>Frontiers in Neurology</i> , 2018, 9, 300.	1.1	50
609	Effects of Dry Needling on Post-Stroke Spasticity, Motor Function and Stability Limits: A Randomised Clinical Trial. <i>Acupuncture in Medicine</i> , 2018, 36, 358-366.	0.4	48
610	Effects of Excitatory Repetitive Transcranial Magnetic Stimulation of the P3 Point in Chronic Stroke Patientsâ€™ Case Reports. <i>Brain Sciences</i> , 2018, 8, 78.	1.1	0
611	Characterization of the Stroke-Induced Changes in the Variability and Complexity of Handgrip Force. <i>Entropy</i> , 2018, 20, 377.	1.1	3
612	Towards a framework for rehabilitation and assessment of upper limb motor function based on Serious Games. , 2018, , .		8
613	Does Transcranial Magnetic Stimulation Have an Added Value to Clinical Assessment in Predicting Upper-Limb Function Very Early After Severe Stroke?. <i>Neurorehabilitation and Neural Repair</i> , 2018, 32, 682-690.	1.4	32
614	Evaluating the functional outcomes of ultrasound-guided botulinum toxin type A injections using the Euro-musculus approach for upper limb spasticity treatment in post-stroke patients: an observational study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2018, 54, 738-744.	1.1	6
615	Is There Full or Proportional Somatosensory Recovery in the Upper Limb After Stroke? Investigating Behavioral Outcome and Neural Correlates. <i>Neurorehabilitation and Neural Repair</i> , 2018, 32, 691-700.	1.4	20
616	Clinimetric properties of the Fugl-Meyer assessment with adapted guidelines for the assessment of arm function in hemiparetic patients after stroke. <i>Topics in Stroke Rehabilitation</i> , 2018, 25, 500-508.	1.0	32
617	Unilateral wrist extension training after stroke improves strength and neural plasticity in both arms. <i>Experimental Brain Research</i> , 2018, 236, 2009-2021.	0.7	48

#	ARTICLE	IF	CITATIONS
618	Modulating functional connectivity after stroke with neurofeedback: Effect on motor deficits in a controlled cross-over study. <i>NeuroImage: Clinical</i> , 2018, 20, 336-346.	1.4	48
619	A randomized controlled trial comparing electroacupuncture with manual acupuncture for motor function recovery after ischemic stroke. <i>European Journal of Integrative Medicine</i> , 2018, 22, 76-80.	0.8	3
620	Brain anomaly networks uncover heterogeneous functional reorganization patterns after stroke. <i>NeuroImage: Clinical</i> , 2018, 20, 523-530.	1.4	16
621	Effects of robot-assisted therapy on upper extremity function and activities of daily living in hemiplegic patients: A single-blinded, randomized, controlled trial. <i>Technology and Health Care</i> , 2018, 26, 659-666.	0.5	16
622	Somatosensory deficits. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2018, 151, 185-206.	1.0	21
623	Effects of 8-week sensory electrical stimulation combined with motor training on EEG-EMG coherence and motor function in individuals with stroke. <i>Scientific Reports</i> , 2018, 8, 9217.	1.6	51
624	Is the proportional recovery rule applicable to the lower limb after a first-ever ischemic stroke?. <i>PLoS ONE</i> , 2018, 13, e0189279.	1.1	39
625	Post-stroke kinematic analysis in rats reveals similar reaching abnormalities as humans. <i>Scientific Reports</i> , 2018, 8, 8738.	1.6	21
626	Knee extensor muscles strength indicates global lower-limb strength in individuals who have suffered a stroke: A cross-sectional study. <i>Brazilian Journal of Physical Therapy</i> , 2019, 23, 221-227.	1.1	16
627	Bilateral Tactile Feedback-Enabled Training for Stroke Survivors Using Microsoft KinectTM. <i>Sensors</i> , 2019, 19, 3474.	2.1	12
628	The Step Response in Isometric Grip Force Tracking: A Model to Characterize Aging- and Stroke-Induced Changes. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 673-681.	2.7	4
629	Correction for "Evaluation of Finger Force Control Ability in Terms of Multi-Finger Synergy". <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 1939-1939.	2.7	0
630	Identify the Alteration of Balance Control and Risk of Falling in Stroke Survivors During Obstacle Crossing Based on Kinematic Analysis. <i>Frontiers in Neurology</i> , 2019, 10, 813.	1.1	9
631	Forced, Not Voluntary, Aerobic Exercise Enhances Motor Recovery in Persons With Chronic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2019, 33, 681-690.	1.4	29
632	Chronicity of Stroke Does Not Affect Outcomes of Somatosensory Stimulation Paired With Task-Oriented Motor Training: A Secondary Analysis of a Randomized Controlled Trial. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2019, 1, 100005.	0.5	0
633	Robotic-assisted therapy with bilateral practice improves task and motor performance in the upper extremities of chronic stroke patients: A randomised controlled trial. <i>Australian Occupational Therapy Journal</i> , 2019, 66, 637-647.	0.6	14
634	Lesion location impact on functional recovery of the hemiparetic upper limb. <i>PLoS ONE</i> , 2019, 14, e0219738.	1.1	25
635	Targeted Up-Conditioning of Contralesional Corticospinal Pathways Promotes Motor Recovery in Poststroke Patients with Severe Chronic Hemiplegia. <i>Springer Briefs in Electrical and Computer Engineering</i> , 2019, , 75-82.	0.3	1

#	ARTICLE	IF	CITATIONS
636	Combining Fluoxetine and rTMS in Poststroke Motor Recovery: A Placebo-Controlled Double-Blind Randomized Phase 2 Clinical Trial. <i>Neurorehabilitation and Neural Repair</i> , 2019, 33, 643-655.	1.4	18
637	Robot-Assisted Arm Training in Chronic Stroke: Addition of Transition-to-Task Practice. <i>Neurorehabilitation and Neural Repair</i> , 2019, 33, 751-761.	1.4	33
638	Non-invasive treatment of patients with upper extremity spasticity following stroke using paired trans-spinal and peripheral direct current stimulation. <i>Bioelectronic Medicine</i> , 2019, 5, 11.	1.0	14
639	Changes in mu and beta amplitude of the EEG during upper limb movement correlate with motor impairment and structural damage in subacute stroke. <i>Clinical Neurophysiology</i> , 2019, 130, 1644-1651.	0.7	31
640	The effect of the Bobath therapy programme on upper limb and hand function in chronic stroke individuals with moderate to severe deficits. <i>International Journal of Therapy and Rehabilitation</i> , 2019, 26, 1-12.	0.1	3
641	Ankle Mechanical Impedance During Waling in Chronic Stroke: Preliminary Results. , 2019, 2019, 246-251.		4
642	Project Butterfly: Synergizing Immersive Virtual Reality with Actuated Soft Exosuit for Upper-Extremity Rehabilitation. , 2019, , .		18
643	Comparing CST Lesion Metrics as Biomarkers for Recovery of Motor and Proprioceptive Impairments After Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2019, 33, 848-861.	1.4	24
644	Quantitative Assessment of Hand Spasticity After Stroke: Imaging Correlates and Impact on Motor Recovery. <i>Frontiers in Neurology</i> , 2019, 10, 836.	1.1	39
645	Cellphone-Based Automated Fugl-Meyer Assessment to Evaluate Upper Extremity Motor Function After Stroke. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 2186-2195.	2.7	20
646	Unilateral vs Bilateral Hybrid Approaches for Upper Limb Rehabilitation in Chronic Stroke: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 2225-2232.	0.5	22
647	Methods for an Investigation of Neurophysiological and Kinematic Predictors of Response to Upper Extremity Repetitive Task Practice in Chronic Stroke. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2019, 1, 100024.	0.5	5
648	Absence of Motor-Evoked Potentials Does Not Predict Poor Recovery in Patients With Severe-Moderate Stroke: An Exploratory Analysis. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2019, 1, 100023.	0.5	5
649	Optimizing functional outcome endpoints for stroke recovery studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 2323-2342.	2.4	28
650	Dance-based exergaming for upper extremity rehabilitation and reducing fall-risk in community-dwelling individuals with chronic stroke. A preliminary study. <i>Topics in Stroke Rehabilitation</i> , 2019, 26, 565-575.	1.0	14
651	Body weight support-Tai Chi footwork for balance of stroke survivors with fear of falling: A pilot randomized controlled trial. <i>Complementary Therapies in Clinical Practice</i> , 2019, 37, 140-147.	0.7	15
652	Laterality Coefficient: An EEG parameter related with the functional improvement in stroke patients. , 2019, , .		3
653	Development of a Novel Home Based Multi-Scene Upper Limb Rehabilitation Training and Evaluation System for Post-Stroke Patients. <i>IEEE Access</i> , 2019, 7, 9667-9677.	2.6	33

#	ARTICLE	IF	CITATIONS
654	Clinical study of combined mirror and extracorporeal shock wave therapy on upper limb spasticity in poststroke patients. <i>International Journal of Rehabilitation Research</i> , 2019, 42, 31-35.	0.7	20
655	Effects of task-oriented training on upper extremity functional performance in patients with sub-acute stroke: a randomized controlled trial. <i>Journal of Physical Therapy Science</i> , 2019, 31, 82-87.	0.2	31
656	Low body mass index negatively affects muscle mass and intramuscular fat of chronic stroke survivors. <i>PLoS ONE</i> , 2019, 14, e0211145.	1.1	20
657	Time course of sensorimotor cortex reorganization during upper extremity task accompanying motor recovery early after stroke: An fNIRS study. <i>Restorative Neurology and Neuroscience</i> , 2019, 37, 207-218.	0.4	21
658	Stable Intracerebral Transplantation of Neural Stem Cells for the Treatment of Paralysis Due to Ischemic Stroke. <i>Stem Cells Translational Medicine</i> , 2019, 8, 999-1007.	1.6	45
659	A method for assessing recovery of fine motor function of the hand in a rhesus monkey model of cortical injury: an adaptation of the Fugl-Meyer Scale and Eshkol-Wachman Movement Notation. <i>Somatosensory & Motor Research</i> , 2019, 36, 69-77.	0.4	9
660	Cutoff Score of the Lower-Extremity Motor Subscale of Fugl-Meyer Assessment in Chronic Stroke Survivors: A Cross-Sectional Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 1782-1787.	0.5	41
661	Evaluation of Finger Force Control Ability in Terms of Multi-Finger Synergy. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 1253-1262.	2.7	5
662	Design of Virtual Guiding Tasks With Haptic Feedback for Assessing the Wrist Motor Function of Patients With Upper Motor Neuron Lesions. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 984-994.	2.7	19
663	Review of Automated Systems for Upper Limbs Functional Assessment in Neurorehabilitation. <i>IEEE Access</i> , 2019, 7, 32352-32367.	2.6	42
664	An accelerometry and observational study to quantify upper limb use after stroke during inpatient rehabilitation. <i>Physiotherapy Research International</i> , 2019, 24, e1784.	0.7	14
665	Orthotists [™] and physical therapists [™] perspectives on quality of care indicators for persons with custom ankle-foot orthoses. <i>Assistive Technology</i> , 2019, 33, 1-11.	1.2	5
666	Design and Analysis of Cloud Upper Limb Rehabilitation System Based on Motion Tracking for Post-Stroke Patients. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 1620.	1.3	9
667	A review of physical modalities and the potential to expand the treatment of patients with traumatic brain injury. <i>Acupuncture in Medicine</i> , 2019, 37, 365-369.	0.4	2
668	Fire-needle acupuncture for upper limb spastic paralysis after stroke: Study protocol for a randomized controlled trial. <i>Journal of Integrative Medicine</i> , 2019, 17, 167-172.	1.4	8
669	Does hand robotic rehabilitation improve motor function by rebalancing interhemispheric connectivity after chronic stroke? Encouraging data from a randomised-clinical-trial. <i>Clinical Neurophysiology</i> , 2019, 130, 767-780.	0.7	44
670	Effects of transcranial direct current stimulation on the rehabilitation of painful shoulder following a stroke: protocol for a randomized, controlled, double-blind, clinical trial. <i>Trials</i> , 2019, 20, 165.	0.7	5
671	Hybrid Rehabilitation Therapies on Upper-Limb Function and Goal Attainment in Chronic Stroke. <i>OTJR Occupation, Participation and Health</i> , 2019, 39, 116-123.	0.4	12

#	ARTICLE	IF	CITATIONS
672	Physiological complexity of gait is decreased in individuals with chronic stroke. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2019, 22, 658-663.	0.9	2
673	Scoring upper-extremity motor function from EEG with artificial neural networks: a preliminary study. <i>Journal of Neural Engineering</i> , 2019, 16, 036013.	1.8	10
674	Cortico-Muscular Coherence Is Reduced Acutely Post-stroke and Increases Bilaterally During Motor Recovery: A Pilot Study. <i>Frontiers in Neurology</i> , 2019, 10, 126.	1.1	43
675	Portable Sensors Add Reliable Kinematic Measures to the Assessment of Upper Extremity Function. <i>Sensors</i> , 2019, 19, 1241.	2.1	13
676	Treatment of Medial Medullary Infarction Using a Novel iNems Training: A Case Report and Literature Review. <i>Clinical EEG and Neuroscience</i> , 2019, 50, 429-435.	0.9	4
677	Analysis of the Factors Related to the Effectiveness of Transcranial Current Stimulation in Upper Limb Motor Function Recovery after Stroke: a Systematic Review. <i>Journal of Medical Systems</i> , 2019, 43, 69.	2.2	10
678	Multimodal neuroimaging study reveals dissociable processes between structural and functional networks in patients with subacute intracerebral hemorrhage. <i>Medical and Biological Engineering and Computing</i> , 2019, 57, 1285-1295.	1.6	3
679	How does upper extremity Fugl-Meyer motor score relate to resting-state EEG in chronic stroke? A power spectral density analysis. <i>Clinical Neurophysiology</i> , 2019, 130, 856-862.	0.7	38
680	Laterality of Damage Influences the Relationship Between Impairment and Arm Use After Stroke. <i>Journal of the International Neuropsychological Society</i> , 2019, 25, 470-478.	1.2	7
681	Evaluating the effect and mechanism of upper limb motor function recovery induced by immersive virtual-reality-based rehabilitation for subacute stroke subjects: study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 104.	0.7	34
682	Sleep and cognitive function in chronic stroke: a comparative cross-sectional study. <i>Sleep</i> , 2019, 42, .	0.6	36
683	Two-year safety and clinical outcomes in chronic ischemic stroke patients after implantation of modified bone marrow-derived mesenchymal stem cells (SB623): a phase 1/2a study. <i>Journal of Neurosurgery</i> , 2019, 131, 1462-1472.	0.9	81
684	Motorâ€­imagery ability and function of hemiplegic upper limb in stroke patients. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 596-604.	1.7	16
685	Systematic Review on Kinematic Assessments of Upper Limb Movements After Stroke. <i>Stroke</i> , 2019, 50, 718-727.	1.0	172
686	Impaired posture, movement preparation, and execution during both paretic and nonparetic reaching following stroke. <i>Journal of Neurophysiology</i> , 2019, 121, 1465-1477.	0.9	14
687	Effectiveness of a multifactorial context-enhancing functional therapy to promote functional arm use and recovery of stroke survivors: study protocol for a clinical trial. <i>BMJ Open</i> , 2019, 9, e023963.	0.8	1
688	WAAM: Wearable Assessment Arm Motion System. , 2019, , .		0
689	Design and Construction of a Planar Robotic Exoskeleton for Assessment of Upper Limb Movements. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
690	A Non-Contact Paraparesis Detection Technique Based on 1D-CNN. IEEE Access, 2019, 7, 182280-182288.	2.6	11
691	A functional analysis-based approach to quantify upper limb impairment level in chronic stroke patients: a pilot study. , 2019, 2019, 4198-4204.		16
692	Minimal clinically important difference for the Fugl-Meyer assessment of the upper extremity in convalescent stroke patients with moderate to severe hemiparesis. Journal of Physical Therapy Science, 2019, 31, 917-921.	0.2	61
693	Timing of Repetitive Transcranial Magnetic Stimulation Onset for Upper Limb Function After Stroke: A Systematic Review and Meta-Analysis. Frontiers in Neurology, 2019, 10, 1269.	1.1	31
694	Wearable technology in stroke rehabilitation: towards improved diagnosis and treatment of upper-limb motor impairment. Journal of NeuroEngineering and Rehabilitation, 2019, 16, 142.	2.4	145
695	Revisiting the MotionWatch8®: Calibrating Cut-Points for Measuring Physical Activity and Sedentary Behavior Among Adults With Stroke. Frontiers in Aging Neuroscience, 2019, 11, 203.	1.7	5
696	A rehabilitation approach to a patient with traumatic brain injury. Acupuncture in Medicine, 2019, 37, 370-371.	0.4	0
697	Post-stroke motor recovery and cortical organization following Constraint-Induced Movement Therapies: a literature review. Journal of Physical Therapy Science, 2019, 31, 950-959.	0.2	5
698	Estimation of Motor Impairment and Usage of Upper Extremities during Daily Living Activities in Poststroke Hemiparesis Patients by Observation of Time Required to Accomplish Hand Dexterity Tasks. BioMed Research International, 2019, 2019, 1-8.	0.9	0
699	Rationale and design to assess the efficacy and safety of HT047 in patients with acute ischemic stroke. Medicine (United States), 2019, 98, e17655.	0.4	2
700	Immersive Virtual Reality Mirror Therapy for Upper Limb Recovery After Stroke. American Journal of Physical Medicine and Rehabilitation, 2019, 98, 783-788.	0.7	70
701	The immediate influence of implicit motor learning strategies on spatiotemporal gait parameters in stroke patients: a randomized within-subjects design. Clinical Rehabilitation, 2019, 33, 619-630.	1.0	12
702	Upper Limb Impairment. , 2019, , 115-122.		0
703	Three-Dimensional Augmented Reality System for Balance and Mobility Rehabilitation in the Elderly: A Randomized Controlled Trial. Cyberpsychology, Behavior, and Social Networking, 2019, 22, 132-141.	2.1	37
704	Individual recovery profiles of manual dexterity, and relation to corticospinal lesion load and excitability after stroke –a longitudinal pilot study. Neurophysiologie Clinique, 2019, 49, 149-164.	1.0	37
705	Brain state-dependent stimulation boosts functional recovery following stroke. Annals of Neurology, 2019, 85, 84-95.	2.8	41
706	Cerebral blood flow features in chronic subcortical stroke: Lesion location-dependent study. Brain Research, 2019, 1706, 177-183.	1.1	23
707	Strength or Motor Control: What Matters in High-Functioning Stroke?. Frontiers in Neurology, 2018, 9, 1160.	1.1	24

#	ARTICLE	IF	CITATIONS
708	Effect of baseline brain activity on response to low-frequency rTMS/intensive occupational therapy in poststroke patients with upper limb hemiparesis: a near-infrared spectroscopy study. <i>International Journal of Neuroscience</i> , 2019, 129, 337-343.	0.8	23
709	A Novel FES Strategy for Poststroke Rehabilitation Based on the Natural Organization of Neuromuscular Control. <i>IEEE Reviews in Biomedical Engineering</i> , 2019, 12, 154-167.	13.1	27
710	Effects of high- and low-frequency repetitive transcranial magnetic stimulation on motor recovery in early stroke patients: Evidence from a randomized controlled trial with clinical, neurophysiological and functional imaging assessments. <i>NeuroImage: Clinical</i> , 2019, 21, 101620.	1.4	89
711	Muscle material properties in passive and active stroke-impaired muscle. <i>Journal of Biomechanics</i> , 2019, 83, 197-204.	0.9	27
712	Outcome measurement of hand function following mirror therapy for stroke rehabilitation: A systematic review. <i>Journal of Hand Therapy</i> , 2019, 32, 277-291.e1.	0.7	15
713	Kinematic upper extremity performance in people with near or fully recovered sensorimotor function after stroke. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 822-832.	0.6	12
714	Translation and cultural validation of clinical observational scales – the Fugl-Meyer assessment for post stroke sensorimotor function in Colombian Spanish. <i>Disability and Rehabilitation</i> , 2019, 41, 2317-2323.	0.9	17
715	Validation of French upper limb Erasmus modified Nottingham Sensory Assessment in stroke. <i>Annals of Physical and Rehabilitation Medicine</i> , 2019, 62, 35-42.	1.1	13
716	Methods to evaluate perspectives of safety, independence, activity, and participation in older persons using welfare technology. A systematic review. <i>Disability and Rehabilitation: Assistive Technology</i> , 2020, 15, 373-393.	1.3	12
717	Comparison between two different protocols of lower limb constraint-induced movement therapy following stroke: a randomised controlled trial protocol. <i>European Journal of Physiotherapy</i> , 2020, 22, 178-182.	0.7	1
718	Relationship between upper limb function and functional neural connectivity among motor related-areas during recovery stage after stroke. <i>Topics in Stroke Rehabilitation</i> , 2020, 27, 57-66.	1.0	20
719	Standing postural stability during galvanic vestibular stimulation is associated with the motor function of the hemiplegic lower extremity post-stroke. <i>Topics in Stroke Rehabilitation</i> , 2020, 27, 110-117.	1.0	3
720	MAMBO: Measuring ambulation, motor, and behavioral outcomes with post-stroke fluoxetine in Tanzania: Protocol of a phase II clinical trial. <i>Journal of the Neurological Sciences</i> , 2020, 408, 116563.	0.3	6
721	Interlimb coupling in poststroke rehabilitation: a pilot randomized controlled trial. <i>Topics in Stroke Rehabilitation</i> , 2020, 27, 272-289.	1.0	9
722	Effects of Bihemispheric Transcranial Direct Current Stimulation on Upper Extremity Function in Stroke Patients: A randomized Double-Blind Sham-Controlled Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104454.	0.7	34
723	How accuracy of foot-placement is affected by the size of the base of support and crutch support in stroke survivors and healthy adults. <i>Gait and Posture</i> , 2020, 76, 224-230.	0.6	11
724	Haptic Interfaces for Accessibility, Health, and Enhanced Quality of Life. , 2020, , .		4
725	Upper limb use differs among people with varied upper limb impairment levels early post-stroke: a single-site, cross-sectional, observational study. <i>Topics in Stroke Rehabilitation</i> , 2020, 27, 224-235.	1.0	19

#	ARTICLE	IF	CITATIONS
726	Effects of protein supplementation on aerobic training-induced gains in cardiopulmonary fitness, muscle mass, and functional performance in chronic stroke: A randomized controlled pilot study. <i>Clinical Nutrition</i> , 2020, 39, 2743-2750.	2.3	9
727	Clinimetric properties of the shortened Fugl-Meyer Assessment for the assessment of arm motor function in hemiparetic patients after stroke. <i>Topics in Stroke Rehabilitation</i> , 2020, 27, 290-295.	1.0	6
728	Effectiveness of Virtual Reality- and Gaming-Based Interventions for Upper Extremity Rehabilitation Poststroke: A Meta-analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 885-896.	0.5	83
729	The Effects of Upper Limb Motor Recovery on Submovement Characteristics among the Patients with Stroke: A Meta-analysis. <i>PM and R</i> , 2020, 12, 589-601.	0.9	1
730	Roles of Lesioned and Nonlesioned Hemispheres in Reaching Performance Poststroke. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 61-71.	1.4	17
731	Long-term Effects of Extracorporeal Shock Wave Therapy on Poststroke Spasticity: A Meta-analysis of Randomized Controlled Trials. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104591.	0.7	17
732	Effects of the introduction of objective criteria for referral and discharge in physical therapy for ischemic stroke in China: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2020, 34, 345-356.	1.0	1
733	Slip-Fall Predictors in Community-Dwelling, Ambulatory Stroke Survivors: A Cross-sectional Study. <i>Journal of Neurologic Physical Therapy</i> , 2020, 44, 248-255.	0.7	6
734	Technology-aided assessment of functionally relevant sensorimotor impairments in arm and hand of post-stroke individuals. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2020, 17, 128.	2.4	19
735	Serum BDNF's Role as a Biomarker for Motor Training in the Context of AR-Based Rehabilitation after Ischemic Stroke. <i>Brain Sciences</i> , 2020, 10, 623.	1.1	17
736	The Feasibility of Longitudinal Upper Extremity Motor Function Assessment Using EEG. <i>Sensors</i> , 2020, 20, 5487.	2.1	2
737	Rehabilitation nursing for motor functional recovery of acute ischaemic stroke: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e037391.	0.8	5
738	Test-retest reliability of the Performance of Upper Limb (PUL) module for muscular dystrophy patients. <i>PLoS ONE</i> , 2020, 15, e0239064.	1.1	5
739	Predicting clinically significant motor function improvement after contemporary task-oriented interventions using machine learning approaches. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2020, 17, 131.	2.4	27
740	Gains Across WHO Dimensions of Function After Robot-Based Therapy in Stroke Subjects. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 1150-1158.	1.4	4
741	A comparison of the effects and usability of two exoskeletal robots with and without robotic actuation for upper extremity rehabilitation among patients with stroke: a single-blinded randomised controlled pilot study. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2020, 17, 137.	2.4	14
742	Enabling precision rehabilitation interventions using wearable sensors and machine learning to track motor recovery. <i>Npj Digital Medicine</i> , 2020, 3, 121.	5.7	55
743	A Wearable Soft Robot for Stroke Patients' Finger Occupational Therapy and Quantitative Measures on the Joint Paralysis. <i>International Journal of Precision Engineering and Manufacturing</i> , 2020, 21, 2419-2426.	1.1	3

#	ARTICLE	IF	CITATIONS
744	Evidence of motor injury due to damaged corticospinal tract following acute hemorrhage in the basal ganglia region. <i>Scientific Reports</i> , 2020, 10, 16346.	1.6	6
745	Muscle Activity After Stroke: Perspectives on Deploying Surface Electromyography in Acute Care. <i>Frontiers in Neurology</i> , 2020, 11, 576757.	1.1	11
746	Action observation training and brain-computer interface controlled functional electrical stimulation enhance upper extremity performance and cortical activation in patients with stroke: a randomized controlled trial. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 1126-1134.	0.6	24
747	Analysis of Clinical Efficacy of Traditional Chinese Medicine in Recovery Stage of Stroke: A Systematic Review and Meta-Analysis. <i>Cardiovascular Therapeutics</i> , 2020, 2020, 1-35.	1.1	9
748	High-frequency rTMS with two different inter-train intervals improves upper limb motor function at the early stage of stroke. <i>Journal of International Medical Research</i> , 2020, 48, 030006052092873.	0.4	8
749	Prediction of Motor Recovery in the Upper Extremity for Repetitive Transcranial Magnetic Stimulation and Occupational Therapy Goal Setting in Patients With Chronic Stroke: A Retrospective Analysis of Prospectively Collected Data. <i>Frontiers in Neurology</i> , 2020, 11, 581186.	1.1	14
750	Rehabilitation of the Arm Motor Function in Poststroke Patients with an Exoskeleton-Controlling Brain-Computer Interface: Effect of Repeated Hospitalizations. <i>Human Physiology</i> , 2020, 46, 321-331.	0.1	4
751	Decoding Attempted Hand Movements in Stroke Patients Using Surface Electromyography. <i>Sensors</i> , 2020, 20, 6763.	2.1	14
752	Automatic Assessment of Arm Motor Function and Postural Stability in Virtual Scenarios: Towards a Virtual Version of the Fugl-Meyer Test. , 2020, , .		1
753	Item Difficulty of Fugl-Meyer Assessment for Upper Extremity in Persons With Chronic Stroke With Moderate-to-Severe Upper Limb Impairment. <i>Frontiers in Neurology</i> , 2020, 11, 577855.	1.1	28
754	Subacute Changes in N-Acetylaspartate (NAA) Following Ischemic Stroke: A Serial MR Spectroscopy Pilot Study. <i>Diagnostics</i> , 2020, 10, 482.	1.3	11
755	Lesion Topography Impact on Shoulder Abduction and Finger Extension Following Left and Right Hemispheric Stroke. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 282.	1.0	5
756	Equal Opportunities for Stroke Survivorsâ€™ Rehabilitation: A Study on the Validity of the Upper Extremity Fugl-Meyer Assessment Scale Translated and Adapted into Romanian. <i>Medicina (Lithuania)</i> , 2020, 56, 409.	0.8	10
757	Impact of virtual reality game therapy and task-specific neurodevelopmental treatment on motor recovery in survivors of stroke. <i>International Journal of Therapy and Rehabilitation</i> , 2020, 27, 1-11.	0.1	1
758	Rudimentary Dexterity Corresponds With Reduced Ability to Move in Synergy After Stroke: Evidence of Competition Between Corticoreticulospinal and Corticospinal Tracts?. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 904-914.	1.4	11
759	Shoulder Kinematics Assessment towards Exoskeleton Development. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 6336.	1.3	12
760	Low-Frequency Repetitive Transcranial Magnetic Stimulation Over Contralesional Motor Cortex for Motor Recovery in Subacute Ischemic Stroke: A Randomized Sham-Controlled Trial. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 856-867.	1.4	28
761	BCI-Based Rehabilitation on the Stroke in Sequela Stage. <i>Neural Plasticity</i> , 2020, 2020, 1-10.	1.0	41

#	ARTICLE	IF	CITATIONS
762	Does Measurement of Corticospinal Tract Involvement Add Value to Clinical Behavioral Biomarkers in Predicting Motor Recovery after Stroke?. <i>Neural Plasticity</i> , 2020, 2020, 1-10.	1.0	11
763	Relationship between lower limb function and functional connectivity assessed by EEG among motor-related areas after stroke. <i>Topics in Stroke Rehabilitation</i> , 2021, 28, 614-623.	1.0	12
764	Development and Evaluation of a Classified and Tailored Community-Based Exercise Program According to the Mobility Level of People with Stroke Using the Knowledge to Action Framework. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9364.	1.2	0
765	Longitudinal Relationship Between Intramuscular Fat in the Quadriceps and Gait Independence in Convalescent Stroke Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 105287.	0.7	10
766	Estimating minimal clinically important differences for two scales in patients with chronic traumatic brain injury. <i>Current Medical Research and Opinion</i> , 2020, 36, 1999-2007.	0.9	7
767	Baseline Motor Impairment Predicts Transcranial Direct Current Stimulation Combined with Physical Therapy-Induced Improvement in Individuals with Chronic Stroke. <i>Neural Plasticity</i> , 2020, 2020, 1-8.	1.0	4
768	Transcultural translation and validation of Fugl-Meyer assessment to Italian. <i>Disability and Rehabilitation</i> , 2020, , 1-6.	0.9	16
769	Is Recovery of Somatosensory Impairment Conditional for Upper-Limb Motor Recovery Early After Stroke?. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 403-416.	1.4	36
770	Quantitative Assessment of Motor Function for Patients with a Stroke by an End-Effector Upper Limb Rehabilitation Robot. <i>BioMed Research International</i> , 2020, 2020, 1-14.	0.9	4
771	An automated system for motor function assessment in stroke patients using motion sensing technology: A pilot study. <i>Measurement: Journal of the International Measurement Confederation</i> , 2020, 161, 107896.	2.5	12
772	Resting State Functional Connectivity Is Associated With Motor Pathway Integrity and Upper-Limb Behavior in Chronic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 547-557.	1.4	22
773	A data-driven framework for selecting and validating digital health metrics: use-case in neurological sensorimotor impairments. <i>Npj Digital Medicine</i> , 2020, 3, 80.	5.7	29
774	Determining Corticospinal Tract Injury from Stroke Using Computed Tomography. <i>Canadian Journal of Neurological Sciences</i> , 2020, 47, 775-784.	0.3	4
775	Dose-response of rPMS for upper limb hemiparesis after stroke. <i>Medicine (United States)</i> , 2020, 99, e20752.	0.4	5
776	Forward to Bernstein: Movement Complexity as a New Frontier. <i>Frontiers in Neuroscience</i> , 2020, 14, 553.	1.4	6
777	Brain-computer interfaces in neurologic rehabilitation practice. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2020, 168, 101-116.	1.0	43
778	Machine Learning Methods Predict Individual Upper-Limb Motor Impairment Following Therapy in Chronic Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 428-439.	1.4	43
779	Patterns of motor recovery and structural neuroplasticity after basal ganglia infarcts. <i>Neurology</i> , 2020, 95, e1174-e1187.	1.5	22

#	ARTICLE	IF	CITATIONS
780	Bringing proportional recovery into proportion: Bayesian modelling of post-stroke motor impairment. <i>Brain</i> , 2020, 143, 2189-2206.	3.7	35
781	Use of a myoelectric upper limb orthosis for rehabilitation of the upper limb in traumatic brain injury: A case report. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2020, 7, 205566832092106.	0.6	3
782	Predicting Recovery of Upper Extremity Motor Function After Stroke According to the NovEl Intervention Using Repetitive Transcranial Magnetic Stimulation and Occupational Therapy: <i>NEURO. Journal of Stroke Medicine</i> , 2020, 3, 14-20.	0.2	0
783	EEG Biomarkers Related With the Functional State of Stroke Patients. <i>Frontiers in Neuroscience</i> , 2020, 14, 582.	1.4	48
784	Selective serotonin reuptake inhibitors for functional independence and depression prevention in early stage of post-stroke. <i>Medicine (United States)</i> , 2020, 99, e19062.	0.4	17
785	Effects of sling exercise therapy on balance, mobility, activities of daily living, quality of life and shoulder pain in stroke patients: a randomized controlled trial. <i>European Journal of Integrative Medicine</i> , 2020, 35, 101077.	0.8	11
786	Comparisons between end-effector and exoskeleton rehabilitation robots regarding upper extremity function among chronic stroke patients with moderate-to-severe upper limb impairment. <i>Scientific Reports</i> , 2020, 10, 1806.	1.6	79
787	Residual Deficits of Knee Flexors and Plantar Flexors Predict Normalized Walking Performance in Patients with Poststroke Hemiplegia. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104658.	0.7	5
788	Remind-to-Move Treatment Enhanced Activation of the Primary Motor Cortex in Patients with Stroke. <i>Brain Topography</i> , 2020, 33, 275-283.	0.8	11
789	Ipsilateral primary motor cortex and behavioral compensation after stroke: a case series study. <i>Experimental Brain Research</i> , 2020, 238, 439-452.	0.7	3
790	The Impact of Rehabilitation-oriented Virtual Reality Device in Patients With Ischemic Stroke in the Early Subacute Recovery Phase: Study Protocol for a Phase III, Single-Blinded, Randomized, Controlled Clinical Trial. <i>Journal of Central Nervous System Disease</i> , 2020, 12, 117957351989947.	0.7	8
791	The Impact of Home-Based Exercise Rehabilitation on Functional Capacity in Patients With Acute Ischemic Stroke: A Randomized Controlled Trial. <i>Home Health Care Management and Practice</i> , 2020, 32, 141-147.	0.4	7
792	Predicting Upper Limb Motor Impairment Recovery after Stroke: A Mixture Model. <i>Annals of Neurology</i> , 2020, 87, 383-393.	2.8	119
793	Easily Conducted Tests During the First Week Post-stroke Can Aid the Prediction of Arm Functioning at 6 Months. <i>Frontiers in Neurology</i> , 2019, 10, 1371.	1.1	10
794	Acupuncture for poststroke hemiplegia focusing on cerebral bilateral connections: study protocol for a randomised controlled neuroimaging trial. <i>BMJ Open</i> , 2020, 10, e034548.	0.8	3
795	Neglect and the Kaleidoscopic Mind: Psychology and Mental Health in Contemporary Art. <i>Arts</i> , 2020, 9, 47.	0.1	0
796	Impaired Coordination and Recruitment of Muscle Agonists, But Not Abnormal Synergies or Co-contraction, Have a Significant Effect on Motor Impairments After Stroke. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1279, 37-51.	0.8	1
797	An Innovative STRoke Interactive Virtual thErapy (STRIVE) Online Platform for Community-Dwelling Stroke Survivors: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 1131-1137.	0.5	21

#	ARTICLE	IF	CITATIONS
798	A Machine-Learning Model for Automatic Detection of Movement Compensations in Stroke Patients. IEEE Transactions on Emerging Topics in Computing, 2021, 9, 1234-1247.	3.2	23
799	Effects of anodal transcranial direct current stimulation over the contralesional hemisphere on motor recovery in subacute stroke patients with severe upper extremity hemiparesis. Medicine (United Tj ETQq1 104784314rgBT /O	0.7	4
800	Key components of mechanical work predict outcomes in robotic stroke therapy. Journal of NeuroEngineering and Rehabilitation, 2020, 17, 53.	2.4	1
801	Is Resting-State EEG Longitudinally Associated With Recovery of Clinical Neurological Impairments Early Poststroke? A Prospective Cohort Study. Neurorehabilitation and Neural Repair, 2020, 34, 389-402.	1.4	22
802	Deficits underlying handgrip performance in mildly affected chronic stroke persons. Topics in Stroke Rehabilitation, 2021, 28, 190-197.	1.0	1
803	Persons with Multiple Sclerosis Exhibit Strength Asymmetries in both Upper and Lower Extremities. Physiotherapy, 2021, 111, 83-91.	0.2	13
804	Inaccurate Use of the Upper Extremity Fugl-Meyer Negatively Affects Upper Extremity Rehabilitation Trial Design: Findings From the ICARE Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2021, 102, 270-279.	0.5	2
805	Encouraging an excitable brain state: mechanisms of brain repair in stroke. Nature Reviews Neuroscience, 2021, 22, 38-53.	4.9	108
806	Effects of repetitive transcranial magnetic stimulation combined with transcranial direct current stimulation on motor function and cortex excitability in subacute stroke patients: A randomized controlled trial. Clinical Rehabilitation, 2021, 35, 718-727.	1.0	19
807	Are early measured resting-state EEG parameters predictive for upper limb motor impairment six months poststroke?. Clinical Neurophysiology, 2021, 132, 56-62.	0.7	19
808	Quantifying Pathological Synergies in the Upper Extremity of Stroke Subjects With the Use of Inertial Measurement Units: A Pilot Study. IEEE Journal of Translational Engineering in Health and Medicine, 2021, 9, 1-11.	2.2	7
809	Identifying Instruments to Assess Care Quality for Individuals With Custom Ankle Foot Orthoses: A Scoping Review. Archives of Physical Medicine and Rehabilitation, 2021, 102, 709-734.	0.5	2
810	Optimal Multifield Functional Electrical Stimulation Parameters for the "Turn on the Light" Task and Related Upper Limb Kinematics Repeatability in Poststroke Subjects. Archives of Physical Medicine and Rehabilitation, 2021, 102, 1180-1190.	0.5	2
811	Effect of postural training using a whole-body tilt apparatus in subacute stroke patients with lateropulsion: A single-blinded randomized controlled trial. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101393.	1.1	8
812	Effectiveness of a home-based exercise program among patients with lower limb spasticity post-stroke: A randomized controlled trial. Asian Nursing Research, 2021, 15, 1-7.	0.7	6
813	Quantification of Compensatory Torso Motion in Post-Stroke Patients Using Wearable Inertial Measurement Units. IEEE Sensors Journal, 2021, , 1-1.	2.4	3
814	Post-stroke fatigue level is significantly associated with mental health component of health-related quality of life: a cross-sectional study. Quality of Life Research, 2021, 30, 1165-1172.	1.5	9
815	Behavioral and neurophysiological effects of an intensified robot-assisted therapy in subacute stroke: a case control study. Journal of NeuroEngineering and Rehabilitation, 2021, 18, 6.	2.4	8

#	ARTICLE	IF	CITATIONS
816	Identifying Hand Use and Hand Roles After Stroke Using Egocentric Video. <i>IEEE Journal of Translational Engineering in Health and Medicine</i> , 2021, 9, 1-10.	2.2	13
817	A 10-item Fugl-Meyer Motor Scale Based on Machine Learning. <i>Physical Therapy</i> , 2021, 101, .	1.1	7
818	Cell Therapy for Chronic TBI. <i>Neurology</i> , 2021, 96, .	1.5	41
819	Assessment of Upper-Extremity Joint Angles Using Harmony Exoskeleton. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 916-925.	2.7	15
820	Fronto-parietal involvement in chronic stroke motor performance when corticospinal tract integrity is compromised. <i>NeuroImage: Clinical</i> , 2021, 29, 102558.	1.4	17
821	Effects of transcranial direct current stimulation (tDCS) on posture, movement planning, and execution during standing voluntary reach following stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 5.	2.4	11
822	Correlation Evaluation of Functional Corticomuscular Coupling With Abnormal Muscle Synergy After Stroke. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 3261-3272.	2.5	15
823	Arm impairment and walking speed explain real-life activity of the affected arm and leg after stroke. <i>Journal of Rehabilitation Medicine</i> , 2021, 53, jrm00210.	0.8	4
824	Efficacy of mirror therapy for improving unimanual motor skills in chronic stroke patients: A case series. <i>Physiotherapy Practice and Research</i> , 2021, 41, 163-170.	0.1	0
825	Measures of Interjoint Coordination Post-stroke Across Different Upper Limb Movement Tasks. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 620805.	2.0	23
826	CNN-Based Prognosis of BCI Rehabilitation Using EEG From First Session BCI Training. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021, 29, 1936-1943.	2.7	20
827	Depressive Symptoms Moderate the Relationship Among Physical Capacity, Balance Self-Efficacy, and Participation in People After Stroke. <i>Physical Therapy</i> , 2021, 101, .	1.1	6
829	The SE-AssessWrist for robot-aided assessment of wrist stiffness and range of motion: Development and experimental validation. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2021, 8, 205566832098577.	0.6	5
830	Revisiting Poststroke Upper Limb Stratification: Resilience in a Larger Cohort. <i>Neurorehabilitation and Neural Repair</i> , 2021, 35, 280-289.	1.4	4
831	Stroke Lesion Impact on Lower Limb Function. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 592975.	1.0	18
832	Different acupuncture intervention time-points for improving capacity in motor function and activities of daily living after stroke. <i>Medicine (United States)</i> , 2021, 100, e24578.	0.4	1
833	Action Observation Therapy for Upper Limb Recovery in Patients with Stroke: A Randomized Controlled Pilot Study. <i>Brain Sciences</i> , 2021, 11, 290.	1.1	8
834	Additional Effects of Xbox Kinect Training on Upper Limb Function in Chronic Stroke Patients: A Randomized Control Trial. <i>Healthcare (Switzerland)</i> , 2021, 9, 242.	1.0	12

#	ARTICLE	IF	CITATIONS
835	Comparison of active-assisted and active-unassisted robot-mediated upper limb therapy in subacute stroke. <i>Restorative Neurology and Neuroscience</i> , 2021, 39, 1-7.	0.4	2
836	Effects of Two Different Modes of Task Practice during Lower Limb Constraint-Induced Movement Therapy in People with Stroke: A Randomized Clinical Trial. <i>Neural Plasticity</i> , 2021, 2021, 1-9.	1.0	15
837	Recovery of Apraxia of Speech and Aphasia in Patients With Hand Motor Impairment After Stroke. <i>Frontiers in Neurology</i> , 2021, 12, 634065.	1.1	12
838	Contralateral C7 nerve transfer through posterior vertebral approach combined with selective posterior rhizotomy of the affected cervical nerve in the treatment of central upper limb spastic paralysis. <i>Medicine (United States)</i> , 2021, 100, e25061.	0.4	3
839	Effect of Qizhitongluo capsule on lower limb rehabilitation after stroke: A randomized clinical trial. <i>Pharmacological Research</i> , 2021, 165, 105464.	3.1	5
840	HoMEcare aRm rehabiLitation (MERLIN): telerehabilitation using an unactuated device based on serious games improves the upper limb function in chronic stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 48.	2.4	30
841	Objectively measured arm use in daily life improves during the first 6 months poststroke: a longitudinal observational cohort study. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 51.	2.4	11
842	Changes in Quadriceps Thickness and Echo Intensity in Chronic Stroke Survivors: A 3-Year Longitudinal Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105543.	0.7	9
843	Learning and Stroke Recovery: Parallelism of Biological Substrates. <i>Seminars in Neurology</i> , 2021, 41, 147-156.	0.5	4
844	Is Fluoxetine Good for Subacute Stroke? A Meta-Analysis Evidenced From Randomized Controlled Trials. <i>Frontiers in Neurology</i> , 2021, 12, 633781.	1.1	6
845	Reliability and validity of Japanese version of Fugl-Meyer assessment for the lower extremities. <i>Topics in Stroke Rehabilitation</i> , 2022, 29, 125-132.	1.0	4
846	Comparing a Novel Neuroanimation Experience to Conventional Therapy for High-Dose Intensive Upper-Limb Training in Subacute Stroke: The SMARTS2 Randomized Trial. <i>Neurorehabilitation and Neural Repair</i> , 2021, 35, 393-405.	1.4	36
847	Rehabilitation with accurate adaptability walking tasks or steady state walking: A randomized clinical trial in adults post-stroke. <i>Clinical Rehabilitation</i> , 2021, 35, 1196-1206.	1.0	7
848	Three-Dimensional Assessment of Upper Limb Proprioception via a Wearable Exoskeleton. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 2615.	1.3	3
849	Robot-assisted rehabilitation of hand function after stroke: Development of prediction models for reference to therapy. <i>Journal of Electromyography and Kinesiology</i> , 2021, 57, 102534.	0.7	7
850	The Korean Version of the Fugl-Meyer Assessment: Reliability and Validity Evaluation. <i>Annals of Rehabilitation Medicine</i> , 2021, 45, 83-98.	0.6	11
851	Feasibility and preliminary efficacy of a combined virtual reality, robotics and electrical stimulation intervention in upper extremity stroke rehabilitation. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 61.	2.4	12
852	Bilateral Motor Cortex tDCS Effects on Post-Stroke Pain and Spasticity: A Three Cases Study. <i>Frontiers in Pharmacology</i> , 2021, 12, 624582.	1.6	7

#	ARTICLE	IF	CITATIONS
853	Does Cathodal vs. Sham Transcranial Direct Current Stimulation Over Contralesional Motor Cortex Enhance Upper Limb Motor Recovery Post-stroke? A Systematic Review and Meta-analysis. <i>Frontiers in Neurology</i> , 2021, 12, 626021.	1.1	5
854	The effect of Electromyography (EMG)-driven Robotic Treatment on the recovery of the hand Nine years after stroke. <i>Journal of Hand Therapy</i> , 2023, 36, 234-240.	0.7	5
855	Robotic rehabilitation for end-effector device and botulinum toxin in upper limb rehabilitation in chronic post-stroke patients: an integrated rehabilitative approach. <i>Neurological Sciences</i> , 2021, 42, 5219-5229.	0.9	6
856	Validity, reliability, and sensitivity to motor impairment severity of a multi-touch app designed to assess hand mobility, coordination, and function after stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 70.	2.4	11
857	Efficacy of Brain-Computer Interface and the Impact of Its Design Characteristics on Poststroke Upper-limb Rehabilitation: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Clinical EEG and Neuroscience</i> , 2022, 53, 79-90.	0.9	20
858	Added-value of spasticity reduction to improve arm-hand skill performance in sub-acute stroke patients with a moderately to severely affected arm-hand. <i>NeuroRehabilitation</i> , 2021, 48, 321-336.	0.5	2
859	Translational Value of Skilled Reaching Assessment in Clinical and Preclinical Studies on Motor Recovery After Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2021, 35, 457-467.	1.4	3
860	Relation of exercise capacity to comprehensive physical functions in individuals with ischemic stroke. <i>NeuroRehabilitation</i> , 2021, 48, 375-383.	0.5	2
861	Cross-cultural translation and adaptation of the Danish version of the Fugl-Meyer assessment for post stroke sensorimotor function. <i>Disability and Rehabilitation</i> , 2021, , 1-8.	0.9	3
862	In-Bed Sensorimotor Rehabilitation in Early and Late Subacute Stroke Using a Wearable Elbow Robot: A Pilot Study. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 669059.	1.0	1
863	Relation Between Sensorimotor Rhythm During Motor Attempt/Imagery and Upper-Limb Motor Impairment in Stroke. <i>Clinical EEG and Neuroscience</i> , 2021, , 155005942110199.	0.9	11
864	Repetitive Transcranial Magnetic Stimulation on the Affected Hemisphere Enhances Hand Functional Recovery in Subacute Adult Stroke Patients: A Randomized Trial. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 636184.	1.7	18
865	The Effectiveness of Mirror Therapy to Upper Extremity Rehabilitation in Acute Stroke Patients. <i>Applied Science and Engineering Progress</i> , 2021, , .	0.5	2
866	TMS-Induced Central Motor Conduction Time at the Non-Infarcted Hemisphere Is Associated with Spontaneous Motor Recovery of the Paretic Upper Limb after Severe Stroke. <i>Brain Sciences</i> , 2021, 11, 648.	1.1	4
867	Optimal multi-field functional electrical stimulation parameters for the "reaching task - reaching phase" and related upper limb kinematics repeatability in post stroke subjects. <i>Journal of Hand Therapy</i> , 2022, 35, 645-654.	0.7	7
868	Inflated Estimates of Proportional Recovery From Stroke. <i>Stroke</i> , 2021, 52, 1915-1920.	1.0	14
869	Long-term Effectiveness and Adoption of a Cellphone Augmented Reality System on Patients with Stroke: Randomized Controlled Trial. <i>JMIR Serious Games</i> , 2021, 9, e30184.	1.7	5
870	Evidence of neuroplasticity with robotic hand exoskeleton for post-stroke rehabilitation: a randomized controlled trial. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 76.	2.4	42

#	ARTICLE	IF	CITATIONS
871	Effect of Functional Electrical Stimulation on Upper Limb Motor Functions in Patient with Chronic Stroke - A Case Report. <i>Journal of Pharmaceutical Research International</i> , 0, , 199-203.	1.0	1
872	3D Free Reaching Movement Prediction of Upper-limb Based on Deep Neural Networks. , 2021, , .		1
873	Home-based virtual reality therapy for hand recovery after stroke. <i>PM and R</i> , 2022, 14, 320-328.	0.9	9
874	The Effects of 4 Weeks of Chiropractic Spinal Adjustments on Motor Function in People with Stroke: A Randomized Controlled Trial. <i>Brain Sciences</i> , 2021, 11, 676.	1.1	3
875	The adjunct of transcranial direct current stimulation to Robot-assisted therapy in upper limb post-stroke treatment. <i>Journal of Medical Engineering and Technology</i> , 2021, 45, 494-501.	0.8	5
876	Augmented efficacy of intermittent theta burst stimulation on the virtual reality-based cycling training for upper limb function in patients with stroke: a double-blinded, randomized controlled trial. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 91.	2.4	25
877	Shoulder function after constraint-induced movement therapy assessed with 3D kinematics and clinical and patient reported outcomes: A prospective cohort study. <i>Journal of Electromyography and Kinesiology</i> , 2021, 58, 102547.	0.7	1
878	Does a combination treatment of repetitive transcranial magnetic stimulation and occupational therapy improve upper limb muscle paralysis equally in patients with chronic stroke caused by cerebral hemorrhage and infarction?. <i>Medicine (United States)</i> , 2021, 100, e26339.	0.4	9
879	A review of computer vision-based approaches for physical rehabilitation and assessment. <i>Multimedia Systems</i> , 2022, 28, 209-239.	3.0	36
880	The effect of botulinum toxin on neural and non-neural components of wrist hyper-resistance in adults with stroke or cerebral palsy. <i>PM and R</i> , 2021, , .	0.9	2
881	Neuroanatomical correlates of poststroke complex regional pain syndrome: a voxel-based lesion symptom-mapping study. <i>Scientific Reports</i> , 2021, 11, 13093.	1.6	3
882	Predictive Value of Upper Extremity Outcome Measures After Stroke – A Systematic Review and Metaregression Analysis. <i>Frontiers in Neurology</i> , 2021, 12, 675255.	1.1	5
883	Are the Psychosocial and Physical Disabilities of Stroke Survivors Ageing Related?. <i>Lecture Notes in Networks and Systems</i> , 2022, , 509-516.	0.5	0
884	Effectiveness of Rehabilitation Nursing versus Usual Therapist-Led Treatment in Patients with Acute Ischemic Stroke: A Randomized Non-Inferiority Trial. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 1173-1184.	1.3	6
885	The effects of unilateral step training and conventional treadmill training on gait asymmetry in patients with chronic stroke. <i>Gait and Posture</i> , 2021, 87, 156-162.	0.6	1
886	Recovery and Prediction of Bimanual Hand Use After Stroke. <i>Neurology</i> , 2021, 97, e706-e719.	1.5	20
887	Clinical validation of kinematic assessments of post-stroke upper limb movements with a multi-joint arm exoskeleton. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 92.	2.4	12
888	Postural control during quiet standing and voluntary stepping response tasks in individuals post-stroke: a case-control study. <i>Topics in Stroke Rehabilitation</i> , 2022, 29, 465-472.	1.0	3

#	ARTICLE	IF	CITATIONS
889	A Self-Empowered Upper Limb Repetitive Engagement Program to Improve Upper Limb Recovery Early Post-Stroke: Phase II Pilot Randomized Controlled Trial. <i>Neurorehabilitation and Neural Repair</i> , 2021, 35, 836-848.	1.4	2
890	Quantitative Assessment of Motor Function by an End-Effector Upper Limb Rehabilitation Robot Based on Admittance Control. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6854.	1.3	7
891	Comparing the physical activity of stroke survivors in high-income countries and low to middle-income countries. <i>Physiotherapy Research International</i> , 2021, 26, e1918.	0.7	0
892	Reliable and valid robot-assisted assessments of hand proprioceptive, motor and sensorimotor impairments after stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 115.	2.4	18
893	A Case Report: Effect of Robotic Exoskeleton Based Therapy on Neurological and Functional Recovery of a Patient With Chronic Stroke. <i>Frontiers in Neurology</i> , 2021, 12, 680733.	1.1	2
894	Evaluation of an upper limb robotic rehabilitation program on motor functions, quality of life, cognition, and emotional status in patients with stroke: a randomized controlled study. <i>Neurological Sciences</i> , 2022, 43, 1177-1188.	0.9	19
895	Mapping causal circuit dynamics in stroke using simultaneous electroencephalography and transcranial magnetic stimulation. <i>BMC Neurology</i> , 2021, 21, 280.	0.8	6
896	Review of control strategies for lower-limb exoskeletons to assist gait. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 119.	2.4	111
897	Predicting Clinically Significant Improvement After Robot-Assisted Upper Limb Rehabilitation in Subacute and Chronic Stroke. <i>Frontiers in Neurology</i> , 2021, 12, 668923.	1.1	11
898	The Effect of Applying Robot-Assisted Task-Oriented Training Using Human-Robot Collaborative Interaction Force Control Technology on Upper Limb Function in Stroke Patients: Preliminary Findings. <i>BioMed Research International</i> , 2021, 2021, 1-8.	0.9	6
899	Determining minimally clinically important differences for outcome measures in patients with chronic motor deficits secondary to traumatic brain injury. <i>Expert Review of Neurotherapeutics</i> , 2021, 21, 1051-1058.	1.4	4
900	Dimensionality and item-difficulty hierarchy of the Fugl-Meyer assessment of the upper extremity among Japanese patients who have experienced stroke. <i>Topics in Stroke Rehabilitation</i> , 2021, , 1-9.	1.0	9
901	Clinical Evaluation of Different Treatment Strategies for Motor Recovery in Poststroke Rehabilitation during the First 90 Days. <i>Journal of Clinical Medicine</i> , 2021, 10, 3718.	1.0	5
902	Efficacy of a Novel Exoskeletal Robot for Locomotor Rehabilitation in Stroke Patients: A Multi-center, Non-inferiority, Randomized Controlled Trial. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 706569.	1.7	12
903	Serum activity of matrix metalloproteinase-2 and -9 is increased in chronic post-stroke individuals: a cross-sectional exploratory study. <i>Topics in Stroke Rehabilitation</i> , 2022, 29, 605-615.	1.0	6
904	Effects of Dual Transcranial Direct Current Stimulation and Modified Constraint-Induced Movement Therapy to Improve Upper-Limb Function after Stroke: A Double-Blinded, Pilot Randomized Controlled Trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105928.	0.7	16
905	Abdominal Acupuncture as an Adjunctive Therapy for the Recovery of Motor Function After Stroke: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Neurology</i> , 2021, 12, 705771.	1.1	4
906	Predictive Ability of Fahrenheit, a Hand Motion Recording System for Assessing Hand Motor Function in Patients with Hemiplegia Post-Cerebrovascular Disease—A Pilot Study. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8153.	1.3	0

#	ARTICLE	IF	CITATIONS
907	The effects of additional electrical stimulation combined with repetitive transcranial magnetic stimulation and motor imagery on upper extremity motor recovery in the subacute period after stroke. <i>Medicine (United States)</i> , 2021, 100, e27170.	0.4	5
908	Computer Game Assisted Task Specific Exercises in the Treatment of Motor and Cognitive Function and Quality of Life in Stroke: A Randomized Control Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105991.	0.7	10
909	Designing and pilot testing a novel high-definition transcranial burst electrostimulation device for neurorehabilitation. <i>Journal of Neural Engineering</i> , 2021, 18, 056030.	1.8	5
910	Changes in brain morphometry after motor rehabilitation in chronic stroke. <i>Somatosensory & Motor Research</i> , 2021, 38, 277-286.	0.4	3
911	Functional brain networks assessed with surface electroencephalography for predicting motor recovery in a neural guided intervention for chronic stroke. <i>Brain Communications</i> , 2021, 3, fcab214.	1.5	1
912	The clinical effect of Kinesio taping and modified constraint-induced movement therapy on upper extremity function and spasticity in patients with stroke: a randomized controlled pilot study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 57, 511-519.	1.1	8
913	Optimal Method of Electrical Stimulation for the Treatment of Upper Limb Dysfunction After Stroke: A Systematic Review and Bayesian Network Meta-Analysis of Randomized Controlled Trials. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 2937-2954.	1.0	12
914	Electromyography Recordings Detect Muscle Activity Before Observable Contractions in Acute Stroke Care. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2021, 3, 100136.	0.5	4
915	Smoothness metric during reach-to-grasp after stroke: part 2. longitudinal association with motor impairment. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 144.	2.4	16
916	Proof-of-Concept of a Sensor-Based Evaluation Method for Better Sensitivity of Upper-Extremity Motor Function Assessment. <i>Sensors</i> , 2021, 21, 5926.	2.1	7
917	Adaptive sports for promoting physical activity in community-dwelling adults with stroke: A feasibility study. <i>Journal of Bodywork and Movement Therapies</i> , 2021, 28, 341-347.	0.5	4
919	Increased intramuscular adipose tissue of the quadriceps is related to decreased activities of daily living in patients who have had a stroke. <i>Nutrition</i> , 2021, 90, 111277.	1.1	2
920	Kinematic descriptions of upper limb function using simulated tasks in activities of daily living after stroke. <i>Human Movement Science</i> , 2021, 79, 102834.	0.6	7
921	Prediction of Upper Limb use Three Months after Stroke: A Prospective Longitudinal Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 106025.	0.7	8
922	Clinical Neuroanatomy of Post-stroke Motor Recovery. , 2022, , 260-265.		0
925	Reliability and validity of the Turkish version of Function in Sitting Test (FIST-T) in stroke. <i>Topics in Stroke Rehabilitation</i> , 2022, 29, 49-57.	1.0	4
926	Novel integrative rehabilitation system for the upper extremity: Design and usability evaluation. <i>Journal of Rehabilitation and Assistive Technologies Engineering</i> , 2021, 8, 205566832110128.	0.6	1
927	Accurate prediction of clinical stroke scales and improved biomarkers of motor impairment from robotic measurements. <i>PLoS ONE</i> , 2021, 16, e0245874.	1.1	13

#	ARTICLE	IF	CITATIONS
928	Evaluating the effect of immersive virtual reality technology on gait rehabilitation in stroke patients: a study protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 91.	0.7	17
929	Performance Evaluation Methods for Assistive Robotic Technology. , 2009, , 41-66.		18
930	Robots for Measurement/Clinical Assessment. , 2012, , 443-456.		20
932	Hand Function in Stroke. , 2019, , 125-135.		2
933	Rehabilitation von Personen mit einem Schlaganfall. , 2010, , 633-672.		3
934	Virtual Reality Based Tool for Motor Function Assessment in Stroke Survivors. <i>Biosystems and Biorobotics</i> , 2013, , 1037-1041.	0.2	2
935	Passive material properties of stroke-impaired plantarflexor and dorsiflexor muscles. <i>Clinical Biomechanics</i> , 2017, 49, 48-55.	0.5	34
941	Drinking gesture spotting and identification using single wrist-worn inertial sensor. , 2017, , .		3
942	Factors affecting falls in community-dwelling individuals with stroke in Singapore after hospital discharge. <i>Singapore Medical Journal</i> , 2013, 54, 569-575.	0.3	16
943	The WeReha Project for an Innovative Home-Based Exercise Training in Chronic Stroke Patients: A Clinical Study. <i>Journal of Central Nervous System Disease</i> , 2020, 12, 117957352097986.	0.7	10
944	The Effects of Active Shoulder Exercise with a Sling Suspension System on Shoulder Subluxation, Proprioception, and Upper Extremity Function in Patients with Acute Stroke. <i>Medical Science Monitor</i> , 2019, 25, 4849-4855.	0.5	11
945	Co-Contraction of Lower Limb Muscles Contributes to Knee Stability During Stance Phase in Hemiplegic Stroke Patients. <i>Medical Science Monitor</i> , 2019, 25, 7443-7450.	0.5	6
946	Clinical Outcomes of Robot-assisted Arm Rehabilitation in Stroke Patients. <i>Brain & Neurorehabilitation</i> , 2015, 8, 46.	0.4	4
947	Clinical evidences of brain plasticity in stroke patients. <i>Archives Italiennes De Biologie</i> , 2015, 152, 259-71.	0.1	2
948	Automated Assessment of Upper Extremity Movement Impairment due to Stroke. <i>PLoS ONE</i> , 2014, 9, e104487.	1.1	77
949	Feasibility and Preliminary Efficacy of Visual Cue Training to Improve Adaptability of Walking after Stroke: Multi-Centre, Single-Blind Randomised Control Pilot Trial. <i>PLoS ONE</i> , 2015, 10, e0139261.	1.1	36
950	Upper Limb Outcome Measures Used in Stroke Rehabilitation Studies: A Systematic Literature Review. <i>PLoS ONE</i> , 2016, 11, e0154792.	1.1	229
951	Upper Extremity Functional Evaluation by Fugl-Meyer Assessment Scoring Using Depth-Sensing Camera in Hemiplegic Stroke Patients. <i>PLoS ONE</i> , 2016, 11, e0158640.	1.1	97

#	ARTICLE	IF	CITATIONS
952	A natural user interface to integrate citizen science and physical exercise. PLoS ONE, 2017, 12, e0172587.	1.1	18
953	Changes in arm-hand function and arm-hand skill performance in patients after stroke during and after rehabilitation. PLoS ONE, 2017, 12, e0179453.	1.1	31
955	Increased Brain Activation in Motor Cortex After Acupuncture Treatment for Motor Recovery in Chronic Stroke Patients. The Open Rehabilitation Journal, 2009, 2, 89-94.	0.8	6
956	Evaluating the Effectiveness and Safety of the Electroencephalogram-Based Brain-Machine Interface Rehabilitation System for Patients With Severe Hemiparetic Stroke: Protocol for a Randomized Controlled Trial (BEST-BRAIN Trial). JMIR Research Protocols, 2018, 7, e12339.	0.5	10
957	Effectiveness of Upper Limb Wearable Technology for Improving Activity and Participation in Adult Stroke Survivors: Systematic Review. Journal of Medical Internet Research, 2020, 22, e15981.	2.1	31
958	Acceptability of a Mobile Phone-Based Augmented Reality Game for Rehabilitation of Patients With Upper Limb Deficits from Stroke: Case Study. JMIR Rehabilitation and Assistive Technologies, 2020, 7, e17822.	1.1	14
959	Clinometric Gait Analysis Using Smart Insoles in Patients With Hemiplegia After Stroke: Pilot Study. JMIR MHealth and UHealth, 2020, 8, e22208.	1.8	15
960	Domiciliary VR-Based Therapy for Functional Recovery and Cortical Reorganization: Randomized Controlled Trial in Participants at the Chronic Stage Post Stroke. JMIR Serious Games, 2017, 5, e15.	1.7	44
961	Rehabilitation of patients with cerebral palsy using hand exoskeleton controlled by brain-computer interface. Bulletin of Russian State Medical University, 2020, , 33-40.	0.3	7
962	Regional Cerebral Blood Flow (rCBF) after Low-frequency Repetitive Transcranial Magnetic Stimulation (rTMS) Combined with Intensive Occupational Therapy for Upper Limb Hemiplegia after Stroke : A Study using Single Photon Emission Computed Tomography. The Japanese Journal of Rehabilitation Medicine, 2013, 50, 36-42.	0.0	7
963	The Effect of High-Frequency Repetitive Transcranial Magnetic Stimulation on Functional Indices of Affected Upper Limb in Patients with Subacute Stroke. Journal of Biomedical Physics and Engineering, 2021, 11, 175-184.	0.5	14
964	Instrumentos de avaliaçŁo da funçŁo motora para indivİduos com lesŁo encefİlica adquirida. Revista Neurociencias, 2008, 16, 137-143.	0.0	7
965	Efetividade da estimulaçŁo elİctrica funcional no membro superior de hemiparİticos crİnicos. Revista Neurociencias, 2009, 17, 72-78.	0.0	3
966	Terapia de restriçŁo e induçŁo ao movimento no paciente com AVC. Revista Neurociencias, 2010, 18, 18-23.	0.0	5
967	Contralateral needling at unblocked collaterals for hemiplegia following acute ischemic stroke. Neural Regeneration Research, 2013, 8, 2914-22.	1.6	9
968	Post-stroke Visual Gait Measure for Developing Countries: A Reliability and Validity Study. Neurology India, 2019, 67, 1033.	0.2	4
969	Central neuroplasticity and functional outcome of swinging upper limbs following repetitive locomotor training of lower limbs in stroke patients. Egyptian Rheumatology and Rehabilitation, 2014, 41, 14-19.	0.2	2
970	Neuronal injury in the motor cortex after chronic stroke and lower limb motor impairment: a voxel-based lesion symptom mapping study. Neural Regeneration Research, 2014, 9, 766.	1.6	13

#	ARTICLE	IF	CITATIONS
971	Changes of resting cerebral activities in subacute ischemic stroke patients. <i>Neural Regeneration Research</i> , 2015, 10, 760.	1.6	28
972	Regional brain structural abnormality in ischemic stroke patients: a voxel-based morphometry study. <i>Neural Regeneration Research</i> , 2016, 11, 1424.	1.6	11
973	Does a combined intervention program of repetitive transcranial magnetic stimulation and intensive occupational therapy affect cognitive function in patients with post-stroke upper limb hemiparesis?. <i>Neural Regeneration Research</i> , 2016, 11, 1932.	1.6	15
974	Neurological functional evaluation based on accurate motions in big animals with traumatic brain injury. <i>Neural Regeneration Research</i> , 2019, 14, 991.	1.6	3
975	Expanding Tele-rehabilitation of Stroke Through In-home Robot-assisted Therapy. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2013, 02, .	0.5	6
976	Coupled Bimanual Training Using a Non-Powered Device for Individuals with Severe Hemiparesis: A Pilot Study. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2017, 05, .	0.5	8
977	Mirror Visual Feedback na Recupera��o Motora e Funcional da M��o Ap��s Acidente Vascular Cerebral. <i>Revista Neurociencias</i> , 2012, 20, 254-259.	0.0	7
978	Therapeutic Application of High-Frequency rTMS Combined with Intensive Occupational Therapy for Pediatric Stroke Patients with Upper Limb Hemiparesis: A Case Series Study. <i>Journal of Behavioral and Brain Science</i> , 2013, 03, 188-193.	0.2	1
979	Behavioral, Neurophysiological, and Descriptive Changes After Occupation-Based Intervention. <i>American Journal of Occupational Therapy</i> , 2012, 66, e107-e113.	0.1	17
980	Mirror Therapy and Task-Oriented Training for People With a Paretic Upper Extremity. <i>American Journal of Occupational Therapy</i> , 2018, 72, 7202205080p1-7202205080p8.	0.1	14
981	Comparative Assessment of Two Robot-Assisted Therapies for the Upper Extremity in People With Chronic Stroke. <i>American Journal of Occupational Therapy</i> , 2019, 73, 7301205010p1-7301205010p9.	0.1	10
982	Mental Practice as a Gateway to Modified Constraint-Induced Movement Therapy: A Promising Combination to Improve Function. <i>American Journal of Occupational Therapy</i> , 2007, 61, 321-327.	0.1	22
983	Factors Affecting the Motor Evoked Potential Responsiveness and Parameters in Patients With Supratentorial Stroke. <i>Annals of Rehabilitation Medicine</i> , 2014, 38, 19.	0.6	6
984	Comparison of Diffusion Tensor Tractography and Motor Evoked Potentials for the Estimation of Clinical Status in Subacute Stroke. <i>Annals of Rehabilitation Medicine</i> , 2016, 40, 126.	0.6	4
985	Crossed Cerebellar Diaschisis: Risk Factors and Correlation to Functional Recovery in Intracerebral Hemorrhage. <i>Annals of Rehabilitation Medicine</i> , 2018, 42, 8.	0.6	15
986	Dose-Response Effect of Daily Rehabilitation Time on Functional Gain in Stroke Patients. <i>Annals of Rehabilitation Medicine</i> , 2020, 44, 101-108.	0.6	6
987	Low Frequency Repetitive Transcranial Magnetic Stimulation to Improve Motor Function and Grip Force of Upper Limbs of Patients With Hemiplegia. <i>Iranian Red Crescent Medical Journal</i> , 2014, 16, e13579.	0.5	16
989	Home-based tele-rehabilitation system provides task-oriented training courses based on the stages of stroke. , 2021, , .		2

#	ARTICLE	IF	CITATIONS
1009	Central neuroplasticity and lower limbs functional outcome following repetitive locomotor training in stroke patients. <i>Egyptian Rheumatology and Rehabilitation</i> , 2014, 41, 85-91.	0.2	2
1010	Clinical Criteria to Perform the Step through Step Gait with a Cane in Chronic Stroke Patients. <i>Journal of the Korean Society of Physical Medicine</i> , 2014, 9, 285-291.	0.1	1
1011	Combined Ambient and Wearable Sensors for Gesture-Based Environmental Control in the Home. <i>Advances in Computational Intelligence and Robotics Book Series</i> , 2015, , 1-21.	0.4	0
1012	The Effects of Upper Extremities Exercises Using Moving Surface in Sitting on the Function of Upper Extremities for the Patients with Stroke. <i>Journal of the Korea Academia-Industrial Cooperation Society</i> , 2015, 16, 5132-5142.	0.0	0
1014	Clinical Application: Multiple Sclerosis. , 2016, , 75-84.		0
1015	The Test-Retest Reliability and Minimal Detectable Change of the Fugl-Meyer Assessment of the Upper Extremity and 9-Hole Pegboard Test in Individuals With Subacute Stroke. <i>Physical Treatments - Specific Physical Therapy</i> , 2016, 5, .	0.3	0
1016	The Validation of Functional Fitness Test for the Students with Severe Brain Lesions. <i>Journal of Adapted Physical Activity and Exercise</i> , 2016, 24, 163-176.	0.1	0
1017	Corticospinal Tract Alteration is Associated with Motor Performance in Subacute Basal Ganglia Stroke. <i>Lecture Notes in Computer Science</i> , 2017, , 254-260.	1.0	0
1018	Primary Motor Cortex Ipsilateral to the Paretic Arm - A Potential Neural Substrate for Compensatory Trunk Use in Chronic Stroke. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2017, 05, .	0.5	0
1020	Functional Electrical Stimulation with Augmented Feedback Training Improves Gait and Functional Performance in Individuals with Chronic Stroke: A Randomized Controlled Trial. <i>The Journal of Korean Physical Therapy</i> , 2017, 29, 74-79.	0.1	5
1021	Fugl-Meyer Assessment of Sensorimotor Impairment. , 2018, , 1509-1510.		0
1023	Measurement and Analysis of Upper Limb Reachable Workspace for Post-stroke Patients. <i>Lecture Notes in Computer Science</i> , 2018, , 225-234.	1.0	0
1026	Pain-Maps. <i>Springer Theses</i> , 2019, , 43-57.	0.0	0
1027	Escolhas relacionadas ao uso de ajuda fsica aumentam afetos positivos aps acidente vascular enceflico. <i>Revista Brasileira De Educao Fsica E Esporte: RBEFE</i> , 2018, 32, 299-307.	0.1	0
1028	Brain-Computer Interface for Motor Rehabilitation. <i>Communications in Computer and Information Science</i> , 2019, , 243-254.	0.4	2
1030	Tiempo de evolucin en sujetos con secuela de accidente cerebrovascular al ingreso a un Instituto de Rehabilitacin de la Ciudad de Buenos Aires: estudio descriptivo, transversal y retrospectivo. <i>Neurologia Argentina</i> , 2019, 11, 81-87.	0.1	0
1031	Validity of the Japanese Version of the Southampton Hand Assessment Procedure in Stroke Patients. <i>The Japanese Journal of Rehabilitation Medicine</i> , 2019, 56, 499-509.	0.0	1
1032	Clinical Application of AR System in Early Rehabilitation Program After Stroke: 2 Case Study. <i>The Journal of Korean Physical Therapy</i> , 2019, 31, 141-146.	0.1	2

#	ARTICLE	IF	CITATIONS
1033	The Effectiveness of Mirror Therapy on Upper Limb Function in Stroke Patients: A Single Case Experimental Design. Iranian Rehabilitation Journal, 0, , 285-292.	0.1	0
1035	Intelligent Robotics and Immersive Displays for Enhancing Haptic Interaction in Physical Rehabilitation Environments. , 2020, , 265-297.		2
1036	Effect of Scalp Acupuncture Combined with Exercise Therapy on Lower Limb Motor Function Recovery in Patients with Hemiplegia Caused by Cerebral Infraction. Advances in Clinical Medicine, 2020, 10, 1810-1816.	0.0	0
1037	The applicability of motor learning to neurorehabilitation. , 2020, , 71-80.		5
1038	Comparing Home Upper Extremity Activity With Clinical Evaluations of Arm Function in Chronic Stroke. Archives of Rehabilitation Research and Clinical Translation, 2020, 2, 100048.	0.5	8
1039	Visual feedback improves movement illusions induced by tendon vibration after chronic stroke. Journal of NeuroEngineering and Rehabilitation, 2021, 18, 156.	2.4	1
1040	Motor Network Reorganization After Repetitive Transcranial Magnetic Stimulation in Early Stroke Patients: A Resting State fMRI Study. Neurorehabilitation and Neural Repair, 2022, 36, 61-68.	1.4	11
1042	The Use of Cardiac Autonomic Responses to Aerobic Exercise in Elderly Stroke Patients: Functional Rehabilitation as a Public Health Policy. International Journal of Environmental Research and Public Health, 2021, 18, 11460.	1.2	1
1043	Kinect-based Virtual Rehabilitation for Upper Extremity Motor Recovery in Chronic Stroke. , 2020, , .		2
1044	Targeting motor and cognitive networks with multichannel transcranial direct current stimulation along with peripheral stimulation in a subacute stroke survivor: single case study. Physical Therapy Rehabilitation Science, 2020, 9, 318-323.	0.1	2
1045	Effects of Body Weight Support-Tai Chi Footwork Training on Balance Control and Walking Function in Stroke Survivors with Hemiplegia: A Pilot Randomized Controlled Trial. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-9.	0.5	11
1046	Exercises with action observation contribute to upper limb recovery in chronic stroke patients: a controlled clinical trial. Motriz Revista De Educacao Fisica, 2020, 26, .	0.3	1
1048	The Efficacy and Tolerability of Selective Serotonin Reuptake Inhibitors for Motor Recovery in Non-depressed Patients After Acute Stroke: A Meta-Analysis. Frontiers in Neurology, 2021, 12, 749322.	1.1	0
1049	A Novel Method to Assess Motor Cortex Connectivity and Event Related Desynchronization Based on Mass Models. Brain Sciences, 2021, 11, 1479.	1.1	5
1051	The effect of scapular dyskinesia on the scapular balance angle and upper extremity sensorimotor function in stroke patients with spasticity. Bulletin of Faculty of Physical Therapy, 2020, 25, .	0.2	3
1052	Technology-assisted stroke rehabilitation. Neurology, 2020, 95, 761-762.	1.5	0
1054	Comparison of Nutech Functional Score with European Stroke Scale for Patients with Cerebrovascular Accident Treated with Human Embryonic Stem Cells: NFS for CVA Patients Treated with hESCs. Journal of Vascular and Interventional Neurology, 2017, 9, 35-43.	1.1	1
1055	GABA-induced motor improvement following acute cerebral infarction. American Journal of Translational Research (discontinued), 2020, 12, 7724-7736.	0.0	1

#	ARTICLE	IF	CITATIONS
1056	N-Acetylaspartate Biomarker of Stroke Recovery: A Case Series Study. , 2021, 2, .		0
1057	Effect of abdominal acupuncture combined with routine rehabilitation training on shoulder-hand syndrome after stroke: A randomized controlled trial. Integrative Medicine Research, 2022, 11, 100805.	0.7	8
1058	The German version of the Stroke Upper Limb Capacity Scale: Translation, cross-cultural adaption and evaluation of its psychometric properties. Clinical Rehabilitation, 2021, , 026921552110435.	1.0	0
1059	A progressive prediction model towards home-based stroke rehabilitation programs. Smart Health, 2022, 23, 100239.	2.0	4
1060	Necessity and Content of Swing Phase Gait Coordination Training Post Stroke; A Case Report. Brain Sciences, 2021, 11, 1498.	1.1	6
1061	Chinese herbal medicine for myasthenia gravis: A systematic review and meta-analysis of randomized clinical trials. Integrative Medicine Research, 2022, 11, 100806.	0.7	6
1062	Transcutaneous Auricular Vagus Nerve Stimulation (tAVNS) Delivered During Upper Limb Interactive Robotic Training Demonstrates Novel Antagonist Control for Reaching Movements Following Stroke. Frontiers in Neuroscience, 2021, 15, 767302.	1.4	24
1063	The Emergence of Stereotyped Kinematic Synergies when Mice Reach to Grasp Following Stroke. Neurorehabilitation and Neural Repair, 2021, , 154596832110581.	1.4	4
1064	Multiple relationships between cognition-motor impairment and activity-based clinical outcome measures in 218 hemiplegic stroke patients1. NeuroRehabilitation, 2021, 49, 553-563.	0.5	1
1065	Neuromuscular Electrical Stimulation Improves Activities of Daily Living Post Stroke: A Systematic Review and Meta-analysis. Archives of Rehabilitation Research and Clinical Translation, 2022, 4, 100167.	0.5	12
1066	The Cortical Response Evoked by Robotic Wrist Perturbations Reflects Level of Proprioceptive Impairment After Stroke. Frontiers in Human Neuroscience, 2021, 15, 695366.	1.0	1
1067	Classification of Limb and Mobility Impairments in Persons With Stroke Using the STREAM. Journal of Neurologic Physical Therapy, 2021, Publish Ahead of Print, .	0.7	0
1068	Intensive In-Bed Sensorimotor Rehabilitation of Early Subacute Stroke Survivors With Severe Hemiplegia Using a Wearable Robot. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, 29, 2252-2259.	2.7	11
1069	Classification of Motor Impairments of Post-Stroke Patients Based on Force Applied to a Handrail. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2021, 29, 2399-2406.	2.7	6
1070	Application and comparison of deep learning approaches for upper limb functionality evaluation based on multi-modal inertial data. Sustainable Computing: Informatics and Systems, 2022, 33, 100624.	1.6	1
1071	Robotic Table and Serious Games for Integrative Rehabilitation in the Early Poststroke Phase: Two Case Reports. JMIR Rehabilitation and Assistive Technologies, 2022, 9, e26990.	1.1	3
1072	Rehabilitation Supported by Technology: Protocol for an International Cocreation and User Experience Study. JMIR Research Protocols, 2022, 11, e34537.	0.5	4
1073	Gait Clustering Analysis in Patients after Stroke using Gait Kinematics Data. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
1074	Corticocortical paired associative stimulation for treating motor dysfunction after stroke: study protocol for a randomised sham-controlled double-blind clinical trial. <i>BMJ Open</i> , 2022, 12, e053991.	0.8	1
1076	Correlations between aerobic exercise time during physiotherapy and characteristics of patients with subacute stroke: A pilot cross-sectional study. <i>Physiotherapy Theory and Practice</i> , 2022, , 1-8.	0.6	1
1077	Comparison of the effect and treatment sequence between a 2-week parallel repetitive transcranial magnetic stimulation and rehabilitation and a 2-week rehabilitation-only intervention during a 4-week hospitalization for upper limb paralysis after stroke: An open-label, crossover observational study. <i>Journal of Central Nervous System Disease</i> , 2022, 14, 117957352110727.	0.7	3
1078	Reconstruction of paralyzed arm function in patients with hemiplegia through contralateral seventh cervical nerve cross transfer: a multicenter study and real-world practice guidance. <i>EClinicalMedicine</i> , 2022, 43, 101258.	3.2	11
1079	Reducing the Number of Test Items of the Action Research Arm Test Poststroke: A Decision Tree Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 1582-1591.	0.5	4
1080	Survey of Movement Reproduction in Immersive Virtual Rehabilitation. <i>IEEE Transactions on Visualization and Computer Graphics</i> , 2023, 29, 2184-2202.	2.9	19
1083	Startle Increases the Incidence of Anticipatory Muscle Activations but Does Not Change the Task-Specific Muscle Onset for Patients After Subacute Stroke. <i>Frontiers in Neurology</i> , 2021, 12, 789176.	1.1	3
1084	Proprioceptive Training with Visual Feedback Improves Upper Limb Function in Stroke Patients: A Pilot Study. <i>Neural Plasticity</i> , 2022, 2022, 1-10.	1.0	7
1085	Comparative effects of EMG-driven robot-assisted therapy versus task-oriented training on motor and daily function in patients with stroke: a randomized cross-over trial. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2022, 19, 6.	2.4	10
1086	Assisted Movement With Proprioceptive Stimulation Augments Recovery From Moderate-To-Severe Upper Limb Impairment During Subacute Stroke Period: A Randomized Clinical Trial. <i>Neurorehabilitation and Neural Repair</i> , 2022, 36, 239-250.	1.4	4
1087	Prevalence of post-stroke upper extremity paresis in developing countries and significance of m-Health for rehabilitation after stroke - A review. <i>Smart Health</i> , 2022, 23, 100264.	2.0	5
1089	Myoelectric Arm Orthosis in Motor Learning-Based Therapy for Chronic Deficits After Stroke and Traumatic Brain Injury. <i>Frontiers in Neurology</i> , 2022, 13, 791144.	1.1	3
1090	The Effectiveness of the Contralaterally Controlled Functional Electrical Stimulation in Post-stroke Patients: a Systematic Review. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2022, 10, 52-60.	0.3	1
1091	Inter-muscular coherence and functional coordination in the human upper extremity after stroke. <i>Mathematical Biosciences and Engineering</i> , 2022, 19, 4506-4525.	1.0	4
1092	Therapeutic Effect of Multi-Channel Transcranial Direct Current Stimulation (M-tDCS) on Recovery of Cognitive Domains, Motor Functions of Paretic Hand and Gait in Subacute Stroke Survivors-A Randomized Controlled Trial Protocol. <i>Neuroscience Insights</i> , 2022, 17, 263310552210877.	0.9	1
1094	Post-stroke Hemiplegic Rodent Evaluation: A Framework for Assessing Forelimb Movement Quality Using Kinematics. <i>Current Protocols</i> , 2022, 2, e369.	1.3	0
1095	Self-reported use of the paretic lower extremity of people with stroke: A reliability and validity study of the Lower-Extremity Motor Activity Log (LE-MAL) in Brazil. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 1727-1735.	0.6	5
1096	Targeting Balance and Gait Rehabilitation with Multichannel Transcranial Direct Current Stimulation in a Sub-Acute Stroke Survivor-A Case Report. <i>Physical Therapy Rehabilitation Science</i> , 2022, 11, 8-15.	0.1	0

#	ARTICLE	IF	CITATIONS
1097	Efficacy of Moxibustion Smoke for Stage 1 Post-Stroke Shoulder-Hand Syndrome: Protocol for a Multi-Center, Single-Blind Randomized Sham-Controlled Trial. <i>Journal of Pain Research</i> , 2022, Volume 15, 643-653.	0.8	1
1098	Task-Related Hemodynamic Changes Induced by High-Definition Transcranial Direct Current Stimulation in Chronic Stroke Patients: An Uncontrolled Pilot fNIRS Study. <i>Brain Sciences</i> , 2022, 12, 453.	1.1	4
1099	Effects of Transcranial Direct Current Stimulation of Bilateral Supplementary Motor Area on the Lower Limb Motor Function in a Stroke Patient with Severe Motor Paralysis: A Case Study. <i>Brain Sciences</i> , 2022, 12, 452.	1.1	1
1100	Brain Functional Topology Alteration in Right Lateral Occipital Cortex Is Associated With Upper Extremity Motor Recovery. <i>Frontiers in Neurology</i> , 2022, 13, 780966.	1.1	2
1101	Modulation of Brain Rhythm Oscillations by Xingnao Kaiqiao Acupuncture Correlates with Stroke Recovery: A Randomized Control Trial. , 2022, 28, 436-444.		3
1102	Determinants of Different Aspects of Upper-Limb Activity after Stroke. <i>Sensors</i> , 2022, 22, 2273.	2.1	3
1103	Can body awareness training improve recovery following stroke: A study to assess feasibility and preliminary efficacy. <i>Clinical Rehabilitation</i> , 2022, 36, 650-659.	1.0	3
1104	Effects of a Virtual Reality-Based Mirror Therapy Program on Improving Sensorimotor Function of Hands in Chronic Stroke Patients: A Randomized Controlled Trial. <i>Neurorehabilitation and Neural Repair</i> , 2022, 36, 335-345.	1.4	15
1105	Training of isometric force tracking to improve motor control of the wrist after incomplete spinal cord injury: a case study. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 1777-1788.	0.6	0
1106	Synergy-Based Motor Therapy Inducing Favorable Changes in Motor Function Components among Poststroke Subjects: A Single-Group Study. <i>Journal of Neurosciences in Rural Practice</i> , 0, ,	0.3	1
1107	Resting State EEG Directed Functional Connectivity Unveils Changes in Motor Network Organization in Subacute Stroke Patients After Rehabilitation. <i>Frontiers in Physiology</i> , 2022, 13, 862207.	1.3	11
1108	Different association between physical activity and physical function according to walking independence in hospital-based rehabilitation program patients with sub-acute stroke. <i>Clinical Neurology and Neurosurgery</i> , 2022, 215, 107202.	0.6	2
1109	Minimal Contact Robotic Stroke Rehabilitation on Risk of COVID-19, Work Efficiency and Sensorimotor Function. <i>Healthcare (Switzerland)</i> , 2022, 10, 691.	1.0	4
1110	Reliability and Validity of a New Diagnostic Device for Quantifying Hemiparetic Arm Impairments: An Exploratory Study. <i>Journal of Rehabilitation Medicine</i> , 2022, 54, jrm00283.	0.8	1
1111	Urdu translation and cross-cultural validation of the Fugl-Meyer assessment in people with stroke. <i>Disability and Rehabilitation</i> , 2021, , 1-6.	0.9	1
1112	Gait Improvement in Chronic Stroke Survivors by Using an Innovative Gait Training Machine: A Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 224.	1.2	3
1113	Estimating upper-extremity function from kinematics in stroke patients following goal-oriented computer-based training. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2021, 18, 186.	2.4	3
1114	Mirror Therapy Rehabilitation in Stroke: A Scoping Review of Upper Limb Recovery and Brain Activities. <i>Rehabilitation Research and Practice</i> , 2021, 2021, 1-12.	0.5	5

#	ARTICLE	IF	CITATIONS
1115	Efficacy of Scalp Acupuncture in Patients With Post-stroke Hemiparesis: Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Neurology</i> , 2021, 12, 746567.	1.1	5
1116	Buyang huanwu decoction combined with probiotics or prebiotics for functional recovery from stroke. <i>Medicine (United States)</i> , 2021, 100, e28371.	0.4	2
1117	Reward During Arm Training Improves Impairment and Activity After Stroke: A Randomized Controlled Trial. <i>Neurorehabilitation and Neural Repair</i> , 2022, 36, 140-150.	1.4	12
1118	Stage 2: Who Are the Best Candidates for Robotic Gait Training Rehabilitation in Hemiparetic Stroke?. <i>Journal of Clinical Medicine</i> , 2021, 10, 5715.	1.0	6
1119	Automated Upper Limb Motor Functions Assessment System Using One-Class Support Vector Machine. , 2021, , .		1
1120	Effect of Transcranial Direct Current Stimulation Combined with Rehabilitation on Arm and Hand Function in Stroke Patients: A Systematic Review and Meta-Analysis. <i>Healthcare (Switzerland)</i> , 2021, 9, 1705.	1.0	3
1121	Measuring Ambulation, Motor, and Behavioral Outcomes with Post-stroke Fluoxetine in Tanzania: The Phase II MAMBO Trial. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, , .	0.6	1
1122	Robotic Kinematic measures of the arm in chronic Stroke: part 2 “ strong correlation with clinical outcome measures. <i>Bioelectronic Medicine</i> , 2021, 7, 21.	1.0	5
1123	Acute Occupational Therapy for a Patient with Unilateral Spatial Neglect and Difficulty in Tool Manipulation: A Case Report. <i>Progress in Rehabilitation Medicine</i> , 2022, 7, n/a.	0.3	0
1124	Somatosensory Cortex Repetitive Transcranial Magnetic Stimulation and Associative Sensory Stimulation of Peripheral Nerves Could Assist Motor and Sensory Recovery After Stroke. <i>Frontiers in Human Neuroscience</i> , 2022, 16, 860965.	1.0	5
1125	Ipsilesional arm training in severe stroke to improve functional independence (IPSI): phase II protocol. <i>BMC Neurology</i> , 2022, 22, 141.	0.8	0
1126	Using Robot-Based Variables during Upper Limb Robot-Assisted Training in Subacute Stroke Patients to Quantify Treatment Dose. <i>Sensors</i> , 2022, 22, 2989.	2.1	6
1151	The clinical effects of brain“computer interface with robot on upper-limb function for post-stroke rehabilitation: a meta-analysis and systematic review. <i>Disability and Rehabilitation: Assistive Technology</i> , 2024, 19, 30-41.	1.3	4
1152	Quantitative Evaluation System of Wrist Motor Function for Stroke Patients Based on Force Feedback. <i>Sensors</i> , 2022, 22, 3368.	2.1	5
1153	Postural control during turn on the light task assisted by functional electrical stimulation in post stroke subjects. <i>Scientific Reports</i> , 2022, 12, 6999.	1.6	0
1154	EEG Microstate-Specific Functional Connectivity and Stroke-Related Alterations in Brain Dynamics. <i>Frontiers in Neuroscience</i> , 2022, 16, .	1.4	21
1155	Evaluation of a shortened version of the Action Research Arm Test (ARAT) for upper extremity function after stroke: The Mini-ARAT. <i>Clinical Rehabilitation</i> , 2022, 36, 1257-1266.	1.0	2
1156	Structural validity and internal consistency of a hypothesized factor structure of the Fugl-Meyer Assessment of the upper extremity. <i>Topics in Stroke Rehabilitation</i> , 2023, 30, 501-511.	1.0	1

#	ARTICLE	IF	CITATIONS
1157	A low-dimensional representation of arm movements and hand grip forces in post-stroke individuals. <i>Scientific Reports</i> , 2022, 12, 7601.	1.6	3
1158	A comparison of lesion-overlap approaches to quantify corticospinal tract involvement in chronic stroke. <i>Journal of Neuroscience Methods</i> , 2022, 376, 109612.	1.3	2
1159	Effects of dry needling and exercise therapy on post-stroke spasticity and motor function—protocol of randomized clinical trial. <i>Contemporary Clinical Trials Communications</i> , 2022, 28, 100921.	0.5	4
1160	Virtual Reality Training Using Nintendo Wii Games for Patients With Stroke: Randomized Controlled Trial. <i>JMIR Serious Games</i> , 2022, 10, e29830.	1.7	4
1161	The Influence of Wearables on Health Care Outcomes in Chronic Disease: Systematic Review. <i>Journal of Medical Internet Research</i> , 2022, 24, e36690.	2.1	27
1162	Effect of wearable exoskeleton on post-stroke gait: A systematic review and meta-analysis. <i>Annals of Physical and Rehabilitation Medicine</i> , 2023, 66, 101674.	1.1	7
1163	Theta—gamma coupling as a cortical biomarker of brain—computer interface-mediated motor recovery in chronic stroke. <i>Brain Communications</i> , 2022, 4, .	1.5	11
1165	Effects of Functional Acupuncture on Upper Limb Spasticity After Ischemic Stroke: A Protocol for a Randomized Controlled Parallel Clinical Trial. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	2
1166	Shear wave elastography of the brachioradialis spastic muscle and its correlations with biceps brachialis and clinical scales. <i>Clinical Biomechanics</i> , 2022, 97, 105687.	0.5	3
1167	Upper Limb Stroke Rehabilitation Using Surface Electromyography: A Systematic Review and Meta-Analysis. <i>Frontiers in Human Neuroscience</i> , 0, 16, .	1.0	6
1168	Recognizing the individualized sensorimotor loop of stroke patients during BMI-supported rehabilitation training based on brain functional connectivity analysis. <i>Journal of Neuroscience Methods</i> , 2022, , 109658.	1.3	6
1169	Understanding of the Lower Extremity Motor Recovery After First-Ever Ischemic Stroke. <i>Stroke</i> , 0, , .	1.0	1
1170	Performance Comparison of Different Neuroimaging Methods for Predicting Upper Limb Motor Outcomes in Patients after Stroke. <i>Neural Plasticity</i> , 2022, 2022, 1-10.	1.0	2
1171	Proposal of a Wearable Multimodal Sensing-Based Serious Games Approach for Hand Movement Training After Stroke. <i>Frontiers in Physiology</i> , 0, 13, .	1.3	13
1172	Shared and distinct voxel-based lesion-symptom mappings for spasticity and impaired movement in the hemiparetic upper limb. <i>Scientific Reports</i> , 2022, 12, .	1.6	3
1173	Moving toward Appropriate Motor Assessment Tools in People Affected by Severe Acquired Brain Injury: A Scoping Review with Clinical Advices. <i>Healthcare (Switzerland)</i> , 2022, 10, 1115.	1.0	6
1174	Bilateral upper extremity motor priming (BUMP) plus task-specific training for severe, chronic upper limb hemiparesis: study protocol for a randomized clinical trial. <i>Trials</i> , 2022, 23, .	0.7	0
1175	Effects of repetitive transcranial magnetic stimulation combined with functional electrical stimulation on hand function of stroke: A randomized controlled trial. <i>NeuroRehabilitation</i> , 2022, 51, 283-289.	0.5	1

#	ARTICLE	IF	CITATIONS
1176	Muscle weakness assessment tool for automated therapy selection in elbow rehabilitation. <i>Robotica</i> , 0, , 1-17.	1.3	1
1177	Automated multimodal segmentation of acute ischemic stroke lesions on clinical MR images. <i>Magnetic Resonance Imaging</i> , 2022, 92, 45-57.	1.0	4
1178	Personalized neurorehabilitative precision medicine: from data to therapies (MWKNeuroReha) – a multi-centre prospective observational clinical trial to predict long-term outcome of patients with acute motor stroke. <i>BMC Neurology</i> , 2022, 22, .	0.8	2
1179	Hand Rehabilitation Devices: A Comprehensive Systematic Review. <i>Micromachines</i> , 2022, 13, 1033.	1.4	15
1180	A Review and Meta-Analysis of Interactive Metronome Training: Positive Effects for Motor Functioning. <i>Perceptual and Motor Skills</i> , 2022, 129, 1614-1634.	0.6	3
1181	Kinect-Based Assessment of Lower Limbs during Gait in Post-Stroke Hemiplegic Patients: A Narrative Review. <i>Sensors</i> , 2022, 22, 4910.	2.1	15
1182	Translation and Initial Validation of the Chinese (Cantonese) Brief 2-Way Social Support Scale for Use in People with Chronic Stroke. <i>BioMed Research International</i> , 2022, 2022, 1-9.	0.9	4
1183	Functional Brain Controllability Alterations in Stroke. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 10, .	2.0	5
1184	Recovery in Stroke Patients Treated With Fluoxetine Versus Placebo. <i>Neurologist</i> , 2023, 28, 104-116.	0.4	1
1185	Motor Network Reorganization Induced in Chronic Stroke Patients with the Use of a Contralesionally-Controlled Brain Computer Interface. <i>Brain-Computer Interfaces</i> , 2022, 9, 179-192.	0.9	2
1186	Daily steps are associated with walking ability in hospitalized patients with sub-acute stroke. <i>Scientific Reports</i> , 2022, 12, .	1.6	3
1187	Effects of virtual reality in the early-stage stroke rehabilitation: A systematic review and meta-analysis of randomized controlled trials. <i>Physiotherapy Theory and Practice</i> , 0, , 1-20.	0.6	5
1188	A Novel Patient-Tailored, Cumulative Neurotechnology-Based Therapy for Upper-Limb Rehabilitation in Severely Impaired Chronic Stroke Patients: The AVANCER Study Protocol. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	6
1189	An evidence-based evaluation of Buyang Huanwu decoction for the treatment of the sequelae of stroke: A PRISMA-compliant systematic review and meta-analysis of randomized controlled trials. <i>Phytomedicine</i> , 2022, 104, 154312.	2.3	13
1190	Assessment of Upper Extremity Function in People With Stroke Based on the Framework of the ICF: A Narrative Review. <i>Brain & Neurorehabilitation</i> , 2022, 15, .	0.4	3
1191	Correlation of Body Composition via Bioelectrical Impedance Analysis and Motor Function and Recovery of Upper Extremity in Patients Undergoing Stroke Rehabilitation. <i>Brain & Neurorehabilitation</i> , 2022, 15, .	0.4	2
1192	Objective Assessment of the Wrist Function Loss of Post-Stroke Patients in Haptic Virtual Environment based on Neural Network and Support Vector Machine. , 2022, , .		0
1193	Association between Baseline NIHSS Limb Motor Score and Functional Recovery after Stroke: Analysis Based on a Multicountry Dataset. <i>Cerebrovascular Diseases</i> , 2023, 52, 160-165.	0.8	0

#	ARTICLE	IF	CITATIONS
1194	Nonlinear functional muscle network based on information theory tracks sensorimotor integration post stroke. <i>Scientific Reports</i> , 2022, 12, .	1.6	8
1195	A novel perspective of associativity of upper limb motor impairment and cortical excitability in sub-acute and chronic stroke. <i>Frontiers in Neuroscience</i> , 0, 16, .	1.4	6
1196	Effects of constraint-induced movement therapy for the lower extremity among individuals post-stroke: A randomized controlled clinical trial. <i>NeuroRehabilitation</i> , 2022, 51, 421-431.	0.5	5
1197	A Preliminary Study of Alterations in Iron Disposal and Neural Activity in Ischemic Stroke. <i>BioMed Research International</i> , 2022, 2022, 1-16.	0.9	0
1198	Assessing stroke rehabilitation degree based on quantitative EEG index and nonlinear parameters. <i>Cognitive Neurodynamics</i> , 0, , .	2.3	0
1199	Combinations of scalp acupuncture location for the treatment of post-stroke hemiparesis: A systematic review and Apriori algorithm-based association rule analysis. <i>Frontiers in Neuroscience</i> , 0, 16, .	1.4	7
1200	Brain-machine interface-based training for improving upper extremity function after stroke: A meta-analysis of randomized controlled trials. <i>Frontiers in Neuroscience</i> , 0, 16, .	1.4	8
1201	è,,ä,é,žŽà°:àè~,â®šæ-1æ³•çš,,ç”ç©¶ă,žă°”ç”~è,ž,â±•. <i>Journal of Zhejiang University: Science B</i> , 2022, 23, 625-641.	1.3	7
1202	Neurological and Functional Outcomes after Pediatric Stroke. <i>Seminars in Pediatric Neurology</i> , 2022, 44, 100991.	1.0	5
1203	Current clinical practice in managing somatosensory impairments and the use of technology in stroke rehabilitation. <i>PLoS ONE</i> , 2022, 17, e0270693.	1.1	4
1204	The Reaching Phase of Feeding and Self-Care Actions Optimizes Action Observation Effects in Chronic Stroke Subjects. <i>Neurorehabilitation and Neural Repair</i> , 2022, 36, 574-586.	1.4	3
1205	The add-on effects of Danhong injection among patients with ischemic stroke receiving Western medicines: A systematic review and meta-analysis. <i>Frontiers in Pharmacology</i> , 0, 13, .	1.6	0
1206	The Effect of ICF-Core Set-Based Occupational Therapy Interventions on the Function and Satisfaction of Individuals with Chronic Stroke: A Randomized Clinical Trial. <i>Occupational Therapy in Health Care</i> , 2024, 38, 177-195.	0.2	1
1207	Execution and perception of upper limb exoskeleton for stroke patients: a systematic review. <i>Intelligent Service Robotics</i> , 2022, 15, 557-578.	1.6	6
1208	Immediate and short-term effects of continuous theta burst transcranial magnetic stimulation over contralesional premotor area on post-stroke spasticity in patients with severe hemiplegia: Study protocol for a randomized controlled trial. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	1
1209	A Combination of Long-Duration Electrical Stimulation with External Shoulder Support during Routine Daily Activities in Patients with Post-Hemiplegic Shoulder Subluxation: A Randomized Controlled Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 9765.	1.2	1
1210	Validation of a graphic test to quantitatively assess the dominant hand dexterity. <i>PLoS ONE</i> , 2022, 17, e0271889.	1.1	1
1211	Adaptive cooperative control of a soft elbow rehabilitation exoskeleton based on improved joint torque estimation. <i>Mechanical Systems and Signal Processing</i> , 2023, 184, 109748.	4.4	8

#	ARTICLE	IF	CITATIONS
1212	Quantitative Assessment of Hand Motor Function for Post-Stroke Rehabilitation Based on HAGCN and Multimodality Fusion. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 2032-2041.	2.7	6
1213	Intra- and inter-rater reliability of the Italian Fugl-Meyer assessment of upper and lower extremity. Disability and Rehabilitation, 2023, 45, 2989-2999.	0.9	3
1214	The Effect of Action Observation Combined with Motor Imagery Training on Upper Extremity Function and Corticospinal Excitability in Stroke Patients: A Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2022, 19, 12048.	1.2	4
1215	Hybrid robot-assisted gait training for motor function in subacute stroke: a single-blind randomized controlled trial. Journal of NeuroEngineering and Rehabilitation, 2022, 19, .	2.4	3
1216	Effects of Meaningful Action Observation Therapy on Occupational Performance, Upper Limb Function, and Corticospinal Excitability Poststroke: A Double-Blind Randomized Control Trial. Neural Plasticity, 2022, 2022, 1-12.	1.0	2
1217	Ability of an altered functional coupling between resting-state networks to predict behavioral outcomes in subcortical ischemic stroke: A longitudinal study. Frontiers in Aging Neuroscience, 0, 14, .	1.7	3
1218	Oscillatory beta/alpha band modulations: A potential biomarker of functional language and motor recovery in chronic stroke?. Frontiers in Human Neuroscience, 0, 16, .	1.0	8
1219	Motor inhibition and its contribution to recovery of dexterous hand use after stroke. Brain Communications, 2022, 4, .	1.5	5
1220	Evaluation of Motion Segment Size as a New Sensor-based Functional Outcome Measure in Stroke Rehabilitation. Journal of International Medical Research, 2022, 50, 030006052211227.	0.4	1
1221	Virtual Reality-Based Rehabilitation as a Feasible and Engaging Tool for the Management of Chronic Poststroke Upper-Extremity Function Recovery: Randomized Controlled Trial. JMIR Serious Games, 2022, 10, e37506.	1.7	6
1222	Effects of Motor Imagery Training for Lower Limb Dysfunction in Patients With Stroke. American Journal of Physical Medicine and Rehabilitation, 2023, 102, 409-418.	0.7	1
1223	High-Definition Transcranial Direct Current with Electrical Theta Burst on Post-Stroke Motor Rehabilitation: A Pilot Randomized Controlled Trial. Neurorehabilitation and Neural Repair, 2022, 36, 645-654.	1.4	2
1224	Perspectives and expectations of stroke survivors using egocentric cameras for monitoring hand function at home: a mixed methods study. Disability and Rehabilitation: Assistive Technology, 0, , 1-11.	1.3	1
1225	Use of <scp>multi-Éperturbation</scp> Shapley analysis in <scp>lesion studies</scp> of functional networks: The case of upper limb paresis. Human Brain Mapping, 2023, 44, 1320-1343.	1.9	4
1226	Effectiveness of acupuncture combined with rehabilitation training vs. rehabilitation training alone for post-stroke shoulder pain: A systematic review and meta-analysis of randomized controlled trials. Frontiers in Medicine, 0, 9, .	1.2	1
1227	Aberrant interhemispheric functional reciprocities of the default mode network and motor network in subcortical ischemic stroke patients with motor impairment: A longitudinal study. Frontiers in Neurology, 0, 13, .	1.1	2
1228	Increase in muscle mass of the quadriceps is related to decrease in intramuscular adipose tissue in convalescent stroke patients: A longitudinal study. Clinical Nutrition ESPEN, 2022, 51, 199-206.	0.5	0
1229	An Automatic Hand Rehabilitation Assessment System: Implementation and Experiments. , 2022, , .		1

#	ARTICLE	IF	CITATIONS
1230	Effects of dry needling intervention on lower limb dysfunction after stroke: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e062494.	0.8	0
1232	Cortical Reorganization of Early Somatosensory Processing in Hemiparetic Stroke. <i>Journal of Clinical Medicine</i> , 2022, 11, 6449.	1.0	1
1233	Effectiveness of combining robotic therapy and modified constraint-induced movement therapy for moderate to severe upper limb paresis after stroke in subacute phase: Caseâ€™control study by propensity score analysis. <i>British Journal of Occupational Therapy</i> , 2023, 86, 149-157.	0.5	2
1234	A Novel Automated RGB-D Sensor-Based Measurement of Voluntary Items of the Fugl-Meyer Assessment for Upper Extremity: A Feasibility Study. <i>Brain Sciences</i> , 2022, 12, 1380.	1.1	3
1235	Efficacy of Neurostimulations for Upper Extremity Function Recovery after Stroke: A Systematic Review and Network Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2022, 11, 6162.	1.0	5
1236	Cell therapies for acute and chronic traumatic brain injury. <i>Current Medical Research and Opinion</i> , 2022, 38, 2183-2189.	0.9	3
1237	Effects of a multidisciplinary intervention to promote physical activity in patients with stroke undergoing rehabilitation: study protocol for the ActivePAS pilot randomised controlled trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2022, 8, e001401.	1.4	1
1238	Network Meta-Analysis of Non-Conventional Therapies for Improving Upper Limb Motor Impairment Poststroke. <i>Stroke</i> , 2022, 53, 3717-3727.	1.0	6
1239	Envisioning the use of in-situ arm movement data in stroke rehabilitation: Stroke survivorsâ€™ and occupational therapistsâ€™ perspectives. <i>PLoS ONE</i> , 2022, 17, e0274142.	1.1	1
1240	eXplainable AI Allows Predicting Upper Limb Rehabilitation Outcomes in Sub-Acute Stroke Patients. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2023, 27, 263-273.	3.9	10
1241	Classification of Stroke Severity Using Clinically Relevant Symmetric Gait Features Based on Recursive Feature Elimination With Cross-Validation. <i>IEEE Access</i> , 2022, 10, 119437-119447.	2.6	3
1242	Robotic Technologies and Digital Health Metrics for Assessing Sensorimotor Disability. , 2022, , 321-344.		0
1244	Supervised Myoelectrical Hand Gesture Recognition in Post-Acute Stroke Patients with Upper Limb Paresis on Affected and Non-Affected Sides. <i>Sensors</i> , 2022, 22, 8733.	2.1	9
1245	Frequency-tuned electromagnetic field therapy improves post-stroke motor function: A pilot randomized controlled trial. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	4
1246	Body Tracking in Healthcare. <i>Synthesis Lectures on Assistive Rehabilitative and Health-Preserving Technologies</i> , 2016, , .	0.2	1
1247	Influence ofâ€™Session Duration inâ€™Robot-Assisted Neurorehabilitation Therapies: A Pilot Study withâ€™Patients. <i>Lecture Notes in Networks and Systems</i> , 2023, , 286-297.	0.5	2
1248	A case report: Upper limb recovery from stroke related to SARS-CoV-2 infection during an intervention with a brain-computer interface. <i>Frontiers in Neurology</i> , 0, 13, .	1.1	3
1249	Resting-state electroencephalogram microstate to evaluate post-stroke rehabilitation and associate with clinical scales. <i>Frontiers in Neuroscience</i> , 0, 16, .	1.4	3

#	ARTICLE	IF	CITATIONS
1250	Novel Platform for Quantitative Assessment of Functional Object Interactions After Stroke. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2023, 31, 426-436.	2.7	2
1251	Results of a 2-week novel robotic rehabilitation program in 18 children with prior hemispherectomy. Journal of Clinical Neuroscience, 2023, 108, 6-12.	0.8	0
1252	Is virtual reality training superior to conventional treatment in improving lower extremity motor function in chronic hemiplegic patients?. Turkish Journal of Physical Medicine and Rehabilitation, 2022, 68, 391-398.	0.3	0
1253	Study Protocol for a Multicenter, Randomized Controlled Trial to Improve Upper Extremity Hemiparesis in Chronic Stroke Patients by One-to-One Training (NEUROÂ®) with Repetitive Transcranial Magnetic Stimulation. Journal of Clinical Medicine, 2022, 11, 6835.	1.0	1
1254	EMG-based Recognition Method of Finger Movement Impairment Level on Post-Stroke Patient Based on Fugl-Meyer Assessment. , 2022, , .		0
1255	Wearable Intelligent Machine Learning Rehabilitation Assessment for Stroke Patients Compared with Clinician Assessment. Journal of Clinical Medicine, 2022, 11, 7467.	1.0	5
1256	Early prediction of upper limb functioning after stroke using clinical bedside assessments: a prospective longitudinal study. Scientific Reports, 2022, 12, .	1.6	3
1257	Psychometric properties of the Action Research Arm Test using decision rules for skipping items in hemiparetic patients after stroke: a retrospective study. Disability and Rehabilitation, 2023, 45, 4471-4477.	0.9	1
1259	May Dual Transcranial Direct Current Stimulation Enhance the Efficacy of Robot-Assisted Therapy for Promoting Upper Limb Recovery in Chronic Stroke?. Neurorehabilitation and Neural Repair, 2022, 36, 800-809.	1.4	11
1260	Feasibility and acceptability of novel functional electronic stimulated rehabilitation application for treatment in patients with cerebrovascular disorders: the FRAT study protocol. Pilot and Feasibility Studies, 2022, 8, .	0.5	0
1261	Testing the psychometric properties of the Chinese (Cantonese) version of SATIS-Stroke in people with chronic stroke. Disability and Rehabilitation, 2024, 46, 159-169.	0.9	0
1262	Predictors for Upper-Limb Functional Recovery Trajectory in Individuals Receiving Stroke Rehabilitation: A Secondary Analysis of Data from Randomized Controlled Trials. International Journal of Environmental Research and Public Health, 2022, 19, 16514.	1.2	3
1264	Translation of the Fugl-Meyer assessment into Romanian: Transcultural and semantic-linguistic adaptations and clinical validation. Frontiers in Neurology, 0, 13, .	1.1	1
1265	Brain-computer interface combined with mental practice and occupational therapy enhances upper limb motor recovery, activities of daily living, and participation in subacute stroke. Frontiers in Neurology, 0, 13, .	1.1	4
1266	Feasibility of using the Leap Motion Controller to administer conventional motor tests: a proof-of-concept study. Biomedical Physics and Engineering Express, 2023, 9, 035009.	0.6	1
1267	Effect of rTMS intervention on upper limb motor function after stroke: A study based on fNIRS. Frontiers in Aging Neuroscience, 0, 14, .	1.7	7
1268	A Clinical Perspective on Bespoke Sensing Mechanisms for Remote Monitoring and Rehabilitation of Neurological Diseases: Scoping Review. Sensors, 2023, 23, 536.	2.1	6
1269	Does whole-body vibration training have a positive effect on balance and walking function in patients with stroke? A meta-analysis. Frontiers in Human Neuroscience, 0, 16, .	1.0	4

#	ARTICLE	IF	CITATIONS
1272	Assessment of movement disorders using wearable sensors during upper limb tasks: A scoping review. <i>Frontiers in Robotics and AI</i> , 0, 9, .	2.0	5
1273	The Sonoelastography and Functional Outcome of Upper Extremity after Kinesiotaping on the Spastic Forearm in Patients with Subacute Stroke. <i>BioMed Research International</i> , 2023, 2023, 1-6.	0.9	1
1274	The Efficacy of the NeuroAssist Robotic System for Motor Rehabilitation of the Upper Limb—Promising Results from a Pilot Study. <i>Journal of Clinical Medicine</i> , 2023, 12, 425.	1.0	4
1275	Opportunities for Improving Motor Assessment and Rehabilitation After Stroke by Leveraging Video-Based Pose Estimation. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2023, 102, S68-S74.	0.7	5
1276	Psychometric Properties of a New Measure of Upper Limb Performance in Post-Stroke Individuals: Trunk-Based Index of Performance. <i>Neurorehabilitation and Neural Repair</i> , 0, , 154596832211434.	1.4	0
1277	Integrating Rehabilomics into the Multi-Omics Approach in the Management of Multiple Sclerosis: The Way for Precision Medicine?. <i>Genes</i> , 2023, 14, 63.	1.0	4
1278	Therapeutic Role of Additional Mirror Therapy on the Recovery of Upper Extremity Motor Function after Stroke: A Single-Blind, Randomized Controlled Trial. <i>Neural Plasticity</i> , 2022, 2022, 1-9.	1.0	4
1279	Extracorporeal shock wave therapy for shoulder pain after stroke: A systematic review and meta-analysis. <i>Clinical Rehabilitation</i> , 2023, 37, 774-790.	1.0	1
1280	Effects of “Taking the Waist as the Axis” Therapy on trunk postural control disorder after stroke: A randomized controlled trial. <i>Frontiers in Aging Neuroscience</i> , 0, 15, .	1.7	1
1281	Consensus-Based Evaluation of Outcome Measures in Pediatric Stroke Care: A Toolkit. <i>Pediatric Neurology</i> , 2023, 141, 118-132.	1.0	1
1282	A neuroergonomic approach to assessing motor performance in stroke patients using fNIRS and behavioral data. <i>Applied Ergonomics</i> , 2023, 109, 103979.	1.7	4
1283	Efficacy and Safety of a Novel Plum Blossom Needling with Mild Moxibustion Device for Upper Limb Pain Disorder and Motor Dysfunction in Patients with Stage 1 Post-Stroke Shoulder-Hand Syndrome: Study Protocol for a Multi-Center, Single-Blind, Randomized Sham-Controlled Trial. <i>Journal of Pain Research</i> , 0, Volume 16, 407-420.	0.8	1
1284	Extended Poststroke Rehabilitation Combined with Cerebrolysin Promotes Upper Limb Motor Recovery in Early Subacute Phase of Rehabilitation: A Randomized Clinical Study. <i>Medicina (Lithuania)</i> , 2023, 59, 291.	0.8	0
1285	Elbow Joint Stiffness Functional Scales Based on Hill’s Muscle Model and Genetic Optimization. <i>Sensors</i> , 2023, 23, 1709.	2.1	0
1286	Deep learning prediction of motor performance in stroke individuals using neuroimaging data. <i>Journal of Biomedical Informatics</i> , 2023, 141, 104357.	2.5	2
1288	Cortical reorganization correlates with motor recovery after low-frequency repetitive transcranial magnetic stimulation combined with occupational therapy in chronic subcortical stroke patients. <i>NeuroImage Reports</i> , 2023, 3, 100156.	0.5	1
1289	Development of a 13-item Short Form for Fugl-Meyer Assessment of Upper Extremity Scale Using a Machine Learning Approach. <i>Archives of Physical Medicine and Rehabilitation</i> , 2023, 104, 1219-1226.	0.5	1
1290	Loaded and unloaded timed stair tests as tools for assessing advanced functional mobility in people with stroke. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2023, 59, .	1.1	0

#	ARTICLE	IF	CITATIONS
1291	Establishing the Validity and Reliability of an Online Motor Learning Game: Applications for Alzheimer's Disease Research Within MindCrowd. <i>Games for Health Journal</i> , 2023, 12, 132-139.	1.1	1
1292	Predictive Factors for Nasogastric Tube Removal in Post-Stroke Patients. <i>Medicina (Lithuania)</i> , 2023, 59, 368.	0.8	0
1293	Assessing the Turning Ability during Walking in People with Stroke Using L Test. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 3618.	1.2	0
1295	Psychometric properties of the Chinese (Cantonese) version of the Upper Extremity Functional Index in people with chronic stroke. <i>Frontiers in Neurology</i> , 0, 14, .	1.1	1
1296	Prediction of post-stroke motor recovery benefits from measures of sub-acute widespread network damages. <i>Brain Communications</i> , 2023, 5, .	1.5	1
1297	Remote Delivery of the Fugl-Meyer Assessment for the Upper Extremity: A Pilot Study to Assess Feasibility, Reliability, and Validity. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2023, , 100261.	0.5	0
1299	Effects of integrated action and sensory observation therapy based on mirror neuron and embodied cognition theory on upper limb sensorimotor function in chronic stroke: a study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2023, 13, e069126.	0.8	1
1300	Evaluation of motor adaptation of healthy persons according to space-time kinematics data. , 2023, 67, 51-58.	0.0	0
1301	Specific patterns of adaptive human kinematics. <i>Proceedings of the National Academy of Sciences of Belarus, Medical Series</i> , 2023, 20, 82-88.	0.2	0
1302	Validity of Novel Outcome Measures for Hand Function Performance After Stroke Using Egocentric Video. <i>Neurorehabilitation and Neural Repair</i> , 2023, 37, 142-150.	1.4	0
1303	Effects of a remote-handling-conceptâ€“based task-oriented arm training (ReHab-TOAT) on arm-hand skill performance in chronic stroke: a study protocol for a two-armed randomized controlled trial. <i>Trials</i> , 2023, 24, .	0.7	1
1304	Comparison of immersive and non-immersive virtual reality for upper extremity functional recovery in patients with stroke: a systematic review and network meta-analysis. <i>Neurological Sciences</i> , 2023, 44, 2679-2697.	0.9	8
1305	The effect of training using an upper limb rehabilitation robot (HEXO-UR30A) in chronic stroke patients: A randomized controlled trial. <i>Medicine (United States)</i> , 2023, 102, e33246.	0.4	0
1306	Is the robotic rehabilitation that is added to intensive body rehabilitation effective for maximization of upper extremity motor recovery following a stroke? A randomized controlled study. <i>Neurological Sciences</i> , 2023, 44, 2835-2843.	0.9	1
1307	Effects of neurorehabilitation with and without dry needling technique on muscle thickness, reflex torque, spasticity and functional performance in chronic ischemic stroke patients with spastic upper extremity muscles: a blinded randomized sham-controlled clinical trial. <i>Disability and Rehabilitation</i> , 0, , 1-11.	0.9	0
1308	Artificial Intelligence for skeleton-based physical rehabilitation action evaluation: A systematic review. <i>Computers in Biology and Medicine</i> , 2023, 158, 106835.	3.9	6
1309	DTI-ALPS: An MR biomarker for motor dysfunction in patients with subacute ischemic stroke. <i>Frontiers in Neuroscience</i> , 0, 17, .	1.4	6
1310	Effects of exercise therapy on patients with poststroke cognitive impairment: A systematic review and meta-analysis. <i>Frontiers in Neuroscience</i> , 0, 17, .	1.4	0

#	ARTICLE	IF	CITATIONS
1311	Analysis of the effect of mini-nutrition nursing plus Baduanjin rehabilitation exercise on fracture healing, mobility and nutritional status of elderly patients with vertebral or hip fractures. <i>Biotechnology and Genetic Engineering Reviews</i> , 0, , 1-12.	2.4	0
1312	Virtual Reality for Motor and Cognitive Rehabilitation. <i>Current Topics in Behavioral Neurosciences</i> , 2023, , 337-369.	0.8	1
1313	Calibration of Impairment Severity to Enable Comparison across Somatosensory Domains. <i>Brain Sciences</i> , 2023, 13, 654.	1.1	3
1314	Low-frequency repetitive transcranial magnetic stimulation can alleviate spasticity and induce functional recovery in patients with severe chronic stroke: A prospective, non-controlled, pilot study. <i>Heliyon</i> , 2023, 9, e15564.	1.4	0
1315	Effects and Safety of Wearable Exoskeleton for Robot-Assisted Gait Training: A Retrospective Preliminary Study. <i>Journal of Personalized Medicine</i> , 2023, 13, 676.	1.1	2
1316	Effects of Uni- vs. Bilateral Upper Limb Robot-Assisted Rehabilitation on Motor Function, Activities of Daily Living, and Electromyography in Hemiplegic Stroke: A Single-Blinded Three-Arm Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2023, 12, 2950.	1.0	2
1317	The efficacy and safety of fluoxetine versus placebo for stroke recovery: a meta-analysis of randomized controlled trials. <i>International Journal of Clinical Pharmacy</i> , 2023, 45, 839-846.	1.0	1
1318	Classification of upper limb impairment in acute stroke patients using resting-state EEG markers and machine learning. , 2023, , .		1
1358	Kinematic evaluation of upper limb impairment in stroke survivors through box and block test and IMUs. , 2023, , .		0
1361	Task-oriented arm training for stroke patients based on remote handling technology concepts: Results of a pilot study. , 2023, , .		0
1366	Robotic devices for upper limb rehabilitation: A review. , 2023, , 123-156.		0
1389	Post-stroke functional assessments based on rehabilitation games and their correlation with clinical scales: A scoping review. <i>Medical and Biological Engineering and Computing</i> , 0, , .	1.6	0
1393	Visual Inertial Sensor Fusion and OpenSim Based Body Pose Estimation. <i>Lecture Notes in Computer Science</i> , 2023, , 279-285.	1.0	0
1411	Immersive virtual reality-based rehabilitation for subacute stroke: a randomized controlled trial. <i>Journal of Neurology</i> , 2024, 271, 1256-1266.	1.8	1
1412	Influence of Robotic Therapy on Severe Stroke Patients. , 2023, , .		0
1416	A Hip-Knee Joint Coordination Evaluation System in Hemiplegic Individuals Based on Cyclogram Analysis. <i>Lecture Notes in Computer Science</i> , 2024, , 589-601.	1.0	0
1420	Music and Stroke Rehabilitation. , 2023, , 43-55.		0
1421	MR-STGN: Multi-Residual Spatio Temporal Graph Network Using Attention Fusion for Patient Action Assessment. , 2023, , .		0

#	ARTICLE	IF	CITATIONS
1423	Machine Learning Method Evaluates Upper-Limb Motor Function by fNIRS in Stroke Patients. , 2023, , .		0
1448	Designing an Augmented Reality-Based Serious Game for Rehabilitation of Post-Stroke Patient's Hand Coordination and Motor Skills. , 2023, , .		0