

# CITATION REPORT

List of articles citing

## Positron emission tomography imaging of brain tumors

DOI: 10.1016/s1052-5149(02)00033-3

Neuroimaging Clinics of North America, 2002, 12, 615-26.

**Source:** <https://exaly.com/paper-pdf/34310310/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
165	Combined use of 18F-fluorodeoxyglucose and 11C-methionine in 45 positron emission tomography-guided stereotactic brain biopsies. <b>2004</b> , 101, 476-83		81
164	Positron emission tomography in molecular imaging. Could the promise of personalized patient care be reaching fruition?. <b>2004</b> , 23, 28-37		9
163	The role of molecular imaging in precision radiation therapy for target definition, treatment planning optimisation and quality control. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2004</b> , 31, 1059-63	8.8	11
162	MicroPET imaging of brain tumor angiogenesis with 18F-labeled PEGylated RGD peptide. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2004</b> , 31, 1081-9	8.8	125
161	F-18 FDG PET and C-11 MET PET findings in patients with five miscellaneous brain tumors. <b>2004</b> , 1264, 212-216		
160	[18F]fluorodeoxyglucose-positron emission tomography in patients with medulloblastoma. <b>2004</b> , 55, 1280-8; discussion 1288-9		27
159	Integration of [11C]methionine-positron emission tomographic and magnetic resonance imaging for image-guided surgical resection of infiltrative low-grade brain tumors in children. <b>2005</b> , 57, 128-39; discussion 128-39		46
158	Positron emission tomography with O-(2-[18F]fluoroethyl)-l-tyrosine versus magnetic resonance imaging in the diagnosis of recurrent gliomas. <b>2005</b> , 57, 505-11; discussion 505-11		235
157	Grading of CNS neoplasms using continuous arterial spin labeled perfusion MR imaging at 3 Tesla. <b>2005</b> , 22, 475-82		130
156	Brain. <b>2005</b> , 45-58		
155	Thallium-201 versus Tc99m-glucoheptonate SPECT for evaluation of recurrent brain tumours: a within-subject comparison with pathological correlation. <b>2005</b> , 12, 27-31		12
154	Evaluation of primary brain tumors with FLT-PET: usefulness and limitations. <b>2006</b> , 31, 774-80		72
153	Advances in image-guided radiation therapy--the role of PET-CT. <b>2006</b> , 31, 3-11		30
152	3'-Deoxy-3'-[F-18]fluorothymidine positron emission tomography in patients with recurrent glioblastoma multiforme: comparison with Gd-DTPA enhanced magnetic resonance imaging. <i>Molecular Imaging and Biology</i> , <b>2006</b> , 8, 340-7	3.8	32
151	Incidence and patterns of neuraxis metastases in children with diffuse pontine glioma. <b>2006</b> , 77, 207-12		61
150	Cancer therapy-associated CNS neuropathology: an update and review of the literature. <b>2006</b> , 111, 197-212		194
149	FDG-PET on irradiated brain tumor: ten years' summary. <b>2006</b> , 47, 85-90		48

148	Integrated positron emission tomography and magnetic resonance imaging-guided resection of brain tumors: a report of 103 consecutive procedures. <b>2006</b> , 104, 238-53		114
147	Diagnosis and treatment of recurrent high-grade astrocytoma. <b>2006</b> , 24, 1273-80		153
146	Predicting treatment response of malignant gliomas to bevacizumab and irinotecan by imaging proliferation with [18F] fluorothymidine positron emission tomography: a pilot study. <b>2007</b> , 25, 4714-21		352
145	Molecular neuroimaging: from conventional to emerging techniques. <b>2007</b> , 245, 21-42		57
144	Resection of gliomas using positron emission tomography/computed tomography neuronavigation. <b>2007</b> , 47, 397-401; discussion 402		4
143	Nuclear medicine in pediatric neurology and neurosurgery: epilepsy and brain tumors. <b>2007</b> , 37, 357-81		39
142	FLT: measuring tumor cell proliferation in vivo with positron emission tomography and 3'-deoxy-3'-[18F]fluorothymidine. <b>2007</b> , 37, 429-39		126
141	Brain metastases: the HER2 paradigm. <b>2007</b> , 13, 1648-55		312
140	Integration of functional imaging in radiosurgery: the example of PET scan. <b>2007</b> , 20, 68-81		17
139	PET imaging in the surgical management of pediatric brain tumors. <b>2007</b> , 23, 739-51		51
138	11C-L-methionine positron emission tomography in the clinical management of cerebral gliomas. <i>Molecular Imaging and Biology</i> , <b>2008</b> , 10, 1-18	3.8	173
137	11C-acetate PET in the evaluation of brain glioma: comparison with 11C-methionine and 18F-FDG-PET. <i>Molecular Imaging and Biology</i> , <b>2008</b> , 10, 281-7	3.8	61
136	Exploratory evaluation of two-dimensional and three-dimensional methods of FDG PET quantification in pediatric anaplastic astrocytoma: a report from the Pediatric Brain Tumor Consortium (PBTC). <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2008</b> , 35, 1651-8	8.8	12
135	18F-fluorodeoxyglucose positron emission tomography imaging in brain tumours: the Western Australia positron emission tomography/cyclotron service experience. <b>2008</b> , 52, 564-9		6
134	Diagnostic approach in suspected recurrent primary brain tumors using (18)FDG-PET/MRI, perfusion MRI, visual and quantitative analysis, and three dimensional stereotactic surface projections. First experience in Mexico. <b>2008</b> , 27, 329-39		8
133	Differentiation of tumor recurrence from radiation necrosis in high-grade gliomas using 201Tl-SPECT. <b>2008</b> , 15, 1327-34		29
132	Grading of brain glioma with 1-11C-acetate PET: comparison with 18F-FDG PET. <b>2008</b> , 35, 171-6		58
131	The role of [18F]-fluorodeoxyglucose positron emission tomography in predicting plexiform neurofibroma progression. <b>2008</b> , 87, 165-71		28

130	The Use of PET in the Evaluation of Tumors in Children with Neurofibromatosis Type 1. <b>2008</b> , 3, 531-49	3
129	PET and MR Imaging of Brain Tumors. <b>2008</b> , 3, 293-315	6
128	Diagnostic accuracy of 11C-methionine PET for differentiation of recurrent brain tumors from radiation necrosis after radiotherapy. <b>2008</b> , 49, 694-9	317
127	Dynamic small-animal PET imaging of tumor proliferation with 3'-deoxy-3'-18F-fluorothymidine in a genetically engineered mouse model of high-grade gliomas. <b>2008</b> , 49, 422-9	37
126	Posttreatment recurrence of malignant brain neoplasm: accuracy of relative cerebral blood volume fraction in discriminating low from high malignant histologic volume fraction. <b>2009</b> , 250, 887-96	76
125	18F-FDOPA PET/MRI fusion in patients with primary/recurrent gliomas: initial experience. <b>2009</b> , 71, 242-8	87
124	Positron emission tomography-guided volumetric resection of supratentorial high-grade gliomas: a survival analysis in 66 consecutive patients. <b>2009</b> , 64, 471-81; discussion 481	133
123	Diagnostic value of kinetic analysis using dynamic 18F-FDG-PET in patients with malignant primary brain tumor. <b>2009</b> , 30, 602-9	26
122	Delayed acquisition and hyperglycemia improve brain metastasis detection on F-18 FDG PET. <b>2009</b> , 34, 533-4	7
121	Tumeurs hémisphériques intracrâniennes (approche nosologique et sémiologique en imagerie). <b>2010</b> , 5, 1-16	
120	Diffusion tensor imaging in a human PET/MR hybrid system. <b>2010</b> , 45, 270-4	43
119	Comparison of F-18 FET-PET with F-18 FDG-PET for biopsy planning of non-contrast-enhancing gliomas. <b>2010</b> , 20, 2496-502	59
118	Imaging with non-FDG PET tracers: outlook for current clinical applications. <b>2010</b> , 1, 373-385	11
117	Switching on the lights for real-time multimodality tumor neuroimaging: The integrated positron-emission tomography/MR imaging system. <i>American Journal of Neuroradiology</i> , <b>2010</b> , 31, 610-44	20
116	Evaluation of focal cortical dysplasia and mixed neuronal and glial tumors in pediatric epilepsy patients using 18F-FDG and 11C-methionine pet. <b>2010</b> , 51, 728-34	42
115	Differentiating radiation necrosis from tumor recurrence in high-grade gliomas: assessing the efficacy of 18F-FDG PET, 11C-methionine PET and perfusion MRI. <b>2010</b> , 112, 758-65	128
114	Distinguishing glioma recurrence from treatment effect after radiochemotherapy and immunotherapy. <b>2010</b> , 21, 181-6	36
113	. <b>2011</b> , 58, 730-735	1

112	Review of imaging techniques in the diagnosis and management of brain metastases. <b>2011</b> , 22, 15-25, v		16
111	Promising role of [18F] fluorocholine PET/CT vs [18F] fluorodeoxyglucose PET/CT in primary brain tumors-early experience. <b>2011</b> , 113, 156-61		35
110	Neurocutaneous melanosis: assessment on F-18 FDG and [11C]-methionine PET/CT and MRI. <b>2011</b> , 36, 906-9		4
109	Current molecular imaging of spinal tumors in clinical practice. <b>2011</b> , 17, 308-16		31
108	Shortening the duration of [18F]FDG PET brain examination for diagnosis of brain glioma. <i>Molecular Imaging and Biology</i> , <b>2011</b> , 13, 754-8	3.8	5
107	Detection of early response to temozolomide treatment in brain tumors using hyperpolarized <sup>13</sup> C MR metabolic imaging. <b>2011</b> , 33, 1284-90		97
106	Diffusion tensor imaging discriminates between glioblastoma and cerebral metastases in vivo. <b>2011</b> , 24, 54-60		75
105	Comparative study of (18)F-DOPA, (13)N-Ammonia and F18-FDG PET/CT in primary brain tumors. <i>Indian Journal of Nuclear Medicine</i> , <b>2011</b> , 26, 139-43	0.4	7
104	Advanced imaging of brain tumors. <b>2012</b> , 188-213		
103	Brain Metastases from Different Primary Carcinomas: an Evaluation of DSC MRI Measurements. <b>2012</b> , 25, 67-75		1
102	3'-deoxy-3'-18F-fluorothymidine PET and MRI for early survival predictions in patients with recurrent malignant glioma treated with bevacizumab. <b>2012</b> , 53, 29-36		110
101	Metabolic assessment of intracranial tuberculomas using <sup>11</sup> C-methionine and <sup>18</sup> F-FDG PET/CT. <b>2012</b> , 33, 408-14		13
100	<sup>18</sup> F-FDG PET/CT imaging for mixed germ cell tumor in the pineal region. <b>2012</b> , 37, e61-3		6
99	New Tracers PET in Head and Neck Squamous Cell Carcinoma. <b>2012</b> , 7, 431-41		2
98	F-18 FDG PET-CT in patients with recurrent glioma: comparison with contrast enhanced MRI. <b>2012</b> , 81, 508-13		40
97	Correlation of <sup>18</sup> F-FLT uptake with tumor grade and Ki-67 immunohistochemistry in patients with newly diagnosed and recurrent gliomas. <b>2012</b> , 53, 1911-5		51
96	[ <sup>18</sup> F]-Fluorodeoxyglucose positron emission tomography in children with neurofibromatosis type 1 and plexiform neurofibromas: correlation with malignant transformation. <b>2012</b> , 108, 469-75		54
95	F-18 FDG-PET/CT in evaluation of patients with fever of unknown origin. <b>2013</b> , 31, 320-7		18

94	Molecular imaging in oncology. <i>Recent Results in Cancer Research</i> , <b>2013</b> , 187, 371-400	1.5	5
93	PET Imaging in Glioma: The Neuro-Oncologist's Expectations. <b>2013</b> , 8, 117-28		3
92	Posttreatment evaluation of central nervous system gliomas. <b>2013</b> , 21, 241-68		11
91	Brain imaging and human nutrition: which measures to use in intervention studies?. <b>2013</b> , 110 Suppl 1, S1-30		46
90	PET findings of intramedullary tumors of the spinal cord using [18F] FDG and [11C] methionine. <i>American Journal of Neuroradiology</i> , <b>2013</b> , 34, 1278-83	4.4	28
89	Biopsy validation of 18F-DOPA PET and biodistribution in gliomas for neurosurgical planning and radiotherapy target delineation: results of a prospective pilot study. <b>2013</b> , 15, 1058-67		125
88	Metastatic lung nodule diagnosed on 18F-FDG PET/CT-guided fine needle aspiration in a patient with renal cell carcinoma. <b>2013</b> , 38, e38-9		1
87	Malignant gliomas: current perspectives in diagnosis, treatment, and early response assessment using advanced quantitative imaging methods. <b>2014</b> , 6, 149-70		112
86	Brain imaging: assessing therapy responses using quantitative imaging biomarkers. <b>2014</b> , 95-111		
85	Investigation on the role of integrated PET/MRI for target volume definition and radiotherapy planning in patients with high grade glioma. <b>2014</b> , 112, 425-9		34
84	Comparison of the amino acid tracers 18F-FET and 18F-DOPA in high-grade glioma patients. <b>2014</b> , 55, 1611-6		76
83	A meta-analysis on the diagnostic performance of (18)F-FDG and (11)C-methionine PET for differentiating brain tumors. <i>American Journal of Neuroradiology</i> , <b>2014</b> , 35, 1058-65	4.4	55
82	Role of PET in the management of gliomas: The radiopharmacist's and clinician's point of view. <b>2015</b> , 39, 43-53		
81	Glycemic modulation in neuro-oncology: experience and future directions using a modified Atkins diet for high-grade brain tumors. <b>2015</b> , 2, 127-136		32
80	Lessons from anti-vascular endothelial growth factor and anti-vascular endothelial growth factor receptor trials in patients with glioblastoma. <b>2015</b> , 33, 1197-213		123
79	Role of high-field intraoperative magnetic resonance imaging on a multi-image fusion-guided stereotactic biopsy of the basal ganglia: A case report. <b>2015</b> , 9, 223-226		2
78	Near-infrared fluorescence heptamethine carbocyanine dyes mediate imaging and targeted drug delivery for human brain tumor. <b>2015</b> , 67, 1-10		66
77	From the clinician's point of view - What is the status quo of positron emission tomography in patients with brain tumors?. <b>2015</b> , 17, 1434-44		116

76	Increasing feasibility and utility of (18)F-FDOPA PET for the management of glioma. <b>2015</b> , 42, 788-95		39
75	Gain of glucose-independent growth upon metastasis of breast cancer cells to the brain. <b>2015</b> , 75, 554-65		102
74	[18F]-fluorodeoxyglucose PET/computed tomography for primary brain tumors. <b>2015</b> , 10, 59-73		20
73	A Dual Tracer 18F-FCH/18F-FDG PET Imaging of an Orthotopic Brain Tumor Xenograft Model. <i>PLoS ONE</i> , <b>2016</b> , 11, e0148123	3-7	6
72	The use of O-(2-18F-fluoroethyl)-L-tyrosine PET in the diagnosis of gliomas located in the brainstem and spinal cord. <b>2017</b> , 19, 710-718		6
71	Advanced Methionine Positron-Emission Tomography Imaging for Brain Tumor Diagnosis, Surgical Planning, and Treatment. <b>2016</b> , 371-384		2
70	The metabolic fate of acetate in cancer. <b>2016</b> , 16, 708-717		146
69	Concurrent functional and metabolic assessment of brain tumors using hybrid PET/MR imaging. <b>2016</b> , 127, 287-93		21
68	PET/CT findings for tumors in the base of the skull: comparison of 18 F-FDG with 11 C-methionine. <b>2016</b> , 57, 325-32		13
67	MR Fingerprinting of Adult Brain Tumors: Initial Experience. <i>American Journal of Neuroradiology</i> , <b>2017</b> , 38, 492-499	4.4	90
66	Multiparametric MRI and [F]Fluorodeoxyglucose Positron Emission Tomography Imaging Is a Potential Prognostic Imaging Biomarker in Recurrent Glioblastoma. <b>2017</b> , 7, 178		9
65	11C-Methionine Positron Emission Tomography/Computed Tomography Versus 18F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography in Evaluation of Residual or Recurrent World Health Organization Grades II and III Meningioma After Treatment. <i>Journal of Nuclear Medicine</i> , <b>2018</b> , 49, 517-524	2.2	8
64	Utilizing 18F-fluoroethyltyrosine (FET) positron emission tomography (PET) to define suspected nonenhancing tumor for radiation therapy planning of glioblastoma. <i>Practical Radiation Oncology</i> , <b>2018</b> , 8, 230-238	2.8	11
63	The roles of C-acetate PET/CT in predicting tumor differentiation and survival in patients with cerebral glioma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2018</b> , 45, 1012-1020	8.8	16
62	Role of FDG-PET/MRI, FDG-PET/CT, and Dynamic Susceptibility Contrast Perfusion MRI in Differentiating Radiation Necrosis from Tumor Recurrence in Glioblastomas. <i>Journal of Neuroimaging</i> , <b>2018</b> , 28, 118-125	2.8	25
61	Current Radiopharmaceuticals for Positron Emission Tomography of Brain Tumors. <i>Brain Tumor Research and Treatment</i> , <b>2018</b> , 6, 47-53	1.4	18
60	From simultaneous to synergistic MR-PET brain imaging: A review of hybrid MR-PET imaging methodologies. <i>Human Brain Mapping</i> , <b>2018</b> , 39, 5126-5144	5.9	41
59	A Pyropheophorbide Analogue Containing a Fused Methoxy Cyclohexenone Ring System Shows Promising Cancer-Imaging Ability. <i>ChemMedChem</i> , <b>2019</b> , 14, 1503-1513	3-7	4

58	Advanced [11C]methionine and [18F]FDG positron emission tomography for diagnosis, treatment, and follow-up of oligodendrogliomas. <b>2019</b> , 157-171		
57	Diagnostic value of fusion of metabolic and structural images for stereotactic biopsy of brain tumors without enhancement after contrast medium injection. <i>Neurochirurgie</i> , <b>2019</b> , 65, 357-364	1.4	7
56	Imaging Glioblastoma Posttreatment: Progression, Pseudoprogression, Pseudoresponse, Radiation Necrosis. <i>Radiologic Clinics of North America</i> , <b>2019</b> , 57, 1199-1216	2.3	28
55	The Use of PET/CT in Radiotherapy Planning for Brain Tumours. <b>2019</b> , 131-143		
54	Imaging for Target Delineation and Treatment Planning in Radiation Oncology: Current and Emerging Techniques. <i>Hematology/Oncology Clinics of North America</i> , <b>2019</b> , 33, 963-975	3.1	2
53	Targeting VPAC1 Receptors for Imaging Glioblastoma. <i>Molecular Imaging and Biology</i> , <b>2020</b> , 22, 293-302	3.8	3
52	Performance Comparison of Individual and Ensemble CNN Models for the Classification of Brain 18F-FDG-PET Scans. <i>Journal of Digital Imaging</i> , <b>2020</b> , 33, 447-455	5.3	12
51	Posttransplant Lymphoproliferative Disorder in Children: A 360-degree Perspective. <i>Radiographics</i> , <b>2020</b> , 40, 241-265	5.4	4
50	Overview of Positron Emission Tomography (PET) for Brain Functions Degeneration Classification. <b>2020</b> ,		1
49	On point in primary CNS lymphoma. <i>Hematological Oncology</i> , <b>2020</b> , 38, 640-647	1.3	2
48	Imaging Glioblastoma Posttreatment: Progression, Pseudoprogression, Pseudoresponse, Radiation Necrosis. <i>Neuroimaging Clinics of North America</i> , <b>2021</b> , 31, 103-120	3	9
47	PET in Brain Tumors. <b>2021</b> , 111-124		
46	Development of an orally-administrable tumor vasculature-targeting therapeutic using annexin A1-binding D-peptides. <i>PLoS ONE</i> , <b>2021</b> , 16, e0241157	3.7	0
45	A Computational MRI Based on Bloch's NMR Flow Equation, MRI Fingerprinting and Python Deep Learning for Classifying Adult Brain Tumors. <b>2021</b> , 179-217		
44	Artificial intelligence for molecular neuroimaging. <i>Annals of Translational Medicine</i> , <b>2021</b> , 9, 822	3.2	1
43	Role of 11C Methionine Positron Emission Tomography (11CMETPET) for Surgery and Radiation Therapy Planning in Newly Diagnosed Glioblastoma Patients Enrolled into a Phase II Clinical Study. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
42	Initial Results of a Phase 2 Trial of F-DOPA PET-Guided Dose-Escalated Radiation Therapy for Glioblastoma. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2021</b> , 110, 1383-1395	4	7
41	Can High b Value Diffusion Be a Surrogate Marker for PET-A MR/PET Study in Neurooncology Set Up. <i>Frontiers in Neurology</i> , <b>2021</b> , 12, 627247	4.1	



40	Advances in Neuroimaging. <b>2021</b> , 107-137		2
39	Brain tumors. <i>Methods in Molecular Biology</i> , <b>2011</b> , 727, 291-315	1.4	12
38	Non-FDG PET/CT. <i>Recent Results in Cancer Research</i> , <b>2020</b> , 216, 669-718	1.5	5
37	Nuclear Medicine Imaging of CNS: Basis and Clinical Applications. <b>2015</b> , 595-670		0
36	Brain tumors. <i>Recent Results in Cancer Research</i> , <b>2008</b> , 170, 33-47	1.5	1
35	Modern multimodal neuroimaging for radiosurgery: the example of PET scan integration. <i>Acta Neurochirurgica Supplementum</i> , <b>2004</b> , 91, 1-7	1.7	8
34	ACR Appropriateness Criteria <sup>®</sup> Seizures and Epilepsy. <i>Journal of the American College of Radiology</i> , <b>2020</b> , 17, S293-S304	3.5	4
33	SVD identifies transcript length distribution functions from DNA microarray data and reveals evolutionary forces globally affecting GBM metabolism. <i>PLoS ONE</i> , <b>2013</b> , 8, e78913	3.7	13
32	(18)F-FET and (18)F-FCH uptake in human glioblastoma T98G cell lines. <i>Radiology and Oncology</i> , <b>2016</b> , 50, 153-8	3.8	4
31	Choline-PET/CT in the Differential Diagnosis Between Cystic Glioblastoma and Intraparenchymal Hemorrhage. <i>Current Radiopharmaceuticals</i> , <b>2019</b> , 12, 88-92	1.8	6
30	A comparison study of (11)C-methionine and (18)F-fluorodeoxyglucose positron emission tomography-computed tomography scans in evaluation of patients with recurrent brain tumors. <i>Indian Journal of Nuclear Medicine</i> , <b>2016</b> , 31, 93-102	0.4	21
29	Nuclear Medicine Imaging in Pediatric Neurology. <i>Molecular Imaging and Radionuclide Therapy</i> , <b>2016</b> , 25, 1-10	0.8	2
28	Brain Tumors. <b>2004</b> , 113-125		1
27	Möglichkeiten und Bedeutung nuklearmedizinischer Diagnostik: PET und SPECT. <b>2005</b> , 97-108		
26	Brain Tumors. <b>2006</b> , 173-219		
25	Combined Use of [F-18]Fluorodeoxyglucose and [C-11]Methionine in 45 PET-Guided Stereotactic Brain Biopsies. <b>2011</b> , 189-201		
24	Management of Recurrent Gliomas. <b>2012</b> , 127-140		
23	Management of recurrent gliomas and meningiomas. <b>2012</b> , 347-371		

22 Complications and Management in Radiosurgery. **2015**, 785-805

21 Cerebral Tumors. **2016**, 301-315

20 Anaplastic Astrocytoma. **2016**, 438-441

19 Anaplastic Oligodendroglioma. **2016**, 472-475

18 Anaplastic Oligodendroglioma. **2016**, 134

17 Anaplastic Astrocytoma. **2016**, 129

16 Brain tumor detection and classification using machine learning: a comprehensive survey. *Complex & Intelligent Systems*, 1 7.1 14

15 Oncology&Brain. **2005**, 97-102

14 Development of an orally-administrable tumor vasculature-targeting therapeutic using annexin A1-binding D-peptides.

13 A comparison of PET imaging agents for the assessment of therapy efficacy in a rodent model of glioma. *American Journal of Nuclear Medicine and Molecular Imaging*, **2013**, 3, 397-407 2.2 3

12 Is there a Role for Spect with (99m)Tc-Tetrofosmin in the Diagnostic Work Up of a Brain Tumor?. *Medica*, **2013**, 8, 347-50 1

11 Meta-analysis of peritumoural rCBV values derived from dynamic susceptibility contrast imaging in differentiating high-grade gliomas from intracranial metastases. *International Journal of Clinical and Experimental Medicine*, **2014**, 7, 2724-9 4

10 Utility of F-18 fluorodeoxyglucose positron emission tomography/computed tomography in carcinoma of unknown primary. *International Journal of Clinical and Experimental Pathology*, **2014**, 7, 8941-6 1.4 7

9 Radiation necrosis versus glioma recurrence: conventional MR imaging clues to diagnosis. *American Journal of Neuroradiology*, **2005**, 26, 1967-72 4.4 149

8 A systematic review of amino acid PET in assessing treatment response to temozolomide in glioma.. *Neuro-Oncology Advances*, **2022**, 4, vdac008 0.9 0

7 Transfer Learning Approaches for Neuroimaging Analysis: A Scoping Review.. *Frontiers in Artificial Intelligence*, **2022**, 5, 780405 3 1

6 Nanotechnology: A Promising Targeted Drug Delivery System for Brain Tumours and Alzheimer's Disease.. *Current Medicinal Chemistry*, **2022**, 4.3 1

5 Cardiac and neurological PET-CT applications. 9-17

- 4 Molecular imaging: Techniques and current clinical applications. 10-21 3
- 3 Methionine PET overview and application to brain tumour imaging and treatment. **2022**, 439-459
- 2 Magnetic Resonance Imaging (MRI) and Positron Emission Tomography (PET)/Computed Tomography Features of Atypical Teratoid/Rhabdoid Tumors: Case Series and Review. **2022**, 37, 1003-1009 ○
- 1 The Role of PET Imaging in the Differential Diagnosis between Radiation Necrosis and Recurrent Disease in Irradiated Adult-Type Diffuse Gliomas: A Systematic Review. **2023**, 15, 364 ○