

CITATION REPORT

List of articles citing

Guidelines for the prevention of intravascular catheter-related infections

DOI: 10.1086/502007

Infection Control and Hospital Epidemiology, 2002, 23, 759-6

Source: <https://exaly.com/paper-pdf/34319059/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
926	PICC Dressings: Not just a decision based upon clinical performance. 2003 , 8, 41-43		
925	Vascular catheters inserted in the trenches versus guideline documents: can the discrepancies be resolved?. <i>Infection Control and Hospital Epidemiology</i> , 2003 , 24, 887-9	2	5
924	[Critical review of the literature concerning the comparative use of two antiseptic solutions before intravascular or epidural catheterization]. 2003 , 22, 787-97		3
923	The Free Trade Agreement—An Unhealthy Prescription?. 2003 , 33, 256-259		
922	Central vein hemodialysis catheters and infection: a plea for timely referral and appropriate hygienic measures. 2003 , 58, 342-4		3
921	. 2003 , 16, 401-407		
920	Current World Literature. 2003 , 16, 357-368		
919	The anaesthesiologist in the intensive care unit. 2003 , 16, 401-7		2
918	Is Clinical Pharmacy in Vein?. 2003 , 33, 256-256		
917	Surviving Sepsis Campaign guidelines for management of severe sepsis and septic shock. 2004 , 30, 536-55		1144
916	Metabolic and catheter complications of parenteral nutrition. 2004 , 6, 327-34		9
915	Physico-chemical stability and sterility of previously prepared saline infusion solutions for use in out-of-hospital emergencies. 2004 , 62, 199-207		3
914	[Guidelines for the treatment of short-term intravascular catheter-related infections in adults; SEIMC-SEMICYUC Consensus Conference]. 2004 , 22, 92-101		11
913	Infection control in the intensive care unit. 2004 , 2, 795-805		4
912	Development of early neutropenic fever, with or without bacterial infection, is still a significant complication after reduced-intensity stem cell transplantation. 2004 , 10, 65-72		16
911	Prospective study of the impact of open and closed infusion systems on rates of central venous catheter-associated bacteremia. 2004 , 32, 135-41		58
910	Prevention of catheter-related bloodstream infection in critically ill patients using a disinfectable, needle-free connector: a randomized controlled trial. 2004 , 32, 291-5		65

909	Experimental study on the safety of a new connecting device. 2004 , 32, 296-300	6
908	Controlling healthcare-associated infections: the role of infection control and antimicrobial use practices. 2004 , 15, 30-40	17
907	Update on vascular catheter infections. 2004 , 17, 303-7	15
906	An intervention study to evaluate nursing management of peripheral intravascular devices. 2004 , 27, 322-31	12
905	Economic Impact of Biofilms on Treatment Costs. 2005 , 21-38	2
904	Multicenter experience: prevention and management of left ventricular assist device infections. 2005 , 51, 461-70	97
903	Diagnosis and management of catheter-related bloodstream infections due to <i>Staphylococcus aureus</i> . 2005 , 35 Suppl 2, S45-62	14
902	Infection control issues in central venous catheter care. 2005 , 21, 99-109	10
901	[Infections and sepsis from intravascular catheters]. 2005 , 46, 643-51	7
900	Indwelling time and risk of infection of dialysis catheters in critically ill cancer patients. 2005 , 31, 812-7	14
899	<i>Pseudomonas aeruginosa</i> , <i>Candida albicans</i> , and device-related nosocomial infections: implications, trends, and potential approaches for control. 2005 , 32, 309-18	80
898	Nouveautés épidémiologique, diagnostique et thérapeutique en mycologie médicale. 2005 , 2005, 35	
897	Reply to Nucci and Anaissie. 2005 , 40, 1064-1067	
896	Twenty-five years of advances in vascular access: bridging research to clinical practice. 2005 , 20, 597-606	9
895	Infection Control in Intensive Care Units. 2005 , 18, 84-90	
894	Clinical and economic outcomes in critically ill patients with nosocomial catheter-related bloodstream infections. 2005 , 41, 1591-8	808
893	[Diagnostics and management of central venous line infections in pediatric cancer patients]. 2005 , 217 Suppl 1, S91-100	12
892	Candidemia in patients with cancer: are persistent neutropenia and severity of illness score still relevant?. 2005 , 40, 1063-4; author reply 1064-7	4

891	Transfusion practice and blood stream infections in critically ill patients. 2005 , 127, 1722-8		97
890	Risk of catheter-related bloodstream infection with peripherally inserted central venous catheters used in hospitalized patients. 2005 , 128, 489-95		246
889	Why is it that internists do not follow guidelines for preventing intravascular catheter infections?. <i>Infection Control and Hospital Epidemiology</i> , 2005 , 26, 525-33	2	33
888	Dynamics of hemodialysis catheter colonization by coagulase-negative staphylococci. <i>Infection Control and Hospital Epidemiology</i> , 2005 , 26, 567-74	2	28
887	Octenidine hydrochloride for the care of central venous catheter insertion sites in severely immunocompromised patients. <i>Infection Control and Hospital Epidemiology</i> , 2005 , 26, 703-7	2	40
886	Nonuniform risk of bloodstream infection with increasing central venous catheter-days. <i>Infection Control and Hospital Epidemiology</i> , 2005 , 26, 715-9	2	34
885	Contamination of guidewires during insertion of central venous catheters in an intensive care setting. <i>Infection Control and Hospital Epidemiology</i> , 2005 , 26, 506-7	2	6
884	Positive predictive value of a percutaneously drawn blood culture growing skin flora varies markedly by organism. <i>Infection Control and Hospital Epidemiology</i> , 2005 , 26, 507-9	2	1
883	Bacteremia due to <i>Streptococcus agalactiae</i> . <i>Infection Control and Hospital Epidemiology</i> , 2005 , 26, 509	2	0
882	Désinfection du matériel et des appareils utilisés par le réanimateur. 2005 , 14, 294-301		1
881	Frequency of replacing peripheral venous catheters. <i>Journal of Hospital Infection</i> , 2005 , 59, 375-6	6.9	
880	Bloodstream infection after umbilical cord blood transplantation using reduced-intensity stem cell transplantation for adult patients. 2005 , 11, 429-36		54
879	Health care-associated infections in the neonatal intensive care unit. 2005 , 33, 268-75		73
878	[Peripheral venous placement: evaluation of guidelines respect in prehospital setting]. 2005 , 24, 31-5		6
877	[Should we use catheter replacement with the aid of wire introducer?]. 2005 , 24, 294-7		1
876	Evaluación y mejora del protocolo de cuidados de vías venosas centrales en una unidad de cuidados intensivos. 2006 , 21, 46-50		0
875	[Non-infective treatments for septic shock]. 2006 , 35, 533-40		2
874	Central venous catheter-related infection diagnosed by CT. 2006 , 368, 1466		2

873	Implementing best practice strategies to prevent infection in the ICU. 2006 , 18, 441-52		20
872	Nuevos tratamientos de la sepsis grave. 2006 , 32, 1-9		
871	Improving patient safety: resource availability and application for reducing the incidence of healthcare-associated infection. <i>Infection Control and Hospital Epidemiology</i> , 2006 , 27, 245-51	2	13
870	Prevention of catheter and intravascular device-related infections: a quality-of-care mandate for institutions and physicians. 2006 , 81, 1151-2		12
869	Translating evidence into practice to prevent central venous catheter-associated bloodstream infections: a systems-based intervention. 2006 , 34, 503-6		45
868	[How to improve central venous catheter use in intensive care unit?]. 2006 , 25, 180-8		6
867	[Central venous totally implantable access for high dose chemotherapy in children]. 2006 , 13, 256-61		4
866	The value of Gram staining of catheter segments for rapid detection of peripheral venous catheter infections. 2006 , 54, 165-7		10
865	Total Parenteral Nutrition. 2006 , 584-601		8
864	Blood glucose variability: a new paradigm in critical care?. 2006 , 105, 233-4		26
863	A nurse's guide to early detection of umbilical venous catheter complications in infants. 2006 , 6, 127-38; quiz 139-41		11
862	Nouveaux traitements du sepsis sévère. 2006 , 3, 1-9		
861	Umbilical catheters, placement, and complication management. 2006 , 29, 346-52		21
860	One size does not fit all: genetic variability of mu-opioid receptor and postoperative morphine consumption. 2006 , 105, 235-7		36
859	Gloved and masked--will gowns be next? The role of asepsis during neuraxial instrumentation. 2006 , 105, 241-3		19
858	Are your hospital operating rooms "efficient"? A scoring system with eight performance indicators. 2006 , 105, 237-40		144
857	Nurses' guide to early detection of umbilical arterial catheter complications in infants. 2006 , 6, 242-56; quiz 257-60		14
856	Comparison of severity of illness scoring systems for patients with nosocomial bloodstream infection due to <i>Pseudomonas aeruginosa</i> . 2006 , 6, 132		20

855	Central venous catheter infections at a county hospital in Sweden: a prospective analysis of colonization, incidence of infection and risk factors. 2006 , 50, 451-60	30
854	Diagnosis and treatment of catheter-related infections in paediatric oncology: an update. 2006 , 12, 606-20	67
853	Candida biofilms on implanted biomaterials: a clinically significant problem. 2006 , 6, 979-86	412
852	Protocol for optimal detection and exclusion of a patent foramen ovale using transthoracic echocardiography with agitated saline microbubbles. 2006 , 23, 616-22	72
851	Evidence for elective replacement of peripheral intravenous catheter to prevent thrombophlebitis: a systematic review. 2006 , 55, 715-22	32
850	Predictors and outcome of catheter-related bacteremia in children on chronic hemodialysis. 2006 , 21, 1452-8	24
849	Arterial and central venous pressure monitoring. 2006 , 24, 717-35	30
848	Audit of peripheral venous cannulae by members of an i.v. therapy forum. 2006 , 15, 1244-9	11
847	Vascular catheter-associated infections: a microbiological and therapeutic update. 2006 , 18, 235-49	42
846	Real Video Clips Make a Real Difference: Video-Based Training for Improving Sterile Practices. 2006 , 50, 894-898	
845	Evidence-based practice in the management of vascular access devices for home parenteral nutrition therapy. 2006 , 30, S82-93, S98-9	59
844	Lipid injectable emulsions: 2006. 2006 , 21, 381-6	55
843	Use of chlorhexidine-impregnated dressing to prevent vascular and epidural catheter colonization and infection: a meta-analysis. 2006 , 58, 281-7	140
842	Use and complications of peripheral vascular catheters: a prospective study. 2007 , 16, 648, 650, 652	26
841	Clinical Year in Review IV: chronic obstructive pulmonary disease, nonpulmonary critical care, diagnostic imaging, and mycobacterial disease. 2007 , 4, 494-8	1
840	Vascular access for HD and CRRT. 2007 , 156, 275-86	25
839	Contemporary clinical profile and outcome of prosthetic valve endocarditis. 2007 , 297, 1354-61	414
838	In vitro activity of daptomycin and vancomycin lock solutions on staphylococcal biofilms in a central venous catheter model. 2007 , 22, 2239-46	69

837	Diagnosis and prevention of catheter-related infections. 2007 , 13, 563-71		38
836	Video-based training increases sterile-technique compliance during central venous catheter insertion. 2007 , 35, 1302-6		71
835	Comparison of silver-impregnated with standard multi-lumen central venous catheters in critically ill patients. 2007 , 35, 1032-9		74
834	Assessment and implication of the allergic sensitivity to a single dose of recombinant human hyaluronidase injection: a double-blind, placebo-controlled clinical trial. 2007 , 30, 293-9		56
833	Resistance of antimicrobial skin preparations to saline rinse using a seeded bacteria model. 2007 , 35, 367-73		11
832	[Venous gas embolism from pleurovenous fistula]. 2007 , 26, 242-4		1
831	Alternative explanations to the differences of femoral and brachial saline contrast injections for echocardiographic detection of patent foramen ovale. 2007 , 68, 1378-81		3
830	Antimicrobial Resistance: Problem Pathogens and Clinical Countermeasures. 2007 ,		
829	Attributable cost and length of stay for patients with central venous catheter-associated bloodstream infection in Mexico City intensive care units: a prospective, matched analysis. <i>Infection Control and Hospital Epidemiology</i> , 2007 , 28, 31-5	2	90
828	Usefulness of severity-of-illness scores based on admission data only in nosocomial infection surveillance systems. <i>Infection Control and Hospital Epidemiology</i> , 2007 , 28, 453-8	2	8
827	Effect of education on the rate of and the understanding of risk factors for intravascular catheter-related infections. <i>Infection Control and Hospital Epidemiology</i> , 2007 , 28, 689-94	2	44
826	Successful Disinfection of Needleless Access Ports: A Matter of Time and Friction. 2007 , 12, 140-142		56
825	Developing a Research base for Intravenous Peripheral cannula re-sites (DRIP trial). A randomised controlled trial of hospital in-patients. 2007 , 44, 664-71		49
824	Oral care practices in intensive care units: a survey of 59 European ICUs. 2007 , 33, 1066-70		112
823	Anti-infective-treated central venous catheters: a systematic review of randomized controlled trials. 2007 , 33, 2058-68		32
822	Patterns of use of vascular access devices in patients undergoing hematopoietic stem cell transplantation: results of an international survey. 2007 , 15, 1375-83		10
821	Indwelling time and risk of colonization of peripheral arterial catheters in critically ill patients. 2008 , 34, 1820-6		25
820	Risk factors and prognosis of catheter-related bloodstream infection in critically ill patients: a multicenter study. 2008 , 34, 2185-93		114

819	21st ESICM Annual Congress. 2008 , 34, 5-92		2
818	Central venous catheter-related infections in hematology and oncology : guidelines of the Infectious Diseases Working Party (AGIHO) of the German Society of Hematology and Oncology (DGHO). 2008 , 87, 863-76		63
817	Adverse effects of parenteral antimicrobial therapy for chronic bone infections. 2008 , 27, 1227-32		45
816	Healthcare-associated infections in pediatric cancer patients: results of a prospective surveillance study from university hospitals in Germany and Switzerland. 2008 , 8, 70		86
815	Pitfalls in efficacy testing--how important is the validation of neutralization of chlorhexidine digluconate?. 2008 , 7, 20		30
814	Candidemia in critically ill patient: An analysis of daily antifungal therapy related costs. 2008 , 18, 96-99		7
813	Staphylococcus aureus as source of catheter-related bloodstream infection evaluated by PFGE and rep-PCR typing in a Brazilian hospital. 2008 , 116, 953-60		3
812	Incidence of bacteremias and invasive mycoses in children undergoing allogeneic hematopoietic stem cell transplantation: a single center experience. 2008 , 41, 339-47		45
811	Is routine changing of peripheral arterial catheters justified?. 2008 , 14, 813-5		3
810	Anti-infective-treated central venous catheters for total parenteral nutrition or chemotherapy: a systematic review. <i>Journal of Hospital Infection</i> , 2008 , 69, 114-23	6.9	19
809	[Infections related to intravascular devices used for infusion therapy]. 2008 , 26, 168-74		15
808	Les infections graves chez les patients en dialyse pñtonñle et en hñmodialyse chronique conventionnelle : pñtonites et infections de la voie dñbord vasculaire. 2008 , 17, 233-241		1
807	Using consensus methods to develop clinical practice guidelines for intensive care: the intensive care collaborative project. 2008 , 21, 200-15		23
806	Review and update of the use of urokinase in the prevention and management of CVAD-related complications in pediatric oncology patients. 2008 , 36, 54-8		10
805	Clinical Performance of a New Transparent Chlorhexidine Gluconate Central Venous Catheter Dressing. 2008 , 13, 13-19		7
804	Improving patient safety through infection control: a new healthcare imperative. <i>Infection Control and Hospital Epidemiology</i> , 2008 , 29 Suppl 1, S3-11	2	55
803	Thrombotic and infectious complications of central venous catheters in patients with hematological malignancies. 2008 , 19, 433-42		92
802	Routine care of peripheral intravenous catheters versus clinically indicated replacement: randomised controlled trial. 2008 , 337, a339		113

801	Outbreak of <i>Serratia marcescens</i> bloodstream and central nervous system infections after interventional pain management procedures. 2008 , 24, 374-80	22
800	Update on the management of infection in patients with severe sepsis. 2008 , 27, 244-8	7
799	Building a continuous multicenter infection surveillance system in the intensive care unit: findings from the initial data set of 9,493 patients from 71 Italian intensive care units. 2008 , 36, 1105-13	51
798	The price of cost savings. 2008 , 24, 381-3	1
797	Educational interventions for prevention of healthcare-associated infection: a systematic review. 2008 , 36, 933-40	71
796	Efficacy of three different valve systems of needle-free closed connectors in avoiding access of microorganisms to endovascular catheters after incorrect handling. 2008 , 36, 2558-61	30
795	Patient Safety in the Intensive Care Unit. 2008 , 15, 24-34	7
794	Improving the safety of peripheral intravenous catheters. 2008 , 337, a630	28
793	Arterial, Central Venous, and Pulmonary Artery Catheters. 2008 , 53-64	4
792	Rate and time to develop first central line-associated bloodstream infections when comparing open and closed infusion containers in a Brazilian Hospital. 2009 , 13, 335-40	7
791	Avaliaço do tipo de curativo utilizado em cateter venoso central para hemodilise. 2009 , 22, 481-486	8
790	The pulmonary artery catheter sleeve--protective or infective?. 2009 , 37, 290-5	
789	Potentially pathogenic bacteria in shower water and air of a stem cell transplant unit. 2009 , 75, 5363-72	50
788	Health care-associated bloodstream infections associated with negative- or positive-pressure or displacement mechanical valve needleless connectors. 2009 , 49, 1821-7	98
787	Alcohols for skin antisepsis at clinically relevant skin sites. 2009 , 53, 4778-82	46
786	Preventing catheter-related bloodstream infections: thinking outside the checklist. 2009 , 301, 1285-7	15
785	Oral Hygiene Practices in Scottish Intensive Care Units [a National Survey]. 2009 , 10, 155-157	8
784	[Spectrum of indications and perioperative management in i. v. port-a-cath explantation--alternative administration of taurolin in case of i. v. port-a-cath infection]. 2009 , 134, 350-6	3

783	Chlorhexidine-impregnated sponges and less frequent dressing changes for prevention of catheter-related infections in critically ill adults: a randomized controlled trial. 2009 , 301, 1231-41		313
782	Failure of a poster-based educational programme to improve compliance with peripheral venous catheter care in a tertiary hospital. A clinical audit. <i>Journal of Hospital Infection</i> , 2009 , 72, 221-6	6.9	17
781	Intravascular catheter infections. <i>Journal of Hospital Infection</i> , 2009 , 73, 323-30	6.9	34
780	Cost-effectiveness of employing a total parenteral nutrition surveillance nurse for the prevention of catheter-related bloodstream infections. <i>Journal of Hospital Infection</i> , 2009 , 73, 129-34	6.9	20
779	A prospective 7-year survey on central venous catheter-related complications at a single pediatric hospital. 2009 , 168, 1505-12		50
778	Infective and thrombotic complications of central venous catheters in patients with hematological malignancy: prospective evaluation of nontunneled devices. 2009 , 17, 811-8		67
777	Prevention of catheter-related infection: evidence-based medicine. 2009 , 11, 255-6		
776	[Infection control in continuous peripheral regional anesthesia. Clinical study on disinfection time and subcutaneous tunneling in interscalene plexus anesthesia]. 2009 , 58, 795-9		3
775	Complications of continuous renal replacement therapy. 2009 , 22, 155-9		51
774	Formulation of multifunctional oil-in-water nanosized emulsions for active and passive targeting of drugs to otherwise inaccessible internal organs of the human body. 2009 , 381, 62-76		42
773	[Descriptive study of nursing-sensitive outcomes in oncohematological patients and nursing interventions]. 2009 , 19, 184-90		
772	The role of nurses working in emergency and critical care environments in the prevention of intravascular catheter-related bloodstream infections. 2009 , 17, 60-8		13
771	Infections in Immunocompromised Patients. 505-520		2
770	Preventing bacterial resistance in surgical patients. 2009 , 89, 501-19, x		6
769	Valvular Heart Disease. 2009 ,		3
768	Invasive fungal infections: the challenge continues. 2009 , 69 Suppl 1, 65-73		69
767	Infection prevention in the intensive care unit. 2009 , 23, 703-25		37
766	Infection control practices among interventional radiologists: results of an online survey. 2009 , 20, 1070-1074. e5		

765	Closed-hub systems with protected connections and the reduction of risk of catheter-related bloodstream infection in pediatric patients receiving intravenous prostanoid therapy for pulmonary hypertension. <i>Infection Control and Hospital Epidemiology</i> , 2009 , 30, 823-9	2	60
764	Implementing quality improvements in the intensive care unit: ventilator bundle as an example. 2009 , 37, 305-9		73
763	Tracking hypotension and dynamic changes in arterial blood pressure with brachial cuff measurements. 2009 , 109, 494-501		30
762	Managing to improve quality: the relationship between accreditation standards, safety practices, and patient outcomes. 2009 , 34, 262-72		30
761	Describing saline-lock usage patterns on a telemetry unit: a retrospective study. 2009 , 23, 296-304		1
760	Hematopoietic stem cell transplantation nursing: a practice variation study. 2009 , 36, E317-25		21
759	How active resisters and organizational constipators affect health care-acquired infection prevention efforts. 2009 , 35, 239-46		35
758	Infections of Intravascular Catheters and Vascular Devices. 363-377		
757	Catheter-related blood stream infection (CRBSI) in TPN patients. 2010 , 15, 292-301		2
756	Response to infection control challenges in the deployed setting: Operations Iraqi and Enduring Freedom. 2010 , 69 Suppl 1, S94-101		16
755	Should in-line filters be used in peripheral intravenous catheters to prevent infusion-related phlebitis? A systematic review of randomized controlled trials. 2010 , 110, 1624-9		26
754	Understanding the significance of Staphylococcus epidermidis bacteremia in babies and children. 2010 , 23, 208-16		73
753	Skin bacteria after chlorhexidine exposure-is there a difference in response to human beta-Defensin-3?. 2010 , 29, 623-32		1
752	Diagnosis of catheter-related bloodstream infection in a total parenteral nutrition population: inclusion of sepsis defervescence after removal of culture-positive central venous catheter. <i>Journal of Hospital Infection</i> , 2010 , 76, 119-23	6.9	21
751	Low incidence of arterial catheter infections in a Swedish intensive care unit: risk factors for colonisation and infection. <i>Journal of Hospital Infection</i> , 2010 , 76, 130-4	6.9	10
750	The influence of organizational context on quality improvement and patient safety efforts in infection prevention: a multi-center qualitative study. 2010 , 71, 1692-701		96
749	Routine resite of peripheral intravenous devices every 3 days did not reduce complications compared with clinically indicated resite: a randomised controlled trial. 2010 , 8, 53		93
748	Severe neutropenia at time of port insertion is not a risk factor for catheter-associated infections in children with acute lymphoblastic leukemia. 2010 , 116, 4368-75		16

747	Microbial epidemiology and outcome of bloodstream infections in liver transplant recipients: an analysis of 259 episodes. 2010 , 16, 393-401		86
746	Complications and risk factors of infection in pediatric hemato-oncology patients with totally implantable access ports (TIAPs). 2010 , 54, 546-51		25
745	Placing of tunneled central venous catheters prior to induction chemotherapy in children with acute lymphoblastic leukemia. 2010 , 55, 309-13		27
744	Prevention of nosocomial infections in intensive care patients. 2010 , 15, 251-6		9
743	Increased risk of bacterial infection after engraftment in patients treated with allogeneic bone marrow transplantation following reduced-intensity conditioning regimen. 2010 , 12, 412-20		11
742	VASCULAR ACCESS. 2010 , 110-116		
741	Complications of Peripheral Nerve Blocks. 2010 , 53-78		
740	Totally implantable port management: impact of positive pressure during needle withdrawal on catheter tip occlusion (an experimental study). 2010 , 11, 46-51		16
739	Creating and evaluating a data-driven curriculum for central venous catheter placement. 2010 , 2, 389-97		13
738	Tsukamurella catheter-related bloodstream infection in a pediatric patient with pulmonary hypertension. 2010 , 2, 5		2
737	Minimizing surgical-site infections. 2010 , 362, 75-7		49
736	Tsukamurella catheter-related bloodstream infection in a pediatric patient with pulmonary hypertension. 2010 , 2, e5		
735	Prevention of central venous catheter bloodstream infections. 2010 , 25, 131-8		44
734	It's all about dwell time--reduce it and infection rates decrease?. <i>Pediatrics</i> , 2010 , 125, 820-1	7.4	3
733	Catheter duration and risk of CLA-BSI in neonates with PICCs. <i>Pediatrics</i> , 2010 , 125, 648-53	7.4	105
732	Effect of chlorhexidine whole-body bathing on hospital-acquired infections among trauma patients. 2010 , 145, 240-6		106
731	A quality improvement initiative to reduce central line-associated bloodstream infections in a neonatal intensive care unit. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 241-8	2	105
730	Sustained and prolonged reduction in central line-associated bloodstream infections as a result of multiple interventions. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 875-7	2	15

729	The importance of leadership in preventing healthcare-associated infection: results of a multisite qualitative study. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 901-7	2	108
728	Prevention of healthcare-associated <i>Clostridium difficile</i> infection: what works?. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31 Suppl 1, S38-41	2	13
727	Do prolonged peripherally inserted central venous catheter dwell times increase the risk of bloodstream infection?. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 1184-7	2	24
726	Lessons from a community-based infection prevention study. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 1216-8	2	4
725	Prospective randomized comparative evaluation of proximal valve polyurethane and distal valve silicone peripherally inserted central catheters. 2010 , 21, 1191-6		30
724	Chlorhexidine-Alcohol versus Povidone-Iodine for Surgical-Site Antisepsis. 2010 , 362, 18-26		1040
723	Catheter-related bloodstream infections: catheter management according to pathogen. 2010 , 36 Suppl 2, S26-32		36
722	Preoperative skin cleansing with chlorhexidine-alcohol reduces surgical site infection after clean-contaminated surgery compared with povidone-iodine. 2010 , 13, 36-7		
721	Prevention of central venous catheter-related infection in the intensive care unit. 2010 , 14, 212		111
720	Clinical practices concerning central venous catheters in haematological patients. 2010 , 14, 200-4		13
719	Peripherally inserted central venous catheters in the acute care setting: A safe alternative to high-risk short-term central venous catheters. 2010 , 38, 149-53		94
718	Effectiveness of a catheter-associated bloodstream infection bundle in a Thai tertiary care center: a 3-year study. 2010 , 38, 449-55		38
717	Reducing the risk of infection in vascular access patients: an in vitro evaluation of an antimicrobial silver nanotechnology luer activated device. 2010 , 38, 421-3		9
716	Antibiotic prophylaxis in the placement of totally implanted central venous access ports. 2010 , 200, 719-22; discussion 722-3		19
715	[Practice assessment of central venous lines care in surgical ICU of French university hospitals]. 2010 , 29, 104-12		4
714	The efficacy of catheters coated with minocycline and rifampin in the prevention of catheter-related bacteremia in cancer patients receiving high-dose interleukin-2. 2010 , 14, e548-52		4
713	Clinically-indicated replacement versus routine replacement of peripheral venous catheters. 2010 , CD007798		42
712	Reducing the incidence of intraventricular catheter-related ventriculitis in the neurology-neurosurgical intensive care unit at a tertiary care center in St Louis, Missouri: an 8-year follow-up study. <i>Infection Control and Hospital Epidemiology</i> , 2010 , 31, 1078-81	2	25

711	Preventing catheter-associated infections in the Pediatric Intensive Care Unit: Impact of an educational program surveying policies for insertion and care of central venous catheters in a Brazilian teaching hospital. 2011 , 15, 573-577		1
710	Peripherally inserted central venous catheter-associated bloodstream infections in hospitalized adult patients. <i>Infection Control and Hospital Epidemiology</i> , 2011 , 32, 125-30	2	54
709	Complications associated with 2 different types of percutaneously inserted central venous catheters in very low birth weight infants. <i>Infection Control and Hospital Epidemiology</i> , 2011 , 32, 258-66	2	16
708	Long-term Tesio catheter access for hemodialysis can deliver high dialysis adequacy with low complication rates. 2011 , 22, 631-7		8
707	Role of patient awareness in prevention of peripheral vascular catheter-related bloodstream infection. <i>Infection Control and Hospital Epidemiology</i> , 2011 , 32, 95-6	2	20
706	Hot Topics in Infection and Immunity in Children VIII. <i>Advances in Experimental Medicine and Biology</i> , 2011 ,	3.6	
705	Prevention of Antimicrobial Resistance: Current and Future Strategies. 2011 , 507-517		1
704	Catheter-related colonization or infection in critically ill patients: Is the number of simultaneous catheters a risk factor?. 2011 , 39, 83-5		5
703	The late complications of totally implantable central venous access ports: the results from an Italian multicenter prospective observation study. 2011 , 15, 377-81		37
702	Venous access systems, port catheters, and central lines. 2011 , 369-374		
701	Preventing catheter-associated infections in the Pediatric Intensive Care Unit: impact of an educational program surveying policies for insertion and care of central venous catheters in a Brazilian teaching hospital. 2011 , 15, 573-7		5
700	Sciatic Nerve Block. 2011 , 261-266		1
699	Prevention of central line associated bloodstream infections in critical care units. 2011 , 23, 85-90		33
698	Infections acquired during extracorporeal membrane oxygenation in neonates, children, and adults. 2011 , 12, 277-81		194
697	Factors influencing nurses' decision-making process on leaving in the peripheral intravascular catheter after 96 hours: a longitudinal study. 2011 , 34, 319-26		14
696	Incidence and predisposing factors of phlebitis in a surgery department. 2011 , 20, S16-8, S20, S22 passim		25
695	Preventing healthcare-associated infections in cardiac surgical patients as a hallmark of excellence. 2011 , 7, 48-50		5
694	Reduction in coagulase-negative staphylococcus infection rates in the NICU using evidence-based research. 2011 , 30, 165-74		2

693 Central venous and pulmonary artery catheterization. 57-78

692 Peripheral intravenous catheters: the road to quality improvement and safer patient care. *Journal of Hospital Infection*, **2011**, 77, 37-41 6.9 56

691 Prospective, randomised study of selective versus routine culture of vascular catheter tips: patient outcome, antibiotic use and laboratory workload. *Journal of Hospital Infection*, **2011**, 77, 309-15 6.9 8

690 Identification of variables for aerobic bacterial density at clinically relevant skin sites. *Journal of Hospital Infection*, **2011**, 78, 5-10 6.9 19

689 Inappropriate intravascular device use: a prospective study. *Journal of Hospital Infection*, **2011**, 78, 128-38.9 25

688 Feedback to clinicians on preventable factors can reduce hospital onset *Staphylococcus aureus* bacteraemia rates. *Journal of Hospital Infection*, **2011**, 79, 108-14 6.9 7

687 Efficacy of intravascular catheter lock solutions containing preservatives in the prevention of microbial colonization. *Journal of Hospital Infection*, **2011**, 79, 317-22 6.9 22

686 [Fever in a patient with a central vein catheter]. **2011**, 211, 301-6 1

685 Katheterassoziierte Komplikationen und Liegedauer peripherer Venenverweilkanülen [Eine Literaturübersicht]. **2011**, 16, 9-14

684 Subclavian vein versus arm vein for totally implantable central venous port for patients with head and neck cancer: a retrospective comparative analysis. **2011**, 34, 1222-9 30

683 An evaluation of peripherally inserted central venous catheters for children with cancer requiring long-term venous access. **2011**, 94, 372-377 24

682 Update in hospital medicine for the general internist 2010-2011. **2011**, 26, 1492-7

681 New materials and devices for preventing catheter-related infections. **2011**, 1, 34 46

680 New challenges in the diagnosis, management, and prevention of central venous catheter-related infections. **2011**, 32, 139-50 26

679 Chlorhexidine and alcohol versus povidone-iodine for antisepsis in gynecological surgery. **2011**, 20, 321-4 39

678 Elimination of central-venous-catheter-related bloodstream infections from the intensive care unit. **2011**, 20, 174-80 39

677 Knowledge of nursing students about central venous catheters. **2012**, 69, 333-339 5

676 Central line-associated bloodstream infection prevention. **2012**, 25, 412-22 44

675	Parenteral Nutrition. 2012 , 605-622		3
674	Central venous port-related infection in patients with malignant tumors: an observational study. 2012 , 117, 300-8		5
673	References. 2012 , 2, 124-138		33
672	Section 5: Dialysis Interventions for Treatment of AKI. 2012 , 2, 89-115		70
671	Implementation of a central line maintenance care bundle in hospitalized pediatric oncology patients. <i>Pediatrics</i> , 2012 , 130, e996-e1004	7-4	77
670	Significant reduction in central venous catheter-related bloodstream infections in children on HPN after starting treatment with taurolidine line lock. 2012 , 55, 403-7		63
669	Relationship between chlorhexidine gluconate skin concentration and microbial density on the skin of critically ill patients bathed daily with chlorhexidine gluconate. <i>Infection Control and Hospital Epidemiology</i> , 2012 , 33, 889-96	2	75
668	Antimicrobial efficacies of chlorhexidine gluconate-alcohols and a povidone-iodine solution as skin preparations in vivo. 2012 , 17, 52-56		
667	Is it not self-evident that all venous saturations are not created equal?. 2012 , 40, 3318-9		0
666	In vitro antiseptic effects on viability of neuronal and Schwann cells. 2012 , 37, 131-8		27
665	Noninvasive monitoring of blood pressure in the critically ill: reliability according to the cuff site (arm, thigh, or ankle). 2012 , 40, 1207-13		48
664	Dressing disruption is a major risk factor for catheter-related infections. 2012 , 40, 1707-14		81
663	No risk of surgical site infections from residual bacteria after disinfection with povidone-iodine-alcohol in 1014 cases: a prospective observational study. 2012 , 255, 565-9		25
662	Routine versus clinically indicated replacement of peripheral intravenous catheters: a randomised controlled equivalence trial. 2012 , 380, 1066-74		255
661	How long should peripherally inserted central catheterization be delayed in the context of recently documented bloodstream infection?. 2012 , 23, 123-5		6
660	Techniques to measure cardiac output: minimally invasive method versus thermodilution. 2012 , 16,		78
659	Effects of cardiac output levels on the measurement of transpulmonary thermodilution cardiac output in patients with acute lung injury. 2012 , 16,		78
658	Comparison of bioimpedance and oesophageal Doppler cardiac output monitoring during abdominal aortic surgery. 2012 , 16,		78

657	Cardiac output monitoring in cirrhotic patients: EV1000 versus pulmonary artery catheter - preliminary data. 2012 , 16,	78
656	Pulse contour cardiac output monitoring is less reliable in critically ill children. 2012 , 16,	78
655	Impact of arterial catheter location on the accuracy of cardiac output provided by an endotracheal bioimpedance device. 2012 , 16,	78
654	Accuracy of the PiCCO2-derived pulse contour cardiac index (CI _{pc}): development and validation of a calibration index in two independent collectives. 2012 , 16,	78
653	Cardiac output monitoring using the LiDCOplus™ monitor in abdominal aortic surgery: changes in calibration factor in aortic aneurysm disease versus aortic occlusive disease. 2012 , 16,	1
652	Haemodynamic changes during the peri-extubation period using bioimpedance flow monitoring. 2012 , 16,	78
651	Left ventricular stroke volume measurement by impedance cardiography correlates with echocardiography in neonates. 2012 , 16,	2
650	Validation of less-invasive hemodynamic monitoring with Pulsioflex in critically ill patients. 2012 , 16,	1
649	A preliminary study on the use of noninvasive hemodynamic monitoring with the Nexfin monitor in critically ill patients. 2012 , 16,	78
648	Computer-based monitoring of global cardiovascular dynamics during acute pulmonary embolism and septic shock in swine. 2012 , 16,	78
647	Homeodynamic complexity: multifractal analysis of physiological instability. 2012 , 16,	78
646	Accuracy of conventional urinary output monitoring in the ICU. 2012 , 16,	2
645	Changes in B-type natriuretic peptide and related hemodynamic parameters following a fluid challenge in patients with severe sepsis or septic shock. 2012 , 16,	78
644	The Brody effect to detect hypovolemia in clinical practice. 2012 , 16,	1
643	Stroke volume variation guided fluid therapy in septic shock with ARDS. 2012 , 16,	78
642	Assessment fluid responsiveness in septic shock patients: a comparison of automated pulse pressure variation and manually calculated pulse pressure variation. 2012 , 16,	78
641	Applicability of methods for fluid responsiveness prediction in the ICU. 2012 , 16,	78
640	Fluid responsiveness during weaning from mechanical ventilation. 2012 , 16,	78

639	Microcirculatory blood flow is related to clinical signs of impaired organ perfusion, and its dynamics to the macrohemodynamic concept of fluid responsiveness. 2012, 16,	1
638	Frank-Starling and Guyton together at bedside during a fluid challenge. 2012, 16,	78
637	Prediction of fluid responsiveness in intensive care (PREFERENCE study): fluid challenge versus passive leg raising in high-risk surgical patients. 2012, 16,	5
636	Tight control of fluid balance may reduce incidence of intra-abdominal hypertension in patients after major abdominal surgery and trauma: a pilot study. 2012, 16,	78
635	Negative fluid balance 48 hours after admission improves survival at 28 days in critically ill patients. 2012, 16,	78
634	Goal-directed fluid and hemodynamic therapy in major colon surgery with the pressure recording analytical method cardiac output monitor (MostCare [®] -PRAM [®]): prospective analysis of 58 patients. 2012, 16,	78
633	Implementation of an optimal fluid management protocol using the PiCCO system delays development of ARDS secondary to severe sepsis. 2012, 16,	1
632	Confrontation of the increase in ELWI rate regarding the septic polytraumatised patient administering furosemide: is it effective?. 2012, 16,	78
631	Indexation of extravascular lung water in unselected adult patients with and without mechanical ventilation: a prospective study in 50 patients with 843 transpulmonary thermodilutions. 2012, 16,	78
630	How to perform indexing of extravascular lung water data. 2012, 16,	78
629	Near-normal values of extravascular lung water in children. 2012, 16,	78
628	Transthoracic ultrasound assessment of B-lines for identifying the increment of extravascular lung water in shock patients requiring fluid resuscitation. 2012, 16,	78
627	Fluid therapy tactics in patients with polytrauma during interhospital transportation. 2012, 16,	78
626	A prospective, randomized, clinical trial comparing the hemodynamics, efficacy, and safety of 6% hydroxyethyl starch 130/0.4 compared to albumin in postoperative patients undergoing pancreaticoduodenectomy. 2012, 16,	78
625	Effect of balanced versus unbalanced HES solution on cytokine response in a rat model of peritonitis. 2012, 16,	78
624	Evaluation of effectiveness and safety of hydroxyethyl starch (HES 130 kDa/0.4) in burn resuscitation. 2012, 16,	1
623	Normal saline resuscitation worsens lactic acidosis in experimental sepsis. 2012, 16,	4
622	Albumin in early septic shock resuscitation: examination of plasma and urine inflammatory markers. 2012, 16,	78

621	Study of the correlation between central venous oxygen saturation and venous saturation from the antecubital vein in severe sepsis/septic shock patients. 2012, 16,	1
620	Central venous hyperoxia is related to changes in tissue perfusion and morbi-mortality of patients in shock. 2012, 16,	78
619	Curve analysis of tissue oxygen desaturation after a venous occlusion test does not identify the central venous hemoglobin oxygen saturation. 2012, 16,	78
618	Lactate in burn patients: biomarker of sepsis and mortality. 2012, 16,	1
617	Can we predict arterial lactate from venous lactate in the emergency department?. 2012, 16,	2
616	Cross-correlation analysis of blood and microdialysis-assessed tissue lactate monitoring: a study in critically ill septic patients. 2012, 16,	78
615	Admission lactate and outcome after high-risk surgery. 2012, 16,	78
614	Effects of induced relative hypoxia during the postoperative period of abdominal oncologic surgery, on hemoglobin and reticulocyte levels: a prospective, randomized controlled clinical trial. 2012, 16,	1
613	Pre-emptive hypothermia during resuscitated porcine hemorrhagic shock. 2012, 16,	78
612	Carbon monoxide therapy protects against hepatic microvascular injury in a mouse model of murine hemorrhagic shock and resuscitation. 2012, 16,	78
611	Customized modeling to predict the use of vasopressors in ICUs. 2012, 16,	78
610	Implementation of the fifth link of the Chain of Survival concept for out-of-hospital cardiac arrest. 2012, 16,	78
609	Examination of out-of-hospital cardiac arrest patients with the Utstein style in Saga prefecture, Japan. 2012, 16,	1
608	Effectiveness and limitations of learning cardiopulmonary resuscitation with an automated external defibrillator in the curriculum of First Aid courses among lay people. 2012, 16,	78
607	Survival after out-of-hospital cardiac arrest during nights and weekends. 2012, 16,	78
606	CPR initiated after telephone-assisted instruction produces a better outcome of bystander-witnessed out-of-hospital cardiac arrests than no bystander CPR but is less effective than CPR on the bystander's own initiative. 2012, 16,	78
605	Critical times in pediatric out-of-hospital cardiac arrest. 2012, 16,	1
604	Don't stop your heart in front of your family: family as a bystander is associated with poor outcome of bystander-witnessed, bystander-CPR-performed out-of-hospital cardiac arrest. 2012, 16,	78

603	Coronary perfusion pressure in a pig model of prolonged cardiac arrest treated by different modes of venoarterial extracorporeal membrane oxygenation and intraaortic balloon counterpulsation. 2012, 16,	3
602	Capnometry successfully predicts outcome and determination of the cessation of cardiopulmonary resuscitation efforts. 2012, 16,	1
601	Modified clinical decision rule for termination-of-resuscitation in cases of refractory out-of-hospital cardiac arrest. 2012, 16,	78
600	Survival benefit for patients receiving antibiotics following out-of-hospital cardiac arrest. 2012, 16,	78
599	Correlation between IL-6 and S-100B blood levels and outcome of post-cardiac arrest syndrome and influence of therapeutic hypothermia on these mediator blood levels. 2012, 16,	78
598	Early neurological outcome prediction model after bystander-witnessed out-of-hospital cardiac arrest: a nationwide population-based study. 2012, 16,	78
597	Helium ventilation is safe and feasible in ICU patients admitted after cardiac arrest. 2012, 16,	2
596	Therapeutic hypothermia in an out-of-hospital arrest population: are we selecting appropriately?. 2012, 16,	78
595	Therapeutic hypothermia for nonventricular fibrillation/ventricular tachycardia cardiac arrest. 2012, 16,	78
594	Comparison of cold crystalloid and colloid infusions for induction of therapeutic hypothermia. 2012, 16,	78
593	Cerebral oxygenation during induction of therapeutic hypothermia after cardiac arrest. 2012, 16,	78
592	Survey on the management of patients treated with therapeutic hypothermia post cardiac arrest in London hospitals. 2012, 16,	78
591	Simplified EEG/aEEG to monitor the injured brain after cardiac arrest. 2012, 16,	78
590	Usefulness of a Bispectral index oriented sedative method without neuromuscular blocker for therapeutic hypothermia after cardiac arrest. 2012, 16,	78
589	Predictive factors of neurologic outcome in therapeutic hypothermia after prehospital return of spontaneous circulation. 2012, 16,	78
588	Employment status 1 year after out-of-hospital cardiac arrest in comatose patients treated with therapeutic hypothermia. 2012, 16,	78
587	Changes in cerebrospinal fluid and serum cytokine levels in severe traumatic brain injury patients. 2012, 16,	78
586	Noninvasive cerebral oxygenation monitoring during rapid ventricular pacing in transcatheter aortic valve implant. 2012, 16,	78

585	Novel models to predict elevated intracranial pressure during intensive care and long-term neurological outcome after TBI. 2012 , 16,	78
584	Transcranial Doppler pulsatility index is a poor predictor of hydrocephalus in patients with aneurysmal subarachnoid haemorrhage. 2012 , 16,	78
583	Transcranial cerebral oximetry in newborn infants on mechanical ventilation as a method for prevention of hyperoxia and oxidative stress. 2012 , 16,	78
582	Cerebral oximetry and brain death in the ICU: data from seven cases. 2012 , 16,	2
581	Deoxyhaemoglobin as a biomarker of cerebral autoregulation. 2012 , 16,	3
580	Study of the acoustic stem evoked potentials in blood circulation disorder in the vertebral basilar basin. 2012 , 16,	78
579	Examination of the autonomic nervous system in the ICU: a pilot study. 2012 , 16,	78
578	Predictive value of glial fibrillary acidic protein for prognosis in patients with moderate and severe traumatic brain injury: a systematic review and meta-analysis. 2012 , 16,	3
577	Prevalence of pituitary disorders associated with traumatic brain injury: a systematic review. 2012 , 16,	2
576	Mannose binding lectin deficiency attenuates neurobehavioral deficits following experimental traumatic brain injury. 2012 , 16,	78
575	Azathioprine and aspirin in treatment of childhood primary arterial stroke: therapeutic benefits and side effects. 2012 , 16,	78
574	Changes of ribosomal protein S3 immunoreactivity and its new expression in microglia in the mice hippocampus after lipopolysaccharide treatment. 2012 , 16,	78
573	Neuronal damage using Fluoro-Jade B histofluorescence and gliosis in the striatum after various durations of transient cerebral ischemia in gerbils. 2012 , 16,	3
572	Molecular, histological and microcirculatory modeling of cerebral ischemia in pigs. 2012 , 16,	78
571	Delayed post-ischaemic administration of xenon reduces brain damage in a rat model of global ischaemia. 2012 , 16,	78
570	Seizures in the respiratory ICU: single-center study of patients with new-onset seizures. 2012 , 16,	1
569	Early treatment with intravenous immunoglobulins in patients with critical illness polyneuropathy: a randomized controlled, double-blinded study. 2012 , 16,	78
568	Intracranial pressure monitoring in acute liver failure: a retrospective cohort study. 2012 , 16,	2

567	Retrospective observation of 6-month survival following decompressive craniectomy in a London major trauma and stroke centre. 2012, 16,	1
566	Feasibility of a multicenter prospective cohort study on the evaluation of prognosis in severe traumatic brain injury. 2012, 16,	78
565	Predictive value of neuron-specific enolase following moderate and severe traumatic brain injury: a systematic review and meta-analysis. 2012, 16,	78
564	Blood-brain barrier permeability following traumatic brain injury. 2012, 16,	1
563	Can urinary 8-OHdG be a good indicator of vasospasm occurrence following subarachnoid hemorrhage?. 2012, 16,	8
562	Cortical capillary recruitment by rosuvastatin in experimental brain trauma is associated with increased NO production. 2012, 16,	78
561	Effects of simvastatin in prevention of vasospasm in nontraumatic subarachnoid hemorrhage: preliminary data. 2012, 16,	1
560	Evaluation of arterial and venous ophthalmic hemodynamics in preeclamptic pregnant women. 2012, 16,	78
559	Data classification of magnetic resonance tomography and computer tomography images of brain in parturients with neurological complications of eclampsia. 2012, 16,	78
558	Eleven years of critical obstetric pathology: epidemiologic study. 2012, 16,	78
557	Clinical outcomes in neonates following maternal magnesium sulfate therapy in preeclampsia/eclampsia. 2012, 16,	78
556	Sleep monitoring by actigraphy in short-stay ICU patients. 2012, 16,	1
555	Quality and quantity of sleep in multipatient versus single-room ICUs. 2012, 16,	78
554	Oral melatonin in high-risk critically ill patients: quality of sedative effect. 2012, 16,	1
553	Sedation depth and mortality in mechanically ventilated critically ill adults. 2012, 16,	1
552	Sedation in the ICU: nurses' perceptions of practices and influencing factors. 2012, 16,	78
551	Implementation of a national guideline for analgesia and sedation: how often can a RASS of 0 to -2 be achieved?. 2012, 16,	78
550	Comparison of the RAMSAY score and the Richmond Agitation Sedation Score for the measurement of sedation depth. 2012, 16,	12

549	Dexmedetomidine is associated with better outcomes in patients undergoing cardiac surgery. 2012 , 16,	78
548	Cerebral ischemia-reperfusion model in rabbits: relationship between dexmedetomidine and biochemical parameters in lowering intraparenchymal pressure. 2012 , 16,	78
547	Evaluation of sedation using pupilometry in ICUs: a pilot study. 2012 , 16,	78
546	Effect of critical illness on the pharmacokinetics and dose-response relationship of midazolam. 2012 , 16,	1
545	Effect of propofol and midazolam on microcirculation of septic shock patients. 2012 , 16,	78
544	Current use of pain scores in Dutch ICUs: a postal survey in the Netherlands. 2012 , 16,	78
543	Efficiency estimation of intrapleural and thoracic paravertebral block in combination with general anesthesia at thoracoscopic interventions. 2012 , 16,	78
542	Preoperative diclofenac reduces postcraniotomy headache: a randomized, placebo-controlled trial. 2012 , 16,	78
541	Long-term adverse neuropsychological functioning in children who survived meningococcal septic shock: is there a relationship with sedation and analgesia during paediatric ICU admission?. 2012 , 16,	78
540	Delirium could be an indicator of sepsis in patients under 65 years old with urinary tract infections. 2012 , 16,	78
539	Delirium screening in critically ill patients: a systematic review and meta-analysis. 2012 , 16,	3
538	Electroencephalography-based monitoring of delirium in the ICU: what are the opportunities?. 2012 , 16,	0
537	Performance of SAPS 3 in predicting delirium among critically ill patients. 2012 , 16,	78
536	Incidence of delirium and inadequacy of the clinical diagnosis in patients in intensive care. 2012 , 16,	78
535	Investigation into detection and treatment rates of hyperactive and hypoactive delirium in the ICU setting. 2012 , 16,	78
534	Memories and post-traumatic stress-related symptoms in older, post-cardiac surgery patients: substudy of an RCT. 2012 , 16,	78
533	Using tramadol to monitor hepatic drug metabolism in the critically ill. 2012 , 16,	78
532	Data mining techniques for predicting acute kidney injury after elective cardiac surgery. 2012 , 16,	3

531	Acute kidney injury in critically ill patients with A/H1N1 pneumonitis in 2010/11. 2012 , 16,	78
530	A RIFLE score-based trigger for renal replacement therapy and survival after cardiac surgery. 2012 , 16,	78
529	Effect of off-pump versus on-pump coronary artery bypass grafting in patients with chronic kidney disease. 2012 , 16,	1
528	Effects of renal-dose dopamine on renal tubular functions following coronary artery bypass grafting surgery. 2012 , 16,	78
527	Nurses' knowledge regarding the early identification of acute kidney injury. 2012 , 16,	78
526	Neutrophil gelatinase-associated lipocalin predicts postoperative fluid overload, a potentially modifiable risk factor for mortality after cardiac surgery. 2012 , 16,	1
525	Plasma and urine neutrophil gelatinase-associated lipocalin as markers of acute kidney injury in critically ill adults. 2012 , 16,	78
524	Plasma and urine neutrophil gelatinase-associated lipocalin in septic and nonseptic ICU patients. 2012 , 16,	78
523	Urinary neutrophil gelatinase-associated lipocalin as an early marker of acute kidney injury complicating circulatory shock. 2012 , 16,	78
522	Additive value to clinical judgement of blood neutrophil gelatinase-associated lipocalin in diagnosis of acute kidney injury and prediction of mortality in patients hospitalized from the emergency department. 2012 , 16,	2
521	Is cystatin C reliable in the anesthetized pig? An experimental study with special reference to septic shock. 2012 , 16,	1
520	Are serum cystatin-C-based estimates better than those derived from serum creatinine in critically ill patients?. 2012 , 16,	2
519	Assessment of glomerular filtration rate in trauma patients in early resuscitation phase. 2012 , 16,	1
518	Validation of a continuous low-dose iohexol infusion to measure the glomerular filtration rate. 2012 , 16,	78
517	Investigation into the effects of commencing haemodialysis in the critically ill. 2012 , 16,	78
516	Is the AKIN score useful as an indicator of the optimum time for intervention with renal replacement therapy in critically ill patients?. 2012 , 16,	78
515	Timing for initiation of continuous renal replacement therapy in patients with septic shock and acute kidney injury. 2012 , 16,	78
514	Early application of CVVH In the complex treatment of patients with early severe acute pancreatitis. 2012 , 16,	1

513	Timing of the initiation of continuous renal replacement therapy and clinical outcome in patients with severe sepsis and septic shock. 2012, 16,	78
512	Amino acid concentrations in serum, urine and dialysate/ultrafiltrate solutions of continuous venovenous hemodiafiltration patients. 2012, 16,	78
511	Evaluation of the potential adverse effects associated with calcium carbonate precipitate during continuous venovenous hemofiltration. 2012, 16,	78
510	Regional citrate anticoagulation in CVVH: a new protocol combining citrate solution with a phosphate-containing replacement fluid. 2012, 16,	78
509	Regional citrate anticoagulation with a low-concentration solution in predilution-postdilution CVVH. 2012, 16,	78
508	Exposure to intermittent hemodialysis and renal recovery after acute kidney injury: a systematic review. 2012, 16,	2
507	Sustained low-efficiency dialysis for renal replacement therapy in the ICU: a cost-benefit analysis of the years 2006 to 2010. 2012, 16,	78
506	The new dialysis method Mini-SLED is useful for dialyzing acute brain stroke patients. 2012, 16,	78
505	Investigation into haemodynamic stability during intermittent haemodialysis in the critically ill. 2012, 16,	78
504	Evaluation of microcirculation before and during continuous renal replacement therapy and the impact of dose prescription. 2012, 16,	78
503	Ultrafiltration during continuous hemofiltration in stabilized ICU patients is not associated with microcirculatory perfusion derangements. 2012, 16,	78
502	Plasmapheresis without apparatus in complex care of victims with crush syndrome during the first hours after extrication in a field hospital of EMERCOM of Russia in emergency areas. 2012, 16,	78
501	Degree of impaired kidney function at hospital discharge has a major impact on long-term survival of critically ill patients recovered from renal failure. 2012, 16,	78
500	Long-term survival for ICU patients with acute kidney injury. 2012, 16,	78
499	Super high-flux continuous hemodialysis: an efficient compromise for blood purification in sepsis. 2012, 16,	78
498	Efficacy of continuous haemodiafiltration using a polymethylmethacrylate membrane haemofilter in the treatment of sepsis and acute respiratory distress syndrome. 2012, 16,	1
497	Possible adsorption mechanism of high mobility group box 1 protein on a polyacrylonitrile (AN69ST) membrane filter. 2012, 16,	78
496	High mobility group box 1 levels in septic disseminated intravascular coagulation patients undergoing Polymixin-B immobilized fiber-direct hemoperfusion. 2012, 16,	78

495	Polymyxin B-immobilized fiber column hemoperfusion has the ability of endotoxin removal during 24 hours. 2012, 16,	78
494	Polymyxin B-direct hemoperfusion therapy could contribute to hemodynamics and outcomes in emergency surgical patients. 2012, 16,	78
493	Clinical impact of enhanced cytokine clearance with sustained high-efficiency daily diafiltration using a mediator-adsorbing membrane (SHEDD-fA) in patients with severe sepsis. 2012, 16,	78
492	Mortality and priority level for ICU admission in the setting of limited critical care beds in El Salvador. 2012, 16,	1
491	Mainz Emergency Evaluation Scoring in combination with capnometry predicts outcome in trauma patients. 2012, 16,	78
490	Predicting outcome in the ICU: comparison of Ranson criteria and Ranson + CRP levels in acute pancreatitis. 2012, 16,	1
489	Number of failed organs and response to therapy determine outcome in patients with acute pancreatitis requiring level 1 organ support. 2012, 16,	78
488	Mortality predictors in acute pancreatitis admitted to the ICU. 2012, 16,	78
487	System biology prediction model based on clinical data: highly accurate outcome prediction in patients with acute-on-chronic liver failure. 2012, 16,	78
486	Prognostic relevance of arterial ammonia levels in different acute and acute-on-chronic liver diseases. 2012, 16,	1
485	Liver failure secondary to alcoholic liver disease carries a worse prognosis than other aetiologies of liver failure: retrospective analysis of routine biochemical markers in critically ill patients with liver failure. 2012, 16,	1
484	Incidence, morbidity and mortality of admissions related to alcohol consumption on critical care: a single-centre experience. 2012, 16,	1
483	Changing outcomes in patients with chronic liver disease in intensive care: a decade of experience. 2012, 16,	2
482	Multivariate regression analysis of outcomes following orthotopic liver transplantation in decompensated cirrhotics transplanted from the ICU. 2012, 16,	78
481	Liver transplantation in the critically ill: a Canadian collaboration. 2012, 16,	78
480	Acute respiratory distress syndrome: analysis of incidence and mortality in a university hospital critical care unit. 2012, 16,	2
479	Epidemiology and outcome of sepsis syndromes in Italian ICUs: a regional multicenter observational cohort. 2012, 16,	2
478	Outcome of faecal peritonitis in the ICU. 2012, 16,	2

477	HIV patients in the ICU: our experience. 2012, 16,	78
476	Impact of congestive heart failure on severe sepsis and septic shock survivors: outcomes and performance status after 1-year hospital discharge. 2012, 16,	3
475	Predictive value of N-terminal pro-brain natriuretic peptide among critically ill patients. 2012, 16,	78
474	Low preoperative hepcidin concentration is a risk factor for mortality but not for acute kidney injury after cardiac surgery. 2012, 16,	78
473	Outcomes and resource use for over 80 year olds admitted to a UK critical care unit after an emergency laparotomy over a 3-year period. 2012, 16,	78
472	Correlation between APACHE II score and quality of life among patients discharged from the ICU. 2012, 16,	78
471	Parameters that affect outcome in surgical ICU patients. 2012, 16,	78
470	Relationship between illness severity scores in the ICU. 2012, 16,	78
469	Predicting hospital mortality: comparing accuracy of SAPS II and clinical staff prognosis. 2012, 16,	78
468	Predictors of mortality in patients from a hematological ICU in Brazil. 2012, 16,	78
467	Retrospective study of the outcomes of patients admitted to the ICU with a hematological malignancy. 2012, 16,	78
466	Six-month survival of patients with lung cancer admitted to a medical ICU: a retrospective study. 2012, 16,	78
465	Health-related quality of life and survival of cancer patients admitted to ICUs: Results of the QALY study. 2012, 16,	1
464	Characteristics, resource consumption and outcome of cancer patients admitted to ICUs. 2012, 16,	78
463	Managing critically ill oncological patients in hospital: a survey across all ICUs in the UK. 2012, 16,	78
462	Role of illness severity scores in predicting mortality in the coronary care unit. 2012, 16,	78
461	New severity score of acute respiratory failure. 2012, 16,	78
460	Validity of six prognostic scoring systems for septic shock patients admitted to a medical ICU. 2012, 16,	78

459	Risk factors of venous thrombosis in knee joint endoprosthesis. 2012 , 16,	78
458	Proximal and distal deep venous thrombosis in critically ill patients: incidence and prevalence. 2012 , 16,	78
457	Saddle embolism is associated with the major adverse events in patients with nonhigh-risk pulmonary embolism. 2012 , 16,	1
456	Efficacy and safety of enoxaparin as deep vein thrombosis prophylaxis in critically ill patients. 2012 , 16,	78
455	Reducing the level of postoperative thrombotic complications by the combination of low molecular weight heparin and epidural anesthesia at the patients after total hysterectomy. 2012 , 16,	78
454	Cost-effectiveness analysis of two thromboprophylactic strategies following major surgery. 2012 , 16,	78
453	Consequences of suspected heparin-induced thrombocytopenia in the ICU. 2012 , 16,	78
452	Evaluation of iron, transferrin and ferritin serum levels in patients with severe sepsis and septic shock. 2012 , 16,	2
451	Using angiogenic factors and their soluble receptors to predict organ dysfunction in patients with disseminated intravascular coagulation associated with severe trauma. 2012 , 16,	78
450	A simple blood-saving bundle reduces diagnostic blood loss in mechanically ventilated patients. 2012 , 16,	78
449	Comparative assessment of invasive and noninvasive Methods for detection of total hemoglobin in gynecological patients' blood. 2012 , 16,	4
448	Use of coagulation screening in the critical care unit. 2012 , 16,	0
447	Templating effect of clot structure can predict clot development and outcome in diluted blood: a comparison with thromboelastography. 2012 , 16,	5
446	Fractal analysis: a new biomarker for determining clot characteristics in critically ill patients. 2012 , 16,	1
445	Fractal dimension: a biomarker for detecting acute thromboembolic disease. 2012 , 16,	1
444	Thromboelastography (platelet contribution to clot strength) for the assessment of platelet residual function. 2012 , 16,	78
443	Measurement of hemoglobin in the operating room: what Methods can we trust?. 2012 , 16,	78
442	Retrospective comparison study of warfarinised trauma patients and an age-matched control group of nonwarfarinised patients. 2012 , 16,	78

441	In medical-surgical ICU patients, major bleeding is common but independent of heparin prophylaxis. 2012 , 16,	2
440	Reducing ICU blood draws with artificial intelligence. 2012 , 16,	78
439	Hemostasis system condition in infectious complication development in severe burned patients. 2012 , 16,	78
438	Randomized comparison of fibrinogen concentrate versus cryoprecipitate for bleeding control in pediatric cardiac surgery (FICCS study). 2012 , 16,	5
437	Efficacy of tranexamic acid in decreasing blood loss during cesarean section. 2012 , 16,	2
436	Reduced EPO receptor expression may contribute to limited pleiotropic effects of EPO during critical illness. 2012 , 16,	1
435	Recognition and management of haemophagocytic lymphohistiocytosis on the ICU: a case series. 2012 , 16,	78
434	Blood transfusion is an independent predicting factor for poor outcome after cardiac surgery. 2012 , 16,	78
433	Red blood transfusion is a predictor of poor outcome in pediatric cardiac surgery. 2012 , 16,	1
432	No impact of a massive transfusion protocol on coagulopathy and mortality at a level 1 trauma center: why?. 2012 , 16,	78
431	Massive transfusion practice. 2012 , 16,	78
430	Red blood cell transfusion improves microdialysis-assessed interstitial lactate/pyruvate ratio in critically ill septic patients. 2012 , 16,	1
429	Blood transfusion after cardiac surgery increases the hospital length of stay in adult patients. 2012 , 16,	78
428	Transfusion of blood stored for longer periods of time does not alter the reactive hyperemia index in healthy volunteers. 2012 , 16,	0
427	Liberal use of platelet transfusions in the acute phase of trauma resuscitation: a systematic review. 2012 , 16,	78
426	Impact on early trauma mortality of the adoption of the Updated European Guidelines on the management of bleeding. 2012 , 16,	78
425	Hemodynamics in the severely injured patient with significant hemorrhage. 2012 , 16,	78
424	Critical older trauma patients. 2012 , 16,	78

423	Outcomes in older blunt chest wall trauma patients: a retrospective study. 2012, 16,	2
422	Mortality trend alteration of thoracic injury after rapid response trauma team establishment. 2012, 16,	78
421	Trauma patients and cervical spine protection in critical care: the impact of a spinal checklist on clinical care and documentation. 2012, 16,	78
420	Effect of instrumented spinal fixation on outcome in polytrauma patients in the ICU. 2012, 16,	78
419	Whole body computed tomography scanning for severe blunt polytrauma: analysis of Trauma Audit and Research Network database 2005 to 2010. 2012, 16,	1
418	Post-traumatic rhabdomyolysis: an observational study in seven patients. 2012, 16,	78
417	Exertional rhabdomyolysis in female amateur triathletes. 2012, 16,	1
416	Controlled mechanical ventilation tactics in patients with polytrauma during interhospital transportation to the specialized center. 2012, 16,	11
415	Impact of fluid resuscitation volume on the severity of organ failures in severely burned patients. 2012, 16,	78
414	Organ dysfunction in the resuscitation phase of critical burn patients. 2012, 16,	78
413	Epidemiological study of critical burn patients in an ICU. 2012, 16,	1
412	Fluid creep in burn resuscitation: the tide has not yet turned. 2012, 16,	5
411	Early administration of parenteral estrogen suppresses the deleterious local and systemic inflammatory response in severe burns. 2012, 16,	78
410	Reducing the indication of ventilatory support in the severely burnt patient and improving outcomes: Results of a new protocol approach within a regional burns centre. 2012, 16,	78
409	Cardiopulmonary exercise testing and elective open abdominal aortic aneurysm surgery over a 6-year period in a UK teaching hospital. 2012, 16,	1
408	Perioperative evaluation of elective surgical patients: is it possible to plan ICU admission?. 2012, 16,	78
407	Cardiac-specific biomarkers and life-threatening complications of off-pump versus on-pump coronary bypass surgery in Egyptian patients. 2012, 16,	78
406	Aortic aneurysm disease versus aortic occlusive disease: differences in postoperative ICU requirements after open elective abdominal aortic surgery. 2012, 16,	1

405	High postoperative blood levels of macrophage migration inhibitory factor are associated with less organ dysfunction in patients after cardiac surgery. 2012 , 16,	78
404	Predictors of prolonged mechanical ventilation after heart transplantation. 2012 , 16,	78
403	Atrial fibrillation following major noncardiac thoracic surgery: significance and impact on morbidity. 2012 , 16,	1
402	Oxygen delivery index during goal-directed therapy predicts complications and hospital length of stay in patients undergoing high-risk surgery. 2012 , 16,	78
401	Transfer delays in patients referred for neurosurgical intervention with traumatic brain injury. 2012 , 16,	1
400	Performances of ventilator at simulated altitude. 2012 , 16,	78
399	Impact of H1N1 influenza on critical care and dependent services in Wales during winter 2010/2011. 2012 , 16,	78
398	Effects of levels of clinical supervision during simulated ICU scenarios on resident learning and patient care: a qualitative study. 2012 , 16,	78
397	Virtual reality and live scenario simulation: options for training medical students in mass casualty incident triage. 2012 , 16,	3
396	Utilization of iPad in the system of emergency demand and acceptance. 2012 , 16,	78
395	Mass evacuation of victims from emergency areas by medical modules aboard the aircraft of EMERCOM of Russia. 2012 , 16,	78
394	Reliability and validity of an Italian four-level emergency triage system. 2012 , 16,	78
393	Coordination of emergency resources after Lorca's earthquakes. 2012 , 16,	78
392	Lightning injuries in a lightning city: a district hospital experience in Singapore. 2012 , 16,	78
391	Satisfaction survey among medical staff involved in relief operations following the Great East Japan Earthquake and Tsunami. 2012 , 16,	78
390	Nuclear disaster and the medical problems during the earthquake in Japan, 2011. 2012 , 16,	78
389	Stressors in the ICU: different perceptions of patients, relatives and staff members. 2012 , 16,	78
388	Role of ICU nurses in the confrontation of post-traumatic stress disorder in relatives of ICU patients in a general hospital of Athens, Greece. 2012 , 16,	78

387	Family meetings and end-of-life decision-making in Thai critically ill patients. 2012, 16,	78
386	Influence of burnout on attitudes of ICU doctors and nurses towards liberalization of visiting policies. 2012, 16,	78
385	Prevalence, risk factors and impact of severe burnout syndrome in 12 Uruguayan ICUs. 2012, 16,	78
384	Opening the ICU: views of ICU doctors and nurses before and after liberalization of visiting policies. 2012, 16,	3
383	A family-based satisfaction survey on the ICU. 2012, 16,	1
382	Immediate needs and level of anxiety of families with traumatic brain injury patients admitted to ICUs. 2012, 16,	78
381	Families: the newest members of the ICU multidisciplinary team. 2012, 16,	78
380	Family satisfaction in an interdisciplinary ICU: a quality audit. 2012, 16,	78
379	Incidence of post-traumatic stress, anxiety and depression symptoms in patients and relatives during the ICU stay and after discharge. 2012, 16,	3
378	Application of a new German law as a basis for end-of life decisions in a medical ICU. 2012, 16,	78
377	Effect of a full moon on mortality of patients admitted to the ICU. 2012, 16,	78
376	Potential association of gender with mortality and withdrawal of life-sustaining therapies in patients with severe TBI: a Canadian multicentre cohort study. 2012, 16,	78
375	Making drug delivery in the ICU safer: the implementation of advanced computerised intravenous infusion pumps. 2012, 16,	1
374	Growing a positive culture in an ICU antimicrobial stewardship program. 2012, 16,	78
373	Injectional anthrax: the inflammatory response. 2012, 16,	78
372	Multicenter consensus development of a checklist for lung injury prevention. 2012, 16,	1
371	Impact of the Paediatric Intensive Care Outreach Network service on mortality within intensive care. 2012, 16,	78
370	In-hospital rapid response system: effects on outcome and workload. 2012, 16,	1

369	Medical emergency team admittance to intensive care versus conventional admittance: characteristics and outcome. 2012, 16,	78
368	Factors affecting critical care admission to a UK university hospital. 2012, 16,	1
367	Intensive care services in Hungary 2000 to 2010: an analysis of bed numbers, occupancy rates, case mix and economics. 2012, 16,	78
366	Data acquisition for the UK Critical Care Minimum Data Set: validation of a computer model for automatic calculation from an electronic patient record. 2012, 16,	78
365	To admit or not to admit? The suitability of critical care admission criteria. 2012, 16,	2
364	Out-of-hours discharge from the ICU: defining the out-of-hours period and its effect on mortality. 2012, 16,	3
363	Delayed discharges revisited: impact of a liaison post on patients' transition from ICU to ward care. 2012, 16,	78
362	Assessing demand for intensive care services: the role of readmission rates. 2012, 16,	78
361	Management of cardiac drugs in a critical care setting. 2012, 16,	78
360	Pharmacists and fastidiousness improve compliance with guidelines for stress ulcer prophylaxis. 2012, 16,	78
359	Healthcare workers' experience when using an electronic medical order entry and bar-code technology in an ICU. 2012, 16,	78
358	Safer ICU trainee handover: a service improvement project. 2012, 16,	1
357	ICU handover: are we forgetting something? A preliminary study. 2012, 16,	1
356	Quality and value of intensive care discharge summaries for general practitioners. 2012, 16,	3
355	Volume-outcome relationship in critical care: a systematic review. 2012, 16,	78
354	Radiation doses in young ICU patients: a cause for concern?. 2012, 16,	1
353	Accuracy of height and weight estimation by critical care staff. 2012, 16,	78
352	Implementation of evidence-based care bundles in the ICU. 2012, 16,	1

351	Awareness of difficult airway equipment on the ICU. 2012 , 16,	78
350	A new patient mobilization scoring system in the ICU: what is the degree of similarity in scores between assessors in daily use?. 2012 , 16,	78
349	Motor and respiratory intensive rehabilitation in bedridden patients. 2012 , 16,	1
348	Severity of electrophysiological alterations correlates with severity of illness in the early phase of critical illness polyneuropathy. 2012 , 16,	78
347	Muscle strength assessment of critically ill patients is associated with functional ability and quality of life at hospital discharge. 2012 , 16,	1
346	Functional dependency in the direct post-ICU phase in patients with prolonged mechanical ventilation. 2012 , 16,	78
345	IL-17A rs1974226 GG genotype is associated with increased susceptibility to Gram-positive infection and mortality of severe sepsis. 2012 , 16,	78
344	Prevalence of TLR4 single nucleotide polymorphisms (ASP299GLY, THR399ILE) in healthy subjects and septic patients, and association with outcome. 2012 , 16,	78
343	Modelling immune responses in sepsis. 2012 , 16,	78
342	Decreased peripheral CD4+/CD8+ lymphocytes and poor prognosis in aged sepsis. 2012 , 16,	78
341	Homeostatic pulmonary microenvironment is responsible for alveolar macrophages resistance to endotoxin tolerance. 2012 , 16,	78
340	In vivo natural killer and natural killer T-cell depletion affects mortality in a murine pneumococcal pneumonia sepsis model. 2012 , 16,	78
339	Mobilization of hematopoietic and nonhematopoietic stem cell subpopulations in sepsis: a preliminary report. 2012 , 16,	1
338	Blunted IL-17 responses early after advent of multiple injuries. 2012 , 16,	78
337	Apoptosis of neutrophils, expression of TREM-1 on neutrophils and IL-17 responses in experimental burn in injury are related to the type and time of burn exposure. 2012 , 16,	78
336	Insufficient autophagy relates to mitochondrial dysfunction, organ failure and adverse outcome in an animal model of critical illness. 2012 , 16,	1
335	Modulation of mediators derived from whole blood or monocytic cells stimulated with lipopolysaccharide reduces endothelial cell activation. 2012 , 16,	78
334	A/H1N1 infection: immunological parameters in ICU patients. 2012 , 16,	78

333	Time of course CD64, a leukocyte activation marker, during extracorporeal circulation. 2012, 16,	78
332	Oral neutrophil quantitation in patients undergoing elective cardiopulmonary bypass. 2012, 16,	78
331	C13-pyruvate administration revealed differential metabolism between heart, liver and red blood cells and improved heart function during endotoxemia. 2012, 16,	78
330	AMP-activated protein kinase controls liposaccharide-induced hyperpermeability. 2012, 16,	2
329	Reduced expression of PPAR- γ limits the potential beneficial effects of GW0742 during septic shock in atherosclerotic swine. 2012, 16,	78
328	Effects of hexafluoro-2-propanol on inflammatory and hemodynamic responses in a rat model of endotoxic shock. 2012, 16,	78
327	Effects of noradrenaline and lipopolysaccharide exposure on mitochondrial respiration in alveolar macrophages. 2012, 16,	78
326	Effects of the anti-diabetic imeglimin in hyperglycemic mice with septic shock. 2012, 16,	1
325	Adrenomedullin blockade improves catecholamine responsiveness and kidney function in resuscitated murine septic shock. 2012, 16,	78
324	Activated protein C, severe sepsis and 28-day mortality. 2012, 16,	78
323	Soluble usokinase plasminogen activator receptor as a useful biomarker to define advent of sepsis in patients with multiple injuries. 2012, 16,	78
322	Role of serum biomarkers in the diagnosis of infection in patients undergoing extracorporeal membrane oxygenation. 2012, 16,	1
321	Correlation of VAP diagnosis with parameters of critically ill patients in a general ICU. 2012, 16,	78
320	Usefulness of daily monitoring of procalcitonin and C-reactive protein in the early diagnosis of infection after elective colonic surgery. 2012, 16,	1
319	Procalcitonin as a predictive marker for PCR test and blood culture results in suspected invasive candidemia. 2012, 16,	78
318	Would procalcitonin measurement aid antimicrobial stewardship in a UK district general hospital mixed adult critical care population?. 2012, 16,	78
317	Procalcitonin has a poor prognosis value in critically ill patients with candidemia. 2012, 16,	78
316	Assessment of the usefulness of presepsin (soluble CD14 subtype) in septic patients. 2012, 16,	78

315	Circulating cell-free DNA levels measured by a novel simple fluorescent assay are predictive for outcome of severe sepsis. 2012, 16,	78
314	Clinical usefulness of measuring endotoxin activity on ICU admission. 2012, 16,	78
313	Prognostic value of serum galactomannan in mixed ICU patients: a retrospective observational study. 2012, 16,	78
312	Analysis of (1-3) β -D-glucan as a diagnostic adjunct for invasive fungal infections in the ICU setting. 2012, 16,	78
311	Impaired heart rate variability predicts clinical deterioration and progressive organ failure in emergency department sepsis patients. 2012, 16,	4
310	Severe community-acquired pneumonia: risk factors for in-hospital mortality. 2012, 16,	1
309	Systemic corticosteroids for community-acquired pneumonia in adults. 2012, 16,	78
308	Characteristics of leptospirosis patients admitted to a tropical university hospital during the 2000 to 2010 period. 2012, 16,	1
307	Prognostic impact of imported and newly-isolated methicillin-resistant <i>Staphylococcus aureus</i> in the ICU. 2012, 16,	78
306	Necrotizing pneumonia due to methicillin-sensitive <i>Staphylococcus aureus</i> secreting Panton-Valentine leukocidin: a review of case reports. 2012, 16,	78
305	Predicting methicillin-resistant <i>Staphylococcus aureus</i> in critically ill patients with pneumonia presenting to the hospital. 2012, 16,	78
304	Predictors of multidrug-resistant <i>Acinetobacter baumannii</i> infections: a retrospective analysis in surgical ICU patients. 2012, 16,	78
303	Risk factors for bronchial acquisition of resistant Gram-negative bacteria in critically ill patients and outcome. 2012, 16,	78
302	Improved antibiotic stewardship resulting from a multifaceted strategy implemented after an outbreak of multiresistant <i>Acinetobacter baumannii</i> in a university ICU. 2012, 16,	78
301	Empirical antifungal treatment in the critically ill patients: how does it impact on the outcome?. 2012, 16,	78
300	Relationship between polyclonal immunoglobulin therapy and colonization by <i>Candida</i> spp.. 2012, 16,	78
299	Predictive and prognostic factors of septic shock of nosocomial origin. 2012, 16,	1
298	Catheter-related bloodstream infection: factors affecting incidence. 2012, 16,	78

297	Prognostic factors of septic shock. 2012 , 16,	78
296	Severe sepsis in the United States: a 5-year analysis. 2012 , 16,	78
295	District hospital experience of organ support requirements for H1N1-associated pneumonia. 2012 , 16,	78
294	Compliance with the sepsis resuscitation bundle in patients with severe sepsis and septic shock admitted to Scottish ICUs. 2012 , 16,	78
293	Improving early administration of antibiotics: a 'Plan Do Study Act' approach. 2012 , 16,	78
292	Source-directed antimicrobials: a shot in the dark?. 2012 , 16,	78
291	Relation between temperature in the initial 24 hours in patients with severe sepsis or septic shock with mortality and length of stay in the ICU. 2012 , 16,	78
290	Temperature management for patients without brain injury in Australia and New Zealand ICUs: a point prevalence study. 2012 , 16,	78
289	Impact of antifungal treatment in ICU patients with Candida colonization: analysis of the EPIC II study population. 2012 , 16,	78
288	Pharmacokinetics of micafungin in patients with severe burn injuries. 2012 , 16,	78
287	Bacteremia affects the mortality of septic patients with high serum procalcitonin level in the ICU. 2012 , 16,	78
286	Cases of tetanus after the Japan crisis 2011. 2012 , 16,	1
285	Does the day of the week predict the presence of microbiologically confirmed ventilator-associated pneumonia?. 2012 , 16,	78
284	Assessing perforation of acute appendicitis using the delta neutrophil index reflecting the peripheral immature granulocyte count. 2012 , 16,	78
283	Effects of a multifaceted quality improvement intervention in reducing mortality and bloodstream infection in ICUs: insights from the QUALITI initiative. 2012 , 16,	78
282	Ceftazidime dosage regimen recommendations in burn patients based on a Monolix population pharmacokinetic study. 2012 , 16,	78
281	Continuous versus intermittent vancomycin in children after cardiac surgery with delayed sternal closure. 2012 , 16,	1
280	Elimination of linezolid in patients undergoing low-flow continuous venovenous haemodiafiltration. 2012 , 16,	1

279	A post-authorisation survey to analyse the perioperative teicoplanin plasma concentrations in adult patients with chronic bone sepsis, who received loading doses of 12 mg/kg 12-hourly for 48 hours followed by 12 mg/kg once daily. 2012, 16,	1
278	Pharmacokinetics of inhaled colistin in critically ill patients with ventilator-associated tracheobronchitis. 2012, 16,	78
277	Efficacy of inhaled tobramycin in severe nosocomial pneumonia. 2012, 16,	1
276	Comparison of a bronchoscopic microsample probe with bronchoalveolar lavage to measure cytokine levels in critically ill patients. 2012, 16,	78
275	Clinical and epidemiological risk factors for ventilator-associated pneumonia in a cohort of critically ill patients. 2012, 16,	1
274	Use of a ventilator-associated pneumonia (VAP) bundle to decrease the VAP rate in Syria. 2012, 16,	78
273	A strategy for prevention and control of catheter-related bloodstream infection of ICU patients in China (Prevent CRBSI): a prospective, multicenter, controlled study. 2012, 16,	1
272	Wash your hands: simple measures save lives. 2012, 16,	78
271	Comparison of hand hygiene in single-room versus open-plan ICUs. 2012, 16,	78
270	Compliance for decontamination of bedside computer keyboards on an ICU. 2012, 16,	78
269	Reduced air contamination in an ICU environment with a portable air purification system. 2012, 16,	78
268	Effectiveness of an innovative system for the bio-decontamination of the ICU. 2012, 16,	78
267	Massive hemoptysis in a respiratory ICU: causes, interventions and outcomes - Indian study. 2012, 16,	1
266	Capnography use in Scottish ICUs. 2012, 16,	78
265	Digitalized acoustic monitoring of lung congestion. 2012, 16,	78
264	Usefulness of electrical activity of the diaphragm to detect intrinsic positive end-expiratory pressure during pressure support ventilation. 2012, 16,	78
263	Adequate lung sliding identification is not influenced by the level of academic or ultrasound training. 2012, 16,	78
262	Lung ultrasound can differentiate <i>Pneumocystis jiroveci</i> versus other etiologies among critically ill AIDS patients with pneumonia. 2012, 16,	5

261	Difference in accuracy of lung sliding identification between the right and left hemithorax. 2012, 16,	78
260	Trans-thoracic echo evaluation before and during noninvasive ventilation. 2012, 16,	1
259	Listen to PaO ₂ /FiO ₂ ratios: they tell us about length of stay. 2012, 16,	78
258	Worst Oxygenation Index during the first 24 hours of ventilation predicts mortality. 2012, 16,	78
257	The Oxygenation Index compared with the P/F ratio in ALI/ARDS. 2012, 16,	2
256	Do actual tidal volumes differ from prescribed tidal volumes?. 2012, 16,	78
255	Intratracheal administration of siRNA targeting FAS reduces ischemia-reperfusion-induced lung injury. 2012, 16,	78
254	Acute lung injury in mice associates with p44/42 and c-Jun N-terminal kinase activation and requires the function of TNF α receptor I. 2012, 16,	78
253	Retrieval of patients with severe respiratory failure on venovenous extracorporeal membrane oxygenation: an intensivist-led model. 2012, 16,	78
252	A new miniaturized extracorporeal membrane oxygenator with integrated rotary blood pump (Ilias): first results in a porcine model of lung injury. 2012, 16,	78
251	ECMO in nonintubated patients as a bridge to lung transplant: our experience. 2012, 16,	78
250	Extracorporeal life support in major trauma: case series from a tertiary referral trauma. 2012, 16,	78
249	Two years' experience with bicaval dual lumen cannula for venovenous extracorporeal membrane oxygenation in adult refractory acute respiratory distress syndrome. 2012, 16,	1
248	Resolution of organ functional scores to predict outcomes in severe acute respiratory distress syndrome patients receiving extracorporeal membrane oxygenation. 2012, 16,	1
247	Corticosteroids for critically ill patients: an international survey of intensivists. 2012, 16,	78
246	Effects of salbutamol on airway characteristics in mechanically ventilated adults without COPD. 2012, 16,	78
245	Respiratory system elastance monitoring during PEEP titration. 2012, 16,	2
244	Accuracy of the pressure-volume curve method compared to quantitative lung CT scan to assess the recruitable lung in patients with acute respiratory failure. 2012, 16,	78

243	Flow-controlled expiration discloses PEEP-dependent dynamic hysteresis of the pressure-volume loop. 2012, 16,	78
242	Feasibility of early spontaneous breathing in acute respiratory distress syndrome. 2012, 16,	78
241	A device for ventilation-analogue mechanostimulation in vitro. 2012, 16,	78
240	Hemodynamics effects of recruitment maneuver. 2012, 16,	2
239	Differential pulmonary and circulatory effects of preventive lung protective ventilation in an experimental postoperative sepsis model. 2012, 16,	78
238	High NT-proBNP level is correlated with high PEEP, low PH and low PaO ₂ /FiO ₂ in ARDS. 2012, 16,	78
237	Early application of high-frequency oscillatory ventilation in H1N1 influenza-related severe ARDS is associated with better outcome. 2012, 16,	78
236	Outcomes of early delivery in pregnant patients with acute respiratory distress syndrome. 2012, 16,	3
235	Mechanical ventilation demographics between 1999 and 2009. 2012, 16,	78
234	Mechanical ventilation in intensive and critical care units of Russia: RuVent national epidemiologic study. 2012, 16,	3
233	Use of a fully closed-loop ventilation mode in long-term ventilated ICU patients: a prospective study. 2012, 16,	78
232	Effects of low and high tidal volume and pentoxifylline on intestinal blood flow and leukocyte-endothelial interactions in mechanically ventilated rats. 2012, 16,	78
231	A method for continuous noninvasive assessment of respiratory mechanics during spontaneous breathing. 2012, 16,	78
230	Influence of catheter diameter, endotracheal tube diameter, suction pressure, and PEEP on the tracheal pressure and lung volume during endotracheal suctioning using a lung model. 2012, 16,	78
229	Risk factors of mortality in severe cutaneous adverse reactions patients with pulmonary involvement. 2012, 16,	78
228	During spontaneous breathing cardiac output lacks major effect on pulmonary shunting in porcine lungs with partial collapse. 2012, 16,	78
227	Oxygenation correlates with lung aeration during unsupported spontaneous breathing in porcine lung collapse model. 2012, 16,	78
226	Safety and effect of intermittent intrapulmonary percussive ventilation on oxygen saturation and hemodynamic functions. 2012, 16,	78

225	Impact of an open lung approach on hemodynamic parameters after cardiac surgery. 2012, 16,	78
224	A protective-ventilation strategy reduces pulmonary complications after cardiac surgery. 2012, 16,	78
223	A rule for predicting the new equilibrated carbon dioxide partial pressure after changes in the ventilation frequency. 2012, 16,	78
222	Patient-ventilator asynchrony during conventional or automated pressure support ventilation in difficult-to-wean patients. 2012, 16,	2
221	High levels of B-type natriuretic peptide predict weaning failure from mechanical ventilation in adult patients after cardiac surgery. 2012, 16,	78
220	Case-control study of failed extubation. 2012, 16,	2
219	Out-of-bed extubation: changing paradigms. 2012, 16,	78
218	Prediction of post-extubation failure by portable ICU ultrasound. 2012, 16,	78
217	Intermittent aspiration of pharyngeal secretion for re-intubation prevention. 2012, 16,	78
216	Efficacy of biphasic cuirass ventilation in the critical care department. 2012, 16,	1
215	Differences in neurophysiologic effects between CPAP and a novel high-flow therapy system. 2012, 16,	78
214	Management of acute bronchospasm respiratory distress with CPAP ventilation associated with nebulization in the prehospital emergency setting. 2012, 16,	78
213	Difference between continuous positive airway pressure via mask therapy plus chest physiotherapy (CPT) and incentive spirometry therapy plus CPT to treat or prevent acute atelectasis after cardiac surgery. 2012, 16,	78
212	Nasal high-flow oxygen in patients with hypoxic respiratory failure: effect on functional and subjective respiratory parameters compared to conventional oxygen therapy and noninvasive ventilation. 2012, 16,	2
211	Short-term effect of humidified high nasal flow oxygen in critically ill patients. 2012, 16,	78
210	Good response on high nasal oxygen flow reduces the need for intubation in adult respiratory failure. 2012, 16,	78
209	An audit of airway complications in a district general hospital ICU. 2012, 16,	78
208	Multidisciplinary care for patients with tracheostomy shortened time to decannulation. 2012, 16,	78

207	Influence of percutaneous tracheostomy on gas exchange in mechanically ventilated patients. 2012 , 16,	78
206	Bronchoscope-guided percutaneous dilatational tracheostomy performed by an experienced intensivist: a 26-month experience at a tertiary care center in United Arab Emirates. 2012 , 16,	78
205	Risk factors for poor outcome in patients with osmotic demyelination syndrome. 2012 , 16,	3
204	Is inappropriate secretion of anti-diuretic hormone (SIADH) the cause of hyponatremia in Legionella pneumonia?. 2012 , 16,	78
203	Fluctuations in serum sodium level are associated with an increased risk of death in surgical ICU patients. 2012 , 16,	78
202	Impact of ketogenesis and strong ion difference on acid-base in our CICU. 2012 , 16,	78
201	Buffer therapy in metabolic acidosis after surgery-associated hemorrhage in pediatric oncology. 2012 , 16,	78
200	An unusual cause of high anion gap metabolic acidosis: pyroglutamic acidosis. 2012 , 16,	0
199	Metabolic acid-base disturbances in patients in the emergency department. 2012 , 16,	78
198	Aberrant bone metabolism in critical illness. 2012 , 16,	78
197	Low serum 25-hydroxyvitamin D levels and acute kidney injury in the critically ill. 2012 , 16,	78
196	Concentration of major vitamins in critically ill patients. 2012 , 16,	78
195	No association between vitamin D deficiency at admission and outcome in a medical ICU. 2012 , 16,	78
194	Plasma levels of Coenzyme Q10 are reduced in critically ill patients as compared to healthy volunteers and correlate with age. 2012 , 16,	3
193	Reduced cortisol metabolism drives hypercortisolism in critical illness. 2012 , 16,	78
192	Effect of low-dose hydrocortisone on the expression of glucocorticoid receptor alpha of the septic kidney in rats and its protective effect on kidney injury. 2012 , 16,	78
191	Hydrocortisone increases the risk of dysglycemia in critically ill patients. 2012 , 16,	78
190	Nutritional status of patients occupying ICUs in the state of Rio de Janeiro. 2012 , 16,	78

189	Investigating diarrhoea on the ICU: a retrospective study. 2012 , 16,	78
188	Preliminary report of surface electrogastrography in critically ill septic patients after resuscitation. 2012 , 16,	78
187	Frequency, determinants and impact of feed intolerance amongst the critically ill. 2012 , 16,	78
186	Gastric emptying assessment in critically ill patients with feed intolerance; comparison of 13C octanoic acid, paracetamol and 3-O-methylglucose absorption tests. 2012 , 16,	78
185	Early enteral nutrition in the critically ill: a single-centre study. 2012 , 16,	78
184	Preliminary experience with ketone-targeted treatment of diabetic ketoacidosis. 2012 , 16,	78
183	Impact of blood glucose on blood lactate levels in a medical ICU: a retrospective cohort study. 2012 , 16,	5
182	Relationship between glycemic Lability Index, infections and outcome in critically ill patients. 2012 , 16,	0
181	Variability of insulin sensitivity during the first 4 days of critical illness. 2012 , 16,	4
180	Endogenous insulin secretion in critically ill patients. 2012 , 16,	78
179	Impact of the type of glucose monitoring on the assessment of glycemic variability in critical care patients. 2012 , 16,	2
178	Evaluation of a continuous blood glucose monitoring system using a central venous catheter with an integrated microdialysis function. 2012 , 16,	78
177	Variable and maximum blood glucose levels during the first week after ICU admission are related to the severity of the patients. 2012 , 16,	78
176	Pilot trial of STAR in the medical ICU. 2012 , 16,	78
175	Glucometer accuracy and implications for clinical studies. 2012 , 16,	1
174	Initial experience with continuous intra-arterial fluorescent glucose monitoring in patients in the ICU following cardiac surgery. 2012 , 16,	78
173	Preliminary ICU experience of a novel intravascular blood glucose sensor. 2012 , 16,	3
172	Does tight glycemic control positively impact on patient mortality?. 2012 , 16,	78

171	Glycaemic control in ICUs in large English hospitals: a follow-up telephone survey. 2012 , 16,	78
170	Model-based regulation of glucose in critical care. 2012 , 16,	78
169	Perioperative glycaemic control with a computerized algorithm versus conventional glycaemic control. 2012 , 16,	78
168	Efficacy of the novel heart attack centre extension pathway: a pilot study. 2012 , 16,	78
167	Integral assistance process implantation for ST-elevated acute coronary syndrome. 2012 , 16,	78
166	Prognostic value of Killip classification in terms of health-related quality of life. 2012 , 16,	78
165	Modes of arrival, door to balloon time and its impact on morbidity and mortality for ST elevation myocardial infarct. 2012 , 16,	3
164	Next-generation, fast and accurate point-of-care test for NT-proBNP based on Magnotech technology. 2012 , 16,	78
163	Right ventricular apical versus septal pacing: impact on left ventricular synchrony and function. 2012 , 16,	78
162	Consecutive case series of Takotsubo cardiomyopathy: a disease potentially triggered by the Great East Japan Earthquake. 2012 , 16,	78
161	Stress cardiomyopathy after live donor liver transplantation: incidence, risk factors and mortality. 2012 , 16,	78
160	Short-term hemodynamic effects of nebivolol in acute decompensated heart failure: a randomized clinical trial. 2012 , 16,	78
159	Patients with infective endocarditis patients in the ICU: how are they?. 2012 , 16,	78
158	Malperfusion and branch compromise in acute type A aortic syndrome. 2012 , 16,	78
157	Prognostic value of the echocardiographic-derived calcium index in coronary artery disease. 2012 , 16,	78
156	Echocardiography in the ICU: an audit of 3 years practice. 2012 , 16,	1
155	Left ventricle diastolic dysfunction in pediatric septic shock. 2012 , 16,	78
154	Existence of interference between the heart and respiratory sounds: preliminary report. 2012 , 16,	78

153	Effects of the intravenous administration of purine nucleosides guanosine or inosine against hemorrhagic shock in pigs. 2012, 16,	78
152	Norepinephrine versus angiotensin II in septic shock: effects on isolated kidney, heart and liver mitochondrial respiration. 2012, 16,	78
151	Goal-directed hemodynamic resuscitation in high-risk patients undergoing cardiac surgery: a randomized controlled trial - preliminary data (GRICCS STUDY). 2012, 16,	1
150	Economic evaluation of early-goal directed therapy for high-risk surgical patients. 2012, 16,	78
149	What matters during a hypotensive episode: fluids, vasopressors, or both?. 2012, 16,	78
148	Elevated central venous pressure in septic patients is associated with impairment of microcirculatory blood flow. 2012, 16,	78
147	Human protein C concentrate to restore physiological values in adult septic shock patients: effects on microcirculation. 2012, 16,	78
146	Heart rate reduction with esmolol in septic shock: effects on microcirculation. 2012, 16,	78
145	Microcirculation and blood transfusion: effects of three different types of concentrated red blood cells - preliminary results. 2012, 16,	2
144	Peripheral perfusion is correlated to metabolic perfusion parameters and microvascular reactivity but not with hepatosplanchnic or microcirculatory flow parameters in hyperdynamic septic shock. 2012, 16,	78
143	Hyperoxia affects peripheral tissue microcirculation in patients with pulmonary arterial hypertension. 2012, 16,	2
142	Supraclavicular ultrasound-guided subclavian vein cannulation in infants under 5 kg. 2012, 16,	78
141	Central venous catheter placement: where is the end of the line?. 2012, 16,	78
140	Power-injectable peripherally inserted central catheters in intensive care patients. 2012, 16,	1
139	Comparison of internal jugular and subclavian access for central venous catheterization in pediatric cardiac surgery. 2012, 16,	1
138	Ultrasound-guided central venous line placement in critically ill patients: is chest X-ray needed to assess post-insertion pneumothorax?. 2012, 16,	78
137	Errors in the arterial blood pressure measurement. 2012, 16,	1
136	The T-Line TL-200 system for continuous noninvasive blood pressure measurement in medical ICU patients. 2012, 16,	78

135	Reliability of radial arterial pressure monitoring after cardiac surgery. 2012 , 16,	1
134	Right/left ventricular area ratio does not correlate with right ventricular impedance. 2012 , 16,	1
133	Role of mannose-binding lectin on pneumococcal infections. 2012 , 16,	78
132	Central line insertion bundle: experiences and challenges in an adult ICU. 2012 , 17, 123-9	6
131	Assessing the influence of risk factors on rates and dynamics of peripheral vein phlebitis: an observational cohort study. 2012 , 139, 185-91	35
130	Clinical benefit of power-injectable port systems: a prospective observational study. 2012 , 81, 528-33	16
129	Central and peripheral venous lines-associated blood stream infections in the critically ill surgical patients. 2012 , 6, 8	13
128	Abstracts of the 32nd International Symposium on Intensive Care and Emergency Medicine. March 20-23, 2012. Brussels, Belgium. 2012 , 16 Suppl 1, P1-520	1
127	New developments in the prevention of intravascular catheter associated infections. 2012 , 26, 1-11	19
126	Health care-associated infections in the neonatal intensive care unit: barriers to continued success. 2012 , 36, 437-44	13
125	Impact of red blood cells transfusion on ICU-acquired bloodstream infections: a case-control study. 2012 , 27, 655-61	7
124	Device-associated nosocomial infection rates in intensive care units at Cairo University hospitals: first step toward initiating surveillance programs in a resource-limited country. 2012 , 40, e216-20	32
123	Evaluation with a focus on both the antimicrobial efficacy and cumulative skin irritation potential of chlorhexidine gluconate alcohol-containing preoperative skin preparations. 2012 , 40, 973-8	8
122	Incidence of catheter-related bloodstream infection in a general hospital using two different detection methods. 2012 , 30, 613-7	4
121	Surgical prophylaxis and other complication avoidance care bundles. 2012 , 92, 285-305, ix	8
120	Comparison of triple-lumen central venous catheters impregnated with silver nanoparticles (AgTive [®]) vs conventional catheters in intensive care unit patients. <i>Journal of Hospital Infection</i> , 2012 , 82, 101-7	6.9 58
119	Alcoholic povidone-iodine or chlorhexidine-based antiseptic for the prevention of central venous catheter-related infections: in-use comparison. 2012 , 5, 35-42	19
118	Cutaneous <i>Rhizopus</i> infection at a central venous catheter site in a critically ill renal transplant patient. 2012 , 17, 83-86	

117	Outbreak Intervention for Bloodstream Infections Caused by Methicillin Resistant Coagulase-Negative Staphylococci in Neonatal Intensive Care Unit. 2012 , 04,	
116	Anaphylaxis to chlorhexidine-coated central venous catheters: a case series and review of the literature. 2012 , 13, 171-4	45
115	Preventing hospital-acquired infections: a national survey of practices reported by U.S. hospitals in 2005 and 2009. 2012 , 27, 773-9	63
114	Satisfaction and quality of life: a survey-based assessment in patients with a totally implantable venous port system. 2012 , 21, 197-204	20
113	The 2013 International Society for Heart and Lung Transplantation Guidelines for mechanical circulatory support: executive summary. 2013 , 32, 157-87	991
112	Catheter-related and infusion-related sepsis. 2013 , 29, 989-1015	8
111	Central venous catheters and catheter locks in children with cancer: a prospective randomized trial of taurolidine versus heparin. 2013 , 60, 1292-8	42
110	Contrast-induced acute kidney injury and renal support for acute kidney injury: a KDIGO summary (Part 2). 2013 , 17, 205	110
109	A survey of American College of Surgery fellows evaluating their use of antibiotic prophylaxis in the placement of subcutaneously implanted central venous access ports. 2013 , 206, 1034-9; discussion 1039-40	7
108	Perceived strength of evidence supporting practices to prevent health care-associated infection: results from a national survey of infection prevention personnel. 2013 , 41, 100-6	19
107	Catheter-related infection in Irish intensive care units diagnosed with HELICS criteria: a multi-centre surveillance study. <i>Journal of Hospital Infection</i> , 2013 , 83, 238-43	6.9 7
106	Special Care of Blood and Marrow Stem Transplant Patients. 2013 , 1321-1345	
105	Infection-related hospitalizations are associated with increased mortality in patients with inflammatory bowel diseases. 2013 , 7, 107-12	114
104	Incidence of healthcare associated infection in the surgical ICU of a tertiary care hospital. 2013 , 69, 124-9	21
103	Successful multifaceted intervention aimed to reduce short peripheral venous catheter-related adverse events: a quasiexperimental cohort study. 2013 , 41, 520-6	36
102	Adherence Engineering: A New Approach to Increasing Adherence to Protocols. 2013 , 21, 19-25	13
101	Bacteriophage-Derived Peptidase CHAP(K) Eliminates and Prevents Staphylococcal Biofilms. 2013 , 2013, 625341	63
100	Bringing central line-associated bloodstream infection prevention home: CLABSI definitions and prevention policies in home health care agencies. 2013 , 39, 361-70	19

99	Measurement of cardiac index by transpulmonary thermodilution using an implanted central venous access port: a prospective study in patients scheduled for oncologic high-risk surgery. 2014 , 9, e104369	2
98	Bacterial bloodstream infections and antimicrobial susceptibility pattern in pediatric hematology/oncology patients after anticancer chemotherapy. 2014 , 7, 289-99	20
97	Infections associées aux soins dans une unité d'hématologie-oncologie pédiatrique au Maroc. 2014 , 26, 199	3
96	Stability of daptomycin 5 mg/mL and heparin sodium 100 units/mL combined in lactated Ringer's injection and stored in polypropylene syringes at 4 and -20°C. 2014 , 71, 956-9	2
95	Cost-effectiveness of a quality improvement programme to reduce central line-associated bloodstream infections in intensive care units in the USA. 2014 , 4, e006065	18
94	Antimicrobial-impregnated central venous catheters for prevention of catheter-related bloodstream infection in newborn infants. 2014 ,	
93	Clinical guidelines on central venous catheterisation. Swedish Society of Anaesthesiology and Intensive Care Medicine. 2014 , 58, 508-24	114
92	IV injection of polystyrene beads for mouse model of sepsis causes severe glomerular injury. 2014 , 2, 21	4
91	The national response for preventing healthcare-associated infections: research and adoption of prevention practices. 2014 , 52, S33-45	27
90	Predictive value of superficial cultures to anticipate tunneled hemodialysis catheter-related bloodstream infection. 2014 , 78, 316-9	18
89	Biofilm matrix exoproteins induce a protective immune response against <i>Staphylococcus aureus</i> biofilm infection. 2014 , 82, 1017-29	53
88	Factors associated with surgical site infection after lower extremity bypass in the Society for Vascular Surgery (SVS) Vascular Quality Initiative (VQI). 2014 , 60, 1238-1246	67
87	[New KDIGO guidelines on acute kidney injury. Practical recommendations]. 2014 , 63, 578-88	13
86	Influence of a multifaceted intervention on central line days in intensive care units: results of a national multisite study. 2014 , 42, S197-202	16
85	A role for peripherally inserted central venous catheters in the prevention of catheter-related blood stream infections in patients with hematological malignancies. 2014 , 100, 592-8	23
84	Catheter-associated bloodstream infection after bowel surgery in patients with inflammatory bowel disease. 2014 , 44, 677-84	4
83	Guidance and examination by ultrasound versus landmark and radiographic method for placement of subclavian central venous catheters: study protocol for a randomized controlled trial. 2014 , 15, 175	2
82	Indwell times, complications and costs of open vs closed safety peripheral intravenous catheters: a randomized study. <i>Journal of Hospital Infection</i> , 2014 , 86, 117-26	6.9 63

81	Sustained reduction of central line-associated bloodstream infections outside the intensive care unit with a multimodal intervention focusing on central line maintenance. 2014 , 42, 723-30	18
80	Decreasing bloodstream infections through evidence-based practice. 2015 , 21, 273-274	
79	Royal Free London: Falling infection rates through evidence and education. 2015 , 21, 270-271	
78	Significant Reduction of Catheter-associated Blood Stream Infections in Preterm Neonates After Implementation of a Care Bundle Focusing on Simulation Training of Central Line Insertion. 2015 , 34, 1193-6	26
77	Haemodialysis catheter-related bloodstream infections at Universitas Academic Hospital, Bloemfontein: should we change our empiric antibiotics?. 2015 , 30, 29-33	2
76	Gold nanoshell-decorated silicone surfaces for the near-infrared (NIR) photothermal destruction of the pathogenic bacterium <i>E. faecalis</i> . 2015 , 7, 3981-93	64
75	Efficacy of interventions to improve hand hygiene compliance in neonatal units: a systematic review and meta-analysis. 2015 , 34, 887-97	40
74	Catheter-Related Bloodstream Infection. 2015 , 534-537	2
73	[Technical criteria of central venous catheters: Anaesthesiologist/intensivist and pharmacist opinions]. 2015 , 73, 471-81	0
72	Aseptic non-touch technique and catheter-related bloodstream infection in children receiving parenteral nutrition at home. 2015 , 3, 393-8	11
71	Prevention of central venous catheter-associated bloodstream infections in paediatric oncology patients using 70% ethanol locks: A randomised controlled multi-centre trial. 2015 , 51, 2031-8	34
70	An economic analysis of adherence engineering to improve use of best practices during central line maintenance procedures. <i>Infection Control and Hospital Epidemiology</i> , 2015 , 36, 550-6	2 6
69	Neonatal sepsis 2004-2013: the rise and fall of coagulase-negative staphylococci. 2015 , 166, 1193-9	91
68	An engineered micropattern to reduce bacterial colonization, platelet adhesion and fibrin sheath formation for improved biocompatibility of central venous catheters. 2015 , 4, 9	61
67	Three-in-one parenteral nutrition in neonates and pediatric patients: risks and benefits. 2015 , 30, 337-43	10
66	Postinsertion central line site care: quality improvement in a medical cardiac ICU. 2015 , 38, 48-55	2
65	Patent Foramen Ovale. 2015 ,	
64	Simulation-based paediatric intensive care unit central venous line maintenance bundle training. 2015 , 31, 44-50	8

63	Right atrial thrombus associated with subclavian catheter developed due to total parenteral nutrition application. 2016 , 13, 64-7	1
62	2016 Expert consensus document on prevention, diagnosis and treatment of short-term peripheral venous catheter-related infections in adults. 2016 , 23, 192-198	7
61	In Vitro Approach for Identification of the Most Effective Agents for Antimicrobial Lock Therapy in the Treatment of Intravascular Catheter-Related Infections Caused by Staphylococcus aureus. 2016 , 60, 2923-31	31
60	Complete Genome Sequence of Biofilm-Forming Strain Staphylococcus haemolyticus S167. 2016 , 4,	3
59	Economic Evaluation of Quality Improvement Interventions for Bloodstream Infections Related to Central Catheters: A Systematic Review. 2016 , 176, 1843-1854	25
58	Reduced central line infection rates in children with leukemia following caregiver training: A quality improvement study. 2016 , 95, e3946	4
57	Simulation-based medical education training improves short and long-term competency in, and knowledge of central venous catheter insertion: A before and after intervention study. 2016 , 33, 568-74	19
56	Parenteral Nutrition and Infection Risk in the Intensive Care Unit: A Practical Guide for the Bedside Clinician. 2016 , 31, 476-89	14
55	Continuous Renal Replacement Therapies (CRRT) Overview. 2016 , 191-203	
54	Impact d'un programme multimodal pour améliorer les soins aux patients porteurs de cathéters veineux centraux dans un hôpital tertiaire. 2016 , 2, 115-120	
53	Core Concepts in Dialysis and Continuous Therapies. 2016 ,	2
52	Decreasing the Preincision Time for Pulmonary Lobectomy: The Process of Lean and Value Stream Mapping. 2016 , 101, 1110-5	23
51	Parenteral Nutrition Is One of the Most Significant Risk Factors for Nosocomial Infections in a Pediatric Cardiac Intensive Care Unit. 2017 , 41, 612-618	11
50	Comparative Analysis of Bacterial Community Composition and Structure in Clinically Symptomatic and Asymptomatic Central Venous Catheters. 2017 , 2,	5
49	Identification and Quantification of Patent Foramen Ovale-Mediated Shunts: Echocardiography and Transcranial Doppler. 2017 , 6, 495-504	25
48	Improving central line maintenance to reduce central line-associated bloodstream infections. 2017 , 45, 1224-1230	13
47	Study on Central Line Bundle Cognition, Knowledge and Performance Level of Infection Management on Central Venous Catheter among Intensive Care Nurses. 2017 , 22, 21	2
46	Bacteriological profile and their antimicrobial susceptibility pattern in central venous catheter tip culture. 2017 , 7, 1059-1061	

45	Comparison of chlorhexidine-isopropanol with isopropanol skin antiseptics for prevention of surgical-site infection after abdominal surgery. 2018 , 105, 893-899	8
44	Effects of prolonged flushing interval in totally implantable venous access devices (TIVADs). 2018 , 27, S4-S10	7
43	Late complications of totally implantable venous access ports in patients with cancer: Risk factors and related nursing strategies. 2018 , 97, e12427	2
42	Early planned removal versus expectant management of peripherally inserted central catheters to prevent infection in newborn infants. 2018 , 6, CD012141	6
41	Neonatal Bleeding and Thrombotic Disorders. 2018 , 1121-1138.e4	
40	Procedures for Vascular Access. 2019 , 1129-1145.e5	1
39	Intravascular Catheter and Implantable Device Infections in Transplant Patients. 2019 , 249-263	
38	Effect of ultrasound-guided central venous catheter insertion on the incidence of catheter-related bloodstream infections and mechanical complications. 2019 , 19, 857	7
37	Control of Gram-negative multi-drug resistant microorganisms in an Italian ICU: Rapid decline as a result of a multifaceted intervention, including conservative use of antibiotics. 2019 , 84, 153-162	10
36	Incidence of Bloodstream Infections, Length of Hospital Stay, and Survival in Patients With Recurrent <i>Clostridioides difficile</i> Infection Treated With Fecal Microbiota Transplantation or Antibiotics: A Prospective Cohort Study. 2019 , 171, 695-702	50
35	Effect of early versus standard central line removal on growth of very low birthweight premature infants: a protocol for a non-inferiority randomised controlled trial. 2019 , 9, e030167	0
34	Renal Replacement Therapy for Acute Kidney Injury. 2019 , 739-753.e8	
33	Peripherally inserted central catheter, midline, and "short" midline in palliative care: Patient-reported outcome measures to assess impact on quality of care. 2019 , 20, 475-481	3
32	Should the CDC's recommendations for promptly removing unnecessary centrally inserted central catheters be enhanced? Ultrasound-guided peripheral venous cannulation to fully comply. 2020 , 21, 86-91	1
31	Randomized study of antiseptic application technique in healthy volunteers before vascular access insertion (TApAS trial). 2020 , 81, 532-539	1
30	Healthcare-Acquired Bacterial Infections. 2009 , 543-575	3
29	A Comparison of Methods to Detect and Quantitate PFO: TCD, TTE, ICE and TEE. 2015 , 55-65	8
28	Catheter Rupture. 2012 , 191-199	1

27	The Impact of Implementation of Bundle to Reduce Catheter-Related Bloodstream Infection Rates. 2015 , 7, 857-61		16
26	Pediatric Ambulatory Central Line-Associated Bloodstream Infections. <i>Pediatrics</i> , 2021 , 147,	7.4	1
25	Using Tablet-Type Ultrasonography to Assess Peripheral Veins for Intravenous Catheterization: A Pilot Study. 2019 , 24, 25-30		2
24	Critical Care Nurses' Knowledge of Evidence-Based Guidelines for Preventing Infections Associated With Central Venous Catheters: An Evaluation Questionnaire. <i>American Journal of Critical Care</i> , 2008 , 17, 65-71	1.7	47
23	Nurses' Knowledge and Performance for the Prevention of Intravascular Catheter-related Infections according to the Strength of Recommendations of Evidence based Guidelines. <i>Korean Journal of Adult Nursing</i> , 2012 , 24, 546-555	0.7	1
22	Catheter-associated bloodstream infection in patients with cancer: comparison of left- and right-sided insertions. <i>Journal of Hospital Infection</i> , 2021 , 118, 70-76	6.9	
21	Prevention of Catheter-Related Bloodstream Infections in Critical Care Patients. 2007 , 333-340		
20	Investigations in Health-Care Settings. 2008 , 315-337		
19	Infective Endocarditis. 2009 , 475-498		0
18	Infections in the Cardiac Intensive Care Unit. 2009 , 715-721		
17	Procedures for Vascular Access. 2009 , 1049-1064		1
16	Microbiological Considerations in the Intensive Care Patient. 2009 , 763-767		
15	Evidence-Based Surgery. 2009 , 457-462		
14	Infections Caused by Percutaneous Intravascular Devices. 2010 , 3697-3715		1
13	Prevention of Central Venous Catheter-related Infection in the Intensive Care Unit. <i>Yearbook of Intensive Care and Emergency Medicine</i> , 2010 , 223-234		1
12	Prevention of Central Venous Catheter-related Infection in the Intensive Care Unit. 2010 , 223-234		
11	What is the evidence behind recommendations for infection control?. <i>Advances in Experimental Medicine and Biology</i> , 2011 , 719, 163-9	3.6	
10	Effects of a Short Message Service Intervention on Adherence to Maximal Sterile Barrier Precautions and Catheter-Related Blood Stream Infections. 2012 , 18, 244		1

- 9 Nosocomial infections. **2014**, 724-732.e2
- 8 Parenteral nutrition in small animals. **2004**, 100-116 1
- 7 Cost Minimization Analysis of Clinically-Indicated Replacement in Peripheral Venous Catheter Management. *Japanese Journal of Environmental Infections*, **2016**, 31, 17-23 0.1
- 6 Complications of Continuous Renal Replacement Therapy (CRRT). **2016**, 211-219
- 5 [Central venous catheter insertion and maintenance: Evidence-based clinical recommendations]. *Revista Colombiana De Obstetricia Y Ginecologia*, **2020**, 71, 115-162 0.1
- 4 Infektion und Sepsis durch intravaskuläre Katheter. 78-87
- 3 Guidelines for infection control and prevention in anaesthesia in South Africa. *Southern African Journal of Anaesthesia and Analgesia*, **2021**, 27, 0.4
- 2 Endovascular Endocarditis Within the Superior Vena Cava of a Patient With a Tunneled Catheter for Hemodialysis.. *Cureus*, **2022**, 14, e23027 1.2
- 1 Early removal of a permanent catheter during the acute management of the unstable pediatric hemato-oncology patient with suspected catheter-related bloodstream infection: a multi-disciplinary survey and review of the literature. 0