Open- and Closed-Loop Dissipation Inequalities Under

European Journal of Control 8, 109-125 DOI: 10.3166/ejc.8.109-125

Citation Report

#	Article	IF	CITATIONS
1	A note on preservation of dissipation inequalities under sampling: the dynamic feedback case. , 2001, , .		4
2	Changing supply rates for input–output to state stable discrete-time nonlinear systems with applications. Automatica, 2003, 39, 821-835.	3.0	41
3	Observer design for sampled-data nonlinear systems via approximate discrete-time models. , 0, , .		1
4	Integrated design of discrete-time controller for an active suspension system. , 0, , .		1
5	Boundedness Properties of Nonlinear Quasidissipative Systems. , 2003, , .		0
6	Output feedback sampled-data stabilization of nonlinear systems. , 2004, , .		2
7	A framework for nonlinear sampled-data observer design via approximate discrete-time models and emulation. Automatica, 2004, 40, 1931-1938.	3.0	177
8	Boundedness Properties of Nonlinear Quasi-Dissipative Systems. IEEE Transactions on Automatic Control, 2004, 49, 2257-2261.	3.6	27
9	Performance Recovery Under Output Feedback Sampled-Data Stabilization of a Class of Nonlinear Systems. IEEE Transactions on Automatic Control, 2004, 49, 2173-2184.	3.6	120
10	A Heuristic Kalman Filter for a Class of Nonlinear Systems. IEEE Transactions on Automatic Control, 2004, 49, 2261-2265.	3.6	2
11	NONLINEAR SAMPLED DATA CONTROLLER REDESIGN VIA LYAPUNOV FUNCTIONS. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2005, 38, 862-867.	0.4	0
12	DISCRETE-TIME IDA-PBC DESIGN FOR SEPARABLE HAMILTONIAN SYSTEMS. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2005, 38, 838-843.	0.4	16
13	Input-to-state stability for discrete-time time-varying systems with applications to robust stabilization of systems in power form. Automatica, 2005, 41, 1891-1903.	3.0	49
14	General fast sampling theorems for nonlinear systems. Systems and Control Letters, 2005, 54, 1037-1050.	1.3	14
15	Lyapunov-based continuous-time nonlinear controller redesign for sampled-data implementation. Automatica, 2005, 41, 1143-1156.	3.0	132
16	Model predictive sampled-data redesign for nonlinear systems. , 0, , .		2
17	Practical encoders for controlling nonlinear systems under communication constraints. , 0, , .		7
18	A numerical algorithm as an observer for spacecraft attitude determination. , 2006, , .		3

TION RE

#	Article	IF	CITATIONS
19	Passivity-Based Designs for Synchronized Path Following. , 2006, , .		17
20	Discrete-time IDA-PBC design for underactuated Hamiltonian control systems. , 2006, , .		20
21	Design of nonlinear digital servo systems using switching of control gains and reference inputs. , 2006, , .		0
22	3 Sampled-data Control of Nonlinear Systems. , 0, , 91-137.		61
23	Stabilization of sampled-data nonlinear systems via backstepping on their Euler approximate model. Automatica, 2006, 42, 1801-1808.	3.0	114
24	Construction of discrete-time models for port-controlled Hamiltonian systems with applications. Systems and Control Letters, 2006, 55, 673-680.	1.3	30
25	A receding horizon control approach to sampled-data implementation of continuous-time controllers. Systems and Control Letters, 2006, 55, 660-672.	1.3	52
26	Summability criteria for stability of sets for sampled-data nonlinear inclusions. , 2006, , .		3
27	On preserving passivity in sampled-data linear systems. , 2006, , .		22
28	On stability of sets for sampled-data nonlinear inclusions via their approximate discrete-time models. , 2006, , .		1
29	Multirate Sampled-Data Output Feedback Using High-Gain Observers. , 2006, , .		9
30	Passivity-Based Agreement Protocols: Continuous-Time and Sampled-Data Designs. , 2006, , 21-33.		3
31	Output Feedback Control of Nonlinear Systems Subject to Sensor Data Losses. , 2007, , .		3
32	Preservation of input-to-state stability under sampling and emulation: multi-rate case. International Journal of Control, 2007, 80, 1944-1953.	1.2	11
33	On the Model-Based Approach to Nonlinear Networked Control Systems. Proceedings of the American Control Conference, 2007, , .	0.0	10
34	A Sampled-Data Scheme for Adaptive Control of Nonlinear Systems. Proceedings of the American Control Conference, 2007, , .	0.0	9
35	DISCRETE-TIME MODEL REFERENCE CONTROLLER DESIGN FOR A COMBUSTION ENGINE TEST BENCH. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2007, 40, 1185-1190.	0.4	0
36	Direct Discrete-Time Design for Sampled-Data Hamiltonian Control Systems. , 2007, , 87-98.		4

#	Article	IF	CITATIONS
37	Sufficient Conditions for Stabilization of Sampled-data Linear Spatially Distributed Parameter Systems via Discrete time Approximations. , 2007, , .		0
38	Discrete-time control design for setpoint tracking of a combustion engine test bench. , 2007, , .		9
39	Further results on stability of networked control systems: a Lyapunov approach. Proceedings of the American Control Conference, 2007, , .	0.0	28
40	A systematic method to obtain ultimate bounds for perturbed systems. International Journal of Control, 2007, 80, 167-178.	1.2	144
41	On Preserving Passivity in Sampled-data Linear Systems. European Journal of Control, 2007, 13, 583-590.	1.6	12
42	Kalman-Yakubovich-Popov Lemma. Communications and Control Engineering, 2007, , 69-176.	1.0	2
43	Event-Triggered Real-Time Scheduling of Stabilizing Control Tasks. IEEE Transactions on Automatic Control, 2007, 52, 1680-1685.	3.6	3,464
44	Clobal stability results for systems under sampled-data control. , 2007, , .		3
45	Passivity-based designs for synchronized path-following. Automatica, 2007, 43, 1508-1518.	3.0	215
46	Inputâ€ŧoâ€state stability, numerical dynamics and sampledâ€data control. GAMM Mitteilungen, 2008, 31, 94-114.	2.7	4
47	Continuous-time controller redesign for digital implementation: A trajectory based approach. Automatica, 2008, 44, 225-232.	3.0	35
48	Stability and performance recovery within discretized non-linear control systems. Automatica, 2008, 44, 1045-1054.	3.0	1
49	Output feedback control of nonlinear systems subject to sensor data losses. Systems and Control Letters, 2008, 57, 631-642.	1.3	32
50	Practical encoders for controlling nonlinear systems under communication constraints. Systems and Control Letters, 2008, 57, 654-662.	1.3	6
51	Redesign Techniques for Nonlinear Sampled-data Systems (Entwurfstechniken für nichtlineare) Tj ETQq0 0 0 rg	gBT /Overlo	ock 10 Tf 50
52	Semi-global asymptotic stability of a class of sampled-data nonlinear systems in output feedback form. , 2008, , .		2
53	Trends in nonlinear control. , 2008, , .		8

54	Passivity of Interconnected Asynchronous Discrete-Time Systems. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2008, 41, 10277-10282.	0.4
----	--	-----

#	Article	IF	CITATIONS
55	Robust global stabilisability by means of sampled-data control with positive sampling rate. International Journal of Control, 2009, 82, 755-772.	1.2	28
56	Nonlinear port controlled Hamiltonian systems under sampling. , 2009, , .		13
57	Sampled-data control and stability of sets for nonlinear systems. Differential Equations and Dynamical Systems, 2009, 17, 169-183.	0.5	0
58	Global stability results for systems under sampledâ€data control. International Journal of Robust and Nonlinear Control, 2009, 19, 1105-1128.	2.1	95
59	Stability of sampled-data piecewise affine systems: A time-delay approach. Automatica, 2009, 45, 1995-2001.	3.0	27
60	Robust backstepping for the Euler approximate model of sampled-data strict-feedback systems. Automatica, 2009, 45, 2164-2168.	3.0	37
61	Multirate Sampled-Data Output Feedback Control With Application to Smart Material Actuated Systems. IEEE Transactions on Automatic Control, 2009, 54, 2518-2529.	3.6	97
62	Explicit Computation of the Sampling Period in Emulation of Controllers for Nonlinear Sampled-Data Systems. IEEE Transactions on Automatic Control, 2009, 54, 619-624.	3.6	232
63	Sampled-Data Adaptive NN Tracking Control of Uncertain Nonlinear Systems. IEEE Transactions on Neural Networks, 2009, 20, 336-355.	4.8	9
64	Asymptotic stabilisation of a class of nonlinear systems via sampled-data output feedback control. International Journal of Control, 2009, 82, 1738-1746.	1.2	15
65	Robust stabilisation of sampled-data control systems with non-linear perturbations via digital redesign. IET Control Theory and Applications, 2009, 3, 1070-1080.	1.2	13
66	On Stability of Sets for Sampled-Data Nonlinear Inclusions via Their Approximate Discrete-Time Models and Summability Criteria. SIAM Journal on Control and Optimization, 2009, 48, 1888-1913.	1.1	8
67	Passivity degradation under the discretization with the zero-order hold and the ideal sampler. , 2010, , .		31
68	Average passivity for discrete-time and sampled-data linear systems. , 2010, , .		5
69	Controlling linear systems with nonlinear perturbations under sampled-data output feedback: digital redesign approach. International Journal of Control, 2010, 83, 1718-1726.	1.2	9
70	Fuzzy Stabilization of Nonlinear Systems Under Sampled-Data Feedback: An Exact Discrete-Time Model Approach. IEEE Transactions on Fuzzy Systems, 2010, , .	6.5	31
71	Sampled-Data Stabilization; A PBC Approach. IEEE Transactions on Automatic Control, 2011, 56, 907-912.	3.6	62
72	A unifying Lyapunov-based framework for the event-triggered control of nonlinear systems. , 2011, , .		65

#	Article	IF	CITATIONS
73	Pulse-width-modulated feedback control of nonlinear systems: optimal linearization-based digital redesign approach. International Journal of General Systems, 2011, 40, 283-300.	1.2	7
74	Sampled-data adaptive control for a class of nonlinear systems with parametric uncertainties. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2011, 44, 1261-1266.	0.4	5
75	Output-feedback sampled-data polynomial controller for nonlinear systems. Automatica, 2011, 47, 2457-2461.	3.0	43
76	Sampledâ€data adaptive control of a class of nonlinear systems. International Journal of Adaptive Control and Signal Processing, 2011, 25, 1050-1060.	2.3	8
77	A discrete-time observer design for spacecraft attitude determination using an orthogonality-preserving algorithm. Automatica, 2011, 47, 975-980.	3.0	26
78	Sampled-data output feedback control of a class of nonlinear systems. , 2011, , .		Ο
79	Asymptotic stability of piecewise affine systems with sampled-data piecewise linear controllers. , 2011, ,		7
80	Robust sampled-data control of nonlinear output feedback systems. , 2012, , .		Ο
81	Global Stabilization of Feedforward Systems Under Perturbations in Sampling Schedule. SIAM Journal on Control and Optimization, 2012, 50, 1389-1412.	1.1	33
82	Adaptive sampled-data output tracking of parametric strict-feedback non-linear systems. IET Control Theory and Applications, 2012, 6, 985.	1.2	6
83	Asymptotic stability of sampled-data piecewise affine slab systems. Automatica, 2012, 48, 2874-2881.	3.0	12
84	Preservation of dissipativity under multirate sampling with application to nonlinear H <inf>∞</inf> control. , 2012, , .		Ο
85	Output feedback stabilization of nonlinear dual-rate sampled-data systems via an approximate discrete-time model. Automatica, 2012, 48, 1796-1802.	3.0	20
86	On preserving dissipativity properties of linear complementarity dynamical systems with the \$\$heta \$\$ Î, -method. Numerische Mathematik, 2013, 125, 601-637.	0.9	12
87	Emulation design for a class of extremum seeking controllers: Case studies in ABS design and spark timing calibration. , 2013, , .		0
88	Dissipativity of nonlinear multirate sampled-data systems under emulation design. Automatica, 2013, 49, 308-312.	3.0	17
89	Towards -stability of discrete-time reset control systems via dissipativity theory. Systems and Control Letters, 2013, 62, 525-530.	1.3	20
90	Sampled-data output feedback control of a class of uncertain nonlinear systems. International Journal of Control, Automation and Systems, 2013, 11, 175-181.	1.6	7

#	Article	IF	Citations
	Robustness of nonlinear systems with respect to delay and sampling of the controls. Automatica,		
91	2013, 49, 1925-1931.	3.0	86
92	Performance Recovery of Sampledâ€Ðata Feedback Stabilization for a Class of Passive Nonlinear Systems. Asian Journal of Control, 2013, 15, 1844-1849.	1.9	Ο
93	Backstepping designs for the stabilisation of nonlinear sampled-data systems via approximate discrete-time model. International Journal of Control, 2013, 86, 893-911.	1.2	6
94	Output feedback sampled-data stabilization of a class of uncertain nonlinear systems. , 2014, , .		0
95	Tutorial on arbitrary and state-dependent sampling. , 2014, , .		5
96	Clobal state feedback stabilization of a class of feedforward systems under sampled-data control. , 2014, , .		0
97	Exploring the Boundaries of Robust Stability Under Uncertain Communication: An NCS Toolbox Applied to a Wireless Control Setup. IEEE Control Systems, 2014, 34, 65-86.	1.0	12
98	Global sampled-data output feedback control for a class of feedforward nonlinear systems. Control Theory and Technology, 2014, 12, 147-153.	1.0	7
99	Passivity degradation in discrete control implementations: An approximate bisimulation approach. , 2015, , .		3
100	Quadratic dissipation inequalities for nonlinear systems using event-triggered controllers. , 2015, , .		4
101	Stabilization of nonlinear sampled-data systems with input update delay. , 2015, , .		1
102	Robustification of nonlinear stabilizers in the sample-and-hold sense. Journal of the Franklin Institute, 2015, 352, 4107-4128.	1.9	30
103	Global practical tracking for a class of uncertain nonlinear systems via sampled-data control. Applied Mathematics and Computation, 2015, 260, 257-268.	1.4	59
104	Multirate Output Feedback Control of Nonlinear Networked Control Systems. IEEE Transactions on Automatic Control, 2015, 60, 1939-1944.	3.6	28
105	Easily Verifiable Adaptive Sliding Mode Controller Design with Application to Automotive Engines. , 0, , \cdot		3
106	Robust stabilization of nonminimum-phase systems with uncertainty by sampled-data output feedback. , 2016, , .		6
107	On Global Exponential Stability Preservation under Sampling for Globally Lipschitz Delay-Free and Retarded Systems. IFAC-PapersOnLine, 2016, 49, 41-46.	0.5	6
108	Robust Sample-and-Hold Stabilization for Nonlinear Retarded Systems**This work is supported in part by the Italian MIUR PRIN Project 2009, the Atheneum Project RIA 2013, and by the Center of Excellence for Research DEWS. Tel.: +39 0862434422;fax: +39 0862434403. E-mail address: mario diferdiando @graduate unives it IEAC Papers Online, 2016, 49, 53,58	0.5	1

#	Article	IF	CITATIONS
109	Sampled-Data Output-Feedback Fuzzy Controller for Nonlinear Systems Based onÂPolynomial Fuzzy Model-Based Control Approach. Studies in Systems, Decision and Control, 2016, , 197-220.	0.8	2
110	On Stability Preservation under Sampling and Approximation of Feedbacks for Retarded Systems. SIAM Journal on Control and Optimization, 2016, 54, 1895-1918.	1.1	40
111	Explicit computation of maximum allowable sampling period for multi-rate sampled-data nonlinear systems. , 2016, , .		2
112	Robust Disturbance Attenuation in Hamiltonian Systems Via Direct Digital Control. Asian Journal of Control, 2016, 18, 273-282.	1.9	0
113	Global sampled-data output feedback stabilisation for a class of nonlinear systems with unknown output function. International Journal of Control, 2016, 89, 469-480.	1.2	33
114	Fuzzy Adaptive Control Design and Discretization for a Class of Nonlinear Uncertain Systems. IEEE Transactions on Cybernetics, 2016, 46, 1476-1483.	6.2	167
115	Performance-recoverable intelligent digital redesign for fuzzy tracking controllers. Information Sciences, 2016, 326, 350-367.	4.0	14
116	A Lyapunov Redesign of Coordination Algorithms for Cyber-Physical Systems. IEEE Transactions on Automatic Control, 2017, 62, 808-823.	3.6	53
117	Robust Sampled-Data Output Synchronization of Nonlinear Heterogeneous Multi-Agents. IEEE Transactions on Automatic Control, 2017, 62, 1458-1464.	3.6	29
118	Global output feedback sampledâ€data stabilization for upperâ€triangular nonlinear systems with improved maximum allowable transmission delay. International Journal of Robust and Nonlinear Control, 2017, 27, 212-235.	2.1	42
119	On global exponential stability preservation under sampling for globally Lipschitz time-delay systems. Automatica, 2017, 82, 295-300.	3.0	44
120	Implications of discretization on dissipativity and economic model predictive control. Journal of Process Control, 2017, 49, 1-8.	1.7	4
121	Stability of homogeneous nonlinear systems with sampled-data inputs. Automatica, 2017, 85, 349-355.	3.0	15
122	Results on input-to-state stability of dual-rate sampled-data systems. , 2017, , .		0
123	Local sampled-data control of the glucose-insulin system. , 2017, , .		4
124	Robustification of sample-and-hold stabilizers for control-affine time-delay systems. Automatica, 2017, 83, 141-154.	3.0	33
125	Estimation of Sampling Period for Stochastic Nonlinear Sampled-Data Systems With Emulated Controllers. IEEE Transactions on Automatic Control, 2017, 62, 4713-4718.	3.6	15
126	Cooperative output synchronisation of networked feedforward nonlinear systems via linear sampled-data control. International Journal of Systems Science, 2017, 48, 961-970.	3.7	1

#	Article	IF	Citations
#	Design of One Sampling Period Delay Stabilizing Controllers for Nonlinear Sampled-data		
127	Strict-feedback Systems. IFAC-PapersOnLine, 2017, 50, 11541-11546.	0.5	3
128	Bounds of passivity indices via feedforward/feedback passivation. , 2017, , .		1
129	Spline approximated feedbacks for local sample-and-hold stabilization of nonlinear retarded systems: Applications. , 2017, , .		1
130	On emulation of observer-based stabilizers for nonlinear systems. , 2017, , .		11
131	Tactile-Based Blind Grasping: A Discrete-Time Object Manipulation Controller for Robotic Hands. IEEE Robotics and Automation Letters, 2018, 3, 1064-1071.	3.3	26
132	The stability analysis of nonlinear switched systems with time delay in input and states with stable and unstable subsystems. Transactions of the Institute of Measurement and Control, 2018, 40, 4298-4308.	1.1	7
133	Robust Sampled-Data Bilateral Teleoperation: Single-Rate and Multirate Stabilization. IEEE Transactions on Control of Network Systems, 2018, 5, 675-687.	2.4	11
134	Performance recovery of regional input-to-state stabilization by sampled-data output feedback control for nonlinear systems in the presence of disturbance. European Journal of Control, 2018, 39, 78-94.	1.6	2
135	Robust sensitive fault detection and estimation for single-rate and multirate nonlinear sampled-data systems. Systems and Control Letters, 2018, 119, 71-80.	1.3	8
136	Integral versions of input-to-state stability for dual-rate nonlinear sampled-data systems. Systems and Control Letters, 2018, 117, 11-17.	1.3	3
137	Uniform global asymptotic stability for nonlinear systems with delay and sampling. Evolving Systems, 2019, 10, 305-316.	2.4	0
138	Event-Triggered Control of Nonlinear Systems With Updating Threshold. , 2019, 3, 655-660.		11
139	Ripple-Free Sampled-Data Output Regulation: Stability Analysis and Sampling Period Estimation. , 2019, , .		4
140	Sampled-data emulation of dynamic output feedback controllers for nonlinear time-delay systems. Automatica, 2019, 99, 120-131.	3.0	47
141	Constrained Sampled-Data ARC for a Class of Cascaded Nonlinear Systems With Applications to Motor-Servo Systems. IEEE Transactions on Industrial Informatics, 2019, 15, 766-776.	7.2	100
142	Consensus of Upper-Triangular Multiagent Systems With Sampled and Delayed Measurements via Output Feedback. IEEE Transactions on Systems, Man, and Cybernetics: Systems, 2020, 50, 600-608.	5.9	14
143	Optimal Dynamic Harmonic Extraction and Suppression in Power Conditioning Applications. IEEE Transactions on Industrial Electronics, 2020, 67, 7909-7918.	5.2	13
144	Kalman–Yakubovich–Popov Lemma. Communications and Control Engineering, 2020, , 81-261.	1.0	0

	CITATION REF	CITATION REPORT	
Article		IF	Citations
Coordinated Path-Following Control for Multiple Autonomous Vehicles With Communica Delays. IEEE Transactions on Control Systems Technology, 2020, 28, 2005-2012.	tion Time	3.2	20
Output regulation of linear systems via sampled-data control. Automatica, 2020, 113, 10	08684.	3.0	31
Passivity-based analysis of sampled and quantized control implementations. Automatica, 109064.	2020, 119,	3.0	5
Coordinated path-following control for networked unmanned surface vehicles. Internatio Journal of Advanced Robotic Systems, 2020, 17, 172988142093057.	nal	1.3	1
Iterative Online Optimal Feedback Control. IEEE Transactions on Automatic Control, 202	1, 66, 566-580.	3.6	2
Exponential input-to-state stability of globally Lipschitz time-delay systems under sampled output feedback and actuation disturbances. International Journal of Control, 2021, 94, 1	d-data noisy 1682-1692.	1.2	10
Nonlinear Sampled-Data Systems. , 2021, , 1477-1483.			0
Digital implementation of continuous-time observers for nonlinear networked control sys Journal of Control Measurement and System Integration, 2021, 14, 213-222.	stems. SICE	0.4	1
Nonlinear Sampled-Data Systems. , 2014, , 1-7.			3
Model Predictive Control for Nonlinear Sampled-Data Systems. , 2007, , 105-113.			14
Technical Note for "Tactile-Based Blind Grasping: A Discrete-Time Object Manipulatior Robotic Hands― IEEE Robotics and Automation Letters, 2020, 5, 3475-3476.	n Controller for	3.3	3
Robust disturbance attenuation in Hamiltonian systems via direct digital control. , 2009,	y •		3
Observer-based Sampled-data Control for a Class of Continuous Nonlinear Systems. Zido Xuebao/Acta Automatica Sinica, 2011, 36, 1780-1787.	nghua	0.3	6
On preserving passivity in sampled-data linear systems by using state observers. , 2007, ,			0
Stability of asynchronous feedback-interconnected dissipative systems. , 2009, , .			0
Comparison to Other Input/Output Approaches. Springer Briefs in Electrical and Compute Engineering, 2016, , 73-81.	er	0.3	0

163	Approximation of linear controlled dynamical systems with small random noise and fast periodic sampling. Mathematical Control and Related Fields, 2023, 13, 852-872.	0.6	1
164	On Semi-Global Exponential Stability Under Sampling for Locally Lipschitz Time-Delay Systems. IEEE Transactions on Automatic Control, 2023, 68, 1508-1523.	3.6	8

#

145

147

149

151

153

155

157

159

#	Article	IF	CITATIONS
165	Virtual Holonomic Constraints for Euler-Lagrange systems under sampling. , 2022, , .		0
166	A multi-thread control algorithm with update delays based on event-triggered mechanism. Measurement and Control, 0, , 002029402211395.	0.9	0