CITATION REPORT List of articles citing

The Fossil Record of Predation: An Overview of Analytical Methods

DOI: 10.1017/s1089332600001030 The Paleontological Society Papers, 2002, 8, 3-42.

Source: https://exaly.com/paper-pdf/34383231/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
119	Coevolution of a marine gastropod predator and its dangerous bivalve prey. 2003, 80, 409-436		56
118	The Fossil Record of Drilling Predation on Bivalves and Gastropods. 2003, 113-139		70
117	Snails versus hermit crabs: a new interpretation on shell-peeling predation in fossil gastropod assemblages. 2004 , 8, 99-108		8
116	Origins and circumstances of adaptive divergence in whelk feeding behavior. 2004, 208, 279-291		16
115	Changes in Late CretaceousBarly Tertiary benthic marine assemblages: analyses from the North American coastal plain shallow shelf. <i>Paleobiology</i> , 2005 , 31, 459-479	2.6	21
114	A Foraminiferal Parasite on the Sea Urchin Echinocorys: Ichnological Evidence from the Late Cretaceous (Lower Maastrichtian, Northern Germany). 2006 , 13, 185-190		21
113	Comparisons of class- and lower taxon-level patterns in naticid gastropod predation, Cretaceous to Pleistocene of the U.S. Coastal Plain. 2006 , 236, 302-320		51
112	High frequency of drill holes in brachiopods from the Pliocene of Algeria and its ecological implications. 2006 , 39, 313-320		24
111	Theoretical and Experimental Ichnology of Mobile Foraging. 2007 , 428-441		26
110	Naticid snail predation on early post-settlement surfclams (Spisula solidissima) on the inner continental shelf of New Jersey, USA. 2007 , 150, 873-882		17
109	Role of bioerosion in taphonomy: effect of predatory drillholes on preservation of mollusc shells. 2008 , 451-470		20
108	Insect-damaged fossil leaves record food web response to ancient climate change and extinction. 2008 , 178, 486-502		56
107	Drill holes in Australian Cainozoic brachiopods. <i>Historical Biology</i> , 2008 , 20, 203-212	1.1	5
106	Patterns of shell repair in articulate brachiopods indicate size constitutes a refuge from predation. 2009 , 156, 1993-2000		35
105	Komodo monitor (Varanus komodoensis) feeding behavior and dental function reflected through tooth marks on bone surfaces, and the application to ziphodont paleobiology. <i>Paleobiology</i> , 2009 , 35, 525-552	2.6	65
104	Ventral bite marks in Mesozoic ammonoids. 2009 , 280, 245-257		35
103	Effect of durophagy on drilling predation: a case study of Cenozoic molluscs from North America. <i>Historical Biology</i> , 2010 , 22, 367-379	1.1	16

102	Information landscapes and sensory ecology of the Cambrian Radiation. <i>Paleobiology</i> , 2010 , 36, 303-317 _{2.6}	46
101	Drilling predation on scaphopods and other molluscs from the Upper Cretaceous of Manitoba, Canada. 2011 , 20, 296-307	14
100	Predation on two brachiopods, Joania cordata and Argyrotheca cuneata, from an offshore reef in the Tyrrhenian Sea. 2012 , 159, 2349-2358	4
99	Traces of predation/parasitism recorded in Eocene brachiopods from the Castle Hayne Limestone, North Carolina, USA. 2012 , 45, 274-289	7
98	Drilling predation on serpulid polychaetes (Ditrupa arietina) from the pliocene of the Cope Basin, Murcia Region, Southeastern Spain. <i>PLoS ONE</i> , 2012 , 7, e34576	19
97	Evolutionary and ecological implications of trematode parasitism of modern and fossil northern Adriatic bivalves. <i>Paleobiology</i> , 2012 , 38, 40-51	19
96	Invasion of Laguncula pulchella (Gastropoda: Naticidae) and predatorprey interactions with bivalves on the Tona coast, Miyagi prefecture, northern Japan. 2013 , 15, 587-598	24
95	No honor among snails: Conspecific competition leads to incomplete drill holes by a naticid gastropod. 2013 , 379-380, 32-38	21
94	Prey selection by drilling predators: A case study from Miocene of Kutch, India. 2013, 374, 187-196	31
93	Reconstructing predation pressure on crinoids: estimating arm-loss rates from regenerating arms. <i>Paleobiology</i> , 2013 , 39, 40-51	15
92	A framework for evaluating the influence of climate, dispersal limitation, and biotic interactions using fossil pollen associations across the late Quaternary. 2014 , n/a-n/a	21
91	Effects of a high-risk environment on edge-drilling behavior: inference from Recent bivalves from the Red Sea. <i>Paleobiology</i> , 2014 , 40, 34-49	20
90	Mesozoic mammaliaform diversity: The effect of sampling corrections on reconstructions of evolutionary dynamics. 2014 , 412, 32-44	27
89	Direct evidence of trophic interactions among apex predators in the Late Triassic of western North America. 2014 , 101, 975-87	17
88	Paleoecological significance of coupling metrics of successful and unsuccessful shell-breaking predation: Examples using Neogene bivalve prey. 2014 , 399, 89-97	8
87	What controls cannibalism in drilling gastropods? A case study on Natica tigrina. 2014 , 410, 126-133	16
86	Plio B leistocene drilling predation in Florida bivalves: Predator identity, competition, and biotic change. 2014 , 404, 67-77	9
85	Estado del conocimiento de la durofagia en el registro fail: interaccia depredador-presa en moluscos marinos (Clases Gastropoda y Bivalvia). 2015 , 18, 61-70	

84	Gastropod shell repair tracks predator abundance. 2015 , 36, 1176-1184	23
83	Marine extinction risk shaped by trait-environment interactions over 500 million years. 2015 , 21, 3595-607	25
82	ENCOUNTER FREQUENCY DOES NOT PREDICT PREDATION FREQUENCY IN TROPICAL DEAD-SHELL ASSEMBLAGES. <i>Palaios</i> , 2015 , 30, 818-826	6
81	Ammonoid Habitats and Life History. 2015 , 689-791	24
80	Inferring biotic interactions from proxies. 2015 , 30, 347-56	186
79	Actuopaleontological characterization and molluscan biodiversity of a protected tidal flat and shallow subtidal at the northern Red Sea. 2015 , 61, 1	12
78	Assessing the influence of escalation during the Mesozoic Marine Revolution: Shell breakage and adaptation against enemies in Mesozoic ammonites. 2015 , 440, 632-646	14
77	Fatally bitten ammonites from septarian concretions of the Marston Marble (Lower Jurassic, Sinemurian), Somerset, UK, and their taphonomy. 2015 , 126, 119-129	3
76	The value of geohistorical data in identifying a recent human-induced range expansion of a predatory gastropod in the Colorado River delta, Mexico. 2016 , 43, 791-800	14
75	Predation on Recent Terebrid Gastropods from the Indian Subcontinent and a Spatiotemporal Reappraisal Based on a Revised Global Database. 2016 , 59, 271-302	6
74	Tiny vampires in ancient seas: evidence for predation via perforation in fossils from the 780-740 million-year-old Chuar Group, Grand Canyon, USA. 2016 , 283,	45
73	Climate-mediated changes in predator prey interactions in the fossil record: a case study using shell-drilling gastropods from the Pleistocene Japan Sea. <i>Paleobiology</i> , 2016 , 42, 257-268	7
72	Fossil clam shells reveal unintended carbon cycling consequences of Colorado River management. 2016 , 3, 160170	7
71	Uncovering the holes and cracks: from anecdote to testable hypotheses in predation studies. 2016 , 59, 597-609	12
70	Drilling predation increased in response to changing environments in the Caribbean Neogene. <i>Paleobiology</i> , 2016 , 42, 394-409	5
69	Live-dead analysis reveals long-term response of the estuarine bivalve community to water diversions along the Colorado River. 2017 , 106, 749-756	17
68	Increase in predator-prey size ratios throughout the Phanerozoic history of marine ecosystems. 2017 , 356, 1178-1180	34
67	Anatomy of a cline: dissecting anti-predatory adaptations in a marine gastropod along the U.S. Atlantic coast. 2017 , 40, 1285-1299	6

66	QUANTITATIVE ANALYSIS OF REPAIRED AND UNREPAIRED DAMAGE TO TRILOBITES FROM THE CAMBRIAN (STAGE 4, DRUMIAN) IBERIAN CHAINS, NE SPAIN. <i>Palaios</i> , 2017 , 32, 750-761	1.6	12
65	ON DRILLING FREQUENCY AND MANLY'S ALPHA: TOWARDS A NULL MODEL FOR PREDATOR PREFERENCE IN PALEOECOLOGY. <i>Palaios</i> , 2018 , 33, 61-68	1.6	7
64	Reappraising the early evidence of durophagy and drilling predation in the fossil record: implications for escalation and the Cambrian Explosion. 2018 , 93, 754-784		39
63	The effects of predation on the preservation of ontogenetically young individuals. 2018 , 490, 404-414		3
62	ACTUALISTIC NEOTAPHONOMIC RESEARCH ON BONE MODIFYING ANIMAL SPECIES: AN ANALYSIS OF THE LITERATURE. <i>Palaios</i> , 2018 , 33, 542-554	1.6	5
61	PREDATION-FACILITATED PRESERVATION OF ECHINOIDS IN A TROPICAL MARINE ENVIRONMENT. <i>Palaios</i> , 2018 , 33, 478-486	1.6	6
60	Sclerobionts on biogenic substrates from the Monte Leß Formation (lower Miocene) in Santa Cruz Province, Argentina: Taphonomic and paleoenvironmental considerations. 2018 , 511, 606-619		3
59	Predation Trace Fossils in a New Specimen of Cayaoa bruneti Tonni (Aves, Anseriformes) from the Gaiman Formation (Early Miocene, Chubut, Argentina). <i>Ameghiniana</i> , 2018 , 55, 483-488	0.9	1
58	Effects of dams on downstream molluscan predator-prey interactions in the Colorado River estuary. 2018 , 285,		7
57	Ocean acidification and molluscan shell taphonomy: Can elevated seawater pCO2 influence taphonomy in a naticid predator prey system?. 2018 , 507, 145-154		8
56	20th century increase in body size of a hypoxia-tolerant bivalve documented by sediment cores from the northern Adriatic Sea (Gulf of Trieste). 2018 , 135, 361-375		9
55	Evidence for intense biotic interactions in the eastern Gulf of Mexico after a two million year hiatus: inferences from muricid edge-drilling behaviour. 2018 ,		
54	Competition-driven evolution of organismal complexity. 2019 , 15, e1007388		2
53	Repair scars preserve decadal-scale patterns of predation intensity despite short-term ecological disturbances. 2019 , 29, 2018-2025		1
52	Molluscan metacommunity dynamics in the Colorado River estuary, Mexico before upstream water diversion. 2019 , 25, 100194		5
51	Coordinated biotic and abiotic change during the Great Ordovician Biodiversification Event: Darriwilian assembly of early Paleozoic building blocks. 2019 , 530, 249-270		54
50	LATITUDINAL PATTERNS OF GASTROPOD DRILLING PREDATION INTENSITY THROUGH TIME. <i>Palaios</i> , 2019 , 34, 261-270	1.6	10
49	Clam community composition and prey shell size impacts moon snail (Gastropod: Naticidae) drilling frequencies in South Carolina, USA. 2019 , 40, e12526		_

48	Multi-proxy analyses of Late Cretaceous coprolites from Germany. 2019 , 52, 550-569	3
47	A small yet occasional meal: predatory drill holes in Paleocene ostracods from Argentina and methods to infer predation intensity. 2019 , 62, 731-756	9
46	Predation in the marine fossil record: Studies, data, recognition, environmental factors, and behavior. 2019 , 194, 472-520	41
45	The ecological role of brachiopods in the NamuncurIMPA/Burdwood Bank, off southern South America. 2019 , 49, 1667-1681	5
44	Bite marks and predation of fossil jawless fish during the rise of jawed vertebrates. 2019 , 286, 20191596	7
43	Elongated thoracic spines as potential predatory deterrents in olenelline trilobites from the lower Cambrian of Nevada. 2019 , 516, 295-306	16
42	Durophagy bias: The effect of shell destruction by crushing predators on drilling frequency. 2019 , 514, 690-694	9
41	Brachiopod morphology, life mode, and crushing predation in the Ordovician Arnheim Formation, Kentucky, USA. <i>Historical Biology</i> , 2019 , 31, 914-925	2
40	First European record of Homiphoca (Phocidae: Monachinae: Lobodontini) and its bearing on the paleobiogeography of the genus. <i>Historical Biology</i> , 2020 , 32, 561-569	3
39	A predation attempt in a Late Cretaceous pleurodire turtle from Patagonia. 2020 , 107, 104290	5
38	Pre-burial taphonomic imprints on drilling intensity: a case study from the recent molluscs of Chandipur, India. <i>Historical Biology</i> , 2020 , 1-7	2
37	The representation of animal behaviour in the fossil record. 2020 , 169, 65-80	6
36	Naticid drilling predation from tidal flats in northern Patagonia, SW Atlantic. 2020, 100, 909-919	3
35	Bioerosion on Late Quaternary Planktonic Foraminifera Related to Paleoproductivity in the Western South Atlantic. 2020 , 35, e2020PA003865	4
34	Drilling gastropod predation on the lower Miocene gastropod assemblages from Kutch, western India: spatiotemporal implications. <i>Historical Biology</i> , 2020 , 1-18	5
33	New ichnospecies of Linichnus Jacobsen & Bromley, 2009. 2020 , 27, 344-351	2
32	Effectiveness of small size against drilling predation: Insights from lower Miocene faunal assemblage of Quilon Limestone, India. 2020 , 551, 109742	2
31	The repaired durophagous scar in the shell of a lingulid brachiopod immediately after the end Ordovician mass extinction. 2020 , 44, 265-272	О

30	Predatory drill holes in the oldest thyasirid bivalve, from the Lower Jurassic of South Germany. 2021 , 54, 229-244		1
29	Early Pliocene gastropod diversity from the central eastern Pacific Ocean, Mexico (Guerrero) and their paleogeographical interpretation. 2021 , 14, 1		1
28	An asynchronous Mesozoic marine revolution: the Cenozoic intensification of predation on echinoids. 2021 , 288, 20210400		3
27	An updated generic classification of Cenozoic pleurotomariid gastropods, with new records from the Oligocene and early Miocene of India. 2021 , 95, 763-776		О
26	The hidden diversity of the endemic Arctic sponges (Porifera). 2021 , 55, 571-596		1
25	PredatorBrey interactions among Pliocene molluscs from the TjEnes Peninsula, Iceland; across the trans-Arctic invasion.		1
24	EVALUATING COMPOSITIONAL FIDELITY AND SOURCES OF MORTALITY OF SHORELINE FISH CARCASSES IN A FRESHWATER LAKE COMMUNITY IN WESTERN CANADA. <i>Palaios</i> , 2021 , 36, 260-268	5	1
23	Drilling predation on juvenile and adult gastropod shells during the Pliocene in the eastern Pacific, southern Mexico. 2021 , 110, 103352		
22	BITE MARKS ON AN AETOSAUR (ARCHOSAURIA, SUCHIA) OSTEODERM: ASSESSING LATE TRIASSIC PREDATOR-PREY ECOLOGY THROUGH ICHNOLOGY AND TOOTH MORPHOLOGY. <i>Palaios</i> , 2021 , 36, 28-37	5	2
21	Possible drill holes and pseudoborings in obolid shells from the Cambrian/Ordovician boundary beds of Estonia and the uppermost Cambrian of NW Russia. <i>Historical Biology</i> , 1-6	1	Ο
20	Size matters - Analysis of shell repair scars in endocerid cephalopods. 2011 , 14, 109-118		2
19	Evolutionary and ecological implications of trematode parasitism of modern and fossil northern Adriatic bivalves. <i>Paleobiology</i> , 2012 , 38, 40-51	6	10
18	Abundance is not enough: the need for multiple lines of evidence in testing for ecological stability in the fossil record. <i>PLoS ONE</i> , 2013 , 8, e63071	7	10
17	Stable carbon isotope compositions of foot tissue, conchiolin opercula, and organic matrix within the shells of two marine gastropods from a seagrass meadow in the Philippines. <i>Geochemical</i> o <i>Journal</i> , 2017 , 51, 241-250	9	1
16	Predation by Drilling Gastropods and Asteroids Upon Mussels in Rocky Shallow Shores of Southernmost South America: Paleontological Implications. <i>Acta Palaeontologica Polonica</i> , 2012 , 57, 633-646		25
15	New Barremian Macroinvertebrates from the HuitrEl Formation, Mendoza Province (Argentina) and Their Paleoecological Implications. <i>Ameghiniana</i> , 2019 , 56, 441	9	2
14	GASTROPOD DRILLING PREDATION IN THE UPPER JURASSIC OF KUTCH, INDIA. Palaios, 2021, 36, 301-312	6	О
13	Biotic Interactions. SpringerBriefs in Earth System Sciences, 2014 , 35-42		

12	Potential kleptoparasitism-scavenging interactions between crabs and shell-boring gastropods feeding on bivalve prey: a global survey. <i>Plankton and Benthos Research</i> , 2020 , 15, 132-145	0.6	O
11	Scale dependence of drilling predation in the Holocene of the northern Adriatic Sea across benthic habitats and nutrient regimes. <i>Paleobiology</i> , 1-18	2.6	
10	Unveiling the Permian and Triassic record of drilling predation on ostracods. <i>Marine Micropaleontology</i> , 2022 , 173, 102113	1.7	1
9	Semicassis globosum (Mollusca: Gastropoda: Cassidae) from the upper Eocene Ocala Limestone of Florida with redescription and discussion of its extreme morphological variability. <i>Historical Biology</i> , 1-	·14 ^{1.1}	
8	Taphonomic history and trophic interactions of an ammonoid fauna from the Upper Triassic Polzberg palaeobiota <i>Scientific Reports</i> , 2022 , 12, 7455	4.9	О
7	Community structure and sample size affect estimates of predation intensity and prey selection: A model-based validation.		
6	Vertebrate predation in the Late Devonian evidenced by bite traces and regurgitations: implications within an early tetrapod freshwater ecosystem. 2022 , 8,		
5	Records of drill holes and repair scars on Rectithyris subdepressa (Brachiopoda) from the Maastrichtian Kallankurichchi Formation, India. 2022 , 140, 105360		O
4	INTEGRATING EXPERIMENTS WITH SUBTIDAL DEATH ASSEMBLAGES TO UNVEIL THE PREDATORY HABITS OF MURICID GASTROPODS FROM THE SOUTHEASTERN PACIFIC. 2022 , 37, 574-584		О
3	Spatially associated or composite life traces from Holocene paleosols and dune sands provide evidence for past biotic interactions. 2023 , 110,		O
2	Novel coprolitic records from the Silurian (Pdol@Wallace Shale of New South Wales. 1-7		О
1	Drilling predation on Early Jurassic bivalves and behavioral patterns of the presumed gastropod predatorBvidence from Pliensbachian soft-bottom deposits of northern Germany. 1-23		О