

CITATION REPORT

List of articles citing

Psychometric qualities of the Dutch language version of the Disabilities of the Arm, Shoulder, and Hand questionnaire (DASH-DLV)

DOI: 10.1016/s0894-1130(02)80006-0
Journal of Hand Therapy, 2002, 15, 347-54.

Source: <https://exaly.com/paper-pdf/34485287/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
232	The disabilities of the arm, shoulder and hand (DASH) outcome questionnaire: longitudinal construct validity and measuring self-rated health change after surgery. 2003 , 4, 11		620
231	Reliability and validity of the Canadian Occupational Performance Measure for clients with psychiatric disorders in Taiwan. 2003 , 10, 269-77		44
230	Outcome of hand trauma: the hand injury severity scoring system (HISS) and subsequent impairment and disability. 2003 , 28, 295-9		50
229	Responsiveness of the DASH score in surgically treated basal joint arthritis of the thumb: preliminary results. 2004 , 23, 223-4		33
228	The Canadian Occupational Performance Measure: a research and clinical literature review. 2004 , 71, 210-22		362
227	Applying evidence on outcome measures to hand therapy practice. <i>Journal of Hand Therapy</i> , 2004 , 17, 165-73	1.6	38
226	Evaluation of the Chinese version of the Disability of the Arm, Shoulder and Hand (DASH-HKPWH): Cross-cultural adaptation process, internal consistency and reliability study. <i>Journal of Hand Therapy</i> , 2004 , 17, 417-423	1.6	2
225	Evaluation of the Chinese version of the Disability of the Arm, Shoulder and Hand (DASH-HKPWH): Cross-cultural adaptation process, internal consistency and reliability study. <i>Journal of Hand Therapy</i> , 2004 , 17, 417-423	1.6	47
224	Closure of the donor site of the free radial forearm flap: a comparison of full-thickness graft and split-thickness skin graft. 2005 , 55, 612-6		48
223	The factor validity of the Western Ontario Rotator Cuff Index. 2005 , 6, 22		28
222	Validation of the Japanese Society for Surgery of the Hand version of the Disability of the Arm, Shoulder, and Hand questionnaire. 2005 , 10, 353-9		125
221	Correlation between a novel upper limb activity monitor and four other instruments to determine functioning in upper limb complex regional pain syndrome type I. 2005 , 37, 108-14		12
220	The cross-cultural adaptation of the DASH questionnaire in Canadian French. <i>Journal of Hand Therapy</i> , 2005 , 18, 34-9	1.6	51
219	Construct validity of the Chinese version of the disabilities of the arm, shoulder and hand questionnaire (DASH-HKPWH). 2005 , 30, 29-34		37
218	[Shoulder disability questionnaires: a systematic review]. 2005 , 48, 298-306		26
217	The Upper Limb Functional Index: development and determination of reliability, validity, and responsiveness. <i>Journal of Hand Therapy</i> , 2006 , 19, 328-48; quiz 349	1.6	96
216	Translation into Greek, cross-cultural adaptation and validation of the Disabilities of the Arm, Shoulder, and Hand Questionnaire (DASH). <i>Journal of Hand Therapy</i> , 2006 , 19, 350-7	1.6	46

215	[Spanish version of the DASH questionnaire. Cross-cultural adaptation, reliability, validity and responsiveness]. 2006 , 127, 441-7		80
214	A comparison of the direct outcomes of percutaneous needle fasciotomy and limited fasciectomy for Dupuytren's disease: a 6-week follow-up study. 2006 , 31, 717-25		205
213	A Systematic Review of the Canadian Occupational Performance Measure: A Clinical Practice Perspective. 2006 , 69, 150-160		42
212	A comparison of self-reported and independently observed disability in an orthopedic trauma population. 2006 , 61, 1447-52		12
211	Upper limb activity over time in complex regional pain syndrome type 1 as objectively measured with an upper limb-activity monitor: an explorative multiple case study. 2006 , 10, 31-9		10
210	Validation of the Japanese Society for Surgery of the Hand Version of the Quick Disability of the Arm, Shoulder, and Hand (QuickDASH-JSSH) questionnaire. 2006 , 11, 248-53		78
209	Relationship of impairment, disability and working status after reconstructive surgery of the wrist. 2007 , 12, 67-71		4
208	Calcifications in the cuff: take it or leave it?. 2007 , 41, 832-5		27
207	Surgical treatment of intra-articular fractures of the distal part of the humerus. Functional outcome after twelve to thirty years. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007 , 89, 1524-32	5.6	78
206	Pain, Disability in Daily Activities and Work Participation in Patients with Traumatic Hand Injury. 2007 , 12, 40-47		10
205	Fear of movement and (re)injury in chronic musculoskeletal pain: Evidence for an invariant two-factor model of the Tampa Scale for Kinesiophobia across pain diagnoses and Dutch, Swedish, and Canadian samples. 2007 , 131, 181-90		177
204	Open reduction and internal fixation compared with excision for unstable displaced fractures of the radial head. 2007 , 32, 630-6		79
203	Responsiveness of the Dutch version of the DASH as an outcome measure for carpal tunnel syndrome. 2007 , 32, 74-6		16
202	Assessment of Functional Outcomes. 2007 , 98-113		2
201	Outcome of Kienbock's disease 22 years after distal radius shortening osteotomy. 2007 , 460, 137-41		26
200	Kinesiophobia in patients with non-traumatic arm, neck and shoulder complaints: a prospective cohort study in general practice. 2007 , 8, 117		37
199	[Reliability and responsiveness of the German version of the Disabilities of the Arm, Shoulder and Hand questionnaire (DASH)]. 2007 , 110, 548-52		13
198	Long term results of surgical intervention for osteoarthritis of the trapeziometacarpal joint : comparison of resection arthroplasty, trapeziectomy with tendon interposition and trapezio-metacarpal arthrodesis. 2007 , 31, 547-54		63

197	Validation of the Japanese Society for Surgery of the Hand version of the Carpal Tunnel Syndrome Instrument. 2007 , 12, 14-21		32
196	Disability of Arm, Shoulder and Hand Fragebogen. 2008 , 10, 381-383		2
195	Efficacy of wrist working splints in patients with rheumatoid arthritis: a randomized controlled study. 2008 , 59, 1698-704		29
194	Validation de la version française du questionnaire Disability of the Arm, Shoulder and Hand (DASH). 2008 , 75, 274-279		2
193	Sensibilité au changement de la version française du questionnaire Disability of the Arm, Shoulder and Hand (F-DASH) chez les patients atteints de pathologies orthopédiques et médicales de l'épaule. 2008 , 75, 851-857		
192	Validation of the French version of the Disability of the Arm, Shoulder and Hand questionnaire (F-DASH). 2008 , 75, 195-200		53
191	Responsiveness of the French version of the Disability of the Arm, Shoulder and Hand questionnaire (F-DASH) in patients with orthopaedic and medical shoulder disorders. 2008 , 75, 579-84		10
190	Cross-cultural adaptation and clinical evaluation of a Korean version of the disabilities of arm, shoulder, and hand outcome questionnaire (K-DASH). <i>Journal of Shoulder and Elbow Surgery</i> , 2008 , 17, 570-4	4.3	74
189	Effectiveness of a MP-blocking splint and therapy in rheumatoid arthritis: a descriptive pilot study. <i>Journal of Hand Therapy</i> , 2008 , 21, 347-53	1.6	10
188	No difference between postural exercises and strength and fitness exercises for early, non-specific, work-related upper limb disorders in visual display unit workers: a randomised trial. 2008 , 54, 95-101		15
187	Disabilities of the arm, shoulder and hand (DASH): factor analysis of the version adapted to Portuguese/Brazil. 2008 , 30, 1901-9		26
186	Construct validity and reliability of the disability of arm, shoulder and hand questionnaire for upper extremity complaints in rheumatoid arthritis. 2008 , 35, 2334-8		52
185	Rating systems for evaluation of the elbow. 2008 , 87, 131-61		145
184	Manual dexterity and related functional limitations in hereditary motor and sensory neuropathy. An explorative study. 2008 , 30, 634-8		11
183	Long-term outcome of operatively treated fracture-dislocations of the olecranon. 2008 , 22, 325-31		66
182	9.2 Shoulder(I). 2009 ,		
181	Psychometric properties of the Patient Rated Wrist/Hand Evaluation - Dutch Language Version (PRWH/E-DLV). 2009 , 34, 556-7		34
180	Fractures of the capitellum and trochlea. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009 , 91, 390-7	5.6	59

179	Cost-effectiveness of postural exercise therapy versus physiotherapy in computer screen-workers with early non-specific work-related upper limb disorders (WRULD); a randomized controlled trial. 2009 , 10, 103		9
178	Fracture of the scapular body: functional outcome after conservative treatment. <i>Journal of Shoulder and Elbow Surgery</i> , 2009 , 18, 443-8	4.3	38
177	Cold intolerance in surgically treated neuroma patients: a prospective follow-up study. 2009 , 34, 1689-95		22
176	Long-term evaluation of surgically treated anterior monteggia fractures in skeletally mature patients. 2009 , 34, 1618-24		23
175	Clinimetric properties of instruments to assess activities in patients with hand injury: a systematic review of the literature. 2009 , 90, 151-69		89
174	Is the disability of arm, shoulder, and hand questionnaire (DASH) also valid and responsive in patients with neck complaints. 2009 , 34, E130-8		40
173	Cross-cultural adaptation of the Disability of Arm, Shoulder, and Hand questionnaire: Spanish for Puerto Rico version. 2009 , 32, 287-93		14
172	Outcome instruments: rationale for their use. <i>Journal of Bone and Joint Surgery - Series A</i> , 2009 , 91 Suppl 3, 41-9	5.6	91
171	The influence of work and treatment related factors on clinical status and disability in patients with non-specific work-related upper limb disorders. 2010 , 37, 425-32		2
170	Peak incidence of distal radius fractures due to ice skating on natural ice in The Netherlands. 2010 , 5, 65-9		4
169	The role of current mood and stop rules on physical task performance: an experimental investigation in patients with work-related upper extremity pain. 2010 , 14, 434-40		26
168	Validation of the Dutch version of the Oxford Shoulder Score. <i>Journal of Shoulder and Elbow Surgery</i> , 2010 , 19, 829-36	4.3	40
167	The course of nonspecific work-related upper limb disorders and the influence of demographic factors, psychologic factors, and physical fitness on clinical status and disability. 2010 , 91, 862-7		14
166	Suggestions for refinement of the Disabilities of the Arm, Shoulder and Hand Outcome Measure (DASH): a factor analysis and Rasch validation study. 2010 , 91, 1370-7		75
165	Elbow Dislocation and Articular Fracture of the Distal Humerus. 2010 , 2, 111-117		1
164	Italian cross-cultural adaptation and validation of the Oxford Shoulder Score. <i>Journal of Shoulder and Elbow Surgery</i> , 2010 , 19, 335-41	4.3	44
163	Positive effect of an autologous platelet concentrate in lateral epicondylitis in a double-blind randomized controlled trial: platelet-rich plasma versus corticosteroid injection with a 1-year follow-up. 2010 , 38, 255-62		527
162	A systematic literature review of outcome measures for upper extremity function using the international classification of functioning, disability, and health as reference. 2011 , 3, 846-60		45

161	Ultrasound findings in rheumatoid wrist arthritis highly correlate with function. 2011 , 33, 729-33	5
160	Translation into Arabic and validation of the ASES index in assessment of shoulder disabilities. 2011 , 54, 59-72	24
159	Ongoing positive effect of platelet-rich plasma versus corticosteroid injection in lateral epicondylitis: a double-blind randomized controlled trial with 2-year follow-up. 2011 , 39, 1200-8	414
158	Responsiveness of the Korean version of the disabilities of the arm, shoulder and hand questionnaire (K-DASH) after carpal tunnel release. 2011 , 3, 147-51	14
157	Safety of "pain exposure" physical therapy in patients with complex regional pain syndrome type 1. 2011 , 152, 1431-1438	61
156	Adaptation of Turkish version of the questionnaire Quick Disability of the Arm, Shoulder, and Hand (Quick DASH) in patients with carpal tunnel syndrome. 2011 , 30, 185-91	56
155	The reliability, validity and responsiveness of the Dutch version of the Oxford elbow score. 2011 , 6, 39	18
154	Scoring systems for the functional assessment of patients with rotator cuff pathology. 2011 , 19, 310-20	35
153	High rate of complications and radiographic loosening of the biaxial total wrist arthroplasty in rheumatoid arthritis: 32 wrists followed for 6 (5â8) years. 2011 , 82, 721-6	48
152	Is there a correlation between patient-reported outcome assessed by the Disabilities of the Arm, Shoulder and Hand Questionnaire and total active motion after flexor tendon repair?. 2012 , 17, 37-41	2
151	Pain exposure physical therapy, een veilige en effectieve behandeling voor patiënten met complex regionaal pijnsyndroom type 1. 2012 , 28, 33-41	
150	Long-term outcome of isolated diaphyseal radius fractures with and without dislocation of the distal radioulnar joint. 2012 , 37, 523-7	16
149	Validation of the Dutch version of the Simple Shoulder Test. <i>Journal of Shoulder and Elbow Surgery</i> , 2012 , 21, 808-14	4-3 45
148	The effectiveness and cost evaluation of pain exposure physical therapy and conventional therapy in patients with complex regional pain syndrome type 1. Rationale and design of a randomized controlled trial. 2012 , 13, 58	11
147	Cross-cultural adaptation of the Dutch Short Musculoskeletal Function Assessment questionnaire (SMFA-NL): internal consistency, validity, repeatability and responsiveness. 2012 , 43, 726-33	29
146	Hemiarthroplasty versus angle-stable locking compression plate osteosynthesis in the treatment of three- and four-part fractures of the proximal humerus in the elderly: design of a randomized controlled trial. 2012 , 13, 16	10
145	Design of COSMIC: a randomized, multi-centre controlled trial comparing conservative or early surgical management of incomplete cervical cord syndrome without spinal instability. 2013 , 14, 52	10
144	Surgical technique: Tibia cortical strut autograft interposition arthrodesis after distal radius resection. 2013 , 471, 803-13	9

143	Evaluation of the use of the hook plate in Neer type 2 lateral clavicle fractures and Rockwood types 3-5 acromioclavicular joint dislocations. 2013 , 39, 619-26	2
142	A self-management program for employees with complaints of the arm, neck, or shoulder (CANS): study protocol for a randomized controlled trial. 2013 , 14, 258	7
141	Determination and comparison of the smallest detectable change (SDC) and the minimal important change (MIC) of four-shoulder patient-reported outcome measures (PROMs). 2013 , 8, 40	149
140	Contratura de Dupuytren: estudo comparativo entre fasciectomy parcial e fasciotomia percutânea. 2013 , 48, 545-553	3
139	Relation between muscle activation pattern and pain: an explorative study in a bassists population. 2013 , 94, 1095-106	8
138	Dupuytren contracture: comparative study between partial fasciectomy and percutaneous fasciectomy. 2013 , 48, 545-553	1
137	Health status and (health-related) quality of life during the recovery of distal radius fractures: a systematic review. 2013 , 22, 2399-416	14
136	Local injection of autologous bone marrow cells to regenerate muscle in patients with traumatic brachial plexus injury: a pilot study. 2014 , 3, 38-47	10
135	Comparative responsiveness of the Hand 20 and the DASH-JSSH questionnaires to clinical changes after carpal tunnel release. 2014 , 39, 145-51	12
134	Canadian Occupational Performance Measure performance scale: validity and responsiveness in chronic pain. 2014 , 51, 727-46	22
133	Early changes in bone density, microarchitecture, bone resorption, and inflammation predict the clinical outcome 12 weeks after conservatively treated distal radius fractures: an exploratory study. 2014 , 29, 2065-73	20
132	Impact of combined skin sparing mastectomy and immediate subpectoral prosthetic reconstruction on the pectoralis major muscle function: a preoperative and postoperative comparative study. 2014 , 72, 631-7	22
131	Comparison between open and arthroscopic procedures for lateral clavicle resection. 2014 , 38, 783-9	7
130	Guideline for diagnosis and treatment of subacromial pain syndrome: a multidisciplinary review by the Dutch Orthopaedic Association. 2014 , 85, 314-22	191
129	Evaluative measurement properties of the patient-specific functional scale for primary shoulder complaints in physical therapy practice. 2014 , 44, 595-603	27
128	Measurement properties of the Western Ontario Shoulder Instability index in Dutch patients with shoulder instability. 2014 , 15, 211	20
127	Cross-cultural adaptation and reliability and validity of the Dutch Patient-Rated Tennis Elbow Evaluation (PRTEE-D). 2014 , 15, 270	16
126	Trapeziometacarpal arthrodesis or trapeziectomy with ligament reconstruction in primary trapeziometacarpal osteoarthritis: a randomized controlled trial. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96, 726-33	5.6 63

125	Comparison of arthroplasties with or without bone tunnel creation for thumb basal joint arthritis: a randomized controlled trial. 2014 , 39, 1692-8		19
124	Behandeling van contracturen van Dupuytren. 2015 , 58, 406-412		3
123	The Oxford Shoulder Instability Score; validation in Dutch and first-time assessment of its smallest detectable change. 2015 , 10, 146		21
122	The Musician as (In)Active Athlete?: Exploring the Association Between Physical Activity and Musculoskeletal Complaints in Music Students. 2015 , 30, 231-7		14
121	Instruments for assessment of impairments and activity limitations in patients with hand conditions: A European Delphi study. 2015 , 47, 948-56		21
120	Calibration and Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients with Chronic Pain. <i>PLoS ONE</i> , 2015 , 10, e0134094	3-7	25
119	Pain exposure physical therapy (PEPT) compared to conventional treatment in complex regional pain syndrome type 1: a randomised controlled trial. <i>BMJ Open</i> , 2015 , 5, e008283	3	37
118	The Effect of a Bone Tunnel During Ligament Reconstruction for Trapeziometacarpal Osteoarthritis: A 5-Year Follow-up. 2015 , 40, 2214-22		14
117	Construct validity of the canadian occupational performance measure in participants with tendon injury and Dupuytren disease. 2015 , 95, 750-7		24
116	Effect evaluation of a self-management programme for employees with complaints of the arm, neck or shoulder: a randomised controlled trial. 2015 , 72, 852-61		19
115	The Influence of Preoperative and Postoperative Psychological Symptoms on Clinical Outcome after Shoulder Surgery: A Prospective Longitudinal Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0166555	3-7	30
114	Calibration of the Dutch-Flemish PROMIS Pain Behavior item bank in patients with chronic pain. 2016 , 20, 284-96		17
113	Percutaneous Aponeurotomy and Lipofilling (PALF) versus Limited Fasciectomy in Patients with Primary Dupuytren's Contracture: A Prospective, Randomized, Controlled Trial. 2016 , 137, 1800-1812		40
112	Nigerian (Yoruba) version of Disabilities of the Arm, Shoulder and Hand questionnaire (DASH-Y): Cross-cultural adaptation and initial validation. 2016 , 21, 140-150		8
111	The effect of an occupation-based intervention in patients with hand-related disorders grouped using the sense of coherence scale: Study protocol. 2016 , 21, 90-99		3
110	AB1111-HPR Validity of Canadian Occupational Performance Measurement in Patients with Upper Limb Disorders in Turkey. 2016 , 75, 1311.3-1312		
109	Measurement of Outcomes of Upper Limb Reconstructive Surgery for Tetraplegia. 2016 , 97, S169-81		15
108	Structural Validity of the Dutch Version of the Patient-Rated Wrist Evaluation (PRWE-NL) in Patients With Hand and Wrist Injuries. 2016 , 96, 908-16		21

107	Long head Biceps TENodesis or tenotomy in arthroscopic rotator cuff repair: BITE study protocol. 2016 , 17, 375		10
106	Trapeziometacarpal Arthrodesis or Trapeziectomy with Ligament Reconstruction in Primary Trapeziometacarpal Osteoarthritis: A 5-Year Follow-Up. 2016 , 41, 910-6		28
105	Reliability and validity of the Korean version of the Short Musculoskeletal Function Assessment questionnaire for patients with musculoskeletal disorder. 2016 , 28, 2568-2571		3
104	Effect of latissimus dorsi flap breast reconstruction on the strength profile of the upper extremity. 2016 , 50, 202-7		18
103	Surgical stabilization for symptomatic carpometacarpal hypermobility; a randomized comparison of a dorsal and a volar technique and a cohort of the volar technique. 2016 , 39, 345-352		3
102	Update of the Quick DASH Questionnaire to Account for Modern Technology. <i>Hand</i> , 2016 , 11, 403-409	1.4	8
101	Model-based roentgen stereophotogrammetric analysis of the surface replacement trapeziometacarpal total joint arthroplasty. 2016 , 41, 925-929		6
100	Reliability, validity and responsiveness of the Arabic version of the Disability of Arm, Shoulder and Hand (DASH-Arabic). 2016 , 38, 2469-78		21
99	Foreign body reaction after trapeziectomy and Dacron interposition. 2016 , 35, 27-33		1
98	Platelet-Rich-Plasma Injections in Treating Lateral Epicondylitis: a Review of the Recent Evidence. 2015 , 7, 320-5		21
97	Psychometric properties of self-reported questionnaires for the evaluation of symptoms and functional limitations in individuals with rotator cuff disorders: a systematic review. 2016 , 38, 103-22		44
96	Systematic Review of Measures of Impairment and Activity Limitation for Persons With Upper Limb Trauma and Amputation. 2017 , 98, 1863-1892.e14		24
95	Evaluation of a new Transmural Trauma Care Model (TTCM) for the rehabilitation of trauma patients: a study protocol. 2017 , 17, 99		5
94	Corrective osteotomy is an effective method of treating distal radius malunions with good long-term functional results. 2017 , 48, 731-737		31
93	The Dutch-Flemish PROMIS Physical Function item bank exhibited strong psychometric properties in patients with chronic pain. 2017 , 87, 47-58		23
92	The Responsiveness and Minimal Important Change of the Western Ontario Shoulder Instability Index and Oxford Shoulder Instability Score. 2017 , 47, 402-410		20
91	The development of the Patient Expectations of Shoulder Surgery survey. <i>Journal of Shoulder and Elbow Surgery</i> , 2017 , 26, 1701-1707	4.3	4
90	Development and Validation of a Disease-Specific Questionnaire for Basal Joint Arthritis. 2017 , 6, 126-133		5

89	Functional and quality of life outcome after non-operatively managed proximal humeral fractures. 2017 , 18, 423-430	11
88	Physical therapists and importance of work participation in patients with musculoskeletal disorders: a focus group study. 2017 , 18, 196	10
87	High prevalence of self-reported shoulder complaints after thyroid carcinoma surgery. 2017 , 39, 260-268	8
86	Reliability, validity, responsiveness, and minimal important change of the Disabilities of the Arm, Shoulder and Hand and Constant-Murley scores in patients with a humeral shaft fracture. <i>Journal of Shoulder and Elbow Surgery</i> , 2017 , 26, e1-e12	4.3 27
85	Cross-cultural adaptation and psychometric properties of the Nigerian (IGBO) version of the Disabilities of the Arm, Shoulder and Hand questionnaire (I-DASH). 2017 , 22, 101-109	1
84	Physicians using spinal manipulative treatment in The Netherlands: a description of their characteristics and their patients. 2017 , 18, 512	3
83	Gemstracker Expertise team Rotterdam arm and hand: Web-based monitoring of physical, social and emotional functioning in patients with upper limb amputations. 2018 , 42, 50-55	1
82	Are the patient-rated wrist evaluation (PRWE) and the disabilities of the arm, shoulder and hand (DASH) questionnaire used in distal radial fractures truly valid and reliable?. 2018 , 7, 36-45	27
81	Linguistic validation, validity and reliability of the British English versions of the Disabilities of the Arm, Shoulder and Hand (DASH) questionnaire and QuickDASH in people with rheumatoid arthritis. 2018 , 19, 118	25
80	Participation restrictions among adolescents and adults with neonatal brachial plexus palsy: the patient perspective. 2018 , 40, 3147-3155	7
79	Psychometric properties of the performing arts module of the Disabilities of the Arm, Shoulder, and Hand questionnaire. 2018 , 40, 2946-2952	6
78	Psychological symptoms and the MCID of the DASH score in shoulder surgery. 2018 , 13, 246	13
77	Motor imagery performance and tactile acuity in patients with complaints of arms, neck and shoulder. 2018 , 8, 277-286	9
76	Structural validity of the Dutch version of the disability of arm, shoulder and hand questionnaire (DASH-DLV) in adult patients with hand and wrist injuries. 2018 , 19, 207	8
75	Long-term results of arthroscopic and mini-open repair of small- to medium-size full-thickness rotator cuff tears. 2019 , 11, 68-76	4
74	Cost-Effectiveness of the Transmural Trauma Care Model (TTCM) for the Rehabilitation of Trauma Patients. 2019 , 35, 307-316	3
73	Arthrodesis of the Carpometacarpal Thumb Joint for Osteoarthritis; Long-Term Results Using Patient-Reported Outcome Measurements. 2019 , 8, 489-496	4
72	Long-term results of the iBP elbow prosthesis: beware of destructive metallosis!. 2019 , 20, 415	1

71	Cross-cultural adaptation and psychometric properties of the Dutch version of the Hand Function Sort in patients with complaints of hand and/or wrist. 2019 , 20, 279		2
70	Comparison of platelet rich plasma and corticosteroids in the management of lateral epicondylitis: A meta-analysis of randomized controlled trials. 2019 , 67, 37-46		13
69	The Short Musculoskeletal Function Assessment: a study of the reliability, construct validity and responsiveness in patients sustaining trauma. 2019 , 33, 923-935		3
68	The Transmural Trauma Care Model (TTCM) for the rehabilitation of trauma patients is effective in improving patient related outcome measures: a non-randomized controlled trial. 2019 , 19, 819		5
67	The Validity, Reliability and Internal Consistency of the Cross-Cultural Adaptation of the FIL-DASH (Filipino Version of the Disability of the Arm, Shoulder and Hand) Questionnaire in Patients with Traumatic Brachial Plexus Injuries. 2019 , 24, 456-461		3
66	Omitting Routine Radiography of Traumatic Distal Radial Fractures After Initial 2-Week Follow-up Does Not Affect Outcomes. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019 , 101, 1342-1350	5.6	10
65	Nonunion of the Capitate due to Delayed Diagnosis of an Isolated Fracture: A Case Report. 2019 , 9, e0382		1
64	Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients With Musculoskeletal Complaints. 2019 , 44, 411-419		3
63	Cross-Cultural Adaptation and Psychometric Evaluation of the Dutch Version of the Work Rehabilitation Questionnaire (WORQ-VL). 2019 , 29, 514-525		6
62	Antegrade intramedullary Kirschner-wire fixation of displaced metacarpal shaft fractures. 2019 , 45, 65-71		5
61	Traducción, adaptación cultural y validación de una escala de función del miembro superior: DASH. 2020 , 34, 231-240		1
60	Pain, impaired functioning, poor satisfaction and diminished health status eight years following perilunate (fracture) dislocations. 2020 , 42, 849-856		1
59	The Cervical Radiculopathy Impact Scale: development and evaluation of a new functional outcome measure for cervical radicular syndrome. 2020 , 42, 1894-1905		3
58	Translation, cross-cultural and construct validity of the Dutch-Flemish PROMIS [®] upper extremity item bank v2.0. 2020 , 29, 1123-1135		5
57	Functional return after implant-based breast reconstruction: A prospective study of objective and patient-reported outcomes. 2020 , 73, 850-855		4
56	Rasch analysis of the Disabilities of the Arm, Shoulder and Hand (DASH) instrument in patients with a humeral shaft fracture. <i>Journal of Shoulder and Elbow Surgery</i> , 2020 , 29, 1040-1049	4.3	5
55	Long-Term Quality of Life after Free Flap Upper Extremity Reconstruction for Traumatic Injuries. 2020 , 36, 213-222		1
54	Is PROMIS the new standard for patient-reported outcomes measures in orthopaedic trauma research?. 2020 , 51 Suppl 2, S43-S50		10

53	Second Place Award: Long-term patient-reported outcomes after intramedullary Kirschner-wire fixation for displaced subcapital fractures of the fifth metacarpal bone: A retrospective cohort study. 2020 , 31, 330-335		
52	Is reduction of routine radiograph use in patients with distal radius fractures cost effective? Analysis of data from the multicentre, randomised controlled WARRIOR trial. <i>BMJ Open</i> , 2020 , 10, e035370		2
51	Quantifying the minimal and substantial clinical benefit of the Constant-Murley score and the Disabilities of the Arm, Shoulder and Hand score in patients with calcific tendinitis of the rotator cuff. 2020 , 4, 606-611		5
50	Achieving patient-centred goals in oncology: A retrospective analysis of a domestic activities of daily living group. 2020 , 83, 773-779		1
49	Free muscle flap coverage as last resort for therapy-resistant neuropathic pain in the upper extremity: A long-term retrospective follow-up study. 2020 , 73, 2171-2177		0
48	Work ability and percentage of hours worked related to limitations in patients with upper extremity musculoskeletal disorders: a cross-sectional cohort study. 2020 , 21, 389		0
47	Graded response model fit, measurement invariance and (comparative) precision of the Dutch-Flemish PROMIS [®] Upper Extremity V2.0 item bank in patients with upper extremity disorders. 2020 , 21, 170		4
46	Kinesio tape reduces pain in patients with lateral epicondylitis: A meta-analysis of randomized controlled trials. 2020 , 76, 190-199		10
45	The development of the Screening of Visual Complaints questionnaire for patients with neurodegenerative disorders: Evaluation of psychometric features in a community sample. <i>PLoS ONE</i> , 2020 , 15, e0232232	3.7	4
44	Reliability, validity and responsiveness of Brazilian version of QuickDASH. 2020 , 48, 102163		6
43	Comparison of reliability, validity and responsiveness of the Japanese Orthopaedic Association Shoulder 36 Ver. 1.3 among different diagnoses of shoulder lesions. 2021 , 26, 375-380		1
42	Medium to Long-Term Follow-Up After Pyrocarbon Disc Interposition Arthroplasty for Treatment of CMC Thumb Joint Arthritis. 2021 , 46, 150.e1-150.e14		3
41	Arthroscopic isolated long head of biceps tenotomy in patients with degenerative rotator cuff tears: mid-term clinical results and prognostic factors. 2021 , 31, 441-448		1
40	Structural validity and construct validity of the Dutch-Flemish PROMIS physical function-upper extremity version 2.0 item bank in Dutch patients with upper extremity injuries. 2021 , 43, 1176-1184		5
39	A radiostereometric and clinical long-term follow-up study of the surface replacement trapeziometacarpal joint prosthesis. 2021 , 22, 148		
38	Prospective cohort study comparing a triceps-sparing and triceps-detaching approach in total elbow arthroplasty: a protocol. <i>BMJ Open</i> , 2021 , 11, e046098		3
37	Joint Distraction for Thumb Carpometacarpal Osteoarthritis: 2-Year Follow-up Results of 20 Patients. 2021 , 10, 502-510		1
36	Long Head of Biceps Tenotomy Is Not Inferior to Supraperoneal Tenodesis in Arthroscopic Repair of Nontraumatic Rotator Cuff Tears: A Multicenter, Non-inferiority, Randomized, Controlled Clinical Trial. 2021 , 37, 1767-1776.e1		2

35	Feasibility and Outcomes of a Multidisciplinary Care Pathway for Neurogenic Thoracic Outlet Syndrome: A Prospective Observational Cohort Study. 2021 , 61, 1017-1024		3
34	Effectiveness and cost-effectiveness of an optimized process of providing assistive technology for impaired upper extremity function: Protocol of a prospective, quasi-experimental non-randomized study (OMARM). 2021 , 33, 207-220		1
33	Surgical management of post-thrombotic syndrome in chronic venous thoracic outlet syndrome. 2021 , 9, 1159-1167.e2		1
32	Choosing patient-reported outcome measures for shoulder pathology. <i>EFORT Open Reviews</i> , 2021 , 6, 779-787	5.5	1
31	Minimal important change and other measurement properties of the Oxford Elbow Score and the Quick Disabilities of the Arm, Shoulder, and Hand in patients with a simple elbow dislocation; validation study alongside the multicenter FuncSiE trial. <i>PLoS ONE</i> , 2017 , 12, e0182557	3.7	22
30	[Methods of assessment of movement functions in the upper limb]. <i>Zhurnal Nevrologii I Psikiatrii Imeni S S Korsakova</i> , 2016 , 116, 101-107	0.4	1
29	Surgical Treatment of Intra-Articular Fractures of the Distal Part of the Humerus. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007 , 89, 1524-1532	5.6	58
28	Shoulder outcomes measures. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2010 , 18, 436-44	4.5	150
27	Low prevalence of neuropathic-like pain symptoms in long-term controlled acromegaly. <i>Pituitary</i> , 2021 , 1	4.3	0
26	The impact of upper extremity injuries on polytrauma patients at a level 1 Trauma Center. <i>Journal of Shoulder and Elbow Surgery</i> , 2021 ,	4.3	0
25	Mid-term results of the Latitude primary total elbow arthroplasty. <i>Journal of Shoulder and Elbow Surgery</i> , 2021 ,	4.3	1
24	Beoordelen van de methodologische kwaliteit van een meetinstrument. 2008 , 105-123		
23	Effectiveness Evaluation of the Shoulder. 2009 , 267-278		
22	6 Nekklachten. 2010 , 101-137		
21	5 Schouderklachten bij een volleybalster. 2010 , 73-100		
20	7 Beoordelen van de methodologische kwaliteit van een meetinstrument. 2012 , 105-123		
19	Assessing Outcomes. <i>Orthopaedic Study Guide Series</i> , 2017 , 67-74	0.1	
18	Stap 5: wat is de klinimetrische kwaliteit van meetinstrumenten?. 2020 , 49-81		1

- 17 Early fixation of the humeral component in stemless total shoulder arthroplasty : a radiostereometric and clinical study with 24-month follow-up.. *Bone and Joint Journal*, **2022**, 104-B, 76-82^{5.6} ○
- 16 Effect of Tendon Strip (FCR vs APL) on Outcome of CMC Thumb Joint Arthroplasty With Pyrocarbon Disk Interposition.. *Hand*, **2022**, 15589447211040879 1.4
- 15 Trapeziectomy and Alternative Suspension Technique in Thumb Carpometacarpal Arthritis: Patient-Reported Outcome Measures. *Journal of Hand Surgery Global Online*, **2022**, 0.6
- 14 Effectiveness and cost-effectiveness of surgery versus casting for elderly patients with isplaced intra-rticular type C distal adius fractures: protocol of a randomised controlled rial with economic evaluation (the DART study).. *BMJ Open*, **2022**, 12, e051658 3
- 13 Psychometric analysis of the questionnaires for the assessment of upper limbs available in their Italian version: a systematic review of the structural and psychometric characteristics.. *Health and Quality of Life Outcomes*, **2021**, 19, 259 3 ○
- 12 Results of treatment of trapeziometacarpal osteoarthritis with trapeziectomy and tendon allograft interposition.. *Acta Orthopaedica Belgica*, **2021**, 87, 779-785 1.3
- 11 Effectiveness Evaluation of the Shoulder. **2017**, 169-181.e3
- 10 Reachable workspace analysis is a potential measurement for impairment of the upper extremity in neuralgic amyotrophy. *Muscle and Nerve*, 3-4 ○
- 9 Clinical and radiographic assessment of peripheral joints in controlled acromegaly. *Pituitary*, 4-3 ○
- 8 Is Early Active Motion After 3-Ligament Tenodesis Noninferior to Late Active Motion? A Prospective, Multicenter Cohort Study. **2022**, ○
- 7 Prevalence and factors associated with musculoskeletal complaints and disability in individuals with brachial plexus injury: a cross-sectional study. 1-10 ○
- 6 Cross-Cultural Adaption and Validation of the Dutch Version of the Kerlan-Jobe Orthopaedic Clinic Questionnaire in Juvenile Baseball Pitchers. **2022**, 10, 163 ○
- 5 Responsiveness and Minimal Important Change of the PROMIS Pain Interference item bank in patients presented in Musculoskeletal Practice.. **2022**, ○
- 4 Assessment of structural and cross-cultural validity of the Disabilities of the Arm, Shoulder and Hand questionnaire: a scoping review. 175899832211404 ○
- 3 Structural and cross-cultural validity of the Afrikaans for the Western Cape Disabilities of the Arm, Shoulder and Hand (DASH) questionnaire. **2023**, 7, ○
- 2 Effectiveness of an outpatient rehabilitation programme in patients with neuralgic amyotrophy and scapular dyskinesia: a randomised controlled trial. jnnp-2022-330296 ○
- 1 Comparison between two patient-reported outcome measures for patients with cervical radiculopathy: A think-aloud study. **2023**, 102764 ○