# Hyperchaotic behaviour of two bi-directionally coupled Chua's circuits

| # | Paper | IF | Citations |
|---|---|---|---|
| 96 | The metrics of technology evaluation: where we stand and where we should go from here. *International Journal of Technology Management*, **2002**, 24, 341 | 1.2 | 22 |
| 95 | Complex dynamical behaviours in two non-linearly coupled Chua's circuits. *Chaos, Solitons and Fractals*, **2004**, 21, 633-641 | 9.3 | 14 |
| 94 | Dynamical analysis and impulsive control of a new hyperchaotic system. *Mathematical and Computer Modelling*, **2005**, 42, 1359-1374 | | 26 |
| 93 | Hyperchaos evolved from the generalized Lorenz equation. *International Journal of Circuit Theory and Applications*, **2005**, 33, 235-251 | 2 | 112 |
| 92 | A chaotic modulation scheme based on algebraic observability and sliding mode differentiators. *Chaos, Solitons and Fractals*, **2005**, 26, 363-377 | 9.3 | 8 |
| 91 | A new modified hyperchaotic Lü system. *Physica A: Statistical Mechanics and Its Applications*, **2006**, 371, 260-272 | 3.3 | 66 |
| 90 | Synchronization by dynamical relaying in electronic circuit arrays. *Chaos*, **2006**, 16, 043113 | 3.3 | 12 |
| 89 | Generating Hyperchaos via a Simple Periodic Forcing Signal*. **2006**, | | |
| 88 | Isochronous synchronization in mutually coupled chaotic circuits. *Chaos*, **2007**, 17, 023128 | 3.3 | 26 |
| 87 | Research on new implementation method of chaotic model based on FPGA. **2007**, | | 1 |
| 86 | A novel hyperchaos evolved from three dimensional modified Lorenz chaotic system. *Chinese Physics B*, **2007**, 16, 3238-3243 | | 17 |
| 85 | A Systematic Approach to Bi-Directionally Nonlinearly Coupled Systems Design for the Generation of Complex Dynamical Behaviours. *IEEE Transactions on Circuits and Systems Part 1: Regular Papers*, **2007**, 54, 1340-1347 | | 5 |
| 84 | Linearly and nonlinearly bidirectionally coupled synchronization of hyperchaotic systems. *Chaos, Solitons and Fractals*, **2007**, 31, 230-235 | 9.3 | 15 |
| 83 | Hyperchaos from two coupled Wien-bridge oscillators. *International Journal of Circuit Theory and Applications*, **2008**, 36, 19-29 | 2 | 27 |
| 82 | On a new hyperchaotic system. *Physics Letters, Section A: General, Atomic and Solid State Physics*, **2008**, 372, 124-136 | 2.3 | 79 |
| 81 | The intermittent behavior of a second-order non-linear non-autonomous oscillator. *Chaos, Solitons and Fractals*, **2008**, 36, 1191-1199 | 9.3 | 3 |
| 80 | Generation of hyperchaos from the Chen Lee system via sinusoidal perturbation. *Chaos, Solitons and Fractals*, **2008**, 38, 826-839 | 9.3 | 18 |

79    New robust chaotic system with exponential quadratic term. *Chinese Physics B*, **2008**, 17, 4022-4026    1.2    11

78    The Generation of a New Hyperchaos Based on Lorenz System. **2008**,

77    Anti-synchronization of a new hyperchaotic system. *Physica Scripta*, **2008**, 78, 015007    2.6    6

76    Synchronization of a New Hyperchaotic Lorenz System. **2008**,    1

75    The Analysis and Circuit Implementation of a New Hyper-Chaos System. **2008**,

74    A HYPERCHAOTIC SYSTEM WITH A FOUR-WING ATTRACTOR. *International Journal of Modern Physics C*, **2009**, 20, 323-335    1.1    11

73    A Hyperchaotic Attractor with Multiple Positive Lyapunov Exponents. *Chinese Physics Letters*, **2009**, 26, 120501    1.8    1

72    On the hyperchaotic complex Lü system. *Nonlinear Dynamics*, **2009**, 58, 725-738    5    90

71    The energy resources system with parametric perturbations and its hyperchaos control. *Nonlinear Analysis: Real World Applications*, **2009**, 10, 2620-2626    2.1    14

70    Estimating the ultimate bound and positively invariant set for the hyperchaotic Lorenz–Haken system. *Chaos, Solitons and Fractals*, **2009**, 39, 1290-1296    9.3    38

69    A novel 3D autonomous system with different multilayer chaotic attractors. *Physics Letters, Section A: General, Atomic and Solid State Physics*, **2009**, 373, 3838-3845    2.3    8

68    A new hyperchaotic system and its circuit implementation. *Chaos, Solitons and Fractals*, **2009**, 40, 2544-2549    9.3    38

67    . **2009**,

66    Generating hyper-chaotic attractor from Van Der Pol system. **2009**,

65    BACK MATTER. *World Scientific Series on Nonlinear Science, Series A*, **2009**, 183-210    3.3

64    Dynamic behaviour of two coupled Lorenz systems. *IFAC Postprint Volumes IPPV / International Federation of Automatic Control*, **2009**, 42, 62-66    1

63    A new hyperchaotic system and its circuit implementation. *Communications in Nonlinear Science and Numerical Simulation*, **2010**, 15, 3518-3524    3.7    86

62    A new hyperchaotic Lorenz-type system: Generation, analysis, and implementation. *International Journal of Circuit Theory and Applications*, **2010**, 39, n/a-n/a    2    6

| 61 | A new hyperchaotic system and its synchronization. *Applied Mathematics and Computation*, **2010**, 215, 3192-3200 | 2.7 | 30 |
|----|------|-----|-----|
| 60 | Study on eigenvalue space of hyperchaotic canonical four-dimensional Chua's circuit. *Chinese Physics B*, **2010**, 19, 030507 | 1.2 | 7 |
| 59 | A novel one equilibrium hyper-chaotic system generated upon Lü attractor. *Chinese Physics B*, **2010**, 19, 020507 | 1.2 | 11 |
| 58 | A new 4D four-wing hyperchaotic attractor and its circuit implementation. **2010**, | | 2 |
| 57 | A new image encryption algorithm based on hyperchaotic mapping. **2010**, | | 3 |
| 56 | Generation of Hyperchaotic Chua System via State Feedback Control. **2010**, | | 2 |
| 55 | Advances in Cognitive Informatics and Cognitive Computing. *Studies in Computational Intelligence*, **2010**, | 0.8 | 33 |
| 54 | The Generation and Circuit Implementation of a Hyperchaos with Four-Wing. **2010**, | | |
| 53 | The FPGA Implementation of Hyperchaotic System Based upon VHDL Design. **2011**, | | 3 |
| 52 | Adaptive synchronization of coupled hyperchaotic Chua systems. **2011**, | | 1 |
| 51 | Design of Backstepping Controllers for Systems with Non-strict Feedback Form and Application to Chaotic Synchronization. *IFAC Postprint Volumes IPPV / International Federation of Automatic Control*, **2011**, 44, 10964-10969 | | 1 |
| 50 | Hyperchaos of higher order and its circuit implementation. *International Journal of Circuit Theory and Applications*, **2011**, 39, 79-89 | 2 | 12 |
| 49 | Global Synchronization of a Hyperchaotic System with Four-Wing. **2011**, | | 0 |
| 48 | GENERATION AND IMPLEMENTATION OF HYPERCHAOTIC CHUA SYSTEM VIA STATE FEEDBACK CONTROL. *International Journal of Bifurcation and Chaos in Applied Sciences and Engineering*, **2012**, 22, 1250119 | 2 | 9 |
| 47 | Passivity-based control of the new hyperchaotic system. *International Journal of Modelling, Identification and Control*, **2012**, 17, 206 | 0.6 | 5 |
| 46 | A hyperchaotic complex system generating two-, three-, and four-scroll attractors. *JVC/Journal of Vibration and Control*, **2012**, 18, 841-849 | 2 | 10 |
| 45 | A Novel Four-Wing Hyper-Chaotic System and Its Circuit Implementation. *Procedia Engineering*, **2012**, 29, 1264-1269 | | 18 |
| 44 | Design of adaptive sliding mode tracking controllers for chaotic synchronization and application to secure communications. *Journal of the Franklin Institute*, **2012**, 349, 2626-2649 | 4 | 19 |

| | | | |
|---|---|---|---|
| 43 | Generating tri-chaos attractors with three positive Lyapunov exponents in new four order system via linear coupling. *Nonlinear Dynamics*, **2012**, 69, 805-816 | 5 | 16 |
| 42 | Control of a novel chaotic fractional order system using a state feedback technique. *Mechatronics*, **2013**, 23, 755-763 | 3 | 17 |
| 41 | Learning Entropy: Multiscale Measure for Incremental Learning. *Entropy*, **2013**, 15, 4159-4187 | 2.8 | 17 |
| 40 | Generating hyperchaotic systems with multiple positive Lyapunov exponents. **2013**, | | 1 |
| 39 | Effect of a particular coupling on the dynamic behavior of nonlinear systems. *International Journal of Circuit Theory and Applications*, **2013**, 41, 1097-1108 | 2 | 2 |
| 38 | Theoretical Analysis and Adaptive Synchronization of a 4D Hyperchaotic Oscillator. *Journal of Chaos* , **2014**, 2014, 1-15 | | 5 |
| 37 | Synchronization of Fractional-Order Hyperchaotic Systems via Fractional-Order Controllers. *Discrete Dynamics in Nature and Society*, **2014**, 2014, 1-14 | 1.1 | 3 |
| 36 | On the analysis of semiconductor diode-based chaotic and hyperchaotic generators case study. *Nonlinear Dynamics*, **2014**, 77, 373-386 | 5 | 30 |
| 35 | A Systematic Methodology for Constructing Hyperchaotic Systems With Multiple Positive Lyapunov Exponents and Circuit Implementation. *IEEE Transactions on Circuits and Systems I: Regular Papers*, **2014**, 61, 854-864 | 3.9 | 75 |
| 34 | Designing Hyperchaotic Systems With Any Desired Number of Positive Lyapunov Exponents via A Simple Model. *IEEE Transactions on Circuits and Systems I: Regular Papers*, **2014**, 61, 2380-2389 | 3.9 | 73 |
| 33 | Control of a novel fractional hyperchaotic system using a located control method. *Optimization*, **2014**, 63, 1219-1233 | 1.2 | 1 |
| 32 | Constructing hyperchaotic systems at will. *International Journal of Circuit Theory and Applications*, **2015**, 43, 2039-2056 | 2 | 21 |
| 31 | Dynamical Analysis and Circuit Simulation of a New Fractional-Order Hyperchaotic System and Its Discretization. *International Journal of Bifurcation and Chaos in Applied Sciences and Engineering*, **2016**, 26, 1650222 | 2 | 35 |
| 30 | Master stability functions for a class of coupled simple nonlinear electronic circuits. *Journal of the Korean Physical Society*, **2016**, 68, 628-632 | 0.6 | 4 |
| 29 | Optimal Synchronization of Complex Chaotic T-Systems and Its Application in Secure Communication. *Journal of Control, Automation and Electrical Systems*, **2016**, 27, 379-390 | 1.5 | 7 |
| 28 | A 5D hyperchaotic Sprott B system with coexisting hidden attractors. *Chaos, Solitons and Fractals*, **2016**, 87, 172-181 | 9.3 | 47 |
| 27 | Synchronization of strange non-chaotic attractors via unidirectional coupling of quasiperiodically-forced systems. *Journal of the Korean Physical Society*, **2016**, 69, 124-130 | 0.6 | 3 |
| 26 | On the Influence of the Coupling Strength among Chua Circuits on the Structure of Their Hyper-Chaotic Attractors. *International Journal of Bifurcation and Chaos in Applied Sciences and Engineering*, **2016**, 26, 1650115 | 2 | 2 |

| | | | |
|---|---|---|---|
| 25 | Chaotic Dynamics and Application of LCR Oscillators Sharing Common Nonlinearity. *International Journal of Bifurcation and Chaos in Applied Sciences and Engineering*, **2016**, 26, 1650094 | 2 | 3 |
| 24 | Analysis of 4D autonomous system with volume-expanding phase space. *Nonlinear Dynamics*, **2016**, 84, 2273-2284 | 5 | 7 |
| 23 | Stability and Hopf bifurcation analysis of novel hyperchaotic system with delayed feedback control. *Complexity*, **2016**, 21, 180-193 | 1.6 | 8 |
| 22 | An Approach to Stable Gradient-Descent Adaptation of Higher Order Neural Units. *IEEE Transactions on Neural Networks and Learning Systems*, **2017**, 28, 2022-2034 | 10.3 | 8 |
| 21 | On coexisting bifurcations and hyperchaos in a class of diode-based oscillators: a case study. *International Journal of Dynamics and Control*, **2017**, 5, 530-541 | 1.7 | 4 |
| 20 | Hyper-chaotic analysis and adaptive multi-switching synchronization of a novel asymmetric non-linear dynamical system. *International Journal of Dynamics and Control*, **2017**, 5, 1211-1221 | 1.7 | 21 |
| 19 | Exploring High Quality Chaotic Signal Generation in a Mutually Delay Coupled Semiconductor Lasers System. *IEEE Photonics Journal*, **2017**, 9, 1-10 | 1.8 | 4 |
| 18 | Designing Hyperchaotic Cat Maps With Any Desired Number of Positive Lyapunov Exponents. *IEEE Transactions on Cybernetics*, **2018**, 48, 463-473 | 10.2 | 32 |
| 17 | High-dimensional dynamics in a single-transistor oscillator containing Feynman-Sierpiński resonators: Effect of fractal depth and irregularity. *Chaos*, **2018**, 28, 093112 | 3.3 | 3 |
| 16 | Bifurcations and Hyperchaos in Magnetoconvection of Non-Newtonian Fluids. *International Journal of Bifurcation and Chaos in Applied Sciences and Engineering*, **2018**, 28, 1830034 | 2 | 10 |
| 15 | A symmetric pair of hyperchaotic attractors. *International Journal of Circuit Theory and Applications*, **2018**, 46, 2434-2443 | 2 | 7 |
| 14 | Design and circuit implementation of a five-dimensional hyperchaotic system with linear parameter. *International Journal of Circuit Theory and Applications*, **2018**, 46, 1503-1515 | 2 | 5 |
| 13 | Stability of random impulsive coupled systems on networks with Markovian switching. *Stochastic Analysis and Applications*, **2019**, 37, 1107-1132 | 1.1 | 45 |
| 12 | Synchronization of Stochastic Lévy Noise Systems on a Multi-Weights Network and Its Applications of Chua's Circuits. *IEEE Transactions on Circuits and Systems I: Regular Papers*, **2019**, 66, 2709-2722 | 3.9 | 27 |
| 11 | New dynamics coined in a 4-D quadratic autonomous hyper-chaotic system. *Applied Mathematics and Computation*, **2019**, 346, 272-286 | 2.7 | 8 |
| 10 | A novel hyperchaotic three-component oscillator operating at high frequency. *Chaos, Solitons and Fractals*, **2019**, 118, 166-180 | 9.3 | 14 |
| 9 | Synchronized stationary distribution and synchronization for memristor-based complex networks via intermittent control. *Applicable Analysis*, **2020**, 1-25 | 0.8 | 1 |
| 8 | Synchronization for stochastic hybrid coupled controlled systems with Lévy noise. *Mathematical Methods in the Applied Sciences*, **2020**, 43, 9557-9581 | 2.3 | 16 |

| | | | |
|---|---|---|---|
| 7 | Non periodic oscillations, bistability, coexistence of chaos and hyperchaos in the simplest resistorless Op-Amp based Colpitts oscillator. *Heliyon*, **2020**, 6, e03482 | 3.6 | 2 |
| 6 | Synchronization of coupled systems via intermittent event-triggered control: Quaternion case. *Chaos, Solitons and Fractals*, **2021**, 151, 111242 | 9.3 | 2 |
| 5 | Adaptive Evaluation of Complex Dynamical Systems Using Low-Dimensional Neural Architectures. *Studies in Computational Intelligence*, **2010**, 33-57 | 0.8 | 6 |
| 4 | Adaptive Coupled Synchronization of Coupled Chaotic Dynamical Systems. *Trends in Applied Sciences Research*, **2007**, 2, 88-102 | 0.3 | 3 |
| 3 | Synchronization and Adaptive Synchronization of Hyperchaotic Lu Dynamical System. *Trends in Applied Sciences Research*, **2008**, 3, 129-141 | 0.3 | 2 |
| 2 | Chaos-hyperchaos transition in three identical quorum-sensing mean-field coupled ring oscillators. *Chaos*, **2021**, 31, 103112 | 3.3 | 3 |
| 1 | Revealing the true and pseudo-singularly degenerate heteroclinic cycles. | | 0 |