

CITATION REPORT

List of articles citing

Connective tissue growth factor: a new and important player in the pathogenesis of fibrosis

DOI: 10.1007/s11926-002-0009-x

Current Rheumatology Reports, 2002, 4, 136-42.

Source: <https://exaly.com/paper-pdf/34550292/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
188	Prostacyclin derivatives prevent the fibrotic response to TGF-beta by inhibiting the Ras/MEK/ERK pathway. 2002 , 16, 1949-51		128
187	Upregulation of monocyte chemoattractant protein 1 and effects of transforming growth factor-beta 1 in Peyronie's disease. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 295, 1014-9	3.4	37
186	Hybrid formation between the intracellular faces of the bradykinin B2 and angiotensin II AT1 receptors and signal transduction. 2002 , 2, 1807-22		12
185	Wound healing. 2002 , 89, 1203-5		26
184	Regulation of angiogenesis and endothelial cell function by connective tissue growth factor (CTGF) and cysteine-rich 61 (CYR61). 2002 , 5, 153-65		237
183	Systemic sclerosis: current views of its pathogenesis. 2003 , 2, 181-91		108
182	Connective tissue growth factor (CTGF/CCN2) in hepatic fibrosis. 2003 , 26, 1-9		179
181	Latency-associated peptide prevents skin fibrosis in murine sclerodermatous graft-versus-host disease, a model for human scleroderma. 2003 , 121, 713-9		68
180	Recombinant connective tissue growth factor modulates porcine skin fibroblast gene expression. 2003 , 11, 220-9		54
179	An angiotensin II type 1 receptor antagonist, olmesartan medoxomil, improves experimental liver fibrosis by suppression of proliferation and collagen synthesis in activated hepatic stellate cells. 2003 , 139, 1085-94		95
178	Systemic sclerosis: the susceptible host (genetics and environment). <i>Rheumatic Disease Clinics of North America</i> , 2003 , 29, 211-37	2.4	52
177	A mouse model of intestinal fibrosis?. 2003 , 125, 1889-92		9
176	Foreign body-type multinucleated giant cell formation is potently induced by alpha-tocopherol and prevented by the diacylglycerol kinase inhibitor R59022. 2003 , 163, 1147-56		53
175	New insights into the pathogenesis of systemic sclerosis. 2003 , 2, 152-7		112
174	Expression of connective tissue growth factor in asthmatic airway smooth muscle cells. 2003 , 167, 71-7		110
173	The role of connective tissue growth factor, a multifunctional matricellular protein, in fibroblast biology. 2003 , 81, 355-63		228
172	Connective tissue growth factor gene regulation. Requirements for its induction by transforming growth factor-beta 2 in fibroblasts. 2003 , 278, 13008-15		251

171	Constitutive connective tissue growth factor expression in scleroderma fibroblasts is dependent on Sp1. 2003 , 278, 41728-33	90
170	Role of connective tissue growth factor in breast implant elastomer capsular formation. 2003 , 50, 263-8; discussion 268	32
169	Role of connective tissue growth factor in the pathogenesis of conjunctival scarring in ocular cicatricial pemphigoid. 2003 , 44, 1998-2003	47
168	Hepatocyte growth factor and its role in the pathogenesis of retinal detachment. 2004 , 45, 323-9	38
167	Pharmacologic management of migraine. 2004 , 140, W26	
166	Adrenal insufficiency from inhaled corticosteroids. 2004 , 140, W27	8
165	Randomized trial of warfarin nomograms. 2004 , 140, 488-9; author reply 491-2	2
164	Prevention of ventilator-associated pneumonia. 2004 , 140, 486; author reply 486-7	3
163	Following the Molecular Pathways toward an Understanding of the Pathogenesis of Systemic Sclerosis. 2004 , 140, 37	82
162	Transcriptional profiling of the scleroderma fibroblast reveals a potential role for connective tissue growth factor (CTGF) in pathological fibrosis. 2004 , 53, 74-7	55
161	Accumulation of NH2-terminal fragment of connective tissue growth factor in the vitreous of patients with proliferative diabetic retinopathy. 2004 , 27, 758-64	67
160	The role of p38alpha mitogen-activated protein kinase activation in renal fibrosis. 2004 , 15, 370-9	160
159	Role of extracellular matrix in adaptation of tendon and skeletal muscle to mechanical loading. <i>Physiological Reviews</i> , 2004 , 84, 649-98	47.9 990
158	Tyrosine phosphorylation of the LDL receptor-related protein (LRP) and activation of the ERK pathway are required for connective tissue growth factor to potentiate myofibroblast differentiation. 2004 , 18, 1920-1	87
157	Hypoxic induction of Ctgf is directly mediated by Hif-1. 2004 , 287, F1223-32	233
156	Identifying and understanding the role of pulmonary vein activity in atrial fibrillation. 2004 , 64, 387-94	34
155	Combined administration of basic fibroblast growth factor protein and the hepatocyte growth factor gene enhances the regeneration of dermis in acute incisional wounds. 2004 , 12, 67-79	46
154	Insights into the molecular mechanism of chronic fibrosis: the role of connective tissue growth factor in scleroderma. 2004 , 122, 1-6	106

153	K317, R319, and E320 within the proximal C-terminus of the bradykinin B2 receptor form a motif important for phospholipase C and phospholipase A2 but not connective tissue growth factor related signaling. 2004 , 92, 547-59		6
152	TGF-beta signaling and the fibrotic response. 2004 , 18, 816-27		1872
151	Medical treatment for pulmonary fibrosis: current trends, concepts, and prospects. 2004 , 25, 759-72, vii		15
150	Inducing muscle hypertrophy as a therapeutic strategy for muscular dystrophies. 122nd ENMC International Workshop, Naarden, The Netherlands, 28-30 November 2003. 2004 , 14, 519-25		1
149	TGF-beta-induced SMAD signaling and gene regulation: consequences for extracellular matrix remodeling and wound healing. <i>Journal of Dermatological Science</i> , 2004 , 35, 83-92	4-3	339
148	Recent advances in fibroblast signaling and biology in scleroderma. 2004 , 16, 739-45		60
147	Prevention of Ventilator-Associated Pneumonia. 2004 , 140, 486		0
146	Interstitial Disease in Systemic Sclerosis. 2004 , 2, 181-207		1
145	Evidence for low-density lipoprotein-induced expression of connective tissue growth factor in mesangial cells. 2005 , 67, 1286-96		11
144	Vascular endothelial growth factor reduced and connective tissue growth factor induced by triamcinolone in ARPE19 cells under oxidative stress. 2005 , 46, 1062-8		91
143	The biology of integration of the anterior cruciate ligament. 2005 , 87, 889-95		66
142	Structural and functional properties of CCN proteins. 2005 , 70, 69-103		135
141	HCV core protein promotes liver fibrogenesis via up-regulation of CTGF with TGF-beta1. 2005 , 37, 138-45		83
140	Characterisation of myofibroblasts in fibrovascular tissues of primary and recurrent pterygia. 2005 , 89, 269-74		37
139	Elevated formation of pyridinoline cross-links by profibrotic cytokines is associated with enhanced lysyl hydroxylase 2b levels. 2005 , 1741, 95-102		80
138	Differential effects of transforming growth factor-beta on the synthesis of connective tissue growth factor and vascular endothelial growth factor by peritoneal mesothelial cell. 2005 , 99, e95-e104		27
137	Mitral valve abnormalities in congestive heart failure: an interplay between form and function?. 2005 , 45, 62-4		3
136	Increased TGF-beta2 in severe asthma with eosinophilia. 2005 , 115, 110-7		106

135	Systemic sclerosis: hypothesis-driven treatment strategies. 2006 , 367, 1683-91	141
134	Mechanisms and consequences of fibrosis in systemic sclerosis. 2006 , 2, 134-44	130
133	Homologous peptide of connective tissue growth factor ameliorates epithelial to mesenchymal transition of tubular epithelial cells. 2006 , 36, 35-44	14
132	Peripheral T lymphocytes from patients with early systemic sclerosis co-cultured with autologous fibroblasts undergo an oligoclonal expansion similar to that occurring in the skin. 2006 , 144, 169-76	21
131	Transforming growth factor beta-induced connective tissue growth factor and chronic allograft rejection. 2006 , 6, 959-66	28
130	Microarray and phosphokinase screenings leading to studies on ERK and JNK regulation of connective tissue growth factor expression by angiotensin II 1a and bradykinin B2 receptors in Rat1 fibroblasts. 2006 , 97, 1104-20	32
129	Upregulation of secretory connective tissue growth factor (CTGF) in keratinocyte-fibroblast coculture contributes to keloid pathogenesis. 2006 , 208, 336-43	76
128	Mechanisms of low-density lipoprotein-induced expression of connective tissue growth factor in human aortic endothelial cells. 2006 , 290, H1624-34	25
127	Mechanical stretch modulates the promoter activity of the profibrotic factor CCN2 through increased actin polymerization and NF-kappaB activation. 2006 , 281, 20608-22	72
126	Transforming growth factor-beta2 and connective tissue growth factor in proliferative vitreoretinal diseases: possible involvement of hyalocytes and therapeutic potential of Rho kinase inhibitor. 2007 , 56, 231-8	90
125	Sphingosine-1-phosphate receptor expression in cardiac fibroblasts is modulated by in vitro culture conditions. 2007 , 292, H2698-711	19
124	Mechanisms of scleroderma-induced lung disease. 2007 , 4, 434-8	18
123	Functional characteristics of connective tissue growth factor on vitreoretinal cells. 2007 , 56, 1421-8	40
122	A polymorphism in the CTGF promoter region associated with systemic sclerosis. 2007 , 357, 1210-20	163
121	Protective effects of sirolimus by attenuating connective tissue growth factor expression in human chronic allograft nephropathy. 2007 , 39, 1410-5	20
120	Effects of Connective Tissue Growth Factor and Collagen Type I Scleroderma. 2007 , 21, 175-179	
119	Enamel matrix derivative induces connective tissue growth factor expression in human osteoblastic cells. <i>Journal of Periodontology</i> , 2007 , 78, 2369-79	4.6 31
118	Role of vitronectin and fibronectin receptors in oral mucosal and dermal myofibroblast differentiation. 2007 , 99, 601-14	46

117	Impairment of the antifibrotic effect of hepatocyte growth factor in lung fibroblasts from African Americans: possible role in systemic sclerosis. 2007 , 56, 2432-42		34
116	Profibrogenic transforming growth factor-beta/activin receptor-like kinase 5 signaling via connective tissue growth factor expression in hepatocytes. 2007 , 46, 1257-70		99
115	siRNA-mediated knockdown of connective tissue growth factor prevents N-nitrosodimethylamine-induced hepatic fibrosis in rats. 2007 , 14, 790-803		106
114	Formation and function of the myofibroblast during tissue repair. 2007 , 127, 526-37		1061
113	Upregulation of connective tissue growth factor in a rat model of chronic allograft nephropathy. 2007 , 12, 166-71		10
112	Increased expression of Wnt2 and SFRP4 in Tsk mouse skin: role of Wnt signaling in altered dermal fibrillin deposition and systemic sclerosis. 2008 , 128, 871-81		91
111	Collagen. 2008 ,		294
110	Induction of antiproliferative connective tissue growth factor expression in WilmsRtumor cells by sphingosine-1-phosphate receptor 2. 2008 , 6, 1649-56		55
109	Connective tissue growth factor does not affect transforming growth factor-beta 1-induced Smad3 phosphorylation and T lymphocyte proliferation inhibition. 2008 , 147, 152-60		10
108	A novel therapeutic approach to the treatment of scleroderma-associated pulmonary complications: safety and efficacy of combination therapy with imatinib and cyclophosphamide. 2009 , 48, 49-52		42
107	Proteomic analysis of CTGF-activated lung fibroblasts: identification of IQGAP1 as a key player in lung fibroblast migration. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2008 , 295, L603-11	5.8	34
106	Serial analysis of gene expression identifies connective tissue growth factor expression as a prognostic biomarker in gallbladder cancer. 2008 , 14, 2631-8		36
105	IgG from patients with systemic sclerosis bind to DNA antitopoisomerase 1 in normal human fibroblasts extracts. 2008 , 2, 583-91		6
104	Novel high-throughput polymer biocompatibility screening designed for SAR (structure-activity relationship): application for evaluating polymer coatings for cardiovascular drug-eluting stents. 2009 , 12, 664-76		11
103	Ccn2/Ctgf overexpression induced by cigarette smoke during cutaneous wound healing is strain dependent. 2009 , 37, 175-82		8
102	The role of the extracellular matrix and specific growth factors in the regulation of inflammation and remodelling in asthma. <i>Pharmacology & Therapeutics</i> , 2009 , 122, 19-29	13.9	38
101	TNF-alpha suppressed TGF-beta-induced CTGF expression by switching the binding preference of p300 from Smad4 to p65. 2009 , 21, 867-72		15
100	Strategies for blocking the fibrogenic actions of connective tissue growth factor (CCN2): From pharmacological inhibition in vitro to targeted siRNA therapy in vivo. <i>Journal of Cell Communication and Signaling</i> , 2009 , 3, 5-18	5.2	56

99	Keratinocyte-conditioned media regulate collagen expression in dermal fibroblasts. 2009 , 129, 340-7		47
98	Protective effect of total aralosides of <i>Aralia elata</i> (Miq) Seem (TASAES) against diabetic cardiomyopathy in rats during the early stage, and possible mechanisms. 2009 , 41, 538-47		29
97	From traction and contraction to wound closure. 2009 , 36, 365-6		
96	Advances in disease-specific treatment of systemic sclerosis. 2009 , 4, 67-73		
95	Tendon biomechanics. 2010 , 375-393		
94	Connective tissue growth factor (CCN2, CTGF) and organ fibrosis: lessons from transgenic animals. <i>Journal of Cell Communication and Signaling</i> , 2010 , 4, 1-4	5.2	105
93	Inhibition of connective tissue growth factor/CCN2 expression in human dermal fibroblasts by interleukin-1alpha and beta. 2010 , 110, 1226-33		14
92	Future treatments in systemic sclerosis. 2010 , 37, 54-70		88
91	Increased cAMP levels modulate transforming growth factor-beta/Smad-induced expression of extracellular matrix components and other key fibroblast effector functions. 2010 , 285, 409-21		57
90	Biomarkers in systemic sclerosis. 2010 , 4, 133-47		55
89	Effects of renin-angiotensin system blockade on islet function in diabetic rats. 2010 , 33, 13-9		26
88	New insights into the mechanism of fibroblast to myofibroblast transformation and associated pathologies. <i>International Review of Cell and Molecular Biology</i> , 2010 , 282, 165-92	6	45
87	The effects of low-intensity pulsed ultrasound exposure on gingival cells. <i>Journal of Periodontology</i> , 2011 , 82, 1498-503	4.6	34
86	Macrophage fusion and multinucleated giant cells of inflammation. <i>Advances in Experimental Medicine and Biology</i> , 2011 , 713, 97-111	3.6	115
85	Early obstruction of decellularized xenogenic valves in pediatric patients: involvement of inflammatory and fibroproliferative processes. <i>Cardiovascular Pathology</i> , 2011 , 20, 222-31	3.8	57
84	Extracellular acidification induces connective tissue growth factor production through proton-sensing receptor OGR1 in human airway smooth muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 413, 499-503	3.4	39
83	The correlation of in vivo burn scar contraction with the level of smooth muscle actin expression. <i>Burns</i> , 2011 , 37, 1367-77	2.3	30
82	Vascular involvement in systemic sclerosis (scleroderma). <i>Journal of Inflammation Research</i> , 2011 , 4, 105-25		59

81	The cholesterol metabolite 25-hydroxycholesterol activates estrogen receptor β -mediated signaling in cancer cells and in cardiomyocytes. <i>PLoS ONE</i> , 2011 , 6, e16631	3.7	74
80	Unilateral pseudogynecomastia: an occupational hazard in manual metal-pressing factories?. <i>Aesthetic Plastic Surgery</i> , 2011 , 35, 270-3	2	2
79	CCN2/decorin interactions: a novel approach to combating fibrosis?. <i>Journal of Cell Communication and Signaling</i> , 2011 , 5, 249-50	5.2	4
78	Potential prognostic biomarkers for bone metastasis from hepatocellular carcinoma. <i>Oncologist</i> , 2011 , 16, 1028-39	5.7	35
77	Cellular players in lung fibrosis. <i>Current Pharmaceutical Design</i> , 2012 , 18, 4093-102	3.3	50
76	Pioglitazone attenuates vascular fibrosis in spontaneously hypertensive rats. <i>PPAR Research</i> , 2012 , 2012, 856426	4.3	11
75	Cardioprotective effect of sodium ferulate in diabetic rats. <i>International Journal of Medical Sciences</i> , 2012 , 9, 291-300	3.7	23
74	Targeting TGF β -superfamily ligand accessory proteins as novel therapeutics for chronic lung disorders. <i>Pharmacology & Therapeutics</i> , 2012 , 135, 279-91	13.9	17
73	Inflammation and Angiogenesis in Diabetic Retinopathy. 2012 ,		
72	Induction of chemokine receptor CXCR4 expression by transforming growth factor- β in human basal cell carcinoma cells. <i>Journal of Dermatological Science</i> , 2013 , 72, 123-33	4.3	9
71	Early cardiac changes in a rat model of prediabetes: brain natriuretic peptide overexpression seems to be the best marker. <i>Cardiovascular Diabetology</i> , 2013 , 12, 44	8.7	50
70	Tissue engineering for in vitro analysis of matrix metalloproteinases in the pathogenesis of keloid lesions. <i>JAMA Facial Plastic Surgery</i> , 2013 , 15, 448-56	3.2	24
69	Rapamycin is less fibrogenic than Cyclosporin A as demonstrated in a rat model of chronic allograft nephropathy. <i>Journal of Surgical Research</i> , 2013 , 179, e255-63	2.5	8
68	Vascular fibrosis in atherosclerosis. <i>Cardiovascular Pathology</i> , 2013 , 22, 401-7	3.8	104
67	Regulation of myofibroblast differentiation and bleomycin-induced pulmonary fibrosis by adrenomedullin. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2013 , 304, L757-64	5.8	21
66	The influence of CTGF single-nucleotide polymorphisms on outcomes in Crohn's disease. <i>Annals of Surgery</i> , 2013 , 258, 767-73; discussion 773-4	7.8	7
65	Rapamycin regulates connective tissue growth factor expression of lung epithelial cells via phosphoinositide 3-kinase. <i>Experimental Biology and Medicine</i> , 2013 , 238, 1082-94	3.7	22
64	Caffeine and rolipram affect Smad signalling and TGF- β stimulated CTGF and transgelin expression in lung epithelial cells. <i>PLoS ONE</i> , 2014 , 9, e97357	3.7	21

63	Identification of novel SHOX target genes in the developing limb using a transgenic mouse model. <i>PLoS ONE</i> , 2014 , 9, e98543	3.7	13
62	A novel role for SIRT-1 in L-arginine protection against STZ induced myocardial fibrosis in rats. <i>PLoS ONE</i> , 2014 , 9, e114560	3.7	23
61	Decreased femoral cartilage thickness in patients with systemic sclerosis. <i>American Journal of the Medical Sciences</i> , 2014 , 347, 382-6	2.2	9
60	Connective tissue growth factor: a predictor of recurrence after catheter ablation in patients with nonparoxysmal atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2014 , 37, 630-7	1.6	6
59	Resolving an inflammatory concept: the importance of inflammation and resolution in tendinopathy. <i>Veterinary Immunology and Immunopathology</i> , 2014 , 158, 121-7	2	64
58	Fibrosis Related Inflammatory Mediators: Role of the IL-10 Cytokine Family. <i>Mediators of Inflammation</i> , 2015 , 2015, 764641	4.3	149
57	The Pathogenesis of Systemic Sclerosis. <i>Rheumatic Disease Clinics of North America</i> , 2015 , 41, 367-82	2.4	74
56	Deregulated expression of connective tissue growth factor (CTGF/CCN2) is linked to poor outcome in human cancer. <i>International Journal of Cancer</i> , 2015 , 137, 504-11	7.5	47
55	A unifying neuro-fasciogenic model of somatic dysfunction - underlying mechanisms and treatment - Part I. <i>Journal of Bodywork and Movement Therapies</i> , 2015 , 19, 310-26	1.6	34
54	Effects of enamel matrix derivative and transforming growth factor- β on connective tissue growth factor in human periodontal ligament fibroblasts. <i>Journal of Periodontology</i> , 2015 , 86, 569-77	4.6	10
53	Transforming growth factor- β signaling in healthy human fetal skin: a descriptive study. <i>Journal of Dermatological Science</i> , 2015 , 78, 117-24	4.3	21
52	CTGF/CCN2 exerts profibrotic action in myoblasts via the up-regulation of sphingosine kinase-1/S1P3 signaling axis: Implications in the action mechanism of TGF- β . <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2015 , 1851, 194-202	5	23
51	D1398G Variant of MET Is Associated with Impaired Signaling of Hepatocyte Growth Factor in Alveolar Epithelial Cells and Lung Fibroblasts. <i>PLoS ONE</i> , 2016 , 11, e0162357	3.7	1
50	Expression of TGF- β and CTGF Is Associated with Fibrosis of Denervated Sternocleidomastoid Muscles in Mice. <i>Tohoku Journal of Experimental Medicine</i> , 2016 , 238, 49-56	2.4	22
49	Type I IFNs Regulate Inflammation, Vasculopathy, and Fibrosis in Chronic Cutaneous Graft-versus-Host Disease. <i>Journal of Immunology</i> , 2016 , 197, 42-50	5.3	24
48	Platelets drive smooth muscle metaplasia and fibrogenesis in endometriosis through epithelial-mesenchymal transition and fibroblast-to-myofibroblast transdifferentiation. <i>Molecular and Cellular Endocrinology</i> , 2016 , 428, 1-16	4.4	109
47	Biology of Anterior Cruciate Ligament Graft Healing. 2017 , 111-124		2
46	Effect of Palmitoyl-Pentapeptide (Pal-KTTKS) on Wound Contractile Process in Relation with Connective Tissue Growth Factor and β Smooth Muscle Actin Expression. <i>Tissue Engineering and Regenerative Medicine</i> , 2017 , 14, 73-80	4.5	5

45	Targeting Hypoxia Inducible Factors-1 α s a Novel Therapy in Fibrosis. <i>Frontiers in Pharmacology</i> , 2017 , 8, 326	5.6	33
44	Lentivirus-mediated silencing of the CTGF gene suppresses the formation of glial scar tissue in a rat model of spinal cord injury. <i>Spine Journal</i> , 2018 , 18, 164-172	4	10
43	An early history of CCN2/CTGF research: the road to CCN2 via hcs24, ctgf, ecogenin, and regenerin. <i>Journal of Cell Communication and Signaling</i> , 2018 , 12, 253-264	5.2	22
42	Local Silencing of Connective Tissue Growth Factor by siRNA/Peptide Improves Dermal Collagen Arrangements. <i>Tissue Engineering and Regenerative Medicine</i> , 2018 , 15, 711-719	4.5	2
41	Viscoelastic properties of microgel thin films control fibroblast modes of migration and pro-fibrotic responses. <i>Biomaterials</i> , 2018 , 185, 371-382	15.6	19
40	Fluvastatin inhibits advanced glycation end products-induced proliferation, migration, and extracellular matrix accumulation in vascular smooth muscle cells by targeting connective tissue growth factor. <i>Korean Journal of Physiology and Pharmacology</i> , 2018 , 22, 193-201	1.8	3
39	YAP/TAZ Are Essential for TGF- β -Mediated Conjunctival Fibrosis. 2018 , 59, 3069-3078		32
38	Effect of Resistance Training on Extracellular Matrix Adaptations in Skeletal Muscle of Older Rats. <i>Frontiers in Physiology</i> , 2018 , 9, 374	4.6	18
37	Regulation of extracellular matrix elements and sarcomerogenesis in response to different periods of passive stretching in the soleus muscle of rats. <i>Scientific Reports</i> , 2018 , 8, 9010	4.9	9
36	Calcified decellularized arterial scaffolds impact vascular smooth muscle cell transformation via downregulating β 5MA expression and upregulating OPN expression. <i>Experimental and Therapeutic Medicine</i> , 2019 , 18, 705-710	2.1	2
35	A Comparative Genomic and Phylogenetic Analysis of the Origin and Evolution of the CCN Gene Family. <i>BioMed Research International</i> , 2019 , 2019, 8620878	3	4
34	Anti-fibrotic effects of tannic acid through regulation of a sustained TGF-beta receptor signaling. <i>Respiratory Research</i> , 2019 , 20, 168	7.3	5
33	A Human Skin Model Recapitulates Systemic Sclerosis Dermal Fibrosis and Identifies COL22A1 as a TGF β Early Response Gene that Mediates Fibroblast to Myofibroblast Transition. <i>Genes</i> , 2019 , 10,	4.2	7
32	Sustained Smad2 Phosphorylation Is Required for Myofibroblast Transformation in Response to TGF- β <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2019 , 60, 367-369	5.7	5
31	Allograft tendons are a safe and effective option for revision ACL reconstruction: a clinical review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 1771-1781	5.5	22
30	Cells, soluble factors and matrix harmonically play the concert of allograft integration. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 1717-1725	5.5	8
29	Effect of doxycycline on chronic intermittent hypoxia-induced atrial remodeling in rats. <i>Herz</i> , 2020 , 45, 668-675	2.6	3
28	Correlation of neutrophil/lymphocyte and platelet/lymphocyte ratios with the severity of idiopathic carpal tunnel syndrome. <i>Muscle and Nerve</i> , 2020 , 61, 369-374	3.4	3

27	A CTGF-YAP Regulatory Pathway Is Essential for Angiogenesis and Barrierogenesis in the Retina. <i>IScience</i> , 2020 , 23, 101184	6.1	13
26	ONS Guidelines for Cancer Treatment-Related Lymphedema. <i>Oncology Nursing Forum</i> , 2020 , 47, 518-538	1.7	10
25	ESSKA Instructional Course Lecture Book. 2020 ,		
24	Biomedical and Tissue Engineering Strategies to Control Foreign Body Reaction to Invasive Neural Electrodes. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 659033	5.8	5
23	Dehydrated Human Amniotic Membrane Inhibits Myofibroblast Contraction through the Regulation of the TGFβ/MAD Pathway In Vitro.. <i>JID Innovations</i> , 2021 , 1, 100020		2
22	Development of Anti-fibrotic Therapy in Stricturing Crohn's Disease: Lessons from Randomized Trials in Other Fibrotic Diseases. <i>Physiological Reviews</i> , 2021 ,	47.9	2
21	Scleroderma Lung Fibroblasts. 2006 , 25-31		3
20	Mechanical Adaptation and Tissue Remodeling. 2008 , 249-267		2
19	What Is the Scientific Basis for Knee Ligament Healing and Maturation to Restore Biomechanical Properties and a Return to Sport?. 2019 , 121-155		1
18	Inhibitors of Connective Tissue Growth Factor (CCN2)-Mediated Fibrogenesis: Underlying Mechanisms and Prospects for Anti-fibrotic Therapy. 2010 , 183-204		1
17	Biology of Anterior Cruciate Ligament Graft Healing. 2010 , 117-129		1
16	HBX Protein-Induced Downregulation of microRNA-18a is Responsible for Upregulation of Connective Tissue Growth Factor in HBV Infection-Associated Hepatocarcinoma. <i>Medical Science Monitor</i> , 2016 , 22, 2492-500	3.2	11
15	CTGF, intestinal stellate cells and carcinoid fibrogenesis. <i>World Journal of Gastroenterology</i> , 2007 , 13, 5208-16	5.6	54
14	Biostimulation and Biorestructuring of the Skin. 2012 , 131-143		
13	Profibrotic and Angiogenic Factors in Asthma. 237-252		0
12	Idiopathic connective tissue disorders. 2012 , 711-759		
11	Botulinum Toxin Type A and Its Possible Mechanisms on Wound Healing. <i>Modern Plastic Surgery</i> , 2020 , 10, 38-55	0.3	0
10	Cell Soluble Factors and Matrix in Allograft Integration. 2020 , 139-143		

9	A CTGF-YAP regulatory pathway is essential for angiogenesis and barrierogenesis in the retina.		
8	A sequential, multiple-treatment, targeted approach to reduce wound healing and failure of glaucoma filtration surgery in a rabbit model (an American Ophthalmological Society thesis). <i>Transactions of the American Ophthalmological Society</i> , 2006 , 104, 478-92		25
7	Gene expression profiling of connective tissue growth factor (CTGF) stimulated primary human tenon fibroblasts reveals an inflammatory and wound healing response in vitro. <i>Molecular Vision</i> , 2011 , 17, 53-62	2.3	18
6	The Immunogenetics of Morphea and Lichen Sclerosus.. <i>Advances in Experimental Medicine and Biology</i> , 2022 , 1367, 155-172	3.6	0
5	The Immunogenetics of Systemic Sclerosis.. <i>Advances in Experimental Medicine and Biology</i> , 2022 , 1367, 259-298	3.6	
4	NF-B c-Rel modulates pre-fibrotic changes in human fibroblasts. <i>Archives of Dermatological Research</i> , 2021 , 1	3.3	0
3	CCN2/CTGF-A Modulator of the Optic Nerve Head Astrocyte.. <i>Frontiers in Cell and Developmental Biology</i> , 2022 , 10, 864433	5.7	0
2	PDGF regulates proliferation of malignant mesothelioma cells via CTGF protein control.		
1	Plasma Connective Tissue Growth Factor as a Biomarker of Pulmonary Arterial Hypertension Associated With Congenital Heart Disease in Adults. 2023 , 87, 527-535		0