

CITATION REPORT

List of articles citing

Constitutive analysis in hot working

DOI: 10.1016/s0921-5093(01)01117-0

Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2002, 322, 43-63.

Source: <https://exaly.com/paper-pdf/34595993/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
842	Dynamic softening behavior of Al18Si alloy produced by spray forming. 2003 , 9, 447-451		6
841	An analysis of hot deformation of an AlCuMg alloy produced by powder metallurgy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 339, 43-52	5.3	35
840	Modeling of recrystallization and austenite grain size for AISI 316 stainless steel and its application to hot bar rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 357, 235-239	5.3	24
839	Influence of Cr23C6 carbides on dynamic recrystallization in hot deformed Nimonic 80a alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 358, 44-51	5.3	23
838	Comparison of torsion and compression constitutive analyses for elevated temperature deformation of AlTiCuMn alloy. 2003 , 19, 11-19		7
837	Constitutive modelling of carbon and alloy steels. 2004 , 20, 335-338		1
836	Predictions of roll force under heavy-reduction hot rolling using a large-deformation constitutive model. 2004 , 218, 483-494		13
835	Constitutive model for vanadium microalloyed steel under hot working conditions. 2004 , 20, 1151-1157		5
834	Some improvements in visco-plastic model considering dynamic recrystallization. 2004 , 20, 499-506		8
833	Isothermal forging of AA2618 + 20% Al2O3 by means of hot torsion and hot compression tests. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 387-389, 857-861	5.3	10
832	Testing and Modelling of Material Response to Deformation in Bulk Metal Forming. 2004 , 53, 573-595		67
831	Evolution of microstructures during dynamic recrystallization and dynamic recovery in hot deformed Nimonic 80a. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 367, 198-204	5.3	32
830	Isothermal forging of AA2618 reinforced with 20% of alumina particles. 2004 , 35, 619-629		42
829	Isothermal forging modelling of 2618 + 20% Al2O3p metal matrix composite. 2004 , 378, 117-122		18
828	Hot working and multipass deformation of a 41Cr4 steel. 2004 , 378, 151-154		16
827	Hot Deformation of Austenitic Stainless Steel Type 316 up to Strain Rates of 100 s ⁻¹ . 2005 , 45, 296-298		6
826	Aluminium and its alloys. 2005 , 1-28		1

825	Hot working behavior of near- α alloy IM1834. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 396, 50-60	5-3	177
824	Elevated temperature deformation: Hot working amplifies creep. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 58-61	5-3	18
823	Dynamic recrystallization behavior and microstructural evolution in a Mn-Cr gear steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 393, 102-108	5-3	37
822	Texture evolution of five wrought magnesium alloys during route A equal channel angular extrusion: Experiments and simulations. 2005 , 53, 3135-3146		259
821	Parameter identification for improved viscoplastic model considering dynamic recrystallization. 2005 , 21, 1267-1302		34
820	Deformation characteristics of isothermally forged UDIMET 720 nickel-base superalloy. 2005 , 36, 895-905		118
819	Hot deformation and processing map of 15%SiCp/2009 Al composite. 2005 , 40, 5757-5762		28
818	New inverse method for identification of constitutive parameters. 2006 , 16, 148-152		21
817	Dynamic Recrystallization Behavior in Mn-Cr Gear Steel. 2006 , 13, 49-53		5
816	Mathematical modelling of the stress-strain curves of Ti-IF steel at high temperature. 2006 , 171, 301-305		85
815	Determination of a constitutive relationship for AZ31B magnesium alloy and validation through comparison between simulated and real extrusion. 2006 , 172, 372-380		135
814	High-temperature deformation properties of austenitic Fe-Mn alloys. 2006 , 37, 3305-3315		72
813	Influence of deformation parameters and initial grain size on the microstructure of austenitic steels after hot-working processes. 2006 , 56, 318-324		9
812	A New Integration Method Proposed for Hyperbolic Sine Constitutive Equation Used in Semi-Solid Forming. 2006 , 116-117, 578-582		
811	Dynamic recrystallisation of Mg ₆ Zn ₂ Nd _{0.5} Zr alloy. 2007 , 23, 657-660		2
810	Mechanical Properties of Composite Materials Consisting of M3/2 High Speed Steel Reinforced with Niobium Carbides. 2007 , 539-543, 756-762		
809	Modeling of Dynamic Recrystallization and Flow Stress of Nb-Bearing Steels. 2007 , 3, 27-41		3
808	High temperature deformation behavior and mechanism of spray deposited Al-Fe-V-Si alloy. 2007 , 17, 1175-1180		12

807	Constitutive Analysis in Hot Working of a Nb Heavily Alloyed Stainless Steel. 2007 , 14, 179-182		2
806	Constitutive Analysis of Stress-Strain Curves of a High-Nitrogen Austenitic Stainless Steel. 2007 , 14, 335-338		3
805	Continuous dynamic recrystallization phenomena modelling in friction stir welding of aluminium alloys: A neural-network-based approach. 2007 , 221, 857-864		16
804	The relevance of dynamic recrystallization in the hot deformation of IF steel at high strain rates. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 457, 90-93	5.3	27
803	The influence of aluminum on hot deformation behavior and tensile properties of high-Mn TWIP steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 467, 114-124	5.3	186
802	Mechanical characterization and finite element modelling of lateral spread in rolling of low carbon steels. 2007 , 183, 390-398		13
801	Influence on the microstructure and properties of AZ61 magnesium alloy at warm deformation. 2007 , 187-188, 780-782		12
800	Hot deformation behavior of the new AlMgSiCu aluminum alloy during compression at elevated temperatures. 2007 , 58, 168-173		126
799	Prediction of hot deformation behaviour of 10Cr10Ni5Mo2Cu steel. 2007 , 61, 2523-2526		65
798	Constitutive analysis of wrought magnesium alloy MgAl4Zn1. 2007 , 57, 759-762		163
797	Strain-dependent constitutive analysis of three wrought MgAlZn alloys. 2008 , 43, 7165-7170		32
796	Hot Deformation and Recrystallization of Austenitic Stainless Steel: Part I. Dynamic Recrystallization. 2008 , 39, 1359-1370		176
795	Constitutive relationships for 22MnB5 boron steel deformed isothermally at high temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 478, 130-139	5.3	115
794	Flow stress behavior of two stainless steels: An experimental-numerical investigation. 2008 , 199, 287-294		11
793	Hot deformation behavior of a spray formed superalloy. 2008 , 204, 147-151		25
792	A combined upper bound and finite element model for prediction of velocity and temperature fields during hot rolling process. 2008 , 50, 1423-1431		11
791	Modelling of flow stress characterizing dynamic recrystallization for magnesium alloy AZ31B. 2008 , 41, 375-382		97
790	Microstructural modeling of dynamic recrystallization using irregular cellular automata. 2008 , 44, 566-576		96

789	FEM analysis for hot rolling process of AM60 alloy. 2008 , 18, s242-s246			6
788	Effect of Niobium and Titanium on Dynamic Recrystallization Behavior of Low Carbon Steels. 2008 , 15, 31-36			32
787	Metallurgical Phenomena Modeling in Friction Stir Welding of Aluminium Alloys: Analytical Versus Neural Network Based Approaches. 2008 , 130,			13
786	Silicon Steel: Hot Working Constitutive Behaviour and Multistage Rolling Simulation. 2009 , 48, 207-218			1
785	Tool design and stir zone grain size in AZ31 friction stir spot welds. 2009 , 14, 747-752			27
784	Hot deformation behavior of 7150 aluminum alloy during compression at elevated temperature. 2009 , 60, 530-536			230
783	Flow behavior and microstructural evolution of AlCuMgAg alloy during hot compression deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 500, 150-154	5-3		91
782	Analysis of adiabatic heating and its influence on the Garofalo equation parameters of a high nitrogen steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 517, 191-196	5-3		30
781	A thermo-viscoplastic constitutive model to predict elevated-temperature flow behaviour in a titanium-modified austenitic stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 526, 1-6	5-3		120
780	High temperature plastic deformation behavior of non-oriented electrical steel. 2009 , 16, 25-31			7
779	Flow Curve Analysis of 17-4 PH Stainless Steel under Hot Compression Test. 2009 , 40, 2950-2958			106
778	Correcting the Stress-Strain Curve in the Stroke-Rate Controlling Forging Process. 2009 , 40, 1203-1209			20
777	Deformation and Microstructure Evolution in Co-Ni-Cr-Mo Superalloy during Hot Working. 2009 , 40, 1457-1468			14
776	On the hot tensile deformation behavior of an AISI 316LN stainless steel. 2009 , 62, 41-48			10
775	Hot deformation behavior of an Al ₈ .7wt.%Mg alloy with erbium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 516, 131-137	5-3		23
774	The prediction of hot flow behavior of Al ₈ %Mg alloy. 2009 , 36, 252-259			40
773	Constitutive equations to predict high temperature flow stress in a Ti-modified austenitic stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 500, 114-121	5-3		317
772	Hot deformation and processing maps of an Al ₈ .7 wt.%Mg alloy with erbium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 517, 132-137	5-3		68

771	Hot deformation behavior of CuBeP alloys during compression at elevated temperatures. 2009 , 209, 2892-2896		26
770	Modeling the flow stress for single peak dynamic recrystallization. 2009 , 30, 1939-1943		11
769	Analysis of flow stress up to the peak at hot deformation. 2009 , 30, 3036-3040		28
768	New numerical method for the fit of Garofalo equation and its application for predicting hot workability of a (V _N) microalloyed steel. 2009 , 25, 995-1002		22
767	A comparative study on Johnson Cook, modified Zerilli-Armstrong and Arrhenius-type constitutive models to predict elevated temperature flow behaviour in modified 9Cr1Mo steel. 2009 , 47, 568-576		270
766	Study of the plastic flow behaviors of AZ91 magnesium alloy during thermomechanical processes. 2009 , 484, 949-956		65
765	Intermediate temperature embrittlement of copper alloys. 2009 , 54, 94-116		49
764	Constructing Processing Maps for Hot Working of Co-Ni-Cr-Mo Superalloy. 2009 , 50, 2277-2284		14
763	Flow stress prediction at hot working conditions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1160-1164	5-3	71
762	Influence of cooling rate after homogenization on the flow behavior of aluminum alloy 7050 under hot compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1200-1205	5-3	53
761	Extrapolation of flow curves at hot working conditions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1856-1860	5-3	45
760	Modeling of flow stress for magnesium alloy during hot deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 2790-2797	5-3	70
759	An overview on constitutive modelling to predict elevated temperature flow behaviour of fast reactor structural materials. 2010 , 63, 823-831		19
758	Constitutive analysis of AZ31 magnesium alloy plate. 2010 , 17, 7-12		7
757	Hot-compression behavior of Al-1Mn-1Mg alloy. 2010 , 17, 425-430		13
756	A New Constitutive Strain-Dependent Garofalo Equation to Describe the High-Temperature Processing of Materials Application to the AZ31 Magnesium Alloy. 2010 , 41, 2396-2407		24
755	Analysis of Garofalo equation parameters for an ultrahigh carbon steel. 2010 , 45, 5522-5527		14
754	High-temperature deformation and creep in Mg wrought alloys. 2010 , 63, 704-709		23

753	Influence of hot deformation strain rate on the mechanical properties and microstructure of K310 cold work tool steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1299-1305	5-3	11
752	High temperature tensile behavior of a PH stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4727-4732	5-3	8
751	Dynamic recrystallization of the hot isostatically pressed P/M superalloy FGH4096 in hot working process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 6968-6974	5-3	36
750	Constitutive analysis to predict high-temperature flow stress in modified 9Cr1Mo (P91) steel. 2010 , 31, 981-984		181
749	Prediction of the critical conditions for initiation of dynamic recrystallization. 2010 , 31, 1174-1179		196
748	Dieless drawing steel wires using a dielectric heating method and modeling the process dynamics. 2010 , 210, 1702-1708		16
747	Hot workability analysis of extruded AZ magnesium alloys with processing maps. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 735-744	5-3	73
746	Hot deformation behavior of 2026 aluminum alloy during compression at elevated temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 485-490	5-3	115
745	High temperature deformation behavior of AlCuMg alloys micro-alloyed with Sn. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 2498-2503	5-3	50
744	Hot deformation behavior and microstructure evolution of ZK21 magnesium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 3670-3675	5-3	30
743	Constitutive equations for prediction of the flow behaviour of duplex stainless steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4218-4228	5-3	29
742	Creep as an extension of hot working: A unified approach to high temperature deformation of AZ31 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 5708-5714	5-3	19
741	Hot Deformation Behavior of 316LN Stainless Steel. 2010 , 139-141, 516-519		2
740	Comparative Study of Various Data Conversion Methods for Torsion Tests Applied to a HSLA Steel. 2010 , 638-642, 3164-3169		
739	Mechanical Properties and Forming Behavior of a Type 9%Cr Steel Containing 2%W. 2010 , 638-642, 3128-3133		2
738	Constants for hot deformation constitutive models for recent experimental data. 2010 , 15, 260-266		67
737	Influence of data conversion methods from torsion tests on the Garofalo equation parameters for a high nitrogen steel. 2010 , 101, 787-793		10
736	Artificial Neural Network for Predicting the Flow Behaviors of Hot Compressed 2124-T851 Aluminum Alloy. 2010 , 146-147, 720-723		

735	Influence of Dynamic Recrystallization on Tensile Properties of AZ31B Magnesium Alloy Sheet. 2010 , 25, 880-887	20
734	Creep Behavior of Yb-Doped Barium Cerate Perovskite. 2010 , 65, 238-243	1
733	A new mathematical model for predicting flow stress of typical high-strength alloy steel at elevated high temperature. 2010 , 48, 54-58	87
732	Numerical simulation for microstructure evolution in AM50 Mg alloy during hot rolling. 2010 , 47, 919-925	30
731	Transformation mechanism and mechanical properties of commercially pure titanium. 2010 , 20, 2162-2167	28
730	Dynamic modeling of twin roll casting AZ41 magnesium alloy during hot compression processing. 2010 , 20, s513-s518	5
729	Hot Working of High Nitrogen Austenitic Stainless Steel. 2010 , 17, 45-49	32
728	Evaluation of low strain rate constitutive equation of 7075 aluminium alloy at high temperature. 2011 , 27, 1067-1072	7
727	Hot deformation behaviour and constitutive modelling of P92 heat resistant steel. 2011 , 27, 1281-1286	11
726	Microstructure evolution and mechanical properties of nanocrystalline FeAl obtained by mechanical alloying and cold consolidation. 2011 , 509, 3293-3298	23
725	Effect of thermomechanical parameters on dynamically recrystallized grain size of AZ91 magnesium alloy. 2011 , 509, 2703-2708	45
724	High temperature deformation and processing map of a NiTi intermetallic alloy. 2011 , 19, 1399-1404	46
723	Hot deformation behavior of Al-Zn-Mg-Cu-Zr aluminum alloys during compression at elevated temperature. 2011 , 21, 437-442	48
722	Dynamic Recrystallization Behavior of a Heat-resistant Martensitic Stainless Steel 403Nb during Hot Deformation. 2011 , 27, 913-919	43
721	Dynamic Recrystallization and Precipitation Behavior of Mn-Cu-V Weathering Steel. 2011 , 27, 1131-1138	18
720	Hot Deformation Behavior of Nickel-Based Superalloy GH4720Li. 2011 , 18, 59-65	35
719	Wrought Processing. 2011 , 573-682	
718	Hot deformation behaviour and hot processing map of 316LN-Nb stainless steel. 2011 , 15, s245-s248	1

717	On hot deformation of aluminium-silicon powder metallurgy alloys. 2011 , 54, 366-375		8
716	Study of the hot deformation behaviour in Ti-5Al-5Mo-5V-3Cr-1Zr. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 8277-8285	5-3	133
715	Characterization and creep properties of proton-conducting Yb-doped barium cerate. 2011 , 31, 2671-2676		13
714	Modeling flow stress constitutive behavior of SA508-3 steel for nuclear reactor pressure vessels. 2011 , 418, 269-280		31
713	Deformation behavior of Mg-3Al magnesium alloy compressed at medium and high temperatures. 2011 , 62, 346-353		30
712	Prediction of high temperature flow stress in 9Cr-1Mo ferritic steel during hot compression. 2011 , 88, 501-506		31
711	Constitutive relationships for hot deformation of austenite. 2011 , 59, 6441-6448		201
710	Deformation behavior of an Al-1Cu-1Mg-1Mn-1Zr alloy during hot compression. 2011 , 46, 3708-3715		40
709	A modified Johnson-Cook model for 30Cr2Ni4MoV rotor steel over a wide range of temperature and strain rate. 2011 , 46, 2922-2927		34
708	Compressive deformation behavior of Al 2024 alloy using 2D and 4D processing maps. 2011 , 46, 3191-3199		23
707	Strain dependent rate equation to predict elevated temperature flow behavior of modified 9Cr-1Mo (P91) steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 1071-1077	5-3	57
706	Hot deformation behavior of Cu-8.0Ni-1.8Si-0.15Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 1641-1647	5-3	35
705	Dynamic behaviour of 304 stainless steel during high Z deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3310-3320	5-3	49
704	Hot deformation behavior of a medium carbon microalloyed steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3876-3882	5-3	199
703	Hot deformation of an Al-1Cu-1Mg powder metallurgy alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 5476-5483	5-3	52
702	Constitutive behavior of CsF/AZ91D composites compressed at elevated temperature and containing a small fraction of liquid. 2011 , 71, 955-961		18
701	Hot-compression behaviors of W-50%Cu composite. 2011 , 30, 610-613		2
700	Deformation Microstructures of Mg-3Al-1Zn Magnesium Alloy Compressed Over Wide Regions of Temperature and Strain Rate. 2011 , 20, 133-138		6

699	Hot deformation behavior and constitutive relationship of Q420qE steel. 2011 , 18, 36-41		5
698	Analysis and mathematical modelling of elevated temperature flow behaviour of austenitic stainless steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 1937-1943	5:3	75
697	Constitutive description of a low C-Mn steel deformed under hot-working conditions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 2843-2858	5:3	7
696	A new relationship between the stress multipliers of Garofalo equation for constitutive analysis of hot deformation in modified 9Cr1Mo (P91) steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 6066-6071	5:3	58
695	Constitutive modeling of hot deformation behavior of H62 brass. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 6510-6518	5:3	71
694	Constitutive equations for elevated temperature flow stress of Ti6Al4V alloy considering the effect of strain. 2011 , 32, 1144-1151		190
693	Hot compressive deformation behavior of a new hot isostatically pressed NiCrCo based powder metallurgy superalloy. 2011 , 32, 1872-1879		44
692	Study on the behavior of medium carbon vanadium microalloyed steel by hot compression test. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3049-3055	5:3	48
691	Prediction of the flow stress of Al6061 at hot deformation conditions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4199-4203	5:3	25
690	A study on the hot workability of wrought NiTi shape memory alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 5656-5663	5:3	34
689	High-temperature mechanical behavior of polycrystalline yttrium-doped barium cerate perovskite. 2011 , 31, 1333-1338		7
688	Hot Deformation Microstructure and Mechanical Properties of Mg-Zn-Nd-Cd-Zr Alloy. 2011 , 311-313, 690-696		
687	Study on Hot Deformation Behavior of TiNiFe Shape Memory Alloy. 2011 , 393-395, 312-318		
686	Hot Compressive Flow Behavior of Inconel 600 Superalloy. 2011 , 117-119, 1018-1021		
685	Constitutive Equation Development for Large Strain Rate Deformation Processing of 2205 Duplex Stainless Steels. 2011 , 695, 381-384		
684	Flow Stress Behaviour of TWIP Steel during the Hot Compression Deformation. 2011 , 194-196, 1235-1241		
683	High Temperature Deformation Behaviour and Processing Maps of AZ81 Magnesium Alloy. 2011 , 686, 168-175		1
682	Hot Deformation Behavior and Processing Maps of Cr-Ni-Mn-N Austenitic Stainless Steel. 2011 , 704-705, 210-215		

681	Study on hot deformation behaviour and constitutive equation of 4032 Al alloy. 2011 , 15, s470-s474	3
680	Application of the Taguchi approach to investigate the softening kinetics of AISI 304 stainless steel during hot deformation. 2011 , 102, 1053-1060	
679	On the Onset of Dynamic Recrystallization in Steels. 2011 , 409, 431-436	3
678	Research on the thermal simulation experiment of AZ80A magnesium alloy. 2011 ,	1
677	Strain dependent constitutive analysis of hot deformation behaviour in 9Cr1Mo ferritic steel. 2012 , 29, 33-40	3
676	Pressure welding, solid state: role of hot deformation. 2012 , 51, 239-249	7
675	Prediction of flow stress during hot deformation of MgAl hybrid aluminium nanocomposite employing artificial neural network and Arrhenius constitutive model. 2012 , 8, 136-158	4
674	Study on Microstructure Evolution in GH4169 Alloy Blade during Finish Forging. 2012 , 217-219, 1671-1675	3
673	Study on Material Constant Values of Ti-6Al-4V-Rare Earth Titanium. 2012 , 557-559, 80-84	
672	High-temperature plastic deformation mechanisms of ytterbium-doped barium cerate proton conductor. 2012 , 225, 286-290	2
671	Constitutive Equation Models of Hot-Compressed T122 Heat Resistant Steel. 2012 , 19, 53-58	5
670	Tensile Flow Behavior in Inconel 600 Alloy Sheet at Elevated Temperatures. 2012 , 36, 114-120	5
669	Modeling of strain hardening and dynamic recrystallization of ZK60 magnesium alloy during hot deformation. 2012 , 22, 246-254	36
668	Characterization of hot deformation microstructures of alpha-beta titanium alloy with equiaxed structure. 2012 , 22, 503-509	18
667	Prediction of flow stress of MgAlZnZr alloy during hot compression. 2012 , 22, 1169-1175	13
666	Influence of grain size on the dynamic recrystallization behavior of AISI 304 stainless steel during hot deformation. 2012 , 103, 483-489	1
665	Constitutive modelling for high temperature behaviour of 12CrNiMoWV martensitic stainless steel. 2012 , 28, 719-726	4
664	Flow behavior modeling of the 7050 aluminum alloy at elevated temperatures considering the compensation of strain. 2012 , 42, 369-377	79

663	The prediction of hot deformation behavior in Fe _{0.1} Mn _{0.5} Si _{0.5} Al transformation-twinning induced plasticity steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 554, 72-78	5-3	57
662	Investigation on dynamic recrystallization using a modified cellular automaton. 2012 , 63, 249-255		33
661	Effect of ytterbium doping on the microstructure and plastic deformation of BaCeO ₃ perovskite oxide. 2012 , 103, 146-150		3
660	Hot deformation behavior and microstructural evolution of Al _{0.9} Mg _{0.25} Sc alloy during compression at elevated temperatures. 2012 , 22, 1556-1562		8
659	Dynamic recrystallization in friction surfaced austenitic stainless steel coatings. 2012 , 74, 49-54		42
658	Behavior and modeling of high temperature deformation of an α titanium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 555, 99-105	5-3	26
657	Hot Deformation Behavior of NiTiHf Shape Memory Alloy Under Hot Compression Test. 2012 , 21, 2594-2599		11
656	Hot-compression behavior of Al alloy 5182. 2012 , 19, 2073-2080		6
655	Effect of Silicon and Aluminium on Austenite Static Recrystallization Kinetics in High-strength TRIP-aided Steels. 2012 , 52, 471-476		18
654	A Modified Model to Estimate Single Peak Flow Stress Curves of Ti-IF Steel. 2012 , 52, 569-573		12
653	Flow Stress and Critical Dynamic Recrystallization Behavior of Cu _{0.1} Fe ₁₆ Mn _{0.6} C High Manganese TWIP Steel. 2012 , 83, 328-333		4
652	High-temperature deformation behavior of Cu _{0.0} Ni _{0.0} Si _{0.5} Al _{0.15} Mg _{0.1} Cr alloy. 2012 , 47, 6034-6042		16
651	Research on Flow Stress During Hot Deformation Process and Processing Map for 316LN Austenitic Stainless Steel. 2012 , 21, 1455-1461		52
650	The Effect of Deformation Heating on Restoration and Constitutive Equation of a Wrought Equi-Atomic NiTi Alloy. 2012 , 21, 516-523		8
649	Hot deformation behavior of an austenitic Fe _{0.0} Mn _{0.5} Si _{0.5} Al transformation induced plasticity steel. 2012 , 34, 713-718		38
648	Constitutive relationship for high temperature deformation of powder metallurgy Ti _{0.7} Al _{0.2} Cr _{0.2} Nb _{0.2} W alloy. 2012 , 37, 40-47		53
647	Dynamic recrystallization kinetics model of X70 pipeline steel. 2012 , 39, 168-174		41
646	The high temperature flow behavior modeling of AZ81 magnesium alloy considering strain effects. 2012 , 39, 384-389		120

645	High-temperature deformation and structural restoration of a nanostructured Al alloy. 2012 , 66, 911-914		12
644	Hot shear deformation constitutive analysis of an extruded Mg ₈₅ Li ₁₀ Zn alloy. 2012 , 81, 235-238		32
643	Thermomechanical analysis of residual stresses in brazed diamond metal joints using Raman spectroscopy and finite element simulation. 2012 , 52, 69-77		34
642	Modeling of flow stress of bainitic and martensitic functionally graded steels under hot compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 534, 329-338	5-3	21
641	Dynamic behavior of extruded AZ61 Mg alloy during hot compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 535, 68-75	5-3	39
640	Hot deformation behavior of hot extruded Al ₈₅ Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 535, 216-221	5-3	44
639	The flow behavior modeling of cast A356 aluminum alloy at elevated temperatures considering the effect of strain. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 535, 252-257	5-3	144
638	Modeling constitutive relationship of Ti17 titanium alloy with lamellar starting microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 538, 182-189	5-3	47
637	Effect of grain size in compression deformation on the microstructural evolution of an austenitic stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 540, 55-62	5-3	16
636	Hot deformation behavior of an Nb- and N-bearing austenitic stainless steel biomaterial. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 543, 69-75	5-3	21
635	Constitutive equations for elevated temperature flow behavior of commercial purity aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 545, 61-67	5-3	123
634	Hot deformation characteristics of as-cast and homogenized AZ61 Mg alloys under compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 550, 273-278	5-3	17
633	Modeling and Prediction of Hot Deformation Flow Curves. 2012 , 43, 108-123		83
632	Prediction of hot deformation behavior of Al ₈₅ .9%Cu _{0.5} %Mg alloys with trace additions of Sn. 2012 , 47, 929-948		17
631	Hot deformation characteristics and strain-dependent constitutive analysis of Inconel 600 superalloy. 2012 , 47, 3971-3981		29
630	Hot compression deformation behavior of AISI 321 austenitic stainless steel. 2013 , 20, 529-534		22
629	Strain-dependent constitutive analysis of hot deformation and hot workability of T4-treated ZK60 magnesium alloy. 2013 , 19, 651-665		20
628	Generalized Constitutive-Based Theoretical and Empirical Models for Hot Working Behavior of Functionally Graded Steels. 2013 , 44, 3376-3384		8

627	Deformation Characteristics and Recrystallization Response of a 9310 Steel Alloy. 2013 , 44, 479-493		10
626	Processing maps for hot deformation of a high-Mn TWIP steel: A comparative study of various criteria based on dynamic materials model. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 587, 110-122	5-3	29
625	Hot Deformation and Processing Map of Pb-Mg-10Al-1B Alloy. 2013 , 22, 3049-3054		9
624	Analyses on the Flow Stress of an Al-Mg Alloy During Dynamic Recovery. 2013 , 22, 700-705		4
623	Hot compression behavior and deformation microstructure of Mg-6Zn-1Al-0.3Mn magnesium alloy. 2013 , 23, 2560-2567		11
622	Development of dynamic recrystallization maps based on the initial grain size. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 565, 90-95	5-3	17
621	Modeling Flow Stress of 70Cr3Mo Steel Used for Back-Up Roll During Hot Deformation Considering Strain Compensation. 2013 , 20, 118-124		5
620	Microstructure and texture development in hydrostatically extruded Mg-Al-Zn alloys during tensile testing at intermediate temperatures. 2013 , 61, 2179-2193		30
619	Prediction of flow stress for hot deformation processing. 2013 , 69, 350-358		17
618	Dynamic recrystallization behavior of a medium carbon vanadium microalloyed steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 573, 215-221	5-3	57
617	Deformation behavior and microstructural evolution of as-cast 904L austenitic stainless steel during hot compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 565, 342-350	5-3	70
616	Hot working characteristics of nickel-base superalloy 740H during compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 566, 61-70	5-3	63
615	Constitutive relationships of hot stamping boron steel B1500HS based on the modified Arrhenius and Johnson-Cook model. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 580, 330-348	5-3	92
614	Artificial neural network modeling to predict the hot deformation behavior of an A356 aluminum alloy. 2013 , 49, 386-391		121
613	Hot Deformation of Ti-5Al-5Mo-5 V-1Cr-1Fe Near β -Titanium Alloys Containing Thin and Thick Lamellar β -Phase. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 573, 75-83	5-3	49
612	Hot deformation behavior of Mg ₂ B ₂ O ₅ whiskers reinforced AZ31B magnesium composite fabricated by stir-casting. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 573, 148-153	5-3	15
611	Modeling the hot working behavior of near- β -titanium alloy IMI 834. 2013 , 23, 598-607		53
610	Experimental study of hot deformation behavior in API X65 steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 573, 37-44	5-3	19

609	The effect of processing parameters on the dynamic recrystallisation behaviour of API-X70 pipeline steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 570, 70-81	5-3	14
608	Hot deformation behavior and processing maps of Mg ₉₇ Ni ₃ Zr magnesium alloy. 2013 , 23, 756-764		19
607	Characterization of high-temperature deformation behavior of as-cast Ti60 titanium alloy using processing map. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 571, 116-122	5-3	55
606	Internal-variable analysis of high-temperature deformation behavior of Ti ₆ Al ₄ V: A comparative study of the strain-rate-jump and load-relaxation tests. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 562, 180-189	5-3	16
605	Constitutive analysis of the hot deformation behavior of Fe _{0.3} Mn _{0.2} Al _{0.2} C twinning induced plasticity steel in consideration of strain. 2013 , 44, 354-364		82
604	Hot working behavior of AZ31 and ME21 magnesium alloys. 2013 , 48, 473-480		26
603	Hot deformation behavior of austenitic stainless steel for a wide range of initial grain size. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 569, 54-60	5-3	62
602	Constitutive relationship for high temperature deformation of Al-3Cu-0.5Sc alloy. 2013 , 23, 1549-1555		14
601	Constitutive analysis to predict high temperature flow stress in 20CrMo continuous casting billet. 2013 , 46, 54-60		31
600	Hot deformation behavior and processing maps for coiled tubing steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 565, 213-218	5-3	11
599	Hot workability of a high carbon high chromium tool steel. 2013 , 46, 654-659		14
598	Flow stress and microstructural evolution of the horizontal continuous casting Al _{0.96} Mn _{0.38} Si _{0.18} Fe alloy during hot compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 571, 25-32	5-3	19
597	Characterization of hot deformation behavior of a new microalloyed CMnAl high-strength steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 564, 140-146	5-3	30
596	Compressive deformation behavior of an indirect-extruded Mg-8Sn-1Al-1Zn alloy. 2013 , 20, 49-56		9
595	Hot deformation activation energy (QHW) of austenitic Fe _{0.2} Mn _{0.5} Al _{0.5} Si _{0.4} C TWIP steels microalloyed with Nb, V, and Ti. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 562, 46-52	5-3	53
594	Hot deformation behavior and microstructure evolution of a stabilized high-Cr ferritic stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 571, 1-12	5-3	73
593	Evolution of activation energy during hot deformation of AA7150 aluminum alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 571, 83-91	5-3	104
592	Comparative investigation on the modified Zerilli-Armstrong model and Arrhenius-type model to predict the elevated-temperature flow behaviour of 7050 aluminium alloy. 2013 , 71, 56-65		48

591	Simulation of dynamic recrystallization of NiTi shape memory alloy during hot compression deformation based on cellular automaton. 2013 , 71, 124-134		35
590	Modeling the hot deformation behavior of Al alloy 3003. 2013 , 566, 62-67		29
589	Isothermal precision forging of complex-shape rotating disk of aluminum alloy based on processing map and digitized technology. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 580, 294-304	5-3	22
588	Hot compressive flow stress modeling of homogenized AZ61 Mg alloy using strain-dependent constitutive equations. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 574, 17-24	5-3	29
587	Flow stress analysis for determining the critical condition of dynamic ferrite transformation in 6Ni0.1C steel. 2013 , 61, 163-173		55
586	Quantitative Analysis of Work Hardening and Dynamic Softening Behavior of low carbon alloy Steel Based on the Flow Stress. 2013 , 45, 384-392		48
585	Plastic deformation of structural steels under hot-working conditions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 559, 268-275	5-3	17
584	A study on the mechanical behavior and microstructure of NiTiHf shape memory alloy under hot deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 560, 96-102	5-3	22
583	Resisting stress for constitutive analysis of hot deformation in modified 9Cr1Mo (P91) steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 560, 170-177	5-3	6
582	Hot deformation behavior of as-cast MgZnMnCe alloy in compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 560, 492-499	5-3	30
581	Novel flow stress model of AA 4343 aluminium alloy under high temperature deformation. 2013 , 29, 197-203		13
580	Constitutive models to predict flow stress in Austenitic Stainless Steel 316 at elevated temperatures. 2013 , 43, 410-418		74
579	Constitutive modelling and microstructure evolution of 40Cr alloy steel during hot compression deformation. 2013 , 17, 135-143		1
578	A New Constitutive Equation to Predict Single Peak Flow Stress Curves. 2013 , 135,		12
577	Dynamic Recrystallization Behavior and Microstructure Evolution of Bridge Weathering Steel in Austenite Region. 2013 , 84, 377-386		4
576	Hot Deformation Behavior and Microstructural Evolution of Mg-Nd-Zn-Zr Magnesium Alloy. 2013 , 747-748, 320-326		1
575	Research on Dynamic Recrystallization Behavior of 20CrMo Alloy Steel during Hot Deformation. 2013 , 683, 488-491		4
574	Constitutive and Processing Map Analyses of Stainless Steel 316 under Hot Compression. 2013 , 378, 178-183		

573	Hot Deformation Behavior of Fe-2%Si. 2013 , 53, 294-303	11
572	The improved arrhenius model with variable parameters of flow behavior characterizing for the as-cast AZ80 magnesium alloy. 2013 , 16, 785-791	22
571	Analysis of the flow imbalance on the profile shape during the extrusion of thin magnesium sheets. 2013 ,	
570	On the Constitutive Modeling of the Hot Deformation Behavior of a High-Mn Twinning-Induced Plasticity Steel. 2013 , 2893-2900	
569	Prediction of hot flow plastic curves of ISO 5832-9 steel used as orthopedic implants. 2014 , 17, 436-444	11
568	Kinetics of Dynamic Recrystallization in AA2024 Aluminum Alloy. 2014 , 8,	6
567	Strain-Dependent Flow Stress Modeling of Hastelloy X Superalloy under Hot Compression. 2014 , 912-914, 471-474	
566	Investigation on Dynamic Recrystallization Behavior of Martensitic Stainless Steel. 2014 , 2014, 1-16	7
565	Influence of Thermomechanical Parameters on the Hot Deformation Behavior of AA1070. 2014 , 136,	8
564	Hot Deformation Behavior and Microstructure of AZ31-1Sm Alloy Compression at Elevated Temperatures. 2014 , 43, 2572-2575	2
563	Modelling Static and Dynamic Kinetics of Microstructure Evolution in Type 316 Stainless Steel During Hot Rolling. 2014 ,	
562	Effect of temperature and strain on the formation of elongated fine grained structure in middle carbon steel during large plastic deformation. 2014 , 63, 012054	1
561	Strain-dependent constitutive modelling of AZ80 magnesium alloy containing 0.5 wt% rare earth elements and evaluation of its validation using finite element method. 2014 , 20, 1073-1083	10
560	Constitutive equations for high temperature flow stress prediction of 6063 Al alloy considering compensation of strain. 2014 , 24, 3486-3491	23
559	Modeling Static and Dynamic Kinetics of Microstructure Evolution in Type 316 Stainless Steel. 2014 , 85, 1099-1108	24
558	Effects of Deformation Heating on Constitutive Analysis of a New Al-Mg-Si-Cu Alloy during Hot Compression. 2014 , 794-796, 1263-1268	2
557	Effect of Hot Processing Parameters on the Deformation Behavior of Superalloy GH4169. 2014 , 893, 625-629	
556	Hot deformation behaviour of MgAlZn alloys. 2014 , 18, S2-654-S2-660	1

555	Simulation studies on deformation behaviour of AA2017 alloy in semi-solid state using FEA. 2014 , 31, 274-281		5
554	Prediction of High Temperature Flow Stress of Alloy 2618-Ti during Hot Deformation. 2014 ,		1
553	Pressing Process of Al-W Alloy Powder and Constitutive Model the Pressed Billet at Elevated Temperatures. 2014 , 685, 11-17		
552	Hot compression behavior of the 1 wt% calcium containing Mg ₂ Al _{0.5} Zn (AZ80) alloy fabricated using electromagnetic casting technology. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 615, 222-230	5-3	14
551	Dynamic Recrystallization Behavior of High Carbon Chromium Bearing Steel. 2014 , 584-586, 1011-1016		
550	Dynamic Recrystallization Behavior of AISI 420 Stainless Steel under Hot Compression. 2014 ,		1
549	Modelling of the flow behaviour of wrought aluminium alloys at elevated temperatures by a new constitutive equation. 2014 , 54, 869-873		45
548	Hot deformation characteristics of a nitride strengthened martensitic heat resistant steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 590, 199-208	5-3	32
547	Constitutive description of high temperature flow behavior of Sanicro-28 super-austenitic stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 589, 76-82	5-3	54
546	Hot workability behavior of as-cast Mg ₂ Ni ₂ Al alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 593, 38-47	5-3	47
545	Analysis of deformation behavior and workability of advanced 9Cr ₁ Ni ₂ V ferritic heat resistant steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 604, 207-214	5-3	24
544	High-temperature flow behavior modeling of 2099 alloy considering strain effects. 2014 , 24, 798-805		15
543	On the hot working of FeSi ferritic steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 606, 127-138	5-3	10
542	Hot working behavior of a WE54 magnesium alloy. 2014 , 49, 1121-1129		13
541	Constitutive Equations for Flow Behavior of Powder-forged Fe-0.5C-2Cu Steel under Hot Compression. 2014 , 21, 389-395		5
540	Hot shear deformation constitutive analysis and processing map of extruded Mg ₂ Li ₁ Zn bcc alloy. 2014 , 53, 534-539		41
539	Modeling Constitutive Relationship of Cu-0.4 Mg Alloy During Hot Deformation. 2014 , 23, 1770-1779		15
538	Constitutive Equation with Varying Parameters for Superplastic Flow Behavior. 2014 , 23, 791-798		2

537	Modeling the High Temperature Flow Behavior and Dynamic Recrystallization Kinetics of a Medium Carbon Microalloyed Steel. 2014 , 23, 1077-1087		23
536	Deformation Mechanisms in the Near- β Titanium Alloy Ti-55531. 2014 , 45, 1586-1596		73
535	A New Constitutive Model for the Plastic Flow of Metals at Elevated Temperatures. 2014 , 23, 658-665		20
534	Constitutive model of Ti17 titanium alloy with lamellar-type initial microstructure during hot deformation based on orthogonal analysis. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 597, 387-394	5-3	36
533	Hot deformation behavior of AA7085 aluminum alloy during isothermal compression at elevated temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 596, 176-182	5-3	67
532	Effects of extrusion parameters on the microstructure and mechanical properties of MgZn(Mn)Ce/Gd alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 598, 396-406	5-3	96
531	Effect of Zr addition on hot deformation behavior and microstructural evolution of AA7150 aluminum alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 596, 183-193	5-3	34
530	Investigation of work softening mechanisms and texture in a hot deformed 6061 aluminum alloy at high temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 606, 240-247	5-3	31
529	Strain Compensation of the Constitutive Equation for High Temperature Flow Stress of a Al-Cu-Li Alloy. 2014 , 23, 25-30		25
528	Dynamic Recrystallization Behavior of GCr15SiMn Bearing Steel During Hot Deformation. 2014 , 21, 1042-1048	9	
527	Support Vector Regression based Flow Stress Prediction in Austenitic Stainless Steel 304. 2014 , 6, 368-375		17
526	On dynamic recrystallisation under hot working of superaustenitic stainless steel. 2014 , 30, 411-417		10
525	Modeling the constitutive relationship of powder metallurgy AlW alloy at elevated temperature. 2014 , 64, 667-674		6
524	Effect of vanadium on hot deformation and microstructural evolution of 7150 aluminum alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 613, 91-102	5-3	29
523	The Strain-Compensated Constitutive Equation for High Temperature Flow Behavior of an Al-Zn-Mg-Cu Alloy. 2014 , 23, 4002-4009		16
522	Hot deformation behaviour and microstructure control in AlCrCuNiFeCo high entropy alloy. 2014 , 55, 145-153		65
521	Structural and mechanical properties of 7075 alloy strips fabricated by roll-casting in a static magnetic field. 2014 , 21, 696-701		2
520	Constitutive Analysis of the Flow Curve Behavior of an Intermetallic b-solidifying β TiAl-based Alloy and Microstructural Characterization of the Deformed State. 2014 , 159, 286-288		1

519	Constitutive Modeling, Microstructure Evolution, and Processing Map for a Nitride-Strengthened Heat-Resistant Steel. 2014 , 23, 3042-3050		12
518	Prediction of grain size and yield strength of Mg-7Sn-1Al-1Zn alloys extruded at various temperatures and speeds. 2014 , 20, 291-296		88
517	Dynamic recrystallisation and dynamic precipitation in AA6061 aluminium alloy during hot deformation. 2014 , 30, 1263-1272		23
516	Constitutive model for AZ31 magnesium alloy based on isothermal compression test. 2014 , 30, 211-219		38
515	Constitutive analysis to predict the hot deformation behavior of 34CrMo4 steel with an optimum solution method for stress multiplier. 2014 , 123-124, 70-76		5
514	Hot workability in process modeling of a bearing steel by using combined constitutive equations and dynamic material model. 2014 , 53, 398-404		36
513	Simulation of Microstructure for Hot Pack-Forging of a High Nb Containing TiAl Alloy. 2014 , 43, 36-41		7
512	Hot workability of AISI 321 and AISI 304 austenitic stainless steels. 2014 , 595, 103-112		57
511	The effect of heterogeneous deformation on the hot deformation of WE54 magnesium alloy. 2014 , 58, 30-35		6
510	Characterization of hot deformation behavior of as-extruded Mg _{0.8} Ca _{0.2} Zn _{0.8} alloy. 2014 , 610, 203-211		53
509	Flow softening behavior and microstructure evolution of Al _{0.8} Zn _{0.2} Mg aluminum alloy during dynamic recovery. 2014 , 24, 42-48		20
508	Modeling of the high temperature flow behavior of stabilized 12% Cr ferritic stainless steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 607, 44-52	5.3	23
507	Constitutive Modeling for Elevated Temperature Flow Behavior of 30Cr2Ni4MoV Ultra-super-critical Rotor Steel. 2014 , 21, 521-526		17
506	Flow behavior and microstructure of ZK60 magnesium alloy compressed at high strain rate. 2014 , 24, 930-939		30
505	Comparative hot deformation characters of Al _{0.8} Mn _{0.2} Mg _{0.2} RE alloy and Al _{0.8} Mn _{0.2} Mg _{0.2} RE _{0.2} Ti alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 595, 10-17	5.3	8
504	Hot deformation behavior of spray-deposited Al _{0.8} Zn _{0.2} Mg _{0.2} Ti alloy. 2014 , 53, 79-85		32
503	Shear localisation modelling of friction stir weld formation process. 2014 , 19, 416-426		10
502	Constitutive behavior, microstructural evolution and processing map of extruded Al _{0.8} 1Mn _{0.2} 0.3Mg _{0.2} 0.25RE alloy during hot compression. 2014 , 24, 1337-1345		11

501	Hot ductility behavior of high-Mn austenitic Fe _{0.2} Mn _{0.5} Al _{0.5} Si _{0.45} C TWIP steels microalloyed with Ti and V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 611, 77-89	5-3	54
500	Constitutive modeling of hot deformation behavior of X20Cr13 martensitic stainless steel with strain effect. 2014 , 24, 1407-1413		36
499	Hot deformation behavior and processing map of a 9Cr ferritic/martensitic ODS steel. 2014 , 455, 139-144		23
498	Dynamic Recrystallization Behavior of Vanadium Micro-alloyed Forging Medium Carbon Steel. 2014 , 54, 650-656		13
497	A comparative study on constitutive equations and artificial neural network model to predict high-temperature deformation behavior in Nitinol 60 shape memory alloy. 2015 , 30, 1988-1998		6
496	Thermal activation parameters of V _{0.3} Cr _{0.3} Ti alloy under hot compression. 2015 , 25, 2564-2570		2
495	Characterizing and Modeling the Deformation of AA5182 for Hot Blank-Cold Die (HB-CD) Stamping. 2015 , 315-320		
494	Effect of Strain Hardening Constitutive Relations on Weld Residual Stress Simulation of Dissimilar Metal Weld. 2015 ,		
493	Effect of compression direction on the dynamic recrystallization behavior of continuous columnar-grained CuNi ₁₀ Fe ₁ Mn alloy. 2015 , 22, 851-859		7
492	Effects of Strain Rate and Temperature on Mechanical Property of Nickel-based Superalloy GH3230. 2015 , 44, 2601-2606		1
491	Constitutive modeling for the hot deformation behavior of Mg _{0.06} Zn _{0.58} Zr _{0.07} Y alloy. 2015 , 46, 835-843		4
490	Dynamic Recrystallization of Wrought-Solidified-Wrought Complex Structure in Ni-Based Superalloys. 2015 , 17, 648-655		10
489	Hot Deformation Behavior of Ti-3.5Al-5Mo-6V-3Cr-2Sn-0.5Fe Alloy in θ Field. 2015 , 5, 216-227		10
488	Study on Hot Deformation Behavior of 7085 Aluminum Alloy during Backward Extrusion Process. 2015 , 2015, 1-8		0
487	Flow behavior and deformation of Nb micro-alloyed steel during strip hot rolling. 2015 , 112, 508		1
486	9-12Cr Heat-Resistant Steels. 2015 ,		14
485	Introduction to Heat-Resistant Steels. 2015 , 1-24		1
484	3D creep cavitation characteristics and residual life assessment in high temperature steels: a critical review. 2015 , 31, 603-626		5

483	Hot Deformation Behavior of Nano-Precipitation Strengthening Steel. 2015 , 1120-1121, 951-957		1
482	Hot deformation behavior and microstructure evolution of 1460 AlMg alloy. 2015 , 25, 3855-3864		18
481	Study on Constitutive Equation of 7085 Aluminum Alloy under High Deformation Temperature. 2015 , 1095, 579-582		
480	High Temperature Behavior of Isothermally Compressed M50 Steel. 2015 , 22, 969-976		3
479	The Hot Workability of SiCp/2024 Al Composite by Stir Casting. 2015 , 30, 624-630		16
478	Constitutive equation and dynamic recrystallization behavior of as-cast 254SMO super-austenitic stainless steel. 2015 , 69, 230-240		61
477	Study on Flow Stress Model and Processing Map of Homogenized Mg-Gd-Y-Zn-Zr Alloy During Thermomechanical Processes. 2015 , 24, 964-971		11
476	Effect of Iron and Silicon Content on the Hot Compressive Deformation Behavior of Dilute Al-Fe-Si Alloys. 2015 , 24, 404-415		8
475	Constitutive Modeling During Simultaneous Forming and Quenching of a Boron Bearing Steel at High Temperatures. 2015 , 24, 808-815		11
474	Hot deformation behavior of an aluminum-matrix hybrid nanocomposite fabricated by friction stir processing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 626, 458-466	5-3	40
473	Processing Map and Hot Deformation Characteristics of 21Cr-11Ni-N-RE Lean Austenitic Heat-Resistant Steel. 2015 , 86, 1583-1593		10
472	Constitutive modeling and prediction of hot deformation flow stress under dynamic recrystallization conditions. 2015 , 85, 66-79		85
471	A Simplified Approach for Developing Constitutive Equations for Modeling and Prediction of Hot Deformation Flow Stress. 2015 , 46, 4027-4037		60
470	Modelling hot strength behaviour of steel. 2015 , 42, 290-301		3
469	Hot deformation behavior and workability of pre-extruded ZK60A magnesium alloy. 2015 , 25, 1822-1830		8
468	Characterization of hot deformation behavior of an extruded Mg ₉₂ Zn ₄ Mn ₄ alloy containing LPSO phase. 2015 , 644, 814-823		53
467	Deformation behavior and microstructural evolution of directionally solidified TiAlNb-based alloy during thermo-compression at 1373-1573K. 2015 , 84, 118-132		49
466	Flow characteristics and intrinsic workability of IN718 superalloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 642, 279-287	5-3	60

465	Hot deformation characterization of duplex low-density steel through 3D processing map development. 2015 , 107, 293-301		57
464	Constitutive modeling of Mg ₉ Li ₃ Al ₂ Sr ₂ Y at elevated temperatures. 2015 , 89, 241-253		38
463	Finite element simulation and experimental investigation on homogeneity of Mg-9.8Gd-2.7Y-0.4Zr magnesium alloy processed by repeated-upsetting. 2015 , 225, 310-317		10
462	Hot deformation behavior of 2060 alloy. 2015 , 648, 681-689		46
461	Dynamic Recrystallization Behavior of Medium Carbon Cr-Ni-Mo-Nb Steel During Hot Deformation. 2015 , 22, 264-271		18
460	Constitutive characteristics and microstructure evolution of 7150 aluminum alloy during isothermal and non-isothermal multistage hot compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 636, 459-469	5-3	18
459	Modeling of Flow Stress and Grain Size Based on Z Parameter and Material Constants of Al-5.2Mg-0.6Mn Alloy during Hot Deformation. 2015 , 817, 748-754		
458	Hot deformation behavior and rate-controlling mechanism in dilute Al ₈ Be ₃ Bi alloys with minor additions of Mn and Cu. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 636, 572-581	5-3	16
457	Determination of heat partition between tool and workpiece during FSW of SS304 using 3D CFD modeling. 2015 , 222, 280-286		24
456	Hot deformation and processing map of an as-extruded Mg ₂ n ₃ Mn ₃ alloy containing I and W phases. 2015 , 87, 245-255		57
455	Arrhenius-type constitutive model and dynamic recrystallization behavior of V ₃ Cr ₃ Ti alloy during hot compression. 2015 , 25, 1889-1900		19
454	Modified arrhenius-type constitutive model and artificial neural network-based model for constitutive relationship of 316LN stainless steel during hot deformation. 2015 , 22, 721-729		28
453	Study of the processing map and hot deformation behavior of a Cu-bearing 317LN austenitic stainless steel. 2015 , 87, 303-312		52
452	Analysis of flow stress and deformation mechanism under hot working of ZK60 magnesium alloy by a new strain-dependent constitutive equation. 2015 , 87, 183-195		9
451	Dynamic Recrystallization Behavior of a New Lead-Free Machinable Brass during Hot Deformation. 2015 , 817, 444-448		
450	Hot Deformation Behavior of a Novel Ni-Cr-Mo-B Ultra-heavy Plate Steel by Hot Compression Test. 2015 , 22, 818-826		3
449	Microalloying Effect on the Activation Energy of Hot Deformation. 2015 , 86, 817-820		2
448	Study on hot deformation behaviour and processing maps of low carbon bainitic steel. 2015 , 66, 258-266		61

447	Experimental study and numerical simulation of dynamic recrystallization behavior of a micro-alloyed plastic mold steel. 2015 , 66, 309-320	33
446	Grain growth and stabilisation of nanostructured aluminium at high temperatures: review. 2015 , 31, 1016-1034	34
445	Constitutive relationship and hot deformation behavior of Armco-type pure iron for a wide range of temperature. 2015 , 65, 193-203	18
444	Hot deformation behavior and processing map of AlSiMg alloys containing different amount of silicon based on Gleebe-3500 hot compression simulation. 2015 , 65, 1091-1099	71
443	Influences of silicon on the work hardening behavior and hot deformation behavior of Fe0.5 wt%Mn(Si, Al) TWIP steel. 2015 , 618, 768-775	28
442	The Hot Deformation Activation Energy of 7050 Aluminum Alloy under Three Different Deformation Modes. 2016 , 6, 49	18
441	Deformation Characteristic and Constitutive Modeling of 2707 Hyper Duplex Stainless Steel under Hot Compression. 2016 , 6, 223	15
440	Devising Strain Hardening Models Using Kocks-Mecking Plots: A Comparison of Model Development for Titanium Aluminides and Case Hardening Steel. 2016 , 6, 204	11
439	Modeling the Effects of Cu Content and Deformation Variables on the High-Temperature Flow Behavior of Dilute Al-Fe-Si Alloys Using an Artificial Neural Network. 2016 , 9,	6
438	Deformation Behavior and Processing Parameters of Cu-3Ag-0.6Zr Alloy during Compression at Elevated Temperatures. 2016 , 67, 03031	1
437	Piecewise Modeling of Flow Stress of 7075-T6 Aluminum Alloy in Hot Deformation. 2016 , 57, 1147-1155	3
436	A Study on the Recrystallization Behavior of Ni-Based Alloy G3 During Hot Deformation. 2016 , 25, 5145-5156	4
435	Hot deformation behaviors and processing maps of MgZnEr alloys based on Gleeble1500 hot compression simulation. 2016 , 26, 3123-3134	17
434	Hot Deformation Flow Behaviour Modelling of Cast-Extruded Al 7075 Alloy Using Arrhenius Equations and Artificial Neural Network. 2016 , 69, 1899-1909	1
433	Characterization of hot deformation behavior of alloy 617 through kinetic analysis, dynamic material modeling and microstructural studies. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 664, 177-187	5-3 58
432	The recrystallization model and microstructure prediction of alloy 690 during hot deformation. 2016 , 104, 162-173	40
431	Study on the dynamic recrystallization model and mechanism of nuclear grade 316LN austenitic stainless steel. 2016 , 118, 92-101	68
430	Hot Compression of TC8M-1: Constitutive Equations, Processing Map, and Microstructure Evolution. 2016 , 47, 3178-3192	5

429	Constitutive analysis of flow stress curves up to the peak at high temperature. 2016 , 2, 272-282	2
428	Hot Forging of IN718 with Solution-Treated and Delta-Containing Initial Microstructures. 2016 , 5, 392-401	8
427	A review of dynamic recrystallization phenomena in metallic materials. 2016 , 111, 548-574	762
426	Characterisation of mechanical behavior of 18CrNiMo7-6 steel with and without nb under warm forging conditions through processing maps analysis. 2016 , 237, 216-234	16
425	Prediction of Single-Peak Flow Stress Curves at High Temperatures Using a New Logarithmic-Power Function. 2016 , 25, 4024-4035	8
424	Hot deformation behavior and dynamic recrystallization kinetics of AZ61 and AZ61 + Sr magnesium alloys. 2016 , 4, 104-114	40
423	Deformation behavior and microstructural evolution of hydrogenated Ti44Al6Nb alloy during thermo-compression at 1373±523 K. 2016 , 108, 259-268	20
422	Hot Deformation Behavior and Processing Map of Ti-6Al-3Nb-2Zr-1Mo Titanium Alloy. 2016 , 45, 901-906	12
421	Complicated Interaction of Dynamic Recrystallization and Precipitation During Hot Deformation of Ultrahigh-Strength Stainless Steel. 2016 , 47, 6248-6258	8
420	Hot deformation behavior of AZ80 magnesium alloy towards optimization of its hot workability. 2016 , 122, 90-97	33
419	Constitutive Modeling for Flow Behavior of Medium-Carbon Bainitic Steel and Its Processing Maps. 2016 , 25, 5030-5039	9
418	Combined deformation behavior and microstructure evolution of 7050 aluminum alloy during hot shear-compression deformation. 2016 , 122, 154-161	11
417	Research on constitutive equations and hot working maps of Incoloy028 alloy based on hot compression tests. 2016 , 31, 1501-1509	
416	Comparison of Hot Working Behavior of Titanium Alloys with Similar Microstructures. 2016 , 215-220	
415	Arrhenius-Type Constitutive Model for High Temperature Flow Stress in a Nickel-Based Corrosion-Resistant Alloy. 2016 , 25, 1394-1406	16
414	Dynamic recrystallization behavior of burn resistant titanium alloy Ti-5V-5Cr-0.2Si. 2016 , 26, 1003-1010	7
413	Microstructural and constitutive analysis in process modeling of hot working: The case of a Mg-Zn-Mn alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 661, 40-50	5:3 4
412	Effect of manganese content on hot deformation behaviour of Fe(20/27)Mn-Al0.3C non-magnetic steels. 2016 , 32, 890-897	4

411	A Comparative Investigation on the Capability of Modified Zerilli-Armstrong and Arrhenius-Type Constitutive Models to Describe Flow Behavior of BFe10-1-2 Cupronickel Alloy at Elevated Temperature. 2016 , 25, 1952-1963		7
410	Nucleation mechanisms of dynamic recrystallization for G3 alloy during hot compression. 2016 , 35, 543-550		5
409	Constitutive equation and microstructure evaluation of an extruded aluminum alloy. 2016 , 5, 21-28		15
408	A Simple Constitutive Model for Prediction of Single-Peak Flow Curves Under Hot Working Conditions. 2016 , 138,		16
407	Modified constitutive analysis and activation energy evolution of a low-density steel considering the effects of deformation parameters. 2016 , 95, 60-70		44
406	Study on constitutive modeling and processing maps for hot deformation of medium carbon CrNiMo alloyed steel. 2016 , 90, 804-814		132
405	Hot deformation behavior and constitutive equation of a new type AlZnMgErZr alloy during isothermal compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 651, 415-424	5-3	83
404	High temperature deformation behavior of a stainless steel fiber-reinforced copper matrix composite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 669, 469-479	5-3	14
403	Microstructure and deformation behavior of nickel based superalloy Inconel 740 prepared by electron beam smelting. 2016 , 114, 267-276		15
402	Constitutive modeling for investigating the effects of friction on rheological behavior during hot deformation. 2016 , 97, 64-72		10
401	Constitutive analysis of 6013 aluminum alloy in hot plane strain compression process considering deformation heating integrated with heat transfer. 2016 , 22, 58-68		3
400	Establishment of a thermal damage model for Ti-6Al-2Zr-1Mo-1V titanium alloy and its application in the tube rolling-spinning process. 2016 , 87, 1345-1357		15
399	Development of a high temperature flow stress model for AerMet 100 covering several orders of magnitude of strain rate. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 657, 26-32	5-3	3
398	New Constitutive Model for Hot Working. 2016 , 47, 1229-1239		7
397	Modelling the constitutive behaviour of aluminium alloy B206 in the as-cast and artificially aged states. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 649, 382-389	5-3	10
396	De Gruyter. 2017 , 36, 209-221		3
395	Hot Deformation Behavior and Constitutive Modeling of Alloy 800H Considering Effects of Strain. 2017 , 36, 467-475		2
394	Deformation Behavior of Severely Deformed Al and Related Mechanisms Through Warm Tensile Test. 2017 , 26, 1311-1324		6

393	Role of activation energies of individual phases in two-phase range on constitutive equation of Zr _{0.5} Nb _{0.5} Cu alloy. 2017 , 27, 172-183		11
392	A new constitutive equation to predict single peak flow stress curves at high temperatures: a comprehensive study on different steels. 2017 , 56, 104-112		9
391	Hot deformation behavior and microstructural evolution of particulate-reinforced AA6061/B4C composite during compression at elevated temperature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 696, 248-256	5:3	36
390	Hot Deformation Behavior of a Differential Pressure Casting Mg-8Gd-4Y-Nd-Zr Alloy. 2017 , 26, 383-391		3
389	Microstructural Evolution and Constitutive Relationship of M350 Grade Maraging Steel During Hot Deformation. 2017 , 26, 1174-1185		23
388	Constitutive behavior and processing maps of low-expansion GH909 superalloy. 2017 , 24, 432-443		3
387	The hot deformation behavior and microstructure evolution of HA/Mg-3Zn-0.8Zr composites for biomedical application. 2017 , 77, 690-697		17
386	Development of Processing Maps and Constitutive Relationship for Thermomechanical Processing of Aluminum Alloy AA2219. 2017 , 26, 2190-2203		14
385	Flow Behavior, Dynamic Recrystallization and Processing Map of Mg-20Pb-1.6Al-0.4B Alloy. 2017 , 26, 2439-2451		7
384	Deformation behavior and processing maps of Ni 3 Al-based superalloy during isothermal hot compression. 2017 , 712, 687-695		71
383	Hot deformation and activation energy of a CNT-reinforced aluminum matrix nanocomposite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 695, 322-331	5:3	32
382	Constitutive Relationship and Hot Processing Maps of Mg-Gd-Y-Nb-Zr Alloy. 2017 , 33, 637-644		42
381	Dynamic softening behavior and microstructural characterization of TiAl-based alloy during hot deformation. 2017 , 130, 25-32		22
380	Hot deformation behavior and microstructure of AA2195 alloy under plane strain compression. 2017 , 131, 500-507		36
379	Developed constitutive models, processing maps and microstructural evolution of Pb-Mg-10Al-0.5B alloy. 2017 , 129, 353-366		37
378	Hot Deformation Behavior and Dynamic Recrystallization of Medium Carbon LZ50 Steel. 2017 , 48, 1310-1320		7
377	Work hardening characteristics and microstructural evolution during hot deformation of a nickel superalloy at moderate strain rates. 2017 , 709, 394-409		63
376	Hot deformation of the extruded Mg ₀ Li ₀ Zn alloy: Constitutive analysis and processing maps. 2017 , 696, 1269-1277		59

375	A Computational Framework for Material Design. 2017 , 6, 229-248		11
374	Effects of cold pre-forging on microstructure and tensile properties of extruded AZ80 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 708, 405-410	5-3	22
373	Effect of SiC particles and the particulate size on the hot deformation and processing map of AZ91 magnesium matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 707, 315-324	5-3	27
372	Physically based modeling and characterization of hot deformation behavior of twinning-induced plasticity steels bearing vanadium and niobium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 703, 85-96	5-3	16
371	Regression based novel constitutive analyses to predict high temperature flow behavior in super austenitic stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 703, 187-195	5-3	19
370	Hot deformation behavior and processing maps of as-cast Mn18Cr18N steel. 2017 , 32, 935-943		2
369	Effect of rhenium on the microstructure and mechanical behavior of Fe $\bar{0}$.25Cr $\bar{0}$.6W $\bar{0}$.25V-0.1C bainitic steels. 2017 , 33, 1487-1493		4
368	Deformation and Recrystallization Behavior of the Cast Structure in Large Size, High Strength Steel Ingots: Experimentation and Modeling. 2017 , 48, 4297-4313		13
367	Microstructure and hot deformation behavior of A356/Al $\bar{2}$ O $\bar{3}$ composite fabricated by infiltration method. 2017 , 23, 639-647		5
366	On the High Temperature Deformation Behaviour of 2507 Super Duplex Stainless Steel. 2017 , 26, 802-812		10
365	Identification of the threshold stress and true activation energy for characterizing the deformation mechanisms during hot working. 2017 , 113, 27-36		18
364	Analysis of Elevated Temperature Flow Behavior of 316LN Stainless Steel Under Compressive Loading. 2017 , 70, 1857-1867		5
363	Hot deformation characteristics and processing map of a phosphorous modified super austenitic stainless steel. 2017 , 115, 262-275		86
362	Modeling of steady state hot flow behavior of API-X70 microalloyed steel using genetic algorithm and design of experiments. 2017 , 52, 471-477		8
361	Hot deformation behavior and microstructural evolution of Ti $\bar{2}$ Al $\bar{5}$ Nb $\bar{1}$.0B alloy prepared by elemental powder metallurgy. 2017 , 695, 1038-1044		22
360	Constitutive modeling for high-temperature flow behavior of Ti-6242S alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 681, 103-113	5-3	53
359	Hot deformation behavior and dynamic recrystallization of Mn18Cr18N steel with as-cast versus wrought starting structures. 2017 , 207, 1779-1784		4
358	Hot Compression Deformation Behavior of Mg-Gd-Nd-Zr Heat-Resistant Magnesium Alloy. 2017 , 230, 012017		1

357	Finite element modeling of hot rolling. 2017 , 83-124	4
356	Analysis of Flow Behavior of an Nb-Ti Microalloyed Steel During Hot Deformation. 2018 , 49, 1604-1614	9
355	Study on the dynamic recrystallization mechanism during pre-stress dry grinding. 2018 , 32, 100-109	4
354	Physical Modelling of Hot Rolling for Low-Density Alloy of the AlMgLiZrZnSc System. 2018 , 61, 822-829	6
353	Dynamic Recrystallization Behavior of AISI 422 Stainless Steel During Hot Deformation Processes. 2018 , 27, 560-571	7
352	Deformation Behavior and Evolution of Microstructure and Texture During Hot Compression of AISI 304LN Stainless Steel. 2018 , 49, 864-880	17
351	Microstructure characteristics and constitutive modeling for elevated temperature flow behavior of AlCuLi X2A66 alloy. 2018 , 33, 912-922	7
350	The Study of Hot Deformation Behavior of Mechanically Milled and Hot Extruded AlBN Nanocomposite. 2018 , 71, 1127-1136	0
349	Microstructural evolution and high temperature flow behaviors of a homogenized Sr-modified Al-Si-Mg alloy. 2018 , 739, 590-599	44
348	Hot deformation behavior and microstructural evolution of as-cast 304L antibacterial austenitic stainless steel. 2018 , 5, 025405	3
347	On the modified grain-size-distribution method to evaluate the dynamic recrystallisation fraction in AISI 304 stainless steel. 2018 , 98, 848-863	
346	State parameter-based constitutive modelling of stress strain curves in Al-Mg solid solutions. 2018 , 103, 67-80	21
345	Mechanical properties, deformation behavior and microstructure evolution of Ti-43Al-6Nb-1Mo-1Cr alloys. 2018 , 136, 69-83	16
344	A new flow stress model based on Arrhenius equation to track hardening and softening behaviors of Ti6Al4V alloy. 2018 , 37, 1035-1045	8
343	Development of processing map for InX-750 superalloy using hyperbolic sinus equation and ANN model. 2018 , 40, 3598	1
342	Hot deformation behavior and mechanism of hybrid aluminum-matrix composites reinforced with micro-SiC and nano-TiB ₂ . 2018 , 753, 566-575	29
341	Optimization of hot workability and microstructure control in a 12Cr-10Ni precipitation hardenable stainless steel: An approach using processing maps. 2018 , 141, 97-107	22
340	Modeling Deformation Flow Curves and Dynamic Recrystallization of BA-160 Steel During Hot Compression. 2018 , 24, 955-969	6

339	Microstructure Evolution and Strain-Dependent Constitutive Modeling to Predict the Flow Behavior of 20Cr24Ni8Mo Super-Austenitic Stainless Steel During Hot Deformation. 2018 , 31, 401-414			11
338	High-temperature deformation behavior and microstructural characterization of high-Mn bearing titanium-based alloy. 2018 , 139, 176-185			12
337	Toward Unraveling the High Temperature Microstructure Processing Properties Relationship in a Ni-Free High Nitrogen Bearing Duplex Stainless Steel. 2018 , 89, 1700532			7
336	Hot deformation behavior of CoCrFeMnNi FCC high entropy alloy. 2018 , 210, 176-186			73
335	High-temperature flow behaviour modelling of stress-strain curves of the sintered Cu8Zn pre-alloyed powder compacts considering dynamic recrystallisation. 2018 , 61, 36-42			2
334	Hot deformation characteristics and microstructure evolution of Hastelloy C-276. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 240-254	5-3		32
333	Hot Deformation Behavior of Four Steels: A Comparative Study. 2018 , 140,			8
332	Phenomenological model for the effect of strain rate on recrystallization and grain growth kinetics in the 617B alloy. 2018 , 735, 1520-1535			23
331	Dynamic deformation response of Al-Mg and Al-Mg/B4C composite at elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 712, 645-654	5-3		13
330	Microstructural evolution and constitutive analysis combined with weight optimization method of Al-7.82Zn-1.96Mg-2.35Cu-0.11Zr alloy during hot deformation. 2018 , 732, 902-914			19
329	Hot Deformation Behavior and Processing Maps for a Large Marine Crankshaft S34MnV Steel. 2018 , 89, 1700321			3
328	Flow behavior and processing map for hot deformation of ATI425 titanium alloy. 2018 , 34, 679-688			50
327	Hot Deformation Behavior of 2Cr13 Stainless Steel. 2018 , 394, 032048			0
326	Hot Forming Optimization of ZK30 Magnesium Alloy. 2018 , 941, 2325-2330			1
325	A discontinuous dynamic recrystallization model incorporating characteristics of initial microstructure. 2018 , 28, 2294-2306			6
324	Hot Deformation Behavior and Processing Maps of As-Homogenized Mg-Gd-Y-Zn-Mn Alloy. 2018 , 47, 1700-1707			4
323	FE Analysis of Dynamical Recrystallization during the Seamless Tube Extrusion of Semicontinuous Casting Magnesium Alloy and Experimental Verification. 2018 , 37, 961-971			2
322	Hot Deformation Behavior of a Nickel-modified AISI 4330 Steel. 2018 , 58, 1711-1720			2

321	Effect of Mn addition on deformation behaviour of 23% Cr low nickel duplex stainless steel. 2018 , 145, 606-618	8
320	Strain Rate Sensitivity Behaviour of a Chrome-Nickel Austenitic-Ferritic Stainless Steel and its Constitutive Modelling. 2018 , 58, 1840-1849	6
319	Constitutive Behavior for Quenching of AlCuMg Alloy With Consideration of Precipitation. 2018 , 140,	5
318	Hot deformation behavior and processing map of a Fe-25Ni-16Cr-3Al alumina-forming austenitic steel. 2018 , 49, 1135-1144	3
317	A Physically Based Constitutive Model and Continuous Dynamic Recrystallization Behavior Analysis of 2219 Aluminum Alloy during Hot Deformation Process. 2018 , 11,	18
316	Modeling of hot deformation behavior and prediction of flow stress in a magnesium alloy using constitutive equation and artificial neural network (ANN) model. 2018 , 6, 134-144	38
315	Effect of silicon on the hot deformation behavior of microalloyed TWIP-type stainless steels. 2018 , 154, 117-129	17
314	Hot deformation behavior of a Sr-modified Al-Si-Mg alloy: Constitutive model and processing maps. 2018 , 28, 592-603	26
313	EBSD Study of Deformation Microstructure of an As-Homogenized Austenitic Mn Steel after Hot Compression. 2018 , 20, 1800327	3
312	Microstructure evolution and dynamic softening mechanisms during high-temperature deformation of a precipitate hardening Ni-based superalloy. 2018 , 155, 585-593	27
311	Influence of Rare Earth on Dynamic Recrystallization Behavior of As-Cast 30Mn Steel. 2018 , 2018, 1-9	1
310	Simulation of the flow behavior of AZ91 magnesium alloys at high deformation temperatures using a piecewise function of constitutive equations. 2018 , 125, 110-120	25
309	Characterization of the Hot Deformation Behavior and Microstructure Evolution of a New γ Strengthened Cobalt-Based Superalloy. 2018 , 49, 4895-4905	16
308	Microstructure Evolution and Flow Stress Model of a 20Mn5 Hollow Steel Ingot during Hot Compression. 2018 , 11,	
307	Flow Behavior Characteristics and Processing Map of Fe-6.5wt. %Si Alloys during Hot Compression. 2018 , 8, 186	9
306	Physically-Based Modeling and Characterization of Hot Flow Behavior in an Interphase-Precipitated Ti-Mo Microalloyed Steel. 2018 , 8, 243	2
305	Thermal Mechanical Processing of Press and Sinter Al-Cu-Mg-Sn-(AlN) Metal Matrix Composite Materials. 2018 , 8, 480	5
304	Constitutive Modeling and Activation Energy Maps for a Continuously Cast Hyperperitectic Steel. 2018 , 49, 4633-4648	

303	Hot Deformation Behavior of Al-Cu-Li-Mg-Zn-Zr-Sc Alloy in As-Cast and Hot-Rolled Condition. 2018 , 920, 244-249		2
302	Hot Deformation Behavior and Microstructural Evolution of Antibacterial Austenitic Stainless Steel Containing 3.60% Cu. 2018 , 27, 1847-1853		10
301	Constitutive descriptions and microstructure evolution of extruded A5083 aluminum alloy during hot compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 728, 133-143	5:3	25
300	Deformation characteristics and microstructural evolution in friction stir welding of thick 5083 aluminum alloy. 2018 , 99, 663-681		16
299	Effects of Sn addition on dynamic recrystallization of Mg-5Zn-1Mn alloy during high strain rate deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 735, 49-60	5:3	22
298	Experimental Investigation and Constitutive Modeling for Hot Deformation Behavior of 2219 Al-Alloy Microalloyed With Silver. 2018 , 140,		0
297	Developing constitutive equations of flow stress for hot deformation of AZ31 magnesium alloy under compression, torsion, and tension. 2019 , 12, 643-648		8
296	3D processing maps and a modified constitutive model of 16Cr-5Ni-Mo supermartensitic stainless steel. 2019 , 474, 012062		
295	A Systematic Assessment of Various Stability/Instability Criteria in Predicting the Hot Deformation-Related Instabilities in Super-304H Stainless Steels. 2019 , 28, 4718-4730		4
294	Hot Deformation Behavior and Workability of As-Cast Dilute Mg-1.2Zn-0.2Y Alloy. 2019 , 71, 4125-4135		1
293	Study on dynamic recrystallization behavior of 1MnCrMoNi steel during hot compression deformation. 2019 , 6, 086513		3
292	A Comparative Study on Johnson-Cook, Modified Johnson-Cook, Modified Zerilli-Armstrong and Arrhenius-Type Constitutive Models to Predict Hot Deformation Behavior of TA2. 2019 , 38, 699-714		4
291	Effects of solution treatment on high temperature deformation behavior of extruded Mg _{0.35} Y _{0.17} Nd _{0.36} Zr biomedical alloy. 2019 , 29, 1842-1853		8
290	Effect of Zn content on the static softening behavior and kinetics of Al ₇₀ Mg ₁₀ Cu alloys during double-stage hot deformation. 2019 , 806, 1081-1096		20
289	Constitutive modeling of flow stress during hot deformation of Sn-Al ₇₀ Ni ₁₀ CuMg multi-principal-element alloy. 2019 , 170, 108970		8
288	A modified constitutive model and hot compression instability behavior of Cu-Ag alloy. 2019 , 29, 764-774		5
287	Recrystallization Microstructure Prediction of a Hot-Rolled AZ31 Magnesium Alloy Sheet by Using the Cellular Automata Method. 2019 , 2019, 1-15		0
286	Study on Constitutive Characteristic of As-Cast AA6061 Alloy under Plane Strain Compression Based on Orthogonal Analysis. 2019 , 2019, 1-11		2

285	The Effect of Die Bearing Geometry on Surface Recrystallization During Extrusion of an Al-Mg-Si-Mn Alloy. 2019 , 50, 5324-5335	6
284	Modification of constitutive model and evolution of activation energy on 2219 aluminum alloy during warm deformation process. 2019 , 29, 448-459	20
283	Thermomechanical Behavior of Biocompatible Austenitic Stainless Steels during Simulated Torsion Tests. 2019 , 28, 5890-5901	1
282	Microstructure and stability conditions for hot deformation of a modified iron-based superalloy. 2019 , 35, 2217-2224	1
281	High-temperature deformation mechanisms and physical-based constitutive modeling of ultra-supercritical rotor steel. 2019 , 38, 223-234	35
280	Evaluation of Hot Deformation and Dynamic Recrystallization Behaviors of Advanced Reduced-Activated Alloy (ARAA). 2019 , 25, 888-899	4
279	Constitutive Analysis on High-Temperature Flow Behavior of 3Cr-1Si-1Ni Ultra-High Strength Steel for Modeling of Flow Stress. 2019 , 9, 42	14
278	Microstructural evolution and constitutive models of 9CrMoCoB heat-resistant steel during high-temperature deformation. 2019 , 26, 1228-1239	4
277	Hot working process optimization of Fe _{0.0} Mn _{1.9} Cr _{0.5} Co _{0.6} N steel by activation energy, power dissipation and microstructural evolution. 2019 , 26, 856-865	2
276	Hot Deformation Behavior of an Ultra-High-Strength FeNiCo-Based Maraging Steel. 2019 , 32, 1161-1172	5
275	Investigation of the Dynamic Recrystallization of FeMnSiCrNi Shape Memory Alloy under Hot Compression Based on Cellular Automaton. 2019 , 9, 469	1
274	Influences of Nb-microalloying on the hot deformation behavior of Fe _{0.5} Mn _{0.3} Si _{0.1} Al TWIP steel. 2019 , 6, 0865g6	1
273	High-temperature flow behaviour of grain-oriented and non-grain-oriented electrical steel. 2019 , 35, 1095-1106	3
272	Flow behavior and processing maps of high-strength low-alloy steel during hot compression. 2019 , 153, 224-233	20
271	Optimization of the hot compression constitutive equation and processing map of Mg _{0.2} Zn _{0.8} Ca (wt%) alloy. 2019 , 6, 086526	2
270	Quantification of multiple softening processes occurring during multi-stage thermoforming of high-strength steel. 2019 , 120, 64-87	27
269	Avrami Kinetic-Based Constitutive Relationship for Armco-Type Pure Iron in Hot Deformation. 2019 , 9, 365	4
268	Investigation on the Thermal Deformation Behavior of the Nickel-Based Superalloy Strengthened by γ' Phase. 2019 , 9, 125	1

267	Deformation behavior and microstructure evolution during hot working of Ti60 alloy with lamellar starting microstructure. 2019 , 792, 389-398		11
266	Unique deformation behavior and microstructure evolution in high temperature processing of HfNbTaTiZr refractory high entropy alloy. 2019 , 171, 132-145		53
265	Constitutive analysis of wrought Mg-Gd magnesium alloys during hot compression at elevated temperatures. 2019 , 791, 1200-1206		50
264	Global view for grain refinement in ultra-low-C IF steel during high-strain deformation at various temperatures and strain rates. 2019 , 6, 100262		11
263	Constitutive Modeling of the Hot Deformation Behavior in 6082 Aluminum Alloy. 2019 , 28, 981-994		16
262	Flow softening behavior and microstructure evolution of aluminum alloy 6061 due to dynamic recovery. 2019 , 6, 056555		3
261	Formation of the Structural State of a High-Strength Low-Alloy Steel upon Hot Rolling and Controlled Cooling. 2019 , 120, 1233-1241		16
260	Hot Deformation Behavior and Mechanistic Understanding of New TF400 Titanium Alloy. 2019 , 9, 1277		8
259	Study on the Constitutive Equation of High-Temperature of High-Elastic Cu-20.0Ni-5.0Sn-0.25Zn-0.22Mn Alloy. 2019 , 956, 169-178		
258	Hot deformation behavior and processing maps of iron-nickel based superalloy. 2019 , 50, 1407-1417		1
257	Processing maps for hot working of HSLA pipeline steel. 2019 , 6, 1265g2		2
256	Warm deformation behaviour of P92 steel. 2019 , 6, 1265j7		2
255	Dynamic recrystallization behaviour of AlxCoCrFeNi high entropy alloys during high-temperature plane strain compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 745, 90-106	5-3	36
254	Constitutive modeling, processing map establishment and microstructure analysis of spray deposited Al-Cu-Li alloy 2195. 2019 , 779, 735-751		52
253	Deformation behavior and processing map development of AZ91 Mg alloy with and without addition of hybrid in-situ TiC+TiB2 reinforcement. 2019 , 776, 865-882		33
252	A Constitutive Model and Processing Maps Describing the High-Temperature Deformation Behavior of Ti-17 Alloy in the β Phase Field. 2019 , 21, 1800775		19
251	Hot deformation behavior and workability characteristic of a fine-grained Mg-8Sn-2Zn-2Al alloy with processing map. 2019 , 35, 1198-1209		39
250	Understanding activation energy of dynamic recrystallization in Inconel 718. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 744, 638-651	5-3	19

249	Microstructure, texture evolution and tensile properties of extruded Mg-4.58Zn-2.6Gd-0.16Zr alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 744, 277-289	5-3	14
248	Hot Deformation Behavior and Processing Maps of a Medium Manganese TRIP Steel. 2019 , 32, 1021-1031		6
247	High temperature deformation and microstructural evolution of core-shell structured titanium alloy. 2019 , 775, 316-321		9
246	Hot deformation behavior of AA6005 modified with CaO-added Mg at high strains. 2019 , 774, 1081-1091		7
245	High temperature deformation of IN718 superalloy: use of basic creep modelling in the study of Nickel and single-phase Ni-based superalloys. 2019 , 36, 58-67		3
244	Effect of Nb and Ti addition on activation energy for austenite hot deformation. 2019 , 8, 180-188		10
243	High Temperature Plastic Deformation Constitutive Equation of a New Alloy for Piston Ring. 2020 , 26, 739-746		3
242	Hot workability of CoBeMnNiTi eutectic high entropy alloy. 2020 , 822, 153609		9
241	Constitutive Equations, Processing Maps, and Microstructures of Pb-Mg-Al-B-0.4Y Alloy under Hot Compression. 2020 , 29, 607-619		12
240	Effects of coarse Al ₂ CuLi phase on the hot deformation behavior of AlTi alloy. 2020 , 815, 152469		15
239	Hot working behaviour of experimental Ti-4.5Al-1 V-3Fe alloy with initial lamellar microstructure. 2020 , 106, 1901-1916		7
238	Comparative study of the hot processing behavior in advanced Ni-based superalloys for use in A-USC applications. 2020 , 818, 152907		9
237	On the Direct Extrusion of Magnesium Wires from Mg-Al-Zn Series Alloys. 2020 , 10, 1208		9
236	A comparative study on hot deformation behaviours of low-carbon and medium-carbon vanadium microalloyed steels. 2020 , 9, 11319-11331		6
235	Constitutive Equations for Describing the Warm and Hot Deformation Behavior of 20Cr2Ni4A Alloy Steel. 2020 , 10, 1169		1
234	Constitutive Relationship for Hot Deformation of TB18 Titanium Alloy. 2020 , 2020, 1-14		2
233	Hot Compression Deformation Characteristics of Nimonic Alloy as-forged. 2020 , 1676, 012049		
232	Microstructure evolution and hot deformation behavior of CuBTi0.1Zr alloy with ultra-high strength. 2020 , 30, 2737-2748		2

231	Comparative Assessment on the Hot Deformation Behaviour of 9Cr1Mo Steel with 1Cr1Mo Steel. 2020 , 27, 3875		0
230	Performance of Thermo-Mechanically Processed AA7075 Alloy at Elevated Temperatures From Microstructure to Mechanical Properties. 2020 , 10, 884		16
229	Constitutive Equations for Describing the Hot Compressed Behavior of TC4-DT Titanium Alloy. 2020 , 13,		2
228	High Temperature Deformation Behavior and Constitutive Modeling for Flow Behavior of Alloy 718. 2020 , 29, 4692-4707		0
227	High-temperature deformation resistance and creep resistance of a TiAl-based alloy fabricated by cold crucible directional solidification technology. 2020 , 17, 378-383		
226	A modified Arrhenius model for as-quenched Al-Mg-Si alloy considering the effect of cooling rate. 2020 , ahead-of-print,		
225	Constitutive modeling and microstructure characterization of 2196 Al-Li alloy in various hot deformation conditions. 2020 , 59, 326-342		12
224	The effect of Ni-doping on the microstructure, hot deformation behavior, and processing map of as-cast AlSi piston alloy. 2020 , 55, 16394-16418		5
223	Hot Deformation Behavior of Cu-Sn-La Polycrystalline Alloy Prepared by Upcasting. 2020 , 13,		2
222	Simulation and Experimental Study of Dynamical Recrystallization Kinetics of TB8 Titanium Alloys. 2020 , 13,		4
221	Insight into the Role and Mechanism of Nano MgO on the Hot Compressive Deformation Behavior of Mg-Zn-Ca Alloys. 2020 , 10, 1357		2
220	Kinetics and Numerical Simulation of Dynamic Recrystallization Behavior of Medium Mn Steel in Hot Working. 2020 , 91, 1900675		7
219	On the substitution of vanadium with iron in Ti6Al4V: Thermo-Calc simulation and processing map considerations for design of low-cost alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 791, 139622	5.3	8
218	Flow behavior and dynamic recrystallization mechanism of A5083 aluminum alloys with different initial microstructures during hot compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 787, 139522	5.3	28
217	Study on hot deformation behavior of AISI 414 martensitic stainless steel using 3D processing map. 2020 , 56, 916-927		8
216	Hot deformation behaviour of bamboo leaf ash/silicon carbide hybrid reinforced aluminium based composite. 2020 , 7, 17		3
215	Microstructure evolution of Ni47Ti44Nb9 shape memory alloy in high-temperature deformation. 2020 , 3, 376-386		
214	Effect of Rotation Speed on Microstructure and Mechanical Properties of Friction-Stir-Welded 2205 Duplex Stainless Steel. 2020 , 2020, 1-13		3

213	Microstructural evolution and FCC twinning behavior during hot deformation of high temperature titanium alloy Ti65. 2020 , 49, 56-69			14
212	New method to develop High temperature constitutive model of metal based on the Arrhenius-type model. 2020 , 24, 101000			6
211	Study on activation energy and strain rate sensitivity of closed-cell aluminium hybrid composite foam. 2020 , 832, 154860			9
210	Processing maps of extruded AZ80+ 0.4% Ce magnesium alloy. 2020 , 844, 156064			6
209	Hot Deformation Behavior and Processing Maps of a 9Ni50B Steel. 2020 , 29, 3858-3867			2
208	Hot Deformation Behavior and Processing Maps of Ti-6554 Alloy for Aviation Key Structural Parts. 2020 , 10, 828			3
207	Dynamic Recrystallization in Cu-Cr-Zr-Ti Alloy Under Large Plane Strain Conditions. 2020 , 51, 4742-4752			2
206	Hot Compressive Behavior and Constitutive Equation of Ti-Al-Nb-Zr-Mo-Cr Alloy. 2020 , 993, 230-236			1
205	Effect of Al ₃ (Sc,Zr) dispersoids on the hot deformation behaviour of 6xxx-series alloys: A physically based constitutive model. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 793, 139873	5-3		9
204	Hot deformation behavior and flow stress modeling of Ti ₅ Al ₃ V alloy produced via electron beam melting additive manufacturing technology in single β phase field. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 792, 139822	5-3		25
203	High temperature deformation behavior of Mg-5wt.%Y binary alloy: Constitutive analysis and processing maps. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 777, 139051	5-3		21
202	Flow stress prediction using hyperbolic-sine Arrhenius constants optimised by simple generalised reduced gradient refinement. 2020 , 9, 2376-2386			19
201	Dynamic recrystallization of a (B2)-Stabilized TiAl based Ti ₄₅ Al ₄₈ Nb ₂ Cr-0.2B alloy: The contributions of constituent phases and Zener-Hollomon parameter modulated recrystallization mechanisms. 2020 , 828, 154386			16
200	Constitutive Modeling of 17-4PH Stainless Steel Sheet at Elevated Temperature and Statistical Optimization. 2020 , 29, 1194-1205			4
199	Hot deformation behavior of a new tailored cobalt-based superalloy for turbine discs. 2020 , 35, 633-643			2
198	Hot Compression Deformation and Activation Energy of Nanohybrid-Reinforced AZ80 Magnesium Matrix Composite. 2020 , 10, 119			2
197	Microstructure and hot deformation behavior of a new aluminum-titanium-copper based AA2070 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 777, 139048	5-3		16
196	High temperature deformation behavior of dual-phase Al _{0.6} CoCrFeNi high-entropy alloys. 2020 , 836, 155305			10

195	Hot Deformation Behavior and Strain-Compensated Constitutive Equation of Nano-Sized SiC Particle-Reinforced Al-Si Matrix Composites. 2020 , 13,	5
194	Hot Deformation and Dynamic Recrystallization of 18%Mn Twinning-Induced Plasticity Steels. 2020 , 22, 2000098	2
193	Constitutive behavior and processing maps of a new wrought magnesium alloy ZE20 (Mg-2Zn-0.2Ce). 2020 , 8, 111-126	22
192	Experimental study and numerical simulation of dynamic recrystallization for a FGH96 superalloy during isothermal compression. 2020 , 9, 5090-5104	17
191	Hot Deformation Behavior Considering Strain Effects and Recrystallization Mechanism of an Al-Zn-Mg-Cu Alloy. 2020 , 13,	7
190	Microstructural Characterisation and Hot-Deformation Behaviour of AA6082 Al Alloy Produced by Low-Frequency Electromagnetic Casting. 2020 , 29, 2667-2678	4
189	On the prediction of hot deformation mechanisms and workability in Al6063/Ni and Al6063/steel composites using hyperbolic-sine constitutive equation. 2021 , 38, 942-948	6
188	Hot Deformation Behavior of V-Ti Microalloy Steels. 2021 , 92, 2000225	4
187	Hot workability characteristics of low-density Fe-Al-Ni ferritic steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 799, 140257	5-3 6
186	Hot deformation mechanisms, mechanical properties and microstructural evolution of a HP-Nb steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 800, 140326	5-3 3
185	Effect of Zn content on the dynamic softening of Al-Zn-Mg-Cu alloys during hot compression deformation. 2021 , 184, 109941	10
184	Joint effect of micro-sized Si particles and nano-sized dispersoids on the flow behavior and dynamic recrystallization of near-eutectic Al-Si based alloys during hot compression. 2021 , 856, 158072	22
183	Rheological Behavior of Pure Molybdenum at High Temperature Considering Strain Compensation. 2021 , 23, 2000661	0
182	High-Temperature Deformation Behavior of a Novel Hot-Rolled Transformation-Induced Plasticity Alloy: Experiments, Constitutive Modeling, and Processing Maps. 2021 , 92, 2000338	3
181	The Modeling of the Flow Behavior Below and Above the Two-Phase Region for Two Newly Developed Meta-Stable Titanium Alloys. 2021 , 23, 1901552	4
180	Effect of Gd on Dynamic Recrystallization Behavior of Magnesium During Hot Compression. 2021 , 27, 843-850	3
179	Development of a Rheological Model of Hot Deformation as Exemplified by 1424 and 461 Aluminum Lithium Alloys. 2021 , 62, 48-53	
178	Correction of flow stress data due to non-homogeneous deformation and thermal conditions during hot compression testing of a polycrystalline nickel-base superalloy. 2021 , 56, 7727-7739	0

177	Simulation of dynamic recrystallization of a magnesium alloy with a cellular automaton method coupled with adaptive activation energy and matrix deformation topology. 2021 , 8, 11	0
176	Austenitic Grain Size Effect on the Phase Transformation of a 7.0% Cr Steel for Forging. 1016, 77-81	
175	Hot and Cold Deformation Behaviors and Microstructure Evolutions of Mn18Cr18N Austenitic Stainless Steel with High-Nitrogen. 1016, 325-331	0
174	A new approach of predicting dynamic recrystallization using directly a flow stress model and its application to medium Mn steel. 2021 , 11, 1881-1894	6
173	Hot Deformation Characterization of Pure Aluminum Using artificial neural network (ANN) and Processing Map Considering Initial Grain Size. 2021 , 27, 5017	6
172	Superplasticity at Intermediate Temperatures of ZK60 Magnesium Alloy Processed by Indirect Extrusion. 2021 , 11, 606	0
171	Influence of Hot Deformation on the Precipitation Hardening of High-Strength Aluminum AA7075 during Thermo-Mechanical Processing. 2021 , 11, 681	0
170	Flow Stress Behavior and Microstructural Evolution of DC Cast 7065 Aluminum Alloy During Hot Compression Deformation. 2021 , 1885, 032067	
169	Hot deformation behavior and processing map of low-alloy offshore steel. 1	2
168	A Comparative Study on the Activation Energy for Hot Deformation of 5CrNiMoV and S34MnV Steel. 2021 , 14, 70-79	
167	Microstructure, Hot Deformation Behavior, and Recrystallization Behavior of Zn-1Fe-1Mg Alloy under Isothermal Compression. 2021 , 14,	0
166	Long-Term Creep-Rupture Behavior of Alloy Inconel 740/740H. 2021 , 52, 2601-2612	2
165	Strain relaxation in semiconductor wafer bonding. 2021 , 60, 055504	0
164	Hot deformation behavior and processing map of a new type Mg-6Zn-1Gd-1Er alloy. 2021 , 862, 158700	16
163	Dynamic Softening Mechanisms and Microstructure Evolution of TB18 Titanium Alloy during Uniaxial Hot Deformation. 2021 , 11, 789	4
162	A Comprehensive Study of Dynamic Recrystallization Behavior of Mg Alloy with 3 wt.% Bi Addition. 2021 , 11, 838	3
161	Experimental study of grain structures evolution and constitutive model of isothermal deformed 2A14 aluminum alloy. 2021 , 12, 2348-2367	5
160	Hot Deformation Behavior and Processing Maps of a New Ti-6Al-2Nb-2Zr-0.4B Titanium Alloy. 2021 , 14,	0

159	Study on Flow Behavior and Processing Maps of High-Ti Low-C Microalloyed Steel during Hot Compression. 2021 , 92, 2100009	0
158	Characterization of Hot Deformation Behavior of Ti-Al-Nb-Zr-Mo-Cr Alloy. 1035, 328-333	
157	Constitutive analysis of hot forming process of P91 steel: finite element method approach. 1-12	1
156	Influence of Ni addition on Abrasive wear behaviour of plasma-sprayed Duplex stainless steel coatings. 2021 , 1166, 012056	
155	Optimization of the hot working parameters of a nickel-based superalloy using a constitutive-dynamic recrystallization model and three-dimensional processing map. 2021 , 56, 15441-15462	2
154	The high temperature deformation behavior of a triplex (ferrite+ austenite+ martensite) low density steel. 2021 , 13, 1388-1401	5
153	The Study on Plastic Flow Behavior and Constitutive model of GCr15 Steel in Isothermal Compression. 2021 , 1965, 012115	0
152	Peculiarities of DRX in a Highly-Alloyed Austenitic Stainless Steel. 2021 , 14,	3
151	Microstructure Evolution and Dynamic Recrystallization Model of Extruded AZ41M Magnesium Alloy During Hot Deformation. 1	1
150	Numerical analysis of flow behaviour, grain size prediction and experimental verification of hot rolled ultralow carbon niobium microalloyed steel. 2021 , 52, 725-738	0
149	Dynamic Recrystallization and Recovery Behaviors in Austenite of a Novel Fe-1.93Mn-0.07Ni-1.96Cr-0.35Mo Ultrahigh Strength Steel. 2021 , 2021, 1-8	
148	Extrusion limit diagram of AZ910.9Ca0.6Y0.5MM alloy and effects of extrusion parameters on its microstructure and mechanical properties. 2021 ,	1
147	Hot Deformation Behavior and Dynamic Recrystallization of Ultra High Strength Steel. 2021 , 11, 1239	1
146	Hot Deformation Behavior of a Co-Spray-Formed Al-Si/7075 Bimetallic Gradient Alloy. 2021 , 11, 1266	
145	High-Temperature Deformation Behaviors of the C-Doped and N-Doped High Entropy Alloys. 2021 , 11, 1517	4
144	Influence of Microalloying and Isothermal Treatment on Microstructure and Mechanical Properties of High Carbon Steel. 1	
143	Prediction of thermo-mechanical behavior and microstructural evolution of copper considering initial grain size at elevated temperature. 2021 , 28, 102652	2
142	Thermal Processing Map and Microstructure Evolution of Inconel 625 Alloy Sheet Based on Plane Strain Compression Deformation. 2021 , 14,	0

141	HOT COMPRESSION DEFORMATION BEHAVIOR AND CONSTITUTIVE ANALYSIS OF EXTRUDED MAGNESIUM-BISMUTH ALLOYS. 2021 , 6, 121-130		
140	Effect of thermo-mechanical processing parameters on the dynamic restoration mechanism in a Mg-4Y-2Nd-1Sm-0.5Zr alloy during hot compression. 2021 , 90, 205-224		6
139	The investigation of microstructure evolution, deformation behavior and processing performance of the high niobium containing TiAl alloys. 2021 , 138, 107336		0
138	Unique deformation behavior and microstructure evolution in high-temperature processing of a low-density TiAlVNb ₂ refractory high-entropy alloy. 2021 , 885, 160962		5
137	Effect of Different SiCp Particle Sizes on the Behavior of AA 7075 Hot Deformation Composites Using Processing Maps. 2021 , 1233-1244		0
136	Process: Hot Workability. 1-46		2
135	Phase-Field Modeling for Dynamic Recrystallization. 2015 , 441-459		8
134	Characterizing and Modeling the Deformation of AA5182 for Hot Blank [Cold Die (HB-CD) Stamping. 2015 , 315-320		1
133	High Temperature Oxidation Resistance and Mechanical Properties of Uncoated Ultrahigh-Strength Steel 22MnB5. 2013 , 67-78		2
132	Hot deformation characteristics and dynamic recrystallization mechanisms of a Co/Ni-based superalloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 788, 139638	5,3	20
131	Critical condition parameters and kinetics of dynamic recrystallization for hot deformed 1 wt%Cr-1 wt%Mo rotor steel. 2020 , 7, 026548		4
130	Friction Stir Spot Welding. 2010 , 193-217		2
129	Modeling and simulation of dynamic recrystallization behavior for Q890 steel plate based on plane strain compression tests. 2020 , 18, 338-345		1
128	Correlation of Deformation Strain with the Tensile Properties and Fracture Mode of the AA 2014 Alloy Using Simulations and Experiments. 2018 , 46, 20160507		1
127	Theoretical Prediction of Forming Limit Diagrams for B1500HS Steel at Elevated Temperature Based on Modified Arrhenius and M ₀ Models. 2018 , 46, 20160659		2
126	Optimization of Hot Workability of Cu-Cr-Zr-Ti Alloy Through Development of a Processing Map. 2019 , 8, 20190009		1
125	Critical Conditions for Dynamic Recrystallization of Hot Deformed 1 wt% Chromium - 1 wt% Molybdenum Rotor Steel. 2019 , 8, 20190022		3
124	Hot Deformation Behavior of 7085 Aluminum Alloy Based on Deformation Heating and Friction. 2020 , 61, 318-325		2

- 123 Prediction of Hot Flow Stress of CrMoV Steel Using Artificial Neural Network (ANN). **2007**, 47, 1126-1130 1
- 122 Determining the Conditions for Dynamic Recrystallization in Hot Deformation of CMnV Steels and the Effects of Cr and Mo Additions. **2014**, 54, 227-234 10
- 121 Critical Strain for Dynamic Recrystallisation. The Particular Case of Steels. **2020**, 10, 135 12
- 120 Influencia de la microestructura de partida en la ecuaci3n constitutiva para la fluencia de un acero. **2009**, 45, 70-75 3
- 119 El m3todo de Newton para la optimizaci3n de una nueva ecuaci3n constitutiva para la fluencia pl3stica dependiente de la deformaci3n. Aplicaci3n a las aleaciones de magnesio AZ80 y AZ61. **2013**, 49, 378-396 4
- 118 Towards Interrelating the Nature of High Temperature Stress-strain Curves and Creep Curves with Concomitant Microstructure Evolution. 1
- 117 Study of the High-Temperature Behaviour of Aluminium Alloy En Aw 2014. **2011**, 56,
- 116 Estimating Response to Hot Rolling of Al-Mn-Mg Alloys from Hot Torsion Testing. 329-337
- 115 Hot Tensile Behaviour and Constitutive Analysis of Al-5,5Zn-1,2Mg/Zr Alloys. 157-165
- 114 Metal Forming and Deformation Modes. **2011**, 21-51
- 113 Hot Working of Aluminum. **2011**, 87-142
- 112 Hot Deformation Behavior of Nb Microalloyed Coiled Tubing Steel. 185-191
- 111 Hot Deformation Behavior and Hot Processing Map of 4Cr5MoSiV1 Steel. **2013**, 03, 1-6
- 110 On the Constitutive Modeling of the Hot Deformation Behavior of a High-Mn Twinning-Induced Plasticity Steel. **2013**, 2893-2900
- 109 High Temperature Deformation Behavior of a NIMONIC 80A Ni-based Superalloy. **2013**, 22, 258-263
- 108 Constitutive Behavior of Wrought Magnesium Alloy AZ61. 339-344
- 107 THE ISO 5832-9 STEEL HOT FLOW CURVES, AN ANALYTICAL STUDY.
- 106 Dynamic recrystallization and microstructure evolution of a Nb-V microalloyed forging steel during hot deformation. **2014**, 3, 217-225 1

- 105 Hot Deformation of Heat-Resistant Steels. **2015**, 191-215
- 104 Constitutive Behavior of Wrought Magnesium Alloy AZ61. **2016**, 339-344
- 103 Aluminum and Its Alloys. **2016**, 31-50
- 102 Development of Processing Map and Constitutive Relationship for Thermomechanical Processing of Aluminum Alloy AA2014. **2018**, 7, 20170056 2
- 101 Hot Deformation of 18 % Ni Maraging Steels: A Review. **2019**, 8, 20190027 1
- 100 Physical Simulation and Processing Map of Aluminum 7068 Alloy. **2019**, 8, 20190018 2
- 99 Effect of Silicon on the Hot Flow Behavior of Ultra-Low Carbon Austenite. **2019**, 8, 20190026
- 98 Influence of inter-object relations on the microstructural evolution during hot upsetting of a steel billet determined by numerical simulation. **2019**, 110, 920-930
- 97 Comparison of Prediction Capabilities of Flow Stress by Various Constitutive Equation Models for Hot Deformation of Aluminum Matrix Composites. **2020**, 9, 20190045
- 96 Hot Deformation Studies and Optimization of Hot Working Parameters in Custom 465□ Martensitic Precipitation Hardenable Stainless Steel. **2020**, 9, 20190087
- 95 Development and Validation of Processing Maps for Hot Deformation of Modified AISI 321 Austenitic Stainless Steel. **2020**, 9, 20190081 1
- 94 Hot deformation behavior and microstructure characteristic of 2055 Al-Li alloy during uniaxial compression. **2020**, 7, 076507 2
- 93 A damage mechanics approach for lifetime estimation of wind turbine gearbox materials. **2020**, 137, 105671 2
- 92 Investigation of the Application of a C-ring Geometry to validate the Stress Relief Heat Treatment Simulation of Additive Manufactured Austenitic Stainless Steel Parts via Displacement. **2020**, 75, 248-259
- 91 Implication of initial grain size on DRX mechanism and grain refinement in super-304H SS in a wide range of strain rates during large-strain hot deformation. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2021**, 832, 142269 5:3 1
- 90 Macro copper-graphene composites with enhanced electrical conductivity. **2021**, 894, 162477 3
- 89 High Temperature Deformation Behavior and Microstructure Evolution of Low-Density Steel Fe30Mn11Al1C Micro-Alloyed with Nb and V. **2021**, 14, 1
- 88 Development of hot deformation rheological model as exemplified by 1424 and V-1461 aluminum-lithium alloys. **2020**, 44-51

87	Effect of Mg on Flow Behavior of AlMg Alloys and Its Constitutive Modeling Using Finite Element Analysis. 2020 , 283-288		
86	Study on Hot Deformation Behavior of High Carbon Low Alloy Steel by Constitutive and ANN Modeling and Development of Processing Maps. 2020 , 9, 20190036		
85	Dynamic Recrystallization Behavior of Low-Carbon Steel during the Flexible Rolling Process: Modeling and Characterization. 2100490		1
84	State of the art methods to post-process mechanical test data to characterize the hot deformation behavior of metals. 2021 , 13, 168781402110610		2
83	Hot Deformation Behavior, Dynamic Recrystallization and Processing Map of Fe30Mn10Al1C Low-Density Steel. 1		1
82	Flow Stress Behavior and Microstructure Evolution of Austenitic Stainless Steel with Low Copper Content during Hot Compression Deformation. 2021 , 11, 1408		1
81	Microstructure and flow behaviour of a quenching and partitioning steel at elevated temperatures. 1-11		
80	Constitutive modelling of hot deformation behaviour of metallic materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 832, 142473	5-3	4
79	Deformation microstructure and thermomechanical processing maps of homogenized AA2070 aluminum alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 834, 142619	5-3	4
78	A study of hot compression behavior of an as-cast FeCrCuNi2Mn2 high-entropy alloy. 2022 , 896, 162732		2
77	Microstructure Evolution and Constitutive Analysis of Al-Mg-Si-Ce-B Alloy during Hot Deformation. 1		0
76	Hot-deformation characteristics of Al-alloyed Ferritic and martensitic dual-phase steel. 2022 , 16, 675-688		0
75	Microstructural evolution of Al-7.3Zn-2.2Mg-2Cu (Al7068) alloy in T6 condition during isothermal compression using 3-dimensional processing map. 2022 , 902, 163690		1
74	A review of hot deformation behavior and constitutive models to predict flow stress of high-entropy alloys. 2022 , 903, 163964		15
73	Hot deformation behavior and dynamic softening mechanism for extreme-cooled 7055 aluminum alloy. 2022 , 128, 1		
72	Dynamic Restoration Activities in Austenite Matrix and Secondary B2 Phase During Hot Deformation of Austenitic Low-Density Steels.		
71	Microstructure, Hot Deformation Behavior, and Textural Evolution of Mg-3Sn-2Al-1Zn-0.6Nd Alloy. 2022 , 12, 364		
70	Research on High-Temperature Compressive Properties of Ti0V0Fe3Al Alloy. 2022 , 12, 526		1

69	Review on modeling and simulation of dynamic recrystallization of martensitic stainless steels during bulk hot deformation. 2022 ,		2
68	Effect of deformation mode on hot deformation characteristics and microstructural evolution in Cu-Cr-Zr-Ti alloy. 2022 , 186, 111813		0
67	Dynamic recovery and recrystallization mechanisms in secondary B2 phase and austenite matrix during hot deformation of FeMnAl-(Ni) based austenitic low-density steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 143095	5.3	1
66	Ferrite dynamic recrystallization behavior during thermal deformation in Fe ₂ Mn-1Al-0.9C low density steel. 2022 , 18, 1345-1357		0
65	Thermal deformation characteristics of AlMo _{0.8} NbTiW _{0.2} Zr refractory multi-principal element alloy. 2022 , 144, 107524		
64	Additive manufacturing A review of hot deformation behavior and constitutive modeling of flow stress. 2022 , 26, 100992		10
63	Metal-like peak stress behavior of yttrium-doped BaCeO ₃ ceramic. 2022 , 42, 3500-3509		0
62	Prediction of the Hot flow Behavior of AA1070 Aluminum Using the Phenomenological and Physically-Based Models. 2021 , 122, 1436-1445		1
61	A direct method of calculating flow-related dynamic recrystallization parameters for generality and accuracy in predicting microstructural evolution. 2022 ,		0
60	Hot deformation behavior of Sc/Nb modified AA2195 AlCu alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 143169	5.3	0
59	Dynamic recrystallization behavior under steady and transient mutation deformation state. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 843, 143138	5.3	0
58	Microstructure and Deformation Characteristics of MnSiCr Ultra-high Strength Steel.		
57	Hot deformation behavior and microstructure evolution of hot-extruded 6A02 aluminum alloy. 2022 , 188, 111908		1
56	High-temperature deformation behavior and processing maps of a novel AlNbTi ₃ VZr _{1.5} refractory high entropy alloy. 2022 , 912, 165220		1
55	Stress Response Behavior, Microstructure Evolution and Constitutive Modeling of 22MnB5 Boron Steel under Isothermal Tensile Load. 2022 , 12, 930		
54	Thermomechanical processing model and abnormal microstructure evolution of high-nitrogen stainless steel X30CrMoN15-1. 2022 , 917, 165498		0
53	Study on the Hot Deformation Behavior of Stainless Steel AISI 321. 2022 , 15, 4057		0
52	Metal flow behaviour and processing maps of high heat resistant steel during hot compression. 2022 , 121, 4153-4167		1

51	Dynamic Recrystallization Behavior of the Equiatomic FeCoCrNi High-Entropy Alloy during High Temperature Deformation. 2022 ,	1
50	Dynamic recrystallization during creep of proton-conducting barium cerate perovskites.	
49	Constitutive analysis of stress-strain curves in dynamic softening of high Nb- and N-containing austenitic stainless-steel biomaterial. 2022 ,	1
48	Phase-field investigation on the grain evolution and mechanical response during dynamic recrystallization of deforming tungsten. 2022 , 32, 104174	
47	Microstructural Evolution and Stability of Coarse-Grained S31254 Super Austenitic Stainless Steel during Hot Deformation. 2022 , 12, 1319	1
46	Significantly enhanced superplasticity of TiBw/near- β Ti composite: Microstructure tailoring and deformation mechanisms. 2022 , 853, 143772	1
45	Effect of temperature and strain rate on the deformation behaviour and microstructure of Al _{0.7} CoCrFeNi high entropy alloy. 2022 , 856, 143933	1
44	Hot deformation behavior and microstructure evolution of flaky Ti ₃ AlC ₂ particles reinforced pure Al composite. 2022 , 927, 167118	0
43	Hot deformation behavior and constitutive modeling of a cost-effective Al ₈ Cr ₁₂ Mn ₂₅ Ni ₂₀ Fe ₃₅ high-entropy alloy. 2022 , 928, 167028	1
42	Zn _{0.8} Mn alloy for degradable structural applications: Hot compression behaviors, four dynamic recrystallization mechanisms, and better elevated-temperature strength. 2023 , 137, 159-175	0
41	Effect of Strain on Hot Deformation Behavior and 3-D Processing Maps of a Vanadium and Titanium Microalloyed Steel.	0
40	Stress Softening Behavior and Microstructural Characterization of Al-Zn-Mg-Sc Alloy with High Zn Concentration Subjected to Isothermal Compression.	0
39	Predicting Flow Stress Behavior of an AA7075 Alloy Using Machine Learning Methods. 2022 , 12, 1281	0
38	Constitutive modeling and hot deformation processing map of a new biomaterial Ti ₆₀ 4Cr alloy. 2022 , 20, 4097-4113	0
37	Microstructure, texture, and compressive properties of TC11/TC17 linear friction welded joint at elevated temperatures. 2022 , 854, 143880	0
36	Behavior of localized strain under hot compression of cast specimen from Mg ₆₀ Al ₄₀ Zn alloy. 2022 , 5-16	0
35	Investigation on the High-Temperature Deformation and Dynamic Recrystallization Behavior of CF170 Maraging Stainless Steel. 2022 , 63, 1533-1540	0
34	Hot Deformation Behavior and Microstructural Evolution of the Al-Cu-Li alloy: A Study With Processing Map. 2022 , 167755	0

33	Microstructure-based finite element modeling of a martensitic stainless steel during hot forging. 2022 , 123, 2833-2851	○
32	High-temperature deformation behavior and microstructural evolution of NbZrTiTa refractory high entropy alloy. 2022 , 168059	○
31	Constitutive models for flow stress based on composite variables analogous to Zener-Holloman parameter. 2022 , 33, 104820	○
30	Orientation dependence of plastic deformation of sintered Nd-Fe-B magnets at high temperature. 2023 , 244, 118559	○
29	A Comparative Study of Microstructure and Hot Deformability of a FeAlTi Iron Aluminide Prepared via Additive Manufacturing and Conventional Casting. 2022 , 12, 1709	1
28	Thermo-Mechanical Treatment Performance and Flow Stress Model of a Fe-Mn-Al-C Low Density Steel.	○
27	Constitutive modeling of flow stress curves during hot deformation of alloy steels. 2022 ,	○
26	Thermomechanical behaviour of Ti-42.5Al-4Nb-0.5Mo-0.1B-(C, W, Y) alloy during hot compression. 2023 , 34, 105186	○
25	Hot deformation behavior and dynamic softening mechanisms of hot-extruded Al-Cu-Mg-Ag-Mn-Zr-Ti alloy. 2023 , 34, 105300	○
24	Correlation of hot deformation behaviors and microstructures of 17 vol% SiCp/Al-Cu-Mg composite fabricated by powder metallurgy. 2023 , 34, 105304	○
23	Hot Deformation Behavior and Hot Rolling Simulation of a New FeCrMo Alloy for Piston Rings.	○
22	Microstructure evolution, deformation behavior and manufacture design of TiAl matrix composites reinforced with in-situ borides precipitation. 2023 , 33, 107-127	○
21	A study on the hot workability of a novel TNM-RE alloy (RE = Y, La, Ce). 2023 , 10, 026506	○
20	Dynamic recrystallization and constitutive equation of 15Cr-10Mn-Ni-N steel under hot deformation. 2023 , 35, 105648	○
19	Study on hot deformation behavior of as-cast Ti-5Al-5Mo-5V-1Cr-1Fe titanium alloy in β phase region. 2023 , 35, 105797	○
18	Enhancing hot ductility of a cryogenic high manganese steel at a high strain rate by matrix homogenization. 2023 , 872, 145002	○
17	Hot deformation behavior and microstructure of Ni-Cu rich Al-Si AA4032 alloy. 2023 , 940, 168934	○
16	Dynamic softening kinetics of Al _{0.3} CoCrFeNi high-entropy alloy during high temperature compression and its correlation with the evolving microstructure and micro-texture. 2023 , 197, 112693	○

15	Promotion of thermomechanical processing of 2-GPa low-alloyed ultrahigh-strength steel and physically based modelling of the deformation behaviour. 2023 , 867, 144747	2
14	Elevated temperature tensile behaviour of 5183 aluminium alloy made by electrospark deposition additive manufacturing. 2023 , 868, 144746	0
13	Hot Deformation Analysis and Microstructure Evolution of a Novel AlCuLi Alloy by Isothermal Compression. 2201884	0
12	On the Uniaxial Compression Testing of Metallic Alloys at High Strain Rates: An Assessment of DEFORM-3D Simulation. 2023 , 13, 2686	0
11	Dynamic Response and Microstructural Characterization of Al3Zr/Al Composite Using 3D Processing Map.	0
10	Hot working behaviour of low-cost Ti-3.4Fe bio-implant alloy.	0
9	Comparative Study on Hot Metal Flow Behaviour of Virgin and Rejuvenated Heat Treatment Creep Exhausted P91 Steel. 2023 , 13, 4449	0
8	Dynamic Recrystallization Kinetics of As-Cast Fe-Cr-Al-La Stainless Steel during Hot Deformation. 2023 , 13, 692	0
7	Plastic deformation at high temperature ($T > 0.40.5T$). 2023 , 111-136	0
6	Effect of Sr addition on the high temperature deformation behavior and processing maps of Mg-7Sn alloy. 2023 , 954, 170073	0
5	Creep Property and Correlation of Diffusion-Welded Alloy 800H Tubes for Printed Circuit Heat Exchangers and Steam Generators.	0
4	Integrated Johnson-Cook and Zerilli-Armstrong constitutive model for flow-stress prediction of AZ31B alloy. 1-10	0
3	Unveiling Hot Deformation Behavior and Dynamic Recrystallization Mechanism of 654SMO Super-Austenitic Stainless Steel.	0
2	Enhanced thermoplasticity of 7Mo-0.4N contained super austenitic stainless steel through pre-deformation. 2023 , 230, 111955	0
1	Systematic analysis of distinct flow characteristics and underlying microstructural evolution mechanisms of a novel fine-grained P/M nickel-based superalloy during isothermal compression. 2023 , 162, 57-73	0