

CITATION REPORT

List of articles citing

Diabetes and advanced glycation endproducts

DOI: 10.1046/j.1365-2796.2002.00932.x

Journal of Internal Medicine, 2002, 251, 87-101.

Source: <https://exaly.com/paper-pdf/34625518/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
609	Advanced glycation end-products as a potential target for treatment of cardiovascular disease. 2002 , 20, 1483-5		9
608	Experimental diabetes induces functional and structural changes in the peritoneum. 2002 , 62, 668-78		29
607	Advanced glycooxidation. A new risk factor for cardiovascular disease?. 2002 , 2, 275-87		29
606	Exogenous advanced glycosylation end products induce diabetes-like vascular dysfunction in normal rats: a factor in diabetic retinopathy. 2003 , 241, 56-62		28
605	Gamma-glutamyltransferase and diabetes--a 4 year follow-up study. 2003 , 46, 359-64		266
604	Advanced glycation endproducts and osteoarthritis. 2003 , 5, 33-40		54
603	LR-90 a new advanced glycation endproduct inhibitor prevents progression of diabetic nephropathy in streptozotocin-diabetic rats. 2003 , 46, 1140-52		81
602	Identification of Nepsilon-(carboxymethyl)lysine-positive cells in astroglia-rich primary cultures. 2003 , 110, 1077-90		1
601	Protein oxidation in aging: endoplasmic reticulum as a target. 2003 , 25, 397-407		28
600	Diabetic nephropathy. 2003 , 5, 1-11		31
599	Dietary glycotoxins correlate with circulating advanced glycation end product levels in renal failure patients. 2003 , 42, 532-8		164
598	Different influences of hyperglycemic duration on phosphorylated extracellular signal-regulated kinase 1/2 in rat heart. 2003 , 74, 23-32		21
597	Study of degradation pathways of Amadori compounds obtained by glycation of opioid pentapeptide and related smaller fragments: stability, reactions, and spectroscopic properties. 2003 , 69, 421-31		19
596	AGEs in foods: do they play a role in uremia?. 2003 , S145-7		132
595	Microvascular basement membranes in diabetes mellitus. 2003 , 200, 537-46		174
594	Medical treatment of diabetic retinopathy. 2003 , 17, 550-62		9
593	Diabetic ketoacidosis and its treatment increase plasma 3-deoxyglucosone. 2003 , 36, 269-73		28

592	Site-specific quantitative evaluation of the protein glycation product N6-(2,3-dihydroxy-5,6-dioxohexyl)-L-lysinate by LC-(ESI)MS peptide mapping: evidence for its key role in AGE formation. 2003 , 14, 619-28	26
591	Comparative proteomics of glycoproteins based on lectin selection and isotope coding. 2003 , 2, 618-25	92
590	A new En face method is useful to quantitate endothelial damage in vivo. 2003 , 309, 384-90	28
589	Scavenger receptors for oxidized and glycated proteins. 2003 , 25, 283-92	139
588	CD36-mediated endocytic uptake of advanced glycation end products (AGE) in mouse 3T3-L1 and human subcutaneous adipocytes. 2003 , 537, 85-90	73
587	Carnosine promotes the heat denaturation of glycated protein. 2003 , 300, 75-80	16
586	Abnormal PI3 kinase/Akt signal pathway in vagal afferent neurons and vagus nerve of streptozotocin-diabetic rats. 2003 , 110, 234-44	32
585	Adverse effects of dietary glycotoxins on wound healing in genetically diabetic mice. 2003 , 52, 2805-13	115
584	Comparative urine protein phenotyping using mass spectrometric immunoassay. 2003 , 2, 191-7	61
583	Analgesic use: a predictor of chronic pain and medication overuse headache: the Head-HUNT Study. 2003 , 61, 160-4	177
582	Restriction of dietary glycotoxins reduces excessive advanced glycation end products in renal failure patients. 2003 , 14, 728-31	265
581	Metformin inhibits monocyte adhesion to endothelial cells and foam cell formation. 2003 , 3, 302-310	17
580	Fetal or neonatal low-glycotxin environment prevents autoimmune diabetes in NOD mice. 2003 , 52, 1441-8	92
579	Biochemical pathways for microvascular complications of diabetes mellitus. 2003 , 37, 1858-66	55
578	A quantitative model of the generation of N(epsilon)-(carboxymethyl)lysine in the Maillard reaction between collagen and glucose. 2003 , 376, 109-21	42
577	Impact of metabolic control and serum lipids on the concentration of advanced glycation end products in the serum of children and adolescents with type 1 diabetes, as determined by fluorescence spectroscopy and nepsilon-(carboxymethyl)lysine ELISA. 2003 , 26, 2609-15	64
576	FEEL-1 and FEEL-2 are endocytic receptors for advanced glycation end products. 2003 , 278, 12613-7	138
575	Monocyte NADPH oxidase subunit p22(phox) and inducible hemeoxygenase-1 gene expressions are increased in type II diabetic patients: relationship with oxidative stress. 2003 , 88, 1753-9	59

574	AGEing and osteoarthritis: a different perspective. 2003 , 15, 616-22	107
573	The role of cardiovascular risk factors in Alzheimer's disease. 2003 , 8, 824-33	15
572	Integrins as unique receptors for vascular control. 2003 , 40, 211-33	144
571	Glucose clearance is delayed after hyperglycemia in healthy elderly men. 2003 , 133, 2363-6	4
570	Trophic factors and cytokines in early diabetic glomerulopathy. 2003 , 4, 225-33	15
569	Diabetic neuropathy: an intensive review. 2004 , 61, 160-73; quiz 175-6	242
568	Impairment of the NO/cGMP pathway in the fasting and postprandial state in type 1 diabetes mellitus. 2004 , 112, 258-63	17
567	Advanced glycation end products modulate the maturation and function of peripheral blood dendritic cells. 2004 , 53, 1452-8	34
566	Deleterious impact of "high normal" glucose levels and other metabolic syndrome components on arterial endothelial function and intima-media thickness in apparently healthy Chinese subjects: the CATHAY study. 2004 , 24, 739-43	93
565	Divergent pathways of gene expression are activated by the RAGE ligands S100b and AGE-BSA. 2004 , 53, 743-51	72
564	Alcohol intake, drinking patterns, and risk of prostate cancer in a large prospective cohort study. 2004 , 159, 444-53	55
563	Age-dependent expression of advanced glycation end product receptor genes in the human heart. 2004 , 50, 127-34	15
562	Accelerated nephropathy in diabetic apolipoprotein e-knockout mouse: role of advanced glycation end products. 2004 , 15, 2125-38	120
561	Glycation. 2004 , 229-236	1
560	Glucose metabolism, advanced glycation endproducts, and cognition. 2004 , 4, S108-S110	5
559	Protective effects of a free radical scavenger, MCI-186, on high-glucose-induced dysfunction of human dermal microvascular endothelial cells. 2004 , 12, 607-12	18
558	Diabetes prolongs the inflammatory response to a bacterial stimulus through cytokine dysregulation. 2004 , 123, 87-92	145
557	Advanced glycoxidation end products in commonly consumed foods. 2004 , 104, 1287-91	512

556	Age associated changes of AGE-receptor expression: RAGE upregulation is associated with human heart dysfunction. 2004 , 39, 407-13	49
555	RAGE: a new pleiotropic antagonistic gene?. 2004 , 1019, 228-31	26
554	Changes in dolichol and pentosidine levels in the age-mismatched heterotopically transplanted rat heart. 2004 , 5, 383-8	
553	Binding of receptor for advanced glycation end products (RAGE) ligands is not sufficient to induce inflammatory signals: lack of activity of endotoxin-free albumin-derived advanced glycation end products. 2004 , 47, 844-52	73
552	Impact of in vivo glycation of LDL on platelet aggregation and monocyte chemotaxis in diabetic psammomys obesus. 2004 , 39, 81-5	24
551	The role of advanced glycation end products in the development of atherosclerosis. 2004 , 4, 31-6	75
550	Peptide and amino acid glycation: new insights into the Maillard reaction. 2004 , 10, 119-37	86
549	Fructose-mediated non-enzymatic glycation: sweet coupling or bad modification. 2004 , 20, 369-82	157
548	Advanced glycation end product ligands for the receptor for advanced glycation end products: biochemical characterization and formation kinetics. 2004 , 324, 68-78	156
547	[1-(3,5-difluoro-4-hydroxyphenyl)-1H-pyrrol-3-yl]phenylmethanone as a bioisostere of a carboxylic acid aldose reductase inhibitor. 2004 , 47, 2706-9	42
546	From hyperglycemia to diabetic kidney disease: the role of metabolic, hemodynamic, intracellular factors and growth factors/cytokines. 2004 , 25, 971-1010	263
545	Advanced glycation endproduct crosslinking in the cardiovascular system: potential therapeutic target for cardiovascular disease. 2004 , 64, 459-70	105
544	Polyamines as clinical laboratory tools. 2004 , 344, 23-35	105
543	Advanced glycation end products upregulate angiogenic and pro-inflammatory cytokine production in human monocyte/macrophages. 2004 , 28, 35-47	66
542	AU-rich elements in the mRNA 3'-untranslated region of the rat receptor for advanced glycation end products and their relevance to mRNA stability. 2004 , 319, 247-55	16
541	Relationship between blood levels of N-carboxymethyl-lysine and pentosidine and the severity of microangiopathy in type 2 diabetes. 2004 , 51, 537-44	50
540	Peritoneal dialysis: a viable renal replacement therapy option. 2005 , 330, 36-47	16
539	Use of ¹³ C labeling and NMR spectroscopy for the investigation of degradation pathways of Amadori compounds. 2005 , 28, 344-8	5

538	Studies on absorption and elimination of dietary maillard reaction products. 2005 , 1043, 474-81	120
537	Advanced glycation end product receptor-mediated cellular dysfunction. 2005 , 1043, 676-80	61
536	Views from within and beyond: narratives of cardiac contractile dysfunction under senescence. 2005 , 26, 127-37	38
535	Glycated and carboxy-methylated proteins do not directly activate human vascular smooth muscle cells. 2005 , 68, 2756-65	18
534	Oxidative damage to nuclear DNA in streptozotocin-diabetic rat liver. 2005 , 32, 663-6	18
533	Subconjunctivally administered celecoxib-PLGA microparticles sustain retinal drug levels and alleviate diabetes-induced oxidative stress in a rat model. 2005 , 511, 191-8	102
532	Oxidative stress as a multiple effector in Fanconi anaemia clinical phenotype. 2005 , 75, 93-100	57
531	Rapid method for the preparation of an AGE-BSA standard calibrator using thermal glycation. 2005 , 19, 11-5	31
530	The advanced glycation end product pentosidine correlates to IL-6 and other relevant inflammatory markers in rheumatoid arthritis. 2005 , 26, 137-41	34
529	Understanding RAGE, the receptor for advanced glycation end products. 2005 , 83, 876-86	914
528	An immune origin of type 2 diabetes?. 2005 , 48, 1038-50	329
527	Multiple involvement of oxidative stress in Werner syndrome phenotype. 2005 , 6, 233-43	33
526	[Maillard reaction products in food as pro-inflammatory and pro-arteriosclerotic factors of degenerative diseases]. 2005 , 38, 347-53	5
525	Alzheimer's associated inflammation, potential drug targets and future therapies. 2005 , 112, 429-53	82
524	Blood platelet reactivity and its pharmacological modulation in (people with) diabetes mellitus. 2005 , 11, 2331-65	69
523	Diabetic vascular complications: pathophysiology, biochemical basis and potential therapeutic strategy. 2005 , 11, 2279-99	397
522	Advanced glycation end products (AGEs) and diabetic vascular complications. 2005 , 1, 93-106	118
521	Intensive diabetes treatment and cardiovascular disease in patients with type 1 diabetes. 2005 , 353, 2643-53	3690

520	AGE-RAGE and AGE Cross-link interaction: important players in the pathogenesis of diabetic kidney disease. 2005 , 37 Suppl 1, 26-34	36
519	Aldose reductase in diabetic microvascular complications. 2005 , 6, 475-86	111
518	The vascular endothelium in diabetes: a practical target for drug treatment?. 2005 , 9, 101-17	18
517	Advanced glycation end products enhance expression of pro-apoptotic genes and stimulate fibroblast apoptosis through cytoplasmic and mitochondrial pathways. 2005 , 280, 12087-95	142
516	Elevated release of sCD40L from platelets of diabetic patients by thrombin, glucose and advanced glycation end products. 2005 , 2, 81-7	41
515	Aldehyde sources, metabolism, molecular toxicity mechanisms, and possible effects on human health. 2005 , 35, 609-62	469
514	In vivo prooxidant state in Werner syndrome (WS): results from three WS patients and two WS heterozygotes. 2005 , 39, 529-33	39
513	Advanced glycosylation end products in skin, serum, saliva and urine and its association with complications of patients with type 2 diabetes mellitus. 2005 , 28, 223-30	44
512	Evidence for the formation of adducts and S-(carboxymethyl)cysteine on reaction of alpha-dicarbonyl compounds with thiol groups on amino acids, peptides, and proteins. 2005 , 18, 1232-41	123
511	The antidiabetic activity of the herbal preparation ADD-199 in mice: a comparative study with two oral hypoglycaemic drugs. 2005 , 97, 31-8	28
510	The low-AGE content of low-fat vegan diets could benefit diabetics - though concurrent taurine supplementation may be needed to minimize endogenous AGE production. 2005 , 64, 394-8	23
509	Advanced glycation endproducts--role in pathology of diabetic complications. 2005 , 67, 3-21	1038
508	The -374A allele of the receptor for advanced glycation end products gene is associated with a decreased risk of ischemic heart disease in African-Brazilians with type 2 diabetes. 2005 , 85, 149-56	51
507	Mechanisms, significance and treatment of vascular dysfunction in type 2 diabetes mellitus: focus on lipid-regulating therapy. 2005 , 65, 31-74	57
506	Diabetes and Advanced Glycoxidation End-Products. 2005 , 47-71	2
505	Manifestations of cutaneous diabetic microangiopathy. 2005 , 6, 225-37	72
504	Diabetes and Cardiovascular Disease. 2005 ,	6
503	Microvascular complications of diabetes. 2006 , 41, 719-36, ix	4

502	Short-term effect of orlistat on dietary glycotoxins in healthy women and women with polycystic ovary syndrome. 2006 , 55, 494-500	31
501	Association of vascular risk factors with increasing glycemia even in normoglycemic subjects in an older Chinese population: the Guangzhou Biobank Cohort Study. 2006 , 55, 1035-41	15
500	Determinants of normoglycemia and contribution to cardiovascular risk factors in a Chinese population: the Hong Kong Cardiovascular Risk Factor Study. 2006 , 29, 528-35	6
499	Advanced glycation end product modification of bone proteins and bone remodelling: hypothesis and preliminary immunohistochemical findings. 2006 , 65, 101-4	73
498	Detection of dideoxyosone intermediates of glycation using a monoclonal antibody: characterization of major epitope structures. 2006 , 446, 186-96	9
497	Glycation endproducts in osteoporosis--is there a pathophysiologic importance?. 2006 , 371, 32-6	77
496	Improvement in C-reactive protein and advanced glycosylation end-products in poorly controlled diabetics is independent of glucose control. 2006 , 72, 48-52	12
495	Puerariafuran, a new inhibitor of advanced glycation end products (AGEs) isolated from the roots of Pueraria lobata. 2006 , 54, 1315-7	32
494	Antiglycation properties of aged garlic extract: possible role in prevention of diabetic complications. 2006 , 136, 796S-799S	88
493	Elevated systolic blood pressure is present in almost all individuals with newly diagnosed diabetes. 2006 , 20, 231-3	11
492	Targeted glycoproteomics: serial lectin affinity chromatography in the selection of O-glycosylation sites on proteins from the human blood proteome. 2006 , 1132, 165-73	80
491	[The aging lens--new concepts for lens aging]. 2006 , 103, 759-64	3
490	[Glycotoxins and cellular dysfunction. A new mechanism for understanding the preventive effects of lifestyle modifications]. 2006 , 49, 773-9	2
489	A developmental nephron deficit in rats is associated with increased susceptibility to a secondary renal injury due to advanced glycation end-products. 2006 , 49, 801-10	53
488	Equal and local-load-sharing micromechanical models for collagens: quantitative comparisons in response of non-diabetic and diabetic rat tissue. 2006 , 2, 595-607	13
487	Osteogenic actions of the anti-diabetic drug metformin on osteoblasts in culture. 2006 , 536, 38-46	161
486	Rationale, design, and methods for glycemic control in the Bypass Angioplasty Revascularization Investigation 2 Diabetes (BARI 2D) Trial. 2006 , 97, 20G-30G	63
485	Effects of flavonoids on the expression of the pro-inflammatory response in human monocytes induced by ligation of the receptor for AGEs. 2006 , 50, 1129-39	63

484	Oxidative Stress in Cancer-Prone Diseases. 2006 , 761-788	
483	Association of smoking with increasing vascular involvement in type 2 diabetic Chinese patients. 2006 , 114, 301-5	5
482	Peripher-neurogene Läsionen bei Diabetes mellitus. 2006 , 33, 543-552	0
481	Macroangiopathy in adults and children with diabetes: from molecular mechanisms to vascular damage (part 1). 2006 , 38, 691-705	14
480	The effect of intensive glycemic treatment on coronary artery calcification in type 1 diabetic participants of the Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications (DCCT/EDIC) Study. 2006 , 55, 3556-65	202
479	Telmisartan, its potential therapeutic implications in cardiometabolic disorders. 2006 , 1, 79-83	2
478	Clinical thiazolidinediones as PPARgamma ligands with the potential for the prevention of cardiovascular disease in diabetes. 2006 , 2, 227-39	3
477	Hyperglycemia in streptozotocin-induced diabetes leads to persistent inflammation and tissue damage following uveitis due to reduced levels of ciliary body heme oxygenase-1. 2006 , 2006, 60285	13
476	TAGE (toxic AGEs) theory in diabetic complications. 2006 , 6, 351-8	155
475	Methylglyoxal impairs the insulin signaling pathways independently of the formation of intracellular reactive oxygen species. 2006 , 55, 1289-99	157
474	Toxic advanced glycation end products (TAGE) theory in Alzheimer's disease. 2006 , 21, 197-208	85
473	Advanced glycation end product (AGE) receptor 1 suppresses cell oxidant stress and activation signaling via EGF receptor. 2006 , 103, 13801-6	130
472	Diabetes-enhanced inflammation and apoptosis--impact on periodontal pathology. 2006 , 85, 15-21	108
471	Oxidative stress, AGE, and atherosclerosis. 2007 , S17-26	131
470	Advanced glycation end products and antioxidant status in type 2 diabetic patients with and without peripheral artery disease. 2007 , 30, 670-6	83
469	AGE and RAGE inhibitors in the treatment of diabetic retinopathy. 2007 , 2, 105-120	5
468	Potential utility of telmisartan, an angiotensin II type 1 receptor blocker with peroxisome proliferator-activated receptor-gamma (PPAR-gamma)-modulating activity for the treatment of cardiometabolic disorders. 2007 , 7, 463-9	66
467	Association between glycosylated hemoglobin level and cardiovascular and all-cause mortality in type 1 diabetes. 2007 , 166, 393-402	54

466	Distribution of the receptor for advanced glycation end products in the human male reproductive tract: prevalence in men with diabetes mellitus. 2007 , 22, 2169-77	77
465	Novel insights in the treatment of diabetic nephropathy. 2007 , 62, 278-90	14
464	Therapeutic Interventions in the Glyc(oxid)ation Pathway. 2007 , 7, 57-68	6
463	Restricted intake of dietary advanced glycation end products retards renal progression in the remnant kidney model. 2007 , 71, 901-11	29
462	Altered regulation of the PINK1 locus: a link between type 2 diabetes and neurodegeneration?. 2007 , 21, 3653-65	69
461	The hemoglobin glycation index is not an independent predictor of the risk of microvascular complications in the Diabetes Control and Complications Trial. 2007 , 56, 1913-21	47
460	Advanced glycation end products induce apoptosis in fibroblasts through activation of ROS, MAP kinases, and the FOXO1 transcription factor. 2007 , 292, C850-6	110
459	Circulating levels of Nepsilon-(carboxymethyl)lysine are increased in systemic sclerosis. 2007 , 46, 412-6	33
458	An Insulin-Like Modular Basis for the Evolution of Glucose Transporters (GLUT) with Implications for Diabetes. 2007 , 3, 117693430700300	4
457	The role of endocannabinoid system blockade in the treatment of the metabolic syndrome. 2007 , 47, 642-52	35
456	AGEs and methylglyoxal induce apoptosis and expression of Mac-1 on neutrophils resulting in platelet-neutrophil aggregation. 2007 , 121, 117-26	40
455	Effect of curcumin on hyperglycemia-induced vascular endothelial growth factor expression in streptozotocin-induced diabetic rat retina. 2007 , 361, 528-32	95
454	Advanced glycation end products stimulate osteoblast apoptosis via the MAP kinase and cytosolic apoptotic pathways. 2007 , 40, 345-53	255
453	Diagnostic utility of serum or cerebrospinal fluid levels of toxic advanced glycation end-products (TAGE) in early detection of Alzheimer's disease. 2007 , 69, 1358-66	33
452	Effect of aminoguanidine treatment on diabetes-induced changes in the myenteric plexus of rat ileum. 2007 , 132, 16-26	15
451	Diabetic Neuropathy. 2007 ,	7
450	Recognition and management of diabetic neuropathy. 2007 , 34, 887-913, viii	9
449	Produits terminaux de la glycation d'origine alimentaire : leur rôle en pathologie. 2007 , 1, 49-53	1

448	Effect of metformin administration on plasma advanced glycation end product levels in women with polycystic ovary syndrome. 2007 , 56, 129-34	60
447	. 2007 ,	2
446	Prevention of Diabetes as a Means of Preventing Cardiovascular Disease. 240-257	1
445	The LC/MS analysis of glycation of IgG molecules in sucrose containing formulations. 2007 , 96, 2607-21	83
444	Kinetic analysis on the sensitivity of glucose- or glyoxal-induced LDL glycation to the inhibitory effect of Psidium guajava extract in a physiomimic system. 2007 , 88, 92-100	20
443	A method for the identification of glycoproteins from human serum by a combination of lectin affinity chromatography along with anion exchange and Cu-IMAC selection of tryptic peptides. 2007 , 845, 143-50	20
442	Diabetes Control and Complications Trial/Epidemiology of Diabetes Interventions and Complications (DCCT/EDIC). 2007 , 24, 102-106	2
441	Advanced glycosylation end products and nutrition--a possible relation with diabetic atherosclerosis and how to prevent it. 2007 , 72, R125-9	17
440	Diabetes-enhanced inflammation and apoptosis: impact on periodontal pathosis. 2007 , 45, 128-37	76
439	Cross-susceptibility between periodontal disease and type 2 diabetes mellitus: an immunobiological perspective. 2007 , 45, 138-57	68
438	The molecular basis of the prevention of Alzheimer's disease through healthy nutrition. 2007 , 42, 28-36	83
437	Advanced glycation endproducts: a biomarker for age as an outcome predictor after cardiac surgery?. 2007 , 42, 668-75	72
436	Does diabetes mellitus target motor neurons?. 2007 , 26, 301-11	74
435	Accumulation of dietary glycotoxins in the reproductive system of normal female rats. 2007 , 85, 1413-20	73
434	Changes in glycoprotein components in streptozotocin--nicotinamide induced type 2 diabetes: influence of tetrahydrocurcumin from Curcuma longa. 2007 , 62, 25-9	38
433	Glycotoxins in the diet promote diabetes and diabetic complications. 2007 , 7, 235-41	57
432	Novel inhibitors of glycation and AGE formation. 2007 , 48, 147-57	64
431	Glycated type 1 collagen induces endothelial dysfunction in culture. 2007 , 43, 338-43	4

430	Involvement of advanced glycation end products in the pathogenesis of diabetic complications: the protective role of regular physical activity. 2008 , 5, 17-29	28
429	Association of glycemic profiles with whole blood polyamine among middle-aged Japanese men: colorimetric assay using oat and barley seedling polyamine oxidase. 2008 , 13, 43-51	4
428	Antioxidant and antiglycation properties of total saponins extracted from traditional Chinese medicine used to treat diabetes mellitus. 2008 , 22, 228-37	97
427	Fructose-induced N-terminal glycation of enkephalins and related peptides. 2008 , 14, 936-45	6
426	Raman spectroscopy of advanced glycation end products (AGEs), possible markers for progressive retinal dysfunction. 2008 , 39, 1635-1642	24
425	Monitoring of blood proteins glycation by refractive index and spectral measurements. 2008 , 5, 460-464	47
424	Glucose in the dialysate: historical perspective and possible implications?. 2008 , 12, 221-6	26
423	Diet, inflammation, and chronic kidney disease: getting to the heart of the matter. 2008 , 21, 331-7	10
422	Extracellular superoxide released from mitochondria mediates mast cell death by advanced glycation end products. 2008 , 1783, 2332-43	16
421	Nutrition, metabolic factors and cancer risk. 2008 , 22, 551-71	54
420	The aldo-keto reductase superfamily and its role in drug metabolism and detoxification. 2008 , 40, 553-624	333
419	Atherosclerosis and Oxidant Stress. 2008 ,	3
418	Modulation of CD36 protein expression by AGEs and insulin in aortic VSMCs from diabetic and non-diabetic rats. 2008 , 18, 23-30	17
417	Orally administered microencapsulated lysozyme downregulates serum AGE and reduces the severity of early-stage diabetic nephropathy. 2008 , 34, 587-94	16
416	Endothelial dysfunction: from molecular mechanisms to measurement, clinical implications, and therapeutic opportunities. 2008 , 10, 1631-74	131
415	Role of asymmetric dimethylarginine (ADMA) in diabetic vascular complications. 2008 , 14, 2613-8	31
414	Diabetes mellitus: considerations for dentistry. 2008 , 139 Suppl, 85-185	94
413	Agents that block advanced glycation end product (AGE)-RAGE (receptor for AGEs)-oxidative stress system: a novel therapeutic strategy for diabetic vascular complications. 2008 , 17, 983-96	100

412	Receptor for advanced glycation end products (RAGE): a novel therapeutic target for diabetic vascular complication. 2008 , 14, 487-95	88
411	In vivo time-resolved autofluorescence measurements to test for glycation of human skin. 2008 , 13, 014004	20
410	Salivary lysozyme and prevalent hypertension. 2008 , 87, 480-4	18
409	Nepsilon-formylation of lysine is a widespread post-translational modification of nuclear proteins occurring at residues involved in regulation of chromatin function. 2008 , 36, 570-7	130
408	Role of advanced glycation end products in diabetic neuropathy. 2008 , 14, 953-61	207
407	Role of advanced glycation end products (AGEs) and oxidative stress in diabetic retinopathy. 2008 , 14, 962-8	74
406	Teaching children with diabetes about adequate dietary choices. 2008 , 99 Suppl 1, S33-9	9
405	Effect of Extract of Pomegranate (<i>Punica granatum</i> L.) on Glycated Protein-iron Chelate-induced Toxicity: An In Vitro Study on Human Umbilical-vein Endothelial Cells. 2008 , 54, 441-449	2
404	[The role of advanced glycation end-products (AGEs) in the development of vascular diabetic complications]. 2008 , 52, 940-50	31
403	Drugs for the treatment of diabetes complications. Zycose: a new player in the field?. 2008 , 44, 783-96	3
402	REFRACTIVE INDEX OF HEMOGLOBIN AND ALBUMIN SOLUTIONS INCUBATED WITH GLUCOSE. 2008 ,	
401	Advanced glycation: implications in tissue damage and disease. 2008 , 15, 385-91	36
400	Attenuation of hypertension development by scavenging methylglyoxal in fructose-treated rats. 2008 , 26, 765-72	67
399	Aging and glycoxidant stress. 2008 , 7, 123-32	65
398	Effect of a Fast Food Diet on the Urinary Excretion of Maillard Reaction Products. 2009 , 27, S160-S162	
397	Produtos da glicação avançada dietéticos e as complicações crônicas do diabetes. 2009 , 22, 113-124	9
396	Histamine inhibits advanced glycation end products-induced adhesion molecule expression on human monocytes. 2009 , 330, 826-33	7
395	Non-Invasive Method for Detecting Skin Autofluorescence of Advanced Glycation End Products. 2009 ,	

394	Use of human vascular tissue microarrays for measurement of advanced glycation endproducts. 2009 , 57, 559-66	18
393	A new perspective on therapeutic inhibition of advanced glycation in diabetic microvascular complications: common downstream endpoints achieved through disparate therapeutic approaches?. 2009 , 30, 323-35	25
392	Diabetes impairs hippocampal function via advanced glycation end product mediated new neuron generation in animals with diabetes-related depression. 2009 , 111, 72-9	49
391	Reactive immunization suppresses advanced glycation and mitigates diabetic nephropathy. 2009 , 20, 1012-9	5
390	Serum carboxymethyl-lysine, an advanced glycation end product, is associated with increased aortic pulse wave velocity in adults. 2009 , 22, 74-9	113
389	Elevated serum advanced glycation end products and poor grip strength in older community-dwelling women. 2009 , 64, 132-7	80
388	Effects of pyridoxamine (K-163) on glucose intolerance and obesity in high-fat diet C57BL/6J mice. 2009 , 58, 934-45	25
387	Resorcyldene aminoguanidine induces antithrombotic action that is not dependent on its antiglycation activity. 2009 , 51, 275-83	9
386	Hepatocyte cytotoxicity induced by hydroperoxide (oxidative stress model) or glyoxal (carbonylation model): prevention by bioactive nut extracts or catechins. 2009 , 178, 324-31	19
385	Effects of low-level light therapy on hepatic antioxidant defense in acute and chronic diabetic rats. 2009 , 23, 1-8	32
384	Determination of Nepsilon-(carboxymethyl)lysine in food systems by ultra performance liquid chromatography-mass spectrometry. 2009 , 36, 317-26	150
383	Attenuation of oxidative stress in streptozotocin-induced diabetic rats by Eucalyptus globulus. 2009 , 24, 419-25	46
382	Glucose binds to the insulin receptor affecting the mutual affinity of insulin and its receptor. 2009 , 66, 2721-32	14
381	Advanced glycation end products accumulate in the reproductive tract of men with diabetes. 2009 , 32, 295-305	68
380	Cells and tissue interactions with glycated collagen and their relevance to delayed diabetic wound healing. 2009 , 30, 1689-96	47
379	Cytotoxic Effect of Advanced Glycation end Products. 2009 , 23, 1072-1078	6
378	Rat liver membrane glycoproteome: enrichment by phase partitioning and glycoprotein capture. 2009 , 8, 770-81	56
377	Advanced glycation end products inhibit glucose-stimulated insulin secretion through nitric oxide-dependent inhibition of cytochrome c oxidase and adenosine triphosphate synthesis. 2009 , 150, 2569-76	103

376	PPARgamma-mediated advanced glycation end products regulation of neural stem cells. 2009 , 307, 176-84	23
375	"Blinding" of AMP-dependent kinase by methylglyoxal: a mechanism that allows perpetuation of hepatic insulin resistance?. 2009 , 73, 921-4	10
374	The influence of type 1 diabetes mellitus on spermatogenic gene expression. 2009 , 92, 2085-7	33
373	Regulation of advanced glycation end product (AGE)-receptor (RAGE) system by PPAR-gamma agonists and its implication in cardiovascular disease. 2009 , 60, 174-8	58
372	Advanced glycation end products and their circulating receptors predict cardiovascular disease mortality in older community-dwelling women. 2009 , 21, 182-90	79
371	Carnosine and its possible roles in nutrition and health. 2009 , 57, 87-154	153
370	Glycation of LDL in non-diabetic people: Small dense LDL is preferentially glycated both in vivo and in vitro. 2009 , 202, 162-8	65
369	Lipoprotein glycation in atherogenesis. 2009 , 4, 781-790	8
368	Aldose reductase inhibitor, epalrestat, reduces lipid hydroperoxides in type 2 diabetes. 2009 , 56, 149-56	27
367	NE(carboxymethyl)lysine and NE(carboxyethyl)lysine content of foods commonly consumed in a Northern Irish diet. 2010 , 69,	
366	The -374A allele of the RAGE gene as a potential protective factor for vascular complications in type 2 diabetes: a meta-analysis. 2010 , 220, 291-7	19
365	Effect of metformin on bone marrow progenitor cell differentiation: in vivo and in vitro studies. 2010 , 25, 211-21	147
364	[The role of AGEs and ROS in atherosclerosis]. 2010 , 35, 170-80	10
363	Endothelial dysfunction in diabetes: multiple targets for treatment. 2010 , 459, 977-94	79
362	The formation of intracellular glyceraldehyde-derived advanced glycation end-products and cytotoxicity. 2010 , 45, 646-55	36
361	Cytoprotection by almond skin extracts or catechins of hepatocyte cytotoxicity induced by hydrogen peroxide (oxidative stress model) versus glyoxal or methylglyoxal (carbonylation model). 2010 , 185, 101-9	21
360	Advanced glycation end products enhance monocyte activation during human mixed lymphocyte reaction. 2010 , 134, 345-53	20
359	Resveratrol ameliorates vasculopathy in STZ-induced diabetic rats: role of AGE-RAGE signalling. 2010 , 26, 212-22	47

358	Inhibitory effects of microalgal extracts on the formation of advanced glycation endproducts (AGEs). 2010 , 120, 261-267	50
357	Cytoprotective role of astaxanthin against glycated protein/iron chelate-induced toxicity in human umbilical vein endothelial cells. 2010 , 24, 54-9	31
356	Alagebrium attenuates acute methylglyoxal-induced glucose intolerance in Sprague-Dawley rats. 2010 , 159, 166-75	69
355	Histamine inhibits adhesion molecule expression in human monocytes, induced by advanced glycation end products, during the mixed lymphocyte reaction. 2010 , 160, 1378-86	7
354	EFFECT OF BANANA (MUSA SP. CULTIVAR ELAKKI BALE) FLOWER AND STEM ON ENZYME ACTIVITIES OF INTESTINAL AND RENAL DISACCHARIDASES IN STREPTOZOTOCIN-INDUCED DIABETIC RATS. 2010 , 34, 564	8
353	Association of salivary lysozyme and C-reactive protein with metabolic syndrome. 2010 , 37, 805-11	15
352	Differences in mouse models of diabetes mellitus in studies of male reproduction. 2010 , 33, 709-16	19
351	Advanced glycation end products, oxidative stress and diabetic nephropathy. 2010 , 3, 101-8	257
350	Involvement of TAGE-RAGE System in the Pathogenesis of Diabetic Retinopathy. 2010 , 2010, 170393	14
349	Cancer malignancy is enhanced by glyceraldehyde-derived advanced glycation end-products. 2010 , 2010, 739852	45
348	Involvement of the toxic AGEs (TAGE)-RAGE system in the pathogenesis of diabetic vascular complications: a novel therapeutic strategy. 2010 , 11, 1468-82	61
347	Prostaglandin E2 inhibits advanced glycation end product-induced adhesion molecule expression on monocytes, cytokine production, and lymphocyte proliferation during human mixed lymphocyte reaction. 2010 , 334, 964-72	5
346	Antioxidant and antiglycation properties of triterpenoid saponins from <i>Aralia taibaiensis</i> traditionally used for treating diabetes mellitus. 2010 , 15, 20-8	33
345	Metabolic syndrome and endometrial carcinoma. 2010 , 171, 892-902	78
344	A comparative profile of methanol extracts of <i>Allium cepa</i> and <i>Allium sativum</i> in diabetic neuropathy in mice. 2010 , 2, 374-84	23
343	The N-(carboxymethyl)lysine-RAGE axis: putative implications for the pathogenesis of obesity-related complications. 2010 , 5, 839-854	9
342	The lectin riddle: glycoproteins fractionated from complex mixtures have similar glycomic profiles. 2010 , 14, 487-99	40
341	Smooth muscle cell pathophysiology and advanced glycation end products (AGEs). 2010 , 11, 875-81	23

340	Canadian Diabetes Association National Nutrition Committee Technical Review: Advanced Glycation End-products in Diabetes Management. 2010 , 34, 136-140	3
339	Association of periodontal parameters with metabolic level and systemic inflammatory markers in patients with type 2 diabetes. 2010 , 81, 364-71	52
338	Vascular dysfunction in retinopathy-an emerging role for arginase. 2010 , 81, 303-9	34
337	Chronic type 1 diabetes in spontaneously hypertensive rats leads to exacerbated cardiac fibrosis. 2010 , 19, 361-70	12
336	Induction of diabetes in aged C57B6 mice results in severe nephropathy: an association with oxidative stress, endoplasmic reticulum stress, and inflammation. 2010 , 176, 2163-76	100
335	Genistein inhibits advanced glycation end product formation by trapping methylglyoxal. 2011 , 24, 579-86	117
334	Sepsis in diabetes: A bad duo. 2011 , 5, 222-7	19
333	Inflammation and diabetic retinal microvascular complications. 2011 , 2, 96-103	118
332	Protective actions of microalgae against endogenous and exogenous advanced glycation endproducts (AGEs) in human retinal pigment epithelial cells. 2011 , 2, 251-8	33
331	Inhibition of the receptor for advanced glycation endproducts (RAGE) protects pancreatic β cells. 2011 , 404, 159-65	56
330	Anti-inflammatory therapy for diabetic retinopathy. 2011 , 3, 609-28	84
329	Advanced glycation end product level, diabetes, and accelerated cognitive aging. 2011 , 77, 1351-6	92
328	Naturally occurring inhibitors against the formation of advanced glycation end-products. 2011 , 2, 289-301	160
327	PPAR γ -mediated advanced glycation end products regulate neural stem cell proliferation but not neural differentiation through the BDNF-CREB pathway. 2011 , 206, 339-46	19
326	Nitric oxide, a janus-faced therapeutic target for diabetic microangiopathy-Friend or foe?. 2011 , 64, 187-94	77
325	Skin autofluorescence is inversely related to HDL anti-oxidative capacity in type 2 diabetes mellitus. 2011 , 218, 102-6	18
324	Glycaemic Control and Protection of the Vasculature from Glucose Toxicity. 2011 ,	
323	Pentosidine and N-carboxymethyl-lysine: biomarkers for type 2 diabetic retinopathy. 2011 , 21, 48-54	52

322	Pleiotropic effects of glucagon-like peptide-1 (GLP-1)-based therapies on vascular complications in diabetes. 2011 , 17, 4379-85	33
321	A validation study to compare the effect of different processing protocols on measured N ^ε -(carboxymethyl)lysine and N ^ε -(carboxyethyl)lysine in blood. 2011 , 70,	
320	Increased risk of cardiovascular disease in Type 1 diabetes: arterial exposure to remnant lipoproteins leads to enhanced deposition of cholesterol and binding to glycated extracellular matrix proteoglycans. 2011 , 28, 61-72	25
319	Delayed osteoblast differentiation and altered inflammatory response around implants placed in incisor sockets of type 2 diabetic rats. 2011 , 22, 578-86	36
318	Role of advanced glycation end products (AGEs) and receptor for AGEs (RAGE) in vascular damage in diabetes. 2011 , 46, 217-24	192
317	[The influence of diabetes mellitus on male reproductive function: a poorly investigated aspect of male infertility]. 2011 , 50, 33-7	40
316	Beneficial effects of banana (<i>Musa sp. var. elakki bale</i>) flower and pseudostem on hyperglycemia and advanced glycation end-products (AGEs) in streptozotocin-induced diabetic rats. 2011 , 67, 415-25	32
315	Glycated albumin suppresses glucose-induced insulin secretion by impairing glucose metabolism in rat pancreatic β-cells. 2011 , 8, 20	6
314	Astaxanthin is responsible for antiglycoxidative properties of microalga <i>Chlorella zofingiensis</i> . 2011 , 126, 1629-35	33
313	Glycated collagen alters endothelial cell actin alignment and nitric oxide release in response to fluid shear stress. 2011 , 44, 1927-35	43
312	Dialysis: Glycated albumin or HbA(1c) in dialysis patients with diabetes?. 2011 , 7, 490-2	5
311	Spermatogenic and sperm quality differences in an experimental model of metabolic syndrome and hypogonadal hypogonadism. 2011 , 142, 63-71	32
310	Advanced glycation end products (AGEs) increase human mesangial foam cell formation by increasing Golgi SCAP glycosylation in vitro. 2011 , 301, F236-43	32
309	Methylglyoxal-a potential risk factor of manuka honey in healing of diabetic ulcers. 2011 , 2011, 295494	36
308	Protection from retinopathy and other complications in patients with type 1 diabetes of extreme duration: the joslin 50-year medalist study. 2011 , 34, 968-74	174
307	Cytoskeleton, Axonal Transport, and the Mechanisms of Axonal Neuropathy. 2011 , 657-678	
306	Low Birth Weight due to Intrauterine Growth Restriction and/or Preterm Birth: Effects on Nephron Number and Long-Term Renal Health. 2012 , 2012, 136942	56
305	Diabetes, glucose control, and 9-year cognitive decline among older adults without dementia. 2012 , 69, 1170-5	208

304	Natural products as anti-glycation agents: possible therapeutic potential for diabetic complications. 2012 , 8, 92-108	107
303	A trifurcated fiber-optic-probe-based optical system designed for AGEs measurement. 2012 ,	
302	Potential clinical utility of advanced glycation end product cross-link breakers in age- and diabetes-associated disorders. 2012 , 15, 564-72	49
301	A portable system for noninvasive assessment of advanced glycation end-products using skin fluorescence and reflectance spectrum. 2012 , 79, 431-436	4
300	The effects of old, new and emerging medicines on metabolic aberrations in PCOS. 2012 , 3, 27-47	75
299	Role of advanced glycation end products (AGEs) and oxidative stress in vascular complications in diabetes. 2012 , 1820, 663-71	178
298	Effect of Commiphora mukul gum resin on hepatic marker enzymes, lipid peroxidation and antioxidants status in pancreas and heart of streptozotocin induced diabetic rats. 2012 , 2, 895-900	43
297	Nonenzymatic glycosylation: A biochemical link between chronic hyperglycemia and pathophysiologic processes associated with diabetic complications and aging related debilities. 2012 , 2, 133-142	5
296	Tissue plasminogen activator treatment of stroke in type-1 diabetes rats. 2012 , 222, 326-32	43
295	Crosstalk between the renin-angiotensin system and the advance glycation end product axis in the heart: role of the cardiac fibroblast. 2012 , 5, 805-13	34
294	Advanced glycation end products (AGEs), but not high glucose, inhibit the osteoblastic differentiation of mouse stromal ST2 cells through the suppression of osterix expression, and inhibit cell growth and increasing cell apoptosis. 2012 , 91, 286-96	67
293	RAGE mediates accelerated diabetic vein graft atherosclerosis induced by combined mechanical stress and AGEs via synergistic ERK activation. 2012 , 7, e35016	38
292	Mitochondria Function in Diabetes [From Health to Pathology] [New Perspectives for Treatment of Diabetes-Driven Disorders. 2012 ,	
291	Significance of Advanced Glycation End-Products (AGE) and the Receptor for AGE (RAGE) in Diabetic Nephropathy. 2012 ,	
290	GlucO-Oxidation of Proteins in Etiology of Diabetic Retinopathy. 2012 ,	
289	Influence of dietary flavonoids on the glycation of plasma proteins. 2012 , 8, 2183-7	6
288	Albumina glicata. Un indice di controllo glicemico da rivalutare. 2012 , 8, 71-83	1
287	Rehmannia glutinosa suppresses inflammatory responses elicited by advanced glycation end products. 2012 , 35, 1232-41	45

286	Rapid and sensitive determination of the intermediates of advanced glycation end products in the human nail by ultra-performance liquid chromatography with electrospray ionization time-of-flight mass spectrometry. 2012 , 424, 187-94	16
285	N ϵ (carboxymethyl)lysine content of foods commonly consumed in a Western style diet. 2012 , 131, 170-174	175
284	Update on potential drugs for the treatment of diabetic kidney disease. 2012 , 34, 1237-46	17
283	Proteome analysis reveals antiangiogenic environments in chronic wounds of diabetes mellitus type 2 patients. 2013 , 13, 2670-81	70
282	Strontium ranelate prevents the deleterious action of advanced glycation endproducts on osteoblastic cells via calcium channel activation. 2013 , 706, 41-7	14
281	Relationship between advanced glycation end products and plaque progression in patients with acute coronary syndrome: the JAPAN-ACS sub-study. 2013 , 12, 5	47
280	Associations between structural and functional changes to the kidney in diabetic humans and mice. 2013 , 93, 257-64	17
279	Glyco-oxidation and cardiovascular complications in type 2 diabetes: a clinical update. 2013 , 50, 101-10	61
278	Pyridoxamine, an inhibitor of protein glycation, in relation to microalbuminuria and proinflammatory cytokines in experimental diabetic nephropathy. 2013 , 238, 881-8	12
277	Protein oxidation in aging and the removal of oxidized proteins. 2013 , 92, 132-59	158
276	Comparative study of sialyl glycoprotein with multiple glycosylation sites using isotope labeling and capillary liquid chromatography/mass spectrometry. 2013 , 27, 2530-2538	1
275	The effect of an AGE-rich dietary extract on the activation of NF- κ B depends on the cell model used. 2013 , 4, 1023-31	8
274	Affinity Targeting Schemes for Biomarker Research. 2013 , 197-224	4
273	Advanced glycated albumin isolated from poorly controlled type 1 diabetes mellitus patients alters macrophage gene expression impairing ABCA-1-mediated reverse cholesterol transport. 2013 , 29, 66-76	30
272	Advanced glycation end products suppress osteoblastic differentiation of stromal cells by activating endoplasmic reticulum stress. 2013 , 438, 463-7	27
271	Comparative effects of pioglitazone and metformin on oxidative stress markers in newly diagnosed type 2 diabetes patients: a randomized clinical trial. 2013 , 27, 501-7	29
270	A novel natural Nrf2 activator with PPAR δ agonist (monascin) attenuates the toxicity of methylglyoxal and hyperglycemia. 2013 , 272, 842-51	50
269	Arginase in retinopathy. 2013 , 36, 260-80	52

268	Effects of metformin on markers of oxidative stress and antioxidant reserve in patients with newly diagnosed type 2 diabetes: a randomized clinical trial. 2013 , 32, 179-85		129
267	The use of genomics, proteomics, and metabolomics in identifying biomarkers of male infertility. 2013 , 99, 998-1007		156
266	Antioxidant and antiglycation properties of Hydnora johannis roots. 2013 , 84, 124-127		27
265	Dietary flaxseed oil and fish oil modulates expression of antioxidant and inflammatory genes with alleviation of protein glycation status and inflammation in liver of streptozotocin-nicotinamide induced diabetic rats. 2013 , 141, 187-95		47
264	Current therapeutic interventions in the glycation pathway: evidence from clinical studies. 2013 , 15, 677-89		84
263	Inhibition of CYP2E1 leads to decreased advanced glycated end product formation in high glucose treated ADH and CYP2E1 over-expressing VL-17A cells. 2013 , 1830, 4407-16		12
262	Development and application of a stable isotope dilution analysis for the quantitation of advanced glycation end products of creatinine in biofluids of type 2 diabetic patients and healthy volunteers. 2013 , 85, 2961-9		5
261	Update on the protective molecular pathways improving pancreatic beta-cell dysfunction. 2013 , 2013, 750540		18
260	-374 T/A polymorphism in RAGE gene is associated with onset of diabetes mellitus, atherosclerosis, and renal dysfunction in patients with hypertension. 2013 , 35, 236-41		10
259	Development of nonalcoholic hepatopathy: contributions of oxidative stress and advanced glycation end products. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 19846-66	6.3	46
258	Advanced glycation endproducts and its receptor for advanced glycation endproducts in obesity. 2013 , 24, 4-11		100
257	Hepatocyte Cytotoxicity of Green Tea Phenolic Acids, Gallates, and Catechins. 2013 , 1449-1459		
256	Continuous Glucose Monitoring Systems: A Review. 2013 , 3, 385-412		139
255	Diabetic basement membrane thickening does not occur in myocardial capillaries of transgenic mice when metallothionein is overexpressed in cardiac myocytes. 2013 , 296, 480-7		9
254	Podocyte-specific overexpression of metallothionein mitigates diabetic complications in the glomerular filtration barrier and glomerular histoarchitecture: a transmission electron microscopy stereometric analysis. 2013 , 29, 113-24		9
253	Dual effect of advanced glycation end products in pancreatic islet apoptosis. 2013 , 29, 296-307		15
252	Antiglycative effect of fruit and vegetable seed extracts: inhibition of AGE formation and carbonyl-trapping abilities. 2013 , 93, 2037-44		56
251	PPAR α activation attenuates glycated-serum induced pancreatic beta-cell dysfunction through enhancing Pdx1 and Mafa protein stability. 2013 , 8, e56386		7

250	Antiglycation Activity of Iridoids and Their Food Sources. 2014 , 2014, 276950	12
249	Erythrocyte osmotic fragility increases with serum advanced glycated end products in cigarette smokers. 2014 , 57, 85-92	4
248	Differential effects of glyoxalase 1 overexpression on diabetic atherosclerosis and renal dysfunction in streptozotocin-treated, apolipoprotein E-deficient mice. 2014 , 2, e12043	30
247	Involvement of the TAGE-RAGE system in non-alcoholic steatohepatitis: Novel treatment strategies. 2014 , 6, 880-93	22
246	Antioxidant -Rich Natural Products and Diabetes Mellitus. 2014 ,	1
245	Reprint of "accumulation of modified proteins and aggregate formation in aging". 2014 , 59, 3-12	12
244	Ocular inflammation in uveal tract in aged obese type 2 diabetic rats (Spontaneously Diabetic Torii fatty rats). 2014 , 2014, 629016	4
243	Advanced glycation end products: role in pathology of diabetic cardiomyopathy. 2014 , 19, 49-63	130
242	The comparative effects of perindopril and catechin on mesangial matrix and podocytes in the streptozotocin induced diabetic rats. 2014 , 66, 279-87	5
241	Three-year variability in plasma concentrations of the soluble receptor for advanced glycation end products (sRAGE). 2014 , 47, 132-4	15
240	Serum soluble receptor for advanced glycation end products correlates inversely with measures of adiposity in young adults. 2014 , 34, 478-85	22
239	Advanced glycation end products (AGE) and diabetes: cause, effect, or both?. 2014 , 14, 453	301
238	Modulation of neuropathic pain in experimental diabetes mellitus. 2014 , 70, 355-61	4
237	Syntheses, structures and spectral characterization of copper(II) and dioxidovanadium(V) complexes with salicylidene-aminoguanidine. 2014 , 80, 90-96	10
236	Iron toxicity mediated by oxidative stress enhances tissue damage in an animal model of diabetes. 2014 , 27, 349-61	26
235	Effects of resveratrol on the expression and DNA methylation of cytokine genes in diabetic rat aortas. 2014 , 62, 329-40	26
234	Lipoprotein Glycation in Diabetes Mellitus. 2014 , 157-186	1
233	Feruloylated oligosaccharides: Structure, metabolism and function. 2014 , 7, 90-100	51

232	Curcumin eliminates the effect of advanced glycation end-products (AGEs) on the divergent regulation of gene expression of receptors of AGEs by interrupting leptin signaling. 2014 , 94, 503-16	42
231	Role of advanced glycation end products in cellular signaling. 2014 , 2, 411-29	651
230	Free Radical Biology and Reproductive Health in Diabetes. 2014 , 2789-2813	3
229	Synthesis and biological evaluation of new epalrestat analogues as aldose reductase inhibitors (ARIs). 2014 , 71, 53-66	38
228	Advanced glycation end products and their relevance in female reproduction. 2014 , 29, 135-45	76
227	Quercetin inhibits advanced glycation end product formation by trapping methylglyoxal and glyoxal. 2014 , 62, 12152-8	158
226	Inhibition of Fluorescent Advanced Glycation End-Products and N-Carboxymethyllysine Formation by Several Floral Herbal Infusions. 2014 , 17, 617-628	15
225	Ca(2+) handling alterations and vascular dysfunction in diabetes. 2014 , 56, 397-407	26
224	Increased serum concentrations of pentosidine are related to presence and severity of coronary artery disease. 2014 , 134, 633-8	27
223	The role of advanced glycation end products in various types of neurodegenerative disease: a therapeutic approach. 2014 , 19, 407-37	107
222	Protein glycation inhibitory activity and antioxidant capacity of clove extract. 2015 , 52, 3843-50	22
221	Common biological mechanisms between bipolar disorder and type 2 diabetes: Focus on inflammation. 2014 , 54, 289-98	25
220	[Diabetic nephropathy: emerging treatments]. 2014 , 10, 210-5	2
219	Evaluation of the in vitro inhibitory effects of buckwheat enhanced wheat bread extracts on the formation of advanced glycation end-products (AGEs). 2014 , 58, 327-334	30
218	Microalgal carotenoids: beneficial effects and potential in human health. 2014 , 5, 413-25	116
217	Parmotrema tinctorum exhibits antioxidant, antiglycation and inhibitory activities against aldose reductase and carbohydrate digestive enzymes: an in vitro study. 2014 , 28, 1480-4	13
216	Active vitamin D possesses beneficial effects on the interaction between muscle and bone. 2014 , 450, 482-7	56
215	Recent insights on the significance of transcriptomic and metabolomic analysis of male factor infertility. 2014 , 47, 973-82	10

214	Antiglycative and carbonyl trapping properties of the water soluble fraction of coffee silverskin. 2014 , 62, 1120-1126	61
213	Accumulation of modified proteins and aggregate formation in aging. 2014 , 57, 122-31	53
212	Ginsenosides attenuate methylglyoxal-induced impairment of insulin signaling and subsequent apoptosis in primary astrocytes. 2014 , 85, 215-23	22
211	Maternal serum AGEs levels in pregnancies associated with neural tube defects. 2014 , 33, 57-61	6
210	Effect of Targeted Delivery of Bone Morphogenetic Protein-2 on Bone Formation in Type 1 Diabetes. 2015 , 30, 707-714	7
209	Impact of androgen and dietary advanced glycation end products on female rat liver. 2015 , 37, 1134-46	9
208	Early Diagnosis of Diabetes through the Eye. 2015 , 91, 1497-504	15
207	Comparing changes in plasma and skin autofluorescence in low-flux versus high-flux hemodialysis. 2015 , 38, 488-93	6
206	Elevation of Serum Levels of Advanced Glycation End Products in Patients With Non-B or Non-C Hepatocellular Carcinoma. 2015 , 29, 480-4	22
205	Current perspectives on the health risks associated with the consumption of advanced glycation end products: recommendations for dietary management. 2015 , 8, 415-26	31
204	Advanced Glycation End Products (Ages) in Food: Focusing on Mediterranean Pasta. 2015 , 05,	1
203	Sesamin Ameliorates Advanced Glycation End Products-Induced Pancreatic β Cell Dysfunction and Apoptosis. 2015 , 7, 4689-704	26
202	Association between Advanced Glycation End Products and Impaired Fasting Glucose: Results from the SALIA Study. 2015 , 10, e0128293	13
201	Attenuation of Diabetic Conditions by <i>Sida rhombifolia</i> in Moderately Diabetic Rats and Inability to Produce Similar Effects in Severely Diabetic in Rats. 2015 , 18, 12-9	1
200	In vitro identification of nonalcoholic fatty liver disease-related protein hnRNPM. 2015 , 21, 1784-93	17
199	The hydrolyzable gallotannin, penta-O-galloyl- β -D-glucopyranoside, inhibits the formation of advanced glycation endproducts by protecting protein structure. 2015 , 11, 1338-47	19
198	Patenting strategies, the authentication US fiscal methodology, discovery and development of imidazole-containing peptide compounds with free-radical scavenging and transglycating properties acting as targeted drug regulators and homeostatic agents with diverse therapeutic activities for pharmacy of diabetes and metabolic diseases. 2015 , 25, 1319-39	1
197	Effects of Long-Term Exposure to Free N ϵ (Carboxymethyl)lysine on Rats Fed a High-Fat Diet. 2015 , 63, 10995-1001	25

196	Increased accumulation of protein-bound N ^ε -(carboxymethyl)lysine in tissues of healthy rats after chronic oral N ^ε -(carboxymethyl)lysine. 2015 , 63, 1658-63	40
195	Oxidative Stress in Alzheimer's Disease: Should We Keep Trying Antioxidant Therapies?. 2015 , 35, 595-614	52
194	Crosstalk between advanced glycation end products (AGEs)-receptor RAGE axis and dipeptidyl peptidase-4-incretin system in diabetic vascular complications. 2015 , 14, 2	74
193	Fluorophores advanced glycation end products (AGEs)-to-NADH ratio is predictor for diabetic chronic kidney and cardiovascular disease. 2015 , 29, 893-7	4
192	Protective effect of Ipomoea carnea Jacq leaves extracts on streptozotocin-induced oxidative stress in rats. 2015 , 5, 42	
191	Non-ICU hospital care of diabetes mellitus in the elderly population. 2015 , 15, 26	4
190	Psychosocial stress and changes in estimated glomerular filtration rate among adults with diabetes mellitus. 2015 , 34, 146-53	2
189	Advanced glycation end products: A link between metabolic and endothelial dysfunction in polycystic ovary syndrome?. 2015 , 64, 1564-73	34
188	Alagebrium inhibits neointimal hyperplasia and restores distributions of wall shear stress by reducing downstream vascular resistance in obese and diabetic rats. 2015 , 309, H1130-40	4
187	Role of receptor for advanced glycation end products (RAGE) and its ligands in cancer risk. 2015 , 18, 48-56	52
186	Diabetes Mellitus. 2015 , 527-553.e7	2
185	Advanced Glycation End Products, Inflammation, and Chronic Metabolic Diseases: Links in a Chain?. 2016 , 56, 989-98	38
184	Advanced glycation end products, measured in skin, vs. HbA1c in children with type 1 diabetes mellitus. 2016 , 17, 426-32	12
183	Progression of Electrocardiographic Abnormalities in Type 1 Diabetes During 16 Years of Follow-up: The Epidemiology of Diabetes Interventions and Complications (EDIC) Study. 2016 , 5, e002882	13
182	Pathogenesis of Microvascular Complications. 2016 , 541-553	
181	Elevated Serum Pentosidine and Decreased Serum IGF-I Levels are Associated with Loss of Muscle Mass in Postmenopausal Women with Type 2 Diabetes Mellitus. 2016 , 124, 163-6	17
180	Advanced Glycation End-Products and Their Receptors: Related Pathologies, Recent Therapeutic Strategies, and a Potential Model for Future Neurodegeneration Studies. 2016 , 29, 707-14	28
179	Non-enzymatic modifications of prostaglandin H synthase 1 affect bifunctional enzyme activity - Implications for the sensitivity of blood platelets to acetylsalicylic acid. 2016 , 253, 78-92	3

- 178 The food processing contaminant glyoxal promotes tumour growth in the multiple intestinal neoplasia (Min) mouse model. **2016**, 94, 197-202 9
- 177 Chemical Synthesis of Peptides Containing Site-Specific Advanced Glycation Endproducts. **2016**, 49, 2199-2208 15
- 176 Non-enzymatic glycation mediated structure/function changes in proteins: case of serum albumin. **2016**, 6, 90739-90753 13
- 175 Protective effect of cyanidin against glucose- and methylglyoxal-induced protein glycation and oxidative DNA damage. *International Journal of Biological Macromolecules*, **2016**, 93, 814-821 7.9 19
- 174 Zinc supplementation alleviates hyperglycemia and associated metabolic abnormalities in streptozotocin-induced diabetic rats. **2016**, 94, 1356-1365 14
- 173 Propolis Improves Periodontal Status and Glycemic Control in Patients With Type 2 Diabetes Mellitus and Chronic Periodontitis: A Randomized Clinical Trial. **2016**, 87, 1418-1426 43
- 172 High dietary advanced glycation end products are associated with poorer spatial learning and accelerated A β deposition in an Alzheimer mouse model. **2016**, 15, 309-16 50
- 171 Is Synovial Macrophage Activation the Inflammatory Link Between Obesity and Osteoarthritis?. **2016**, 18, 57 22
- 170 Antioxidant balance and accumulation of advanced glycation end products after the consumption of standard diets including Maillard reaction products from silver carp peptides. **2016**, 7, 4709-4719 9
- 169 The effects of advanced glycation end products (AGEs) on dermal wound healing and scar formation: a systematic review. **2016**, 2, 2059513116676828 23
- 168 Glycation in Parkinson's disease and Alzheimer's disease. **2016**, 31, 782-90 74
- 167 Iridoids are natural glycation inhibitors. *Glycoconjugate Journal*, **2016**, 33, 671-81 3 17
- 166 Application of Quantum Dot-Molecularly Imprinted Polymer Core-Shell Particles Sensitized with Graphene for Optosensing of N-(β -Carboxymethyl)lysine in Dairy Products. **2016**, 64, 4801-6 20
- 165 Mechanism for the Development of Bone Disease in Diabetes: Increased Oxidative Stress and Advanced Glycation End Products. **2016**, 63-79 3
- 164 Methylglyoxal Causes Cell Death in Neural Progenitor Cells and Impairs Adult Hippocampal Neurogenesis. **2016**, 29, 419-31 19
- 163 Damaging effects of hyperglycemia on cardiovascular function: spotlight on glucose metabolic pathways. **2016**, 310, H153-73 51
- 162 Serum Levels of sRAGE Are Associated with Body Measurements, but Not Glycemic Parameters in Patients with Prediabetes. **2016**, 14, 33-9 13
- 161 Alagebrium attenuates methylglyoxal induced oxidative stress and AGE formation in H9C2 cardiac myocytes. **2016**, 146, 8-14 8

160	Protein carbamylation is a hallmark of aging. 2016 , 113, 1191-6	114
159	Protective Role of Sodium-Glucose Co-Transporter 2 Inhibition Against Vascular Complications in Diabetes. 2016 , 19, 107-14	10
158	Cardioprotective effect of pioglitazone in diabetic and non-diabetic rats subjected to acute myocardial infarction involves suppression of AGE-RAGE axis and inhibition of apoptosis. 2016 , 94, 463-76	25
157	Impact of high glucose and AGEs on cultured kidney-derived cells. Effects on cell viability, lysosomal enzymes and effectors of cell signaling pathways. 2017 , 135, 137-148	12
156	Hormetic modulation of hepatic insulin sensitivity by advanced glycation end products. 2017 , 447, 116-124	7
155	Autophagy Inhibits the Accumulation of Advanced Glycation End Products by Promoting Lysosomal Biogenesis and Function in the Kidney Proximal Tubules. 2017 , 66, 1359-1372	62
154	Therapeutic Efficacy of Catharanthus roseus in Type 1 and Type 2 Diabetes Mellitus in Wistar Rats. 2017 , 201-246	
153	Impaired fasting glucose predicts the development of hypertension over 6years in female adults: Results from the rural Chinese cohort study. 2017 , 31, 1090-1095	11
152	Insulin signaling: An opportunistic target to minify the risk of Alzheimer's disease. 2017 , 83, 159-171	44
151	Urinary glycated uromodulin in diabetic kidney disease. 2017 , 131, 1815-1829	7
150	Aging ovary and the role for advanced glycation end products. 2017 , 24, 345-351	21
149	Evaluation of an olive leaf extract as a natural source of antiglycative compounds. 2017 , 92, 56-63	19
148	Methylglyoxal and Advanced Glycation End products: Insight of the regulatory machinery affecting the myogenic program and of its modulation by natural compounds. 2017 , 7, 5916	29
147	Glycation, Glycolysis, and Neurodegenerative Diseases: Is There Any Connection?. 2017 , 82, 874-886	24
146	Cardiovascular disease risk reduction in diabetes through conventional and natural approaches. 2017 , 6, 128-135	1
145	The Impact of Different Drying Techniques and Controlled Storage on the Development of Advanced Glycation End Products in Skim Milk Powders Using Isotope Dilution ESI-LC-MS/MS. 2017 , 10, 1704-1714	12
144	Advanced glycation end products (AGEs) increase renal lipid accumulation: a pathogenic factor of diabetic nephropathy (DN). 2017 , 16, 126	42
143	Relationships between vitreous levels of soluble receptor for advanced glycation end products (sRAGE) and renal function in patients with diabetic retinopathy. 2017 , 37, 1247-1255	3

142	Renoprotection From Diabetic Complications in OVE Transgenic Mice by Endothelial Cell Specific Overexpression of Metallothionein: A TEM Stereological Analysis. 2017 , 300, 560-576	2
141	MECHANISMS IN ENDOCRINOLOGY: Nutrition as a mediator of oxidative stress in metabolic and reproductive disorders in women. 2017 , 176, R79-R99	23
140	Effect of Astaxanthin, Vitamin E, and Vitamin C in Combination with Calorie Restriction on Sperm Quality and Quantity in Male Rats. 2017 , 14, 252-263	10
139	Assessment of the Anti-Hyperglycaemic, Anti-Inflammatory and Antioxidant Activities of the Methanol Extract of Moringa Oleifera in Diabetes-Induced Nephrotoxic Male Wistar Rats. 2017 , 22,	76
138	Physical Activity: A Viable Way to Reduce the Risks of Mild Cognitive Impairment, Alzheimer's Disease, and Vascular Dementia in Older Adults. 2017 , 7,	69
137	Activation of NLRP3 Inflammasome by Advanced Glycation End Products Promotes Pancreatic Islet Damage. 2017 , 2017, 9692546	26
136	Structure based comprehensive modelling, spatial fingerprints mapping and ADME screening of curcumin analogues as novel ALR2 inhibitors. 2017 , 12, e0175318	13
135	Glucagon-like peptide-1 analogue liraglutide ameliorates atherogenesis via inhibiting advanced glycation end product-induced receptor for advanced glycosylation end product expression in apolipoprotein-E deficient mice. 2017 , 16, 3421-3426	12
134	Synuclein misfolding as a therapeutic target. 2017 , 21-47	
133	Evaluation of Anti-glycation Activities of Phlorotannins in Human and Bovine Serum Albumin-methylglyoxal Models. 2017 , 12, 1934578X1701201	9
132	Signaling between pancreatic β cells and macrophages via S100 calcium-binding protein A8 exacerbates β cell apoptosis and islet inflammation. 2018 , 293, 5934-5946	21
131	High-glucose toxicity is mediated by AICAR-transformylase/IMP cyclohydrolase and mitigated by AMP-activated protein kinase in. 2018 , 293, 4845-4859	5
130	Effects of scavenger receptors-1 class A stimulation on macrophage morphology and highly modified advanced glycation end product-protein phagocytosis. 2018 , 8, 5901	18
129	O-Linked N-acetylglucosamine (O-GlcNAc) modification: a new pathway to decode pathogenesis of diabetic retinopathy. 2018 , 132, 185-198	16
128	Zinc supplementation alleviates the progression of diabetic nephropathy by inhibiting the overexpression of oxidative-stress-mediated molecular markers in streptozotocin-induced experimental rats. 2018 , 54, 113-129	22
127	The impact of diabetes on treatment in general dental practice. 2018 , 45, 120-128	2
126	Evaluation of vitreous levels of advanced glycation end products and angiogenic factors as biomarkers for severity of diabetic retinopathy. 2018 , 38, 607-615	22
125	Diabetes and Advanced Glycation End Products. 2018 , 201-212	6

124	Dietary advanced glycated end-products and medicines influence the expression of SIRT1 and DDOST in peripheral mononuclear cells from long-term type 1 diabetes patients. 2018 , 15, 81-89		7
123	Skin Autofluorescence is a Noninvasive Surrogate Marker for Diabetic Microvascular Complications and Carotid Intima-Media Thickness in Japanese Patients with Type 2 Diabetes: A Cross-sectional Study. 2018 , 9, 75-85		16
122	Impact of Metabolic Syndrome on Neuroinflammation and the Blood-Brain Barrier. 2018 , 12, 930		112
121	Study of pyridoxamine against glycation and reactive oxygen species production in human serum albumin as model protein: An in vitro & ex vivo approach. <i>International Journal of Biological Macromolecules</i> , 2018 , 120, 1734-1743	7.9	16
120	Glycation Damage: A Possible Hub for Major Pathophysiological Disorders and Aging. 2018 , 9, 880-900		99
119	The Relationship Between Vitamin B6, Diabetes and Cancer. 2018 , 9, 388		25
118	Protective Effects of Kaempferitrin on Advanced Glycation End Products Induce Mesangial Cell Apoptosis and Oxidative Stress. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	20
117	The Role of Galectins as Modulators of Metabolism and Inflammation. 2018 , 2018, 9186940		63
116	Skin autofluorescence is associated with high-sensitive cardiac troponin T, a circulating cardiac biomarker, in Japanese patients with diabetes: A cross-sectional study. 2018 , 15, 559-566		3
115	The Role of Advanced Glycation End Products in Diabetic Vascular Complications. 2018 , 42, 188-195		126
114	Effect of lipid oxidation on the formation of N-carboxymethyl-lysine and N-carboxyethyl-lysine in Chinese-style sausage during storage. 2018 , 269, 466-472		30
113	Kinetics of available lysine in stored commercial skim milk powder at moderate temperatures. 2018 , 53, 2159-2165		6
112	High Resolution Imaging in Microscopy and Ophthalmology. 2019 ,		15
111	Fluorescence Lifetime Imaging Ophthalmoscopy. 2019 ,		1
110	Bis-coumarins; non-cytotoxic selective urease inhibitors and antiglycation agents. 2019 , 91, 103170		11
109	In vitro and in vivo inhibition of maillard reaction products using amino acids, modified proteins, vitamins, and genistein: A review. 2019 , 43, e13089		14
108	Can Antidiabetic Drugs Improve Male Reproductive (Dys)Function Associated with Diabetes?. 2019 , 26, 4191-4222		8
107	Cellular senescence: at the nexus between ageing and diabetes. 2019 , 62, 1835-1841		77

106	Accumulation of advanced glycation end products in follicles is associated with poor oocyte developmental competence. 2019 , 25, 684-694	11
105	Effect of Advanced Glycation End Products on the Progression of Alzheimer's Disease. 2019 , 72, 191-197	19
104	Disaggregation-induced ES IPT: a novel approach towards development of sensors for hyperglycemic condition. 2019 , 43, 2065-2076	10
103	Implications and Future Perspectives of AGEs in PCOS Pathophysiology. 2019 , 30, 150-162	23
102	Autoregenerative redox nanoparticles as an antioxidant and glycation inhibitor for palliation of diabetic cataracts. 2019 , 11, 13126-13138	19
101	Dietary Genistein Inhibits Methylglyoxal-Induced Advanced Glycation End Product Formation in Mice Fed a High-Fat Diet. 2019 , 149, 776-787	18
100	1,25-(OH)D protects Schwann cells against advanced glycation end products-induced apoptosis through PKA-NF- κ B pathway. 2019 , 225, 107-116	8
99	Insulin-Like Growth Factor-I Protects Against the Detrimental Effects of Advanced Glycation End Products and High Glucose in Myoblastic C2C12 Cells. 2019 , 105, 89-96	10
98	Advanced glycation end-products induce oxidative stress through the Sirt1/Nrf2 axis by interacting with the receptor of AGEs under diabetic conditions. 2018 , 120, 2159	15
97	Chemical methods and techniques to monitor early Maillard reaction in milk products; A review. 2019 , 59, 1829-1839	28
96	Interleukin-10 Protects Schwann Cells against Advanced Glycation End Products-Induced Apoptosis via NF- κ B Suppression. 2020 , 128, 89-96	5
95	Pyridoxine/pyridoxamine 5'-phosphate oxidase (Sgll/PNPO) is important for DNA integrity and glucose homeostasis maintenance in <i>Drosophila</i> . 2020 , 235, 504-512	10
94	Affinity-targeting schemes for protein biomarkers. 2020 , 215-245	0
93	In situ analysis of liposome hard and soft protein corona structure and composition in a single label-free workflow. 2020 , 12, 1728-1741	29
92	The Effects of Diabetes and Diabetic Medications on Bone Health. 2020 , 34, e102-e108	1
91	mitigates hepatic injury following adjuvant treatment with antiretroviral drugs in diabetic animal models. 2020 , 36, 37-44	2
90	Salidroside ameliorates endothelial inflammation and oxidative stress by regulating the AMPK/NF- κ B/NLRP3 signaling pathway in AGEs-induced HUVECs. 2020 , 867, 172797	51
89	Molecular mechanisms by which SGLT2 inhibitors can induce insulin sensitivity in diabetic milieu: A mechanistic review. 2020 , 240, 117090	20

88	High sucrose diet induces morphological, structural and functional impairments in the renal tubules of <i>Drosophila melanogaster</i> : A model for studying type-2 diabetes mediated renal tubular dysfunction. 2020 , 125, 103441	2
87	Serum Pentosidine Level in Healthy Ageing and Its Association with Age-Related Disease. 2020 , 2, 2253-2259	
86	Highly selective chemosensor for reactive carbonyl species based on simple 1,8-diaminonaphthalene. 2020 , 213, 112076	6
85	Algal Carotenoids. 2020 , 33-64	4
84	Investigation of the Phytochemical Composition, Antioxidant Activity, and Methylglyoxal Trapping Effect of L. Herb In Vitro. 2020 , 25,	4
83	Persistent proliferation of keratinocytes and prolonged expression of proinflammatory mediators might be associated with the postoperative pain in KK mice. 2020 , 16, 1744806920927284	1
82	Androgens Increase Accumulation of Advanced Glycation End Products in Granulosa Cells by Activating ER Stress in PCOS. 2020 , 161,	20
81	In vitro studies of potent aldose reductase inhibitors: Synthesis, characterization, biological evaluation and docking analysis of rhodanine-3-hippuric acid derivatives. 2020 , 97, 103640	11
80	Mulberry anthocyanins exert anti-AGEs effects by selectively trapping glyoxal and structural-dependently blocking the lysyl residues of β -lactoglobulins. 2020 , 96, 103615	22
79	Biological promiscuity of a binuclear Cu(II) complex of aminoguanidine Schiff base: DNA binding, anticancer activity and histidine sensing ability of the complex. 2020 , 44, 7319-7328	15
78	N -carboxymethyllysine and N -carboxyethyllysine kinetics and water loss analysis during chicken braising. 2021 , 101, 388-397	2
77	Non-enzymatic glycation of human serum albumin modulates its binding efficacy towards bioactive flavonoid chrysin: A detailed study using multi-spectroscopic and computational methods. 2021 , 39, 476-492	4
76	ICT based water-soluble fluorescent probe for discriminating mono and dicarbonyl species and analysis in foods. 2021 , 57, 6380-6383	6
75	Nanoemulsions: A Better Approach for Antidiabetic Drug Delivery. 2021 , 17, 486-495	
74	An in vitro model for microbial fructoselysine degradation shows substantial interindividual differences in metabolic capacities of human fecal slurries. 2021 , 72, 105078	4
73	Phytochemicals as Potential Inhibitors of Advanced Glycation End Products: Health Aspects and Patent Survey. 2021 ,	
72	Circulating Advanced Glycation End Products and Their Soluble Receptors in Relation to All-Cause and Cardiovascular Mortality: A Systematic Review and Meta-analysis of Prospective Observational Studies. 2021 , 12, 2157-2171	1
71	The Effect of Dietary Supplements on Oxidative Stress in Pregnant Women with Gestational Diabetes Mellitus: A Network Meta-Analysis. 2021 , 13,	4

70	Advanced Glycation End Products in Meat during Processing and Storage: A Review. 1-17	1
69	Fourteen days of smoking cessation improves muscle fatigue resistance and reverses markers of systemic inflammation. 2021 , 11, 12286	2
68	Preventing the onset of diabetes-induced chronic kidney disease during prediabetes: The effects of oleanolic acid on selected markers of chronic kidney disease in a diet-induced prediabetic rat model. 2021 , 139, 111570	1
67	Genetics of Diabetic Retinopathy, a Leading Cause of Irreversible Blindness in the Industrialized World. 2021 , 12,	3
66	Phosphate and fibroblast growth factor 23 in diabetes. 2021 , 135, 1669-1687	3
65	Flash Glucose Monitoring to Assess Glycemic Control and Variability in Hemodialysis Patients: The GIOTTO Study. 2021 , 8, 617891	1
64	Role of Advanced Glycation End Products in Assessment of Diabetes Mellitus as a Risk Factor for Retinal Vein Occlusion. 2021 , 11, 7934	
63	NRF2: A potential target for the treatment of diabetic nephropathy. 2021 , 1, 27-32	
62	Solvent-mediated browning of proteins and amino acids. 2021 , 536, 67-72	
61	Pathogenesis of Diabetic Microvascular Complications.	1
60	Diabetes and Oxidant Stress. 2008 , 123-158	1
59	Fluorescence Lifetime Imaging Ophthalmoscopy (FLIO). 2019 , 213-235	3
58	ACE Inhibitors: Pharmacology. 2004 , 375-413	2
57	AGEs secreted by bacteria are involved in the inflammatory response. 2011 , 6, e17974	19
56	AGEs decrease insulin synthesis in pancreatic β cell by repressing Pdx-1 protein expression at the post-translational level. 2011 , 6, e18782	36
55	Metabolism of AGEs--bacterial AGEs are degraded by metallo-proteases. 2013 , 8, e74970	2
54	Skin Autofluorescence and Subclinical Atherosclerosis in Mild to Moderate Chronic Kidney Disease: A Case-Control Study. 2017 , 12, e0170778	10
53	Ethnicity and skin autofluorescence-based risk-engines for cardiovascular disease and diabetes mellitus. 2017 , 12, e0185175	11

52	The effect of succinic acid monoethyl ester on plasma and tissue glycoproteins in streptozotocin-nicotinamide induced diabetic rats. 2006 , 4, 187-196	5
51	Glycer-AGEs-RAGE signaling enhances the angiogenic potential of hepatocellular carcinoma by upregulating VEGF expression. 2012 , 18, 1781-8	49
50	Nail fold capillaroscopic changes in patients with type 2 diabetes mellitus: An observational, comparative study. 2020 , 11, 28	5
49	Gene Expression Changes Associated with the Loss of Heterogeneous Nuclear Ribonucleoprotein M Function. 2017 , 07, 87-98	3
48	Glycosaminoglycan remodeling during diabetes and the role of dietary factors in their modulation. 2016 , 7, 67-73	29
47	Contribution of the toxic advanced glycation end-products-receptor axis in nonalcoholic steatohepatitis-related hepatocellular carcinoma. 2015 , 7, 2459-69	22
46	DJ-1 Acts as a Scavenger of β -Synuclein Oligomers and Restores Monomeric Glycated β -Synuclein. 2021 , 11,	0
45	Diabetes Mellitus. 2009 , 595-624	
44	Role of Advanced Glycation End Products, Oxidative Stress, and Inflammation in Diabetic Vascular Complications. 2009 , 521-539	1
43	Diabetes Mellitus. 2014 , 160-198	
42	Health Aspects of Thermal Food Processing. 2014 , 59, 184-189	
41	Chapter 4 Continuous glucose monitoring systems. 2016 , 75-96	
40	Pathological Role of AGEs in Osteoporosis. 2017 , 253-264	
39	FLIO in Diabetic Retinopathy. 2019 , 65-70	
38	Methods: A new protocol for in vitro red blood cell glycation. 2021 , 264, 111109	1
37	Effect of fasting blood glucose on risk of new-onset hypertension in rural Chinese population: a 15-year follow-up cohort. 2021 , 21, 531	0
36	Metabolismus. 2005 , 65-74	
35	Transgenic and Gene Knockout Analysis of Diabetic Neuropathy. 2007 , 51-67	

34	Effects of N-acetylcysteine and glutathione ethyl ester drops on streptozotocin-induced diabetic cataract in rats. 2008 , 14, 862-70	39
33	An insulin-like modular basis for the evolution of glucose transporters (GLUT) with implications for diabetes. 2007 , 3, 317-31	4
32	Covalent binding antibodies suppress advanced glycation: on the innate tier of adaptive immunity. 2009 , 1, 66-72	
31	Pharmacological treatment of diabetic peripheral neuropathy. 2015 , 40, 372-88	14
30	Effect of targeted delivery of bone morphogenetic protein-2 on bone formation in type 1 diabetes. 2015 , 30, 707-14	4
29	Prevention of non-enzymatic glycosylation (glycation): Implication in the treatment of diabetic complication. 2016 , 10, 261-77	22
28	Radioactive Iodine Therapy and Glucose Tolerance. 2017 , 19, 184-193	3
27	Effect of Different High-Fat and Advanced Glycation End-Products Diets in Obesity and Diabetes-Prone C57BL/6 Mice on Sperm Function. 2021 , 15, 226-233	2
26	Non-enzymatic glycation of annulus fibrosus alters tissue-level failure mechanics in tension. 2021 , 126, 104992	0
25	Diabetes Mellitus, Elevated Hemoglobin A1c, and Glycated Albumin Are Associated with the Presence of All-Cause Dementia and Alzheimer's Disease: The JPSC-AD Study. 2021 ,	1
24	In Vitro and In Vivo Antiglycation Effects of Connarus ruber Extract. 2021 ,	
23	Atypical Presentations. 2022 , 219-241	
22	Diabetes mellitus contribution to the remodeling of the tumor microenvironment in gastric cancer.. 2021 , 13, 1997-2012	1
21	Advanced Glycation End Products: A Sweet Flavor That Embitters Cardiovascular Disease.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3 1
20	Activity-based fluorescent probes for sensing and imaging of Reactive Carbonyl species (RCSs).. 2022 ,	2
19	Mori Cortex radidis extract protected against diet-induced neuronal damage by suppressing the AGE-RAGE/MAPK signaling pathway in C. elegans and mouse model. 2022 , 91, 104996	
18	Impact of Dietary Advanced Glycation End Products on Female Reproduction: Review of Potential Mechanistic Pathways.. 2022 , 14,	0
17	Characteristics and molecular mechanisms through which SGLT2 inhibitors improve metabolic diseases: A mechanism review.. 2022 , 120543	2

16	Cocoa bean shells: a review into the chemical profile, the bioactivity and the biotransformation to enhance their potential applications in foods.. 2022 , 1-25		0
15	Glucagon-like peptide-1 attenuates diabetes-associated osteoporosis in ZDF rat, possibly through the RAGE pathway.. 2022 , 23, 465		0
14	Advanced Glycation End Products: key player of the pathogenesis of atherosclerosis.. <i>Glycoconjugate Journal</i> , 2022 ,	3	1
13	Mechanistic insight into differential interactions of iron oxide nanoparticles with native, glycated albumin and their effect on erythrocytes parameters. <i>International Journal of Biological Macromolecules</i> , 2022 , 212, 232-247	7.9	0
12	Advanced Glycations End Products in the Skin as Biomarkers of Cardiovascular Risk in Type 2 Diabetes. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 6234	6.3	0
11	Skin accumulation of advanced glycation end products and cardiovascular risk in Korean patients with type 2 diabetes mellitus. <i>Heliyon</i> , 2022 , e09571	3.6	1
10	Role of Oxidative Stress and Carnitine in PCOS Patients.		
9	Exercise, Advanced Glycation End Products, and Their Effects on Cardiovascular Disorders: A Narrative Review. 2022 , 6, 139		0
8	Accumulation of Advanced Glycation End-Products in the Body and Dietary Habits. 2022 , 14, 3982		1
7	Primaquine activates Keratin 7 to treat diabetes and its complications.		0
6	Effect of crocin on glycated human low-density lipoprotein: A protective and mechanistic approach. 2023 , 286, 121958		0
5	Therapeutic Efficacy of Natural Product β -Phycocyanin β in Alleviating Streptozotocin-Induced Diabetes via the Inhibition of Glycation Reaction in Rats. 2022 , 23, 14235		1
4	Characterization of advanced glycation end products and aggregates of irisin: Multispectroscopic and microscopic approaches.		0
3	Markers and Mechanisms of Deterioration Reactions in Dairy Products.		0
2	Dieckol, Derived from the Edible Brown Algae <i>Ecklonia cava</i> , Attenuates Methylglyoxal-Associated Diabetic Nephropathy by Suppressing AGE/RAGE Interaction. 2023 , 12, 593		0
1	Flexible multielectrode arrays based electrochemical aptasensor for glycated human serum albumin detection. 2023 , 386, 133730		0