

CITATION REPORT

List of articles citing

Complications of radiofrequency coagulation of liver tumour

DOI: 10.1046/j.1365-2168.2002.02168.x

British Journal of Surgery, 2002, 89, 1206-22.

Source: <https://exaly.com/paper-pdf/34641051/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
642	Percutaneous radiofrequency ablation of lung tumors: difficulty withdrawing the hooks resulting in a split needle. 2003 , 26, 583-5		13
641	Successful treatment of radiofrequency-induced biliary lesions by interventional endoscopic retrograde cholangiography (ERC). 2003 , 17, 1965-70		13
640	Portal Vein Thrombosis after Radiofrequency Ablation for Recurrent Hepatocellular Carcinoma. 2003 , 26, 54		
639	Radiofrequency Ablation of Liver Tumours. 2003 , 21, iii-vi		1
638	Author reply. 2003 , 98, 2303-2303		4
637	Perceptions and attitudes of clinical oncologists on complementary and alternative medicine: a nationwide survey in Japan. 2003 , 98, 2302-3; author reply 2303		2
636	Percutaneous radiofrequency ablation of liver metastases in potential candidates for resection: the "test-of-time" approach. 2003 , 98, 2303-4; author reply 2304-5		6
635	Author reply. 2003 , 98, 2304-2305		6
634	New considerations for an overall approach to treat hepatocellular carcinoma in cirrhotic patients. 2003 , 84, 36-44; discussion 44		12
633	Commentary. 2003 , 84, 44-44		
632	Interstitial ablative techniques for hepatic tumours. <i>British Journal of Surgery</i> , 2003 , 90, 272-89	5.3	86
631	Radiofrequency-assisted liver resection. 2003 , 7, 797-801		30
630	Size and geometry of hepatic radiofrequency lesions. 2003 , 29, 867-78		74
629	Tumour ablative procedures for colorectal liver metastases. 2003 , 1, 189-199		1
628	Safety of radiofrequency ablation of myocardium and lung adjacent to the heart: an animal study. 2003 , 114, 140-5		20
627	Hepatocellular carcinoma. 2003 , 362, 1907-17		3580
626	Initial experience with radiofrequency ablation for hepatic tumours in the Netherlands. 2003 , 29, 731-4		19

625	Radiofrequency ablation extends the scope of surgery in colorectal liver metastases. 2003 , 29, 244-7	36
624	Non-Surgical Treatment Options in Hepatocellular Carcinoma. 2003 , 01, 245-279	1
623	Adverse events during radiofrequency treatment of 582 hepatic tumors. 2003 , 181, 695-700	389
622	Dispersive pad site burns with modern radiofrequency ablation equipment. 2003 , 13, 366-71	47
621	Local ablative treatments for liver metastases: the current situation. 2003 , 103, 452-7	7
620	Interventionelle Therapie von Lebermetastasen. 2003 , 19, 349-358	
619	Surgery and local treatments of liver metastases from colorectal cancer: how to improve results. 2003 , 92, 90-6	16
618	Radiofrequency ablation of unresectable liver tumours. 2003 , 64, 737-9	2
617	Tumor Seeding after Fine Needle Aspiration Biopsy and Percutaneous Radiofrequency Thermal Ablation of Hepatocellular Carcinoma. 2003 , 20, 460-463	21
616	Early Results after Radiofrequency-Assisted Liver Resection. 2004 , 90, 32-35	20
615	Therapeutic efficacy and safety of percutaneous radiofrequency ablation of hepatocellular carcinoma abutting the gastrointestinal tract. 2004 , 183, 1417-24	40
614	Changes in bile ducts after radiofrequency ablation of hepatocellular carcinoma: frequency and clinical significance. 2004 , 183, 1611-7	64
613	Thermal protection during radiofrequency ablation. 2004 , 182, 1459-61	20
612	Radiofrequency ablation in liver tumours. 2004 , 15 Suppl 4, iv313-7	16
611	Liver ablation therapy. 2004 , 77, 713-23	28
610	Management of inoperable hepatocellular carcinoma. 2004 , 19, S272-S278	4
609	Aprotinin inhibits local platelet trapping and improves tissue destruction in hepatic cryosurgery. 2004 , 136, 624-32	7
608	Courbe d'apprentissage de la thermoablation par radiofréquence des tumeurs du foie: R.T. Poon, K. Kelvin, C.M. Lam, V. Ai, J. Yuen, S.T. Fan, J. Wong Learning curve for radiofrequency ablation of liver tumors : prospective analysis of initial 100 patients in a tertiary institution. Ann Surg 2004;238:411-418; 2004, 141, 261-268	

607	Radio-frequency ablation of colorectal liver metastases in 167 patients. 2004 , 14, 2261-7		140
606	Radiofrequency ablation for subcapsular hepatocellular carcinoma. 2004 , 11, 281-9		75
605	Local ablation therapy for hepatocellular carcinoma: current status and future perspectives. 2004 , 39, 205-14		81
604	Impact of radiofrequency ablation on the management of patients with hepatocellular carcinoma in a specialized centre. <i>British Journal of Surgery</i> , 2004 , 91, 334-8	5-3	25
603	Percutaneous ablation of liver tumours. 2004 , 18, 125-45		45
602	Clinical Management and Complications. 2004 , 15, P263-P267		
601	Liver: Mets. 2004 , 15, P251-P254		
600	Intraoperative radiofrequency ablation (RFA) for irresectable liver malignancies. 2004 , 30, 551-5		39
599	Radiofrequency ablation of liver tumours: systematic review. 2004 , 5, 550-60		147
598	Laparoscopic radiofrequency ablation of hepatocellular carcinoma in the caudate lobe by using a new laparoscopic US probe with a forward-viewing convex-array transducer. 2004 , 60, 628-31		10
597	Frequency and significance of acute intracystic hemorrhage during EUS-FNA of cystic lesions of the pancreas. 2004 , 60, 631-5		107
596	Learning curve for radiofrequency ablation of liver tumors: prospective analysis of initial 100 patients in a tertiary institution. 2004 , 239, 441-9		161
595	Early and late complications after radiofrequency ablation of malignant liver tumors in 608 patients. 2004 , 239, 450-8		291
594	Hepatocellular carcinoma: interventional bridging to liver transplantation. 2005 , 80, S113-9		36
593	Local recurrence after hepatic radiofrequency coagulation: multivariate meta-analysis and review of contributing factors. 2005 , 242, 158-71		529
592	Radiofrequency ablation in metastatic disease. <i>Recent Results in Cancer Research</i> , 2005 , 165, 268-76	1-5	4
591	A tamponade leading to death after radiofrequency ablation of hepatocellular carcinoma. 2005 , 15, 234-7		27
590	LAPAROSCOPIC ABLATION THERAPY FOR HEPATOCELLULAR CARCINOMA. 2005 , 17, 1-8		3

589	Role of radiofrequency ablation for liver malignancies. 2005 , 9, 94-103		4
588	Radiofrequency ablation for malignant liver tumor. 2005 , 14, 41-52		49
587	Percutaneous radiofrequency ablation for hepatocellular carcinoma. An analysis of 1000 cases. 2005 , 103, 1201-9		667
586	Experimental bile duct protection by intraductal cooling during radiofrequency ablation. <i>British Journal of Surgery</i> , 2005 , 92, 849-55	5-3	17
585	Adverse effects of radiofrequency ablation of liver tumours in the Netherlands. <i>British Journal of Surgery</i> , 2005 , 92, 1248-54	5-3	57
584	Survival and intra-hepatic recurrences after laparoscopic radiofrequency of hepatocellular carcinoma in patients with liver cirrhosis. 2005 , 89, 218-25; discussion 225-6		40
583	A review of the general aspects of radiofrequency ablation. 2005 , 30, 381-400		164
582	Complications of radiofrequency ablation in hepatocellular carcinoma. 2005 , 30, 409-18		112
581	Radiofrequency ablation of colorectal liver metastases. 2005 , 30, 419-26		79
580	Radiofrequency ablation of neuroendocrine liver metastases. 2005 , 30, 427-34		42
579	Tumor seeding following lung radiofrequency ablation: a case report. 2005 , 28, 530-2		28
578	Treatment of hepatocellular carcinoma. 2005 , 19, 129-45		33
577	Radiofrequency ablation in the liver close to the bile ducts: can intraductal cooling offer protection?. 2005 , 19, 546-50		9
576	Percutaneous microwave and radiofrequency ablation for hepatocellular carcinoma: a retrospective comparative study. 2005 , 40, 1054-60		188
575	Hepatocellular carcinoma: current treatment strategies. 2005 , 8, 457-66		9
574	Surgical Therapy of Hepatic Metastases. 2005 , 227-241		
573	Hepatocellular carcinoma: therapy and prevention. <i>World Journal of Gastroenterology</i> , 2005 , 11, 7391-400.6		186
572	Image guided tumour ablation. 2005 , 5, 103-9		31

571	Tumor Ablation: Interventional Management of Complications. 2005 , 387-392		
570	Extrahepatic biliary obstruction after percutaneous tumour ablation for hepatocellular carcinoma: aetiology and successful treatment with endoscopic papillary balloon dilatation. 2005 , 54, 698-702		18
569	[Local radiofrequency ablation of liver lesions--possibilities and limitations]. 2005 , 43, 47-56		3
568	Thermal damage of the genitofemoral nerve due to radiofrequency ablation of renal cell carcinoma: a potentially avoidable complication. 2005 , 185, 1627-31		49
567	Gastric perforation after percutaneous radiofrequency ablation of a colorectal liver metastasis in a patient with adhesions in the peritoneal cavity. 2005 , 184, S120-2		13
566	Complications after percutaneous saline-enhanced radiofrequency ablation of liver tumors: 3-year experience with 336 patients at a single center. 2005 , 184, 207-11		81
565	[Laser-induced thermotherapy (LITT) of tumors of the liver in central location: results and complications]. 2005 , 177, 1267-75		13
564	Successful treatment of hepatocellular adenoma with percutaneous radiofrequency ablation. 2005 , 184, 828-31		42
563	Porcine liver: morphologic characteristics and cell viability at experimental radiofrequency ablation with internally cooled electrodes. 2005 , 235, 478-86		50
562	Focal Liver Lesions. <i>Medical Radiology</i> , 2005 ,	0.2	14
561	An ex-vivo experimental study on optimization of bipolar radiofrequency liver ablation using perfusion-cooled electrodes. 2005 , 46, 443-51		15
560	Liver abscess after percutaneous radiofrequency ablation for hepatocellular carcinomas: frequency and risk factors. 2005 , 184, 1860-7		88
559	Rectal Cancer Treatment. <i>Recent Results in Cancer Research</i> , 2005 ,	1.5	1
558	Radiofrequency for the treatment of liver tumours. 2005 , 22, 245-53		16
557	Percutaneous ablation therapy for hepatocellular carcinoma: current practice and future perspectives. 2005 , 68, 155-9		33
556	Radiofrequency ablation of needle tract seeding in hepatocellular carcinoma. 2005 , 16, 743-6		26
555	Bronchobiliary fistula after radiofrequency thermal ablation of hepatic tumor. 2005 , 16, 407-10		49
554	Needle tract seeding after radiofrequency ablation of hepatic tumors. 2005 , 16, 485-91		132

553	Complications After Ablative Therapy. 2005 , 16, P18-P22	1
552	[Pleural effusion following hepatic radiofrequency]. 2005 , 22, 819-22	3
551	[Complications of fluoroscopy-, ultrasound-, and CT-guided percutaneous interventional procedures]. 2005 , 86, 586-98	12
550	Should we biopsy each liver mass suspicious for HCC before liver transplantation?--no, please don't. 2005 , 43, 563-8	54
549	Outcome of regional and local ablative therapies for hepatocellular carcinoma: a collective review. 2005 , 31, 331-47	110
548	Cryosurgery and radiofrequency ablation for unresectable colorectal liver metastases. 2005 , 31, 1152-9	68
547	Intraperitoneal drop metastasis after radiofrequency ablation of pararenal tumor recurrences. 2005 , 65, 797	15
546	Ethanol injection versus radiofrequency ablation for hepatocellular carcinoma: which is better?. 2005 , 128, 806-7	8
545	A randomized controlled trial of radiofrequency ablation with ethanol injection for small hepatocellular carcinoma. 2005 , 129, 122-30	708
544	Multidisciplinary treatment of patients with hepatocellular carcinoma. 2006 , 6, 1377-84	8
543	Bipolar and multipolar radio frequency ablation with resistance controlled power output: standardized ex vivo kidney tissue evaluation. 2006 , 175, 1122-6	9
542	Treatment strategy to optimize radiofrequency ablation for liver malignancies. 2006 , 17, 671-83	64
541	Radiofrequency ablation of the liver in a rabbit model: creation of artificial ascites to minimize collateral thermal injury to the diaphragm and stomach. 2006 , 17, 541-7	30
540	Combining partial liver resection and local ablation of liver tumours: a preliminary Dutch experience. 2006 , 4, 46	11
539	Efficacy and safety of radiofrequency ablation of hepatocellular carcinoma in the hepatic dome with the CT-guided extrathoracic transhepatic approach. 2006 , 60, 100-7	24
538	Hepatic arterial pseudoaneurysm after percutaneous radiofrequency ablation for hepatocellular carcinoma. 2006 , 57, 85-89	2
537	Controversies between surgical and percutaneous radiofrequency ablation. 2006 , 32, 3-5	14
536	Influence of operator experience in radiofrequency ablation of malignant liver tumours on treatment outcome. 2006 , 32, 430-4	64

535	Hepatic radiofrequency ablation using perfusion electrodes in a pig model: effect of the Pringle manoeuvre. 2006 , 32, 527-32	15
534	In-vivo evaluation of a novel bipolar radiofrequency device for interstitial thermotherapy of liver tumors during normal and interrupted hepatic perfusion. 2006 , 133, 176-84	33
533	Radiofrequency ablation of liver metastases from colorectal carcinoma. 2006 , 13, 48-51	28
532	Safety limit of large-volume hepatic radiofrequency ablation in a rat model. 2006 , 141, 252-8	18
531	Radiofrequency ablation of liver tumors: a systematic review. 2006 , 141, 181-90	198
530	Prevention of biliary lesions that may occur during radiofrequency ablation of the liver: study on the pig. 2006 , 243, 82-8	18
529	Kinetics of indocyanine green removal from blood can be used to predict the size of the area removed by radiofrequency ablation of hepatic nodules. 2006 , 21, 1714-9	5
528	Radiofrequency ablation in patients with primary and secondary hepatic malignancies. 2006 , 10, 960-73	34
527	Evolving technology in bipolar perfused radiofrequency ablation: assessment of efficacy, predictability and safety in a pig liver model. 2006 , 16, 1826-34	29
526	Experimental hepatic radiofrequency ablation using wet electrodes: electrode-to-vessel distance is a significant predictor for delayed portal vein thrombosis. 2006 , 16, 1990-9	12
525	The imprint of radiofrequency in the management of hepatocellular carcinoma. 2006 , 8, 255-63	4
524	Factors influencing the local failure rate of radiofrequency ablation of colorectal liver metastases. 2006 , 13, 651-8	107
523	Bipolar radiofrequency ablation of liver metastases during laparotomy. First clinical experiences with a new multipolar ablation concept. 2006 , 21, 25-32	29
522	Radiofrequency-ablation of unresectable primary and secondary liver tumors: results in 88 patients. 2006 , 391, 118-23	30
521	Treatment of hepatocellular carcinoma. 2006 , 60, 89-98	123
520	[Radiofrequency ablation of hepatic tumors]. 2006 , 48, 53-69	5
519	Étude expérimentale de la prévention des lésions biliaires après thermoablation par radiofréquence chez le cochon. 2006 , 143, 185	
518	Radiofrequency thermal ablation of liver carcinoma. Prospective study of 82 lesions. 2006 , 30, 130-5	8

517	Liver abscess after radiofrequency ablation of tumors in patients with a biliary tract procedure. 2006 , 30, 823-7		59
516	Efficacy and safety of radiofrequency ablation for perivascular hepatocellular carcinoma without hepatic inflow occlusion. <i>British Journal of Surgery</i> , 2006 , 93, 440-7	5-3	33
515	Artificial ascites technique for percutaneous radiofrequency ablation of liver cancer adjacent to the gastrointestinal tract. <i>British Journal of Surgery</i> , 2006 , 93, 1277-82	5-3	103
514	Current role of radiofrequency ablation for the treatment of colorectal liver metastases. <i>British Journal of Surgery</i> , 2006 , 93, 1192-201	5-3	61
513	[Radiofrequency ablation of lung tumors]. 2006 , 178, 852-61		1
512	Percutaneous radiofrequency ablation therapy of hepatocellular carcinoma using multitined expandable electrodes: comparison of subcapsular and nonsubcapsular tumors. 2006 , 186, S269-74		15
511	Percutaneous radiofrequency thermal ablation of primary and metastatic hepatic tumors: current concepts and review of the literature. 2006 , 23, 73-84		7
510	The treatment of primary and metastatic hepatic neoplasms using percutaneous cryotherapy. 2006 , 23, 39-46		6
509	Colorectal liver metastases: current and future perspectives. 2006 , 2, 525-31		32
508	Cryoablation of liver tumours -- a review of mechanisms, techniques and clinical outcome. 2006 , 15, 9-17		54
507	Liver and Biliary Tract Surgery. 2006 ,		4
506	Technical aspects and feasibility of laparoscopic ultrasound navigation in radiofrequency ablation of unresectable hepatic malignancies. 2007 , 17, 53-7		11
505	Severe complications of radiofrequency ablation therapy for hepatocellular carcinoma: an analysis of 3,891 ablations in 2,614 patients. 2007 , 72 Suppl 1, 72-5		88
504	Sequential activation of multiple grounding pads reduces skin heating during radiofrequency tumor ablation. 2007 , 23, 555-66		13
503	Liver transplantation for solitary hepatocellular carcinoma less than 3 cm in diameter in Child A cirrhosis. 2007 , 25, 334-40		5
502	[Percutaneous, laparoscopic and open surgical radiofrequency ablation of malignant liver lesions]. 2007 , 132, 293-9		2
501	Percutanous and intraoperative ultrasound-guided radiofrequency ablation of hepatic tumours. 2007 , 28, 181-8		7
500	Interventionelle Verfahren zur Therapie von Lebertumoren. 2007 , 42, 249-258		0

499	Trajectory optimization for the planning of percutaneous radiofrequency ablation of hepatic tumors. 2007 , 12, 82-90	38
498	Percutaneous radiofrequency ablation of hepatic tumors against the diaphragm: frequency of diaphragmatic injury. 2007 , 243, 877-84	77
497	Creation and establishment of a respiratory liver motion simulator for liver interventions. 2007 , 34, 4605-8	11
496	Imaging guided percutaneous irreversible electroporation: ultrasound and immunohistological correlation. 2007 , 6, 287-94	186
495	Role of intraoperative thermoablation combined with resection in the treatment of hepatic metastasis from colorectal cancer. 2007 , 142, 1087-92	55
494	Bloodless laparoscopic liver resection using radiofrequency thermal energy in the porcine model. 2007 , 17, 22-5	6
493	Preoperative RFA simulation for liver cancer using a CT virtual ultrasound system. 2007 , 61, 324-31	19
492	Bleeding after percutaneous radiofrequency ablation: Successful treatment with transcatheter embolization. 2007 , 61, 351-5	10
491	Radiofrequency ablation permits an effective treatment for colorectal liver metastasis. 2007 , 33, 67-71	110
490	Improving laser-induced thermotherapy of liver metastases--effects of arterial microembolization and complete blood flow occlusion. 2007 , 33, 608-15	20
489	Morbidity and mortality of laparoscopic vs. open radiofrequency ablation for hepatic malignancies. 2007 , 33, 603-7	15
488	Factors that influence treatment strategies in advanced colorectal cancer. 2007 , 33 Suppl 2, S88-94	14
487	Seeding following percutaneous diagnostic and therapeutic approaches for hepatocellular carcinoma. What is the risk and the outcome? Seeding risk for percutaneous approach of HCC. 2007 , 33, 437-47	248
486	[Radiofrequency thermal ablation of liver tumors]. 2007 , 36, 1127-34	2
485	Microbubbles in the pulmonary artery generated during experimental hepatic radiofrequency ablation is correlated with increased pulmonary arterial pressure. 2007 , 18, 437-42	6
484	CT-guided instillation of 5% dextrose in water into the anterior pararenal space before renal radiofrequency ablation in a porcine model: positive and negative effects. 2007 , 18, 1561-9	15
483	Experimental and clinical radiofrequency ablation: proposal for standardized description of coagulation size and geometry. 2007 , 14, 1381-96	53
482	Clinicopathologic study of small hepatocellular carcinoma with microscopic satellite nodules to determine the extent of tumor ablation by local therapy. 2007 ,	4

481	Ablação por radiofrequência de tumores hepáticos primários e metastáticos: experiência em 113 casos. 2007 , 20, 38-44	
480	Thermal therapy, Part III: ablation techniques. 2007 , 35, 37-121	87
479	Local radiofrequency ablation techniques for liver metastases of colorectal cancer. 2007 , 62, 153-63	8
478	Design and development of adapters for electromagnetic trackers to perform navigated laparoscopic radiofrequency ablation. 2007 , 1, 7	2
477	Radiofrequency ablation prior to liver transplantation: focus on complications and on a rare but severe case. 2008 , 22, 20-8	11
476	Percutaneous tumor ablation or surgical resection for small hepatocellular carcinoma?. 2007 , 22, 1561-4	2
475	Obesity did not diminish the efficacy of percutaneous ablation for hepatocellular carcinoma. 2007 , 27, 360-7	7
474	Japanese experience in ablation therapies for hepatocellular carcinoma. 2007 , 37 Suppl 2, S223-9	5
473	Surgical therapy of liver metastases. 2007 , 34, 177-85	32
472	Cost of radiofrequency ablation in the treatment of hepatic malignancies. 2007 , 31, 828-35	8
471	Duodenopleural fistula formation after percutaneous radiofrequency ablation for recurrent hepatocellular carcinoma. 2007 , 30, 278-82	6
470	Comparison between local ablative therapy and chemotherapy for non-resectable colorectal liver metastases: a prospective study. 2007 , 14, 1161-9	50
469	Evaluation of an online navigation system for laparoscopic interventions in a perfused ex vivo artificial tumor model of the liver. 2007 , 9, 190-4	10
468	(18)F-FDG PET/CT visualisation of tumor seeding after percutaneous radiofrequency ablation of metastases. 2007 , 34, 305	2
467	Hemobilia after radiofrequency ablation of hepatocellular carcinoma. 2007 , 32, 719-24	19
466	Development of a perfused ex vivo tumor-mimic model for the training of laparoscopic radiofrequency ablation. 2007 , 21, 1745-9	21
465	Percutaneous ultrasound-guided radiofrequency ablation of hepatocellular carcinoma with artificially induced pleural effusion and ascites. 2007 , 42, 306-11	79
464	Reply. 2008 , 32, 1900-1900	

463	Systemic therapy of hepatocellular carcinoma: are we making progress?. 2008 , 25, 1089-104	61
462	The modern use of radiofrequency energy in surgery, endoscopy and interventional radiology. 2008 , 40, 204-210	22
461	Intrahepatic dissemination of hepatocellular carcinoma after local ablation therapy. 2008 , 15, 589-95	35
460	Radiofrequency ablation versus resection for resectable colorectal liver metastases: time for a randomized trial?. 2008 , 15, 144-57	115
459	Real time monitoring of radiofrequency ablation based on MR thermometry and thermal dose in the pig liver in vivo. 2008 , 18, 408-16	47
458	Foreign body granuloma mimicking disseminated tumour recurrence after radiofrequency ablation for hepatocellular carcinoma. 2008 , 28, 414-5	3
457	Intraductal chilled saline perfusion to prevent bile duct injury during percutaneous radiofrequency ablation for hepatocellular carcinoma. 2008 , 23, e410-5	38
456	Radiofrequency ablation of hepatic tumors: lessons learned from 3000 procedures. 2008 , 23, 1492-500	36
455	Bimodal electric tissue ablation: positive electrode studies. 2008 , 78, 568-72	8
454	Clinical trial: percutaneous acetic acid injection vs. percutaneous ethanol injection for small hepatocellular carcinoma--a long-term follow-up study. 2008 , 28, 304-11	17
453	Sequential activation of a segmented ground pad reduces skin heating during radiofrequency tumor ablation: optimization via computational models. 2008 , 55, 1881-9	12
452	Safety and efficacy of radiofrequency ablation for periductal hepatocellular carcinoma with intraductal cooling of the central bile duct. 2008 , 207, e1-5	13
451	Risk factors of survival after percutaneous radiofrequency ablation of hepatocellular carcinoma. 2008 , 17, 23-31	28
450	Influence of approach on outcome in radiofrequency ablation of liver tumors. 2008 , 17, 295-9	14
449	Laparoscopic radiofrequency ablation of hepatocellular carcinoma: A critical review from the surgeon's perspective. 2008 , 11, 1-7	9
448	Radiofrequency ablation versus resection for resectable colorectal liver metastases: time for a randomized trial? An update. 2008 , 25, 445-60	114
447	The role of imaging in the pre-operative staging and post-operative follow-up of rectal cancer. 2008 , 6, 222-31	31
446	Traitement local des métastases hépatiques de tumeurs endocrines. 2008 , 233-248	0

445	Tumeurs endocrines thoraciques et digestives. 2008,	2
444	Bimodal electric tissue ablation-long term studies of morbidity and pathological change. 2008, 148, 251-9	10
443	Percutaneous radiofrequency ablation for the treatment of hepatocellular carcinoma in the caudate lobe. 2008, 34, 166-72	34
442	Hypofractionated stereotactic radiotherapy with and without transarterial chemoembolization for small hepatocellular carcinoma not eligible for other ablation therapies: Preliminary results for efficacy and toxicity. 2008, 38, 60-9	54
441	Radiofrequency Ablation of Hepatocellular Carcinoma. 2008, 16, 272-284	4
440	Bilobar colorectal liver metastases: treatment options. 2008, 17, 553-68, ix	15
439	Unusual complication of percutaneous radiofrequency thermal ablation of hepatic tumor: the split electrode. 2008, 19, 625-6	
438	Effect of artificial ascites on thermal injury to the diaphragm and stomach in radiofrequency ablation of the liver: experimental study with a porcine model. 2008, 190, 1659-64	21
437	Complications of laser ablation for hepatocellular carcinoma: a multicenter study. 2008, 246, 947-55	49
436	Planning sonography to assess the feasibility of percutaneous radiofrequency ablation of hepatocellular carcinomas. 2008, 190, 1324-30	76
435	Subcapsular liver tumors treated with percutaneous radiofrequency ablation: a prospective comparison with nonsubcapsular liver tumors for safety and effectiveness. 2008, 248, 670-9	61
434	Radiofrequency ablation of liver adjacent to body of gallbladder: histopathologic changes of gallbladder wall in a pig model. 2008, 190, 418-25	18
433	Laparoscopic US-guided radiofrequency ablation of unresectable hepatocellular carcinoma in liver cirrhosis: feasibility and clinical outcome. 2008, 18, 797-801	17
432	Radiofrequency ablation of hepatic metastases from thyroid carcinoma. 2008, 18, 1105-10	49
431	Hepatic Abscess After Combined Surgical Resection and Radiofrequency Ablation of Metastatic Colon Adenocarcinoma. 2008, 16, 69-72	
430	Liver resection with a new multiprobe bipolar radiofrequency device. 2008, 143, 396-401; discussion 401	31
429	Risk factors for the local recurrence of hepatocellular carcinoma after single-session percutaneous radiofrequency ablation with a single electrode insertion. 2009, 2, 89-95	11
428	Interventionelle nichtchirurgische Therapie von Lebermetastasen. 2008, 24, 200-206	

427	Radiofrequency ablation with hand-assisted laparoscopic surgery for the treatment of hepatocellular carcinoma in the caudate lobe. 2008 , 18, 272-6	20
426	Analysis of patients with tumor seeding after percutaneous radiofrequency ablation of hepatocellular carcinoma. 2008 , 1, 851-5	7
425	Perineural air injection as a means of prevention of thermal injury of the sciatic nerve during radio frequency ablation: a preliminary experimental study in rabbits. 2008 , 27, 1221-7	5
424	Diaphragmatic Hernia Occurring 15 Months after Percutaneous Radiofrequency Ablation of a Hepatocellular Cancer. 2008 , 74, 129-132	15
423	Radiofrequency ablation for hepatocellular carcinoma. 2009 , 27, 23-26	
422	Percutaneous management of a bronchobiliary fistula after radiofrequency ablation in a patient with hepatocellular carcinoma. 2009 , 10, 411-5	29
421	Thermal ablation produced using a surgical toroidal high-intensity focused ultrasound device is independent from hepatic inflow occlusion. 2009 , 54, 6353-68	22
420	Sequential activation of ground pads reduces skin heating during radiofrequency ablation: initial in vivo porcine results. 2009 , 2009, 4287-90	2
419	Multifocal gastrointestinal leiomyomas. 2009 , 104, 2639-41	
418	Management of biliobronchial fistula with octreotide: a case report. 2009 , 104, 2638-9	1
417	Visceral fat accumulation is an independent risk factor for hepatocellular carcinoma recurrence after curative treatment in patients with suspected NASH. 2009 , 58, 839-44	94
416	Percutaneous radiofrequency ablation of hepatocellular carcinomas: factors related to intraprocedural and postprocedural pain. 2009 , 192, 1064-70	31
415	New Agents [Manifold Consequences: The Management of Lung and Colorectal Cancer is Changing. 2009 , 5, 1-19	
414	Percutaneous radiofrequency ablation of hepatocellular carcinoma in 14 patients undergoing regular hemodialysis for end-stage renal disease. 2009 , 193, 964-9	11
413	Malignant liver tumors: treatment with percutaneous microwave ablation--complications among cohort of 1136 patients. 2009 , 251, 933-40	260
412	Percutaneous radiofrequency ablation of hepatocellular carcinoma: assessment of safety in patients with ascites. 2009 , 193, W424-9	9
411	Meta-analysis of percutaneous radiofrequency ablation versus ethanol injection in hepatocellular carcinoma. 2009 , 9, 31	106
410	Hepatocellular Carcinoma. 2009 ,	

409	Local ablative therapies in HCC: percutaneous ethanol injection and radiofrequency ablation. 2009 , 27, 148-56	28
408	Radiofrequency ablation for 110 malignant liver tumours: preliminary results on percutaneous and surgical approaches. 2009 , 32, 13-20	27
407	Percutaneous thermal ablation of medium and large hepatocellular carcinoma: long-term outcome and prognostic factors. 2009 , 115, 1914-23	122
406	Tumor ablation therapy of liver cancers with an open magnetic resonance imaging-based navigation system. 2009 , 23, 1048-53	27
405	Surgical resection versus radiofrequency ablation for small hepatocellular carcinomas within the Milan criteria. 2009 , 16, 359-66	97
404	Tolerance of radiofrequency ablation by patients of hepatocellular carcinoma. 2009 , 16, 655-60	17
403	Image-guided percutaneous ablation therapies for hepatocellular carcinoma. 2009 , 44 Suppl 19, 122-31	26
402	Boundary element numerical method for the electric field generated by oblique multi-needle electrodes. 2009 , 52, 189-197	2
401	Percutaneous microwave ablation of liver cancer adjacent to the gastrointestinal tract. 2009 , 13, 318-24	33
400	Extension of hepatic necrosis secondary to current arcing to surgical clips: a potential complication of radiofrequency ablation. 2009 , 34, 491-3	2
399	Open surgical is superior to percutaneous access for radiofrequency ablation of hepatic metastases. 2009 , 33, 804-11	31
398	Delayed development of pneumothorax after pulmonary radiofrequency ablation. 2009 , 32, 484-90	13
397	Efficacy of laparoscopic radiofrequency ablation for hepatocellular carcinoma compared to percutaneous radiofrequency ablation with artificial ascites. 2009 , 21, 82-6	22
396	Pilot study for a new bipolar radiofrequency ablation/aspirator device in the management of primary and secondary liver cancers. 2009 , 29, 824-30	8
395	Lyso-thermosensitive liposomal doxorubicin: a novel approach to enhance efficacy of thermal ablation of liver cancer. 2009 , 10, 333-43	147
394	Radiofrequency ablation of the liver abutting stomach: in vivo comparison of gastric injury before and after intragastric saline administration in a porcine model. 2009 , 72, 154-9	3
393	Adverse events after radiofrequency ablation of unresectable liver tumors: a single-center experience. 2009 , 198, 76-82	7
392	Hepatic resection versus radiofrequency ablation for hepatocellular carcinoma in cirrhotic individuals not candidates for liver transplantation: a Markov model decision analysis. 2009 , 198, 396-406	63

391	Colorectal Cancer. 2009 ,	1
390	Multislice CT. <i>Medical Radiology</i> , 2009 ,	0.2 8
389	Imaging after radiofrequency ablation of hepatic tumors. 2009 , 30, 49-66	28
388	Interventional Oncology. 2009 , 159-264	1
387	Two cases of needle-tract seeding after percutaneous radiofrequency ablation for lung cancer. 2009 , 20, 415-8	40
386	Endoscopic radiofrequency ablation in colorectal cancer: initial clinical results of a new bipolar radiofrequency ablation device. 2009 , 52, 355-8	16
385	Peritoneal Metastases. 2009 , 1104-1124	
384	Two cases of hepatocellular carcinoma located adjacent to the Glisson's capsule treated by laparoscopic radiofrequency ablation with intraductal chilled saline perfusion through an endoscopic nasobiliary drainage tube. 2010 , 20, e189-92	7
383	Patterns of referral and resection among patients with liver-only metastatic colorectal cancer (MCRC). 2010 , 17, 3085-93	36
382	A trucut biopsy needle for bipolar radiofrequency ablation of needle tract: a proof-of-concept experiment. 2010 , 20, 2000-4	4
381	Liver ablation techniques: a review. 2010 , 24, 254-65	44
380	Myoglobinuria after laparoscopic radiofrequency ablation of liver tumors. 2010 , 14, 664-7	6
379	Sequential activation of ground pads reduces skin heating during radiofrequency tumor ablation: in vivo porcine results. 2010 , 57, 746-53	6
378	Hepatic resection versus radiofrequency ablation for very early stage hepatocellular carcinoma: a Markov model analysis. 2010 , 51, 1284-90	184
377	Thermoablation of colorectal liver metastasis. 2010 , 101, 699-705	10
376	Survival and cost-effectiveness analysis of competing strategies in the management of small hepatocellular carcinoma. 2010 , 16, 1186-94	44
375	Renal effects of microwave ablation compared with radiofrequency, cryotherapy and surgical resection at different volumes of the liver treated. 2010 , 30, 1305-14	19
374	Endoscopic management of biliocutaneous fistula after percutaneous radiofrequency ablation therapy for hepatocellular carcinoma. 2010 , 22, 53-5	1

373	Hemorrhagic complications of percutaneous radiofrequency ablation for liver tumors. 2010 , 44, 374-80	46
372	[Intraoperative radiofrequency ablation of liver metastases: age of reason]. 2010 , 97, 91-6	
371	Radiofrequency ablation for hepatocellular carcinoma: updated review in 2010. 2010 , 78 Suppl 1, 113-24	117
370	Local ablation for hepatocellular carcinoma in Taiwan: different points between Japan, Asia and West. 2010 , 78 Suppl 1, 102-6	5
369	Biloma formation after radiofrequency ablation of hepatocellular carcinoma: incidence, imaging features, and clinical significance. 2010 , 195, 1131-6	44
368	Ablation of liver metastases: current status. 2010 , 21, S214-22	27
367	Radiofrequency ablation of liver tumors: a novel needle perfusion technique enhances efficiency. 2010 , 159, 532-7	6
366	Bacterial translocation in a rat model of large volume hepatic radiofrequency ablation. 2010 , 161, 250-8	9
365	Life-threatening hyperkalemia during radiofrequency ablation of hepatocellular carcinoma. 2010 , 22, 473-6	3
364	Cryotherapy of the liver: a histological review. 2010 , 61, 1-9	5
363	Prevention of biliary complication in radiofrequency ablation for hepatocellular carcinoma-Cooling effect by endoscopic nasobiliary drainage tube. 2010 , 73, 385-90	47
362	Ultrasonography-guided percutaneous radiofrequency ablation of hepatocellular carcinomas: a feasibility scoring system for planning sonography. 2010 , 75, 253-8	30
361	A case-control study comparing percutaneous radiofrequency ablation alone or combined with transcatheter arterial chemoembolization for hepatocellular carcinoma. 2010 , 36, 257-63	49
360	Microwave ablation for unresectable hepatic tumours: clinical results using a novel microwave probe and generator. 2010 , 36, 264-8	40
359	Pringle maneuver exacerbates systemic inflammatory response and multiple-organ injury induced by extended liver radiofrequency ablation. 2011 , 30, 1855-64	14
358	Radiofrequency ablation of hepatocellular carcinoma. 2011 , 20, 281-99, viii	23
357	Planning and follow-up after ablation of hepatic tumors: imaging evaluation. 2011 , 20, 301-15, viii	6
356	[Stereotactic body radiation therapy (SBRT) in the treatment of liver metastases: state of the art]. 2011 , 15, 72-6	7

355	Radiofrequency ablation of large size liver tumours using novel plan-parallel expandable bipolar electrodes: initial clinical experience. 2011 , 77, 167-71	23
354	A comparison of microwave ablation and bipolar radiofrequency ablation both with an internally cooled probe: results in ex vivo and in vivo porcine livers. 2011 , 79, 124-30	134
353	Ultrasound-guided microwave ablation of hepatocellular carcinoma: Initial institutional experience. 2011 , 42, 343-349	2
352	Newly designed flexible electrode for laparoscopic radiofrequency ablation: ex vivo and in vivo comparative studies with needle electrode in a porcine liver as technical study. 2011 , 168, 88-96	3
351	Clinical features and risk factors of extrahepatic seeding after percutaneous radiofrequency ablation for hepatocellular carcinoma. 2011 , 41, 738-45	37
350	[Abscesso-colonic fistula following radiofrequency ablation therapy for hepatocellular carcinoma; a case successfully treated with histoacryl embolization]. 2011 , 58, 270-4	9
349	Assisted hepatic resection using a toroidal HIFU device: an in vivo comparative study in pig. 2011 , 38, 1769-78	19
348	Complications of intraoperative radiofrequency ablation of liver metastases. 2011 , 13, 15-23	19
347	Laparoscopic treatment of liver tumours using a two-needle probe bipolar radiofrequency ablation device. 2011 , 13, 656-64	8
346	Which is more cost-effective under the MELD system: primary liver transplantation, or salvage transplantation after hepatic resection or after loco-regional therapy for hepatocellular carcinoma within Milan criteria?. 2011 , 13, 783-91	22
345	Intrahepatic bile duct dilatation after percutaneous radiofrequency ablation for hepatocellular carcinoma: impact on patient's prognosis. 2011 , 31, 197-205	20
344	Experimental application of electrolysis in the treatment of liver and pancreatic tumours: principles, preclinical and clinical observations and future perspectives. 2011 , 20, 106-20	16
343	Needle-tract seeding after percutaneous cryoablation for lung metastasis of colorectal cancer. 2011 , 92, e69-71	12
342	Pringle maneuver deteriorates gut barrier dysfunction induced by extended-liver radiofrequency ablation. 2011 , 56, 1548-56	10
341	A prognostic model and treatment strategy for intrahepatic recurrence of hepatocellular carcinoma after curative resection. 2011 , 35, 170-7	39
340	Radiofrequency ablation versus surgical resection for hepatocellular carcinoma in Childs A cirrhotics-a retrospective study of 1,061 cases. 2011 , 15, 311-20	61
339	Radiofrequency ablation versus resection for liver tumours: an evidence-based approach to retrospective comparative studies. 2011 , 15, 378-87	28
338	Therapeutic efficacy of combined intraoperative ablation and resection for colorectal liver metastases: an international, multi-institutional analysis. 2011 , 15, 336-44	28

337	Radiofrequency ablation for postoperative recurrences of intrahepatic cholangiocarcinoma. 2011 , 23, 295-300	21
336	Conformal radiofrequency ablation of hepatocellular carcinoma with a multi-pin bipolar system. 2011 , 103, 69-74	8
335	Radiofrequency ablation of high-grade dysplastic nodules. 2011 , 54, 2005-11	10
334	Tract seeding following radiofrequency ablation for hepatocellular carcinoma: prevention, detection, and management. 2011 , 28, 187-92	9
333	Radiofrequency ablation complicated by skin burn. 2011 , 28, 179-82	30
332	Distant infusion of saline may enlarge coagulation volume during radiofrequency ablation of liver tissue using cool-tip electrodes without impairing predictability. 2011 , 196, W837-43	17
331	Feasible temperature of percutaneous microwave ablation of dog liver abutting the bowel. 2011 , 27, 124-31	8
330	Radiofrequency ablation of hepatocellular carcinoma: a literature review. 2011 , 2011, 104685	62
329	Improving Outcomes with Surgical Resection and Other Ablative Therapies in HCC. 2011 , 2011, 686074	9
328	Lyso-thermosensitive liposomal doxorubicin: an adjuvant to increase the cure rate of radiofrequency ablation in liver cancer. 2011 , 7, 937-45	90
327	Radiofrequency ablation for hepatocellular carcinoma: use of low vs maximal radiofrequency power. 2012 , 85, e102-9	9
326	Radiofrequency ablation of thyroid nodules: basic principles and clinical application. 2012 , 2012, 919650	83
325	Complications encountered in the treatment of benign thyroid nodules with US-guided radiofrequency ablation: a multicenter study. 2012 , 262, 335-42	209
324	Percutaneous ultrasound-guided thermal ablation for intrahepatic cholangiocarcinoma. 2012 , 85, 1078-84	50
323	Effectiveness, safety, and local progression after percutaneous laser ablation for hepatocellular carcinoma nodules up to 4 cm are not affected by tumor location. 2012 , 199, 1393-401	42
322	Boundary Element Numerical Method for Electric Potential Generated by Oblique Five-Needle Electrodes. 2012 , 263-266, 25-29	
321	Ablation of perivascular hepatic malignant tumors with irreversible electroporation. 2012 , 215, 379-87	207
320	Placement of a sodium hyaluronate solution onto the liver surface as a supportive procedure for radiofrequency ablation of hepatocellular carcinomas located on the liver surface: a preliminary report. 2012 , 23, 1639-1645.e1	4

319	Short-term outcomes of ablation therapy for hepatic tumors: evidence from the 2006-2009 nationwide inpatient sample. 2012 , 19, 3677-86	7
318	Application Boundary Element Approach to Compute the Potential of the Oblique Nine-Needle Electrodes. 2012 , 627, 417-421	
317	Heat shock protein 70 expression following hepatic radiofrequency ablation is affected by adjacent vasculature. 2012 , 173, 249-57	20
316	Percutaneous microwave coagulation for eradication of VX2 tumors subcutaneously in rabbits. 2012 , 10, 97	6
315	Prolonged antibiotic prophylaxis in patients with bilioenteric anastomosis undergoing percutaneous radiofrequency ablation. 2012 , 23, 545-51	30
314	Tolerance of high-intensity focused ultrasound ablation in patients with hepatocellular carcinoma. 2012 , 36, 2420-7	39
313	Stereotactic radiofrequency ablation of unresectable intrahepatic cholangiocarcinomas: a retrospective study. 2012 , 35, 1074-82	46
312	Radiofrequency ablation of benign thyroid nodules and recurrent thyroid cancers: consensus statement and recommendations. 2012 , 13, 117-25	217
311	Stereotactic radiofrequency ablation (SRFA) of liver lesions: technique effectiveness, safety, and interoperator performance. 2012 , 35, 570-80	42
310	Recurrent hepatocellular carcinoma successfully treated with laparoscopic thermal ablation. 2012 , 26, 1108-15	5
309	Complications of radiofrequency ablation for hepatocellular carcinoma in a multicenter study: An analysis of 16 346 treated nodules in 13 283 patients. 2012 , 42, 1058-64	69
308	Interventional radiological treatment of hepatocellular carcinoma: an update. 2012 , 74, 91-9	13
307	Microwave ablation of liver metastases to overcome the limitations of radiofrequency ablation. 2013 , 118, 949-61	47
306	Clinical evaluation of a new technique to monitor return electrode skin temperature during radiofrequency ablation. 2013 , 36, 307-14	1
305	Radiofrequency ablation in gastrointestinal cancer: obstacles and goals. 2013 , 6, 212-214	0
304	Percutaneous radiofrequency ablation versus partial hepatectomy for small centrally located hepatocellular carcinoma. 2013 , 37, 602-7	16
303	[Radiofrequency ablation of hepatocellular carcinoma]. 2013 , 163, 132-6	7
302	Case-control study of the RFA therapeutic effect of newly developed 4D US and conventional 2D US. 2013 , 40, 39-46	1

301	Locoregional surgical and interventional therapies for advanced colorectal cancer liver metastases: expert consensus statements. 2013 , 15, 119-30	67
300	Hepatitis B virus reactivation after radiofrequency ablation or hepatic resection for HBV-related small hepatocellular carcinoma: a retrospective study. 2013 , 39, 865-72	42
299	Percutaneous radiofrequency ablation of hepatocellular lesions in segment II of the liver: a risk factor for cardiac tamponade. 2013 , 25, 587-90	6
298	Successful percutaneous radiologic management of renal cell carcinoma tumor seeding caused by percutaneous biopsy performed before ablation. 2013 , 24, 1404-8	18
297	Diaphragmatic necrosis after radiofrequency ablation of hepatocellular carcinoma: a successful surgical repair. 2013 , 37, e59-63	8
296	First-line radiofrequency ablation with or without artificial ascites for hepatocellular carcinomas in a subcapsular location: local control rate and risk of peritoneal seeding at long-term follow-up. 2013 , 68, e641-51	36
295	Interventional oncology in the elderly: complications and early response in liver and kidney malignancies. 2013 , 4, 58-63	3
294	[Treatment of liver metastases of colorectal carcinoma: overview of hyperthermal ablation methods]. 2013 , 138, 792-8	8
293	[Diagnosis of and therapy for hepatocellular carcinoma]. 2013 , 51, 1269-326	67
292	The Stability and the Computed Speed of Boundary Element Numerical Method for Electric Field Intensity Generated by Oblique Hundred-Needle Electrodes. 2013 , 437, 249-252	
291	Boundary Element Numerical Method for Electric Field Intensity Generated by Oblique Twelve - Needle Electrodes in Biological Tissue. 2013 , 655-657, 1935-1938	
290	Use of radiofrequency ablation in benign thyroid nodules: a literature review and updates. 2013 , 2013, 428363	35
289	Radiofrequency ablation of liver metastases from colorectal cancer: a literature review. 2013 , 7, 1-6	58
288	Application Boundary Element Approach to Compute the Electric Field Intensity of the Oblique Four-Needle Electrodes. 2013 , 694-697, 1425-1429	
287	The Stability and the Computed Speed of the Boundary Element Numerical Method for Electric Potential Generated by Oblique Hundred - Needle Electrodes. 2013 , 415, 479-482	
286	Percutaneous radiofrequency ablation versus surgical radiofrequency ablation for malignant liver tumours: the long-term results. 2013 , 15, 595-601	20
285	Skin burns associated with radiofrequency catheter ablation of cardiac arrhythmias. 2013 , 36, 764-7	5
284	Survival analysis of high-intensity focused ultrasound ablation in patients with small hepatocellular carcinoma. 2013 , 15, 567-73	29

283	Radiofrequency ablation for hepatocellular carcinoma. 2013 , 29, 558-68	55
282	Vasoconstriction by electrical stimulation: new approach to control of non-compressible hemorrhage. 2013 , 3, 2111	16
281	Radiofrequency ablation: technical and clinical long-term outcomes for single hepatocellular carcinoma up to 30 mm. 2013 , 25, 842-9	19
280	Recent advance of local ablation for hepatocellular carcinoma. 2013 , 56, 964	1
279	Complications of radiofrequency ablation of hepatic tumors: Frequency and risk factors. 2014 , 6, 107-13	47
278	Comparative analysis of Laparoscopic versus open surgical radiofrequency ablation for malignant liver tumors. 2014 , 18, 122-8	7
277	The diagnosis and treatment of hepatocellular carcinoma. 2014 , 111, 101-6	57
276	Transcatheter arterial chemoembolization combined with radiofrequency ablation delays tumor progression and prolongs overall survival in patients with intermediate (BCLC B) hepatocellular carcinoma. 2014 , 14, 849	55
275	Microwave ablation of the liver abutting the stomach: insulating effect of a chitosan-based thermosensitive hydrogel. 2014 , 30, 126-33	12
274	Interventionelle Therapie und stereotaktische Strahlentherapie von Lebermetastasen. 2014 , 10, 263-278	
273	[Advances, limitations and prospects of oncological liver surgery]. 2014 , 139, 203-11	1
272	Hospital-based, acute care encounters after radiofrequency ablation of hepatic tumours. 2014 , 16, 845-51	1
271	Cost-effectiveness of navigated radiofrequency ablation for hepatocellular carcinoma in China. 2014 , 30, 400-8	2
270	Vessel patency post irreversible electroporation. 2014 , 37, 1523-9	86
269	The pilot experience upon surgical ablation of large liver tumor by microwave system with tissue permittivity feedback control mechanism. 2014 , 14, 82	7
268	Hepatocellular carcinoma: preclinical data on a dual-lumen catheter kit for fibrin sealant infusion following loco-regional treatments. 2014 , 9, 39	4
267	Unintended thermal injuries from radiofrequency ablation: organ protection with an angioplasty balloon catheter in an animal model. 2014 , 4, 1	11
266	Salvage treatment for local recurrence of hepatocellular carcinoma after local ablation therapy. 2014 , 44, E335-45	20

265	ERCP-directed radiofrequency ablation and photodynamic therapy are associated with comparable survival in the treatment of unresectable cholangiocarcinoma. 2014 , 80, 794-804	83
264	A critical analysis of postoperative morbidity and mortality after laparoscopic radiofrequency ablation of liver tumors. 2014 , 21, 1834-40	11
263	Destruction loco-régionale des métastases hépatiques d'origine colorectale. Place de la radiofréquence. 2014 , 151, S34-S46	
262	Various complications of percutaneous radiofrequency ablation for hepatic tumors: radiologic findings and technical tips. 2014 , 55, 1082-92	12
261	Liver radiofrequency ablation compromises the biological gut barrier. 2014 , 33, 64-73	2
260	Patterns of complications following intraoperative radiofrequency ablation for liver metastases. 2014 , 16, 1002-8	7
259	Multipolar radiofrequency ablation with non-touch technique for hepatocellular carcinoma \geq 3 cm: A preliminary report. 2014 , 1, 80-85	10
258	Vascular and interventional radiology radiofrequency ablation of benign thyroid nodules and recurrent thyroid cancers: literature review. 2014 , 119, 512-20	34
257	Complete radiofrequency ablation of hepatolithiasis-associated cholangiocarcinoma and successful management of post-ablation bronchobiliary fistula. 2014 , 68, 555-9	9
256	Prediction of aggressiveness in early-stage hepatocellular carcinoma for selection of surgical resection. 2014 , 60, 1219-24	31
255	Irreversible electroporation for nonthermal tumor ablation in the clinical setting: a systematic review of safety and efficacy. 2014 , 25, 997-1011; quiz 1011	278
254	Radiofrequency ablation for colorectal liver metastases. 2014 , 151 Suppl 1, S33-44	13
253	MDCT assessment of HCC patient after radiofrequency ablation among Egyptian population: Preliminary experience. 2014 , 45, 409-415	
252	Infectious complications in combined colon resection and ablation of colorectal liver metastases. 2015 , 210, 1185-90; discussion 1190-1	4
251	Nonsystemic Treatment of Liver Metastases from Neuroendocrine Tumor. 2015 , 273-281	
250	Optical coherence tomography-guided laser microsurgery for blood coagulation with continuous-wave laser diode. 2015 , 5, 16739	7
249	Radiofrequency ablation of unresectable colorectal liver metastases: trends in management and outcome during a decade at a single center. 2015 , 4, 2058460115580877	2
248	Percutaneous hepatic radiofrequency for hepatocellular carcinoma: results and outcome of 46 patients. 2015 , 7, 21-7	7

247	Current status and future of radiofrequency ablation for hepatocellular carcinoma. 2015 , 58, 542	2
246	An evaluation of the protective effect of an infusion of chilled glucose solution on thermal injury of the bile ducts caused by radiofrequency ablation of the liver. 2015 , 30, 34-45	3
245	Use of transient elastography to predict de novo recurrence after radiofrequency ablation for hepatocellular carcinoma. 2015 , 8, 347-56	18
244	Radiofrequency ablation of hepatocellular carcinoma in difficult locations: Strategies and long-term outcomes. <i>World Journal of Gastroenterology</i> , 2015 , 21, 1554-66	5.6 33
243	GEP-NETS update: Interventional radiology: role in the treatment of liver metastases from GEP-NETS. 2015 , 172, R151-66	83
242	Intraductal Cooling via a Nasobiliary Tube During Radiofrequency Ablation of Central Liver Tumors Reduces Biliary Injuries. 2015 , 204, 1329-35	10
241	Attack of the Clone: HCC Tract Seeding Following RFA. 2015 , 5, 262-3	1
240	Complications after Radiofrequency Ablation of 233 Hepatic Tumors. 2015 , 89, 332-6	5
239	Antibiotics in interventional radiology. 2015 , 70, 223-34	23
238	Hepatisch metastasiertes kolorektales Karzinom. 2015 , 21, 69-82	0
237	Characterization of the biliary tract by virtual ultrasonography constructed by gadolinium ethoxybenzyl diethylenetriamine pentaacetic acid-enhanced magnetic resonance imaging. 2015 , 42, 185-93	2
236	Thermal ablation of colorectal liver metastases: a position paper by an international panel of ablation experts, The Interventional Oncology Sans Frontières meeting 2013. 2015 , 25, 3438-54	177
235	Early hemodynamic effects after extended liver radiofrequency ablation. 2015 , 195, 204-10	1
234	[Targeted radiological therapy of liver tumors]. 2015 , 55, 43-7	1
233	Is Antibiotic Prophylaxis for Percutaneous Radiofrequency Ablation (RFA) of Primary Liver Tumors Necessary? Results From a Single-Center Experience. 2015 , 38, 922-8	13
232	Long-term outcomes and prognostic analysis of radiofrequency ablation for small hepatocellular carcinoma: 10-year follow-up in Chinese patients. 2015 , 32, 77	22
231	Hepatocellular carcinoma and liver metastases: clinical data on a new dual-lumen catheter kit for surgical sealant infusion to prevent perihepatic bleeding and dissemination of cancer cells following biopsy and loco-regional treatments. 2015 , 10, 11	15
230	Initial institutional experience of uncooled single-antenna microwave ablation for large hepatocellular carcinoma. 2015 , 70, e35-40	9

229	A case of hepatocellular carcinoma treated by radiofrequency ablation confirming the adjacent major bile duct under hybrid contrast mode through a biliary drainage catheter. 2015 , 8, 318-22	2
228	Radiofrequency ablation versus transarterial chemoembolization for unresectable solitary hepatocellular carcinomas sized 5-8 cm. 2015 , 17, 226-31	10
227	Prevention and management of infectious complications of percutaneous interventions. 2015 , 32, 78-88	18
226	Needle Tract Seeding Following Irreversible Electroporation (IRE) of Metastatic Colorectal Carcinoma to the Liver. 2015 , 38, 1349-51	6
225	Complete Ischemic Necrosis of Segment IV After Radiofrequency Ablation With Hilar Clamping. 2015 , 93, 473-475	
224	Complete ischemic necrosis of segment IV after radiofrequency ablation with hilar clamping. 2015 , 93, 473-5	
223	Safety and Efficacy of Ultrasound-Guided Radiofrequency Ablation of Recurrent Colorectal Cancer Liver Metastases after Hepatectomy. 2015 , 104, 169-75	19
222	Multipolar radiofrequency ablation for colorectal liver metastases close to major hepatic vessels. 2015 , 13, 77-82	16
221	Microwave Ablation Treatment of Solid Tumors. 2015 ,	3
220	Spontaneous resolution of asymptomatic hepatic pseudoaneurysm post radiofrequency ablation. 2016 , 2, 20150306	2
219	Angled Cool-Tip Electrode for Radiofrequency Ablation of Small Superficial Subcapsular Tumors in the Liver: A Feasibility Study. 2016 , 17, 742-9	6
218	Bridging and downstaging therapy in patients suffering from hepatocellular carcinoma waiting on the list of liver transplantation. 2016 , 1, 34	14
217	Incidence and Factors Predicting Skin Burns at the Site of Indifferent Electrode during Radiofrequency Catheter Ablation of Cardiac Arrhythmias. 2016 , 2016, 5265682	3
216	Thermal Radiofrequency Ablation as an Adjuvant Therapy for Patients With Colorectal Liver Metastasis. 2016 , 23, 219-28	2
215	Radiofrequency ablation of hepatocellular carcinoma: Mono or multipolar?. 2016 , 31, 654-60	21
214	Treatments for colorectal liver metastases: A new focus on a familiar concept. 2016 , 108, 154-163	25
213	Copper chelation by trientine dihydrochloride inhibits liver RFA-induced inflammatory responses in vivo. 2016 , 65, 1009-1020	9
212	Hepatobiliary Cancer. 2016 , 960-976.e4	0

211	Dysgonomonas capnocytophagoides bacteremia due to liver abscesses after radiofrequency ablation in a patient with hepatocellular carcinoma. 2016 , 115, 889-890	6
210	A case report of hepatocellular carcinoma adjacent to hepatic biloma successfully treated by stereotactic body radiation therapy. 2016 , 57, 17-26	
209	Stereotactic Radiofrequency Ablation for Metastatic Melanoma to the Liver. 2016 , 39, 1128-35	24
208	Cryoablation of Hepatocellular Carcinoma with High-Risk for Percutaneous Ablation: Safety and Efficacy. 2016 , 39, 1447-54	24
207	Optimizing treatment of hepatic metastases from colorectal cancer: Resection or resection plus ablation?. 2016 , 48, 1280-9	8
206	Safety and Efficacy of Transarterial Chemoembolization Combined with CT-Guided Radiofrequency Ablation for Hepatocellular Carcinoma Adjacent to the Hepatic Hilum within Milan Criteria. 2016 , 27, 487-95	3
205	Peri-RFA Care and Management of Complications. 2016 , 53-59	
204	Radiofrequency Ablation for Small Hepatocellular Carcinoma. 2016 ,	3
203	Embolization for Bleeding after Hepatic Radiofrequency Ablation. 2017 , 28, 356-365.e2	3
202	Survival following redo hepatectomy vs radiofrequency ablation for recurrent hepatocellular carcinoma: a systematic review and meta-analysis. 2017 , 19, 3-9	23
201	Safety and Efficacy of Percutaneous Microwave Hepatic Ablation Near the Heart. 2017 , 28, 490-497	18
200	Risk Factors for Bile Duct Injury After Percutaneous Thermal Ablation of Malignant Liver Tumors: A Retrospective Case-Control Study. 2017 , 62, 1086-1094	9
199	Defining the Optimal Use of Ablation for Metastatic Colorectal Cancer to the Liver Without High-Level Evidence. 2017 , 18, 8	6
198	Early complications after percutaneous radiofrequency ablation for hepatocellular carcinoma: an analysis of 1,843 ablations in 1,211 patients in a single centre: experience over 10 years. 2017 , 72, 692.e9-692.e13	13
197	CT-guided versus laparoscopic radiofrequency ablation in recurrent small hepatocellular carcinoma against the diaphragmatic dome. 2017 , 7, 44583	14
196	Cost-effectiveness of Stereotactic Body Radiation Therapy versus Radiofrequency Ablation for Hepatocellular Carcinoma: A Markov Modeling Study. 2017 , 283, 460-468	23
195	Toxicity of Liver-Directed Therapies for Hepatocellular Carcinoma. 2017 , 01, 121-137	
194	Novel Simulation Device for Targeting Tumors in Laparoscopic Ablation: A Learning Curve Study. 2017 , 24, 492-498	2

193	Radiofrequency ablation of liver tumors. 2017 , 1436-1447.e3	2
192	Real-time US-CT/MR fusion imaging for percutaneous radiofrequency ablation of hepatocellular carcinoma. 2017 , 66, 347-354	68
191	Reduced microperfusion due to portal vein thrombosis: Impact on the outcome of percutaneous thermal tumor ablation. 2017 , 67, 383-388	1
190	CT-Guided Tumor Ablation. <i>Medical Radiology</i> , 2017 , 945-956	0.2
189	Clinical outcomes of laparoscopic radiofrequency ablation of single primary or recurrent hepatocellular carcinoma (≥ cm). 2017 , 92, 355-360	8
188	Immune and Inflammatory Responses of the Intestinal Mucosa following Extended Liver Radiofrequency Ablation. 2017 , 2017, 3450635	5
187	A Case of needle-tract implantation of hepatocellular carcinoma in the ovary after radiofrequency ablation. 2017 , 32, 251	1
186	Needle track seeding after radiofrequency ablation for hepatocellular carcinoma: prevalence, impact, and management challenge. 2017 , 4, 23-27	18
185	Laparoscopic Repair of Diaphragmatic Perforation with Colonic Herniation Following Hepatic Radiofrequency Ablation: A Case Report. 2017 , 07,	
184	Liver Abscess Formation after Radiofrequency Ablation of Hepatocellular Carcinoma. 2017 , 77, 229	
183	Multidisciplinary approach of colorectal cancer liver metastases. 2017 , 8, 190-202	32
182	Integrating interventional oncology in the treatment of liver tumors. 2018 , 50, 117-124	14
181	Does the Site of the Primary Affect Outcomes When Ablating Colorectal Liver Metastases with Radiofrequency Ablation?. 2018 , 41, 912-919	12
180	Safety and Efficacy of Percutaneous Thermal Ablation of Juxta-Cardiac Hepatic Tumours. 2018 , 41, 920-927	6
179	Thermal ablation of hepatocellular carcinoma in patients with abnormal coagulation function. 2018 , 34, 1038-1043	3
178	Impact of surveillance for hepatocellular carcinoma on survival in patients with compensated cirrhosis. 2018 , 68, 78-88	28
177	Bronchobiliary fistula following radiofrequency ablation for liver metastases from breast cancer: A case report and literature review. 2018 , 97, e12760	4
176	Liver Resection or Resection plus Intraoperative Echo-Guided Ablation in the Treatment of Colorectal Metastases: We are Evaluating Their Effect for Cure. 2018 , 84, 1509-1517	

175	No-Touch Radiofrequency Ablation of VX2 Hepatic Tumors in Rabbits: A Proof of Concept Study. 2018 , 19, 1099-1109	4
174	Post Locoregional Therapy Treatment Imaging in Hepatocellular Carcinoma Patients: A Literature-based Review. 2018 , 6, 189-197	14
173	Massive hematemesis after radiofrequency ablation of metastatic liver tumor with successful hemostasis achieved through transarterial embolization. 2018 , 51, 192-195	3
172	CT-guided percutaneous radiofrequency ablation for lung neoplasms adjacent to the pericardium. 2018 , 122, 25-31	8
171	Recent Advances in the Image-Guided Tumor Ablation of Liver Malignancies: Radiofrequency Ablation with Multiple Electrodes, Real-Time Multimodality Fusion Imaging, and New Energy Sources. 2018 , 19, 545-559	31
170	2017 Thyroid Radiofrequency Ablation Guideline: Korean Society of Thyroid Radiology. 2018 , 19, 632-655	219
169	HEPATECTOMY FOR PYOGENIC LIVER ABSCESS TREATMENT: EXCEPTION APPROACH?. 2018 , 31, e1394	2
168	Liver Ablation. 2018 , 397-403	1
167	Ablation in Primary Liver Tumors. 2019 , 03, 107-116	
166	A Review on Curability of Cancers: More Efforts for Novel Therapeutic Options Are Needed. 2019 , 11,	24
165	Tumor Ablation Using 3-Dimensional Electromagnetic-Guided Ultrasound Versus Standard Ultrasound in a Porcine Model. 2019 , 26, 420-426	3
164	Impact of concomitant ablation on the perioperative outcomes of patients with colorectal liver metastases undergoing hepatectomy: a propensity score matched nationwide analysis. 2019 , 21, 1079-1086	4
163	Does artificial ascites induce heat sink effect or electricity steal effect in the radiofrequency ablation of superficial liver tumor?. 2019 , 6, 141-143	
162	The Role of Interventional Radiology and Image-Guided Ablation in Primary Liver Cancer. 2019 , 109-122	
161	Percutaneous ethanol ablation of intrahepatic arterial pseudoaneurysm: A case report. 2019 , 47, 235-238	
160	Goals and targets for personalized therapy for HCC. 2019 , 13, 125-137	167
159	Radiofrequency ablation following artificial ascites and pleural effusion creation may improve outcomes for hepatocellular carcinoma in high-risk locations. 2019 , 44, 1141-1151	13
158	Efficacy and Safety of Deep Sedation in Percutaneous Radiofrequency Ablation for Hepatocellular Carcinoma. 2019 , 36, 344-354	1

157	Liver Cancers. 2019 ,	1
156	Feasibility, safety, and long-term efficacy of stereotactic radiofrequency ablation for tumors adjacent to the diaphragm in the hepatic dome: a case-control study. 2020 , 30, 950-960	11
155	Stereotactic radiofrequency ablation of primary liver tumors in the caudate lobe. 2020 , 22, 470-478	7
154	Complications after Radiofrequency Ablation for Hepatocellular Carcinoma: A Multicenter Study Involving 9,411 Japanese Patients. 2020 , 9, 50-62	24
153	Radiofrequency ablation-induced thermal cutaneous injury in a neonate: A potential complication after intrauterine radiofrequency ablation. 2020 , 37, 1189-1190	
152	Bilious pleuritis due to hepatic microwave ablation: Two illustrative cases and literature review. 2020 , 99, e22763	
151	Predictors of Occlusion of Hepatic Blood Vessels after Irreversible Electroporation of Liver Tumors. 2020 , 31, 2033-2042.e1	3
150	Diaphragmatic hernia: a rare complication of hepatic ablation. 2020 , 65, 103-106	1
149	Factors Associated With Local Tumor Control and Complications After Thermal Ablation of Colorectal Cancer Liver Metastases: A 15-year Retrospective Cohort Study. 2021 , 20, e82-e95	19
148	Outcome of Laparoscopic Assisted Percutaneous Microwave Ablation for Exophytic Versus Non-exophytic Hepatocellular Carcinoma. 2021 , 52, 892-898	1
147	Development and Validation of a Nomogram for Differentiating Combined Hepatocellular Cholangiocarcinoma From Intrahepatic Cholangiocarcinoma. 2020 , 10, 598433	4
146	Thermal ablation—An option in curative treatment of HCC. 2020 , 13, 207-211	0
145	Role of thermal ablation in the management of colorectal liver metastasis. 2020 , 9, 49-58	31
144	Laparoscopic thermoablation for hepatocellular carcinoma in patients with liver cirrhosis: an effective procedure for tricky tumors. 2020 , 37, 32	7
143	Stereotactic body radiation therapy vs. radiofrequency ablation in Asian patients with hepatocellular carcinoma. 2020 , 73, 121-129	50
142	Stereotactic radiofrequency ablation (SRFA) for recurrent colorectal liver metastases after hepatic resection. 2021 , 47, 866-873	8
141	Safety and efficacy of percutaneous radiofrequency ablation for hepatocellular carcinoma patients with haemophilia. 2021 , 27, 100-107	1
140	Biliary cooling during radiofrequency ablation of liver tumours close to central biliary tree: A systematic review and pooled analysis. 2021 , 47, 743-747	

139	Frequency and risk factors for major complications after stereotactic radiofrequency ablation of liver tumors in 1235 ablation sessions: a 15-year experience. 2021 , 31, 3042-3052		7
138	Comparative Analysis of Radiofrequency Ablation and Microwave Ablation for Critically Located Hepatocellular Carcinomas Smaller than 5 cm. 2021 , 5, 22-28		
137	Diaphragmatic Hernia after Radiofrequency Ablation. 2021 , 11,		1
136	Advanced Techniques in the Percutaneous Ablation of Liver Tumours. 2021 , 11,		9
135	Laparoscopic repair of diaphragmatic hernia after radiofrequency ablation for hepatocellular carcinoma: Case report. 2021 , 81, 105728		1
134	Percutaneous Argon-Helium Cryoablation for Small Hepatocellular Carcinoma Located Adjacent to a Major Organ or Viscus: A Retrospective Study of 92 Patients at a Single Center. 2021 , 27, e931473		1
133	Bibliometric Analysis of Global Research Trends on Ultrasound Microbubble: A Quickly Developing Field. 2021 , 12, 646626		8
132	A review on radiofrequency, microwave and high-intensity focused ultrasound ablations for hepatocellular carcinoma with cirrhosis. 2021 , 10, 193-209		5
131	High-intensity focused ultrasound ablation of liver tumors in difficult locations. 2021 , 38, 56-64		4
130	Microwave ablation for peribiliary hepatocellular carcinoma: propensity score analyses of long-term outcomes. 2021 , 38, 191-201		2
129	The surgical approach for radiofrequency ablation of liver tumors. <i>Recent Results in Cancer Research</i> , 2006 , 167, 53-68	1.5	4
128	Radiofrequency Ablation. 2008 , 7-20		2
127	Radiofrequency Ablation (RFA). <i>Medical Radiology</i> , 2008 , 179-196	0.2	2
126	Hepatocellular Carcinoma, Gallbladder Cancer, and Cholangiocarcinoma. <i>Medical Radiology</i> , 221-243	0.2	1
125	Percutaneous Microwave Ablation with Temperature Monitor Combined with Ethanol Ablation for Hepatocellular Carcinoma Abutting the Gastrointestinal Tract. 2015 , 109-120		1
124	Radiofrequency ablation for liver tumors. 2012 , 1398-1408.e2		1
123	Efficacy and Safety of Percutaneous Argon-Helium Cryoablation for Hepatocellular Carcinoma Abutting the Diaphragm. 2020 , 31, 393-400.e1		7
122	Progrès dans la chirurgie d'excision des métastases hépatiques des cancers colorectaux. 2003 , 187, 863-879		1

121	Switching Monopolar No-Touch Radiofrequency Ablation Using Octopus Electrodes for Small Hepatocellular Carcinoma: A Randomized Clinical Trial. 2021 , 10, 72-81		3
120	Assessment of hepatocellular carcinoma treatment response with LI-RADS: a pictorial review. 2019 , 10, 121		18
119	Bronchobiliary fistula after ramucirumab treatment for advanced gastric cancer: A case report. <i>World Journal of Clinical Cases</i> , 2019 , 7, 3039-3046	1.6	1
118	Postoperative neutrophil-to-lymphocyte ratio change predicts survival of patients with small hepatocellular carcinoma undergoing radiofrequency ablation. <i>PLoS ONE</i> , 2013 , 8, e58184	3.7	93
117	Clinical practice guidelines for the management of metastatic colorectal cancer: a consensus statement of the Hellenic Society of Medical Oncologists (HeSMO). 2016 , 29, 390-416		7
116	Historical changes of hospitalization in patients with hepatocellular carcinoma considering for clinical path preparation. 2007 , 54, 124-32		1
115	Double radiofrequency ablation is more extensive with a spherical zone shape compared to single ablation in a pig liver model. 2007 , 54, 28-34		4
114	A patient who developed diaphragmatic hernia one year after percutaneous radiofrequency ablation for hepatocellular carcinoma. 2007 , 48, 458-462		4
113	Efficacy and Safety of Microwave Ablation (MWA) for Hepatocellular Carcinoma (HCC) in Difficult Anatomical Sites in Egyptian Patients with Liver Cirrhosis. 2019 , 20, 295-301		8
112	Thermal Ablation Using Microwave Coagulation Therapy (MCT) and Radiofrequency Ablation (RFA) for Hepatocellular Carcinoma. 2007 , 23, 123-131		4
111	Major complications after radiofrequency ablation for liver tumors: analysis of 255 patients. <i>World Journal of Gastroenterology</i> , 2009 , 15, 2651-6	5.6	75
110	Hepatocellular carcinoma treated with interventional procedures: CT and MRI follow-up. <i>World Journal of Gastroenterology</i> , 2004 , 10, 3543-8	5.6	49
109	Rapid progression of hepatocellular carcinoma after Radiofrequency Ablation. <i>World Journal of Gastroenterology</i> , 2004 , 10, 1137-40	5.6	120
108	Outcome of transarterial chemoembolization in patients with inoperable hepatocellular carcinoma eligible for radiofrequency ablation. <i>World Journal of Gastroenterology</i> , 2005 , 11, 4465-71	5.6	30
107	Therapeutic effectiveness of echo-guided percutaneous radiofrequency ablation therapy with a LeVeen needle electrode in hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2006 , 12, 1098-104	5.6	21
106	A case of biliary gastric fistula following percutaneous radiofrequency thermal ablation of hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2007 , 13, 804-5	5.6	12
105	Effectiveness of impedance monitoring during radiofrequency ablation for predicting popping. <i>World Journal of Gastroenterology</i> , 2012 , 18, 5870-8	5.6	16
104	Role of liver biopsy in hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2019 , 25, 6041-6052	5.6	33

103	Percutaneous Image-guided Radiofrequency Ablation of Tumors in Inoperable Patients - Immediate Complications and Overall Safety. 2016 , 22, 67-73	4
102	Radiofrequency ablation of surface v/s intraparenchymal hepatocellular carcinoma in cirrhotic patients. 2017 , 27, 496-502	7
101	Current status of radiofrequency ablation of hepatocellular carcinoma. 2010 , 2, 128-36	23
100	Surgically treated diaphragmatic perforation after radiofrequency ablation for hepatocellular carcinoma. 2017 , 9, 281-287	7
99	Needle track seeding following percutaneous procedures for hepatocellular carcinoma. 2009 , 1, 62-6	19
98	Colorectal hepatic metastasis: Evolving therapies. 2014 , 6, 453-63	10
97	Radiofrequency ablation of hepatocellular carcinoma: Current status. 2010 , 2, 417-24	70
96	Radiofrequency ablation of hepatocellular carcinoma: pros and cons. 2010 , 4 Suppl 1, S113-8	50
95	Why total knees fail-A modern perspective review. 2018 , 9, 60-64	50
94	Efficacy of radiofrequency ablation of hepatocellular carcinoma associated with chronic liver disease without cirrhosis. 2008 , 5, 327-32	15
93	Hepatocellular carcinoma tumor thrombus entering the right atrium treated with combining percutaneous and intravenous high-dose-rate brachytherapy: a case report. 2021 , 4, 71	1
92	Apport de la radiologie interventionnelle dans le traitement des mēastases hēpatiques des cancers colorectaux (Embolisation portale pr'opřatoire [Radiofrēquence percutanē]). 2003 , 187, 835-845	
91	Forefront of radiofrequency ablation treatment of hepatic cancer. 7. Side effect and complication of radiofrequency ablation.. 2005 , 46, 195-199	4
90	Cryoablation and Other Invasive and Noninvasive Ablative Renal Procedures. 2005 , 59-70	
89	Forefront of radiofrequency ablation treatment of hepatic cancer. 4. Therapeutic effect and long-term prognosis.. 2005 , 46, 179-184	6
88	Ablation for Hepatocellular Carcinoma. 2005 , 322-331	
87	Acute Hepatic Failure Following Radiofrequency Ablation for a Large Hepatocarcinoma in a Man with Hepatic Cirrhosis. 2006 , 26, 277-280	1
86	Lokoregionēle Therapie von primēen Lebertumoren. 2006 , 937-957	

85 Surgery of Liver Tumors. **2006**, 1169-1178

84 2 Cases of Extrahepatic Lesion After Radiofrequency Ablation Therapy for Hepatocellular Carcinoma. **2006**, 47, 252-257

2

83 Radiofrequency Ablation. **2006**, 26, 281-288

82 Ablation of Liver Tumors. **2007**, 1269-1297

0

81 Radiofrequency and Hepatic Tumors. **2007**, 113-121

80 Skin Burn after Laparoscopic Radiofrequency Thermal Ablation for Uterine Myoma - A case report - **2007**, 52, 224

79 Electricity-based RFA method for the liver tumors. **2007**, 25, 93-97

78 Radio Frequency and Microwave Ablation. **2007**, 265-308

77 SURVEILLANCE AND TREATMENT OF RECURRENCE IN COLORECTAL CANCER. **2008**, 1263-1300

76 De Gruyter. **2008**, 80,

75 Energy Transfer in the Practice of Surgery. **2008**, 2345-2354

0

74 Hepatocellular carcinoma: future perspectives. **2008**, 241-258

73 Unexplained liver laceration after metastasis radiofrequency ablation. *World Journal of Gastroenterology*, **2009**, 15, 5103-5

5.6 1

72 Radiofrequency Ablation of Hepatocellular Carcinoma. **2009**, 421-451

1

71 A case of liver cancer progressed rapidly with the change of enhanced- pattern after percutaneous radiofrequency ablation. **2009**, 50, 96-102

70 Colorectal Liver Metastases: Radiofrequency Ablation. **2009**, 445-460

69 ??????????????????????????????. **2009**, 27, 85-92

68 Image-Guided Interventions: CT Emphasis. **2009**, 2411-2644

- 67 Local Ablation Therapy. **2009**, 104-113
- 66 Kryotherapie. **2010**, 328-330
- 65 Cryoablation-Induced Anti-Cancer Immune ReactionImmune Reaction Induced By Cryoablation. **2011**, 02, 135-139 1
- 64 Hepatobiliary Cancer. **2012**, 959-974
- 63 Percutaneous methods for ablating liver tumors: Overview. **2012**, 1376-1388.e3
- 62 A Case of Bronchobiliary Fistula as a Complication of Radiofrequency Ablation. **2012**, 72, 228 1
- 61 Thoracoscopic radiofrequency ablation for the treatment of hepatocellular carcinoma over the last decade. **2012**, 30, 207-211 1
- 60 Bright side and dark side of thermal ablation for hepatocellular carcinoma. **2012**, 30, 109-117
- 59 A Case of Needle-Track Implantation of Hepatocellular Carcinoma in the Chest Wall after Laparoscopic Radiofrequency Ablation. **2012**, 82, 326
- 58 Interventional Oncology. **2013**, 205-362
- 57 A Case of Diaphragmatic Hernia Occurred 19 Months after Percutaneous Radiofrequency Ablation. **2013**, 74, 2745-2750 3
- 56 Two Cases of Diaphragmatic Hernia following Percutaneous Radiofrequency Ablation for Hepatocellular Carcinoma. **2013**, 74, 2128-2133 4
- 55 Radiofrequency Ablation of Hepatic Metastasis. **2013**, 383-404
- 54 A case of laparoscopic diaphragmatic hernia repair done post radiofrequency ablation. **2013**, 74, 906-911 3
- 53 Percutaneous Radiofrequency Ablation of Hepatocellular Carcinoma against the Diaphragm: Is Artificial Ascites Necessary?. **2014**, 04, 32-43
- 52 Incarcerated Diaphragmatic Hernia as a Late Complication of Radiofrequency Ablation for Hepatocellular Carcinoma. **2014**, 75, 2156-2160 3
- 51 A Delayed Hepatico-colonic Fistula after Radiofrequency Ablation in Hepatocellular Carcinoma. **2014**, 86, 722
- 50 Percutaneous Ultrasound-Guided Microwave Ablation of Liver Metastasis. **2015**, 29-40 1

49	Short-Term Outcomes of Liver Resection. 2016 , 83-94		
48	Intestinal Necrosis Caused by Incarcerated Diaphragmatic Hernia Following Percutaneous Radiofrequency Ablation Therapy for Hepatocellular Carcinoma. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2016 , 41, 121-126	0	2
47	Radiofrequency Ablation-Associated Delayed Diaphragmatic Hernia Treated with the Thoracolaparotomy Approach: A Case Report. 2016 , 05, 541-547		
46	Percutaneous Radiofrequency Ablation. 2016 , 85-96		
45	Hepatisch metastasiertes kolorektales Karzinom. 2016 , 67-77		
44	Characterization of the biliary tract by virtual ultrasonography constructed by gadolinium ethoxybenzyl diethylenetriamine pentaacetic acid-enhanced magnetic resonance imaging. 2017 , 44, 167-174		
43	A Resected Case of Retroperitoneal Metastasis from Hepatocellular Carcinoma. 2018 , 79, 2490-2494		
42	Incarcerated Diaphragmatic Hernia as a Late Complication of Radiofrequency Ablation for Hepatocellular Carcinoma. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2018 , 43, 23-29	0	1
41	COMBINED MODALITY TREATMENT FOR PATIENTS WITH INOPERABLE COLORECTAL LIVER METASTASES. <i>Siberian Journal of Oncology</i> , 2018 , 17, 34-40	0.3	2
40	Comparative safety review of the current therapies for gastroenteropancreatic neuroendocrine tumors. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 321-334	4.1	2
39	A Case of Incarcerated Diaphragmatic Hernia with Obstructive Jaundice after Radiofrequency Ablation. <i>Japanese Journal of Gastroenterological Surgery</i> , 2020 , 53, 968-975	0.1	
38	Clinical Efficacy of Liver Tumor Biopsy With Radiofrequency Ablation of the Puncture Route Using a Co-access Needle.. <i>Cancer Diagnosis & Prognosis</i> , 2021 , 1, 411-416		
37	Procedure terapeutiche. 2008 , 25-48		
36	Liver metastases. <i>Recent Results in Cancer Research</i> , 2006 , 167, 79-89	1.5	1
35	Symptomatic Hemangiomas, Adenomas. 2008 , 165-166		
34	Basics of Radiofrequency Tissue Ablation. 2006 , 421-422		
33	Radiofrequency Ablation of Liver Colorectal Metastases. 2006 , 423-432		
32	CT-Guided Tumor Ablation. <i>Medical Radiology</i> , 2009 , 551-558	0.2	

31 Radiofrequency Ablation (RFA). **2008**, 129-138

30 Radiofrequency Ablation (RFA). **2008**, 145-151

29 Symptomatic Hemangiomas, Adenomas. **2008**, 165-166

28 Gastrointestinal tract injuries after thermal ablative therapies for hepatocellular carcinoma: A case report and review of the literature. *World Journal of Gastroenterology*, **2020**, 26, 5375-5386 5.6 0

27 Imaging of Treated Liver Tumors and Assessment of Tumor Response to Cytostatic Therapy and Post-Treatment Changes in the Liver. *Medical Radiology*, **2021**, 349-373 0.2

26 Thermal tumor ablation therapy for colorectal cancer hepatic metastasis. *Journal of Gastrointestinal Oncology*, **2012**, 3, 69-77 2.8 14

25 Surgical approaches for liver metastases in carcinoid tumors. *Gland Surgery*, **2015**, 4, 442-6 2.2 5

24 Skin Burn at the Site of Indifferent Electrode after Radiofrequency Catheter Ablation of AV Node for Atrial Fibrillation. *Journal of Atrial Fibrillation*, **2008**, 1, 88 0.8 1

23 Infectious complications related to radiofrequency ablation of liver tumors: The role of antibiotics. *PLoS ONE*, **2021**, 16, e0259641 3.7 0

22 Modularized Electrosurgical System With a Hybrid CPU-FPGA Chip for Real-Time Thermal Lesion Approximation. *IEEE Transactions on Instrumentation and Measurement*, **2022**, 71, 1-10 5.2

21 Radiofrequency Ablation (RFA). **2008**, 129-138

20 Radiofrequency Ablation (RFA). **2008**, 145-151

19 Radiofrequency Ablation. **2008**, 7-20

18 Radiofrequency Ablation (RFA). **2008**, 179-196

17 Image_1.tif. **2020**,

16 Image_2.tif. **2020**,

15 Image_3.tif. **2020**,

14 Table_1.docx. **2020**,

13 Table_2.docx. **2020**,

12 Table_3.docx. **2020**,

11 Table_4.docx. **2020**,

10 Laparoscopic repair of diaphragmatic hernia associating with radiofrequency ablation for hepatocellular carcinoma: A case report. *World Journal of Clinical Cases*, **2022**, 10, 7020-7028 1.6

9 Locoregional approaches to colorectal liver metastasis ablation. **2023**, 179-190

8 Liver Abscess Formation After Laparoscopic Radiofrequency Ablation of Metastatic Colon Cancer. **2022**,

7 Analysis of Infectious Complications after Thermal Ablation of Hepatocellular Carcinoma and the Impact on Long-Term Survival. **2022**, 14, 5198 ○

6 Needle tract seeding following percutaneous irreversible electroporation for hepatocellular carcinoma. **2022**, 15, e251880 ○

5 Reliability of Stereotactic Radiofrequency Ablation (SRFA) for Malignant Liver Tumors: Novice versus Experienced Operators. **2023**, 12, 175 ○

4 One-Step Method in Creation of Artificial Ascites. **2022**, 30, 287 ○

3 Lessons in IR: Track Metastasis after Percutaneous Ablation of Hepatocellular Carcinoma. **2023**, ○

2 Laparoscopic Repair and Relief of Obstruction of a Diaphragmatic Hernia after Percutaneous Radiofrequency Ablation: A Case Report. **2022**, 47, 66-75 ○

1 A case of hemoperitoneum after percutaneous radiofrequency ablation in a patient with hepatocellular carcinoma. ○