

CITATION REPORT

List of articles citing

Development of validated stability-indicating assay methods--critical review

DOI: 10.1016/s0731-7085(02)00047-x

Journal of Pharmaceutical and Biomedical Analysis,
2002, 28, 1011-40.

Source: <https://exaly.com/paper-pdf/34664355/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
503	The ICH guidance in practice: stress decomposition studies on three piperaziny quinazoline adrenergic receptor-blocking agents and comparison of their degradation behaviour. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2003 , 31, 775-83	3.5	13
502	Pharmaceutical and related drugs. 2003 , 75, 2907-18		13
501	Stability control of senna leaves and senna extracts. 2004 , 70, 432-6		26
500	Development of an HPLC Stability-Indicating Assay for 1-(2-Thienylethyl)-4-imidazole-2-thione. 2004 , 27, 2189-2199		1
499	LC/MS for the degradation profiling of cough-cold products under forced conditions. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 35, 1035-45	3.5	35
498	HPLC study of glimepiride under hydrolytic stress conditions. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 36, 205-9	3.5	32
497	ICH guidance in practice: establishment of inherent stability of secnidazole and development of a validated stability-indicating high-performance liquid chromatographic assay method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 36, 769-75	3.5	17
496	Validated specific HPLC methods for determination of prazosin, terazosin and doxazosin in the presence of degradation products formed under ICH-recommended stress conditions. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004 , 34, 19-26	3.5	35
495	Reversed Phase Stationary Phases in Pharmaceutical Sciences. 2004 , 27, 1353-1376		2
494	Recent Developments of Achiral HPLC Methods in Pharmaceuticals Using Various Detection Modes. 2004 , 27, 1237-1316		9
493	Safety and efficacy: the role of chemistry, manufacturing, and controls in pharmaceutical drug development. 2004 , 30, 247-57		5
492	References Part I. 2005 , 213-226		
491	Development of a gas chromatography method for the determination of isotretinoin and its degradation products in pharmaceuticals. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 38, 678-85	3.5	12
490	A validated stability-indicating HPLC with photodiode array detector (PDA) method for the stress tests of <i>Monascus purpureus</i> -fermented rice, red yeast rice. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 39, 82-90	3.5	24
489	A validated stability indicating ion-pair RP-LC method for zoledronic acid. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 39, 781-90	3.5	27
488	LC Determination of Ritonavir, a HIV Protease Inhibitor, in Soft Gelatin Capsules. 2005 , 62, 589-593		13
487	. 2005 ,		105

486	Simultaneous Determination of Bifonazole and Tinctures of Calendula Flower in Pharmaceutical Creams by Reversed-Phase Liquid Chromatography. 2005 , 88, 1649-1654	2
485	Evaluation of an HPLC Stability-Indicating Assay for Bulk 2-[4-(1-Hydroxy-4-(4-(hydroxydiphenylmethyl)-1-piperidiny)-butyl)-phenyl]-2-methylpropionic Acid. 2005 , 28, 659-668	2
484	6 HPLC method development. 2005 , 6, 145-190	3
483	Development of a Validated Stability Indicating HPLC Method for Ranitidine Hydrochloride Syrup. 2006 , 23, 35-51	7
482	Structure elucidation of new compounds from acidic treatment of the progestins gestodene and drospirenone. 2006 , 71, 745-50	3
481	. 2006 ,	23
480	Electromigration Separation Techniques in Pharmaceutical Analysis. 351-371	
479	Stability-indicating high-performance thin-layer chromatographic determination of levonorgestrel and ethinyloestradiol in bulk drug and in low-dosage oral contraceptives. 2006 , 572, 237-42	18
478	A stability indicating assay method for cefuroxime axetil and its application to analysis of tablets exposed to accelerated stability test conditions. 2006 , 1119, 209-15	25
477	Influence of sodium metabisulfite and glutathione on the stability of vitamin C in O/W emulsion and extemporaneous aqueous gel. 2006 , 322, 130-5	17
476	Stress degradation studies on ezetimibe and development of a validated stability-indicating HPLC assay. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 41, 1037-40	3-5 102
475	A Validated Chiral HPLC Method for the Determination of Enantiomeric Purity of R- α -amino- α -(4-methoxyphenyl) Propionic Acid. 2006 , 65, 81-84	4
474	Discovery pharmaceuticals--challenges and opportunities. 2006 , 8, E402-8	40
473	Forced-degradation study of valdecoxib as bulk drug and in tablet formulation by HPTLC. 2006 , 29, 1647-52	11
472	Role of HPLC During Formulation Development. 2006 , 679-734	
471	12 HPLC method development in early phase pharmaceutical development. 2007 , 353-371	2
470	Stability-indicating HPTLC determination of rivastigmine in the bulk drug and in pharmaceutical dosage forms. 2007 , 20, 457-461	7
469	High-performance thin-layer chromatographic determination of etoricoxib in the bulk drug and in pharmaceutical dosage form. 2007 , 20, 335-339	6

468	Stability-indicating HPTLC determination of imatinib mesylate in bulk drug and pharmaceutical dosage form. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 722-6	3.5	21
467	Rapid quantification of malondialdehyde in plasma by high performance liquid chromatography-visible detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 43, 619-24	3.5	24 ⁰
466	Validated stability-indicating methods for determination of cilostazol in the presence of its degradation products according to the ICH guidelines. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007 , 45, 407-16	3.5	21
465	HPLC separation technique for analysis of bufuralol enantiomers in plasma and pharmaceutical formulations using a vancomycin chiral stationary phase and UV detection. 2007 , 856, 328-36		18
464	A Rapid Stability-Indicating LC Method for Ziprasidone Hydrochloride. 2007 , 65, 191-196		16
463	Stability-Indication LC Determination of Entacapone in Tablets. 2007 , 65, 595-599		20
462	Validated Chiral LC Method for the Enantiomeric Separation of β -Amino- α -(3-Methoxyphenyl) Propionic Acid. 2007 , 66, 243-246		
461	A Stability-Indicating LC Method for Candesartan Cilexetil. 2007 , 66, 499-507		23
460	Quantitative determination of anti-tumor agent bis(4-fluorobenzyl)trisulfide, fluorapacin and its pharmaceutical preparation by high-performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 46, 206-10	3.5	5
459	Liquid chromatography/mass spectrometric studies on atorvastatin and its stress degradation products. 2008 , 22, 613-22		42
458	Validated stability-indicating HPLC method for the determination of pridinol mesylate. Kinetics study of its degradation in acid medium. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 1151-60	3.5	13
457	Mass balance in rapamycin autoxidation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008 , 48, 1368-74	3.5	6
456	Monitoring of fosinopril sodium impurities by liquid chromatography-mass spectrometry including the neural networks in method evaluation. 2008 , 1189, 366-73		8
455	Stability indicating validated HPLC method for quantification of levothyroxine with eight degradation peaks in the presence of excipients. 2008 , 360, 77-82		28
454	Stress Degradation Studies on Dutasteride and Development of a Stability-Indicating HPLC Assay Method for Bulk Drug and Pharmaceutical Dosage Form. 2008 , 67, 841-845		13
453	Development of a Validated Stability-Indicating LC Method for Nitazoxanide in Pharmaceutical Formulations. 2008 , 67, 131-136		10
452	Stress Degradation Studies on Tadalafil and Development of a Validated Stability-Indicating LC Assay for Bulk Drug and Pharmaceutical Dosage Form. 2008 , 67, 183-188		14
451	Development of a New Analytical Method for Determination of Related Components in Nateglinide. 2008 , 67, 639-645		4

450	Chromatographic Behavior of Fosinopril Sodium and Fosinoprilat Using Neural Networks. 2008 , 67, 123-127	2
449	Development and Validation of a New Analytical Method for the Determination of Related Components in Tolterodine Tartarate Using LC. 2008 , 68, 399-407	12
448	A Stability Indicating LC Method for Amtolmetin Guacyl. 2008 , 68, 567-577	3
447	A Stability Indicating LC Method for Vardenafil HCl. 2008 , 68, 829-835	7
446	Stress Degradation Behavior of Desipramine Hydrochloride and Development of Suitable Stability-Indicating LC Method. 2008 , 68, 919-926	2
445	Dried blood spots as a source of anti-malarial antibodies for epidemiological studies. 2008 , 7, 195	165
444	Stability-indicating HPTLC determination of capsaicin in the bulk drug. 2008 , 21, 271-275	4
443	A simple and sensitive stability-indicating RP-HPLC assay method for the determination of aceclofenac. 2008 , 46, 440-4	30
442	LC and LC-MS study on establishment of degradation pathway of glipizide under forced decomposition conditions. 2008 , 46, 510-7	12
441	Separation and Determination of Clenbuterol by HPLC Using a Vancomycin Chiral Stationary Phase. 2009 , 92, 824-829	11
440	Pharmacokinetic Development of a Sensitive and Stereoselective HPLC Method for the Analysis of Pindolol in Plasma and Pharmaceutical Products Using a Chiralpak IB Column and Fluorescence Detection. 2009 , 77, 47-66	1
439	Study of forced degradation behavior of eletriptan hydrobromide by LC and LC-MS and development of stability-indicating method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 622-9	3.5 19
438	LC and LC-MS/MS study of forced decomposition behavior of anastrozole and establishment of validated stability-indicating analytical method for impurities estimation in low dose anastrozole tablets. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 397-404	3.5 10
437	A validated stability-indicating RP-HPLC method for levofloxacin in the presence of degradation products, its process related impurities and identification of oxidative degradant. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 710-7	3.5 30
436	Development and validation of a stability-indicating RP-LC method for famciclovir. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 797-802	3.5 8
435	A stability-indicating HPLC assay with diode array detection for the determination of a benzylpenicillin prodrug in aqueous solutions. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009 , 50, 841-6	3.5 13
434	Stability-Indicating TLC Method for the Determination of Dutasteride in Pharmaceutical Dosage Forms. 2009 , 70, 309-313	4
433	Forced Degradation Study to Develop and Validate Stability-Indicating RP-LC for Quantification of Ropinirole Hydrochloride in Its Modified Release Tablets. 2009 , 69, 199-206	10

432	Development and Validation of a Novel Stability-Indicating LC Method for the Determination of Riluzole in Bulk Drug and Tablets. 2009 , 69, 513-517	6
431	A Validated, Specific, Stability-Indicating RP-LC Method for Analysis of Gatifloxacin in the Presence of Degradation Products and Process-Related Impurities. 2009 , 69, 985-992	5
430	A Validated Stability Indicating LC Method for Mitotane in Bulk Drugs and Pharmaceutical Dosage Forms. 2009 , 69, 1407-1412	
429	A Validated, Specific Stability-Indicating RP-LC Method for Moxifloxacin and Its Related Substances. 2009 , 69, 993-999	15
428	Stress Degradation Behavior of Entacapone and Development of LC Stability-Indicating Related Substances and Assay Method. 2009 , 69, 1189-1199	12
427	Development and Validation of a New LC Method for Analysis of Brimonidine Tartrate and Related Compounds. 2009 , 69, 1413-1419	6
426	Development and Validation of a New Analytical Method for the Determination of Related Components and Assay of Ranolazine in Bulk Drug and Pharmaceutical Dosage Forms by LC. 2009 , 70, 333-338	3
425	RP-LC Simultaneous Determination of Nebivolol Hydrochloride and Amlodipine Besilate in Bi-Layer Tablets. 2009 , 70, 557-561	12
424	Development and Validation of a New Analytical Method for the Determination of Related Components in Quetiapine Hemifumarate. 2009 , 70, 545-550	13
423	Simultaneous Determination of Losartan Potassium, Atenolol and Hydrochlorothiazide in Pharmaceutical Preparations by Stability-Indicating UPLC. 2009 , 70, 647-651	18
422	Development of Stability Indicating Methods. 2009 , 139-161	4
421	LC and LC-MS Evaluation of Stress Degradation Behavior of Carvedilol. 2009 , 32, 526-543	7
420	Handbook of Stability Testing in Pharmaceutical Development. 2009 ,	34
419	Stress degradation studies on duloxetine hydrochloride and development of an RP-HPLC method for its determination in capsule formulation. 2009 , 47, 589-93	18
418	Validation of a stability-indicating HPTLC method for analysis of duloxetine hydrochloride in capsule dosage form. Separation and analysis of duloxetine hydrochloride and olanzapine in a synthetic mixture. 2009 , 22, 121-126	6
417	Liquid chromatographic determination of norfloxacin in extended-release tablets. 2009 , 47, 739-44	11
416	The ICH guidance in practice: Stress degradation studies on irbesartan and development of a validated stability-indicating UPLC assay. 2010 , 22, 189-205	6
415	A Stability Indicating LC Method for Deferasirox in Bulk Drugs and Pharmaceutical Dosage Forms. 2010 , 72, 441-446	11

414	Regulatory Aspects in Development of Stability-Indicating Methods: A Review. 2010 , 72, 1-6		20
413	Liquid chromatographic determination of lumiracoxib in pharmaceutical formulations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 728-32	3.5	3
412	Identification and characterization of degradation products of irbesartan using LC-MS/TOF, MS(n), on-line H/D exchange and LC-NMR. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 1037-46	3.5	47
411	A validated stability-indicating LC method for acetazolamide in the presence of degradation products and its process-related impurities. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 52, 142-8	3.5	17
410	Production and on-line acetylcholinesterase bioactivity profiling of chemical and biological degradation products of tacrine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 609-16	3.5	25
409	A validated stability-indicating HPLC method for the determination of PEGylated puerarin in aqueous solutions. 2010 , 878, 2061-6		6
408	RP-HPLC method for simultaneous estimation of bisoprolol fumarate and hydrochlorothiazide in tablet formulation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 52, 362-71	3.5	48
407	Development and validation of a stability indicating RP-HPLC method for the simultaneous determination of related substances of albuterol sulfate and ipratropium bromide in nasal solution. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 52, 19-29	3.5	24
406	Development and validation of a rapid capillary zone electrophoresis method for the determination of aconite alkaloids in aconite roots. 2010 , 21, 137-43		15
405	Stress Degradation Studies and Kinetic Determinations of Duloxetine Enteric-Coated Pellets by HPLC. 2010 , 93, 1829-1835		4
404	Development of a dissolution test for lamotrigine in tablet form using an ultraviolet method. 2010 , 46, 179-186		6
403	STABILITY-INDICATING CZE METHOD AND STRESS DEGRADATION STUDIES OF NITAZOXANIDE. 2010 , 33, 375-389		2
402	Stability-Indicating TLC-densitometric determination of nebivolol hydrochloride in bulk and pharmaceutical dosage form. 2010 , 48, 109-13		5
401	Recent Advances in the Analysis of Organic Impurities of Active Pharmaceutical Ingredients and Formulations: A Review. 2010 , 14, 2348-2364		6
400	High Performance Liquid Chromatography (HPLC) in the Pharmaceutical Analysis. 2010 , 1		4
399	FORCED DEGRADATION STUDIES OF SIMVASTATIN USING MICROEMULSION LIQUID CHROMATOGRAPHY. 2010 , 33, 536-547		10
398	DEVELOPMENT AND VALIDATION OF A RAPID AND SIMPLE STABILITY-INDICATING LC METHOD FOR NIFEDIPINE. 2010 , 33, 1601-1611		1
397	Determination of aliskiren in tablet dosage forms by a validated stability-indicating RP-LC method. 2011 , 49, 170-5		20

396	RAPID SIMULTANEOUS DETERMINATION OF ALISKIREN AND HYDROCHLOROTHIAZIDE FROM THEIR PHARMACEUTICAL FORMULATIONS BY MONOLITHIC SILICA HPLC COLUMN EMPLOYING EXPERIMENTAL DESIGNS. 2011 , 34, 1976-1996	10
395	CHEMOMETRIC EVALUATION OF DARIFENACIN HYDROBROMIDE USING A STABILITY-INDICATING REVERSED-PHASE LC METHOD. 2011 , 34, 2169-2184	5
394	IMPURITY PROFILING OF MYCOPHENOLATE MOFETIL WITH THE ASSISTANCE OF DESIRABILITY FUNCTION IN METHOD DEVELOPMENT. 2011 , 34, 1014-1035	2
393	Guidelines for the practical stability studies of anticancer drugs: a European consensus conference. 2011 , 69, 221-31	93
392	Stress degradation study on sulfadimethoxine and development of a validated stability-indicating HPLC assay. 2011 , 69, 91-9	1
391	Development and validation of a stability indicating UPLC method for determination of ticlopidine hydrochloride in its tablet formulation. 2011 , 19, 159-64	10
390	Quality by design (QbD) based development of a stability indicating HPLC method for drug and impurities. 2011 , 49, 439-46	59
389	Fesoterodine stress degradation behavior by liquid chromatography coupled to ultraviolet detection and electrospray ionization mass spectrometry. 2011 , 84, 1068-79	19
388	HPLC AND LC-MS STUDIES ON STRESS DEGRADATION BEHAVIOR OF LEVOCETIRIZINE AND DEVELOPMENT OF A VALIDATED SPECIFIC STABILITY-INDICATING METHOD. 2011 , 34, 955-965	1
387	A validated stability-indicating RP-HPLC assay method for Amsacrine and its related substances. 2011 , 49, 489-94	
386	ANALYSIS AND IDENTIFICATION OF PROCHLORPERAZINE IMPURITIES AND FORCED DEGRADATION PRODUCTS USING A STABILITY-INDICATING HPLC METHOD. 2011 , 34, 634-651	2
385	Optimization of forced degradation using experimental design and development of a stability-indicating liquid chromatographic assay method for rebamipide in bulk and tablet dosage form. 2011 , 79, 85-96	8
384	Development and validation of stability-indicating high-performance thin-layer chromatography method for estimation of ciprofibrate in bulk and in pharmaceutical formulation. 2011 , 23, 469-482	1
383	Stability Indicating Analytical Method Development and Validation of Efavirenz Quantification by High Performance Liquid Chromatographic Technique. 2011 , 8, 1498-1503	2
382	Stability-indicating densitometric HPTLC analysis of brimonidine tartrate in the bulk drug and in eye drops. 2011 , 24, 166-171	2
381	Validated Stability-Indicating HPLC Method for Paricalcitol in Pharmaceutical Dosage Form According to ICH Guidelines: Application to Stability Studies. 2011 , 94, 543-549	
380	Stability-Indicating Gradient RP-LC Method for the Determination of Process and Degradation Impurities in Bosentan Monohydrate: An Endothelin Receptor Antagonist. 2011 , 2011, 1-9	4
379	A Validated UPLC Method Used for the Determination of Trandolapril and its Degradation Products as per ICH Guidelines. 2011 , 7, 182-188	7

378	Development and validation of a RP-HPLC method for the determination of zidovudine and its related substances in sustained-release tablets. 2011 , 27, 283-9		6
377	Development and validation of a simple, stability-indicating high-performance liquid chromatographic method for analysis of tolterodine tartrate in the bulk drug and in its tablet formulation. 2011 , 23, 133-143		5
376	Stress degradation studies on cefpodoxime proxetil and development of a validated stability-indicating HPLC method. 2011 , 23, 215-234		6
375	Stability-indicating HPTLC method for analysis of tolterodine in the bulk drug. 2011 , 24, 150-153		2
374	A Validated Stability Indicating LC Method for Amlexanox in Bulk Drugs. 2011 , 02, 533-538		1
373	Identification of Degradant Impurity in Gefitinib by Using Validated RRLC Method. 2011 , 02, 75-83		5
372	Development and validation of a stability-indicating HPTLC assay method for idebenone. 2011 , 23, 281-294		1
371	Recent application of analytical methods to phase I and phase II drugs development: a review. 2012 , 26, 283-300		27
370	Overview of drug product development. 2011 , Chapter 7, Unit 7.3.1-29		3
369	Development of a method for assessing the stability of afobazole by HPLC. 2011 , 45, 444-448		
368	Validation of a pH gradient-based ion-exchange chromatography method for high-resolution monoclonal antibody charge variant separations. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 317-23	3.5	60
367	Stability-indicating study of the anti-Alzheimer β drug galantamine hydrobromide. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 85-92	3.5	21
366	Characterization of two new potential impurities of Valsartan obtained under photodegradation stress condition. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 56, 16-22	3.5	13
365	Simultaneous determination of aliskiren and hydrochlorothiazide from their pharmaceutical preparations using a validated stability-indicating MEKC method. 2011 , 34, 1859-66		22
364	Determination of lumiracoxib by a validated stability-indicating MEKC method and identification of its degradation products by LC-ESI-MS studies. 2011 , 34, 1867-74		5
363	Analysis of acetylcholinesterase inhibitors: bioanalysis, degradation and metabolism. 2011 , 25, 278-99		19
362	Drug-excipient compatibility testing-Identification and characterization of degradation products of phenylephrine in several pharmaceutical formulations against the common cold. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 949-56	3.5	14
361	SEPARATION, IDENTIFICATION AND QUANTITATION OF DEGRADANTS OF TOPOTECAN AND ITS RELATED IMPURITIES IN TOPOTECAN INJECTION BY RP-HPLC AND LC-MS. 2011 , 34, 548-578		0

360	Stability indicating HPTLC method for quantitative estimation of manidipine sihydrochloride API. 2011 , 2, 113-116	0
359	Stress Degradation Behavior of Paliperidone, an Antipsychotic Drug, and Development of Suitable Stability-Indicating RP-LC Method. 2011 , 2011, 1-10	2
358	LC and UV Methods for Lamotrigine Determination in Pharmaceutical Formulation. 2011 , 2011, 1-8	1
357	Development and Validation of Stability-Indicating HPTLC Determination of Tamsulosin in Bulk and Pharmaceutical Dosage Form. 2011 , 2011, 1-6	1
356	RP-HPLC stability-indicating assay method for talinolol and characterization of its degradation products. 2011 , 49, 786-95	4
355	Rapid simultaneous determination of telmisartan, amlodipine besylate and hydrochlorothiazide in a combined poly pill dosage form by stability-indicating ultra performance liquid chromatography. 2011 , 79, 69-84	29
354	Development and validation of stability indicating method for the determination of exemestane by reverse phase high performance liquid chromatography. 2011 , 49, 634-9	4
353	Recent Advances in Stability Studies of Carbapenems. 2011 , 7, 213-227	31
352	Identification and characterization of geometrical isomeric photo degradation product of eprosartan using LC-MS and LC-NMR. 2011 , 2, 152-157	8
351	Simultaneous determination of related substances of telmisartan and hydrochlorothiazide in tablet dosage form by using reversed phase high performance liquid chromatographic method. 2011 , 3, 375-83	10
350	Degradation Pathway for Eplerenone by Validated Stability Indicating UP-LC Method. 2012 , 2012, 251247	4
349	Validated stability-indicating high-performance thin-layer chromatographic method for estimation of cefpodoxime proxetil in bulk and in pharmaceutical formulation according to International conference on harmonization guidelines. 2012 , 4, 101-6	5
348	SIMULTANEOUS DETERMINATION OF DELAPRIL AND MANIDIPINE IN A PHARMACEUTICAL FORMULATION BY A STABILITY-INDICATING RP-LC METHOD. 2012 , 35, 603-620	3
347	DEVELOPMENT AND VALIDATION OF STABILITY INDICATING RP-HPLC METHOD FOR ANALYSIS OF LERCANIDIPINE IN BULK DRUG AND MICROEMULSION FORMULATION. 2012 , 36, 143-154	3
346	Development and validation of a simple and fast HPLC method for determination of lovastatin, pravastatin and simvastatin. 2012 , 50, 831-8	9
345	Stability-Indicating LC Method for the Determination of Prasugrel Hydrochloride in Pharmaceutical Dosage Form. 2012 , 80, 379-91	6
344	Stability-Indicating RP-HPLC Method for the Simultaneous Determination of Prazosin, Terazosin, and Doxazosin in Pharmaceutical Formulations. 2012 , 80, 619-31	14
343	Development and Validation of a Stability-Indicating HPTLC Method for Analysis of Rasagiline Mesylate in the Bulk Drug and Tablet Dosage Form. 2012 , 2012, 1-6	2

342	Development and Validation of a Stability Indicating LC Method for the Assay and Related Substances Determination of a Proteasome Inhibitor Bortezomib. 2012 , 2012, 1-13		4
341	Development and Validation of Stability-Indicating GC-FID Method for the Quantitation of Memantine Hydrochloride and Its Nonchromophoric Impurities in Bulk and Pharmaceutical Dosages. 2012 , 2012, 1-10		6
340	Validation of the Stability-Indicating HPLC Method for the Major Flavonoids in Spray- Dried Leaf Extract of <i>Aleurites moluccana</i> L. Willd. 2012 , 8, 349-359		
339	Experimental and Theoretical Study on the Electrochemical Behavior of Zofenopril and its Voltammetric Determination. 2012 , 8, 339-348		11
338	Rapid Simultaneous Determination of Olmesartan, Amlodipine and Hydrochlorothiazide in Combined Pharmaceutical Dosage form by Stability-Indicating Ultra Performance Liquid Chromatography. 2012 , 03, 50-58		17
337	Development and validation of a stability-indicating HPTLC determination of zafirlukast in bulk drug and pharmaceutical dosage form. 2012 , 25, 559-565		
336	IDENTIFICATION, CHARACTERIZATION OF DEGRADATION COMPONENT IN DESOXIMETASONE PHARMACEUTICAL DOSAGE FORMS AND ITS QUANTIFICATION IN THE PRESENCE OF PROCESS RELATED IMPURITIES. 2012 , 35, 1114-1129		1
335	Comparative Study of Forced Degradation Behavior of Telmisartan by UPLC and HPLC and Development of Validated Stability Indicating Assay Method According to ICH Guidelines. 2012 , 03,		1
334	Development of a stability-indicating RP-LC method for the separation of a critical pair of impurities and their degradants in zafirlukast. 2012 , 50, 945-52		
333	Medicinal Plants and Pharmaceutical Technology. 2012 , 359-393		
332	Guidelines for the practical stability studies of anticancer drugs: a European consensus conference. 2012 , 19, 278-285		9
331	Impurity profiling of trandolapril under stress testing: Structure elucidation of by-products and development of degradation pathway. 2012 , 438, 61-70		9
330	Development of a stability-indicating LC method for determination of a synthetic chalcone derivative in a nanoemulsion dosage form and identification of the main photodegradation product by LC-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 652-6	3.5	7
329	Stability-indicating HPTLC method for simultaneous estimation of amlodipine besylate, hydrochlorothiazide and olmesartan medoxomil in combined tablet dosage forms. 2012 , 25, 475-480		4
328	Validated stability-indicating RP-HPLC UV method for simultaneous determination of metformin and repaglinide. 2012 , 24, 419-432		10
327	LC, LC-MS/MS STUDIES FOR IDENTIFICATION AND CHARACTERIZATION OF DEGRADATION PRODUCTS OF LAMOTRIGINE AND ESTABLISHMENT OF MECHANISTIC APPROACH TOWARDS DEGRADATION. 2012 , 35, 2255-2271		1
326	Development and validation of a stability-indicating LC-UV method for the determination of doripenem and biapenem in pharmaceutical dosage forms. 2012 , 24, 207-219		3
325	Development and validation of a stability-indicating HPLC assay method for simultaneous determination of spironolactone and furosemide in tablet formulation. 2012 , 50, 721-6		19

324	A critical review on the use of modern sophisticated hyphenated tools in the characterization of impurities and degradation products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 69, 148-73 ^{3,5}	134
323	Validated gradient stability indicating HPLC method for determining Diltiazem Hydrochloride and related substances in bulk drug and novel tablet formulation. 2012 , 2, 226-237	15
322	Study of forced degradation behaviour of florfenicol by LC and LC-MS and development of a validated stability-indicating assay method. 2012 , 70, 333-47	4
321	The Role of Analytical Chemistry in the Safety of Drug Therapy. 2012 , 179-243	
320	Advancements in high throughput biophysical technologies: applications for characterization and screening during early formulation development of monoclonal antibodies. 2012 , 9, 696-707	58
319	The solution, solid state stability and kinetic investigation in degradation studies of lercanidipine: study of excipients compatibility of lercanidipine. 2012 , 17, 730-40	5
318	A simple TLC-densitometric method for the estimation of labetalol hydrochloride in tablets. 2012 , 25, 145-149	2
317	Stress studies of tenofovir disoproxil fumarate by HPTLC in bulk drug and pharmaceutical formulation. 2012 , 2012, 894136	7
316	Monoclonal Antibody Development and Physicochemical Characterization by High Performance Ion Exchange Chromatography. 2012 ,	
315	Development and validation of the stability-indicating LC-UV method for the determination of cefoselis sulphate. 2012 , 10, 121-126	8
314	Separation methods for captopril in pharmaceuticals and biological fluids. 2012 , 35, 1213-26	13
313	Studies of the Rate Constant of L-DOPA Oxidation and Decarboxylation by HPLC. 2012 , 75, 597-606	27
312	Development and validation of a method for allantoin determination in liposomes and pharmaceutical formulations. 2012 , 91, 389-94	9
311	Stability of IgG1 monoclonal antibodies in intravenous infusion bags under clinical in-use conditions. 2012 , 101, 21-30	53
310	LC-MS/TOF, LC-MSn, on-line H/D exchange and LC-NMR studies on rosuvastatin degradation and in silico determination of toxicity of its degradation products: a comprehensive approach during drug development. 2013 , 405, 3215-31	11
309	A stability-indicating, ion-pairing, reversed-phase liquid chromatography method for studies of daunorubicin degradation in i.v. infusion fluids. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 83, 164-70	3,5 6
308	Assessing mass balance in pharmaceutical drug products: New insights into an old topic. 2013 , 49, 126-136	7
307	Development and validation of stability-indicating UPLC method for the determination of lafutidine and its impurities in bulk and pharmaceutical dosage form. 2013 , 4, 32	1

306	Phenolic distribution in liquid preparations of <i>Vaccinium myrtillus</i> L. and <i>Vaccinium vitis idaea</i> L. 2013 , 24, 467-75	37
305	Separation and determination of trifluoperazine and prochlorperazine in pharmaceutical preparations by HPLC Peer review under responsibility of University of Bahrain. View all notes. 2013 , 13, 14-18	3
304	DETERMINATION OF PACLITAXEL BY 3D VIEW LC-DIODE ARRAY UV: ITS APPLICATION TO AN IN SITU CLOSED LOOP RE-CIRCULATING INTESTINE ABSORPTION STUDY IN RATS. 2013 , 36, 2698-2730	1
303	Stability-indicating RP-HPLC method for the simultaneous determination of escitalopram oxalate and clonazepam. 2013 , 51, 490-5	16
302	Changes in recovery due to drug product matrix ageing as a source of mass imbalances. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 74, 117-25	3-5 3
301	Simultaneous determination of Ceftriaxone and Tazobactam in injectables by UHPLC method. 2013 , 4, 46-51	4
300	Development of validated stability-indicating simultaneous estimation of Tenofovir disoproxil fumarate and emtricitabine in tablets by HPTLC. 2013 , 7, 157-161	7
299	Validated stability-indicating high performance thin layer chromatographic method for determination of Ivabradine hydrochloride in bulk and marketed formulation: An application to kinetic study. 2013 , 51, 233-241	8
298	Development and validation of a stability-indicating RP-HPLC assay method and stress degradation studies on dapiprazole. 2013 , 51, 856-60	3
297	Development and validation of stability-indicating assay method by UPLC for a fixed dose combination of atorvastatin and ezetimibe. 2013 , 51, 222-8	10
296	Validated chromatographic methods for determination of perindopril and amlodipine in pharmaceutical formulation in the presence of their degradation products. 2013 , 51, 533-43	23
295	Forced degradation studies to assess the stability of drugs and products. 2013 , 49, 71-88	107
294	Practical and regulatory considerations for stability-indicating methods for the assay of bulk drugs and drug formulations. 2013 , 49, 57-70	36
293	Stress Degradation Studies of Tebipenem and a Validated Stability-Indicating LC Method. 2013 , 76, 381-386	8
292	Validation of stability indicating RP-HPLC method for the estimation of mesalamine in bulk and tablet dosage form. 2013 , 4, 56-61	9
291	Establishment of inherent stability of febuxostat and development of a validated stability-indicating method by UPLC according to ICH requirement. 2013 , 22, 1641-1647	5
290	Stability Indicating HPTLC Method for Analysis of Rifaximin in Pharmaceutical Formulations and an Application to Acidic Degradation Kinetic Study. 2013 , 2013, 1-9	5
289	RP-HPLC assay method development for Paracetamol and Lornoxicam in combination and characterization of oxidative degradation products of Lornoxicam. 2013 , 19, 471-484	0

288	Quantitative determination of imatinib stability under various stress conditions. 2013 , 5, 49-52	8
287	Development and validation of a stability-indicating high performance liquid chromatographic (HPLC) method for the determination of related substances of micafungin sodium in drug substances. 2013 , 14, 21202-14	5
286	Stress Degradation Assessment of Lamotrigine Using a Validated Stability-Indicating HPTLC Method. 2013 , 2013, 1-6	3
285	Development and validation of a stability indicating HPTLC-densitometric method for lafutidine. 2013 , 4, 108	1
284	Glabridin, a stable flavonoid of Glycyrrhiza glabra: HPTLC analysis of the traditional formulation. 2013 , 26, 267-273	2
283	Determination of nimodipine in the presence of its degradation products and overall kinetics through a stability-indicating LC method. 2013 , 51, 511-6	4
282	Novel HPLC method for quantitative determination of cefazolin sodium in pharmaceutical formulations. 2013 , 21	0
281	Stability-indicating HPTLC method of carteolol in bulk drug and in pharmaceutical dosage forms. 2013 , 26, 86-92	2
280	Development and validation of stability-indicating high-performance thin-layer chromatography method for estimation of repaglinide in bulk and in pharmaceutical formulation. 2013 , 25, 531-544	2
279	A validated stability-indicating RP-LC method for the estimation of process-related impurities and degradation products of quetiapine fumarate in solid oral dosage form. 2013 , 25, 393-409	8
278	RP-HPLC method development and validation for estimation of rivaroxaban in pharmaceutical dosage forms. 2013 , 49, 359-366	21
277	Stability Indicating Simultaneous Validation of Telmisartan and Cilnidipine with Forced Degradation Behavior Study by RP-HPLC in Tablet Dosage Form. 2013 , 2013, 1-6	8
276	Identification, isolation, and characterization of unknown degradation products of cefprozil monohydrate by high-performance thin-layer chromatography. 2014 , 27, 372-376	
275	Method Validation for Stability Indicating Method of Related Substance in Active Pharmaceutical Ingredients Dabigatran Etexilate Mesylate by Reverse Phase Chromatography. 2014 , 06,	1
274	Common Problems in Stress Testing of Pharmaceutical Preparations. 2014 , 02,	1
273	Physico-Chemical Stability of Mixtures of Fosaprepitant used in Clinical Practice. 2014 , 5,	
272	Development and validation of stability indicating spectrophotometric and HPTLC methods for determination of acemetacin. 2014 , 5, 219-226	10
271	Development and validation of an analytical method for the stability of duloxetine hydrochloride Peer review under responsibility of Taibah University. View all notes. 2014 , 8, 357-363	7

270	Development and Validation of a Stability-Indicating LC-UV Method for Simultaneous Determination of Ketotifen and Cetirizine in Pharmaceutical Dosage Forms. 2014 , 13, 1141		2
269	Stability-indicating HPLC-UV for the determination of 4-bromomethyl-3-nitrobenzoic acid, a bioactive nitrocompound. 2014 , 52, 526-31		
268	RP-LC gradient elution method for simultaneous determination of thiocolchicoside, aceclofenac and related impurities in tablet formulation. 2014 , 6, 246-52		2
267	Validation of a Stability-Indicating RP-HPLC Method for Determination of l-Carnitine in Tablets. 2014 , 2014, 481059		4
266	Stability-indicating micellar electrokinetic chromatography technique for simultaneous measurement of delapril and manidipine from a combination drug formulation. 2014 , 97, 114-20		2
265	Study of stress degradation behavior of rasagiline mesylate under hydrolytic conditions by high performance liquid chromatography. 2014 , 64, 182-5		1
264	A proposal for dose-adjustment of dabigatran etexilate in atrial fibrillation guided by thrombin time. 2014 , 78, 599-609		21
263	A Simple Stability Indicating CZE Method for the Analysis of Octreotide Acetate. 2014 , 77, 1347-1357		7
262	Castanea spp. buds as a phytochemical source for herbal preparations: botanical fingerprint for nutraceutical identification and functional food standardisation. 2014 , 94, 2863-73		21
261	Simultaneous analysis of metformin and cyanoguanidine by capillary zone electrophoresis and its application in a stability study. 2014 , 37, 1687-93		9
260	A validated stability indicating RP-HPLC method for valganciclovir, identification and characterization of forced degradation products of valganciclovir using LC-MS/MS. 2014 , 26, 29-42		4
259	Stability-indicating HPLC-DAD methods for determination of two binary mixtures: Rabeprazole sodium-mosapride citrate and rabeprazole sodium-itopride hydrochloride. 2014 , 4, 258-269		3
258	Stability-indicating assay method for determination of actarit, its process related impurities and degradation products: Insight into stability profile and degradation pathways. 2014 , 4, 374-383		5
257	Stability studies of cefpirome sulfate in the solid state: Identification of degradation products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 92, 22-5	3-5	14
256	Characterization of stress degradation products of fosinopril by using LC-MS/TOF, MS(n) and on-line H/D exchange. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 92, 135-43	3-5	11
255	Evaluation of agomelatine stability under different stress conditions using an HPLC method with fluorescence detection: application to the analysis of tablets and human plasma. 2014 , 29, 920-8		12
254	Issues Affecting Interpretation: Stability and Artefacts. 2014 , 873-888		
253	A stability-indicating reversed-phase high-performance liquid chromatography method for Ambrisentan: an endothelin receptor antagonist. 2014 , 52, 894-8		6

252	A validated specific stability-indicating RP-HPLC assay method for Ambrisentan and its related substances. 2014 , 52, 818-25	10
251	Stability-indicating LC-UV method for the determination of eszopiclone and degradation impurities in tablet dosage form. 2014 , 52, 293-7	3
250	Analysis of Sartans: a review. 2014 , 103, 2-28	28
249	Development of forced degradation and stability indicating studies of drugs-A review. 2014 , 4, 159-165	361
248	UPLC Method for Determination of Moxonidine and Its Degradation Products in Active Pharmaceutical Ingredient and Pharmaceutical Dosage Form. 2014 , 77, 109-118	9
247	ASSAY AND PHOTODEGRADATION KINETICS OF DESONIDE LOTION BY AN LC-UV STABILITY-INDICATING METHOD. 2014 , 37, 1968-1984	3
246	Development and validation of a stability-indication LC-UV method for determination of daptomycin injectable form and kinetic study in alkaline medium. 2014 , 6, 1242-1247	11
245	Experimental Design Approach for Selective Separation of Vilazodone HCl and Its Degradants by LC-PDA and Characterization of Major Degradants by LC/QTOFMS/MS. 2014 , 77, 1299-1313	10
244	Method development for simultaneous detection of ferulic acid and vanillin using high-performance thin layer chromatography. 2014 , 5,	13
243	Validated HPLC-DAD method for stability study of sulbutiamine HCl. 2014 , 4, 30523-30529	8
242	Comparison of (bio-)transformation methods for the generation of metabolite-like compound libraries of p38 β MAP kinase inhibitors using high-resolution screening. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 88, 235-44	3-5 4
241	Stability-indicating LC method for the estimation of bendamustine hydrochloride and its related impurities. 2014 , 52, 573-83	6
240	Advice on Degradation Products in Pharmaceuticals: A Toxicological Evaluation. 2014 , 68, 221-238	19
239	Development of an in vitro liquid chromatography-mass spectrometry method to evaluate stereo and chemical stability of new drug candidates employing immobilized artificial membrane column. 2014 , 1363, 216-25	9
238	Selective separation, detection of zotepine and mass spectral characterization of degradants by LC-MS/MS/QTOF. 2014 , 4, 107-116	13
237	The Role of and the Place of Method Validation in Drug Analysis Using Electroanalytical Techniques. 2014 , 5, 1-21	45
236	Study of the forced degradation behavior of prasugrel hydrochloride by liquid chromatography with mass spectrometry and liquid chromatography with NMR detection and prediction of the toxicity of the characterized degradation products. 2015 , 38, 2995-3005	10
235	Daptomycin: Physicochemical, Analytical, and Pharmacological Properties. 2015 , 37, 699-710	17

234	Rapid LC-MS Compatible Stability Indicating Assay Method for Azilsartan Medoxomil Potassium. 2015 , 6,		
233	Stability-indicating liquid chromatographic and UV spectrophotometric methods for the quantification of ciprofibrate in capsules and tablets. 2015 , 51, 221-231		
232	Development and validation of a rapid turbidimetric assay to determine the potency of norfloxacin in tablets. 2015 , 51, 629-635		4
231	Stability-Indicating RP-HPLC Method for Simultaneous Estimation of Enrofloxacin and Its Degradation Products in Tablet Dosage Forms. 2015 , 2015, 735145		10
230	LC-MS-MS Characterization of Forced Degradation Products of Fidarestat, a Novel Aldose Reductase Inhibitor: Development and Validation of a Stability-Indicating RP-HPLC Method. 2015 , 53, 1588-96		1
229	Identification and characterization of related substances in pomalidomide by hyphenated LC-MS techniques. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 114, 159-67	3.5	10
228	Types, principle, and characteristics of tandem high-resolution mass spectrometry and its applications. 2015 , 5, 107623-107636		23
227	Simultaneous determination of four main impurities in cefuroxime lysine by ultra fast liquid chromatography-tandem mass spectrometry: application to the analysis of products in stability testing. 2015 , 7, 1958-1964		0
226	Simultaneous quantification of related substances of perindopril tert-butylamine using a novel stability indicating liquid chromatographic method. 2015 , 53, 424-30		5
225	Phenolic composition of "bud extracts" of Ribes nigrum L., Rosa canina L. and Tilia tomentosa M. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 115, 1-9	3.5	25
224	Delapril and Manidipine Main Degradation Products: LC-UV and LC-ESI-MS Evaluations, Decay Kinetic, and in vitro Cytotoxicity Studies. 2015 , 38, 1333-1342		3
223	Investigation of the profile and kinetics of degradation of rivaroxaban using HPLC, TLC-densitometry and LC/MS/MS: Application to pre-formulation studies. 2015 , 53, 53-61		10
222	Use of LC-MS/TOF, LC-MS(n), NMR and LC-NMR in characterization of stress degradation products: Application to cilazapril. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 111, 190-203	3.5	11
221	Stability-Indicating Liquid Chromatography Spectrophotometric UV Method for the Simultaneous Determination of Marbofloxacin, Dexamethasone and Clotrimazole in a Liquid Pharmaceutical Dosage Form. 2015 , 78, 1299-1304		3
220	Kinetic Determinations of Pitavastatin Calcium by Stability Indicating HPTLC Method. 2015 , 38, 521-531		0
219	Quantitative structure retention relationship modeling in liquid chromatography method for separation of candesartan cilexetil and its degradation products. 2015 , 140, 92-101		12
218	LC, MS and LC-MS/MS studies for the characterization of degradation products of amlodipine. 2015 , 5, 33-42		17
217	International Pharmaceutical Product Registration. 2016 ,		1

216	Application of experimental design for the optimization of forced degradation and development of a validated stability-indicating LC method for luliconazole in bulk and cream formulation. 2016 , 9, S1428-S1434 ¹⁴	
215	Stability Studies of Ternary Mixtures Containing Fosaprepitant, Dexamethasone, Ondansetron and Granisetron Used in Clinical Practice. 2016 , 7,	
214	Application of a Validated Stability-Indicating HPTLC Method for Simultaneous Estimation of Paracetamol and Aceclofenac and their Impurities. 2016 , 7,	2
213	Stability of a Dosage Form and Forced Degradation Studies. 2016 , 8,	0
212	STABILITY INDICATING REVERSE PHASE HIGH-PERFORMANCE LIQUID CHROMATOGRAPHIC METHOD FOR SIMULTANEOUS ESTIMATION OF LABETALOL AND ITS DEGRADATION PRODUCTS IN TABLET DOSAGE FORMS. 2016 , 242	1
211	LCMS/MS Characterization of Forced Degradation Products of Tetrabenazine. 2016 ,	
210	Development and validation of a new and economical stability indicating RP-HPLC method for cefixime trihydrate. 2016 , 52, 87-94	
209	DEVELOPMENT AND VALIDATION OF STABILITY INDICATING RP-HPLC METHOD FOR DETERMINATION OF ACETYLDIGOXIN. 2016 , 9, 54	0
208	Kinetics study of hydrochlorothiazide lactose liquid state interaction using conventional isothermal arrhenius method under basic and neutral conditions. 2016 , 52, 709-714	2
207	A Simple HPLC-UV Method for the Determination of Glutathione in PC-12 Cells. 2016 , 2016, 6897890	11
206	Development and Validation of Stability-Indicating Method for Estimation of Chlorthalidone in Bulk and Tablets with the Use of Experimental Design in Forced Degradation Experiments. 2016 , 2016, 4286482	10
205	HPLC METHOD DEVELOPMENT AND VALIDATION: A REVIEW. 2016 , 4, 39-46	8
204	Development and Validation of HPLC Method for the Determination of Alcaftadine in Bulk Drug and its Ophthalmic Solution. 2016 , 07,	1
203	Stability indicating validated UPLC technique for the simultaneous analysis of raltegravir and lamivudine in pharmaceutical dosage forms. 2016 , 15, 161-169	1
202	Investigation of the Profile and Kinetics of Degradation of Fenticonazole Nitrate using Stability-indicating HPLC Assay in Presence of Methyl and Propyl Parabens: Application to Preformulation Studies. 2016 , 6, 850-862	2
201	Stability-Indicating Related Substances HPLC Method for Droxidopa and Characterization of Related Substances Using LC-MS and NMR. 2016 , 54, 1761-1770	2
200	Temperature-mediated recombinant anthrax protective antigen aggregate development: Implications for toxin formation and immunogenicity. 2016 , 34, 4188-4195	5
199	Development and Validation of Stability-Indicating RP-HPLC Method for Simultaneous Determination of Metformin HCl and Glimepiride in Fixed-Dose Combination. 2016 , 11, 13-20	6

198	Development of Novel RP-HPLC Method for Separation and Estimation of Critical Geometric Isomer and Other Related Impurities of Tafluprost Drug Substance and Identification of Major Degradation Compounds by Using LC-MS. 2016 , 54, 1397-407		2
197	Analytical methods for determination of terbinafine hydrochloride in pharmaceuticals and biological materials. 2016 , 6, 137-149		6
196	Stability-Indicating HPTLC Method for Studying Stress Degradation Behavior of Sulbutiamine HCl. 2016 , 54, 609-17		9
195	Forced degradation studies of biopharmaceuticals: Selection of stress conditions. 2016 , 98, 26-46		48
194	HPLC & NMR-based forced degradation studies of ifosfamide: The potential of NMR in stability studies. 2016 , 74, 119-28		2
193	Selective separation and characterisation of stress degradation products and process impurities of prucalopride succinate by LC-QTOF-MS/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 125, 219-28	3.5	8
192	Forced degradation of nepafenac: Development and validation of stability indicating UHPLC method. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 123, 42-52	3.5	6
191	Liquid Chromatographic Method Development for Forced Degradation Products of Dabigatran Etxilate: Characterisation and In Silico Toxicity Evaluation. 2016 , 79, 169-178		6
190	Characterization of forced degradation products and in silico toxicity prediction of Sofosbuvir: A novel HCV NS5B polymerase inhibitor. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 120, 352-63	3.5	33
189	A capillary electrophoretic-mass spectrometric method for the assessment of octreotide stability under stress conditions. 2016 , 1429, 354-63		5
188	Method development and validation for pharmaceutical tablets analysis using transmission Raman spectroscopy. 2016 , 498, 318-25		18
187	Experimental design of membrane sensor for selective determination of phenazopyridine hydrochloride based on computational calculations. 2016 , 61, 773-81		10
186	An investigation into moisture barrier film coating efficacy and its relevance to drug stability in solid dosage forms. 2016 , 497, 70-7		22
185	Physicochemical characterization of native glycyl-L-histidyl-L-lysine tripeptide for wound healing and anti-aging: a preformulation study for dermal delivery. 2016 , 21, 152-60		4
184	Development of Impurity Profiling Methods Using Modern Analytical Techniques. 2017 , 47, 24-36		24
183	Identification of degradation products of saquinavir mesylate by ultra-high-performance liquid chromatography/electrospray ionization quadrupole time-of-flight tandem mass spectrometry and its application to quality control. 2017 , 31, 771-781		11
182	Identification, characterization and in silico ADMET prediction of Roflumilast degradation products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 138, 126-133	3.5	10
181	LC Method Development and Validation for the Determination of Ropivacaine Hydrochloride in Bulk Drug and Pharmaceutical Formulations. 2017 , 51, 71-80		

180	Development of a Validated Comparative Stability-Indicating Assay Method for Some H ₂ -Receptor Antagonists. 2017 , 55, 818-831	1
179	Evaluation of activation energy conformity derived from model-free non-isothermal predictions and Arrhenius isothermal results. 2017 , 130, 1417-1427	11
178	Development and validation of a novel quantification approach for gradient elution reversed phase high-performance liquid chromatography coupled to tandem ICP-mass spectrometry (RP-HPLC-ICP-MS/MS) and its application to diclofenac and its related compounds. 2017 , 974, 43-53	15
177	Multicriteria Optimization Methodology in Stability-Indicating Method Development of Cilazapril and Hydrochlorothiazide. 2017 , 55, 625-637	3
176	Stability-indicating RP-HPLC method for simultaneous quantitation of tramadol and aceclofenac in presence of their major degradation products: Method development and validation. 2017 , 40, 887-893	9
175	Q2(R1) Validation of Analytical Procedures. 2017 , 127-166	121
174	Stability-indicating assay method for acotiamide: Separation, identification and characterization of its hydroxylated and hydrolytic degradation products along with a process-related impurity by ultra-high-performance liquid chromatography/electrospray ionization quadrupole time-of-flight tandem mass spectrometry. 2017 , 31, 1813-1824	7
173	Forced Degradation Studies of Candesartan Cilexetil and Hydrochlorothiazide Using a Validated Stability-Indicating HPLC-UV Method. 2017 , 51, 416-424	3
172	Development and Validation of a Novel Stability Indicating UPLC Method for Analysis of Related Compounds and Assay of Bexarotene, an Anti-Cancer Agent. 2017 , 80, 1575-1588	
171	UV imaging of multiple unit pellet system (MUPS) tablets: A case study of acetylsalicylic acid stability. 2017 , 119, 447-453	0
170	Identification, Separation and Characterization of Acidic and Alkali Degradation of Rivaroxaban Under ICH Recommended stress Condition by HPTLC with MS/TOF. 2017 , 7, 706-723	2
169	Stability-Indicating UPLC and TLC-Densitometric Methods for Determination of Benzotropine Mesylate and Its Carcinogenic Degradation Product. 2017 , 55, 961-968	1
168	A literature review of reports of the stability and storage of common injectable chemotherapy agents used in veterinary patients. 2017 , 15, 1124-1135	3
167	Development and validation of stability-indicating RP-HPLC method for the determination of Levocabastine HCl in bulk drug and in ophthalmic suspensions. 2017 , 10, S3097-S3107	2
166	Establishment of inherent stability on piracetam by UPLC/HPLC and development of a validated stability-indicating method. 2017 , 10, S576-S582	0
165	Development and Validation of a Novel Stability Indicating UPLC Method for Dissolution Analysis of Bexarotene Capsules: An Anti Cancer Drug. 2017 , 08,	0
164	Formulation and Development of a Validated UV-Spectrophotometric Analytical Method of Rutin Tablet. 2017 , 2017, 2624947	5
163	FORMULATION DEVELOPMENT AND STABILITY INDICATING HPLC ASSAY OF TABLETS OF APIXABAN. 2017 , 9, 24	1

162	A VALIDATED STABILITY INDICATING ULTRA-PERFORMANCE LIQUID CHROMATOGRAPHIC METHOD FOR SIMULTANEOUS DETERMINATION OF METFORMIN HYDROCHLORIDE AND EMPAGLIFLOZIN IN BULK DRUG AND TABLET DOSAGE FORM. 2017 , 9, 45	12
161	Forced Degradation Study an Essential Approach to Develop Stability Indicating Method. 2017 , 08,	10
160	Stability Study of Finasteride: Stability-Indicating LC Method, In Silico and LC-ESI-MS Analysis of Major Degradation Product, and an In Vitro Biological Safety Study. 2018 , 56, 531-540	
159	Separation and Characterization of New Forced Degradation Products of Macitentan: A Dual Endothelin Receptor Antagonist. 2018 , 81, 525-531	2
158	Development and validation of ultra-performance liquid chromatography method for the determination of meloxicam and its impurities in active pharmaceutical ingredients. 2018 , 76, 187-200	2
157	Brazilian requirements for stability indicating methods. 2018 , 98, 58-63	10
156	Review on Implementation of Multivariate Approach for Forced Degradation Study and Impurity Profiling with Regulatory Considerations. 2018 , 81, 105-125	6
155	Correlating charge heterogeneity data generated by agarose gel isoelectric focusing and ion exchange chromatography methods. 2018 , 1073, 1-9	1
154	Characterization of forced degradation products of canagliflozine by liquid chromatography/quadrupole time-of-flight tandem mass spectrometry and in silico toxicity predictions. 2018 , 32, 212-220	4
153	Pharmaceutical Analysis: Introduction. 2018 ,	
152	Development and validation of chromatographic methods for the quantification of dabigatran etexilate mesylate in the presence of its risky degradation products. 2018 , 31, 461-468	1
151	An eco-friendly and alternative method of forced degradation of fluoroquinolone drugs by microwave irradiation: a new application for analytical eco-scale. 2018 , 52, 162-181	4
150	PHOTOLYTIC DEGRADATION STUDY ON FILM COATED ATENOLOL TABLET AVAILABLE IN MARKET. 2018 , 10, 6	
149	FORCED DEGRADATION STUDY OF STATINS: A REVIEW. 2018 , 10, 38	3
148	Development and Validation of Salt Gradient CEX Chromatography Method for Charge Variants Separation and Quantitative Analysis of the IgG mAb-Cetuximab. 2018 , 81, 1649-1660	3
147	DEVELOPMENT AND VALIDATION OF STABILITY INDICATING METHOD RP-HPLC METHOD OF ACOTIAMIDE. 2018 , 10, 1	1
146	Stability and Degradation Studies for Drug and Drug Product. 2018 , 225-257	
145	Degradation study of irbesartan: Isolation and structural elucidation of novel degradants. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 157, 180-188	3-5 5

144	Comprehensive Assessment of Degradation Behavior of Simvastatin by UHPLC/MS Method, Employing Experimental Design Methodology. 2018 , 2018, 7170539	3
143	Validation of Analytical Methods for the Assessment of Hazards in Food. 2018 , 59-90	2
142	Stability-indicating analytical method of quantifying spironolactone and canrenone in dermatological formulations and iontophoretic skin permeation experiments. 2019 , 33, e4656	4
141	Degradation kinetics of Bionotoxin TxID. 2019 , 9, 1561-1572	2
140	Chemometrics Approaches in Forced Degradation Studies of Pharmaceutical Drugs. 2019 , 24,	5
139	Stability behaviour of antiretroviral drugs and their combinations. 10: LC-HRMS, LC-MS, LC-NMR and NMR characterization of fosamprenavir degradation products and in silico determination of their ADMET properties. 2019 , 142, 165-178	8
138	Multivariate Mixed-Effects Kinetic Models for Multiple Correlated Quality Attributes From Accelerated Stability Studies. 2019 , 11, 175-181	0
137	Structural characterization of forced degradation products of empagliflozin by high resolution mass spectrometry. 2019 , 42, 417-428	5
136	Biological Safety Studies and Simultaneous Determination of Linagliptin and Synthetic Impurities by LC-PDA. 2019 , 2019, 7534609	4
135	Isolation and Structural Characterization of Degradation Products of Aceclofenac by HPLC, HRMS and 2D NMR. 2019 , 31, 851-854	1
134	Simultaneous analysis of daclatasvir with its three organic impurities: Application in stability studies, pharmaceuticals and serum samples. 2019 , 147, 797-805	3
133	Development and Validation of Stability Indicating RP-HPLC Assay Method for Mefenamic Acid. 2019 , 31, 656-660	
132	Structure elucidation of novel degradation products of thiocolchicoside by NMR spectroscopy. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 167, 49-58	3-5
131	Design of Experiment Approach for the Development and Validation of a Stability-Indicating High-Performance Thin-Layer Chromatography Method for the Estimation of Metformin Hydrochloride and Ursodeoxycholic Acid in Pharmaceutical Dosage Form. 2019 , 32, 481-493	
130	Development of a new stability indicating method for the simultaneous separation of voriconazole from its impurities along with sodium benzoate used as a preservative in a powder for oral suspension. 2019 , 77, 394-417	
129	QUALITY BY DESIGN APPROACH TO STABILITY-INDICATING REVERSE-PHASE HIGH-PERFORMANCE LIQUID CHROMATOGRAPHY METHOD DEVELOPMENT, OPTIMIZATION, AND VALIDATION FOR THE ESTIMATION OF SIMEPREVIR IN BULK DRUG. 2019 , 93-100	
128	LC-ESI-QTOF-MS analysis utilizing gas-phase fragmentation reactions subjected to ESI-IS-CID and ESI-CID-MS/MS conditions to study the degradation behaviour of sorafenib tosylate: NMR and in vitro cytotoxicity and apoptosis detection studies of hydrolytic degradation products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 177, 112881	3-5 5
127	Why should the pharmaceutical industry claim for the implementation of second-order chemometric models-A critical review. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 179, 112965	3-5 12

126	Physical and chemical stability of a generic etoposide formulation as an alternative to etoposide phosphate. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 178, 112896	3.5	1
125	Design of Experimental Approach to Analytical Robustness Study for UHPLC Method Developed for Separation and Quantification of Spironolactone and its Impurities in Drug Substances. 2020 , 32, 219-227		1
124	Stability-indicating HPLC method for acyclovir and lidocaine in topical formulations. 2020 , 34, e4751		4
123	Forced degradation studies and stability-indicating liquid chromatography method for determination of tirofiban hydrochloride and synthetic impurities. 2020 , 49,		
122	Identification, isolation, structural characterization, toxicity prediction and cytotoxicity assay of simeprevir acidic and oxidative degradation products.. 2020 , 10, 42816-42826		1
121	A Stability Indicating UHPLC Method for the Simultaneous Estimation of Perindopril, Indapamide in Presence of Potential Impurities: An Application of QbD for Robustness Study. 2020 , 10, 477-497		0
120	Novel Stability-Indicating UHPLC Method Development and Validation for the Quantification of Perindopril, Amlodipine and Their Impurities in Pharmaceutical Formulations: Application of QbD Approach. 2020 , 83, 1197-1220		2
119	Drug Stability and Chemical Kinetics. 2020 ,		1
118	Stability Studies of Solid Dosage Forms. 2020 , 265-284		
117	Methods and Protocols for Drug Stability Studies. 2020 , 43-55		
116	Development and Validation of Rapid Stability-Indicating RP-HPLC Method for Assay and Related Substances of Solifenacin Succinate. 2020 , 83, 1107-1119		0
115	Identification and characterization of degradation products of indacaterol using liquid chromatography/mass spectrometry. 2020 , 26, 425-431		2
114	Separation and Characterization of New Forced Degradation Products of Dasatinib in Tablet Dosage Formulation Using LCMS and Stability-Indicating HPLC Methods. 2020 , 83, 947-962		5
113	TLC-Densitometric Determination of Five Coxibs in Pharmaceutical Preparations. 2020 , 8, 620		1
112	Optimized and Validated Stability Indicating RP-HPLC Method for Estimation of Nadolol. 2020 , 53, 1191-1199		
111	An innovative impurity profiling of Avanafil using LC and LC-MS/MS with in-silico toxicity prediction. 2020 , 13, 6493-6509		2
110	Development of an effective novel validated stability-indicating HPLC method for the resolution of brivaracetam stereoisomeric impurities. 2020 , 32, 1208-1219		3
109	Identification, isolation, structural characterisation, synthesis and in silico toxicity prediction of the alkaline hydrolytic degradation product of brivaracetam by using LC-PDA, preparative HPLC, LC/HESI/LTQ, FTIR, and 1H NMR. 2020 , 12, 1868-1881		3

108	Stability indicating LC method for estimation of Valbenazine and its degradation kinetic study. 2020 , 3, 94-101			1
107	Speeding up the Development of 5-[(4-Chlorophenoxy)-Methyl]-1,3,4-Oxadiazole-2-Thiol as Successful Oral Drug Candidate Based on Physicochemical Characteristics. 2020 , 53, 931-941			
106	UPLC Separation of forced degradation and process related impurities of Velpatasvir and structure elucidation by online LC-Quadrupole-Time of flight-Tandem mass Spectrometry. 2020 , 155, 104657			3
105	A novel hydrophilic interaction liquid chromatography method for the analysis of arterolane; Isolation and structural elucidation of its major degradation product by LC-HRMS and NMR. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 186, 113279	3.5		0
104	Validated Chromatographic and Spectrofluorimetric Methods for Analysis of Silodosin: A Comparative Study with Application of RP-HPLC in the Kinetic Investigation of Silodosin Degradation. 2020 , 103, 946-957			0
103	The solution and solid-state degradation study followed by identification of tedizolid related compounds in medicinal product by high performance liquid chromatography with diode array and tandem mass spectrometry detection. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 194, 113783	3.5		1
102	Isolation, Identification and Characterization of Gefitinib Novel Degradation Products by NMR and HRMS, Method Development and Validation by UPLC. 2021 , 33, 1743-1748			
101	Eco-friendly RP-HPLC and HPTLC Methods for Simultaneous Determination of Tamsulosin Hydrochloride and Deflazacort in the Presence of 21-Hydroxy Deflazacort and Testing the In-vitro Dissolution of the Combined Dosage Form via RP-HPLC Method. 2021 , 84, 285-295			0
100	Stability Indicating Method Development, Validation and Forced Degradation Study for Vilazodone Hydrochloride API. 2021 , 37, 204-212			
99	Chemometrics supported optimization of a multi-attribute monitoring liquid chromatographic method for estimation of palbociclib in its dosage form: Application to a new regulatory paradigm. 2021 , 79, 125-141			
98	Characterization of degradation products of celiprolol hydrochloride using hyphenated mass and NMR techniques. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 197, 113953	3.5		1
97	Stability-indicating high-performance thin-layer chromatography method for the simultaneous estimation of emtricitabine and tenofovir alafenamide fumarate. 2021 , 34, 253			0
96	Validated Stability Indicating Method for Determination of Indapamide in Pharmaceutical Formulation. 2021 , 3347-3352			1
95	A rapid RP-HPLC stability-indicating method development and validation of moxifloxacin hydrochloride-related substances in finished dosage forms. 2021 , 35, e5192			1
94	Reverse-phase LC method development and validation for the quantification of acetazolamide and its specified and unspecified degradation products in hard gelatin capsule formulations. 1			
93	Characterization of Forced Degradation Products & Related Substances of Bilastine by Online LC-Q-TOF-MS and In-silico Study of Characterized Compounds. 2021 , 11, 563-579			1
92	FORCED DEGRADATION STUDIES OF TIZANIDINE HYDROCHLORIDE AND DEVELOPMENT OF VALIDATED STABILITY-INDICATING RP-HPLC METHOD. 2021 , 58, 50-55			
91	A stability-indicating HPLC method for estimation of doxylamine succinate in tablets and characterization of its major alkaline stress degradation product. 2021 , 7,			

90	A New, Rapid and Simple RP-HPLC Method for Stability Quantification of a Protease Inhibitor in Tablets. 2021 ,	
89	Development and Validation of a New Storage Procedure to Extend the In-Use Stability of Azacitidine in Pharmaceutical Formulations. 2021 , 14,	0
88	A Stability-Indicating Ultra Performance Liquid Chromato-Graphic (UPLC) Method for the Determination of a Mycophenolic Acid-Curcumin Conjugate and Its Applications to Chemical Kinetic Studies. 2021 , 26,	1
87	Determination of related impurities in a new active pharmaceutical ingredient Sodium 4,4'-(propanediamido)dibenzoate. 2021 , 168, 106498	1
86	Exploitation of flow-based procedures for reagentless hydrochlorothiazide determination and accelerated degradation studies of pharmaceutical preparations. 2021 , 13, 497-503	
85	Insights into flibanserin oxidative stress degradation pathway: in silico In vitro toxicity assessment of its degradates. 2021 , 45, 2620-2630	3
84	Elucidation of stress-induced degradation products of mangiferin: Method development and validation. 2017 , 31, e3935	4
83	Sample Preparation Method Validation. 2011 , 233-251	2
82	Electroanalytical Method Validation in Pharmaceutical Analysis and Their Applications. 2015 , 235-266	3
81	Cefpodoxime Proxetil: A New Stability Indicating RP-HPLC Method. 2013 , 2013, 1-8	4
80	Method Development and Validation for The Simultaneous Estimation of Levofloxacin and Cefpodoxime Proxetil by Using RP-HPLC in Combined Tablet Dosage Form. 2014 , 11, 67-73	1
79	Thermal Analysis Investigation of Dapoxetine and Vardenafil Hydrochlorides using Molecular Orbital Calculations. 2015 , 5, 523-9	8
78	Development and validation of a stability-indicating HPTLC method for analysis of rupatadine fumarate in the bulk drug and tablet dosage form. 2008 , 20, 423-437	3
77	Stability-indicating HPLC method for determination of amiodarone hydrochloride and its impurities in tablets: a detailed forced degradation study. 56,	2
76	Synthesis, Formulation and Analytical Method Validation of Rutin Derivative. 2019 , 16, 685-695	1
75	Study of Intrinsic Stability of Mometasone Furoate in Presence of Salicylic Acid by HPTLC and Characterization, Cytotoxicity Testing of Major Degradation Product of Mometasone Furoate. 2019 , 15, 592-603	2
74	High Performance Liquid Chromatography (HPLC) Stability Indicating Method for the Determination of Bromazepam Via its Copper (II) Chelates. 2017 , 4, 32-42	3
73	Development and Validation of Stability-indicating High Performance Liquid Chromatographic Method for the Estimation of Everolimus in Tablets. 2015 , 77, 599-604	3

72	A Stability-Indicating RP-HPLC Assay Method for 5-Fluorouracil. 2009 , 71, 630-7	14
71	Quantitative Application to a Polypill by the Development of Stability Indicating LC Method for the Simultaneous Estimation of Aspirin, Atorvastatin, Atenolol and Losartan Potassium. 2010 , 01, 59-69	7
70	Stress Degradation Behavior of a Polypill and Development of Stability Indicating UHPLC Method for the Simultaneous Estimation of Aspirin, Atorvastatin, Ramipril and Metoprolol Succinate. 2011 , 02, 401-410	1
69	Development and Validation of Stability Indicating LC Method for Olmesartan Medoxomil. 2012 , 03, 153-160	6
68	A Validated Stability Indicating RP-UPLC Method for Atrovastain Calcium. 2012 , 03, 392-399	4
67	A Stability Indicating HPLC Method for Dronedarone in Bulk Drugs and Pharmaceutical Dosage Forms. 2012 , 03, 544-551	8
66	Development and Validation of RP-UPLC Method for the Determination of Iloperidone, Its Related Compounds and Degradation Products in Bulk and Dosage Form. 2014 , 05, 969-981	2
65	Validated Gradient Stability Indicating UPLC Method for the Determination of Related Substances of Posaconazole in Bulk Drug. 2015 , 06, 965-976	1
64	Development and Validation of Stability Indicating RP-HPLC Method on Core Shell Column for Determination of Degradation and Process Related Impurities of Apixaban An Anticoagulant Drug. 2015 , 06, 539-550	11
63	Development and Validation of Stability Indicating Rapid RP-LC Method for Determination of Process and Degradation Related Impurities of Apremilast, an Anti-Inflammatory Drug. 2017 , 08, 380-394	6
62	Development and Application of a Validated HPLC Method for the Determination of Clindamycin Palmitate Hydrochloride in Marketed Drug Products: An Optimization of the Current USP Methodology for Assay. 2013 , 03, 202-211	1
61	Development and validation of stability indicating HPLC method for quantification of tinidazole. 2019 , 10, 102-107	1
60	UHPLC-DAD Method Development and Validation: Degradation Kinetic, Stress Studies of Farnesol and Characterization of Degradation Products Using LC-QTOF-ESI-MS with in silico Pharmacokinetics and Toxicity Predictions. 2021 ,	0
59	A novel stability-indicating method for known and unknown impurities profiling for diltiazem hydrochloride pharmaceutical dosage form (tablets). 2021 , 7,	
58	A Tribute to Professor Saranjit Singh - A Critical Thinker, Innovator, Mentor, and Educator. 2021 ,	
57	Quantification and Stability Indicating UPLC Method Development and Validation of Acalabrutinib in Bulk and Pharmaceutical Dosage Form. 2021 , 11,	
56	A simple isocratic LC method for quantification of trace-level inorganic degradation impurities (ferricyanide, ferrocyanide, nitrite, and nitrate) in sodium nitroprusside injection and robustness by quality using design approach. 2021 , e5269	2
55	Stability-Indicating HPTLC Determination of Imatinib Mesylate in Bulk Drug and Pharmaceutical Dosage. 2011 , 93-103	

54	A Novel Validated Stability Indicative UP-LC Method for Etravirine for the Determination of Process Related and Degradation Impurities. 2012 , 03, 840-848	1
53	DEVELOPMENT OF RP-HPLC, HPTLC AND UV SPECTROPHOTOMETRY METHODS FOR QUANTIFICATION OF DOLUTEGRAVIR SODIUM IN BULK AND FORMULATION.. 2016 , 53, 53-59	
52	Forced degradation studies on atazanavir and cobicistat by rp-hplc method. 2017 , 8,	
51	STRESS DEGRADATION STUDIES ON HYDROCHLOROTHIAZIDE AND LISINOPRIL USING VALIDATED STABILITY INDICATING HIGH PERFORMANCE THIN LAYER CHROMATOGRAPHIC METHOD. 2017 , 54, 53-60	
50	Determination of Venlafaxine in Bulk and Pharmaceutical Formulations Using Stability Indicating RP-HPLC Method with UV Detector. 2019 , 15, 258-265	
49	Development of a new liquid chromatographic method for the simultaneous separation of ciprofloxacin degradation products with 5-hydroxymethyl-furfural, impurity of D-glucose, in an intravenous solution for perfusion. 2019 , 77, 179-197	
48	RP-UPLC Stability Indicating Assay Method for Simultaneous Estimation of Dextromethorphan Hydrobromide and Chlorpheniramine Maleate in Tablet Dosage Form. 2020 , 5, 192-196	
47	Development and Validation of Stability Indicating Method for Simultaneous Estimation of Esomeprazole and Levosulpiride by HPTLC using Experimental Design. 2020 , 5, 213-220	
46	NEW STABILITY INDICATING METHOD FOR ESTIMATION OF PURITY OF FLIBANSERIN ACTIVE PHARMACEUTICAL INGREDIENT. 2020 , 57, 40-44	2
45	Quantitative thin-layer chromatographic method for determination of amantadine hydrochloride. 2008 , 4, 155-60	5
44	Development and Validation of Stability-indicating RP-HPLC Method for Estimation of Pamabrom in Tablets. 2014 , 76, 198-202	2
43	ANALYTICAL METHOD DEVELOPMENT AND VALIDATION FOR KNOWN AND UNKNOWN IMPURITIES PROFILING FOR CARVEDILOL PHARMACEUTICAL DOSAGE FORM (TABLETS). 71-80	
42	LC-HRMS studies on ruxolitinib degradation: a comprehensive approach during drug development.. 2022 ,	
41	DEVELOPMENT AND VALIDATION OF STABILITY INDICATING RP-HPLC METHOD FOR ESTIMATION OF SATRANIDAZOLE FROM ITS FORMULATION. 2018 , 55, 40-48	
40	DEVELOPMENT AND VALIDATION OF STABILITY INDICATING RP-HPLC METHOD FOR ESTIMATION OF PITAVASTATIN CALCIUM IN BULK AND TABLET DOSAGE FORM. 2019 , 56, 47-56	
39	CHEMOMETRICS ASSISTED STABILITY INDICATING RP-HPLC METHOD FOR THE SIMULTANEOUS DETERMINATION OF ACETYL CYSTEINE AND AMBROXOL HYDROCHLORIDE IN BULK AND DOSAGE FORM. 2019 , 56, 46-53	
38	FORCED DEGRADATION STUDIES OF OLMESARTAN MEDOXOMIL AND CHLORTHALIDONE: DEVELOPMENT AND VALIDATION OF STABILITY-INDICATING RP-HPLC METHOD. 2019 , 56, 39-45	1
37	STABILITY-INDICATING RP-UPLC METHOD FOR SIMULTANEOUS DETERMINATION OF DOLUTEGRAVIR AND RILPIVIRINE IN BULK AND PHARMACEUTICAL DOSAGE FORM. 2019 , 56, 42-49	3

- 36 Metabolite Detection and Profiling Using Analytical Methods. **2020**, 17, 2-9
- 35 Oxidation of Drugs during Drug Product Development: Problems and Solutions.. **2022**, 14, 2
- 34 HPLC-PDA Identification and Resolution of Rufinamide Forced Degradation Impurities: A Congregated Chemometric Expedite Optimization Coupled with Factorials & Desirability.. **2022**, e5345 1
- 33 Pharmacokinetic, Metabolomic, and Stability Assessment of Ganoderic Acid H Based Triterpenoid Enriched Fraction of P. Karst.. **2022**, 12, 0
- 32 STABILITY INDICATING HPTLC METHOD FOR ESTIMATION OF BUDESONIDE AND FORMOTEROL FUMARATE DIHYDRATE IN PHARMACEUTICAL FORMULATION. **2022**, 58, 44-53
- 31 Optimization of High-Performance Liquid Chromatographic Method Using Central Composite Design for the Simultaneous Estimation of Ciprofloxacin and Loteprednol.. **2022**,
- 30 High Performance Liquid Chromatography (HPLC) with Fluorescence Detection for Quantification of Steroids in Clinical, Pharmaceutical, and Environmental Samples: A Review.. **2022**, 27, 0
- 29 Inherent stability testing of empagliflozin in the presence of metformin HCl by HPTLC and characterization of degradation products of empagliflozin by LCESI-QTOFMS/MS. 1
- 28 Stability Indicating RP-HPLC Method Development and Validation for Bosentan in Pharmaceutical Formulations. 505-512
- 27 Separation and Characterization of the Related Substances of Bedaquiline Fumarate Using HPLC and Spectral Methods. **2021**, 1
- 26 SIMULTANEOUS ESTIMATION OF IMPURITIES IN MELATONIN BY RP-HPLC METHOD COUPLED WITH DIODE ARRAY DETECTION. **2022**, 59, 52-57
- 25 An Application of Quality by Design and Analytical Greenness Assessment Approach for the Development of Erlotinib Stability Indicating Method. 0
- 24 Formulation and Evaluation of Chewable Oral Jelly containing Zolmitriptan hydrochloride. **2022**, 139-144
- 23 Review on Forced Degradation Study of Statins. **2022**, 135-141
- 22 Tadalafil and Sildenafil illicit association: Stability- indicating HPLC method, photodegradation kinetic and toxicological studies. 58, 0
- 21 Issues Affecting Interpretation. **2022**, 1137-1154
- 20 Novel Eco-Friendly Stability Indicating Capillary Zone Electrophoresis Method for Determination of Aripiprazole in Tablet Dosage Form: DoE Directed Optimization, Development and Method Validation. **2022**,
- 19 Mini Review on Forced Degradation Studies on Anti-Epileptic Drugs and Beyond.

18	Novel Analytical Approach for the Estimation of Oxalic Acid Content in Sodium Ascorbate by Reversed Phase-High Performance Liquid Chromatography. 2022 , 34, 2227-2234	○
17	Development and validation of a stability-indicating high performance liquid chromatographic assay for determination of cariprazine in bulk form and in drug product. 2022 ,	○
16	Simultaneous determination of emtricitabine, tenofovir alafenamide fumarate and dolutegravir sodium by validated stability-indicating RP-HPLC-DAD method. 2022 ,	○
15	ANALYTICAL METHOD DEVELOPMENT AND VALIDATION FOR THE ESTIMATION OF CYAMEMAZINE TARTRATE IN FORMULATION BY RP-HPLC WITH STABILITY INDICATING. 28-32	○
14	Development of a Rapid and validated stability-indicating UPLC-PDA method for concurrent quantification of impurity profiling and an assay of Ipratropium Bromide and Salbutamol Sulfate in Inhalation dosage form. 2022 ,	○
13	Stability Indicating HPTLC Method for Bedaquiline Fumarate. 2022 , 3952-3956	○
12	Application of Design Space and Quality by Design Methodologies combined with Ultra High-Performance Liquid Chromatography for the Optimization of the Sample Preparation of Complex Pharmaceutical Dosage Forms. 2022 , 115149	1
11	HPTLC/MS and HPTLC/UV for monitoring of degradation behavior of some β -lactam antibiotics mixtures under ambient storage conditions. 2023 , 185, 108241	○
10	Stability Indicating RP-HPLC-DAD Method For Simultaneous Estimation of Atorvastatin Calcium and Tenelegliptin Hydrobromide Hydrate in Synthetic Mixture. 2022 , 12, 629-638	○
9	Characterization of Degradation Products of Lifitegrast by Mass Spectrometry: Development and Validation of a Stability-indicating Reversed Phase HPLC Method. 2022 , 12, 730-744	○
8	Characterization of the major degradation products of the praziquantel API by mass spectrometry: Development and validation of a stability-indicating reversed phase UPLC method. 1-13	○
7	TLC Densitometric Analysis of Selected 5-Nitroimidazoles. 2023 , 11, 170	○
6	Applications of Six Sigma and Quality by Design Approach in UHPLC Method Development for Simultaneous Assessment of Eight Bronchodilators in Drug Substance. 2023 , 35, 366-374	○
5	Identification of Oxidative Degradation Products of Dapsone in Presence of Adapalene by RP-HPLC/MS. 2023 , 86, 223-235	○
4	MassChemSite for In-Depth Forced Degradation Analysis of PARP Inhibitors Olaparib, Rucaparib, and Niraparib. 2023 , 8, 7005-7016	○
3	New UV Spectrophotometric Method for the Estimation of Molnupiravir used in the treatment of COVID-19. 2023 , 3,	○
2	Development, stability-indicating assessment, and evaluation of influential method conditions using a full factorial design for the determination of Nintedanib esylate-related impurities.	○
1	Development of a validated stability-indicating HPLC- DAD method for dasabuvir and the characterization of its degradation products using LC-QToF-MS/MS. 59,	○

