

CITATION REPORT

List of articles citing

Comparison of methods for the hydrolysis of flavonoids and phenolic acids from onion and spinach for HPLC analysis

DOI: 10.1016/s0308-8146(01)00305-3
Food Chemistry, 2002, 76, 519-525.

Source: <https://exaly.com/paper-pdf/34676618/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
208	Flavonoids and antioxidant capacity of Georgia-grown Vidalia onions. 2002 , 50, 5338-42		156
207	Current Awareness. 2002 , 13, 243-250		
206	Blanching and long-term freezing affect various bioactive compounds of vegetables in different ways. 2003 , 83, 1389-1402		159
205	Investigation of phenolic acids in yacon (<i>Smallanthus sonchifolius</i>) leaves and tubers. 2003 , 1016, 89-98		108
204	Metabolic engineering to increase isoflavone biosynthesis in soybean seed. 2003 , 63, 753-63		206
203	Comparison of antioxidant activities of onion and garlic extracts by inhibition of lipid peroxidation and radical scavenging activity. <i>Food Chemistry</i> , 2003 , 81, 485-493	8.5	331
202	Strategies for the determination of bioactive phenols in plants, fruit and vegetables. 2003 , 1000, 657-91		306
201	Optimising the use of phenolic compounds in foods. 2003 , 315-346		17
200	Fast screening method for the analysis of total flavonoid content in plants and foodstuffs by high-performance liquid chromatography/electrospray ionization time-of-flight mass spectrometry with polarity switching. 2004 , 18, 3113-22		51
199	Identification of flavonoids in Hakmeitau beans (<i>Vigna sinensis</i>) by high-performance liquid chromatography-electrospray mass spectrometry (LC-ESI/MS). 2004 , 52, 6694-9		40
198	Flavonoids in Foods. 2005 , 219-262		9
197	Precision improvement for the analysis of flavonoids in selected Thai plants by capillary zone electrophoresis. 2005 , 26, 648-60		25
196	Bioactivity and analysis of biophenols recovered from olive mill waste. 2005 , 53, 823-37		338
195	Antioxidative compounds from the outer scales of onion. 2005 , 53, 8183-9		148
194	Subcritical water extraction and β -glucosidase-catalyzed hydrolysis of quercetin glycosides in onion waste. 2006 , 8, 949-959		101
193	Antioxidant Activity of Crude Extract, Alkaloid Fraction, and Flavonoid Fraction from Boldo (<i>Peumus boldus</i> Molina) Leaves. 2006 , 69, C371-C376		37
192	Phenolic acid profiles and antioxidant activities of wheat bran extracts and the effect of hydrolysis conditions. <i>Food Chemistry</i> , 2006 , 95, 466-473	8.5	528

191	The analysis of onion and garlic. 2006 , 1112, 3-22		548
190	Preparation and Identification of Scutellarein by HPLC with an Enzymolysis Reaction. 2006 , 29, 1297-1305		1
189	Rapid Liquid Chromatographic Techniques for Detection of Key (Bio)Chemical Markers. 229-251		2
188	. 2007 ,		2
187	Quercetin content in some food and herbal samples. <i>Food Chemistry</i> , 2007 , 100, 699-704	8.5	193
186	Extraction and Hydrolysis Parameters for Determination of Quercetin in Hypericum perforatum. 2007 , 65, 701-706		18
185	Profiling methods for the determination of phenolic compounds in foods and dietary supplements. 2007 , 389, 47-61		71
184	Does an apple a day keep the doctor away because a phytoestrogen a day keeps the virus at bay? A review of the anti-viral properties of phytoestrogens. 2007 , 68, 266-74		30
183	Flavonoid content and antioxidant capacity of spinach genotypes determined by high-performance liquid chromatography/mass spectrometry. 2008 , 88, 1099-1106		36
182	Ultrasound extracted flavonoids from four varieties of Portuguese red grape skins determined by reverse-phase high-performance liquid chromatography with electrochemical detection. 2008 , 630, 107-15		97
181	Flavonols (kaempferol, quercetin, myricetin) contents of selected fruits, vegetables and medicinal plants. <i>Food Chemistry</i> , 2008 , 108, 879-84	8.5	253
180	Rapid analysis of phenolic acids in beverages by UPLC ^{MS} /MS. <i>Food Chemistry</i> , 2008 , 111, 789-794	8.5	208
179	Flavonoids in onion cultivars (<i>Allium cepa</i> L.). 2008 , 73, C599-605		56
178	Combined HPLC-CUPRAC (cupric ion reducing antioxidant capacity) assay of parsley, celery leaves, and nettle. 2008 , 77, 304-13		61
177	Phenolic composition and biological activities of Tunisian <i>Nigella sativa</i> L. shoots and roots. 2008 , 331, 48-55		160
176	Constituents of the Polar Extracts from Algerian <i>Pituranthos scoparius</i> . 2009 , 4, 1934578X0900401		2
175	Antioxidant activity and physical-chemical properties of spray and spouted bed dried extracts of <i>Bauhinia forficata</i> . 2009 , 45, 209-218		10
174	BIOCHEMICAL CHARACTERIZATION OF BORAGE (<i>BORAGO OFFICINALIS</i> L.) SEEDS. 2009 , 33, 331-341		22

173	Quantitative variation in Brazilian vegetable sources of flavonols and flavones. <i>Food Chemistry</i> , 2009 , 113, 1278-1282	8.5	34
172	Flavonols in fresh and processed Brazilian fruits. 2009 , 22, 263-268		50
171	Pressurised liquid extraction of flavonoids in onions. Method development and validation. 2009 , 80, 269-78		43
170	Analytical Procedures for Determination of Quercetin and its Glycosides in Plant Material. 2009 , 39, 95-107		30
169	Phenolic Acids in Natural Plants. 2009 ,		
168	HPLC in Food Analysis. 2010 , 561-660		1
167	Onion: A Food, Spice, and Remedy in the Middle Eastern Gastronomy. 2010 , 873-888		
166	Application of HPLC in the Analysis of Phenols, Phenolic Acids, and Tannins. 2010 , 497-532		1
165	First isolation of a flavonoid from <i>Juniperus procera</i> using ethyl acetate extract. 2010 , 3, 85-88		19
164	Study of flavonoids in aqueous spinach extract using positive electrospray ionisation tandem quadrupole mass spectrometry. <i>Food Chemistry</i> , 2010 , 121, 863-870	8.5	33
163	Antimicrobial and antioxidant activity of crude onion (<i>Allium cepa</i> , L.) extracts. 2010 , 45, 403-409		111
162	Antioxidant capacity and antioxidant content in roots of 4 sweetpotato varieties. 2010 , 75, C400-5		34
161	Antioxidative effects of the acetone fraction and vanillic acid from <i>Chenopodium murale</i> on tomato plants. 2010 , 10, 64-72		44
160	Antioxidant activities of the essential oils and methanol extracts from myrtle (<i>Myrtus communis</i> var. <i>italica</i> L.) leaf, stem and flower. 2010 , 48, 1362-70		229
159	Simultaneous quantification of flavonoids and phenolic acids in plant materials by a newly developed isocratic high-performance liquid chromatography approach. 2010 , 58, 10812-6		59
158	Fatty acids, essential oil, and phenolics modifications of black cumin fruit under NaCl stress conditions. 2010 , 58, 12399-406		42
157	Exploring the possibility of using a thermostable mutant of β -glucosidase for rapid hydrolysis of quercetin glucosides in hot water. 2010 , 12, 159-168		42
156	Identification and quantification of phenolic compounds in bambangan (<i>Mangifera pajang</i> Kort.) peels and their free radical scavenging activity. 2011 , 59, 9102-11		31

155	Comparative analyses of total phenols, antioxidant activity, and flavonol glycoside profile of cladode flours from different varieties of <i>Opuntia</i> spp. 2011 , 59, 7054-61		70
154	Effect of heat treatment of camelina (<i>Camelina sativa</i>) seeds on the antioxidant potential of their extracts. 2011 , 59, 8639-45		10
153	DETERMINATION OF SELECTED FLAVONOIDS IN HOP EXTRACT BY HPLC. 2011 , 34, 329-340		2
152	Changes in antioxidant flavonoids during freeze-drying of red onions and subsequent storage. 2011 , 22, 1108-1113		104
151	Phenolic compounds profile and antioxidant activity of <i>Dorystoechas hastata</i> L. Boiss et Heldr. 2011 , 44, 3013-3020		19
150	Effect of meteorological conditions on antioxidant flavonoids in Portuguese cultivars of white and red onions. <i>Food Chemistry</i> , 2011 , 124, 303-308	8.5	102
149	Study on Ultrasonic Extraction Technology and Oxidation Resistance of Total Flavonoids from Peanut Hull. 2011 , 17, 187-198		10
148	Red fruit juice quality and authenticity control by HPLC. 2011 , 24, 760-771		53
147	SAMPLE PREPARATION FOR HIGH PERFORMANCE LIQUID CHROMATOGRAPHY: RECENT PROGRESS. 2011 , 34, 1157-1267		13
146	High catechin concentrations detected in <i>Withania somnifera</i> (ashwagandha) by high performance liquid chromatography analysis. 2011 , 11, 65		45
145	Aglycone specificity of <i>Thermotoga neapolitana</i> β glucosidase 1A modified by mutagenesis, leading to increased catalytic efficiency in quercetin-3-glucoside hydrolysis. 2011 , 12, 11		24
144	Provenance and temporal variations in selected flavonoids in leaves of <i>Cyclocarya paliurus</i> . <i>Food Chemistry</i> , 2011 , 124, 1382-1386	8.5	64
143	Modification of fatty acid, essential oil and phenolic contents of salt-treated sweet marjoram (<i>Origanum majorana</i> L.) according to developmental stage. 2012 , 77, C1047-54		7
142	Hydrolysis of flavonoid glycosides by propolis β glucosidase. 2012 , 26, 270-3		28
141	Determination of phenolic acids in Korean rice (<i>Oryza sativa</i> L.) cultivars using gas chromatography-time-of-flight mass spectrometry. 2012 , 21, 1141-1148		14
140	Bioactive properties of peptides obtained by enzymatic hydrolysis from protein byproducts of <i>Porphyra columbina</i> . 2012 , 49, 364-372		108
139	Analysis of total contents of hydroxytyrosol and tyrosol in olive oils. 2012 , 60, 9017-22		73
138	Phenolic Constituents and Antioxidant Properties of some Thai Plants. 2012 ,		4

137	Methods of extraction, preconcentration, and determination of quercetin. 2012 , 67, 299-311		40
136	PHENOLIC ACIDS, FLAVONOID PROFILE AND ANTIOXIDANT ACTIVITY IN MANGOSTEEN (GARCINIA MANGOSTANA L.) PERICARP. 2012 , 36, 627-633		28
135	Molecularly imprinted polymers targeting quercetin in high-temperature aqueous solutions. 2012 , 1230, 15-23		37
134	Antioxidant activity and phenolic compounds of fractions from <i>Portulaca oleracea</i> L.. <i>Food Chemistry</i> , 2012 , 133, 775-781	8.5	72
133	Reaction kinetics of hydrothermal hydrolysis of hesperidin into more valuable compounds under supercritical carbon dioxide conditions. 2012 , 66, 215-220		14
132	Salt effect on phenolics and antioxidant activities of Tunisian and Canadian sweet marjoram (<i>Origanum majorana</i> L.) shoots. 2013 , 93, 134-41		18
131	Antioxidative phenolic constituents of skins of onion varieties and their activities. 2013 , 5, 1191-1203		108
130	Analytical techniques for phytochemicals. 2013 , 434-451		
129	Vegetables containing phytochemicals with potential anti-obesity properties: A review. 2013 , 52, 323-333		112
128	Differences between Myrtle Fruit Parts (<i>Myrtus communis</i> var. <i>italica</i>) in Phenolics and Antioxidant Contents. 2013 , 37, 585-594		19
127	An on-line method for pressurized hot water extraction and enzymatic hydrolysis of quercetin glucosides from onions. 2013 , 785, 50-9		27
126	Identification and quantification of free, conjugate and total phenolic compounds in leaves of 20 sweetpotato cultivars by HPLC-DAD and HPLC-ESI-MS/MS. <i>Food Chemistry</i> , 2013 , 141, 2697-706	8.5	27
125	Antioxidant activity of <i>Coriandrum sativum</i> and protection against DNA damage and cancer cell migration. 2013 , 13, 347		44
124	Determination of Phenolic Compounds in Strawberries (<i>Fragaria ananassa</i> Duch) by High Performance Liquid Chromatography with Diode Array Detection. 2013 , 6, 227-237		26
123	Ultrasound-assisted extraction of quercetin from onion solid wastes. 2013 , 48, 246-252		41
122	Bioresource utilisation by sustainable technologies in new value-added biorefinery concepts [Two case studies from food and forest industry. 2013 , 57, 46-58		59
121	Analysis of phenolic compounds in Portuguese wild and commercial berries after multienzyme hydrolysis. 2013 , 61, 4053-62		47
120	Phenolic profile and antioxidant activity of various extracts from <i>Citrullus colocynthis</i> (L.) from the Pakistani flora. 2013 , 45, 416-422		32

119	Biodegradable ferulic acid-containing poly(anhydride-ester): degradation products with controlled release and sustained antioxidant activity. 2013 , 14, 854-61	76
118	Antioxidant Capacity of Selected Plant Extracts and Their Essential Oils. 2013 , 2, 11-22	98
117	Florets of sunflower (<i>Helianthus annuus</i> L.): potential new sources of dietary fiber and phenolic acids. 2013 , 61, 3435-42	16
116	FLAVONOLS HPLC ANALYSIS, IN VITRO BIOLOGICAL ACTIVITIES IN SELECTED HUMULUS LUPULUS L. GENOTYPES. 2013 , 12, 129-140	
115	Radical scavenging capacity of methanolic <i>Phillyrea latifolia</i> L. extract: anthocyanin and phenolic acids composition of fruits. 2013 , 18, 1798-810	10
114	Effect of Low Frequency Magnetic Field (LFMF) on the Germination of Seeds and Selected Useful Characters of Onion (<i>Allium cepa</i> L.). 2014 , 42,	7
113	Optimization of reflux conditions for total flavonoid and total phenolic extraction and enhanced antioxidant capacity in Pandan (<i>Pandanus amaryllifolius</i> Roxb.) using response surface methodology. 2014 , 2014, 523120	18
112	Effect of Extraction on Phenolic Antioxidant of Different Thai Rice (<i>Oryza Sativa</i> L.) Genotypes. 2014 , 17, 855-865	7
111	Separation and characterization of soluble esterified and glycoside-bound phenolic compounds in dry-blanched peanut skins by liquid chromatography-electrospray ionization mass spectrometry. 2014 , 62, 11488-504	26
110	Optimization of ultrasound-assisted extraction of flavonoid compounds and their pharmaceutical activity from curry leaf (<i>Murraya koenigii</i> L.) using response surface methodology. 2014 , 14, 318	31
109	Determination of Phenolic Compounds in Artichoke, Garlic and Spinach by Ultra-High-Performance Liquid Chromatography Coupled to Tandem Mass Spectrometry. 2014 , 7, 2095-2106	35
108	Homogenate-assisted negative-pressure cavitation extraction for determination of organic acids and flavonoids in honeysuckle (<i>Lonicera japonica</i> Thunb.) by LCMS/MS. 2014 , 135, 80-87	20
107	Change of phenylpropanoic acid and flavonol contents at different growth stage of glasswort (<i>Salicornia herbacea</i> L.). 2014 , 23, 685-691	8
106	Correlation between phenolic compounds and antioxidant activity of Anzer tea (<i>Thymus praecox</i> Opiz subsp. <i>caucasicus</i> var. <i>caucasicus</i>). 2014 , 52, 687-694	32
105	In vitro cytotoxic activity of ginseng leaf/stem extracts obtained by subcritical water extraction. 2014 , 38, 289-92	14
104	Validation of the Analytical Method for the Determination of Flavonoids in Broccoli. 2014 , 22, 131-140	8
103	An in vitro evidence for caffeic acid, rosmarinic acid and trans cinnamic acid as a skin protectant against β radiation. 2014 , 9, 305	13
102	Strategies in the Analysis of Plant Flavonoids. 2014 , 1-25	

101	extract inhibits diethylnitrosamine-induced hepatocarcinogenesis in rats. 2015 , 10, 716-722		18
100	Effect of Different Thawing Conditions on the Concentration of Bioactive Substances in Broccoli (<i>Brassica oleracea</i> var. Avenger). 2015 , 39, 2673-2679		2
99	Development of Biocomposites with Antioxidant Activity Based on Red Onion Extract and Acetate Cellulose. 2015 , 4, 533-47		21
98	A MEKC method for naringenin from natural and biological samples. 2015 , 7, 4521-4527		6
97	Variation and stability of growth and leaf flavonoid content in <i>Cyclocarya paliurus</i> across environments. 2015 , 76, 386-393		21
96	Effect of cooking on the concentration of bioactive compounds in broccoli (<i>Brassica oleracea</i> var. Avenger) and cauliflower (<i>Brassica oleracea</i> var. Alphina F1) grown in an organic system. <i>Food Chemistry</i> , 2015 , 172, 770-7	8.5	50
95	Anthocyanins in purple and blue wheat grains and in resulting bread: quantity, composition, and thermal stability. 2015 , 66, 514-9		35
94	Effects of blending wheatgrass juice on enhancing phenolic compounds and antioxidant activities of traditional kombucha beverage. 2015 , 23, 709-718		41
93	Determination of phenolic acids and a flavonoid in <i>Eleusine coracana</i> (L.) by semi-preparative HPLC photo diode array detector. 2015 , 70, 369-373		1
92	Carotenoids, flavonoids, chlorophylls, phenolic compounds and antioxidant activity in fresh and cooked broccoli (<i>Brassica oleracea</i> var. Avenger) and cauliflower (<i>Brassica oleracea</i> var. Alphina F1). 2015 , 63, 177-183		72
91	Carob pods (<i>Ceratonia siliqua</i> L.) inhibit human neutrophils myeloperoxidase and in vitro ROS-scavenging activity. 2015 , 5, 84207-84215		20
90	Evaluation of Phenolic Content Recoveries in Hydrolyzed Extracts of <i>Bergenia ciliata</i> Using RP-HPLC, GC/MS after Silylation, and Validation through Antioxidant Potential. 2015 , 38, 1722-1730		7
89	Identification and quantification of flavonoid aglycones in rape bee pollen from Qinghai-Tibetan Plateau by HPLC-DAD-APCI/MS. 2015 , 38, 49-54		30
88	Simultaneous Extraction of Essential Oils and Flavonoids from Onions Using Turbo Extraction-Distillation. 2015 , 8, 586-595		11
87	Development of pressurised hot water extraction (PHWE) for essential compounds from <i>Moringa oleifera</i> leaf extracts. <i>Food Chemistry</i> , 2015 , 172, 423-7	8.5	49
86	Multivariate analysis for the safety assessment of genetically modified rices in the anti-nutrients and phenolic compounds. 2016 , 51, 765-776		4
85	Isocratic LC-DAD-FLD method for the determination of flavonoids in paprika samples by using a rapid resolution column and post-column pH change. 2016 , 152, 15-22		8
84	Chemical Composition and Antioxidant Activities of Tunisian <i>Thymus capitatus</i> L. Methanolic Extract. 2016 , 19, 1381-1390		13

83	Comparison of Two Adsorbent Based de-Bittering Procedures for Neem (<i>Azadirachta indica</i> A. Juss) Tea- Effect on Polyphenols, Anti-Oxidant Capacity, Color and Volatile Profile. 2017 , 72, 88-95	5
82	Two-phase hollow fiber-liquid microextraction based on reverse micelle for the determination of quercetin in human plasma and vegetables samples. 2017 , 173, 14-21	42
81	Solar UV-B radiation modulates chemical defenses against <i>Anticarsia gemmatalis</i> larvae in leaves of field-grown soybean. 2017 , 141, 27-36	13
80	One-Step Extraction and Hydrolysis of Flavonoid Glycosides in Rape Bee Pollen Based on Soxhlet-Assisted Matrix Solid Phase Dispersion. 2017 , 28, 505-511	13
79	Variation in Phenolic Profile, β -Carotene and Flavonoid Contents, Biological Activities of Two <i>Tagetes</i> Species from Pakistani Flora. 2017 , 14, e1600463	15
78	Antioxidant Activity of Quercetin and Its Glucosides from Propolis: A Theoretical Study. 2017 , 7, 7543	129
77	Comparing profiles and antioxidant properties of soluble and insoluble phenolics in <i>Perilla frutescens</i> seed flour extracts obtained by different extraction/hydrolysis methods. 2017 , 52, 2497-2504	5
76	Rapid Liquid Chromatographic Techniques for Detection of Key (Bio)chemical Markers. 2017 , 343-377	
75	Extractive determination of bioactive flavonoids from butterfly pea (<i>Clitoria ternatea</i> Linn.). 2017 , 43, 783-799	8
74	Antioxidant activity of methanolic extracts from three coriander (<i>Coriandrum sativum</i> L.) fruit varieties. 2017 , 10, S3176-S3183	40
73	Aromatic Plants: Antioxidant Capacity and Polyphenol Characterisation. 2017 , 6,	11
72	Influence of bio-fertilizer containing beneficial fungi and rhizospheric bacteria on health promoting compounds and antioxidant activity of <i>Spinacia oleracea</i> L. 2017 , 58, 35	41
71	Onions: A Source of Flavonoids. 2017 ,	5
70	Chemical and nutritional characterization of raw and thermal-treated flours of Mesquite (<i>Prosopis laevigata</i>) pods and their residual brans. 2018 , 16, 444-451	12
69	Light quality affects flavonoid production and related gene expression in <i>Cyclocarya paliurus</i> . 2018 , 179, 66-73	56
68	Seedless table grape residues as a source of polyphenols: comparison and optimization of non-conventional extraction techniques. 2018 , 244, 1091-1100	17
67	Comparative analysis of sixteen flavonoids from different parts of <i>Sophora flavescens</i> Ait. by ultra high-performance liquid chromatography-tandem mass spectrometry. 2018 , 156, 214-220	18
66	Effects of acid hydrolysis on the free radical scavenging capacity and inhibitory activity of the angiotensin converting enzyme of phenolic compounds of two varieties of jamaica (<i>Hibiscus sabdariffa</i>). 2018 , 116, 201-208	9

65	Chemicals and value added compounds from biomass using sub- and supercritical water. 2018 , 133, 591-602	40
64	Changes in the chemical parameters during the production of Bua-mel from Portugal. 2018 , 16, 972-979	0
63	Distribution of Phenolic Acids and Antioxidant Activities of Different Bran Fractions from Three Pigmented Wheat Varieties. 2018 , 2018, 1-9	17
62	Nutritional Characterization of Legume Tree (Mesquite) Seed Flour and the Effect of Extrusion Cooking on its Bioactive Components. 2018 , 7,	9
61	Identification and Characterization of the Tyrosinase Inhibitory Activity of Caffeine from Camellia Pollen. 2019 , 67, 12741-12751	14
60	Characterization and Quantification of Major Flavonol Glycosides in Ramps (). 2019 , 24,	7
59	Metal-organic frameworks based fluorescent sensor array for discrimination of flavonoids. 2019 , 203, 248-254	14
58	Effects of Spinach Leaf Extracts on Quality Characteristics and Phenolic Profile of Sunflower Oil. 2019 , 121, 1800325	6
57	Simultaneous quantification of polyphenols, glycoalkaloids and saponins in African nightshade leaves using ultra-high performance liquid chromatography tandem mass spectrometry with acid assisted hydrolysis and multivariate analysis. <i>Food Chemistry</i> , 2020 , 312, 126030	8.5 11
56	In vitro antibacterial effect of the leaf extract of <i>Murraya koenigii</i> on cell membrane destruction against pathogenic bacteria and phenolic compounds identification. 2020 , 33, 101010	16
55	Progress in the Pretreatment and Analysis of Flavonoids: An Update since 2013. 2020 , 1-27	3
54	In vivo gastroprotective effect and biological potentialities of six Tunisian medicinal plants using multivariate data treatment. 2020 , 1-12	2
53	Ultrasound-Assisted Extraction of Polyphenolic Contents and Acid Hydrolysis of Flavonoid Glycosides from Oil Palm (<i>Elaeis guineensis</i> Jacq.) Leaf: Optimization and Correlation with Free Radical Scavenging Activity. 2020 , 8, 1540	2
52	Bioactive compounds from <i>Syzygium malaccense</i> leaves: optimization of the extraction process, biological and chemical characterization. 2020 , 42, e46773	3
51	Colorimetric Differentiation of Flavonoids Based on Effective Reactivation of Acetylcholinesterase Induced by Different Affinities between Flavonoids and Metal Ions. 2020 , 92, 3361-3365	14
50	Chemical characterization and in vivo antioxidant activity of parsley (<i>Petroselinum crispum</i>) aqueous extract. 2020 , 11, 5346-5356	20
49	Effects of steam explosion pretreatment on the composition and biological activities of tartary buckwheat bran phenolics. 2020 , 11, 4648-4658	7
48	Highly efficient bioconversion of flavonoid glycosides from citrus-processing wastes in solvent-buffer systems. 2020 , 22, 3196-3207	8

47	Extreme precipitation enhances phenolic concentrations of spinach (<i>Spinacia oleracea</i>). 2020 , 34, 618-636	1
46	Tyrosinase inhibition by -coumaric acid ethyl ester identified from camellia pollen. 2021 , 9, 389-400	3
45	De-glycosylation and enhanced bioactivity of flavonoids from apple pomace during extraction with deep eutectic solvents. 2021 , 23, 7199-7209	2
44	Extraction of (Poly)phenolic Compounds of Cactus (<i>Opuntia ficus-indica</i> (L.) Mill.) Cladodes. 2021 , 14, 1167-1175	5
43	Ultrasonic _assisted extraction of phenolic compounds with evaluation of red onion skin (<i>Allium cepa</i> L.) antioxidant capacity. 1-17	2
42	Bioactivity of atemoya fruits and by-products. 2021 , 41, 101036	1
41	Auto-hydrolysis of red clover as "green" approach to (iso)flavonoid enriched products. 2021 , 152, 104878	3
40	Dermal Drug Delivery of Phytochemicals with Phenolic Structure via Lipid-Based Nanotechnologies. 2021 , 14,	8
39	Variation of Phytochemicals in Leaves of Seven Accessions of <i>Hibiscus sabdariffa</i> Grown under Field, Green Roof, and High Tunnel Conditions.	2
38	HPLC determination of phenolic compounds in different solvent extracts of mulberry leaves and antioxidant capacity of extracts. 2021 , 24, 544-552	3
37	Rotation planar extraction and medium-pressure solid-liquid extraction of onion (<i>Allium cepa</i>). 2003 , 16, 66-70	4
36	Fractionation and Hydrolyzation of Avocado Peel Extract: Improvement of Antibacterial Activity. 2020 , 10,	5
35	Evaluation of Phenolic Content and Antioxidant Property of Hydrolysed Extracts of <i>Terminalia catappa</i> L. Leaf. 2010 , 9, 479-485	30
34	Optimization of Extraction Conditions for Total Phenolics and Total Flavonoids from <i>Kaempferia parviflora</i> Rhizomes. 2018 , 09, 205-214	5
33	Comparative Analysis of Three Torbangun Clones (<i>Plectranthus amboinicus</i> (Lour.) Spreng) Based on Phenotypic Characteristics and Phenolic Content. 2014 , 05, 3673-3683	2
32	Influence of Synthetic Antioxidants on Extraction of All-<i>trans</i>-Lutein from Spinach under Air and Nitrogen Atmosphere. 2013 , 04, 195-200	3
31	Composition of Secondary Metabolites in Various Parts of BeolhyangPStrawberry Plants. 2013 , 31, 224-230	2
30	Secondary Metabolite Profiling in Various Parts of Tomato Plants. 2014 , 32, 252-260	9

- 29 ??? ?? ?? ? ?????? ??? ??? ?? **2010**, 6, 145-167
- 28 Investigation of Flavonoids Derived from the Butanol Extract of *Juniperus procera* Leaves. **2010**, 170-177
- 27 CHROMATOGRAPHY: RECENT PROGRESS. 150527103729000
- 26 Antioxidant and Antimicrobial Activities of Aqueous Extract of the Yellow and White Sweet Spanish onion (*Allium cepa* L.) in Isfahan. **2020**, 7, 33-39
- 25 Strategies in the Analysis of Plant Flavonoids: An Update. 1-40
- 24 Effects of storage time and temperature on the chemical composition and organoleptic quality of Gannan navel orange (*Citrus sinensis* Osbeck cv. Newhall). 1 0
- 23 Extraction of phenolic compounds from Iraqi *Coriandrum Sativum* L. and loaded on copolymeric hydrogels and examine there as drug delivery system and antioxidant. **2021**, 2063, 012001
- 22 Seed priming improves salinity tolerance in *Calotropis procera* (Aiton) by increasing photosynthetic pigments, antioxidant activities, and phenolic acids. **2022**, 77, 609 0
- 21 Temperature-responsive deep eutectic solvents as eco-friendly and recyclable media for microwave extraction of flavonoid compounds from waste onion (*Allium cepa* L.) skins. 1 1
- 20 Enrichment of antioxidant activity, phenolic compounds, volatile composition and sensory properties of yogurt with rosehip (*Rosa canina* L.) fortification. **2022**, 28, 100514 2
- 19 Organic Acid-Catalyzed Subcritical Water Hydrolysis of Immature Pomace.. **2021**, 11, 1 1
- 18 The effect of cranberry juice and a cranberry functional beverage on the growth and metabolic activity of selected oral bacteria.. **2021**, 21, 660 1
- 17 Optimization of Naringin and Naringenin Extraction from *Citrus Paradisi* L. Using Hydrolysis and Excipients as Adsorbent. **2022**, 14, 890 3
- 16 Influence of In Vitro Gastric Digestion of Olive Leaf Extracts on Their Bioactive Properties against *H. pylori*. **2022**, 11, 1832 2
- 15 Snailase: A Promising Tool for the Enzymatic Hydrolysis of Flavonoid Glycosides From Plant Extracts. 13, 0
- 14 Effect of Yakae-Prajamduen-Jamod Traditional Thai Remedy on Cognitive Impairment in an Ovariectomized Mouse Model and Its Mechanism of Action. **2022**, 27, 4310 1
- 13 Antioxidant Activity of Ethanolic Onion Skin Extracts Produced by Microwave Assisted and Conventional Extraction Methods. **2022**, 38, 1053-1058 0
- 12 Development and Validation of a High-performance Liquid Chromatography Method for Simultaneous Determination of Five Active Compounds in Kleeb Bua Daeng Formula. **2022**, 3618-3626 0

11	Study on Integrated Pharmacokinetics of the Component-Based Chinese Medicine of Ginkgo biloba Leaves Based on Nanocrystalline Solid Dispersion Technology. Volume 17, 4039-4057	0
10	Extraction of Polyphenols and Valorization of Fibers from Istrian-Grown Pomegranate (<i>Punica granatum</i> L.). 2022 , 11, 2740	1
9	Tìm hiểu hoạt tính chống oxy hóa và khả năng giải độc in vitro của polyphenol, flavonoid của cây lá xoài (Celastrus hindsii) gia vị polyphenol, flavonoid có hoạt tính chống oxy hóa và khả năng giải độc in vitro. 2022 , 58, 48-58	0
8	A New HPLC-MS/MS Method for the Simultaneous Determination of Quercetin and Its Derivatives in Green Coffee Beans. 2022 , 11, 3033	2
7	Synergistic properties of garlic and Citrullus colocynthis on reproductive injury caused by diabetes in male rats: Structural and molecular evidence.	0
6	Enhancing crop growth in rooftop farms by repurposing CO2 from human respiration inside buildings. 6,	0
5	Improving antioxidant activity and modifying Tartary buckwheat bran by steam explosion treatment. 2022 , 170, 114106	0
4	Antioxidant, Anti-Obesity, and Hypolipidemic Effects of Polyphenol Rich Star Anise (<i>Illicium verum</i>) Tea in High-Fat-Sugar Diet-Induced Obesity Rat Model. 2022 , 11, 2240	2
3	Modern Techniques for Flavonoid Extraction: To Optimize or Not to Optimize?. 2022 , 12, 11865	1
2	Glycerol-Based Deep Eutectic Solvents for Simultaneous Organosolv Treatment/Extraction: High-Performance Recovery of Antioxidant Polyphenols from Onion Solid Wastes. 2022 , 14, 15715	0
1	Extraction of phenolic compounds by conventional and green innovative techniques. 2023 , 355-394	0