

CITATION REPORT

List of articles citing

Effect of the addition of different fibres on wheat dough performance and bread quality

DOI: 10.1016/s0308-8146(02)00135-8
Food Chemistry, 2002, 79, 221-226.

Source: <https://exaly.com/paper-pdf/34676710/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
480	The nutritional enhancement of wheat flour. 2003 , 253-269		8
479	Dietary fibre fractions from fruit and vegetable processing waste. <i>Food Chemistry</i> , 2005 , 91, 221-225	8.5	244
478	Binding of heavy metals to pomace fibers. <i>Food Chemistry</i> , 2005 , 90, 395-400	8.5	40
477	Some functional properties of extruded orange pulp and its effect on the quality of cookies. <i>LWT - Food Science and Technology</i> , 2005 , 38, 213-220	5.4	71
476	Development of a baking procedure for the production of oat-supplemented wheat bread. <i>International Journal of Food Science and Technology</i> , 2006 , 41, 151-157	3.8	32
475	Extensional flow behaviour of natural fibre-filled dough and its relationship with structure and properties. 2006 , 137, 72-80		35
474	Application of Bifidobacterium strains to the breadmaking process. 2006 , 41, 2434-2440		15
473	Mixing properties of fibre-enriched wheat bread doughs: A response surface methodology study. 2006 , 223, 333-340		86
472	New potato fibre for improvement of texture and colour of wheat bread. 2006 , 224, 199-207		63
471	Dough and bread qualities of flours with whole waxy wheat flour substitution. 2007 , 40, 273-279		83
470	Use of sourdough lactobacilli and oat fibre to decrease the glycaemic index of white wheat bread. 2007 , 98, 1196-205		71
469	Dough properties and breadmaking qualities of whole waxy wheat flour and effects of additional enzymes. 2007 , 87, 2538-2543		16
468	Influence of fibre from different cereals on the rheological characteristics of wheat flour dough and on biscuit quality. <i>Food Chemistry</i> , 2007 , 100, 1365-1370	8.5	310
467	Assessment of the rheological profile of fibre-enriched bread doughs by response surface methodology. 2007 , 78, 820-826		130
466	The effect of the type and quantity of sugar-beet fibers on bread characteristics. 2007 , 78, 1047-1053		38
465	Using of hazelnut testa as a source of dietary fiber in breadmaking. 2007 , 80, 61-67		99
464	Date flesh: Chemical composition and characteristics of the dietary fibre. <i>Food Chemistry</i> , 2008 , 111, 676-682	8.5	176

463	Selection of phytate-degrading human bifidobacteria and application in whole wheat dough fermentation. 2008 , 25, 169-76		38
462	Effect of wheat bran and enzyme addition on dough functional performance and phytic acid levels in bread. 2008 , 48, 715-721		134
461	Effect of Artichoke (<i>Cynara scolymus</i> L.) Fiber on Textural and Sensory Qualities of Wheat Bread. 2008 , 14, 49-55		38
460	Comparison of chemical, physical, micro-structural, and microbial properties of breads supplemented with sweetpotato flour and high-gluten dough enhancers. <i>LWT - Food Science and Technology</i> , 2008 , 41, 803-815	5-4	59
459	Functional response of diluted dough matrixes in high-fibre systems: A viscometric and rheological approach. 2008 , 41, 803-812		19
458	Selection of lactic acid bacteria with high phytate degrading activity for application in whole wheat breadmaking. <i>LWT - Food Science and Technology</i> , 2008 , 41, 82-92	5-4	52
457	Effect of the Use of Ground Flaxseed on Quality and Chemical Composition of Bread. 2008 , 14, 299-306		44
456	Novel high-fibre and whole grain breads. 2008 , 184-214		13
455	Effect of Nut Paste Enrichment on Wheat Dough Rheology and Bread Volume. 2008 , 14, 57-65		22
454	Effect of Nut Paste Enrichment on Physical Characteristics and Consumer Acceptability of Bread. 2008 , 14, 259-269		18
453	Food Applications of Prebiotics. 2008 , 437-448		9
452	Using Sweetpotato Peels in Breadmaking as a Source of Dietary Fiber for Space Diets. 2008 ,		
451	The Influence of Dietary Fibres on Bubble Development During Bread Making. 2008 , 311-321		3
450	Development of fibre-enriched gluten-free bread: a response surface methodology study. 2009 , 60 Suppl 4, 174-90		19
449	Taxonomic structure and monitoring of the dominant population of lactic acid bacteria during wheat flour sourdough type I propagation using <i>Lactobacillus sanfranciscensis</i> starters. 2009 , 75, 1099-109		94
448	Effect of soluble dietary fibre addition on rheological and breadmaking properties of wheat doughs. 2009 , 49, 190-201		219
447	Effect of formulation on physicochemical properties and water status of nutritionally enhanced tortillas. 2009 , 89, 73-79		8
446	Effect of temperature and consistency on wheat dough performance. <i>International Journal of Food Science and Technology</i> , 2009 , 44, 493-502	3.8	35

445	Fibres in the dough influencing freezing and thawing kinetics. <i>International Journal of Food Science and Technology</i> , 2009 , 45, 1-6	3.8	4
444	Influence of frozen storage on bread enriched with different ingredients. 2009 , 92, 137-145		47
443	Effects of hull-less barley flour and flakes on bread nutritional composition and sensory properties. <i>Food Chemistry</i> , 2009 , 115, 982-988	8.5	49
442	In vitro starch hydrolysis and estimated glycaemic index of bread substituted with different percentage of chempedak (<i>Artocarpus integer</i>) seed flour. <i>Food Chemistry</i> , 2009 , 117, 64-68	8.5	34
441	Physico-chemical properties of commercial fibres from different sources: A comparative approach. 2009 , 42, 176-184		144
440	Effect of dietary fibre enrichment on selected properties of gluten-free bread. <i>LWT - Food Science and Technology</i> , 2009 , 42, 1380-1389	5.4	158
439	Effect of Barley Flour Incorporation on the Instrumental Texture of Sponge Cake. 2009 , 12, 243-251		21
438	Effects of Whole-Multigrain and Fructoligosaccharide Incorporation on the Quality and Sensory Attributes of Cookies. <i>Food Science and Technology Research</i> , 2010 , 17, 45-54	0.8	10
437	Physical characterization of fiber-enriched bread doughs by dual mixing and temperature constraint using the Mixolab [®] . 2010 , 231, 535-544		118
436	Effects of freezing and frozen storage conditions on the rheological properties of different formulations of non-yeasted wheat and gluten-free bread dough. 2010 , 100, 70-76		46
435	Effect of fiber incorporation on rheological and chapati making quality of wheat flour. <i>Journal of Food Science and Technology</i> , 2010 , 47, 166-73	3.3	29
434	Robustness of <i>Lactobacillus plantarum</i> starters during daily propagation of wheat flour sourdough type I. 2010 , 27, 897-908		95
433	Role of Fiber in Cardiovascular Diseases: A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2010 , 9, 240-258	16.4	131
432	Study of the physicochemical and pasting properties of instant corn flour added with calcium and fibers from nopal powder. 2010 , 96, 401-409		41
431	Impact of fibers on physical characteristics of fresh and staled bake off bread. 2010 , 98, 273-281		65
430	Influence of inulin on bread: Kinetics and physico-chemical indicators of the formation of volatile compounds during baking. <i>Food Chemistry</i> , 2010 , 119, 1474-1484	8.5	78
429	EFFECT OF THE ADDITION OF DEFATTED DATE SEEDS ON WHEAT DOUGH PERFORMANCE AND BREAD QUALITY. 2010 , 41, 511-531		41
428	Properties of bread dough with added fiber polysaccharides and phenolic antioxidants: a review. 2010 , 75, R163-74		174

427	Optimization of the formula of bread enriched with sugar beet fibres. <i>Acta Alimentaria</i> , 2010 , 39, 488-497		4
426	Effect of Adding Different Dietary Fiber Sources on Farinographic Parameters of Wheat Flour. 2010 , 87, 566-573		24
425	Pulse proteins: Processing, characterization, functional properties and applications in food and feed. 2010 , 43, 414-431		682
424	Dietary fibres in pulse seeds and fractions: Characterization, functional attributes, and applications. 2010 , 43, 450-460		301
423	Influence of processed sugarcane bagasse on the microbial, nutritional, rheological and quality characteristics of biscuits. 2011 , 62, 457-64		14
422	Heavy Metals Bounding Ability of Pomegranate (<i>Punica granatum</i>) Peel in Model System. 2011 , 14, 550-556		6
421	By-product utilization. 2011 , 325-362		5
420	Effects of added fruit polyphenols and pectin on the properties of finished breads revealed by HPLC/LC-MS and Size-Exclusion HPLC. 2011 , 44, 3047-3056		45
419	Sensory and nutritional attributes of fibre-enriched pasta. <i>LWT - Food Science and Technology</i> , 2011 , 44, 1429-1434	5.4	72
418	Effect of extruded wheat bran on dough rheology and bread quality. <i>LWT - Food Science and Technology</i> , 2011 , 44, 2231-2237	5.4	101
417	Partial Substitution of Wheat Flour with Chempedak (<i>Artocarpus integer</i>) Seed Flour in Bread. 2011 , 365-374		0
416	Effect of the addition of inulin on the nutritional, physical and sensory parameters of bread. 2011 , 47, 185-191		17
415	Dietary Fiber from Brewer's Spent Grain as a Functional Ingredient in Bread Making Technology. 2011 , 171-181		3
414	EFFECT OF TOMATO POMACE POWDER ON THE PHYSICOCHEMICAL PROPERTIES OF FLAT BREAD (BARBARI BREAD). 2011 , 35, 247-256		44
413	EFFECT OF DIFFERENTLY TREATED WHEAT BRAN ON RHEOLOGY, MICROSTRUCTURE AND QUALITY CHARACTERISTICS OF SOFT DOUGH BISCUITS. 2011 , 35, 179-200		35
412	ENRICHMENT OF WHOLE WHEAT FLAXSEED BREAD WITH FLAXSEED OIL. 2011 , 35, 605-609		14
411	EFFECT OF DATE FLESH FIBER CONCENTRATE ADDITION ON DOUGH PERFORMANCE AND BREAD QUALITY. 2011 , 42, 300-308		24
410	Wheat bread enrichment with hard-to-cook bean extruded flours: nutritional and acceptance evaluation. 2011 , 76, S108-13		6

409	Physicochemical properties of bread dough and finished bread with added pectin fiber and phenolic antioxidants. 2011 , 76, H97-H107		67
408	Effect of particle size and addition level of wheat bran on quality of dry white Chinese noodles. 2011 , 53, 217-224		81
407	Effect of barley flour and freeze-thaw cycles on textural nutritional and functional properties of cookies. 2011 , 89, 520-527		42
406	Millet-legume blended extrudates characteristics and process optimization using RSM. 2011 , 89, 492-499		22
405	Effect of blend levels on composite wheat doughs performance made from yam and cassava native starches and bread quality. 2011 , 86, 1637-1645		17
404	Influence of the soluble fibres inulin and oat β -glucan on quality of dough and bread. 2011 , 232, 405-413		133
403	Dough rheological, Mixolab mixing, and nutritional characteristics of almond cookies with and without xylanase. 2011 , 105, 227-232		16
402	Effect of the Addition of Different Dietary Fiber and Edible Cereal Bran Sources on the Baking and Sensory Characteristics of Cupcakes. 2011 , 4, 710-722		112
401	Dietary fibre and fibre-rich by-products of food processing: Characterisation, technological functionality and commercial applications: A review. <i>Food Chemistry</i> , 2011 , 124, 411-421	8.5	892
400	Interpretation of mechanical spectra of carob fibre and oat wholemeal-enriched wheat dough using non-linear regression models. 2011 , 102, 369-379		26
399	Lupine Kernel Fiber: Metabolic Effects in Human Intervention Studies and Use as a Supplement in Wheat Bread. 2011 , 463-473		2
398	Influence of Cephalaria Syriaca Addition on Physical and Sensorial Properties of Wheat Bran Bread. 2011 , 14, 124-133		6
397	Comparative Characterization of Dietary Fibre-Enriched Frozen/Thawed Mashed Potatoes. 2012 , 15, 1022-1041		6
396	Application of Grasspea Wholemeal in the Technology of White Bread Production.. 2012 , 62, 207-213		6
395	Bread aroma. 2012 , 523-561		5
394	Nutritionally enhanced wheat flours and breads. 2012 , 687-710		3
393	Effect of Cephalaria syriaca addition on rheological properties of composite flour. 2012 , 26, 387-393		5
392	Assessment of breadmaking performance of wheat flour dough by means of frequency dependent ultrasound. 2012 , 42, 012040		2

391	Dietary Fibre Characteristics and Antioxidant Activity of Sesame Seed Coats (Testae). 2012 , 15, 25-37		22
390	Perspective of β -Glucan as Functional Ingredient for Food Industry. 2012 , 02,		27
389	Fibres as an additive for oil reduction in deep fat fried poori. <i>Journal of Food Science and Technology</i> , 2012 , 49, 767-73	3-3	17
388	Formulating breads for specific dietary requirements. 2012 , 711-735		4
387	Ascophyllum nodosum enriched bread reduces subsequent energy intake with no effect on post-prandial glucose and cholesterol in healthy, overweight males. A pilot study. 2012 , 58, 379-86		52
386	Physicochemical properties of a dressing-type o/w emulsion as influenced by orange pulp fiber incorporation. <i>LWT - Food Science and Technology</i> , 2012 , 46, 335-340	5-4	22
385	Sensory profile and preference mapping of orange cakes with addition of prebiotics inulin and oligofructose. <i>LWT - Food Science and Technology</i> , 2012 , 48, 37-42	5-4	43
384	Textural and sensory properties of salted noodles containing purple yam flour. 2012 , 47, 223-228		38
383	Beta glucan: a valuable functional ingredient in foods. 2012 , 52, 201-12		129
382	Influence of Added Enzymes and Bran Particle Size on Bread Quality and Iron Availability. 2012 , 89, 223-229		13
381	Mathematical approach of structural and textural properties of gluten free bread enriched with carob flour. 2012 , 56, 603-609		38
380	Recent advances in the development of high-fibre baked products. 2012 , 28, 4-14		87
379	Wheat Flour Enriched with Calcium and Inulin: A Study of Hydration and Rheological Properties of Dough. 2012 , 5, 3129-3141		23
378	Effect of Ingredients on Rheological, Nutritional and Quality Characteristics of High Protein, High Fibre and Low Carbohydrate Bread. 2012 , 5, 2998-3006		37
377	Waste Utilization in Cucurbits: A Review. 2012 , 3, 363-368		7
376	Pea, Lentil and Chickpea Protein Application in Bread Making. 2012 , 1, 160		20
375	Fibre-rich additives--the effect on staling and their function in free-standing and pan-baked bread. 2012 , 92, 1201-13		20
374	Effect of Formulation on Physicochemical Properties and Water Status of Nutritionally Enriched Fresh Pasta. 2012 , 5, 1642-1652		22

373	Comparison of baking tests using wholemeal and white wheat flour. 2012 , 234, 845-851		6
372	Composite wheat/germinated brown rice flours: selected physicochemical properties and bread application. <i>International Journal of Food Science and Technology</i> , 2012 , 47, 75-82	3.8	21
371	THE EFFECTS OF WHEAT FLOUR SUBSTITUTION WITH GRAPE SEED FLOUR ON THE RHEOLOGICAL PARAMETERS OF THE DOUGH ASSESSED BY MIXOLAB. 2012 , 43, 40-48		22
370	The effect of inulin and fructo-oligosaccharide supplementation on the textural, rheological and sensory properties of bread and their role in weight management: a review. <i>Food Chemistry</i> , 2012 , 133, 237-48	8.5	142
369	The influence of fenugreek gum and extrusion modified fenugreek gum on bread. <i>Food Hydrocolloids</i> , 2012 , 26, 350-358	10.6	35
368	Brewer's spent grain as a functional ingredient for breadsticks. <i>International Journal of Food Science and Technology</i> , 2012 , 47, 1765-1771	3.8	63
367	EFFECT OF SHORTENINGS ON THE RHEOLOGY OF GLUTEN-FREE DOUGHS: STUDY OF CHESTNUT FLOUR WITH CHIA FLOUR, OLIVE AND SUNFLOWER OILS. 2012 , 43, 375-383		31
366	EFFECTS OF BLENDING OF WHEAT FLOUR WITH BARLEY FLOUR ON DOUGH AND STEAMED BREAD PROPERTIES. 2012 , 43, 438-444		27
365	Use of farinograph measurements for predicting extensograph traits of bread dough enriched with carob fibre and oat wholemeal. 2012 , 108, 1-12		55
364	Development of radish fibre based snack by response surface methodology (RSM). <i>Journal of Food Science and Technology</i> , 2012 , 49, 58-65	3.3	8
363	Physicochemical properties and sensory evaluation of fructooligosaccharide enriched cookies. <i>Journal of Food Science and Technology</i> , 2012 , 49, 192-9	3.3	47
362	White grape pomace as a source of dietary fibre and polyphenols and its effect on physical and nutraceutical characteristics of wheat biscuits. 2013 , 93, 389-95		98
361	Optimization of ultrasonic-assisted preparation of dietary fiber from corn pericarp using response surface methodology. 2013 , 93, 2922-6		9
360	Composition, properties and health benefits of indigestible carbohydrate polymers as dietary fiber: a review. 2013 , 61, 1-6		338
359	Application of Different Multi-criteria Decision Techniques to Determine Optimum Flavour of Prebiotic Pudding Based on Sensory Analyses. 2013 , 6, 2844-2859		28
358	Fructooligosaccharide retention during baking and its influence on biscuit quality. <i>Food Bioscience</i> , 2013 , 4, 68-80	4.9	17
357	Nutritional and technological quality of bread enriched with an intermediated pearled wheat fraction. <i>Food Chemistry</i> , 2013 , 141, 2549-57	8.5	63
356	Influence of Psyllium, sugar beet fibre and water on gluten-free dough properties and bread quality. 2013 , 98, 1657-66		93

355	Impact of Dietary Fiber Enrichment on the Sensory Characteristics and Acceptance of French Baguettes. <i>Journal of Food Quality</i> , 2013 , 36, 324-333	2.7	12
354	Non-digestible long chain beta-glucans as novel prebiotics. 2013 , 2, 45-64		104
353	Effect of microparticulated wheat bran on the physical properties of bread. 2013 , 64, 122-9		17
352	Extensograph curve profile model used for characterising the impact of dietary fibre on wheat dough. 2013 , 57, 471-479		13
351	Rheological properties of gels obtained from gluten-free raw materials during a short term aging. <i>LWT - Food Science and Technology</i> , 2013 , 53, 464-472	5.4	13
350	Rheological properties of wheat dough supplemented with functional by-products of food processing: Brewer's spent grain and apple pomace. 2013 , 116, 362-368		64
349	Effect of the addition of bran fractions on bread properties. 2013 , 57, 325-332		82
348	Protective effect of grape by-product-fortified breads against cholesterol/cholic acid diet-induced hypercholesterolaemia in rats. 2013 , 93, 3271-8		26
347	The effects of dietary fibre addition on the quality of common cereal products. 2013 , 58, 216-227		157
346	Dietary fibre sources in bread: Influence on technological quality. <i>LWT - Food Science and Technology</i> , 2013 , 50, 545-553	5.4	74
345	Substituting whole grain flour for wheat flour: Impact on cake quality and glycemic index. 2013 , 22, 1-7		11
344	Resistant starch: promise for improving human health. 2013 , 4, 587-601		425
343	Combined effects of inulin, pectin and guar gum on the quality and stability of partially baked frozen bread. <i>Food Hydrocolloids</i> , 2013 , 30, 428-436	10.6	30
342	A study on relationships between durum wheat semolina properties, technological mixing parameters and the properties of dough after mixing. <i>International Journal of Food Science and Technology</i> , 2013 , 48, 2541-2550	3.8	3
341	Functional flaxseed in baking. <i>Quality Assurance and Safety of Crops and Foods</i> , 2013 , 5, 375-385	1.5	6
340	A comparison of oat flour and oat bran-based bread formulations. 2013 , 115, 300-313		10
339	Jerusalem artichoke powder as a food additive in bakery products. <i>Acta Alimentaria</i> , 2013 , 42, 73-80	1	1
338	Influence of dietary fibre addition on the rheological and sensory properties of dough and bakery products. 2013 , 31, 340-346		18

337	Improving the quality of whole wheat bread by using various plant origin materials. 2013 , 31, 457-466		19
336	Easy Measurement of Different Forces of Water Retention by Hydrocolloids through Water Loss at Same Viscosity. 2014 , 6, 1033-1035		
335	Influence of the addition of lupine protein isolate on the protein and technological characteristics of dough and fresh bread with added Brea Gum. 2014 , 34, 195-203		13
334	Improvement of fatty acid profile and studio of rheological and technological characteristics in breads supplemented with flaxseed, soybean, and wheat bran flours. 2014 , 2014, 401981		4
333	Pumpkin Fruit Flour as a Source for Food Enrichment in Dietary Fiber. 2014 , 42,		11
332	Effect of Extruded Corn Pericarp Dietary Fiber on Dough Rheology and Dumpling Wrapper Quality. <i>Food Science and Technology Research</i> , 2014 , 20, 235-240	0.8	3
331	VALOR NUTRITIVO E ANÁLISE SENSORIAL DE PÃO DE SAL ADICIONADO DE Pereskia aculeata. 2014 , 9,		1
330	Effect of Inuline and Oatmeal Addition on Fat and Dietary Fiber Content in Hot Press Wheat Flour Tortilla. 2014 , 4, 44		3
329	Bread Staling: Updating the View. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2014 , 13, 473-492		128
328	Effect of fructooligosaccharides on the physicochemical properties of sour cassava starch and baking quality of gluten-free cheese bread. 2014 , 66, 678-684		15
327	Inclusion of Oat Flour in the Formulation of Regular Salted Dried Noodles and Its Effects on Dough and Noodle Properties. 2014 , 38, 48-58		14
326	Functional analysis of unfermented and fermented citrus peels and physical properties of citrus peel-added doughs for bread making. <i>Journal of Food Science and Technology</i> , 2014 , 51, 3803-11	3.3	11
325	Effect of incorporation of pumpkin (<i>Cucurbita moshchata</i>) powder and guar gum on the rheological properties of wheat flour. <i>Journal of Food Science and Technology</i> , 2014 , 51, 2600-7	3.3	12
324	Rheological and Breadmaking Properties of Wheat Flours Supplemented with Octenyl Succinic Anhydride-Modified Waxy Maize Starches. 2014 , 7, 235-247		28
323	Effect of Pear, Apple and Date Fibres from Cooked Fruit By-products on Dough Performance and Bread Quality. 2014 , 7, 1114-1127		56
322	The application of dextran compared to other hydrocolloids as a novel food ingredient to compensate for low protein in biscuit and wholemeal wheat flour. 2014 , 238, 763-771		32
321	Effect of Grape (<i>Vitis Vinifera</i> L.) Pomace on the Quality, Total Phenolic Content and Anti-Radical Activity of Bread. 2014 , 38, 980-986		35
320	Rheology of tomato and wheat dietary fibers in water and in suspensions of pimento puré. 2014 , 134, 67-73		9

319	Effect of flaxseed flour addition on physicochemical and sensory properties of functional bread. <i>LWT - Food Science and Technology</i> , 2014 , 58, 614-619	5.4	60
318	Rheological Properties of Bread Dough Formulated with Wheat Flour/Organic Calcium Salts/OS-Enriched Inulin Systems. 2014 , 7, 1618-1628		8
317	Konjac glucomannan-induced changes in thiol/disulphide exchange and gluten conformation upon dough mixing. <i>Food Chemistry</i> , 2014 , 143, 163-9	8.5	75
316	Prebiotics: application in bakery and pasta products. 2014 , 54, 511-22		15
315	Modeling the Effects of the Quantity and Particle Size of Wheat Bran on Some Properties of Bread Dough using Response Surface Methodology. 2014 , 10, 511-519		5
314	Impact of quinoa bran on gluten-free dough and bread characteristics. 2014 , 239, 767-775		46
313	Effect of apple pomace powder addition on farinographic properties of wheat dough and biscuits quality. 2014 , 68,		35
312	Production of Microfluidized Wheat Bran Fibers and Evaluation as an Ingredient in Reduced Flour Bakery Product. 2014 , 7, 2889-2901		26
311	Fermentation time and fiber effects on recrystallization of starch components and staling of bread from frozen part-baked bread. 2014 , 131, 116-123		29
310	Characterisation of structural patterns in bread as evaluated by X-ray computer tomography. 2014 , 123, 67-77		31
309	In vitro starch digestion and cake quality: impact of the ratio of soluble and insoluble dietary fiber. 2014 , 63, 98-103		35
308	Quality of Bread and Cookie Baked from Frozen Dough and Batter Containing β-Glucan-Rich Barley Flour Fraction. <i>Journal of Food Quality</i> , 2015 , 38, 316-327	2.7	5
307	Gum cordia: physico-functional properties and effect on dough rheology and pan bread quality. <i>Quality Assurance and Safety of Crops and Foods</i> , 2015 , 7, 569-579	1.5	3
306	Effect of chlorophyll removal and particle size upon the nutritional and technological properties of powdered by-products from artichoke (<i>Cynara scolymus</i> , L.) industrial canning. <i>International Journal of Food Science and Technology</i> , 2015 , 50, 2383-2390	3.8	2
305	Sensory features and physical-chemical characterization of Brazilian honey bread with passion fruit peel flour. 2015 , 45, 595-605		5
304	Rheological parameters of dough with inulin addition and its effect on bread quality. 2015 , 602, 012015		5
303	Características tecnológicas de pães elaborados com farelo de arroz desengordurado. <i>Brazilian Journal of Food Technology</i> , 2015 , 18, 128-136	1.5	9
302	Effect of the Chickpea (<i>Cicer arietinum</i> L.) Flour Addition on Physicochemical Properties of Wheat Bread. 2015 , 72,		8

301	Wheat Bran Phenolic Acids: Bioavailability and Stability in Whole Wheat-Based Foods. 2015 , 20, 15666-85		80
300	The Physicochemical Properties and Sensory Evaluation of Bread Made with a Composite Flour from Wheat and Tempoyak (Fermented Durian). 2015 , 12, 775-784		5
299	Processing, Quality and Storage of Part-Baked Products. 2015 , 173-192		2
298	Physiological and Nutraceutical Perspectives of Fructan. 2015 , 18, 1895-1904		8
297	The effect of hazelnut roasted skin from different cultivars on the quality attributes, polyphenol content and texture of fresh egg pasta. 2015 , 95, 1678-88		14
296	Minimally Processed Foods. 2015 ,		3
295	Fibre enrichment of wheat bread with Jerusalem artichoke inulin: Effect on dough rheology and bread quality. <i>Food Structure</i> , 2015 , 3, 21-29	4.3	64
294	Effect of raw material on cooking quality and nutritional composition of durum wheat spaghetti. 2015 , 66, 266-74		15
293	Development of baked and extruded functional foods from metabolic syndrome specific ingredient mix. <i>Journal of Food Science and Technology</i> , 2015 , 52, 5850-7	3.3	3
292	Microencapsulation of green tea polyphenols and its effect on incorporated bread quality. <i>LWT - Food Science and Technology</i> , 2015 , 64, 289-296	5.4	103
291	Fibra de casca de laranja como substituto de gordura em pãõ de forma. 2015 , 45, 567-573		6
290	Characterization and functionality of alcohol insoluble solids from tomato pomace as fat substitute in low fat cake. <i>Journal of Food Measurement and Characterization</i> , 2015 , 9, 557-563	2.8	11
289	The Effects of Fiber Inclusion on Pet Food Sensory Characteristics and Palatability. 2015 , 5, 110-25		19
288	Jet Milling Effect on Functionality, Quality and In Vitro Digestibility of Whole Wheat Flour and Bread. 2015 , 8, 1319-1329		39
287	Influence of Different Carob Fruit Flours (<i>Ceratonia siliqua</i> L.) on Wheat Dough Performance and Bread Quality. 2015 , 8, 1561-1570		20
286	Effect of millet flours and carrot pomace on cooking qualities, color and texture of developed pasta. <i>LWT - Food Science and Technology</i> , 2015 , 63, 470-474	5.4	57
285	Physico-chemical characteristics of chilli spent residue and its effect on the rheological, microstructural and nutritional qualities of bread. <i>Journal of Food Science and Technology</i> , 2015 , 52, 7218-7226	3.3	6
284	Impact of bread making on fructan chain integrity and effect of fructan enriched breads on breath hydrogen, satiety, energy intake, PYY and ghrelin. 2015 , 6, 2561-7		5

283	Effect of the Amount and Particle Size of Pineapple Peel Fiber on Dough Rheology and Steamed Bread Quality. 2015 , 39, 549-558		19
282	Development of protein and fiber enriched breads by supplementation of roller milled fractions of green gram. <i>Journal of Food Science and Technology</i> , 2015 , 52, 415-422	3.3	6
281	Functionality of galactomannan extracted from Tunisian carob seed in bread dough. <i>Journal of Food Science and Technology</i> , 2015 , 52, 423-429	3.3	9
280	Mixing, tensile and pasting properties of wheat flour mixed with raw and enzyme treated rice bran. <i>Journal of Food Science and Technology</i> , 2015 , 52, 3014-21	3.3	15
279	Impact of soluble dietary fibre on the characteristics of extruded snacks. <i>Food Hydrocolloids</i> , 2015 , 43, 73-81	10.6	36
278	Improvement of gluten-free bread properties by the incorporation of bovine plasma proteins and different saccharides into the matrix. <i>Food Chemistry</i> , 2015 , 170, 257-64	8.5	36
277	Advances in gluten-free bread technology. 2015 , 21, 256-76		18
276	Nutraceutical aspects of β -glucan with application in food products. 2016 , 387-425		2
275	Rye Bread Fortified With Cellulose and Its Acceptance by Elderlies in Nursing Homes and Young Adults. 2016 , 5, 1		4
274	Wheat bread enrichment by pea and broad bean pods fibers: Effect on dough rheology and bread quality. <i>LWT - Food Science and Technology</i> , 2016 , 73, 584-591	5.4	65
273	Effects of pineapple pomace fibre on physicochemical properties of composite flour and dough, and consumer acceptance of fibre-enriched wheat bread. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 1120-1129	3.8	38
272	Effect of Arabinoxylan on Rheological Attributes and Bread Quality of Spring Wheats. 2016 , 40, 1164-1170		8
271	Evaluation of a high nutritional quality snack based on oat flakes and inulin: effects on postprandial glucose, insulin and ghrelin responses of healthy subjects. 2016 , 7, 3295-303		11
270	Effects of Short-Chain Inulin on Quality of Chinese Steamed Bread. <i>Journal of Food Quality</i> , 2016 , 39, 255-263	2.7	16
269	Effects of inulin on the structure and emulsifying properties of protein components in dough. <i>Food Chemistry</i> , 2016 , 210, 235-41	8.5	38
268	The sensory acceptance of fibre-enriched cereal foods: a meta-analysis. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 3-13	3.8	47
267	Rheological properties of wheat flour dough and pan bread with wheat bran. 2016 , 71, 177-182		42
266	Dietary Fibers and Etiology of Health and Disease. 2016 , 165-176		

265	Effect of apple fibre on textural and relaxation properties of wheat chips dough. <i>Quality Assurance and Safety of Crops and Foods</i> , 2016 , 8, 457-472	1.5	2
264	Enrichment of Antioxidant Capacity and Vitamin E in Pita Made from Barley. 2016 , 81, H777-85		3
263	Effect of fructo-oligosaccharide and isomalto-oligosaccharide addition on baking quality of frozen dough. <i>Food Chemistry</i> , 2016 , 213, 157-162	8.5	27
262	Fibre concentrate from artichoke (<i>Cynara scolymus</i> L.) stem by-products: Characterization and application as a bakery product ingredient. 2016 , 22, 759-768		23
261	Effects of added inulin and wheat gluten on structure of rye porridge. <i>LWT - Food Science and Technology</i> , 2016 , 66, 211-216	5.4	6
260	Fructooligosaccharides Impact on the Hydration and Retro-Gradation of Wheat Starch and Gel. 2016 , 19, 2682-2692		6
259	Mechanisms Behind Distiller's Grains Impact on Wheat Dough and Bread Quality. 2016 , 9, 274-284		15
258	Influence of the reformulation of ingredients in bakery products on healthy characteristics and acceptability of consumers. 2016 , 67, 74-82		10
257	Characteristics of Relationships Between Structure of Gluten Proteins and Dough Rheology □ Influence of Dietary Fibres Studied by FT-Raman Spectroscopy. 2016 , 11, 81-90		41
256	Characterizing Texture, Color and Sensory Attributes of Cookies Made with Jerusalem Artichoke (<i>Helianthus tuberosus</i> L.) Flour Using a Mixture Design and Browning Reaction Kinetics. 2016 , 12, 107-126		2
255	Influence of teff variety and wheat flour strength on breadmaking properties of healthier teff-based breads. 2016 , 68, 38-45		11
254	Structural role of fibre addition to increase knowledge of non-gluten bread. 2016 , 67, 58-67		33
253	Effect of Whole Grain Wheat Flour on the Mixing Properties, Oil Uptake, and In Vitro Starch Digestibility of Instant Fried Noodles. 2016 , 93, 100-103		5
252	Fibre enrichment of wheat flour with mesquite (<i>Prosopis</i> spp.): Effect on breadmaking performance and staling. <i>LWT - Food Science and Technology</i> , 2016 , 65, 1008-1016	5.4	28
251	The use of potato fibre to improve bread physico-chemical properties during storage. <i>Food Chemistry</i> , 2016 , 195, 64-70	8.5	40
250	Physicochemical, Organoleptic Characteristics and Image Analysis of the Doughnut Enriched with Oleaster Flour. 2017 , 41, e13021		1
249	Mixolab for rheological evaluation of wheat flour partially replaced by soy protein hydrolysate and fructooligosaccharides for bread production. <i>LWT - Food Science and Technology</i> , 2017 , 76, 259-269	5.4	36
248	Bacterial nanocellulose as a potential additive for wheat bread. <i>Food Hydrocolloids</i> , 2017 , 67, 189-196	10.6	27

247	Sensory optimization of nutritionally enriched strawberry yogurt. 2017 , 119, 301-310		5
246	Ethnic and traditional Iranian breads: different types, and historical and cultural aspects. 2017 , 4, 8-14		17
245	On the assessments of arabinoxylan localization and enzymatic modifications for enhanced protein networking and its structural impact on rye dough and bread. <i>Food Chemistry</i> , 2017 , 229, 178-187	8.5	7
244	Recombinant Wheat Endoplasmic Reticulum Oxidoreductin 1 Improved Wheat Dough Properties and Bread Quality. 2017 , 65, 2162-2171		14
243	Impact of the addition of RS-III prepared from sweet potato starch on the quality of bread. <i>Journal of Food Measurement and Characterization</i> , 2017 , 11, 956-964	2.8	3
242	Physical Characteristics, Chemical Composition, Organoleptic Test And The Number Of Microbes In The Biscuits With Addition Of Flour Banana Peels. 2017 , 812, 012118		1
241	Evaluation of different hydrocolloids to improve dough rheological properties and bread quality of potato-wheat flour. <i>Journal of Food Science and Technology</i> , 2017 , 54, 1597-1607	3.3	9
240	Fiber purified extracts of carob fruit decrease carbohydrate absorption. 2017 , 8, 2258-2265		8
239	Effect of cellulase, xylanase and Amylase combinations on the rheological properties of Chinese steamed bread dough enriched in wheat bran. <i>Food Chemistry</i> , 2017 , 234, 93-102	8.5	46
238	Improving bread-making processing phases of fibre-rich formulas using chia (<i>Salvia hispanica</i>) seed flour. <i>LWT - Food Science and Technology</i> , 2017 , 84, 419-425	5.4	15
237	Functional bread: Effect of inulin-type products addition on dough rheology and bread quality. 2017 , 75, 220-227		24
236	Effect of Wheat Bran on Dough Rheology and Final Quality of Chinese Steamed Bread. 2017 , 94, 581-587		15
235	Technological, nutritional and functional properties of wheat bread enriched with lentil or carob flours. <i>LWT - Food Science and Technology</i> , 2017 , 78, 361-366	5.4	73
234	Bran-induced effects on the evolution of bubbles and rheological properties in bread dough. 2017 , 48, 415-426		15
233	Physical and antioxidant properties of gluten-free bread enriched with carob fibre. 2017 , 31, 411-418		3
232	Effect of ingredients on the quality characteristics of gluten free snacks. <i>Journal of Food Science and Technology</i> , 2017 , 54, 3989-3999	3.3	8
231	Effects of pomegranate seed flour on dough rheology and bread quality. 2017 , 15, 622-628		19
230	Enrichment of Bread with Nutraceutical-Rich Mushrooms: Impact of <i>Auricularia auricula</i> (Mushroom) Flour Upon Quality Attributes of Wheat Dough and Bread. 2017 , 82, 2041-2050		23

229	Applications of prebiotics in food industry: A review. 2017 , 23, 649-667		49
228	Development of fibre-enriched wheat breads: impact of recovered agroindustrial by-products on physicochemical properties of dough and bread characteristics. 2017 , 243, 1973-1988		8
227	Development and characterization of wheat lines with increased levels of arabinoxylan. 2017 , 213, 1		10
226	Food industry by-products used as functional ingredients of bakery products. 2017 , 67, 106-128		113
225	Enrichment of cookies with glutathione by inactive yeast cells (<i>Saccharomyces cerevisiae</i>): Physicochemical and functional properties. 2017 , 78, 19-24		8
224	Evaluation of <i>Agave angustifolia</i> fructans as fat replacer in the cookies manufacture. <i>LWT - Food Science and Technology</i> , 2017 , 77, 100-109	5.4	27
223	Effect of Roller Mill Processed Fenugreek Fiber Addition on Rheological and Bread Making Properties of Wheat Flour Doughs. 2017 , 41, e13012		4
222	Improvement of texture and sensory properties of cakes by addition of potato peel powder with high level of dietary fiber and protein. <i>Food Chemistry</i> , 2017 , 217, 668-677	8.5	72
221	Optimization of beta-glucan and water content in fortified wheat bread using Response Surface Methodology according to staling kinetics. <i>LWT - Food Science and Technology</i> , 2017 , 75, 352-357	5.4	6
220	Relation between ultrasonic properties, rheology and baking quality for bread doughs of widely differing formulation. 2017 , 97, 2366-2374		15
219	The mallow, <i>Malva aegyptiaca</i> L. (Malvaceae): Phytochemistry analysis and effects on wheat dough performance and bread quality. <i>LWT - Food Science and Technology</i> , 2017 , 75, 656-662	5.4	13
218	Effects of wheat-bran arabinoxylan as partial flour replacer on bread properties. <i>Food Chemistry</i> , 2017 , 221, 1606-1613	8.5	26
217	Effect of Rye Bran Particles on Structure Formation Properties of Rye Dough and Bread. 2017 , 41, e12998		
216	Structural and functional characterization of oxidized feruloylated arabinoxylan from wheat. <i>Food Hydrocolloids</i> , 2017 , 63, 219-225	10.6	17
215	Buckwheat flour inclusion in Chinese steamed bread: potential reduction in glycemic response and effects on dough quality. 2017 , 243, 727-734		13
214	Effect of size reduction on colour, hydration and rheological properties of wheat bran. 2017 , 37, 389-396		32
213	Extraction of β -glucan from <i>Saccharomyces cerevisiae</i> : Comparison of different extraction methods and in vivo assessment of immunomodulatory effect in mice. 2017 , 37, 124-130		30
212	The Bread Making Qualities of Bread Dough Supplemented with Whole Wheat Flour and Treated with Enzymes. <i>Food Science and Technology Research</i> , 2017 , 23, 403-410	0.8	17

211	Sensory profile and evaluation of the degree of acceptability of bread produced with inulin and oligofructose. <i>Brazilian Journal of Food Technology</i> , 2017 , 21,	1.5	0
210	Potential of defatted marama flour-cassava starch composites to produce functional gluten-free bread-type dough. <i>LWT - Food Science and Technology</i> , 2018 , 92, 429-434	5.4	9
209	Incorporation of mushroom powder into bread dough—Effects on dough rheology and bread properties. 2018 , 95, 418-427		15
208	Inulin-Type Fructans Application in Gluten-Free Products: Functionality and Health Benefits. 2018 , 1-40		4
207	Effect of inulin on rheological properties of soft and strong wheat dough. <i>International Journal of Food Science and Technology</i> , 2018 , 53, 1648-1656	3.8	9
206	Utilisation of beetroot powder for bakery applications. 2018 , 72, 1507-1515		15
205	Impact of wheat bran addition on the temperature-induced state transitions in dough during bread-baking process. <i>International Journal of Food Science and Technology</i> , 2018 , 53, 404-411	3.8	8
204	Interaction of wheat macromolecules and berry pomace in model dough: Rheology and microstructure. 2018 , 223, 109-115		32
203	Enhancement of functional and nutritional properties of bread using a mix of natural ingredients from novel varieties of flaxseed and lupine. <i>LWT - Food Science and Technology</i> , 2018 , 91, 48-54	5.4	30
202	Influence of incorporating defatted soy flour, carrot powder, mango peel powder, and moringa leaves powder on quality characteristics of wheat semolina-pearl millet pasta. 2018 , 42, e13575		27
201	Effect of barley husk addition on rheological, textural, thermal and sensory characteristics of traditional flat bread (chapatti). 2018 , 79, 376-382		20
200	Tomato processing byproduct valorization in bread and muffin: improvement in physicochemical properties and shelf life stability. <i>Journal of Food Science and Technology</i> , 2018 , 55, 2560-2568	3.3	22
199	Shelf-life, physicochemical, and nutritional properties of wheat bread with optimized amount of dried chickpea sourdough and yeast by response surface methodology. 2018 , 42, e13650		7
198	Microencapsulation of red onion peel polyphenols fractions by freeze drying technicality and its application in cake. 2018 , 42, e13654		10
197	Animal fat replacement by vegetable oils in formulations of breads with flour mixes. <i>Journal of Food Science and Technology</i> , 2018 , 55, 858-867	3.3	9
196	Microstructure, constituents, and their relationship with quality and functionality of dietary fibers. 2018 , 193-216		4
195	Potentiality of gluten-free chocolate cookies with added inulin/oligofructose: Chemical, physical and sensory characterization. <i>LWT - Food Science and Technology</i> , 2018 , 90, 172-179	5.4	19
194	Composition of legume soaking water and emulsifying properties in gluten-free bread. 2018 , 24, 232-241		19

193	Influence of the addition of soy product and wheat fiber on rheological, textural, and other quality characteristics of pizza. 2017 , 49, 415		7
192	Extraction of β -glucan of <i>Hericium erinaceus</i> , <i>Avena sativa</i> L., and <i>Saccharomyces cerevisiae</i> and in vivo evaluation of their immunomodulatory effects. 2018 , 38, 138-146		2
191	Blending studies using wheat and lentil cotyledon flour Effects on rheology and bread quality. 2018 , 95, 849-860		18
190	Effects on the quality and health-enhancing properties of industrial onion waste powder on bread. <i>Journal of Food Science and Technology</i> , 2018 , 55, 5091-5097	3.3	16
189	Durum wheat breads 'high in fibre' and with reduced in vitro glycaemic response obtained by partial semolina replacement with minor cereals and pulses. <i>Journal of Food Science and Technology</i> , 2018 , 55, 4458-4467	3.3	16
188	Chemical characterization, functionality, and baking quality of intermediate wheatgrass (<i>Thinopyrum intermedium</i>). 2018 , 83, 266-274		12
187	Development of gluten-free muffins utilizing squash seed dietary fiber. <i>Journal of Food Science and Technology</i> , 2018 , 55, 2955-2962	3.3	6
186	In Vitro and In Vivo Starch Digestibility and Quality of Bread Substituted with Acid and Heat-Moisture Treated Sweet Potato Starch. 2018 , 70, 1800069		4
185	Production of Biscuits from Quality Protein Maize Enriched with Dried Fluted Pumpkin Leaves and Cocoa Powder. 2018 ,		1
184	Effect of milled flaxseed and storage conditions on sensory properties and selected bioactive compounds in banana and cinnamon muffins used in a clinical trial. 2019 , 99, 831-843		2
183	Development of a novel model dough based on mechanically activated cassava starch and gluten protein: Application in bread. <i>Food Chemistry</i> , 2019 , 300, 125196	8.5	17
182	Improving porous crumb structure of rice-related leavened food products by fermentation and gelatinization at slightly higher air pressure conditions. 2019 , 50, 564-570		1
181	Biscuits Enriched with Dietary Fibre Powder Obtained from the Water-Extraction Residue of Maize Milling by-Product. 2019 , 74, 391-398		7
180	Application in Bakery Products. 2019 , 279-311		1
179	Exploring the Role of Cereal Dietary Fiber in Digestion. 2019 , 67, 8419-8424		12
178	Using Pulses in Baked Products: Lights, Shadows, and Potential Solutions. 2019 , 8,		32
177	Lactic Acid Fermentation to Re-cycle Apple By-Products for Wheat Bread Fortification. <i>Frontiers in Microbiology</i> , 2019 , 10, 2574	5.7	15
176	Effect of the Addition of Soluble Dietary Fiber and Green Tea Polyphenols on Acrylamide Formation and In Vitro Starch Digestibility in Baked Starchy Matrices. 2019 , 24,		14

175	Effects of pomegranate peel supplementation on chemical, physical, and nutritional properties of muffin cakes. 2019 , 43, e13868		20
174	Inulin-Type Fructans Application in Gluten-Free Products: Functionality and Health Benefits. 2019 , 723-762		
173	Effect of partially defatted coconut flour on the rheological, physico-sensory characteristics and fatty acid profile of no-added fat rusk. <i>International Journal of Food Science and Technology</i> , 2019 , 54, 1769-1776	3.8	4
172	Impact of particle size on wheat dough and bread characteristics. <i>Food Chemistry</i> , 2019 , 297, 124938	8.5	26
171	The effects of prebiotic bread containing oat β -glucan and resistant starch on the glycemic index and glycemic load in healthy individuals. 2019 , 49, 1029-1038		8
170	Effect of sea-buckthorn pulp and flaxseed residues on quality and shelf life of bread. 2019 , 10, 4220-4230		8
169	Technological and Structural Properties of Oat Cookies Incorporated with Fructans (Agave tequilana Weber). 2019 , 14, 415-424		5
168	Health Benefits of Pulses. 2019 ,		0
167	Pulse Processing and Utilization of Pulse Ingredients in Foods. 2019 , 129-149		9
166	Application of Lactobacillus as Adjunct Cultures in Wheat Dough Fermentation. 2019 , 84, 842-847		6
165	Brewer's Spent Grain From By-Product to Health: A Rich Source of Functional Ingredients. 2019 , 189-198		5
164	Trends in Science of Doughs and Bread Quality. 2019 , 333-343		2
163	The Roles of Food Processing in Translation of Dietary Guidance for Whole Grains, Fruits, and Vegetables. 2019 , 10, 569-596		12
162	Maize Milling By-Products: From Food Wastes to Functional Ingredients Through Lactic Acid Bacteria Fermentation. <i>Frontiers in Microbiology</i> , 2019 , 10, 561	5.7	18
161	Investigation of the effect of pentosan addition and enzyme treatment on the rheological properties of millet flour based model dough systems. <i>Food Hydrocolloids</i> , 2019 , 94, 381-390	10.6	10
160	Improvement of the quality and shelf life of wheat bread by a maltohexaose producing α -amylase. 2019 , 87, 165-171		13
159	Dietary fibre from berry-processing waste and its impact on bread structure: a review. 2019 , 99, 4189-4199		14
158	Optimization of enzymes addition to improve whole wheat bread making quality by response surface methodology and optimization technique. <i>Journal of Food Science and Technology</i> , 2019 , 56, 1454-1461	3.3	14

157	Physicochemical, textural, color, nutritional, scanning electron microscopy and sensorial characterization of calcium-rich breads fortified with sesame, malted finger millet, cumin and moringa leaves. 2019 , 50, 47-60			4
156	Influence of the Addition of Whole Wheat Flour and Optimum Enzymes on Pullman-Type White Bread Qualities. 2019 , 66, 201-209			1
155	Optimization of ironβlignofructose formulation on wheat flour dough rheological properties. 2019 , 43, e13857			3
154	Complimenting gluten free bakery products with dietary fiber: Opportunities and constraints. 2019 , 83, 194-202			35
153	A comparative study of gluten-free sprouts in the gluten-free bread-making process. 2019 , 245, 617-629			13
152	Quality and microbial properties of symbiotic bread produced by straight dough and frozen part-baking methods. 2019 , 50, 165-171			5
151	Rheological Analysis of Wheat Flour Dough as Influenced by Grape Peels of Different Particle Sizes and Addition Levels. 2019 , 12, 228-245			34
150	Insects as ingredients for bakery goods. A comparison study of H. illucens, A. domestica and T. molitor flours. 2019 , 51, 205-210			68
149	Design of novel edible hydrocolloids by structural interplays between wheat gluten proteins and soy protein isolates. <i>Food Hydrocolloids</i> , 2020 , 100, 105395	10.6		23
148	Optimization of whey protein concentrate and psyllium husk for the development of protein-fiber rich orange fleshed sweet potato (<i>Ipomoea batatas</i> L.) bread by using response surface methodology. <i>Journal of Food Measurement and Characterization</i> , 2020 , 14, 425-437	2.8		2
147	Functional effects of phytate-degrading, probiotic lactic acid bacteria and yeast strains isolated from Iranian traditional sourdough on the technological and nutritional properties of whole wheat bread. <i>Food Chemistry</i> , 2020 , 306, 125620	8.5		27
146	Physicochemical and sensory evaluation of biscuits enriched with chicory fiber. 2020 , 26, 38-43			4
145	Effect of combining additional bakery enzymes and high pressure treatment on bread making qualities. <i>Journal of Food Science and Technology</i> , 2020 , 57, 134-142	3.3		5
144	Utilization of legume flours in wafer sheets. 2020 , 2, e12			2
143	Hydrolysis of beta-glucan in oat flour during subcritical-water extraction. <i>Food Chemistry</i> , 2020 , 308, 125670	8.5		16
142	Influence of carrot puree incorporation on quality characteristics of instant noodles. 2020 , 43, e13270			1
141	Artichoke, eggplant and tomato flours as nutritional ingredients for wheat dough: hydration properties. <i>Journal of Food Science and Technology</i> , 2020 , 57, 1954-1963	3.3		2
140	Viscoelastic properties of durum wheat doughs enriched with soluble dietary fibres in relation to pasta-making performance and glycaemic response of spaghetti. <i>Food Hydrocolloids</i> , 2020 , 102, 105613	10.6		18

139	Pulse By-products. 2020 , 59-92	2
138	Gluten-free breadmaking affected by the particle size and chemical composition of quinoa and buckwheat flour fractions. 2020 , 26, 321-332	6
137	Development of high-fiber wheat bread using microfluidized corn bran. <i>Food Chemistry</i> , 2020 , 310, 12598-12605	13
136	. 2020 ,	5
135	Effect of inulin on rheological, textural, and structural properties of brown wheat flour dough and in vitro digestibility of developed Arabic bread. 2020 , 85, 3711-3721	1
134	Perspectives on the Use of Germinated Legumes in the Bread Making Process, A Review. 2020 , 10, 6244	9
133	How manipulation of wheat bran by superfine-grinding affects a wide spectrum of dough rheological properties. 2020 , 96, 103081	8
132	Valorisation of Fruits, their Juices and Residues into Valuable (Nano)materials for Applications in Chemical Catalysis and Environment. 2020 , 20, 1338-1393	11
131	Effect of the addition of alhydwan flour on the physicochemical, functional properties and microstructure of wheat bread. <i>Journal of Food Measurement and Characterization</i> , 2020 , 14, 2907-2916 ^{2.8}	
130	Development of Eglucan enriched wheat bread using soluble oat fiber. 2020 , 95, 103051	10
129	Pre-Hydrated Berry Pomace in Wheat Bread: An Approach Considering Requisite Water in Fiber Enrichment. 2020 , 9,	6
128	Development and Sensory Analysis of Breads Made with Licuri Flour (<i>Syagrus coronata</i> (Martius) Beccari). 2020 , 1-12	0
127	Effects of the addition of waxy and normal hull-less barley flours on the farinograph and pasting properties of composite flours and on the nutritional value, textural qualities, and in vitro digestibility of resultant breads. 2020 , 85, 3141-3149	4
126	Physicochemical and sensory characteristics of sweet bun produced from wheat and purple sweet potato flour. 2020 , 454, 012113	3
125	Taro flour usage in wheat flour bread and gluten-free bread: Evaluation of rheological, technological and some nutritional properties. 2020 , 43, e13454	3
124	Improvement of Fatty Acid Profile in Durum Wheat Breads Supplemented with L. Quality Traits of Purslane-Fortified Bread. 2020 , 9,	11
123	Nutritional, sensory, and texture quality of bread and cookie enriched with house cricket (<i>Acheta domesticus</i>) powder. 2020 , 44, e14601	11
122	Effects of pumpkin powder addition on the rheological, sensory, and quality attributes of Taftoon bread. 2020 , 97, 904-911	2

121	Date Seeds as a Natural Source of Dietary Fibers to Improve Texture and Sensory Properties of Wheat Bread. 2020 , 9,		12
120	Application of banana starch and banana flour in various food product: A review. 2020 , 443, 012057		3
119	Manufacturing technology of banana-assorted breads: The fermentative characteristics affected by different banana cultivars. <i>Food Science and Nutrition</i> , 2020 , 8, 2627-2641	3.2	1
118	Physico-chemical and bioactive properties, fatty acids, phenolic compounds, mineral contents, and sensory properties of cookies enriched with carob flour. 2020 , 44, e14745		5
117	Effect of water-soluble dietary fiber resistant dextrin on flour and bread qualities. <i>Food Chemistry</i> , 2020 , 317, 126452	8.5	16
116	Effects of Blackcurrant Fibre on Dough Physical Properties and Bread Quality Characteristics. 2020 , 15, 313-322		8
115	The effects of process conditions on rheological properties of functional citrus fibre suspensions. 2020 , 121, 54-64		4
114	Characteristics of Bread Made of Various Substitution Ratios of Bran Pulverized by Hammer Mill or Jet Mill. 2020 , 9,		5
113	Bread fortified with dietary fibre extracted from culinary banana bract: its quality attributes and in vitro starch digestibility. <i>International Journal of Food Science and Technology</i> , 2020 , 55, 2359-2369	3.8	5
112	Upcycling Legume Water: from wastewater to food ingredients. 2020 ,		8
111	Whole-wheat flour particle size influences dough properties, bread structure and in vitro starch digestibility. 2020 , 11, 3610-3620		22
110	The interaction between inulin and wheat starch and effects of inulin on frozen storage quality of noodles. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 2423-2431	3.8	1
109	Enrichment of white flour with spices positively impacts safety and consumer acceptance of bread. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 3166-3178	3.8	1
108	Influence of wheat bran dietary fiber on gluten protein structure during dough fermentation. 2021 , 45,		3
107	Challenges in determination of rheological properties of wheat dough supplemented with industrial by-products: carob pod flour and sugar beet fibers. <i>Journal of Food Measurement and Characterization</i> , 2021 , 15, 914-922	2.8	1
106	Rheological characterization of wheat flour as modified by adding barley glucagel (a Eglucan isolate) under thermo-mechanical stress using Mixolab. <i>Journal of Food Measurement and Characterization</i> , 2021 , 15, 228-236	2.8	2
105	Carob powder as cocoa substitute in milk and dark compound chocolate formulation. <i>Journal of Food Science and Technology</i> , 2021 , 58, 4558-4566	3.3	2
104	Polysaccharides in food industry. 2021 , 47-96		2

103	The Effect of Juniper Supplements on the Quality and Nutritional Value of Bread. 2021 , 875-883		
102	Dietary Gums. 2021 , 187-208		0
101	Physico-functional evaluation, process optimization and economic analysis for preparation of muffin premix using apple pomace as novel supplement. 2021 , 1, 302-310		0
100	Combined effects of wheat gluten and carboxymethylcellulose on dough rheological behaviours and gluten network of potato-wheat flour-based bread. <i>International Journal of Food Science and Technology</i> , 2021 , 56, 4149-4158	3.8	0
99	Effect of Purple-Colored Wheat Bran Addition on Quality and Antioxidant Property of Bread and Optimization of Bread-Making Conditions. 2021 , 11, 4034		2
98	Application of Broccoli Leaf Powder in Gluten-Free Bread: An Innovative Approach to Improve Its Bioactive Potential and Technological Quality. 2021 , 10,		5
97	Rejuvenated Brewer's Spent Grain: EverVita Ingredients as Game-Changers in Fibre-Enriched Bread. 2021 , 10,		6
96	Use of tea fibers as a source of dietary fiber in wheat flour and bread. 2021 , 98, 1049-1058		3
95	Incorporation of yellow pea flour into white pan bread. 2021 , 98, 1020-1026		1
94	Study the influence of waxy wheat flour, inulin and guar gum on quality and microstructure of Pita and Tandoori breads: response surface methodology aids functional food development.. <i>Journal of Food Science and Technology</i> , 2022 , 59, 1372-1383	3.3	1
93	Incorporation of Fermented Brewers Spent Grain in the Production of Sourdough Bread. 2021 , 7, 96		4
92	Characteristics and properties of fibres suitable for a low FODMAP diet- an overview. 2021 , 112, 823-836		3
91	The food industry by-products in bread making: single and combined effect of carob pod flour, sugar beet fibers and molasses on dough rheology, quality and food safety.. <i>Journal of Food Science and Technology</i> , 2022 , 59, 1429-1439	3.3	
90	Production of Monascus pigments by solid-state cultivation of wheat grains and application in bread formulations. 2021 , 24, 100313		2
89	Pea pod powder to enhance the storage quality of buckwheat bread. 1		2
88	Exploring the Potential of Andean Crops for the Production of Gluten-Free Muffins. 2021 , 11, 1642		
87	Physical, structural and sensory properties of wafer batter and wafer sheets influenced by various sources of grains. <i>LWT - Food Science and Technology</i> , 2021 , 149, 111826	5.4	4
86	The physicochemical and pasting properties of purple corn flour ground by a novel low temperature impact mill. 2021 , 102825		3

85	Babassu Mesocarp Flour: A Nutritive Brazilian By-product for Gluten-free Muffins. 1-16		0
84	Fiber enrichment of sourdough bread by inulin rich Jerusalem artichoke powder. e15928		0
83	Influence of pistachio by-product from edible oil industry on rheological, hydration, and thermal properties of wheat dough. <i>LWT - Food Science and Technology</i> , 2021 , 150, 111917	5.4	3
82	Proximate, Chemical and Functional Properties of Wheat, Soy and Moringa Leaf Composite Flours. 2021 , 12, 18-38		0
81	Changes in rheology, quality, and staling of white breads enriched with medium-polymerized inulin. 2021 , 1082013221991259		0
80	Application of dietary fibers in flour products. 2021 , 255-277		
79	Impact of mushroom () flour upon quality attributes of wheat dough and functional cookies-baked products. <i>Food Science and Nutrition</i> , 2020 , 8, 361-370	3.2	10
78	Effects of addition of different fibers on rheological characteristics of cake batter and quality of cakes. <i>Journal of Food Science and Technology</i> , 2018 , 55, 667-677	3.3	26
77	Qualitative characteristics of sponge cakes with addition of Gastrodiae rhizoma powder. <i>Culinary Science & Hospitality Research</i> , 2007 , 13, 211-219	0.9	1
76	Effects of various brans on quality and volatile compounds of bread. <i>Foods and Raw Materials</i> , 2019 , 42-50	1.3	2
75	Effect of Carrot Pomace Powder and Dushab (Traditional Grape Juice Concentrate) on the Physical and Sensory Properties of Cakes: A Combined Mixtures Design Approach. <i>Current Nutrition and Food Science</i> , 2019 , 15, 572-582	0.7	5
74	The effects of commercial fibres on frozen bread dough. <i>Journal of the Serbian Chemical Society</i> , 2010 , 75, 195-207	0.9	10
73	EriĖe Ėetiminde Modifiye DĖĖĖ Glisemik Ėleksli BileĖnlerin KullanĖmĖ-Reoloji ve MikroyapĖ Ėzellikleri. <i>Akademik Ėda</i> , 211-221	1	2
72	Farinograph Vs. Alveograph in Predictive Modelling of Wheat Flours Quality. <i>Ėgriculture for Life Life for AgricultureĖConference Proceedings</i> , 2018 , 1, 586-593		3
71	Utilisation of buckwheat flour in leavened and unleavened Turkish flat breads. <i>Quality Assurance and Safety of Crops and Foods</i> , 2015 , 7, 207-215	1.5	5
70	Investigating the effect of mosambi (Citrus limetta) peel powder on physicochemical and sensory properties of cookies. <i>Quality Assurance and Safety of Crops and Foods</i> , 2016 , 8, 393-398	1.5	9
69	Nuevos xenĖfitos de La Palma (Islas Canarias, EspaĖa), con Ėnfasis en las especies naturalizadas y (potencialmente) invasoras. Parte 2.. <i>Collectanea Botanica</i> , 37, 005		1
68	Use of Oat Bran in Bread: Fiber and Oil Enrichment and Technological Performance. <i>Food and Nutrition Sciences (Print)</i> , 2011 , 02, 553-559	0.4	6

67	Effect of Wholemeal Durum Wheat Varieties on Bread Quality. <i>Food and Nutrition Sciences (Print)</i> , 2014 , 05, 977-988	0.4	3
66	Shelf-life Estimation of Frankfurter Sausage Containing Dietary Fiber from Rice Bran Using Predictive Modeling. <i>Korean Journal for Food Science of Animal Resources</i> , 2009 , 29, 47-54		6
65	Quality Characteristics of Bread Added with Oat Flours. <i>Hangiuk Jakmul Hakhoe Chi</i> , 2011 , 56, 107-112		2
64	Qualitative characteristics of sponge cakes with addition of Gastrodiae rhizoma powder. <i>Culinary Science & Hospitality Research</i> , 2007 , 13, 211-219	0.9	1
63	Formulating breads for specific dietary requirements. 2012 , 691-719		
62	Effects of Soybean Powder and Chungkukjang Powder on Quality Characteristics of Bread. <i>Korean Journal of Food Preservation</i> , 2012 , 19, 223-228	0.5	2
61	Bread and Other Baked Goods. 2012 , 67-74		
60	Effects of starchy and Eglucan additives on flour, dough, and bread parameters. <i>Acta Alimentaria</i> , 2014 , 43, 210-217	1	
59	Effect of Enzymatic Hydrolysate of Laver Pyropia on the Dough and Bread Making Properties of Wheat Flour. <i>Journal of Fisheries and Marine Sciences Education</i> , 2015 , 27, 467-475	0.2	1
58	Dietary Fiber from Citrus and Its Antioxidant Activity. <i>Functional Foods & Nutraceuticals Series</i> , 2017 , 347-366		0
57	Chicory syrup as a substitution of sugar in fine pastry. <i>Potravinarstvo</i> , 2018 , 12,	1.3	2
56	Improvement of Bread Dough Supplemented with Crust Gel and the Addition of Optimal Amounts of Bakery Enzymes. <i>Food Science and Technology Research</i> , 2019 , 25, 625-636	0.8	0
55	OPTIMIZATION OF RECIPE FOR BAKERY PRODUCTS WITH LOW-MOISTURE CONTENT FOR REDUCING THE GLYCEMIC INDEX. <i>Harbva Nauka i Tehnologija</i> , 2019 , 13,	0.6	
54	Sulu ve Kuru Koşullarda Yetiştirilen Makarnalık Buğday (Triticum durum L.) Genotiplerinde Bazı Kalite Özelliklerinin Miksograf Cihaz ile Değerlendirilmesi. <i>Anadolu Ege Tarımsal Araştırma Enstitüsü Dergisi</i> , 121-139		0
53	Bread aroma. 2020 , 467-515		
52	Improved nutritional and dietary quality of breads. 2020 , 619-646		
51	Potential Value Addition from Cereal and Pulse Processed By-Products: A Review. 2020 , 155-176		0
50	Soaking Water Applications. 2020 , 55-72		

49	Effect of Jerusalem artichoke flour on wheat dough physical and mechanical properties. <i>Applied Food Research</i> , 2021 , 1, 100026		0
48	Antioxidant, flavor profile and quality of wheat dough bread incorporated with kiwifruit fermented by <i>β</i> -glucosidase producing lactic acid bacteria strains. <i>Food Bioscience</i> , 2022 , 101450	4.9	0
47	Effect of Moldavian dragonhead seed residue on the baking properties of wheat flour and bread quality. <i>LWT - Food Science and Technology</i> , 2022 , 155, 112967	5.4	2
46	Application of wheat bran based biomaterials and nano-catalyst in textile wastewater. <i>Journal of King Saud University - Science</i> , 2022 , 34, 101775	3.6	2
45	Effect of isomaltodextrin on dough rheology and bread quality. <i>International Journal of Food Science and Technology</i> ,	3.8	0
44	Date Components as Promising Plant-Based Materials to Be Incorporated into Baked Goods: A Review. <i>Sustainability</i> , 2022 , 14, 605	3.6	1
43	The Effect of the Addition of Hazelnut or Walnut Flour on the Rheological Characteristics of Wheat Dough.. <i>Materials</i> , 2022 , 15,	3.5	0
42	Influence of short chain fructo-oligosaccharide (SC-FOS) on the dough rheological, microstructural properties and, bread quality during storage. <i>LWT - Food Science and Technology</i> , 2022 , 158, 113102	5.4	0
41	Dough rheology and physicochemical and sensory properties of wheat-peanut composite flour bread.		
40	Effect of the Addition of Different Levels of Chard on the Dough Properties and Physicochemical and Sensory Characteristics of Pan Breads. <i>Journal of Food Quality</i> , 2022 , 2022, 1-6	2.7	1
39	Investigation of using possibility of grape pomace in wafer sheet for wheat flour substitution. <i>International Journal of Food Science and Technology</i> ,	3.8	0
38	Physicochemical, rheological, and baking properties of composite Brotchen bread made from foxtail millet flour. <i>Acta Alimentaria</i> , 2022 ,	1	
37	Natural plant fibers obtained from agricultural residue used as an ingredient in food matrixes or packaging materials: A review.. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021 ,	16.4	0
36	Dietary fiber in bakery products: Source, processing, and function. <i>Advances in Food and Nutrition Research</i> , 2022 ,	6	1
35	Carbohydrate-based functional ingredients derived from starch: Current status and future prospects. <i>Food Hydrocolloids</i> , 2022 , 107729	10.6	0
34	Evaluation of <i>Triticum durum</i> and <i>Aegilops tauschii</i> derived primary synthetics as potential sources of drought stress tolerance for wheat improvement. <i>Cereal Research Communications</i> ,	1.1	
33	Date Seeds Flour Used as Value-Added Ingredient for Wheat Sourdough Bread: An Example of Sustainable Bio-Recycling.. <i>Frontiers in Microbiology</i> , 2022 , 13, 873432	5.7	
32	Table_1.pdf. 2019 ,		

31	Image_1.pdf. 2019 ,		
30	Image_2.pdf. 2019 ,		
29	Image_3.pdf. 2019 ,		
28	Table_1.pdf. 2019 ,		
27	Table_2.pdf. 2019 ,		
26	Table_3.pdf. 2019 ,		
25	Effect of Lactobacillus rhamnosus GG fermentation on the structural and functional properties of dietary fiber in bamboo shoot and its application in bread.. <i>Journal of Food Biochemistry</i> , 2022 , e14231	3.3	2
24	Potential of raw and fermented maize gluten feed in bread making: Assess of dough rheological properties and bread quality. <i>LWT - Food Science and Technology</i> , 2022 , 162, 113482	5.4	2
23	Adiğış de farinha de casca de guavira em pğğ: caracterğsticas fığico-quğmğicas e sensoriais. <i>Brazilian Journal of Food Technology</i> , 25,	1.5	
22	Pulse fortified whole wheat bread: A review on dough rheology, bread quality, and sensory properties. <i>F1000Research</i> , 11, 536	3.6	
21	Properties and in vitro digestibility of a bread enriched with lentil flour at different leavening times. <i>Food Structure</i> , 2022 , 33, 100284	4.3	0
20	Effects of micronized sugar beet dietary fiber addition on the properties of wheat dough and bread. <i>Food and Health</i> , 2022 , 8, 193-207	0.4	
19	Chia seeds as functional ingredient of healthy muffins. <i>Journal of Food Measurement and Characterization</i> ,	2.8	
18	Wheat bread fortified with Dictyophora Indusiata powder: evaluation of quality attributes, antioxidant characteristics and bread staling. <i>International Journal of Food Science and Technology</i> ,	3.8	0
17	Impact of wheat bran micronization on dough properties and bread quality: Part II Quality, antioxidant and nutritional properties of bread. <i>Food Chemistry</i> , 2022 , 396, 133631	8.5	0
16	Effects of ingredient and processing conditions on the rheological properties of whole wheat flour dough during breadmaking - A review. 2023 , 135, 108123		0
15	EkğHamura Keğğboynuzu Unu Ğavesi: EkğHamur Fermentasyonuna, Hamur Reolojisine ve Ekmeklik Kalitesine Etkisi.		0
14	The Influence of Prebiotics on Wheat Flour, Dough, and Bread Properties; Resistant Starch, Polydextrose, and Inulin. 2022 , 11, 3366		0

- 13 Beta Vulgaris root as a natural food colouring in doughnut: Dough rheological properties and bioactive composition. ○
- 12 The application of biosurfactant for the modification of the rheological properties of wheat dough. **2023**, 171-186 ○
- 11 Development of a gluten free bread enriched with faba bean husk as a fibre supplement. **2023**, 173, 114362 ○
- 10 Effect of hydrocolloids on gluten proteins, dough, and flour products: A review. **2023**, 164, 112292 ○
- 9 Effects of Different Bran Pretreatments on Rheological and Functional Properties of Triticale Whole-wheat Flour. ○
- 8 Waste from Artichoke Processing Industry: Reuse in Bread-Making and Evaluation of the Physico-Chemical Characteristics of the Final Product. **2022**, 11, 3409 1
- 7 Effects Of Powder From Passiflora Edulis Peel On Dough Properties And Bread Quality. **2022**, 20-27 ○
- 6 Properties of Cake and Pogaca Enriched With Carob Molasses Pulp Flour. ○
- 5 The Influence of Flavonoid Dihydroquercetin on the Enzymatic Processes of Dough Ripening and the Antioxidant Properties of Bread. **2023**, 9, 263 1
- 4 Effect of hydrothermal pre-treatment and development of non-stone chakki atta. ○
- 3 Functional biscuits enriched with potato peel powder: Physical, chemical, rheological, and antioxidants properties. **2023**, 6, 53-63 ○
- 2 Effect of Olive Pomace Fiber on the Baking Properties of Wheat Flour and Flat Bread (Barbari Bread) Quality. **2023**, 2023, 1-9 ○
- 1 Effects of flaxseed on the nutritional and sensory qualities of pan and Arabic flat breads. **2023**, 272-281 ○