

CITATION REPORT

List of articles citing

Starch characteristics of black bean, chick pea, lentil, navy bean and pinto bean cultivars grown in Canada

DOI: 10.1016/s0308-8146(02)00163-2
Food Chemistry, 2002, 78, 489-498.

Source: <https://exaly.com/paper-pdf/34676726/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 342 | Spherulitic crystallization of starch: influence of botanical origin and extent of thermal treatment. <i>Food Hydrocolloids</i> , 2003 , 17, 487-494 | 10.6 | 32 |
| 341 | Starch composition, fine structure and architecture. 2004 , 39, 151-165 | | 1005 |
| 340 | Resistant Starch Made from Banana Starch by Autoclaving and Debranching. 2004 , 56, 495-499 | | 29 |
| 339 | Characterization of starches separated from Indian chickpea (<i>Cicer arietinum</i> L.) cultivars. 2004 , 63, 441-449 | | 149 |
| 338 | Resistant starch production from mango starch using a single-screw extruder. 2005 , 85, 2105-2110 | | 33 |
| 337 | An assessment of changes in thermal and physico-chemical parameters of jack bean (<i>Canavalia ensiformis</i>) starch following hydrothermal modifications. 2005 , 221, 631-638 | | 24 |
| 336 | Morphological and Molecular Studies of Banana Starch. 2005 , 11, 367-372 | | 17 |
| 335 | Morphological, structural, thermal, and rheological characteristics of starches separated from apples of different cultivars. 2005 , 53, 10193-9 | | 18 |
| 334 | Studies on tuber and root starches. I. Structure and physicochemical properties of innala (<i>Solenostemon rotundifolius</i>) starches grown in Sri Lanka. 2005 , 38, 615-629 | | 68 |
| 333 | Determination of the molecular and structural characteristics of okenia, mango, and banana starches. 2005 , 53, 495-501 | | 65 |
| 332 | Preparation and characterization of proteinous film from lentil (<i>Lens culinaris</i>). 2006 , 39, 106-111 | | 72 |
| 331 | Archaeobotanical evidence of prehistoric maize (<i>Zea mays</i>) consumption at the northern edge of the Great Plains. 2006 , 33, 1129-1140 | | 30 |
| 330 | Isolation and Characterization of Starch from Seeds of <i>Araucaria brasiliensis</i> : A Novel Starch for Application in Food Industry. 2006 , 58, 283-291 | | 64 |
| 329 | Physico-chemical and morphological characteristics of New Zealand Taewa (Maori potato) starches. <i>Carbohydrate Polymers</i> , 2006 , 64, 569-581 | 10.3 | 118 |
| 328 | Effects of yellow mustard mucilage on functional and rheological properties of buckwheat and pea starches. <i>Food Chemistry</i> , 2006 , 95, 83-93 | 8.5 | 51 |
| 327 | Studies on the physicochemical, morphological, thermal and crystalline properties of starches separated from different <i>Dioscorea opposita</i> cultivars. <i>Food Chemistry</i> , 2006 , 99, 38-44 | 8.5 | 60 |
| 326 | Characterization of new starches separated from different Chinese yam (<i>Dioscorea opposita</i> Thunb.) cultivars. <i>Food Chemistry</i> , 2006 , 99, 30-37 | 8.5 | 86 |

| | | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 325 | Resistant Starch Production from Non-conventional Starch Sources by Extrusion. 2006 , 12, 5-11 | | 36 |
| 324 | Extrusion of banana starch: characterization of the extrudates. 2007 , 87, 348-356 | | 26 |
| 323 | Morphological, thermal and rheological characterization of starch isolated from New Zealand Kamo Kamo (Cucurbita pepo) fruit [A novel source. <i>Carbohydrate Polymers</i> , 2007 , 67, 233-244 | 10.3 | 47 |
| 322 | Characteristics of acetylated and enzyme-modified potato and sweet potato flours. <i>Food Chemistry</i> , 2007 , 103, 1119-1126 | 8.5 | 41 |
| 321 | Composition, molecular structure, and physicochemical properties of starches from two grass pea (Lathyrus sativus L.) cultivars grown in Canada. <i>Food Chemistry</i> , 2007 , 105, 116-125 | 8.5 | 35 |
| 320 | Physicochemical properties and amylopectin chain profiles of cowpea, chickpea and yellow pea starches. <i>Food Chemistry</i> , 2007 , 101, 1338-1345 | 8.5 | 126 |
| 319 | Physico-chemical, rheological and structural properties of fractionated potato starches. 2007 , 82, 383-394 | | 141 |
| 318 | A novel approach for calculating starch crystallinity and its correlation with double helix content: a combined XRD and NMR study. 2008 , 89, 761-8 | | 434 |
| 317 | Partial characterization of starches from Dioscorea opposita Thunb. cultivars. 2008 , 88, 287-293 | | 15 |
| 316 | Digestibility of legume starches as influenced by their physical and structural properties. <i>Carbohydrate Polymers</i> , 2008 , 71, 245-252 | 10.3 | 172 |
| 315 | Comparative study on the films of poly(vinyl alcohol)/pea starch nanocrystals and poly(vinyl alcohol)/native pea starch. <i>Carbohydrate Polymers</i> , 2008 , 73, 8-17 | 10.3 | 235 |
| 314 | Low temperature post-harvest storage of New Zealand Taewa (Maori potato): Effects on starch physico-chemical and functional characteristics. <i>Food Chemistry</i> , 2008 , 106, 583-596 | 8.5 | 33 |
| 313 | Structure and biochemical properties of starch from an unconventional sourceMango ginger (Curcuma amada Roxb.) rhizome. <i>Food Hydrocolloids</i> , 2008 , 22, 513-519 | 10.6 | 40 |
| 312 | Starch gelatinization. 2009 , 55, 221-68 | | 122 |
| 311 | In vitro starch digestibility, expected glycemic index and some physicochemical properties of starch and flour from common bean (Phaseolus vulgaris L.) varieties grown in Canada. 2008 , 41, 869-875 | | 112 |
| 310 | Composition, Molecular Structure, Properties, and In Vitro Digestibility of Starches from Newly Released Canadian Pulse Cultivars. 2008 , 85, 471-479 | | 103 |
| 309 | Effect of acidmethanol treatment on the molecular structure and physicochemical properties of lentil (Lens culinaris Medik) starch. <i>Food Hydrocolloids</i> , 2009 , 23, 2219-2225 | 10.6 | 14 |
| 308 | Milling and physicochemical properties of chickpea (Cicer arietinum L.) varieties. 2009 , 89, 258-266 | | 21 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 307 | Chemical composition and physical characteristics of water caltrop during growth. 2009 , 89, 1298-1306 | | 4 |
| 306 | Impact of annealing and heat-moisture treatment on rapidly digestible, slowly digestible and resistant starch levels in native and gelatinized corn, pea and lentil starches. <i>Carbohydrate Polymers</i> , 2009 , 75, 436-447 | 10.3 | 404 |
| 305 | Starches of Some Food Crops, Changes During Processing and Their Nutraceutical Potential. 2009 , 1, 50-65 | | 36 |
| 304 | Physicochemical, pasting and thermal properties of tuber starches as modified by guar gum and locust bean gum. 2009 , 44, 50-57 | | 48 |
| 303 | Effect of gamma irradiation on molecular structure and physicochemical properties of corn starch. 2009 , 74, C353-61 | | 104 |
| 302 | Starch characteristics of dry peas (<i>Pisum sativum</i> L.) grown in the USA. <i>Food Chemistry</i> , 2009 , 115, 832-838 | 8.5 | 47 |
| 301 | Characterisations of kabuli and desi chickpea starches cultivated in China. <i>Food Chemistry</i> , 2009 , 113, 1025-1032 | 8.5 | 96 |
| 300 | Composition and characteristics of oil extracted from flaxseed-added corn tortilla. <i>Food Chemistry</i> , 2009 , 117, 83-87 | 8.5 | 11 |
| 299 | Composition, morphology, molecular structure, and physicochemical properties of starches from newly released chickpea (<i>Cicer arietinum</i> L.) cultivars grown in Canada. 2009 , 42, 627-635 | | 61 |
| 298 | Solubilization Effects on Molecular Weights of Amylose and Amylopectins of Normal Maize and Barley Starches. 2009 , 86, 701-705 | | 12 |
| 297 | Physicochemical and Enzyme Characterization of Small and Large Starch Granules Isolated from Two Maize Cultivars. 2010 , 87, 50-56 | | 19 |
| 296 | Effect of the pearled in the isolation and the morphological, physicochemical and rheological characteristics of barley starch. <i>Carbohydrate Polymers</i> , 2010 , 81, 63-69 | 10.3 | 29 |
| 295 | Formation of starch spherulites: Role of amylose content and thermal events. <i>Food Chemistry</i> , 2010 , 121, 980-989 | 8.5 | 30 |
| 294 | Microstructure, physicochemical properties and in vitro digestibility of starches from different Indian lentil (<i>Lens culinaris</i>) cultivars. <i>Carbohydrate Polymers</i> , 2010 , 79, 349-355 | 10.3 | 84 |
| 293 | A study of the properties of starch isolated from three varieties of Lablab purpureus seeds. <i>Carbohydrate Polymers</i> , 2010 , 79, 685-693 | 10.3 | 8 |
| 292 | Dry milling of field pea (<i>Pisum sativum</i> L.) groats prior to wet fractionation influences the starch yield and purity. <i>Food Chemistry</i> , 2010 , 118, 627-633 | 8.5 | 21 |
| 291 | Lactic acid assisted wet fractionation of field pea (<i>Pisum sativum</i> L.) flour. 2010 , 62, 592-602 | | 2 |
| 290 | Physico-chemical properties of starches from Indian kidney bean (<i>Phaseolus vulgaris</i>) cultivars. 2010 , 45, 2176-2185 | | 90 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 289 | Native and microwaved bean and pea starch preparations: physiological effects on the intestinal ecosystem, caecal tissue and serum lipids in rats. 2010 , 103, 1118-26 | | 13 |
| 288 | REVIEW: Molecular Diversity in Pulse Seed Starch and Complex Carbohydrates and Its Role in Human Nutrition and Health. 2010 , 87, 342-352 | | 54 |
| 287 | Effects of mucilage on the thermal and pasting properties of yam, taro, and sweet potato starches. <i>LWT - Food Science and Technology</i> , 2010 , 43, 849-855 | 5-4 | 34 |
| 286 | Effect of single and dual hydrothermal treatments on the crystalline structure, thermal properties, and nutritional fractions of pea, lentil, and navy bean starches. 2010 , 43, 501-508 | | 147 |
| 285 | Composition, molecular structure, properties, and modification of pulse starches: A review. 2010 , 43, 399-413 | | 433 |
| 284 | In vitro digestibility, structural and functional properties of starch from pigeon pea (<i>Cajanus cajan</i>) cultivars grown in India. 2010 , 43, 263-268 | | 28 |
| 283 | Novel food and industrial applications of pulse flours and fractions. 2011 , 283-323 | | 17 |
| 282 | Structure of faba bean, black bean and pinto bean starches at different levels of granule organization and their physicochemical properties. 2011 , 44, 2962-2974 | | 154 |
| 281 | Effect of acid hydrolysis on rheological and thermal characteristics of lentil starch slurry. <i>LWT - Food Science and Technology</i> , 2011 , 44, 976-983 | 5-4 | 34 |
| 280 | Preparation of spherical aggregates of taro starch granules. <i>LWT - Food Science and Technology</i> , 2011 , 44, 2064-2069 | 5-4 | 24 |
| 279 | Relationship between the structure, physicochemical properties and in vitro digestibility of rice starches with different amylose contents. <i>Food Hydrocolloids</i> , 2011 , 25, 968-975 | 10.6 | 313 |
| 278 | Starch characteristics of bean (<i>Phaseolus vulgaris</i> L.) grown in different localities. <i>Carbohydrate Polymers</i> , 2011 , 85, 54-64 | 10.3 | 34 |
| 277 | Pasting, morphological, thermal and crystallinity properties of starch isolated from beans stored under different atmospheric conditions. <i>Carbohydrate Polymers</i> , 2011 , 86, 1403-1409 | 10.3 | 40 |
| 276 | Studies on the properties of graphene oxide-reinforced starch biocomposites. <i>Carbohydrate Polymers</i> , 2011 , 84, 631-637 | 10.3 | 144 |
| 275 | Steady and dynamic oscillatory shear rheological properties of ketchup processed cheese mixtures: Effect of temperature and concentration. 2011 , 103, 197-210 | | 41 |
| 274 | Isolation and Physicochemical Properties of Hardleaf Oatchestnut (<i>Castanopsis sclerophylla</i>) Starch. 2011 , 140, 360-368 | | 3 |
| 273 | Chemistry of pulses. 2011 , 9-55 | | 12 |
| 272 | Functional and physicochemical properties of pulse starch. 2011 , 91-119 | | 11 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 271 | Morphology of Chickpea Seeds (<i>Cicer arietinum</i> L.): Comparison of desi and kabuli Types. 2011 , 172, 632-643 | | 43 |
| 270 | Physicochemical properties and in vitro digestibility of flour and starch from pea (<i>Pisum sativum</i> L.) cultivars. 2012 , 50, 131-7 | | 36 |
| 269 | The differential survival of native starch during cooking and implications for archaeological analyses: a review. 2012 , 4, 221-235 | | 54 |
| 268 | Effect of acid treatment on the physicochemical and structural characteristics of starches from different botanical sources. 2012 , 64, 115-125 | | 37 |
| 267 | Study on the granular characteristics of starches separated from Chinese rice cultivars. <i>Carbohydrate Polymers</i> , 2012 , 87, 1038-1044 | 10.3 | 26 |
| 266 | Effects of toasting on the carbohydrate profile and antioxidant properties of chickpea (<i>Cicer arietinum</i> L.) flour added to durum wheat pasta. <i>Food Chemistry</i> , 2012 , 131, 1140-1148 | 8.5 | 40 |
| 265 | Effect of acetylation, oxidation and annealing on physicochemical properties of bean starch. <i>Food Chemistry</i> , 2012 , 134, 1796-803 | 8.5 | 65 |
| 264 | Morphology and structure of chestnut starch isolated by alkali and enzymatic methods. <i>Food Hydrocolloids</i> , 2012 , 28, 313-319 | 10.6 | 68 |
| 263 | Characterizations of starches isolated from five different <i>Dioscorea</i> L. species. <i>Food Hydrocolloids</i> , 2012 , 29, 35-41 | 10.6 | 48 |
| 262 | Physicochemical properties of acetylated starches from some Indian kidney bean (<i>Phaseolus vulgaris</i> L.) cultivars. 2012 , 47, 1993-1999 | | 47 |
| 261 | EFFECT OF DIFFERENT THERMAL TREATMENTS AND STORAGE ON STARCH DIGESTIBILITY AND PHYSICOCHEMICAL CHARACTERISTICS OF UNRIPE BANANA FLOUR. <i>Journal of Food Processing and Preservation</i> , 2013 , 37, 987-998 | 2.1 | 15 |
| 260 | Physicochemical and functional characteristics of lentil starch. <i>Carbohydrate Polymers</i> , 2013 , 92, 1484-9610.3 | 10.3 | 95 |
| 259 | Isolation and physicochemical characterization of sustained releasing starches from <i>Dioscorea</i> of Jharkhand. 2013 , 55, 193-200 | | 29 |
| 258 | Isolation and partial characterization of delayed releasing starches of <i>Colocasia</i> species from Jharkhand, India. <i>Carbohydrate Polymers</i> , 2013 , 96, 253-8 | 10.3 | 27 |
| 257 | Effect of gamma irradiation on physicochemical properties of broad bean (<i>Vicia faba</i> L.) starch. <i>LWT - Food Science and Technology</i> , 2013 , 54, 63-72 | 5.4 | 64 |
| 256 | Effect of dynamic high-pressure microfluidization on the morphology characteristics and physicochemical properties of maize amylose. 2013 , 65, 390-397 | | 32 |
| 255 | Influence of storage temperature and autoclaving cycles on slowly digestible and resistant starch (RS) formation from partially debranched rice starch. 2013 , 65, 694-701 | | 11 |
| 254 | Characterization of Lotus Stem (<i>Nelumbo nucifera</i>) Starches Purified From Three Lakes of India. 2013 , 22, 605-618 | | 13 |

| | | | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 253 | Effect of oxidation and esterification on functional properties of mung bean (<i>Vigna radiata</i> (L.) Wilczek) starch. 2013 , 236, 119-128 | | 7 |
| 252 | Effect of hydrothermal treatment of runner bean (<i>Phaseolus coccineus</i>) seeds and starch isolation on starch digestibility. 2013 , 50, 428-437 | | 18 |
| 251 | Composition and properties of starches from Virginia-grown kabuli chickpea (<i>Cicer arietinum</i> L.) cultivars. 2013 , 48, 539-547 | | 7 |
| 250 | Characterization of rice starches extracted from Indian cultivars. 2013 , 19, 143-52 | | 30 |
| 249 | Physico-chemical, thermal and rheological properties of starches isolated from newly released rice cultivars grown in Indian temperate climates. <i>LWT - Food Science and Technology</i> , 2013 , 53, 176-183 | 5-4 | 41 |
| 248 | Effect of Pyrodextrinization, Crosslinking and Heat- Moisture Treatment on In vitro Formation and Digestibility of Resistant Starch from African Locust Bean (<i>Parkia biglobosa</i>). 2013 , 12, | | 0 |
| 247 | What Is Being Learned About Starch Properties from Multiple-Level Characterization. 2013 , 90, 312-325 | | 44 |
| 246 | Untraditional source of starches [rhizome of <i>Dioscorea nipponica</i> Makino. from different geographical origins. 2013 , 65, 410-416 | | 3 |
| 245 | Molecular Structure and Physicochemical Properties of Acid-Methanol-Treated Chickpea Starch. 2013 , 16, 125-138 | | 12 |
| 244 | Peach Palm (<i>Bactris gasipaes</i> kunth) Characterization and the Potential of by-Products Flour Processing. 2013 , 19, 1061-1069 | | 9 |
| 243 | Resistant starch content, molecular structure and physicochemical properties of starches in Virginia-grown corn, potato and mungbean. 2013 , 4, 10-18 | | 15 |
| 242 | Properties of Edible Films Based on Oxidized Starch and Zein. 2014 , 2014, 1-9 | | 23 |
| 241 | Structural and Physical Properties of Starches Isolated from Six Varieties of Millet Grown in China. 2014 , 17, 2344-2360 | | 27 |
| 240 | New Starches are the Trend for Industry Applications: A Review. 2014 , 4, 229-241 | | 95 |
| 239 | Physicochemical characterization of starch extracted from Malaysian wild yam(<i>Dioscorea hispida</i> Dennst.). 2014 , 26, 652 | | 29 |
| 238 | Nutritional and health perspectives of beans (<i>Phaseolus vulgaris</i> L.): an overview. 2014 , 54, 580-92 | | 159 |
| 237 | Compositional, morphological, structural and physicochemical properties of starches from seven naked barley cultivars grown in China. 2014 , 58, 7-14 | | 55 |
| 236 | Effect of pH on the physicochemical and binder properties of tigernut starch. 2014 , 66, 281-293 | | 14 |

| | | | |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 235 | Effect of gamma irradiation on physicochemical properties of Indian Horse Chestnut (<i>Aesculus indica</i> Colebr.) starch. <i>Food Hydrocolloids</i> , 2014 , 35, 253-263 | 10.6 | 105 |
| 234 | Physicochemical and thermal properties of <i>Phaseolus vulgaris</i> L. var. Great Northern bean starch. 2014 , 79, C295-300 | | 13 |
| 233 | Impact of ghosts on the viscoelastic response of gelatinized corn starch dispersions subjected to small strain deformations. <i>Carbohydrate Polymers</i> , 2014 , 110, 156-62 | 10.3 | 21 |
| 232 | Physicochemical properties and digestibility of common bean (<i>Phaseolus vulgaris</i> L.) starches. <i>Carbohydrate Polymers</i> , 2014 , 108, 200-5 | 10.3 | 68 |
| 231 | Ingredient composition and pasta:water cooking ratio affect cooking properties of nontraditional spaghetti. 2014 , 49, 2323-2330 | | 18 |
| 230 | Morphological, Structural, and Thermal Properties of Starch Nanocrystals Affected by Different Botanic Origins. 2014 , 91, 383-388 | | 27 |
| 229 | Impact of molecular and crystalline structures on in vitro digestibility of waxy rice starches. <i>Carbohydrate Polymers</i> , 2014 , 112, 729-35 | 10.3 | 57 |
| 228 | Physicochemical properties of starches from various pea and lentil varieties, and characteristics of their noodles prepared by high temperature extrusion. 2014 , 55, 119-127 | | 46 |
| 227 | Acid hydrolysis of native corn starch: morphology, crystallinity, rheological and thermal properties. <i>Carbohydrate Polymers</i> , 2014 , 103, 596-602 | 10.3 | 81 |
| 226 | Chickpea (<i>Cicer arietinum</i> L.) Fortification of Cereal-Based Foods to Increase Fiber and Phytochemical Content. 2014 , 533-546 | | 1 |
| 225 | Corn starch acid hydrolysis at the onset gelatinization temperature: Morphology, crystallinity, viscoelasticity, and thermal properties. 2014 , 66, 636-644 | | 11 |
| 224 | Evaluation of three traditional Chinese medicine (TCM) starches and potential application in health product industry. <i>Food Hydrocolloids</i> , 2014 , 40, 196-202 | 10.6 | 15 |
| 223 | Isolation and characterization of starch obtained from <i>Brosimum alicastrum</i> Swarts seeds. <i>Carbohydrate Polymers</i> , 2014 , 101, 920-7 | 10.3 | 50 |
| 222 | Structural and physicochemical characteristics of starch from sugar cane and sweet sorghum stalks. <i>Carbohydrate Polymers</i> , 2014 , 111, 592-7 | 10.3 | 18 |
| 221 | Functional properties of cowpea (<i>Vigna unguiculata</i>) starch as modified by guar, pectin, and xanthan gums. 2014 , 66, 832-840 | | 28 |
| 220 | Ultrasound assisted hydration of navy beans (<i>Phaseolus vulgaris</i>). 2014 , 21, 409-14 | | 71 |
| 219 | Effects of chickpea flour on wheat pasting properties and bread making quality. 2014 , 51, 1902-10 | | 71 |
| 218 | Physico-chemical properties of acetylated starches from Indian black gram (<i>Phaseolus mungo</i> L.) cultivars. 2015 , 52, 4078-89 | | 18 |

| | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 217 | Dry fractionation for sustainable production of functional legume protein concentrates. 2015 , 45, 327-335 | 119 |
| 216 | Starch Retrogradation: A Comprehensive Review. 2015 , 14, 568-585 | 708 |
| 215 | Physicochemical, pasting, rheological, thermal and morphological properties of horse chestnut starch. 2015 , 52, 5651-60 | 37 |
| 214 | Impact of single and dual modifications on physicochemical properties of japonica and indica rice starches. <i>Carbohydrate Polymers</i> , 2015 , 122, 77-83 | 10.3 29 |
| 213 | Physicochemical and micro-structural properties of flours, starch and proteins from two varieties of legumes: bambara groundnut (<i>Vigna subterranea</i>). 2015 , 52, 4915-24 | 43 |
| 212 | Physicochemical properties and in vitro digestibility of starches from field peas grown in China. <i>LWT - Food Science and Technology</i> , 2015 , 64, 829-836 | 5-4 22 |
| 211 | In vitro digestibility and some physicochemical properties of starch from wild and cultivated amadumbe corms. <i>Carbohydrate Polymers</i> , 2015 , 125, 9-15 | 10.3 34 |
| 210 | Effect of gamma-irradiation on physico-chemical and functional properties of arrowhead (<i>Sagittaria sagittifolia</i> L.) tuber flour. 2015 , 11, 23-32 | 31 |
| 209 | Method Development to Increase Protein Enrichment During Dry Fractionation of Starch-Rich Legumes. 2015 , 8, 1495-1502 | 59 |
| 208 | Physicochemical properties and release characteristics of starches from seeds of Indian Shahi Litchi. 2015 , 79, 256-61 | 21 |
| 207 | Physicochemical properties of native and irradiated wild arrowhead (<i>Sagittaria sagittifolia</i> L.) tuber starch. 2015 , 77, 360-8 | 40 |
| 206 | Properties and ageing behaviour of pea starch films as affected by blend with poly(vinyl alcohol). <i>Food Hydrocolloids</i> , 2015 , 48, 84-93 | 10.6 124 |
| 205 | Physical, proximate, functional and pasting properties of four non- and irradiated bambara groundnut (<i>Vigna subterranean</i>) cultivars. 2015 , 50, 640-651 | 10 |
| 204 | Effect of chemical composition and thermal properties on the cooking quality of common beans (<i>Phaseolus vulgaris</i>). 2015 , 13, 385-391 | 20 |
| 203 | Determination of some physicochemical and rheological characteristics of starch obtained from <i>Brosimum alicastrum swartz</i> seeds. <i>Food Hydrocolloids</i> , 2015 , 45, 48-54 | 10.6 29 |
| 202 | Achievements and Challenges in Improving the Nutritional Quality of Food Legumes. 2015 , 34, 105-143 | 128 |
| 201 | Physical, functional, pasting and thermal properties of flours and starches of six Nigerian rice cultivars. <i>Food Hydrocolloids</i> , 2015 , 44, 478-490 | 10.6 97 |
| 200 | Effects of charge-carrying amino acids on the gelatinization and retrogradation properties of potato starch. <i>Food Chemistry</i> , 2015 , 167, 180-4 | 8.5 39 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 199 | Functional analysis of mildly refined fractions from yellow pea. <i>Food Hydrocolloids</i> , 2015 , 44, 12-22 | 10.6 | 55 |
| 198 | Comparative study of the physico-chemical properties of rice and corn starches grown in Indian temperate climate. 2016 , 15, 75-82 | | 51 |
| 197 | Morphological, Thermal and Physicochemical Properties of Starches from Squash (<i>Cucurbita maxima</i>) and Pumpkin (<i>Cucurbita moschata</i>). 2016 , 03, | | 2 |
| 196 | Physical and chemical properties of starch and flour from different common bean (<i>Phaseolus vulgaris</i> L.) cultivars. 2016 , 19, | | 12 |
| 195 | Chemical, functional, rheological and sensory properties of amaranth flour and amaranth flour based paste. 2016 , 10, 313-319 | | 5 |
| 194 | Changes in Characteristics of Kithul (<i>Caryota urens</i>) Flour Prepared by Different Modification Techniques. 2016 , 2016, 1-9 | | 3 |
| 193 | Chemistry, structure, functionality and applications of rice starch. 2016 , 70, 291-300 | | 105 |
| 192 | Drying methods used in starch isolation change properties of C-type chestnut (<i>Castanea mollissima</i>) starches. <i>LWT - Food Science and Technology</i> , 2016 , 73, 663-669 | 5.4 | 28 |
| 191 | Plantain-starch: Microstructural, physicochemical, and morphological characteristics of two cultivars grown in Malaysia. 2016 , 68, 1187-1195 | | 8 |
| 190 | Isolation, composition, and physicochemical properties of starch from legumes: A review. 2016 , 68, 834-845 | | 51 |
| 189 | Effects of processing moisture on the physical properties and in vitro digestibility of starch and protein in extruded brown rice and pinto bean composite flours. <i>Food Chemistry</i> , 2016 , 211, 726-33 | 8.5 | 28 |
| 188 | Evaluation of resistant starch content of cooked black beans, pinto beans, and chickpeas. 2016 , 3, 8-12 | | 20 |
| 187 | Effect of Acidified Methanol Modification on Physico Chemical Properties of Black-Eyed Pea (<i>Vigna unguiculata</i>) Starch. 2016 , 19, 2635-2648 | | 10 |
| 186 | Physicochemical and structural evaluation of alkali extracted chickpea starch as affected by Irradiation. 2016 , 89, 279-86 | | 17 |
| 185 | Functionality and digestibility of albumins and globulins from lentil and horse gram and their effect on starch rheology. <i>Food Hydrocolloids</i> , 2016 , 61, 843-850 | 10.6 | 32 |
| 184 | Pilot scale production and in vitro gastro-small intestinal digestion of self-assembled recrystallised starch (SARS) structures. 2016 , 191, 95-104 | | 5 |
| 183 | Impact of high pressure treatment on functional, rheological, pasting, and structural properties of lentil starch dispersions. <i>Carbohydrate Polymers</i> , 2016 , 152, 639-647 | 10.3 | 60 |
| 182 | Effect of Nitrogen Management on the Structure and Physicochemical Properties of Rice Starch. 2016 , 64, 8019-8025 | | 27 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 181 | Rheological and textural properties of pulse starch gels . 2016 , 68, 778-784 | | 12 |
| 180 | Common Vetch (<i>Vicia sativa</i>) as a New Starch Source: Its Thermal, Rheological and Structural Properties After Acid Hydrolysis. 2016 , 11, 275-282 | | 22 |
| 179 | Characterization of Morphology and Structural and Thermal Properties of Legume Flours: Cowpea (<i>Vigna unguiculata</i> L. Walp) and Bambara Groundnut (<i>Vigna subterranea</i> L. Verdc.) Varieties. 2016 , 12, 139-152 | | 11 |
| 178 | Physicochemical, thermal and pasting characteristics of gamma irradiated rice starches. 2016 , 85, 460-6 | | 28 |
| 177 | Effect of infrared and microwave radiations on properties of Indian Horse Chestnut starch. 2016 , 84, 166-73 | | 41 |
| 176 | Preparation, physicochemical characterization and biological activities of two modified starches from yam (<i>Dioscorea Opposita</i> Thunb.). <i>Food Hydrocolloids</i> , 2016 , 55, 244-253 | 10.6 | 40 |
| 175 | Physico-chemical, functional and structural properties of RS3/RS4 from kidney bean (<i>Phaseolus vulgaris</i>) cultivars. 2016 , 87, 514-21 | | 25 |
| 174 | Use of High-Performance Size-Exclusion Chromatography for Characterization of Amylose Isolated from Diverse Botanical Sources. 2016 , 19, 1362-1369 | | 4 |
| 173 | Physicochemical and rheological properties of modified rice amylose by dynamic high-pressure microfluidization. 2017 , 20, 734-744 | | 13 |
| 172 | Physicochemical, thermal and functional properties of gamma irradiated chickpea starch. 2017 , 97, 426-433 | | 36 |
| 171 | Legumes as Functional Ingredients in Gluten-Free Bakery and Pasta Products. <i>Annual Review of Food Science and Technology</i> , 2017 , 8, 75-96 | 14.7 | 81 |
| 170 | Steady and dynamic shear rheology of starches from different oat cultivars in relation to their physicochemical and structural properties. 2017 , 20, 3282-3294 | | 24 |
| 169 | The effect of lamellar structure ordering on the retrogradation properties of canna starch subjected to thermal and enzymatic degradation. <i>Food Hydrocolloids</i> , 2017 , 69, 185-192 | 10.6 | 13 |
| 168 | Partial characterization of chayotextle starch-based films added with ascorbic acid encapsulated in resistant starch. 2017 , 98, 341-347 | | 12 |
| 167 | C-type starches and their derivatives: structure and function. 2017 , 1398, 47-61 | | 17 |
| 166 | The effects of chilling stress after anthesis on the physicochemical properties of rice (<i>Oryza sativa</i> L) starch. <i>Food Chemistry</i> , 2017 , 237, 936-941 | 8.5 | 16 |
| 165 | The effect of ultrasound-assisted extraction on yield and properties of some pulse starches. 2017 , 69, 1600307 | | 13 |
| 164 | Nutritional, functional, phytochemical and structural characterization of gluten-free flours. <i>Journal of Food Measurement and Characterization</i> , 2017 , 11, 1284-1294 | 2.8 | 7 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 163 | Effects of tempering (annealing), acid hydrolysis, low-citric acid substitution on chemical and physicochemical properties of starches of four yam (spp.) cultivars. 2017 , 54, 1455-1466 | | 11 |
| 162 | Effect of hydrocolloids on functional properties of navy bean starch. 2017 , 69, 1600305 | | 5 |
| 161 | Impact of molecular structure on the physicochemical properties of starches isolated from different field pea (<i>Pisum sativum</i> L.) cultivars grown in Saskatchewan, Canada. <i>Food Chemistry</i> , 2017 , 221, 1514-1521 | 8.5 | 18 |
| 160 | Morphometric and crystallinity changes on jicama starch (<i>Pachyrizus erosus</i>) during gelatinization and their relation with in vitro glycemic index. 2017 , 69, 1600281 | | 3 |
| 159 | Allelic variations in the soluble starch synthase II gene family result in changes of grain quality and starch properties in rice (<i>Oryza sativa</i> L.). 2017 , 155, 129-140 | | 10 |
| 158 | Quinoa Starch Characteristics and Their Correlations with the Texture Profile Analysis (TPA) of Cooked Quinoa. 2017 , 82, 2387-2395 | | 26 |
| 157 | Natural and Artificial Diversification of Starch. 2017 , 521-539 | | |
| 156 | Morphology, crystallinity, pasting, thermal and quality characteristics of starches from adzuki bean (<i>Vigna angularis</i> L.) and edible kudzu (<i>Pueraria thomsonii</i> Benth). 2017 , 105, 354-362 | | 50 |
| 155 | Progress in C-type starches from different plant sources. <i>Food Hydrocolloids</i> , 2017 , 73, 162-175 | 10.6 | 68 |
| 154 | Ultrasound technology enhances the hydration of corn kernels without affecting their starch properties. 2017 , 197, 34-43 | | 45 |
| 153 | Molecular structure, functionality and applications of oxidized starches: A review. <i>Food Chemistry</i> , 2017 , 221, 1546-1559 | 8.5 | 121 |
| 152 | Physicochemical properties and in vitro digestibility of legume starches. <i>Food Hydrocolloids</i> , 2017 , 63, 249-255 | 10.6 | 67 |
| 151 | Physicochemical properties of indica-japonica hybrid rice starch from Chinese varieties. <i>Food Hydrocolloids</i> , 2017 , 63, 356-363 | 10.6 | 45 |
| 150 | Physicochemical Properties of Starch from <i>Dioscorea pyrifolia</i> tubers. <i>Food Chemistry</i> , 2017 , 220, 225-238.5 | | 32 |
| 149 | Composition, Nutritional Value, and Health Benefits of Pulses. 2017 , 94, 11-31 | | 139 |
| 148 | Evaluation of Cooking Time in Pulses: A Review. 2017 , 94, 32-48 | | 20 |
| 147 | Physicochemical, functional properties, and digestion of isolated starches from pigmented chickpea (<i>Cicer arietinum</i> L.) cultivars. 2017 , 69, 1600152 | | 8 |
| 146 | Traditional and New Food Uses of Pulses. 2017 , 94, 66-73 | | 50 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 145 | Pigmented Heirloom Beans: Nutritional and Cooking Quality Characteristics. 2017 , 94, 363-368 | | 3 |
| 144 | Global production, processing and utilization of lentil: A review. 2017 , 16, 2898-2913 | | 38 |
| 143 | Fermented Pulses in Nutrition and Health Promotion. 2017 , 385-416 | | 11 |
| 142 | Starch Characteristics Linked to Gluten-Free Products. 2017 , 6, | | 78 |
| 141 | Thermal, pasting properties and morphological characterization of pea starch (<i>Pisum sativum</i> L.), rice starch (<i>Oryza sativa</i>) and arracacha starch (<i>Arracacia xanthorrhiza</i>) blends, established by simplex-centroid design. 2018 , 662, 90-99 | | 6 |
| 140 | The Influence of Bound Water on the FTIR Characteristics of Starch and Starch Nanocrystals Obtained from Selected Natural Sources. 2018 , 71, 1700026 | | 10 |
| 139 | Characteristics of Starch from Opaque and Translucent Perisperm of Amaranth (A. hypochondriacus) Grains. 2018 , 70, 1700260 | | 2 |
| 138 | Morphological, structural and digestibility properties of RS4 enriched octenyl succinylated sweet potato, banana and lentil starches. <i>Food Hydrocolloids</i> , 2018 , 82, 219-229 | 10.6 | 24 |
| 137 | Production of resistant starch (RS3) from edible bean starches. <i>Journal of Food Processing and Preservation</i> , 2018 , 42, e13587 | 2.1 | 6 |
| 136 | Molecular rearrangement of Laird lentil (<i>Lens culinaris</i> Medikus) starch during different processing treatments of the seeds. <i>Food Hydrocolloids</i> , 2018 , 79, 399-408 | 10.6 | 40 |
| 135 | In vitro digestibility of hydrothermally modified groundnut (<i>L.</i>) starch and flour. 2018 , 6, 36-46 | | 14 |
| 134 | Starch characteristics of cowpea and mungbean cultivars grown in Korea. <i>Food Chemistry</i> , 2018 , 263, 104-111 | 8.5 | 33 |
| 133 | Resistant starch type V formation in brown lentil (<i>Lens culinaris</i> Medikus) starch with different lipids/fatty acids. <i>Food Chemistry</i> , 2018 , 240, 550-558 | 8.5 | 48 |
| 132 | Impact of shear force on functional properties of native starch and resulting gel and film. 2018 , 223, 10-21 | | 25 |
| 131 | Physicochemical and functional properties of gamma irradiated buckwheat and potato starch. 2018 , 144, 37-42 | | 20 |
| 130 | Effects of fatty acid chain length on properties of potato starch fatty acid complexes under partially gelatinization. 2018 , 21, 2121-2134 | | 18 |
| 129 | Effect of chemical modification with citric acid on the physicochemical properties and resistant starch formation in different starches. <i>Carbohydrate Polymers</i> , 2018 , 202, 29-38 | 10.3 | 38 |
| 128 | The effect of repeated versus continuous annealing on structural, physicochemical, and digestive properties of potato starch. 2018 , 111, 324-333 | | 41 |

| | | | |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 127 | Insights into the crystallinity and in vitro digestibility of chestnut starch during thermal processing. <i>Food Chemistry</i> , 2018 , 269, 244-251 | 8.5 | 35 |
| 126 | Surface structural features control in vitro digestion kinetics of bean starches. <i>Food Hydrocolloids</i> , 2018 , 85, 343-351 | 10.6 | 22 |
| 125 | Unripe Plantain Flours. 2018 , 341-366 | | 0 |
| 124 | Physicochemical, structural and thermal properties of oxidized, acetylated and dual-modified common bean (<i>Phaseolus vulgaris</i> L.) starch. 2018 , 38, 318-327 | | 13 |
| 123 | A novel starch: Characterizations of starches separated from tea (<i>Camellia sinensis</i> (L.) O. Ktze) seed. 2019 , 139, 1085-1091 | | 3 |
| 122 | Effect of superfine grinding on the physicochemical properties of bulbs of Hsiao et K.C. Hsia powder. 2019 , 7, 3527-3537 | | 4 |
| 121 | Insight Into the Prospects for the Improvement of Seed Starch in Legume-A Review. 2019 , 10, 1213 | | 11 |
| 120 | Composition and Physicochemical Properties of Three Chinese Yam (Thunb.) Starches: A Comparison Study. <i>Molecules</i> , 2019 , 24, | 4.8 | 3 |
| 119 | Nutritional and anti-nutritional seed-quality traits of faba bean (<i>Vicia faba</i>) grown in South Australia. 2019 , 70, 463 | | 7 |
| 118 | Effect of microwave irradiation-retrogradation treatment on the digestive and physicochemical properties of starches with different crystallinity. <i>Food Chemistry</i> , 2019 , 298, 125015 | 8.5 | 33 |
| 117 | Comparing properties of starch and flour of yellow-flesh cassava cultivars and effects of modifications on properties of their starch. <i>Journal of Food Measurement and Characterization</i> , 2019 , 13, 2581-2593 | 2.8 | 11 |
| 116 | Effect of chemical composition, granule structure and crystalline form of pigmented rice starches on their functional characteristics. <i>Food Chemistry</i> , 2019 , 297, 124984 | 8.5 | 9 |
| 115 | Impact of Irradiation on the physico-chemical, rheological properties and in vitro digestibility of kithul (<i>Caryota urens</i>) starch; a new source of nonconventional stem starch. 2019 , 162, 54-65 | | 23 |
| 114 | Modulating effect of cotyledon cell microstructure on in vitro digestion of starch in legumes. <i>Food Hydrocolloids</i> , 2019 , 96, 112-122 | 10.6 | 25 |
| 113 | Ozone technology as an alternative to fermentative processes to improve the oven-expansion properties of cassava starch. 2019 , 123, 56-63 | | 22 |
| 112 | Health Benefits of Pulses. 2019 , | | 0 |
| 111 | Pulse Processing and Utilization of Pulse Ingredients in Foods. 2019 , 129-149 | | 9 |
| 110 | Comparison of structural and physicochemical properties of starches from five coarse grains. <i>Food Chemistry</i> , 2019 , 288, 283-290 | 8.5 | 21 |

| | | | |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 109 | Indian pulses: A review on nutritional, functional and biochemical properties with future perspectives. 2019 , 88, 228-242 | | 41 |
| 108 | Characterization of heat-moisture treated <i>Dioscorea alata purpurea</i> flour: impact of moisture level. <i>Journal of Food Measurement and Characterization</i> , 2019 , 13, 1636-1644 | 2.8 | 4 |
| 107 | Effect of degree of polymerization of amylopectin on the gelatinization properties of jackfruit seed starch. <i>Food Chemistry</i> , 2019 , 289, 152-159 | 8.5 | 16 |
| 106 | Damaged starch in pea versus wheat flours: Fragmentation behavior and contribution of fine and coarse fractions. 2019 , 96, 465-477 | | 6 |
| 105 | Understanding the multi-scale structural changes in starch and its physicochemical properties during the processing of chickpea, navy bean, and yellow field pea seeds. <i>Food Chemistry</i> , 2019 , 289, 582-590 | 8.5 | 19 |
| 104 | Study of Molecular Inclusion Complex Formation of Amylose With Indomethacin. 2019 , 71, 1800295 | | 9 |
| 103 | Legume enriched cereal products: A generic approach derived from material science to predict their structuring by the process and their final properties. 2019 , 86, 131-143 | | 48 |
| 102 | Introducing Daluga (<i>Cyrtosperma merkusii</i>) starch from corms collected in Siau Island, North Sulawesi. 2019 , 399, 012038 | | 1 |
| 101 | Faba bean (<i>Vicia faba</i>) starch: Structure, properties, and in vitro digestibility A review. 2019 , 1, e18 | | 12 |
| 100 | Physicochemical properties and rheological behavior of flours and starches from four bean varieties for gluten-free pasta formulation. 2019 , 1, 100001 | | 17 |
| 99 | Starch Granules from Cowpea, Black, and Carioca Beans in Raw and Cooked Forms. 2019 , | | 0 |
| 98 | The effects of field pre-harvest sprouting on the morphological structure and physicochemical properties of rice (<i>Oryza sativa</i> L.) starch. <i>Food Chemistry</i> , 2019 , 278, 10-16 | 8.5 | 19 |
| 97 | Hydrolysis of cassava starch, chitosan and their mixtures in pressurized hot water media. 2019 , 147, 293-301 | | 15 |
| 96 | Effect of broad bean (<i>Vicia faba</i>) addition on starch properties and texture of dry and fresh pasta. <i>Food Chemistry</i> , 2019 , 278, 476-481 | 8.5 | 9 |
| 95 | Starch Characterization of Improved Chickpea Varieties Grown in Mexico. 2019 , 71, 1800139 | | 8 |
| 94 | Technological and Nutritional Applications of Starches in Gluten-Free Products. 2019 , 333-358 | | 2 |
| 93 | Differences in starch structure, thermal properties, and texture characteristics of rice from main stem and tiller panicles. <i>Food Hydrocolloids</i> , 2020 , 99, 105341 | 10.6 | 13 |
| 92 | Barley starch behavior in the presence of rutin under subcritical water conditions. <i>Food Hydrocolloids</i> , 2020 , 100, 105421 | 10.6 | 5 |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 91 | Manipulation of the dry bean (<i>Phaseolus vulgaris</i> L.) matrix by hydrothermal and high-pressure treatments: Impact on in vitro bile salt-binding ability. <i>Food Chemistry</i> , 2020 , 310, 125699 | 8.5 | 8 |
| 90 | Effect of lysine incorporation, annealing and heat moisture treatment alone and in combination on the physico-chemical, retrogradation, rheological properties and in vitro digestibility of kithul (<i>Caryota urens</i> L.) starch. 2020 , 55, 2391-2398 | | 13 |
| 89 | Developments in the isolation, composition, and physicochemical properties of legume starches. 2021 , 61, 2938-2959 | | 5 |
| 88 | Effect of dual modification on crystalline formation of resistant starch from cassava. <i>Journal of Food Measurement and Characterization</i> , 2020 , 14, 3520-3528 | 2.8 | 2 |
| 87 | Autoclaving and extrusion improve the functional properties and chemical composition of black bean carbohydrate extracts. 2020 , 85, 2783-2791 | | 4 |
| 86 | Modification of structural and physicochemical properties of repeated freeze-thawed cycle maize starch. 2020 , 23, 1597-1610 | | 2 |
| 85 | Starch Structure, Functionality and Application in Foods. 2020 , | | 2 |
| 84 | Effect of Controlled Hydrothermal Treatments on Mung Bean Starch Structure and Its Relationship with Digestibility. 2020 , 9, | | 6 |
| 83 | Purified Starches from 18 Pulses Have Markedly Different Morphology, Oil Absorption and Water Absorption Capacities, Swelling Power, and Turbidity. 2020 , 72, 2000022 | | 2 |
| 82 | Kidney bean (<i>Phaseolus vulgaris</i>) starch: A review. 2020 , 2, e52 | | 5 |
| 81 | Insights into the starch gelatinization behavior inside intact cotyledon cells. 2020 , 163, 541-549 | | 2 |
| 80 | Comparison of structural features of reconstituted doughs affected by starches from different cereals and other botanical sources. 2020 , 93, 102937 | | 9 |
| 79 | The Physicochemical Characterization of Unconventional Starches and Flours Used in Asia. 2020 , 9, | | 6 |
| 78 | Extraction, characterization, physicochemical and rheological properties of two different varieties of chickpea starch. 2020 , 2, e17 | | 4 |
| 77 | Comparison on structure and physicochemical properties of starches from adzuki bean and dolichos bean. <i>Food Hydrocolloids</i> , 2020 , 105, 105784 | 10.6 | 8 |
| 76 | Physicochemical properties of starch obtained from - A new botanical source for high amylose content. 2020 , 6, e03169 | | 10 |
| 75 | A more pronounced effect of type III resistant starch vs. type II resistant starch on ameliorating hyperlipidemia in high fat diet-fed mice is associated with its supramolecular structural characteristics. 2020 , 11, 1982-1995 | | 16 |
| 74 | A comprehensive profiling of free, conjugated and bound phenolics and lipophilic antioxidants in red and green lentil processing by-products. <i>Food Chemistry</i> , 2020 , 325, 126925 | 8.5 | 11 |

| | | | |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 73 | Effect of germination duration on structural and physicochemical properties of mung bean starch. 2020 , 154, 706-713 | | 14 |
| 72 | Supramolecular structure of <i>Artocarpus heterophyllus</i> Lam seed starch prepared by improved extrusion cooking technology and its relationship with in vitro digestibility. <i>Food Chemistry</i> , 2021 , 336, 127716 | 8.5 | 13 |
| 71 | Effects of mid-stage nitrogen application timing on the morphological structure and physicochemical properties of japonica rice starch. 2021 , 101, 2463-2471 | | 0 |
| 70 | Comparison of physicochemical and mechanical properties of edible films made from navy bean and corn starches. 2021 , 101, 1538-1545 | | 4 |
| 69 | A new insight into the effect of starch nanocrystals in the retrogradation properties of starch. 2021 , 1, 100009 | | 6 |
| 68 | Chemistry of pulses macronutrients. 2021 , 31-59 | | 1 |
| 67 | Self-assembly in biobased nanocomposites for multifunctionality and improved performance. 2021 , 3, 4321-4348 | | 4 |
| 66 | Functional and physicochemical properties of pulse starch. 2021 , 87-112 | | 0 |
| 65 | Effect of pressure homogenization and modified starch on the viscosity of ketchup: Experimental and modeling. 2021 , 44, e13683 | | 1 |
| 64 | Fabrication and characterization of keratin starch biocomposite film from chicken feather waste and ginger starch. 2021 , 11, 8768 | | 5 |
| 63 | A current review of structure, functional properties, and industrial applications of pulse starches for value-added utilization. 2021 , 20, 3061-3092 | | 14 |
| 62 | Pearl millet grain as an emerging source of starch: A review on its structure, physicochemical properties, functionalization, and industrial applications. <i>Carbohydrate Polymers</i> , 2021 , 260, 117776 | 10.3 | 9 |
| 61 | Obtention and characterization of resistant starch from creole faba bean (<i>Vicia faba</i> L. creole) as a promising functional ingredient. <i>LWT - Food Science and Technology</i> , 2021 , 145, 111247 | 5.4 | 5 |
| 60 | Combined Effects of Calcium Addition and Thermal Processing on the Texture and In Vitro Digestibility of Starch and Protein of Black Beans (). 2021 , 10, | | 2 |
| 59 | Pea cell wall integrity controls the starch and protein digestion properties in the INFOGEST in vitro simulation. 2021 , 182, 1200-1207 | | 6 |
| 58 | Impact of cell intactness and starch state on the thickening potential of chickpea flours in water-flour systems. <i>LWT - Food Science and Technology</i> , 2021 , 146, 111409 | 5.4 | 6 |
| 57 | Effects of leavening agent and time on bread texture and in vitro starch digestibility.. 2022 , 59, 1922-1930 | | |
| 56 | Physico-chemical and functional properties of legume protein, starch, and dietary fiber review. e117 | | 6 |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 55 | Elucidation of the low resistant starch phenotype in <i>Phaseolus vulgaris</i> exhibited in the yellow bean Cebo Cela. 2021 , 86, 3975-3986 | | 0 |
| 54 | Structural and Film-Forming Properties of Millet Starches: A Comparative Study. 2021 , 11, 954 | | 5 |
| 53 | Evaluation of Physicochemical Properties of Starch from Brazilian Carioca Beans (<i>Phaseolus vulgaris</i>). 2000281 | | 1 |
| 52 | Micromeritic, thermal, dielectric, and microstructural properties of legume ingredients: A review. e123 | | 0 |
| 51 | Utilizing side streams of pulse protein processing: A review. e120 | | 1 |
| 50 | Comparison of grain yield and quality of different types of japonica rice cultivars in the northern Jiangsu plain, China. 2021 , 20, 2065-2076 | | 1 |
| 49 | Effects of microwave treatments and retrogradation on molecular crystalline structure and in vitro digestibility of debranched mung-bean starches. 2021 , 190, 904-910 | | 5 |
| 48 | Instant soups from cowpea varieties using foam-mat drying. <i>LWT - Food Science and Technology</i> , 2021 , 151, 112191 | 5-4 | 0 |
| 47 | Phase Transitions of Starch and Molecular Mechanisms. 2020 , 77-120 | | 0 |
| 46 | Chapter 5: Novel Starch-Derived Topical Delivery Systems. 2017 , 175-216 | | 1 |
| 45 | Scanning Electron Microscopy and Crystallinity of starches granules from cowpea, black and carioca beans in raw and cooked forms. 2019 , 39, 718-724 | | 11 |
| 44 | Thermoanalytical study and characterization of native starches of Paran pine seeds (<i>Araucaria angustifolia</i> , Bert O. Ktze) and European chestnut seeds (<i>Castanea sativa</i> , Mill). 2009 , 34, 07-12 | | 11 |
| 43 | The Yield Improvement of Resistant Starches from Africa Locust (<i>Parkia biglobosa</i>): The Influence of Heat-moisture, Autoclaving-cooling and Cross-linking Treatments. 2012 , 7, 386-397 | | 5 |
| 42 | Alternative Protein Sources for Aquaculture Feeds. 2012 , 4, 1-26 | | 48 |
| 41 | Effect of Carboxymethylcellulose and Starch as Thickening Agents on the Quality of Tomato Ketchup. <i>Pakistan Journal of Nutrition</i> , 2009 , 8, 1144-1149 | 0.3 | 12 |
| 40 | Lentils (<i>Lens culinaris</i> , L.). <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2017 , 42-72 | 0.4 | 4 |
| 39 | Physicochemical and morphological characterization of black bean (<i>Phaseolus vulgaris</i> L.) starch and potential application in nano-encapsulation by spray drying. <i>Journal of Food Measurement and Characterization</i> , 1 | 2.8 | 0 |
| 38 | Studies for Physicochemical and In Vitro Digestibility Characteristics of Flour and Starch from Chickpea (<i>Cicer arietinum</i> L.). <i>Preventive Nutrition and Food Science</i> , 2011 , 16, 339-347 | 2.4 | |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|
| 37 | Processing of Dry Bean Flours and Fractions. 205-234 | | 1 |
| 36 | Chapter 3:Preparation and Characterization of Starch Nanocrystals. <i>RSC Green Chemistry</i> , 2015 , 60-108 | 0.9 | |
| 35 | Structural and Physicochemical Mical Characteristics of Buckwheat Starch. <i>International Journal of Electrical Energy</i> , 2015 , 1, | 2 | 1 |
| 34 | Lentils (<i>Lens culinaris</i> , L.). 2018 , 361-391 | | |
| 33 | Starch structure and nutritional functionality - Past revelations and future prospects. <i>Carbohydrate Polymers</i> , 2022 , 277, 118837 | 10.3 | 5 |
| 32 | Characterization of pre-gelatinized kidney bean (<i>Phaseolus vulgaris</i> L.) produced using microwave hot-air flow rolling drying technique. <i>LWT - Food Science and Technology</i> , 2022 , 154, 112673 | 5.4 | 2 |
| 31 | Structural and functional properties of chestnut starch based on high-pressure homogenization. <i>LWT - Food Science and Technology</i> , 2022 , 154, 112647 | 5.4 | 2 |
| 30 | Botanical Sources of Starch. 2020 , 9-27 | | 0 |
| 29 | An investigation of functional quality characteristics and water interactions of navy bean, chickpea, pea, and lentil flours. | | 0 |
| 28 | Identification of starch with assorted shapes derived from the fleshy root tuber of <i>Phoenix sylvestris</i> : extraction, morphological and techno-functional characterization. <i>Journal of Food Measurement and Characterization</i> , 2022 , 16, 1688 | 2.8 | 0 |
| 27 | New Techniques in Structural Tailoring of Starch Functionality.. <i>Annual Review of Food Science and Technology</i> , 2022 , | 14.7 | 0 |
| 26 | Collection, characterizat0n, product quality evaluation, and conservation of genetic resources of yam (<i>Dioscorea</i> spp.) cultivars from Ekiti State, Nigeria. <i>Genetic Resources and Crop Evolution</i> , 2022 , 69, 1419 | 2 | |
| 25 | Employing statistical approach to explore the possibility of replacing wheat flour with rice flour for development of gluten-free Indian flatbread- is full replacement possible?. <i>Journal of Food Processing and Preservation</i> , | 2.1 | 0 |
| 24 | Rheological properties, structure and digestibility of starches isolated from common bean (<i>Phaseolus vulgaris</i> L.) varieties from Europe and Asia. <i>LWT - Food Science and Technology</i> , 2022 , 161, 113352 | 5.4 | 0 |
| 23 | Processing and Functional Properties of Dry Bean Flours and Fractions. 2022 , 247-275 | | 0 |
| 22 | Influence of acid on isolation of starch from pearl millet (underutilized crop) and its characteristics. <i>Materials Today: Proceedings</i> , 2022 , | 1.4 | |
| 21 | Structural transformation and oil absorption of starches with different crystal types during frying.. <i>Food Chemistry</i> , 2022 , 390, 133115 | 8.5 | 0 |
| 20 | Effect of Microwave Irradiation on Acid Hydrolysis of Faba Bean Starch: Physicochemical Changes of the Starch Granules. <i>Molecules</i> , 2022 , 27, 3528 | 4.8 | 0 |

| | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|
| 19 | Quantifying and modeling the gelatinization properties of individual pulse-starch granules by ParCS. <i>Food Hydrocolloids</i> , 2022 , 107896 | 10.6 | |
| 18 | Nutritional and Food Composition Survey of Major Pulses Toward Healthy, Sustainable, and Biofortified Diets. <i>Frontiers in Sustainable Food Systems</i> , 6, | 4.8 | ○ |
| 17 | Effects of Nitrogen Fertilizer on the Starch Structure, Protein Distribution, and Quality of Rice. 2022 , 2, 1347-1354 | | 1 |
| 16 | Recent advancements in properties, modifications, and applications of legume starches. | | 1 |
| 15 | Effects of different extrusion temperatures on physicochemical, rheological and digestion properties of rice flour produced in a pilot-scale extruder. | | ○ |
| 14 | A novel starch from bitter vetch (<i>Vicia ervilia</i>) seeds: A comparison of its physicochemical, structural, thermal, rheological, and pasting properties with conventional starches. | | ○ |
| 13 | Influence of processing methods on the antinutrients, morphology and in-vitro protein digestibility of jack bean. 2022 , 1, 100078 | | |
| 12 | Effect of energetic neutrals on the kithul starch retrogradation; Potential utilization for improving mechanical and barrier properties of films. 2023 , 398, 133881 | | ○ |
| 11 | A comparison of B- and A-type nanoparticles on pressure resistance. 2022 , 81, 103139 | | ○ |
| 10 | Insights into the relations between cell wall integrity and in vitro digestion properties of granular starches in pulse cotyledon cells after dry heat treatment. 2023 , 12, 528-535 | | ○ |
| 9 | Impact of Cassava Starch Varieties on the Physicochemical Change during Enzymatic Hydrolysis. 2022 , 27, 6098 | | 1 |
| 8 | Structural and Spectroscopic Characterization of Saffron Starches at Different Growth Stages. 2200119 | | ○ |
| 7 | Reactive Extrusion as a Pretreatment in Cassava (<i>Manihot esculenta</i> Crantz) and Pea (<i>Pisum sativum</i> L.) Starches to Improve Spinnability Properties for Obtaining Fibers. 2022 , 27, 5944 | | 1 |
| 6 | Effect of chemical treatments on the functional, morphological and rheological properties of starch isolated from pigeon pea (<i>Cajanus cajan</i>). 2022 , | | ○ |
| 5 | Exploring the Potential of Secondary Metabolites from Indigenous <i>Trichoderma</i> spp. for Their Plant Growth Promotion and Disease Suppression Ability in Pulses. 2022 , 243-266 | | ○ |
| 4 | Organic Pea Starches II. Comprehensive Investigation of Morphological and Molecular Properties. 2200220 | | ○ |
| 3 | Pulse Starch. 2012 , 107-133 | | ○ |
| 2 | Non-conventional starches isolated from agronomic-improved beans (<i>Phaseolus vulgaris</i> L.): a study of their structure and physicochemical properties. | | ○ |

- 1 Amylose, rheological and functional properties of yellow cassava flour as affected by pretreatment and drying methods. **2023**,

o