

Direct polymerization of sulfonated poly(arylene ether)
copolymers: candidates for new proton exchange mem

Journal of Membrane Science

197, 231-242

DOI: 10.1016/s0376-7388(01)00620-2

Citation Report

#	ARTICLE	IF	CITATIONS
1	Sensitized photolysis and triplet energy transfer to azidomethylated polystyrene in solid film.. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 1989, 2, 193-198.	0.1	4
2	Title is missing!. Journal of Materials Science Letters, 2003, 22, 1595-1597.	0.5	18
3	Synthesis and Characterization of Poly(arylene ether oxadiazole) Telechelics. Macromolecular Chemistry and Physics, 2003, 204, 2130-2141.	1.1	16
5	Sulfonation of poly(phthalazinones) with fuming sulfuric acid mixtures for proton exchange membrane materials. Journal of Membrane Science, 2003, 227, 39-50.	4.1	116
6	Oxygen permeation studies on alternative proton exchange membranes designed for elevated temperature operation. Electrochimica Acta, 2003, 48, 1845-1859.	2.6	87
7	Application of scanning tunneling and atomic force microscopies to the characterization of microporous and mesoporous materials. Microporous and Mesoporous Materials, 2003, 65, 93-126.	2.2	68
8	Processing induced morphological development in hydrated sulfonated poly(arylene ether sulfone) copolymer membranes. Polymer, 2003, 44, 5729-5736.	1.8	134
9	Fabrication and characterization of heteropolyacid (H3PW12O40)/directly polymerized sulfonated poly(arylene ether sulfone) copolymer composite membranes for higher temperature fuel cell applications. Journal of Membrane Science, 2003, 212, 263-282.	4.1	328
10	Electrochemical characterization of sulfonated poly(arylene ether sulfone) (S-PES) cation-exchange membranes. Journal of Membrane Science, 2003, 216, 39-53.	4.1	157
11	Synthesis and characterization of sulfonated polyimide membranes for direct methanol fuel cell. Journal of Membrane Science, 2003, 220, 31-45.	4.1	294
12	Proton conducting membranes based on PEG/SiO2 nanocomposites for direct methanol fuel cells. Journal of Membrane Science, 2003, 218, 295-306.	4.1	155
13	An investigation of proton conduction in select PEMs and reaction layer interfaces-designed for elevated temperature operation. Journal of Membrane Science, 2003, 219, 123-136.	4.1	112
14	Properties of SPEEK based PEMs for fuel cell application. Catalysis Today, 2003, 82, 213-222.	2.2	234
15	Recent developments in high-temperature proton conducting polymer electrolyte membranes. Current Opinion in Colloid and Interface Science, 2003, 8, 96-102.	3.4	278
16	Membranes fit for a revolution. Materials Today, 2003, 6, 38-43.	8.3	2
17	Effect of acidification treatment and morphological stability of sulfonated poly(arylene ether) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Science, Part B: Polymer Physics, 2003, 41, 2816-2828.	2.4	170
18	Synthesis and characterization of sulfonated poly(phthalazinone ether ketone) for proton exchange membrane materials. Journal of Polymer Science Part A, 2003, 41, 497-507.	2.5	112
19	Influence of the bisphenol structure on the direct synthesis of sulfonated poly(arylene ether) copolymers. I. Journal of Polymer Science Part A, 2003, 41, 2264-2276.	2.5	249

#	ARTICLE	IF	CITATIONS
20	Direct copolymerization of sulfonated poly(phthalazinone arylene ether)s for proton-exchange-membrane materials. <i>Journal of Polymer Science Part A</i> , 2003, 41, 2731-2742.	2.5	71
21	Synthesis, proton conductivity and methanol permeability of a novel sulfonated polyimide from 3-(2,4-diaminophenoxy)propane sulfonic acid. <i>Polymer</i> , 2003, 44, 4509-4518.	1.8	150
22	PEM fuel cells as membrane reactors: kinetic analysis by impedance spectroscopy. <i>Catalysis Today</i> , 2003, 82, 195-206.	2.2	61
23	Highly proton conductive polyimide electrolytes containing fluorenyl groups Supplementary information (ESI) available: experimental section. See http://www.rsc.org/suppdata/cc/b2/b210296j/ . <i>Chemical Communications</i> , 2003, , 368-369.	2.2	144
24	State of Water in Disulfonated Poly(arylene ether sulfone) Copolymers and a Perfluorosulfonic Acid Copolymer (Nafion) and Its Effect on Physical and Electrochemical Properties. <i>Macromolecules</i> , 2003, 36, 6281-6285.	2.2	337
25	Non-Fluorinated Polymer Materials for Proton Exchange Membrane Fuel Cells. <i>Annual Review of Materials Research</i> , 2003, 33, 503-555.	4.3	746
26	Polymeric Electrolytes: An Overview. , 2009, , 575-622.		5
27	Seals and Sealants in PEM Fuel Cell Environments: Material, Design, and Durability Challenges. , 2004, , 553.		9
28	Sulfonated Poly(Arylene Ether Sulfone) Copolymers - Acid and Salt Form: Potential Biofunctional Polymers. <i>Journal of Bioactive and Compatible Polymers</i> , 2004, 19, 315-329.	0.8	4
29	Effects of charge density on water splitting at cation-exchange membrane surface in the over-limiting current region. <i>Korean Journal of Chemical Engineering</i> , 2004, 21, 221-229.	1.2	30
30	Synthesis and properties of new sulfonated poly(p-phenylene) derivatives for proton exchange membranes. I. <i>Polymer</i> , 2004, 45, 5847-5854.	1.8	147
31	Sulfonated naphthalene dianhydride based polyimide copolymers for proton-exchange-membrane fuel cells. I. Monomer and copolymer synthesis. <i>Journal of Polymer Science Part A</i> , 2004, 42, 862-874.	2.5	159
32	Synthesis and properties of novel sulfonated polyimides from 2,2'-bis(4-aminophenoxy)biphenyl-5,5'-disulfonic acid. <i>Journal of Polymer Science Part A</i> , 2004, 42, 1432-1440.	2.5	63
33	Sulfonated poly(aryl ether ketone)s containing naphthalene moieties obtained by direct copolymerization as novel polymers for proton exchange membranes. <i>Journal of Polymer Science Part A</i> , 2004, 42, 2866-2876.	2.5	134
34	Structure-property correlations of sulfonated polyimides. I. Effect of bridging groups on membrane properties. <i>Journal of Polymer Science Part A</i> , 2004, 42, 3612-3620.	2.5	64
35	Adhesion property of sulfonated poly(arylene ether sulfone)s. <i>Journal of Applied Polymer Science</i> , 2004, 93, 1211-1218.	1.3	2
36	Novel proton conducting sulfonated poly(arylene ether) copolymers containing aromatic nitriles. <i>Journal of Membrane Science</i> , 2004, 239, 199-211.	4.1	179
37	Characteristics of PVdF copolymer/Nafion blend membrane for direct methanol fuel cell (DMFC). <i>Electrochimica Acta</i> , 2004, 50, 583-588.	2.6	100

#	ARTICLE	IF	CITATIONS
38	Synthesis of poly[arylene ether sulfone-b-vinylidene fluoride] block copolymers. <i>European Polymer Journal</i> , 2004, 40, 531-541.	2.6	49
39	Oxygen reduction and transport characteristics at a platinum and alternative proton conducting membrane interface. <i>Journal of Electroanalytical Chemistry</i> , 2004, 568, 273-291.	1.9	50
40	Sulfonation and characterization of poly(styrene-isobutylene-styrene) triblock copolymers at high ion-exchange capacities. <i>Polymer</i> , 2004, 45, 3037-3043.	1.8	114
41	New multiblock copolymers of sulfonated poly(4-phenyl-2,5-benzophenone) and poly(arylene ether) Tj ETQq1 1,0,784314 rgBT /Ove 1.8 140	1.8	140
42	Synthesis and characterization of sulfonated poly(ether ether ketone) for proton exchange membranes. <i>Journal of Membrane Science</i> , 2004, 229, 95-106.	4.1	895
43	Polysulfone ionomers for proton-conducting fuel cell membranes: sulfoalkylated polysulfones. <i>Journal of Membrane Science</i> , 2004, 230, 61-70.	4.1	189
44	Direct synthesis of sulfonated aromatic poly(ether ether ketone) proton exchange membranes for fuel cell applications. <i>Journal of Membrane Science</i> , 2004, 234, 75-81.	4.1	407
45	Sulfonated poly(arylene ether sulfone) copolymer proton exchange membranes: composition and morphology effects on the methanol permeability. <i>Journal of Membrane Science</i> , 2004, 243, 317-326.	4.1	237
46	Transport of methanol and protons through partially sulfonated polymer blend membranes for direct methanol fuel cell. <i>Journal of Membrane Science</i> , 2004, 245, 61-69.	4.1	101
47	Magnesium-solution phase catholyte semi-fuel cell for undersea vehicles. <i>Journal of Power Sources</i> , 2004, 136, 226-231.	4.0	63
48	Improvement of Properties of Poly(ether ketone) Ionomer Membranes by Blending and Cross-Linking. <i>Industrial & Engineering Chemistry Research</i> , 2004, 43, 4571-4579.	1.8	57
49	Sulfonated Poly(aryl ether ketone)s Containing the Hexafluoroisopropylidene Diphenyl Moiety Prepared by Direct Copolymerization, as Proton Exchange Membranes for Fuel Cell Application. <i>Macromolecules</i> , 2004, 37, 7960-7967.	2.2	302
50	Direct Methanol Fuel Cell Performance of Disulfonated Poly(arylene ether benzonitrile) Copolymers. <i>Journal of the Electrochemical Society</i> , 2004, 151, A2150.	1.3	125
51	Synthesis of Sulfonated Polysulfone-block-PVDF Copolymers: Enhancement of Proton Conductivity in Low Ion Exchange Capacity Membranes. <i>Macromolecules</i> , 2004, 37, 1678-1681.	2.2	181
52	Synthesis of Poly(arylene ether ether ketone) Copolymers Containing Pendant Sulfonic Acid Groups Bonded to Naphthalene as Proton Exchange Membrane Materials. <i>Macromolecules</i> , 2004, 37, 6748-6754.	2.2	114
53	Magnesium-solution phase catholyte semi-fuel cell for undersea vehicles. <i>Journal of Power Sources</i> , 2004, 136, 226-226.	4.0	2
54	Alternative Polymer Systems for Proton Exchange Membranes (PEMs). <i>Chemical Reviews</i> , 2004, 104, 4587-4612.	23.0	2,669
55	Effects of electrode morphology on the performance of BPSH and PATS ionic polymer transducers. , 2004, , .		9

#	ARTICLE	IF	CITATIONS
56	Blends of Sulfonated Polysulfone and Poly(ethylene oxide)-Grafted-Polyethersulfone as Proton Exchange Membranes for Fuel Cell Applications. <i>Macromolecular Symposia</i> , 2005, 230, 33-38.	0.4	9
57	Investigation of membrane property and fuel cell behavior with sulfonated poly(ether ether ketone) electrolyte: Temperature and relative humidity effects. <i>Journal of Power Sources</i> , 2005, 150, 120-128.	4.0	137
58	Functional fluoropolymers for fuel cell membranes. <i>Progress in Polymer Science</i> , 2005, 30, 644-687.	11.8	317
59	Surface modification of sulfonated poly(ether ether ketone) membranes using Nafion solution for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2005, 247, 59-63.	4.1	93
60	Heterogeneous ion-exchange membranes based on sulfonated poly(1,4-phenylene sulfide) and linear polyethylene: preparation, oxidation stability, methanol permeability and electrochemical properties. <i>Journal of Membrane Science</i> , 2005, 250, 151-157.	4.1	87
61	An NMR study of methanol diffusion in polymer electrolyte fuel cell membranes. <i>Journal of Membrane Science</i> , 2005, 250, 183-188.	4.1	68
62	Sulfonated naphthalene dianhydride based polyimide copolymers for proton-exchange-membrane fuel cellsII. Membrane properties and fuel cell performance. <i>Journal of Membrane Science</i> , 2005, 255, 141-148.	4.1	195
63	Synthesis and characterization of a new block copolymer for proton exchange membrane. <i>Journal of Membrane Science</i> , 2005, 258, 78-84.	4.1	16
64	Sulfonated polyethersulfone Cardo membranes for direct methanol fuel cell. <i>Journal of Membrane Science</i> , 2005, 246, 167-172.	4.1	82
65	Sulfonated poly(arylene ether nitrile ketone) and its composite with phosphotungstic acid as materials for proton exchange membranes. <i>Journal of Membrane Science</i> , 2005, 264, 56-64.	4.1	70
66	Polysulfone ionomers for proton-conducting fuel cell membranes. <i>Electrochimica Acta</i> , 2005, 50, 1939-1946.	2.6	73
67	Polyethersulfone sulfonated by chlorosulfonic acid and its membrane characteristics. <i>European Polymer Journal</i> , 2005, 41, 1554-1560.	2.6	267
68	Synthesis and characterization of thermally stable sulfonated polybenzimidazoles. <i>European Polymer Journal</i> , 2005, 41, 1589-1595.	2.6	93
69	Proton exchange membranes based on sulfonated poly(phthalazinone ether ketone)s/aminated polymer blends. <i>Solid State Ionics</i> , 2005, 176, 409-415.	1.3	38
70	Low methanol permeable and high proton-conducting Nafion/calcium phosphate composite membrane for DMFC. <i>Solid State Ionics</i> , 2005, 176, 1079-1089.	1.3	56
71	Thermogravimetric characterization of sulfonated poly(styrene-isobutylene-styrene) block copolymers: effects of processing conditions. <i>Thermochimica Acta</i> , 2005, 430, 149-154.	1.2	32
72	Polymer electrolyte fuel cells based on main-chain-type sulfonated polyimides. <i>Electrochimica Acta</i> , 2005, 50, 2655-2659.	2.6	48
73	Membranes from sulfonated block copolymers for use in fuel cells. <i>Separation and Purification Technology</i> , 2005, 41, 207-220.	3.9	87

#	ARTICLE	IF	CITATIONS
74	Synthetic Strategies for Controlling the Morphology of Proton Conducting Polymer Membranes. Fuel Cells, 2005, 5, 171-186.	1.5	174
75	The Chemical and Structural Nature of Proton Exchange Membrane Fuel Cell Properties. Fuel Cells, 2005, 5, 213-229.	1.5	329
76	Poly(Arylene Ether Sulfone) Copolymers and Related Systems from Disulfonated Monomer Building Blocks: Synthesis, Characterization, and Performance - A Topical Review. Fuel Cells, 2005, 5, 201-212.	1.5	303
77	Multilayer Sulfonated Polyaromatic PEMFC Membranes. Fuel Cells, 2005, 5, 412-418.	1.5	22
78	Synthesis of a new sulfonated monomer for poly(aryl ether)s. Heteroatom Chemistry, 2005, 16, 553-556.	0.4	0
79	Proton Conducting Polysulfone Ionomers Carrying Sulfoaryloxybenzoyl Side Chains. Macromolecular Rapid Communications, 2005, 26, 1464-1468.	2.0	81
81	Synthesis and characterization of sulphonated polymer derived from 6FDA-ODA polyimide. Polymer Bulletin, 2005, 55, 357-365.	1.7	14
82	Nafion-sulfonated poly(arylene ether sulfone) composite membrane for direct methanol fuel cell. Macromolecular Research, 2005, 13, 514-520.	1.0	11
83	Solid polymer electrolyte membranes for fuel cell applications—a review. Journal of Membrane Science, 2005, 259, 10-26.	4.1	1,080
84	Methanol permeability and proton conductivity of sulfonated co-polyimide membranes. Journal of Membrane Science, 2005, 258, 115-122.	4.1	102
85	Electrochemical properties of PP membranes with plasma polymer coatings of acrylic acid. Journal of Membrane Science, 2005, 260, 66-74.	4.1	34
86	Ion exchange membranes: State of their development and perspective. Journal of Membrane Science, 2005, 263, 1-29.	4.1	1,128
87	Partially sulfonated poly(arylene ether sulfone)-b-polybutadiene for proton exchange membrane. Polymer, 2005, 46, 1719-1723.	1.8	30
88	Synthesis and characterization of poly(aryl ether ketone) copolymers containing (hexafluoroisopropylidene)-diphenol moiety as proton exchange membrane materials. Polymer, 2005, 46, 3257-3263.	1.8	116
89	Correlation of capacitance and actuation in ionomeric polymer transducers. Journal of Materials Science, 2005, 40, 3715-3724.	1.7	120
90	Proton conducting composite membranes from polysulfone and heteropolyacid for fuel cell applications. Journal of Polymer Science, Part B: Polymer Physics, 2005, 43, 1538-1547.	2.4	36
91	Phosphonation of polysulfones via lithiation and reaction with chlorophosphonic acid esters. Journal of Polymer Science Part A, 2005, 43, 273-286.	2.5	68
92	Synthesis and characterization of proton-conducting copolyimides bearing pendant sulfonic acid groups. Journal of Polymer Science Part A, 2005, 43, 1545-1553.	2.5	76

#	ARTICLE	IF	CITATIONS
93	Directly copolymerized poly(arylene sulfide sulfone) disulfonated copolymers for PEM-based fuel cell systems. I. Synthesis and characterization. Journal of Polymer Science Part A, 2005, 43, 2964-2976.	2.5	106
94	Synthesis and characterization of thermally stable sulfonated polybenzimidazoles obtained from 3,3'-disulfonyl-4,4'-dicarboxyldiphenylsulfone. Journal of Polymer Science Part A, 2005, 43, 4363-4372.	2.5	63
95	Synthesis of sulfonated poly(imidoaryl ether sulfone) membranes for polymer electrolyte membrane fuel cells. Journal of Polymer Science Part A, 2005, 43, 5620-5631.	2.5	22
96	Advanced Materials for Proton Exchange Membranes. ECS Meeting Abstracts, 2005, , .	0.0	1
97	Preparation and Characterization of Nafion/Poly(1-vinylimidazole) Composite Membrane for Direct Methanol Fuel Cell Application. Journal of the Electrochemical Society, 2005, 152, A1366.	1.3	41
98	Influence of Membrane Ion Exchange Capacity on the Catalyst Layer Performance in an Operating PEM Fuel Cell. Journal of the Electrochemical Society, 2005, 152, A796.	1.3	43
99	Effect of Copolymer Composition on the Oxygen Transport Properties of Sulfonated Poly(arylene ether sulfone) Membranes. Journal of Polymer Science Part A, 2005, 43, A1208.	1.3	16
100	Systematic Approach to Design Higher Temperature Composite PEMs. Journal of the Electrochemical Society, 2005, 152, A316.	1.3	81
101	Synthesis of Copoly(aryl ether ether nitrile)s Containing Sulfonic Acid Groups for PEM Application. Macromolecules, 2005, 38, 3237-3245.	2.2	142
102	Photocuring and Photolithography of Proton-Conducting Polymers Bearing Weak and Strong Acids. Chemistry of Materials, 2005, 17, 387-394.	3.2	19
103	Synthesis of Shell Cross-Linked Block Copolymer Micelles with Poly(p-styrenesulfonic acid) in the Micelle Core. Macromolecules, 2005, 38, 9957-9962.	2.2	22
104	Synthesis of Poly(arylene ether) Copolymers Containing Pendant PEO Groups and Evaluation of Their Blends as Proton Conductive Membranes. Macromolecules, 2005, 38, 9594-9601.	2.2	24
105	Poly(phthalazinone ether ketone) Ionomers Synthesized via $N^{\sim}C$ Coupling Reaction for Fuel Cell Applications. Macromolecules, 2005, 38, 10007-10013.	2.2	29
106	Ionomeric Poly(phenylene) Prepared by Diels-Alder Polymerization: Synthesis and Physical Properties of a Novel Polyelectrolyte. Macromolecules, 2005, 38, 5010-5016.	2.2	298
107	Synthesis and Proton Conductivity of Partially Sulfonated Poly(vinylidene difluoride-co-hexafluoride) Membranes. Journal of Polymer Science Part A, 2005, 43, 182-196.	2.2	196
108	Novel Hydrocarbon-Based Electrolytes for Fuel Cells. , 2005, , .		0
109	Investigation of Domain Size in Polymer Membranes Using Double-Quantum-Filtered Spin Diffusion Magic Angle Spinning NMR. Macromolecules, 2005, 38, 1201-1206.	2.2	42
110	Surface Characterization of Argon-Plasma-Modified Perfluorosulfonic Acid Membranes. Journal of Physical Chemistry B, 2006, 110, 4240-4246.	1.2	28

#	ARTICLE	IF	CITATIONS
111	Water Sorption, Proton Conduction, and Methanol Permeation Properties of Sulfonated Polyimide Membranes Cross-Linked with N,N-Bis(2-hydroxyethyl)-2-aminoethanesulfonic Acid (BES). <i>Macromolecules</i> , 2006, 39, 755-764.	2.2	155
112	Sulfonated Poly(arylene-co-naphthalimide)s Synthesized by Copolymerization of Primarily Sulfonated Monomer and Fluorinated Naphthalimide Dichlorides as Novel Polymers for Proton Exchange Membranes. <i>Macromolecules</i> , 2006, 39, 6425-6432.	2.2	65
113	Radiation Induced Crosslinking of Ethylene Vinyl Acetate Copolymers Hosting Sulfonic Acid Groups and Their Potential Applications. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2006, 43, 909-922.	1.2	0
114	Molded, High Surface Area Polymer Electrolyte Membranes from Cured Liquid Precursors. <i>Journal of the American Chemical Society</i> , 2006, 128, 12963-12972.	6.6	75
115	Discrepancies in the Measurement of Ionic Conductivity of PEMs Using Two- and Four-Probe AC Impedance Spectroscopy. <i>Journal of the Electrochemical Society</i> , 2006, 153, E173.	1.3	60
116	Ordered Structures in Proton Conducting Membranes from Supramolecular Liquid Crystal Polymers. <i>Journal of Physical Chemistry B</i> , 2006, 110, 23729-23735.	1.2	21
117	Synthesis and Characterization of Ion-Conducting Polybenzoxazoles as Thermostable Proton Exchange Membrane for Fuel Cells. <i>Kobunshi Ronbunshu</i> , 2006, 63, 174-181.	0.2	2
118	Relaxation of Proton Conductivity and Stress in Proton Exchange Membranes Under Strain. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2006, 128, 503-508.	0.8	37
119	Synthesis and Characterization of Sulfonated- Fluorinated, Hydrophilic-Hydrophobic Multiblock Copolymers for Proton Exchange Membranes. <i>Macromolecular Symposia</i> , 2006, 245-246, 439-449.	0.4	47
120	Sulfonated poly(phenylene oxide) membranes as promising materials for new proton exchange membranes. <i>Polymers for Advanced Technologies</i> , 2006, 17, 360-365.	1.6	59
121	Synthesis and characterization of poly(arylene ether sulfone) copolymers with sulfonimide side groups for a proton-exchange membrane. <i>Journal of Polymer Science Part A</i> , 2006, 44, 6007-6014.	2.5	50
122	Tensile behavior of Nafion and sulfonated poly(arylene ether sulfone) copolymer membranes and its morphological correlations. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 1453-1465.	2.4	65
123	Investigation of sulfonated poly(ether ether ketone sulfone)/heteropolyacid composite membranes for high temperature fuel cell applications. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 1967-1978.	2.4	41
124	Influence of chemical composition and sequence length on the transport properties of proton exchange membranes. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 2226-2239.	2.4	155
125	Comparative investigation of novel PBI blend ionomer membranes from nonfluorinated and partially fluorinated poly arylene ethers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 2311-2326.	2.4	70
126	Sulfonated poly(aryl ether ether ketone ketone)s containing fluorinated moieties as proton exchange membrane materials. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 2299-2310.	2.4	29
127	Swelling behavior and solubility parameter of sulfonated poly(ether ether ketone). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006, 44, 3128-3134.	2.4	39
128	Heterogeneous ion-exchange membranes based on sulfonated poly(1,4-phenylene sulfide). <i>Desalination</i> , 2006, 198, 256-264.	4.0	26

#	ARTICLE	IF	CITATIONS
129	Development and characterization of sulfonated polysulfone membranes for direct methanol fuel cells. <i>Desalination</i> , 2006, 199, 283-285.	4.0	55
130	Fuel cell membranes via solvent-free polymerization. <i>Desalination</i> , 2006, 200, 299-301.	4.0	3
131	Synthesis and characterization of sulphonated PEES copolymers by NMR spectroscopy. <i>European Polymer Journal</i> , 2006, 42, 1423-1432.	2.6	12
132	Preparation and characterization of poly(ether sulfone)/sulfonated poly(ether ether ketone) blend membranes. <i>European Polymer Journal</i> , 2006, 42, 1688-1695.	2.6	95
133	Brønsted acid-base polymer electrolyte membrane based on sulfonated poly(phenylene oxide) and imidazole. <i>European Polymer Journal</i> , 2006, 42, 2199-2203.	2.6	21
134	Recent developments on ion-exchange membranes and electro-membrane processes. <i>Advances in Colloid and Interface Science</i> , 2006, 119, 97-130.	7.0	621
135	Morphological studies and ionic transport properties of partially sulfonated diblock copolymers. <i>European Polymer Journal</i> , 2006, 42, 2486-2496.	2.6	23
136	Nafion®-graft-polystyrene sulfonic acid membranes for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2006, 276, 51-58.	4.1	58
137	Fluorenyl-containing sulfonated poly(aryl ether ether ketone)s (SPFEEKK) for fuel cell applications. <i>Journal of Membrane Science</i> , 2006, 280, 54-64.	4.1	61
138	Synthesis and characteristics of sulfonated poly(phthalazinone ether sulfone ketone) (SPPEK) for direct methanol fuel cell (DMFC). <i>Journal of Membrane Science</i> , 2006, 281, 121-129.	4.1	63
139	Influence of the hydroquinone with different pendant groups on physical and electrochemical behaviors of directly polymerized sulfonated poly(ether ether sulfone) copolymers for proton exchange membranes. <i>Journal of Membrane Science</i> , 2006, 285, 239-248.	4.1	35
140	Low-swelling proton-conducting copoly(aryl ether nitrile)s containing naphthalene structure with sulfonic acid groups meta to the ether linkage. <i>Polymer</i> , 2006, 47, 808-816.	1.8	94
141	Synthesis and characterization of poly(arylene ether ketone) (co)polymers containing sulfonate groups. <i>Polymer</i> , 2006, 47, 4148-4153.	1.8	34
142	Synthesis and characterization of controlled molecular weight disulfonated poly(arylene ether) Tj ETQq1 1 0.784314 rgBT /Overlock 10 4210-4217.	1.8	96
143	Study of the incorporation of protic ionic liquids into hydrophilic and hydrophobic rigid-rod elastomeric polymers. <i>Polymer</i> , 2006, 47, 4269-4275.	1.8	38
144	The direct synthesis of wholly aromatic poly(p-phenylene)s bearing sulfobenzoyl side groups as proton exchange membranes. <i>Polymer</i> , 2006, 47, 6993-7000.	1.8	82
145	Preparation of radiochemically pore-filled polymer electrolyte membranes for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2006, 156, 200-210.	4.0	68
146	NMR investigation of water and methanol transport in sulfonated polyarylenethioethersulfones for fuel cell applications. <i>Journal of Power Sources</i> , 2006, 156, 195-199.	4.0	27

#	ARTICLE	IF	CITATIONS
147	Degradation of sulfonated polyimide membranes in fuel cell conditions. <i>Journal of Power Sources</i> , 2006, 157, 293-301.	4.0	59
148	Preparation and properties of novel sulfonated poly(phthalazinone ether ketone) based PEM for PEM fuel cell application. <i>Journal of Power Sources</i> , 2006, 158, 88-93.	4.0	29
149	Synthesis and characterization of sulfonated poly(ether sulfone) copolymer membranes for fuel cell applications. <i>Journal of Power Sources</i> , 2006, 158, 1246-1250.	4.0	41
150	Sulfonated poly(ether sulfone) for universal polymer electrolyte fuel cell operations. <i>Journal of Power Sources</i> , 2006, 160, 353-358.	4.0	38
151	Synthesis and characterization of sulfonated poly(arylene ether ketone sulfone) membranes for application in proton exchange membrane fuel cells. <i>Journal of Power Sources</i> , 2006, 160, 969-976.	4.0	38
152	Preparation and properties of sulfonated poly(ether ether ketone)s (SPEEK)/polypyrrole composite membranes for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2006, 162, 1-8.	4.0	71
153	Preparation and evaluation of a proton exchange membrane based on crosslinkable sulfonated poly(ether ether ketone)s. <i>Journal of Power Sources</i> , 2006, 162, 51-57.	4.0	70
154	Block sulfonated poly(ether ether ketone)s (SPEEK) ionomers with high ion-exchange capacities for proton exchange membranes. <i>Journal of Power Sources</i> , 2006, 162, 1003-1009.	4.0	87
155	Synthesis and properties of soluble sulfonated polybenzimidazoles. <i>Reactive and Functional Polymers</i> , 2006, 66, 219-227.	2.0	57
156	PSSA pore-filled PVDF membranes by simultaneous electron beam irradiation: Preparation and transport characteristics of protons and methanol. <i>Journal of Membrane Science</i> , 2006, 268, 96-108.	4.1	110
157	Effect of casting solvent on the morphology and performance of sulfonated polyethersulfone membranes. <i>Journal of Membrane Science</i> , 2006, 277, 148-156.	4.1	111
158	Sulfonated copoly(phthalazinone ether ketone nitrile)s as proton exchange membrane materials. <i>Journal of Membrane Science</i> , 2006, 278, 26-34.	4.1	93
159	Oxidatively stable and highly proton conductive membrane from poly(arylene ether)s containing biphenyl moiety as pendent groups. <i>Journal of Membrane Science</i> , 2006, 280, 108-115.	4.1	41
160	Synthesis of the block sulfonated poly(ether ether ketone)s (S-PEEKs) materials for proton exchange membrane. <i>Journal of Membrane Science</i> , 2006, 280, 643-650.	4.1	114
161	Preparation of organic-inorganic nanocomposite membrane using a reactive polymeric dispersant and compatibilizer: Proton and methanol transport with respect to nano-phase separated structure. <i>Journal of Membrane Science</i> , 2006, 283, 172-181.	4.1	44
162	Composite membranes of sulfonated poly(phthalazinone ether ketone) doped with 12-phosphotungstic acid (H ₃ PW ₁₂ O ₄₀) for proton exchange membranes. <i>Solid State Ionics</i> , 2006, 177, 1123-1128.	1.3	35
163	Gas diffusion electrodes for polymer electrolyte fuel cell using sulfonated polyimide. <i>Research on Chemical Intermediates</i> , 2006, 32, 533-542.	1.3	18
164	Formation and characterization of PEDOT-modified Nafion 117 membranes. <i>Journal of Solid State Electrochemistry</i> , 2006, 10, 708-713.	1.2	22

#	ARTICLE	IF	CITATIONS
165	Structure-property-performance relationships of sulfonated poly(arylene ether sulfone)s as a polymer electrolyte for fuel cell applications. <i>Polymer</i> , 2006, 47, 4026-4035.	1.8	208
166	Multiblock sulfonated-fluorinated poly(arylene ether)s for a proton exchange membrane fuel cell. <i>Polymer</i> , 2006, 47, 4132-4139.	1.8	276
167	Poly(aryl ether sulfide)s by sulfide-activated nucleophilic aromatic substitution polymerization. <i>Polymer</i> , 2006, 47, 3996-4003.	1.8	22
168	Synthesis, characterisation and membrane properties of sulphonated poly(aryl ether sulphone) copolymers. <i>Reactive and Functional Polymers</i> , 2006, 66, 634-644.	2.0	26
169	The effect of sulfonated poly(ether ether ketone) as an electrode binder for direct methanol fuel cell (DMFC). <i>Journal of Power Sources</i> , 2006, 163, 56-59.	4.0	58
170	Synthesis and characterization of sulfonated poly(arylene ether sulfone) copolymers containing carboxyl groups for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2006, 278, 428-436.	4.1	85
171	Sulfonated poly(flourenyl ether ketone) membrane prepared via direct polymerization for PEM fuel cell application. <i>Journal of Membrane Science</i> , 2006, 280, 433-441.	4.1	76
172	Proton conductivity and properties of sulfonated polyarylenethioether sulfones as proton exchange membranes in fuel cells. <i>Journal of Membrane Science</i> , 2006, 281, 508-516.	4.1	67
173	Zirconium hydrogen phosphate/disulfonated poly(arylene ether sulfone) copolymer composite membranes for proton exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2006, 283, 102-108.	4.1	92
174	Fundamental studies of homogeneous cation exchange membranes from poly(2,6-dimethyl-1,4-phenylene oxide): Membranes prepared by simultaneous aryl-sulfonation and aryl-bromination. <i>Journal of Applied Polymer Science</i> , 2006, 100, 2238-2243.	1.3	17
175	Preparation and characterization of a proton-exchange membrane by the radiation grafting of styrene onto polytetrafluoroethylene films. <i>Journal of Applied Polymer Science</i> , 2006, 99, 1415-1428.	1.3	27
176	Synthesis and characterization of 3,3'-disulfonated-4,4'-dichlorodiphenyl sulfone (SDCDPS) monomer for proton exchange membranes (PEM) in fuel cell applications. <i>Journal of Applied Polymer Science</i> , 2006, 100, 4595-4602.	1.3	81
177	Electrochemical properties of polypropylene membranes modified by the plasma polymerization coating of SO ₂ /acetylene. <i>Journal of Applied Polymer Science</i> , 2006, 99, 3692-3699.	1.3	8
178	Modified sulfonated poly(phthalazinone ether ketone) membranes with inorganic particles for potential applications in PEMFCs. <i>Journal of Applied Polymer Science</i> , 2006, 102, 3972-3977.	1.3	7
179	Single Radiation-Induced Grafting Method for the Preparation of Two Proton- and Lithium Ion-Conducting Membranes. <i>Macromolecular Materials and Engineering</i> , 2006, 291, 972-983.	1.7	27
180	Processing of PEMFC membranes by extrusion: Part 1. Sulfonated polysulfone in acid form. <i>Advances in Polymer Technology</i> , 2006, 25, 121-126.	0.8	10
181	Processing of sulfonated polysulfone for PEMFC membrane applications: Part 2. Polymer in salt form. <i>Advances in Polymer Technology</i> , 2006, 25, 127-133.	0.8	9
182	Synthesis and Characterization of Novel Sulfonated Polyimides Derived from Naphthalenic Dianhydride. <i>High Performance Polymers</i> , 2006, 18, 637-654.	0.8	16

#	ARTICLE	IF	CITATIONS
183	Investigation of Durability Issues of Selected Nonfluorinated Proton Exchange Membranes for Fuel Cell Application. <i>Journal of the Electrochemical Society</i> , 2006, 153, A1062.	1.3	121
184	Preparation of Poly(phenylene oxide-gstyrenesulfonic acid) and their Characterization for DMFC Membrane. <i>High Performance Polymers</i> , 2006, 18, 579-591.	0.8	25
185	Sulfonated Fluorovinylene Aromatic Ether Polymers for Proton Exchange Membranes2. <i>High Performance Polymers</i> , 2007, 19, 581-591.	0.8	17
186	Novel Wholly Aromatic Sulfonated Poly(arylene ether) Copolymers Containing Sulfonic Acid Groups on the Pendants for Proton Exchange Membrane Materials. <i>Macromolecules</i> , 2007, 40, 9435-9442.	2.2	138
187	Nano Composite Membranes of Sulfonated Poly (Ether Ketone)/ Poly (Ether Sulfone) Copolymer and SiO ₂ for Fuel Cell Application. <i>Materials Science Forum</i> , 2007, 544-545, 1013-1016.	0.3	0
188	Organic-Inorganic Nano Composite Membranes of Sulfonated Poly(ether Sulfone-Ketone) Copolymer and SiO ₂ for Fuel Cell Application. <i>Materials Science Forum</i> , 2007, 534-536, 97-100.	0.3	0
189	The Membraneâ€“Electrode Interface in PEFCs. <i>Journal of the Electrochemical Society</i> , 2007, 154, B739.	1.3	75
190	Polymer Electrolyte Membrane Fuel Cell. , 2007, , 40-115.		17
191	Polyarylenethioethersulfone Membranes for Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2007, 154, B960.	1.3	2
192	Coupling of Hyperbranched and Linear Poly(Ether Sulfone)s in the Solid State. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2007, 20, 193-196.	0.1	1
194	In-situ Crosslinked Polymer Electrolyte Membranes from Thermally Reactive Oligomers for Direct Methanol Fuel Cells. <i>Macromolecular Symposia</i> , 2007, 249-250, 202-208.	0.4	11
195	Sulfonated poly(ether sulfone)s for fuel cells by solvent-free polymerization. <i>Pure and Applied Chemistry</i> , 2007, 79, 2083-2093.	0.9	11
196	Studies on synthesis and property of novel acidâ€“base proton exchange membranes. <i>Chinese Chemical Letters</i> , 2007, 18, 609-612.	4.8	14
197	Polymer Electrolyte Membranes for Direct Methanol Fuel Cells. <i>Advances in Fuel Cells</i> , 2007, 1, 187-234.	0.9	13
198	Scientific Aspects of Polymer Electrolyte Fuel Cell Durability and Degradation. <i>Chemical Reviews</i> , 2007, 107, 3904-3951.	23.0	2,976
199	Challenging reinforced composite polymer electrolyte membranes based on disulfonated poly(arylene) Tj ETQq1 1 0.784314 rgBT /Overl	6.7	56
200	Nano Composite Membranes of Sulfonated Poly(2,6-Dimethyl-1,4-Phenylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 107 Td (Oxide)/Poly Application. <i>Advanced Materials Research</i> , 2007, 26-28, 835-838.	0.3	2
201	A facile approach for the preparation of cross-linked sulfonated polyimide membranes for fuel cell application. <i>Journal of Materials Chemistry</i> , 2007, 17, 1102-1108.	6.7	82

#	ARTICLE	IF	CITATIONS
202	Recent Trends in Fuel Cell Science and Technology. , 2007, , .		99
203	On the Prospects for Phosphonated Polymers as Proton-Exchange Fuel Cell Membranes. Advances in Fuel Cells, 2007, 1, 119-185.	0.9	68
204	Comparison of PEM Properties of Copoly(aryl ether ether nitrile)s Containing Sulfonic Acid Bonded to Naphthalene in Structurally Different Waysâ€. Macromolecules, 2007, 40, 1512-1520.	2.2	89
205	Sulfonated Poly(phenylene sulfone) Polymers as Hydrolytically and Thermo-oxidatively Stable Proton Conducting Ionomers. Macromolecules, 2007, 40, 598-607.	2.2	246
206	Aromatic Poly(ether ketone)s with Pendant Sulfonic Acid Phenyl Groups Prepared by a Mild Sulfonation Method for Proton Exchange Membranesâ€. Macromolecules, 2007, 40, 1934-1944.	2.2	348
207	Hydrocarbon BPSH-BPS Multiblock Copolymers as Novel Proton Exchange Membranes. ECS Meeting Abstracts, 2007, , .	0.0	0
208	Sulfonation of poly(phthalazinone ether sulfone ketone) by heterogeneous method and its potential application on proton exchange membrane (PEM). Journal of Applied Polymer Science, 2007, 104, 1002-1009.	1.3	13
209	Sulfonated poly(ether ether sulfone) copolymers for proton exchange membrane fuel cells. Journal of Applied Polymer Science, 2007, 104, 1443-1450.	1.3	36
210	Enhanced Proton Conduction in Polymer Electrolyte Membranes with Acidâ€Functionalized Polysilsesquioxane. Angewandte Chemie - International Edition, 2007, 46, 6646-6649.	7.2	66
212	Protonâ€Conducting Aromatic Polymers Carrying Hypersulfonated Side Chains for Fuel Cell Applications. Advanced Functional Materials, 2007, 17, 2823-2834.	7.8	171
213	An Extremely Low Methanol Crossover and Highly Durable Aromatic Pore-Filling Electrolyte Membrane for Direct Methanol Fuel Cells. Advanced Materials, 2007, 19, 592-596.	11.1	181
214	Acidâ€Functionalized Mesoporous Aluminosilica for Hydrophilic Proton Conduction Membranes. Advanced Materials, 2007, 19, 2580-2587.	11.1	66
215	Low Water Swelling and High Proton Conducting Sulfonated Poly(arylene ether) with Pendant Sulfoalkyl Groups for Proton Exchange Membranes. Macromolecular Rapid Communications, 2007, 28, 2332-2338.	2.0	64
216	Development and characterization of sulfonated poly(ether sulfone) for proton exchange membrane materials. Solid State Ionics, 2007, 178, 339-345.	1.3	78
217	Sulfonated poly(arylene ether sulfone) as an electrode binder for direct methanol fuel cell. Electrochimica Acta, 2007, 52, 4916-4921.	2.6	50
218	A new proton conducting membrane based on copolymer of methyl methacrylate and 2-acrylamido-2-methyl-1-propanesulfonic acid for direct methanol fuel cells. Electrochimica Acta, 2007, 52, 6956-6961.	2.6	41
219	Effect of heating and stretching membrane on ionic conductivity of sulfonated poly(phenylene oxide). Journal of Membrane Science, 2007, 287, 180-186.	4.1	34
220	Directly copolymerized partially fluorinated disulfonated poly(arylene ether sulfone) random copolymers for PEM fuel cell systems: Synthesis, fabrication and characterization of membranes and membraneâ€electrode assemblies for fuel cell applications. Journal of Membrane Science, 2007, 294, 22-29.	4.1	76

#	ARTICLE	IF	CITATIONS
221	Beneficial effect of carbon nanotubes on the performances of Nafion membranes in fuel cell applications. <i>Journal of Membrane Science</i> , 2007, 303, 252-257.	4.1	131
222	Organic/inorganic hybrid membranes for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2007, 288, 188-194.	4.1	27
223	Synthesis and characterization of rigid-rod sulfonated polyimides bearing sulfobenzoyl side groups as proton exchange membranes. <i>Journal of Membrane Science</i> , 2007, 295, 148-158.	4.1	39
224	Phase separation and morphology control of polymer blend membranes of sulfonated and nonsulfonated polysulfones for direct methanol fuel cell application. <i>Journal of Membrane Science</i> , 2007, 299, 19-27.	4.1	27
225	Upper bound relationship for proton exchange membranes: Empirical relationship and relevance of phase separated blends. <i>Journal of Membrane Science</i> , 2007, 302, 70-77.	4.1	47
226	Sulfonated poly(arylene ether sulfone)-silica nanocomposite membrane for direct methanol fuel cell (DMFC). <i>Journal of Membrane Science</i> , 2007, 303, 258-266.	4.1	102
227	Physicochemical study of poly(ether ether ketone) electrolyte membranes sulfonated with mixtures of fuming sulfuric acid and sulfuric acid for direct methanol fuel cell application. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 460-461, 475-484.	2.6	76
228	Morphology study of sulfonated poly(ether ether ketone)s (SPEEK) membranes: The relationship between morphology and transport properties of SPEEK membranes. <i>Journal of Power Sources</i> , 2007, 165, 701-707.	4.0	34
229	SPEEK/epoxy resin composite membranes in situ polymerization for direct methanol fuel cell usages. <i>Journal of Power Sources</i> , 2007, 165, 708-716.	4.0	38
230	Novel sulfonated poly(phthalazinone ether ketone) ionomers containing benzonitrile moiety for PEM fuel cell applications. <i>Journal of Power Sources</i> , 2007, 165, 16-23.	4.0	19
231	SPEEK/functionalized silica composite membranes for polymer electrolyte fuel cells. <i>Journal of Power Sources</i> , 2007, 170, 259-267.	4.0	121
232	Synthesis and characterization of partially fluorinated hydrophobic-hydrophilic multiblock copolymers containing sulfonate groups for proton exchange membrane. <i>Journal of Power Sources</i> , 2007, 172, 30-38.	4.0	84
233	Hydrocarbon and partially fluorinated sulfonated copolymer blends as functional membranes for proton exchange membrane fuel cells. <i>Journal of Power Sources</i> , 2007, 172, 20-29.	4.0	45
234	Synthesis and characterization of cross-linked poly(ether sulfone) for a fuel cell membrane. <i>Journal of Power Sources</i> , 2007, 172, 215-219.	4.0	51
235	Synthesis and properties of novel HMS-based sulfonated poly(arylene ether sulfone)/silica nano-composite membranes for DMFC applications. <i>Journal of Power Sources</i> , 2007, 174, 103-113.	4.0	45
236	Synthesis and characterization of novel sulfonated polyimides from 1,4-bis(4-aminophenoxy)-naphthyl-2,7-disulfonic acid. <i>Polymer</i> , 2007, 48, 2280-2287.	1.8	37
237	Blend membranes based on disulfonated poly(aryl ether ether ketone)s (SPEEK) and poly(amide imide) (PAI) for direct methanol fuel cell usages. <i>Polymer</i> , 2007, 48, 3090-3097.	1.8	74
238	Sulfonated polyimides bearing benzimidazole groups for proton exchange membranes. <i>Polymer</i> , 2007, 48, 7255-7263.	1.8	66

#	ARTICLE	IF	CITATIONS
239	Modification of sulfonated poly(ether ether ketone) with phenolic resin. <i>Polymers for Advanced Technologies</i> , 2007, 18, 419-426.	1.6	21
240	Preparation and characterization of sulfonated poly(phenylene oxide) proton exchange composite membrane doped with phosphosilicate gels. <i>Polymers for Advanced Technologies</i> , 2007, 18, 200-206.	1.6	18
241	Multiblock copolymers of poly(2,5-benzophenone) and disulfonated poly(arylene ether sulfone) for proton-exchange membranes. I. Synthesis and characterization. <i>Journal of Polymer Science Part A</i> , 2007, 45, 284-294.	2.5	58
242	Segmented sulfonated poly(arylene ether sulfone)-polyimide copolymers for proton exchange membrane fuel cells. I. Copolymer synthesis and fundamental properties. <i>Journal of Polymer Science Part A</i> , 2007, 45, 4879-4890.	2.5	124
243	Achievements in the field of proton-conductive portion electrolyte membranes. <i>Russian Journal of Electrochemistry</i> , 2007, 43, 489-501.	0.3	22
244	Synthesis and characterization of sulfonated poly(arylene ether) polyimide multiblock copolymers for proton exchange membranes. <i>Macromolecular Research</i> , 2007, 15, 160-166.	1.0	55
245	Blend membranes based on sulfonated poly(ether ether ketone) and poly(vinylidene fluoride) for high performance direct methanol fuel cell. <i>Electrochimica Acta</i> , 2007, 52, 7464-7468.	2.6	62
246	Synthesis of novel sulfonated polybenzimidazole and preparation of cross-linked membranes for fuel cell application. <i>Polymer</i> , 2007, 48, 5556-5564.	1.8	128
247	Double crosslinked polyetheretherketone-based polymer electrolyte membranes prepared by radiation and thermal crosslinking techniques. <i>Polymer</i> , 2007, 48, 6002-6009.	1.8	90
248	Cross-linked sulfonated poly(phthalazinone ether ketone)s for PEM fuel cell application as proton-exchange membrane. <i>Journal of Power Sources</i> , 2007, 164, 488-495.	4.0	76
249	XPS investigation of Nafion® membrane degradation. <i>Journal of Power Sources</i> , 2007, 169, 288-295.	4.0	216
250	Thermal studies of the state of water in proton conducting fuel cell membranes. <i>Journal of Power Sources</i> , 2007, 172, 14-19.	4.0	38
251	Properties of composite membranes based on sulfonated poly(ether ether ketone)s (SPEEK)/phenoxy resin (PHR) for direct methanol fuel cells usages. <i>Journal of Membrane Science</i> , 2007, 297, 162-173.	4.1	73
252	Effects and properties of various molecular weights of poly(propylene oxide) oligomers/Nafion® acid-base blend membranes for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2008, 185, 846-852.	4.0	19
253	Synthesis and properties of novel H-bonded composite membranes from sulfonated poly(phthalazinone ether)s for PEMFC. <i>Journal of Membrane Science</i> , 2008, 312, 59-65.	4.1	42
254	Synthesis and characterization of sulfonated poly(arylene ether)s with sulfoalkyl pendant groups for proton exchange membranes. <i>Journal of Membrane Science</i> , 2008, 318, 271-279.	4.1	59
255	In situ polymerization: A novel route for thermally stable proton-conductive membranes. <i>Journal of Membrane Science</i> , 2008, 325, 209-216.	4.1	28
256	Purity characterization of 3,3'-disulfonated-4,4'-dichlorodiphenyl sulfone (SDCDPS) monomer by UV-vis spectroscopy. <i>Polymer</i> , 2008, 49, 3014-3019.	1.8	39

#	ARTICLE	IF	CITATIONS
257	Structure-property relationships for a series of polyimide copolymers with sulfonated pendant groups. <i>Polymer</i> , 2008, 49, 4949-4959.	1.8	44
258	Preparation and characterization of inorganic-organic hybrid proton exchange membranes based on phosphorylated PVA and PEG-grafted silica particles. <i>Journal of Sol-Gel Science and Technology</i> , 2008, 48, 267-271.	1.1	16
259	Preparation and evaluation of ionomeric membranes based on sulfonated-poly(styrene_isobutylene_styrene) membranes for proton exchange membrane fuel cells (PEMFC). <i>Ionics</i> , 2008, 14, 377-385.	1.2	20
260	Sulfonated poly(arylene ether sulfone) membranes based on biphenol for direct methanol fuel cells. <i>Korean Journal of Chemical Engineering</i> , 2008, 25, 732-737.	1.2	20
261	Comparative effect of phthalazinone units in sulfonated poly(arylene ether ether ketone ketone) copolymers as proton exchange membrane materials. <i>Journal of Polymer Science Part A</i> , 2008, 46, 989-1002.	2.5	24
262	Synthesis and characterization of epoxy-based semi-interpenetrating polymer networks sulfonated polyimides proton-exchange membranes for direct methanol fuel cell applications. <i>Journal of Polymer Science Part A</i> , 2008, 46, 2262-2276.	2.5	40
263	Synthesis and properties of sulfonated multiblock copoly(ether sulfone)s by a chain extender. <i>Journal of Polymer Science Part A</i> , 2008, 46, 3947-3957.	2.5	79
264	Influence of adjusted hydrophilic-hydrophobic lengths in sulfonated multiblock copoly(ether) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.5	42
265	Modified poly(phthalazinone ether ketone) membranes for direct methanol fuel cell. <i>Polymers for Advanced Technologies</i> , 2008, 19, 425-431.	1.6	12
266	Synthesis and characterization of sulfonated homo-and co-polyimides based on 2,4 and 2,5-diaminobenzenesulfonic acid for proton exchange membranes. <i>Polymers for Advanced Technologies</i> , 2008, 19, 1792-1802.	1.6	11
267	Phosphorus-Containing Sulfonated Polyimides for Proton Exchange Membranes. <i>Macromolecular Chemistry and Physics</i> , 2008, 209, 919-929.	1.1	12
268	Synthesis of microphase-separated poly(styrene-co-sodium styrene sulfonate) membranes using amphiphilic urethane acrylate nonionomers as a reactive compatibilizer. <i>Journal of Applied Polymer Science</i> , 2008, 107, 2150-2158.	1.3	10
269	Effects and properties of poly(arylene ether benzonitrile)s of various molecular weights blended with sulfonated poly(ether ether ketone). <i>Journal of Applied Polymer Science</i> , 2008, 107, 3236-3243.	1.3	0
270	Sulfonated poly(ether imide) and poly(ether sulfone) blends for direct methanol fuel cells. II. Membrane preparation and performance. <i>Journal of Applied Polymer Science</i> , 2008, 108, 1783-1791.	1.3	22
271	Sulfonated poly(arylene ether ketone)s prepared by direct copolymerization as proton exchange membranes: Synthesis and comparative investigation on transport properties. <i>Journal of Applied Polymer Science</i> , 2008, 108, 671-680.	1.3	26
272	Alkaline polymer electrolyte membranes from quaternized poly(phthalazinone ether ketone) for direct methanol fuel cell. <i>Journal of Applied Polymer Science</i> , 2008, 110, 1756-1762.	1.3	57
273	Preparation of sulfonated copolyimides containing aliphatic linkages as proton-exchange membranes for fuel cell applications. <i>Journal of Applied Polymer Science</i> , 2008, 110, 1216-1224.	1.3	14
274	Nanostructured membranes based on sulfonated poly(aryl ether sulfone) and silica for fuel-cell applications. <i>Journal of Applied Polymer Science</i> , 2008, 110, 1690-1698.	1.3	16

#	ARTICLE	IF	CITATIONS
276	Synthesis and crosslinking of partially disulfonated poly(arylene ether sulfone) random copolymers as candidates for chlorine resistant reverse osmosis membranes. <i>Polymer</i> , 2008, 49, 2243-2252.	1.8	120
277	Synthesis of sulfonated poly(arylene-co-naphthalimide)s as novel polymers for proton exchange membranes. <i>Polymer</i> , 2008, 49, 3272-3278.	1.8	14
278	Hydrophilic/hydrophobic multiblock copolymers based on poly(arylene ether sulfone)s as novel proton exchange membranes – Part B. <i>Polymer</i> , 2008, 49, 5037-5044.	1.8	100
279	Viscometric behavior of disulfonated poly(arylene ether sulfone) random copolymers used as proton exchange membranes. <i>Polymer</i> , 2008, 49, 5300-5306.	1.8	17
280	Composite membranes based on highly sulfonated PEEK and PBI: Morphology characteristics and performance. <i>Journal of Membrane Science</i> , 2008, 308, 66-74.	4.1	189
281	Determination of the effect of temperature and humidity on the O ₂ sorption in sulfonated poly(arylene ether sulfone) membranes. <i>Journal of Membrane Science</i> , 2008, 309, 141-145.	4.1	13
282	New poly(ethylene oxide) soft segment-containing sulfonated polyimide copolymers for high temperature proton-exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2008, 313, 75-85.	4.1	61
283	Synthesis and properties of novel sulfonated polyimides derived from naphthalenic dianhydride for fuel cell application. <i>Journal of Membrane Science</i> , 2008, 313, 106-119.	4.1	28
284	Selective and quantitative sulfonation of poly(arylene ether ketone)s containing pendant phenyl rings by chlorosulfonic acid. <i>Journal of Membrane Science</i> , 2008, 314, 212-220.	4.1	27
285	Proton exchange membrane using partially sulfonated polystyrene-b-poly(dimethylsiloxane) for direct methanol fuel cell. <i>Journal of Membrane Science</i> , 2008, 320, 78-85.	4.1	25
286	High performance nitrile copolymers for polymer electrolyte membrane fuel cells. <i>Journal of Membrane Science</i> , 2008, 321, 199-208.	4.1	79
287	Synthesis of novel crosslinked sulfonated poly(ether sulfone)s using bisazide and their properties for fuel cell application. <i>Journal of Membrane Science</i> , 2008, 323, 309-315.	4.1	53
288	Anisotropic diffusion of water in perfluorosulfonic acid membrane and hydrocarbon membranes. <i>Journal of Membrane Science</i> , 2008, 323, 201-206.	4.1	22
289	Hyperbranched-linear poly(ether sulfone) blend films for proton exchange membranes. <i>Journal of Power Sources</i> , 2008, 175, 120-126.	4.0	28
290	Improvement of electrochemical performances of sulfonated poly(arylene ether sulfone) via incorporation of sulfonated poly(arylene ether benzimidazole). <i>Journal of Power Sources</i> , 2008, 175, 724-731.	4.0	55
291	Preparation of organic/inorganic composite membranes using two types of polymer matrix via a sol-gel process. <i>Journal of Power Sources</i> , 2008, 181, 259-266.	4.0	25
292	Polymer electrolytes based on sulfonated polysulfone for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2008, 179, 34-41.	4.0	104
293	Preparation and characterization of nanocomposite membranes made of poly(2,6-dimethyl-1,4-phenylene oxide) and montmorillonite for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2008, 183, 551-556.	4.0	55

#	ARTICLE	IF	CITATIONS
294	Poly(arylene ether)s with pendant sulfoalkoxy groups prepared by direct copolymerization method for proton exchange membranes. <i>Journal of Power Sources</i> , 2008, 184, 1-8.	4.0	35
295	Properties and fuel cell performance of proton exchange membranes prepared from disulfonated poly(sulfide sulfone). <i>Journal of Power Sources</i> , 2008, 185, 19-25.	4.0	47
296	Synthesis and properties of novel sulfonated polyimides containing phthalazinone moieties for PEMFC. <i>European Polymer Journal</i> , 2008, 44, 3782-3789.	2.6	20
297	Polymer electrolyte membranes derived from modified poly(phthalazinone ether ketone) for fuel cell applications. <i>Solid State Ionics</i> , 2008, 179, 1296-1299.	1.3	8
298	Measurements of PEM conductivity by impedance spectroscopy. <i>Solid State Ionics</i> , 2008, 179, 619-624.	1.3	53
299	Synthesis and properties of sulfonated poly(phthalazinone ether nitrile ketone)/boron phosphate composite membranes for PEMFC. <i>Solid State Ionics</i> , 2008, 179, 1940-1945.	1.3	10
300	Sulfonated poly(ether ether ketone)/aminopropyltriethoxysilane/phosphotungstic acid hybrid membranes with non-covalent bond: Characterization, thermal stability, and proton conductivity. <i>Solid State Ionics</i> , 2008, 179, 2265-2273.	1.3	31
301	Sulfonated poly(arylene ether sulfone) ionomers containing fluorenyl groups for fuel cell applications. <i>Journal of Membrane Science</i> , 2008, 310, 110-118.	4.1	58
302	Novel thin-film composite membranes with improved water flux from sulfonated cardo poly(arylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	4.1	87
303	Sulfonated poly(arylene thioether phosphine oxide)s copolymers for proton exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2008, 310, 303-311.	4.1	46
304	Preparation and characteristics of crosslinked sulfonated poly(phthalazinone ether sulfone ketone) with poly(vinyl alcohol) for proton exchange membrane. <i>Journal of Membrane Science</i> , 2008, 312, 48-58.	4.1	84
305	The degradation mechanism of sulfonated poly(arylene ether sulfone)s in an oxidative environment. <i>Journal of Membrane Science</i> , 2008, 325, 633-640.	4.1	61
306	Sulfonated poly(fluorene-co-sulfone)ether membranes containing perfluorocyclobutane groups for fuel cell applications. <i>Journal of Membrane Science</i> , 2008, 325, 989-996.	4.1	14
307	Critical Issues in the Commercialization of DMFC and Role of Membranes. , 2008, , 1-33.		0
308	Nanoscale Building Blocks for the Development of Novel Proton Exchange Membrane Fuel Cells. <i>Journal of Physical Chemistry B</i> , 2008, 112, 3283-3286.	1.2	37
309	Novel Pyridine-Based Poly(ether sulfones) and their Study in High Temperature PEM Fuel Cells. <i>Macromolecules</i> , 2008, 41, 9051-9056.	2.2	47
310	Development of Sulfonated Poly(ether-ether ketone)s for PEMFC and DMFC. , 2008, , 1-36.		1
311	Proton-Conducting Polymers and Membranes Carrying Phosphonic Acid Groups. , 2008, , 125-155.		11

#	ARTICLE	IF	CITATIONS
312	Membrane Surface Morphology and Membrane Performance. , 2008, , 169-191.		1
313	Design and Development of Highly Sulfonated Polymers as Proton Exchange Membranes for High Temperature Fuel Cell Applications. , 2008, , 1-43.		0
314	Membrane and MEA Development in Polymer Electrolyte Fuel Cells. , 2008, , 1-28.		0
315	Fuel Cell Membranes by Radiation-Induced Graft Copolymerization: Current Status, Challenges, and Future Directions. , 2008, , 1-28.		1
316	Polymer Composites for High-Temperature Proton-Exchange Membrane Fuel Cells. , 2008, , 1-26.		2
317	Structural and Morphological Features of Acid-Bearing Polymers for PEM Fuel Cells. , 2008, , 55-126.		15
318	Transport Properties of Hydroxide and Proton Conducting Membranes. Chemistry of Materials, 2008, 20, 2566-2573.	3.2	331
319	Sulfonated Aromatic Polymers for Fuel Cell Membranes. , 2008, , 1-62.		21
320	Synthesis and Characterization of Multiblock Sulfonated Poly(arylenethioethersulfone) Copolymers for Proton Exchange Membranes. Macromolecules, 2008, 41, 9483-9486.	2.2	19
321	Azide-assisted cross-linked sulfonated poly(ether sulfone)s as stable and highly conductive membranes with low methanol diffusion coefficients. Chemical Communications, 2008, , 2028.	2.2	30
322	Toward Improved Conductivity of Sulfonated Aromatic Proton Exchange Membranes at Low Relative Humidity. Chemistry of Materials, 2008, 20, 5636-5642.	3.2	214
323	Poly(arylene ether sulfone)s. , 2008, , 237-281.		1
324	Advances in the Development of Inorganic-Organic Membranes for Fuel Cell Applications. , 2008, , 219-264.		20
325	Evaluation of Sulfonated Poly(Ether Ether Ketone) Silicotungstic Acid Composite Membranes for Fuel Cell Applications. International Journal of Polymeric Materials and Polymeric Biomaterials, 2008, 58, 87-98.	1.8	27
326	Durability of Perfluorosulfonic Acid and Hydrocarbon Membranes: Effect of Humidity and Temperature. Journal of the Electrochemical Society, 2008, 155, B119.	1.3	170
327	Polymer electrolyte membrane fuel cells. , 2008, , 101-184.		12
328	Copoly(arylene ether nitrile)s-High-Performance Polymer Electrolytes for Direct Methanol Fuel Cells. Journal of the Electrochemical Society, 2008, 155, B21.	1.3	42
330	Optimization of active electrodes for novel ionomer-based ionic polymer transducers. Proceedings of SPIE, 2008, , .	0.8	2

#	ARTICLE	IF	CITATIONS
331	Synthesis of Low Methanol Permeation Polymer Electrolyte Membrane from Polystyrene-Butadiene Rubber. <i>Polymer-Plastics Technology and Engineering</i> , 2009, 48, 1121-1129.	1.9	4
332	Electro-osmosis and Water Uptake in Polymer Electrolytes in Equilibrium with Water Vapor at Low Temperatures. <i>Journal of the Electrochemical Society</i> , 2009, 156, B330.	1.3	32
333	Sulfonated polynaphthylimides as proton-conducting membranes for fuel cells. <i>Russian Chemical Reviews</i> , 2009, 78, 53-75.	2.5	22
334	<i>Polymer and Hybrid Materials: Electrochemistry and Applications.</i> , 0, , 335-363.		0
335	Control of Domain Orientation in Block Copolymer Electrolyte Membranes at the Interface with Humid Air. <i>Advanced Materials</i> , 2009, 21, 203-208.	11.1	34
336	Microblock Ionomers: A New Concept in High Temperature, Swelling-Resistant Membranes for PEM Fuel Cells. <i>Fuel Cells</i> , 2009, 9, 305-317.	1.5	17
337	Preparation and Properties of Cross-Linked Sulphonated Poly(sulphide sulphone) Membranes for Fuel Cell Applications. <i>Fuel Cells</i> , 2009, 9, 363-371.	1.5	21
338	Physical and electrochemical behaviors of directly polymerized sulfonated poly(arylene ether ketone) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 34 <i>Polymer Science</i> , 2009, 112, 858-866.	1.3	22
339	Synthesis and properties of sulfonated poly(siloxane imide)s bearing dimethyl siloxane oligomers for fuel cell applications. <i>Journal of Applied Polymer Science</i> , 2009, 112, 3560-3568.	1.3	2
340	Preparation and properties of bisphenol A-based sulfonated poly(arylene ether sulfone) proton exchange membranes for direct methanol fuel cell. <i>Journal of Applied Polymer Science</i> , 2009, 114, 304-312.	1.3	18
341	Characterization of random and multiblock copolymers of highly sulfonated poly(arylene ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34 <i>Journal of Applied Polymer Science</i> , 2009, 112, 858-866.	1.3	10
342	Sulfonated poly(ether sulfone)/silica composite membranes for direct methanol fuel cells. <i>Journal of Applied Polymer Science</i> , 2010, 116, 1491-1498.	1.3	2
343	Synthesis and characterization of a new type of sulfonated poly(ether ether ketone ketone)s for proton exchange membranes. <i>Journal of Applied Polymer Science</i> , 2010, 116, 1515-1523.	1.3	4
344	Characterization of nanohybrid membranes for direct methanol fuel cell applications. <i>Solid State Ionics</i> , 2009, 180, 1497-1504.	1.3	35
345	Pore-filling electrolyte membranes based on plasma-activated microporous PE matrices and sulfonated hydrogenated styrene butadiene block copolymer (SHSBS) Single cell test and impedance spectroscopy in symmetrical mode. <i>Solid State Ionics</i> , 2009, 180, 1505-1510.	1.3	11
346	Water and phosphoric acid uptake of poly [2,5-benzimidazole] (ABPBI) membranes prepared by low and high temperature casting. <i>Journal of Power Sources</i> , 2009, 188, 45-50.	4.0	50
347	Elastic properties of Nafion, polybenzimidazole and poly [2,5-benzimidazole] membranes determined by AFM tip nano-indentation. <i>Journal of Power Sources</i> , 2009, 188, 379-386.	4.0	33
348	Increases in the proton conductivity and selectivity of proton exchange membranes for direct methanol fuel cells by formation of nanocomposites having proton conducting channels. <i>Journal of Power Sources</i> , 2009, 194, 206-213.	4.0	52

#	ARTICLE	IF	CITATIONS
349	Highly conductive, methanol resistant fuel cell membranes fabricated by layer-by-layer self-assembly of inorganic heteropolyacid. <i>Journal of Power Sources</i> , 2009, 194, 168-174.	4.0	58
350	Conductive area ratio of multiblock copolymer electrolyte membranes evaluated by e-AFM and its impact on fuel cell performance. <i>Journal of Power Sources</i> , 2009, 194, 662-667.	4.0	25
351	New sulfonated polybenzimidazole (SPBI) copolymer-based proton-exchange membranes for fuel cells. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2009, 40, 260-267.	2.7	47
352	Synthesis and characterization of sulfonated poly(arylene ether phosphine oxide)s with fluorenyl groups by direct polymerization for proton exchange membranes. <i>Journal of Membrane Science</i> , 2009, 329, 99-105.	4.1	37
353	Synthesis and characterization of crosslinked sulfonated poly(arylene ether sulfone) membranes for DMFC applications. <i>Journal of Membrane Science</i> , 2009, 335, 13-20.	4.1	80
354	Hydrocarbon proton-conductive membranes prepared by radiation-grafting of styrenesulfonate onto aromatic polyamide films. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2009, 267, 103-107.	0.6	31
355	Templated Pt-Sn electrocatalysts for ethanol, methanol and CO oxidation in alkaline media. <i>Electrochimica Acta</i> , 2009, 54, 989-995.	2.6	71
356	Long-term performance of polyetheretherketone-based polymer electrolyte membrane in fuel cells at 95°C. <i>Journal of Materials Science</i> , 2009, 44, 3674-3681.	1.7	27
357	Synthesis and properties of novel side-chain-type sulfonated polyimides. <i>Polymer Bulletin</i> , 2009, 63, 1-14.	1.7	30
358	Polymer electrolyte membranes for high-temperature fuel cells based on aromatic polyethers bearing pyridine units. <i>Polymer International</i> , 2009, 58, 1226-1233.	1.6	65
359	Synthesis and characterization of partially disulfonated hydroquinone-based poly(arylene ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 <i>Science Part A</i> , 2009, 47, 384-391.	2.5	43
360	Synthesis of sulfonated aromatic poly(ether amide)s and their application to proton exchange membrane fuel cells. <i>Journal of Polymer Science Part A</i> , 2009, 47, 485-496.	2.5	38
361	Synthesis and properties of novel benzimidazole-containing sulfonated polyethersulfones for fuel cell applications. <i>Journal of Polymer Science Part A</i> , 2009, 47, 1920-1929.	2.5	39
362	Naphthalene-based poly(arylene ether ketone) copolymers containing sulfobutyl pendant groups for proton exchange membranes. <i>Journal of Polymer Science Part A</i> , 2009, 47, 5772-5783.	2.5	64
363	Synthesis of fluoro-containing sulfonated poly(phthalazinone ether ketone)s and their properties as PEM in PEMFC and DMFC. <i>Journal of Membrane Science</i> , 2009, 326, 453-459.	4.1	32
364	Morphological investigations of disulfonated poly(arylene ether sulfone)-b-naphthalene dianhydride-based polyimide multiblock copolymers as potential high temperature proton exchange membranes. <i>Journal of Membrane Science</i> , 2009, 328, 156-164.	4.1	40
365	Modification of ultrathin polyetheretherketone film for application in direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2009, 344, 266-274.	4.1	15
366	Preparation and characterization of sulfonated polysulfone/titanium dioxide composite membranes for proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2009, 34, 3467-3475.	3.8	173

#	ARTICLE	IF	CITATIONS
367	Proton-conducting membranes based on benzimidazole-containing sulfonated poly(ether ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 8622-8629.	3.8	15
368	Layer-by-layer self-assembly of in situ polymerized polypyrrole on sulfonated poly(arylene ether) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 7 Energy, 2009, 34, 9795-9801.	3.8	53
369	Radiation-induced grafting of styrene onto ultra-high molecular weight polyethylene powder for polymer electrolyte fuel cell application. Journal of Membrane Science, 2009, 333, 59-67.	4.1	45
370	Synthesis and characterization of sulfonated poly(arylene ether ketone) copolymers containing crosslinking moiety. Journal of Membrane Science, 2009, 337, 145-152.	4.1	32
371	Alternatively chitosan sulfate blending membrane as methanol-blocking polymer electrolyte membrane for direct methanol fuel cell. Journal of Membrane Science, 2009, 337, 318-323.	4.1	88
372	Blends based on sulfonated poly[bis(benzimidazobenzisoquinolinones)] and poly(vinylidene fluoride) for polymer electrolyte membrane fuel cell. Journal of Membrane Science, 2009, 341, 155-162.	4.1	18
373	Synthesis and property of a novel sulfonated poly(ether ether ketone) with high selectivity for direct methanol fuel cell applications. Journal of Membrane Science, 2009, 343, 164-170.	4.1	46
374	Hydration behavior of perfluorinated and hydrocarbon-type proton exchange membranes: Relationship between morphology and proton conduction. Polymer, 2009, 50, 534-540.	1.8	101
375	The effect of temperature and humidity on the oxygen sorption in Diels-Alder polyphenylenes. Polymer, 2009, 50, 3220-3224.	1.8	4
376	Dispersions of carbon nanotubes in sulfonated poly[bis(benzimidazobenzisoquinolinones)] and their proton-conducting composite membranes. Polymer, 2009, 50, 3600-3608.	1.8	28
377	Effects of block length and solution-casting conditions on the final morphology and properties of disulfonated poly(arylene ether sulfone) multiblock copolymer films for proton exchange membranes. Polymer, 2009, 50, 6129-6138.	1.8	115
378	Novel sulfonated poly(ether ether ketone)s for direct methanol fuel cells usage: Synthesis, water uptake, methanol diffusion coefficient and proton conductivity. Journal of Power Sources, 2009, 189, 875-881.	4.0	38
379	Synthesis and characterization of novel sulfonated poly(arylene ether ketone) copolymers with pendant carboxylic acid groups for proton exchange membranes. Journal of Power Sources, 2009, 191, 253-258.	4.0	33
380	Investigation of membrane electrode assembly (MEA) processing parameters on performance for wholly aromatic hydrocarbon-based proton exchange membranes. Journal of Power Sources, 2009, 191, 550-554.	4.0	22
381	Controllable sulfonation of aromatic poly(arylene ether ketone)s containing different pendant phenyl rings. Journal of Power Sources, 2009, 193, 477-482.	4.0	13
382	UV curable sulfonated hybrid materials and their performance as proton exchange membranes. Reactive and Functional Polymers, 2009, 69, 698-704.	2.0	18
383	Control of nanoparticle dispersion in SPAES/SiO ₂ composite proton conductors and its influence on DMFC membrane performance. Electrochemistry Communications, 2009, 11, 1492-1495.	2.3	24
384	Development of Aromatic Polymer Electrolyte Membrane with High Conductivity and Durability for Fuel Cell. Polymer Journal, 2009, 41, 95-104.	1.3	121

#	ARTICLE	IF	CITATIONS
385	New poly(arylene ethers) containing side sulfo groups. <i>Polymer Science - Series B</i> , 2009, 51, 465-470.	0.3	1
386	Synthesis of Diazocine-Containing Poly(arylene ether sulfone)s for Tailored Mechanical and Electrochemical Performance. <i>Macromolecules</i> , 2009, 42, 1526-1532.	2.2	27
387	Rapid Proton Conduction through Unfreezable and Bound Water in a Wholly Aromatic Pore-Filling Electrolyte Membrane. <i>Journal of Physical Chemistry B</i> , 2009, 113, 4656-4663.	1.2	56
388	Synthesis and Properties of Sulfonated Block Copolymers Having Fluorenyl Groups for Fuel-Cell Applications. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 1279-1286.	4.0	98
389	Effect of the Hydrophobic Component on the Properties of Sulfonated Poly(arylene ether sulfone)s. <i>Macromolecules</i> , 2009, 42, 1873-1880.	2.2	106
390	Surface-Fluorinated Proton-Exchange Membrane with High Electrochemical Durability for Direct Methanol Fuel Cells. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 1113-1121.	4.0	54
391	Positronium Formation in Aromatic Polymer Electrolytes for Fuel Cells. <i>Journal of Physical Chemistry B</i> , 2009, 113, 5698-5701.	1.2	36
392	Nanostructure, Morphology, and Properties of Fluorous Copolymers Bearing Ionic Grafts. <i>Macromolecules</i> , 2009, 42, 9467-9480.	2.2	116
393	Nanoscale Phase Separation of Sulfonated Poly(arylene ether sulfone)/Poly(ether sulfone) Semi-IPNs for DMFC Membrane Applications. <i>Macromolecules</i> , 2009, 42, 5244-5250.	2.2	39
394	Synthesis of Soluble Poly(arylene ether sulfone) Ionomers with Pendant Quaternary Ammonium Groups for Anion Exchange Membranes. <i>Macromolecules</i> , 2009, 42, 8711-8717.	2.2	206
396	FUEL CELLS – PROTON-EXCHANGE MEMBRANE FUEL CELLS <i>Membranes: Composites.</i> , 2009, , 716-723.		1
397	Domain Size Manipulation of Perfluorinated Polymer Electrolytes by Sulfonic Acid-Functionalized MWCNTs To Enhance Fuel Cell Performance. <i>Langmuir</i> , 2009, 25, 8299-8305.	1.6	87
398	Polysulfone-based Ionomers for Fuel Cell Applications. <i>High Performance Polymers</i> , 2009, 21, 673-692.	0.8	29
399	FUEL CELLS – PROTON-EXCHANGE MEMBRANE FUEL CELLS <i>Membranes.</i> , 2009, , 650-666.		4
401	Synthesis, Properties, and Fuel Cell Performance of Perfluorosulfonated Poly(arylene ether)s. <i>Bulletin of the Chemical Society of Japan</i> , 2010, 83, 960-968.	2.0	7
402	Poly(arylene oxides) containing sulfo acid groups: Synthesis, properties, and application. <i>Polymer Science - Series B</i> , 2010, 52, 499-519.	0.3	3
403	Novel hybrid polymer electrolyte membranes prepared by a silane-cross-linking technique for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2010, 195, 762-768.	4.0	17
404	Investigation of through-plane morphologies of multiblock copolymers based on poly(arylene ether) Tj ETQq1 1 0.784314 rgB11 /Overl	4.0	11

#	ARTICLE	IF	CITATIONS
405	Development of multiblock copolymers with novel hydroquinone-based hydrophilic blocks for proton exchange membrane (PEM) applications. <i>Journal of Power Sources</i> , 2010, 195, 1772-1778.	4.0	57
406	Free volume, oxygen permeability, and uniaxial compression storage modulus of hydrated biphenol-based sulfonated poly(arylene ether sulfone). <i>Journal of Membrane Science</i> , 2010, 360, 84-89.	4.1	23
407	Synthesis and Characterisation of Sulphonated Poly(arylene sulphone) Terpolymers with Triphenylphosphine Oxide Moieties for Proton Exchange Membrane Fuel Cells. <i>Fuel Cells</i> , 2010, 10, 390-400.	1.5	9
408	Structure-Morphology-Property Relationships of Non-Perfluorinated Proton-Conducting Membranes. <i>Advanced Materials</i> , 2010, 22, 4667-4690.	11.1	526
409	Sulfonated polyether sulfone-poly(vinylidene fluoride) blend membrane for DMFC applications. <i>Journal of Applied Polymer Science</i> , 2010, 117, 801-808.	1.3	26
410	Influence of chemical compositions on the properties of random and multiblock sulfonated poly(arylene ether sulfone)-based proton-exchange membranes. <i>Journal of Applied Polymer Science</i> , 2010, 116, 267-279.	1.3	11
411	Crosslinked sulfonated poly(arylene ether ketone) with pendant carboxylic acid group via poly(ethylene glycol) for proton exchange membrane. <i>Journal of Applied Polymer Science</i> , 2010, 118, 3318-3323.	1.3	14
412	Poly(vinylphosphonic acid) and its derivatives. <i>Progress in Polymer Science</i> , 2010, 35, 1078-1092.	11.8	105
413	Fluorinated high-performance polymers: Poly(arylene ether)s and aromatic polyimides containing trifluoromethyl groups. <i>Progress in Polymer Science</i> , 2010, 35, 1022-1077.	11.8	471
414	Novel method for the preparation of ionically crosslinked sulfonated poly(arylene ether) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Science, 2010, 346, 105-112.	4.1	66
415	Preparation and properties of novel cross-linked sulfonated poly(arylene ether ketone) for direct methanol fuel cell application. <i>Journal of Membrane Science</i> , 2010, 348, 353-359.	4.1	44
416	Novel zwitterionic poly(arylene ether sulfone)s as antifouling membrane material. <i>Journal of Membrane Science</i> , 2010, 349, 217-224.	4.1	96
417	The effect of side chain architectures on the properties and proton conductivities of poly(styrene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Journal of Membrane Science, 2010, 349, 244-250.	4.1	25
418	Irradiated PVdF-HFP-tin oxide composite membranes for the applications of direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2010, 350, 92-100.	4.1	47
419	Synthesis and crosslinking of hydroxyl-functionalized sulfonated poly(ether ether ketone) copolymer as candidates for proton exchange membranes. <i>Journal of Membrane Science</i> , 2010, 352, 14-21.	4.1	42
420	Synthesis and characterization of sulfonated poly(arylene ether ketone/ketone phosphine oxide)s as proton exchange membranes. <i>Journal of Membrane Science</i> , 2010, 362, 509-516.	4.1	15
421	New proton conducting polymer blends and their fuel cell performance. <i>Journal of Power Sources</i> , 2010, 195, 170-174.	4.0	24
422	Sulfonated poly(arylene ether sulfone) as a methanol-barrier layer in multilayer membranes for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2010, 195, 962-968.	4.0	24

#	ARTICLE	IF	CITATIONS
423	Preparation of high-performance polymer electrolyte nanocomposites through nanoscale silica particle dispersion. <i>Journal of Power Sources</i> , 2010, 195, 1325-1332.	4.0	33
424	Organic-inorganic crosslinked and hybrid membranes derived from sulfonated poly(arylene ether) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147	4.0	23
425	Nafion-assisted cross-linking of sulfonated poly(arylene ether ketone) bearing carboxylic acid groups and their composite membranes for fuel cells. <i>Journal of Power Sources</i> , 2010, 195, 3380-3385.	4.0	14
426	Characterization of direct methanol fuel cell (DMFC) applications with H ₂ SO ₄ modified chitosan membrane. <i>Journal of Power Sources</i> , 2010, 195, 4915-4922.	4.0	56
427	Preparation and properties of crosslinked sulphonated poly(arylene ether sulphone) blends for direct methanol fuel cell applications. <i>Journal of Power Sources</i> , 2010, 195, 4072-4079.	4.0	23
428	Novel modification method to prepare crosslinked sulfonated poly(ether ether ketone)/silica hybrid membranes for fuel cells. <i>Journal of Power Sources</i> , 2010, 195, 6450-6458.	4.0	37
429	Synthesis and characterization of sulfonated polyimides bearing sulfonated aromatic pendant group for DMFC applications. <i>Polymer</i> , 2010, 51, 3887-3898.	1.8	33
430	Synthesis and properties of hexafluoroisopropylidene-containing sulfonated poly(arylene thioether) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147	3.8	37
431	Novel cross-linked sulfonated poly(arylene ether ketone) membranes for direct methanol fuel cell. <i>International Journal of Hydrogen Energy</i> , 2010, 35, 2176-2182.	3.8	64
432	Synthesis and characterization of sulfonated poly(aryl ether sulfone) containing pendent quaternary ammonium groups for proton exchange membranes. <i>Journal of Membrane Science</i> , 2010, 354, 23-31.	4.1	28
433	Electron spin resonance investigation of the effects of methanol on microscopic viscosity, ordering, and polarity in different phases of ionomer membranes with sulfonated polyarylene backbones. <i>Journal of Membrane Science</i> , 2010, 357, 47-53.	4.1	10
434	Synthesis and properties of sulfonated copoly(phthalazinone ether imides) as electrolyte membranes in fuel cells. <i>Electrochimica Acta</i> , 2010, 55, 709-714.	2.6	22
435	Novel KOH-free anion-exchange membrane fuel cell: Performance comparison of alternative anion-exchange ionomers in catalyst ink. <i>Electrochimica Acta</i> , 2010, 55, 3404-3408.	2.6	58
436	Electroactive artificial muscle based on crosslinked PVA/SPTES. <i>Sensors and Actuators B: Chemical</i> , 2010, 150, 57-64.	4.0	43
437	SAXS cluster structure and properties of sPEEK/PEI composite membranes for DMFC applications. <i>Solid State Ionics</i> , 2010, 180, 1690-1693.	1.3	43
438	Synthesis and characterization of sulfonated bromo-poly(2,6-dimethyl-1,4-phenylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147	2.6	11
439	Synthesis and characterization of poly(aryl ether ketone) ionomers with sulfonic acid groups on pendant aliphatic chains for proton-exchange membrane fuel cells. <i>European Polymer Journal</i> , 2010, 46, 81-91.	2.6	19
440	Fluorene-containing block sulfonated poly(ether ether ketone) as proton-exchange membrane for PEM fuel cell application. <i>European Polymer Journal</i> , 2010, 46, 1736-1744.	2.6	13

#	ARTICLE	IF	CITATIONS
441	Ion-containing polymers: new energy & clean water. <i>Materials Today</i> , 2010, 13, 34-41.	8.3	200
442	Synthesis and characterization of multiblock copolymers based on hydrophilic disulfonated poly(arylene ether sulfone) and hydrophobic partially fluorinated poly(arylene ether ketone) for fuel cell applications. <i>Journal of Polymer Science Part A</i> , 2010, 48, 214-222.	2.5	76
443	Preparation of sulfonated crosslinked poly(2,6-dimethyl-1,4-phenylene oxide) membranes for direct methanol fuel cells by using electron beam irradiation. <i>Journal of Polymer Science Part A</i> , 2010, 48, 2725-2731.	2.5	15
444	Phosphonated fully aromatic polyethers for PEMFCs applications. <i>Journal of Polymer Science Part A</i> , 2010, 48, 2817-2827.	2.5	34
445	Synthesis and characterization of sulfonated copolyethersulfones. <i>Journal of Polymer Science Part A</i> , 2010, 48, 3010-3023.	2.5	12
446	Synthesis and characterization of poly(arylene ether ketone)s bearing pendant sulfonic acid groups for proton exchange membrane materials. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5824-5832.	2.5	32
447	Water purification by membranes: The role of polymer science. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 1685-1718.	2.4	798
448	Hyperbranched poly(ether sulfone)s: preparation and application to ion-exchange membranes. <i>Polymer Journal</i> , 2010, 42, 697-705.	1.3	50
449	Basic Aspects in Proton-Conducting Membranes for Fuel Cells. , 2010, , 431-465.		5
450	Molecular Weight Effects on Poly(arylene ether sulfone)-Based Random and Multiblock Copolymers Characteristics for Fuel Cells. <i>ACS Symposium Series</i> , 2010, , 65-81.	0.5	4
451	The Membrane-Electrode Interface in PEFCs. <i>Journal of the Electrochemical Society</i> , 2010, 157, B1608.	1.3	20
452	Solid polymer electrolytes for supercapacitors. , 2010, , 431-470.		15
453	Proton Exchange Membrane Nanocomposites. <i>ACS Symposium Series</i> , 2010, , 155-170.	0.5	2
454	A New Crosslinked Sulfonated Polystyrene for Proton Exchange Fuel Cell Membrane. <i>High Performance Polymers</i> , 2010, 22, 395-411.	0.8	10
455	Advances in membrane materials: desalination membranes based on directly copolymerized disulfonated poly(arylene ether sulfone) random copolymers. <i>Water Science and Technology</i> , 2010, 61, 619-624.	1.2	38
456	Sulfonated Poly(arylene ether sulfone ketone) Multiblock Copolymers with Highly Sulfonated Block. Synthesis and Properties. <i>Macromolecules</i> , 2010, 43, 2684-2691.	2.2	204
457	Aligned Electrospun Nanofiber Composite Membranes for Fuel Cell Electrolytes. <i>Nano Letters</i> , 2010, 10, 1324-1328.	4.5	245
458	Sulfonated Poly(arylene ether sulfone)s with Phosphine Oxide Moieties: A Promising Material for Proton Exchange Membranes. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 1601-1607.	4.0	52

#	ARTICLE	IF	CITATIONS
459	Inorganic-organic composite electrolytes consisting of polybenzimidazole and Cs-substituted heteropoly acids and their application for medium temperature fuel cells. <i>Journal of Materials Chemistry</i> , 2010, 20, 6359.	6.7	77
460	Polymer Electrolyte Membranes Derived from New Sulfone Monomers with Pendent Sulfonic Acid Groups. <i>Macromolecules</i> , 2010, 43, 9810-9820.	2.2	102
461	Synthesis and Characterization of Highly Fluorinated Cross-linked Aromatic Polyethers for Polymer Electrolytes. <i>Chemistry of Materials</i> , 2010, 22, 5500-5511.	3.2	45
462	Sulfonated Poly(arylene ether sulfone ketone) Multiblock Copolymers with Highly Sulfonated Block. Fuel Cell Performance. <i>Journal of Physical Chemistry B</i> , 2010, 114, 10481-10487.	1.2	52
463	Sulfonated Polybenzothiazoles: A Novel Candidate for Proton Exchange Membranes. <i>Chemistry of Materials</i> , 2010, 22, 1022-1031.	3.2	67
464	Poly(arylene ether)s Containing Superacid Groups as Proton Exchange Membranes. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 1714-1721.	4.0	77
465	Multilayer Sulfonated Polyhedral Oligosilsesquioxane (S-POSS)-Sulfonated Polyphenylsulfone (S-PPSU) Composite Proton Exchange Membranes. <i>Chemistry of Materials</i> , 2010, 22, 942-948.	3.2	65
466	Highly charged and stable cross-linked 4,4'-bis(4-aminophenoxy)biphenyl-3,3'-disulfonic acid (BAPBDS)-sulfonated poly(ether sulfone) polymer electrolyte membranes impervious to methanol. <i>Journal of Materials Chemistry</i> , 2010, 20, 8036.	6.7	59
467	Moving Beyond Mass-Based Parameters for Conductivity Analysis of Sulfonated Polymers. <i>Annual Review of Chemical and Biomolecular Engineering</i> , 2010, 1, 123-148.	3.3	60
468	The Membrane-Electrode Interface in PEFCs. <i>Journal of the Electrochemical Society</i> , 2010, 157, B1602.	1.3	28
469	Double-responsive polyampholyte as a nanoparticle stabilizer: application to reversible dispersion of gold nanoparticles. <i>Journal of Materials Chemistry</i> , 2010, 20, 4379.	6.7	27
470	Polyethersulfone Membranes: The Effect of Sulfonation on the Properties. <i>Polymer-Plastics Technology and Engineering</i> , 2010, 49, 1419-1427.	1.9	63
471	Sulfonated Polybenzimidazoles for High Temperature PEM Fuel Cells. <i>Macromolecules</i> , 2010, 43, 6706-6715.	2.2	193
472	Carboxyl-terminated benzimidazole-assisted cross-linked sulfonated poly(ether ether ketone)s for highly conductive PEM with low water uptake and methanol permeability. <i>Journal of Materials Chemistry</i> , 2010, 20, 3246.	6.7	45
473	Morphology and transport properties of midblock-sulfonated triblock copolymers. <i>Journal of Materials Chemistry</i> , 2010, 20, 6316.	6.7	39
474	Chlorine tolerant, multilayer reverse-osmosis membranes with high permeate flux and high salt rejection. <i>Journal of Materials Chemistry</i> , 2010, 20, 4629.	6.7	35
475	EFFECT OF BINDER CONTENT IN CATHODE ON PERFORMANCE OF DMFC BASED ON SULFONATED POLY(ETHER ETHER KETONE). <i>Chemical Engineering Communications</i> , 2011, 198, 796-804.	1.5	1
476	Sulfonated Block Poly(arylene ether sulfone) Membranes for Fuel Cell Applications via Oligomeric Sulfonation. <i>Macromolecules</i> , 2011, 44, 3884-3892.	2.2	96

#	ARTICLE	IF	CITATIONS
477	Cross-Linking of Side Chain Unsaturated Aromatic Polyethers for High Temperature Polymer Electrolyte Membrane Fuel Cell Applications. <i>Macromolecules</i> , 2011, 44, 4942-4951.	2.2	62
478	Sulfonated Poly(arylene ether sulfone ketone) Multiblock Copolymers with Highly Sulfonated Blocks. Long-Term Fuel Cell Operation and Post-Test Analyses. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 2786-2793.	4.0	55
479	Sulfonamide as an Activating Group for the Synthesis of Poly(aryl ether sulfonamide)s by Nucleophilic Aromatic Substitution. <i>Macromolecules</i> , 2011, 44, 6717-6723.	2.2	10
480	Disulfonated Poly(arylene ether sulfone) Random Copolymer Blends Tuned for Rapid Water Permeation via Cation Complexation with Poly(ethylene glycol) Oligomers. <i>Chemistry of Materials</i> , 2011, 23, 1039-1049.	3.2	39
481	Phase Imaging of Proton Exchange Membranes under Attractive and Repulsive Tip-Sample Interaction Forces. <i>Journal of Physical Chemistry B</i> , 2011, 115, 1014-1020.	1.2	27
482	ATR-FTIR Study of Water in Nafion Membrane Combined with Proton Conductivity Measurements during Hydration/Dehydration Cycle. <i>Journal of Physical Chemistry B</i> , 2011, 115, 4315-4321.	1.2	94
483	Sulfonated poly(arylene ether sulfone) ionomers containing di- and tetrasulfonated arylene sulfone segments. <i>Polymer Chemistry</i> , 2011, 2, 181-191.	1.9	27
484	Aromatic Ionomers with Highly Acidic Sulfonate Groups: Acidity, Hydration, and Proton Conductivity. <i>Macromolecules</i> , 2011, 44, 8458-8469.	2.2	90
485	Ion exchange membranes for vanadium redox flow battery (VRB) applications. <i>Energy and Environmental Science</i> , 2011, 4, 1147.	15.6	856
486	Fluorene-Based Poly(arylene ether sulfone)s Containing Clustered Flexible Pendant Sulfonic Acids as Proton Exchange Membranes. <i>Macromolecules</i> , 2011, 44, 7296-7306.	2.2	211
487	Sulfonated poly(arylene ether sulfone) membrane containing sulfated zirconia for high-temperature operation of PEMFCs. <i>Journal of Materials Chemistry</i> , 2011, 21, 7612.	6.7	55
488	Solid-State NMR Molecular Dynamics Characterization of a Highly Chlorine-Resistant Disulfonated Poly(arylene ether sulfone) Random Copolymer Blended with Poly(ethylene glycol) Oligomers for Reverse Osmosis Applications. <i>Journal of Physical Chemistry B</i> , 2011, 115, 6876-6884.	1.2	17
489	Effect of Free Volume on Water and Salt Transport Properties in Directly Copolymerized Disulfonated Poly(arylene ether sulfone) Random Copolymers. <i>Macromolecules</i> , 2011, 44, 4428-4438.	2.2	133
490	Poly(arylene ether sulfone) Statistical Copolymers Bearing Perfluoroalkylsulfonic Acid Moieties. <i>Macromolecules</i> , 2011, 44, 694-702.	2.2	23
491	Estudo da forma e do tipo de ligações cruzadas por irradiação gama em membranas híbridas de Polissulfona Bisfenol-A e sílica precipitada. <i>Polimeros</i> , 2011, 21, 137-142.	0.2	1
493	Alkaline fuel cell membranes from xylylene block ionenes. <i>Journal of Membrane Science</i> , 2011, 383, 254-261.	4.1	42
494	Low temperature decal transfer method for hydrocarbon membrane based membrane electrode assemblies in polymer electrolyte membrane fuel cells. <i>Journal of Power Sources</i> , 2011, 196, 9800-9809.	4.0	33
495	Viscoelastic and gas transport properties of a series of multiblock copolymer ionomers. <i>Polymer</i> , 2011, 52, 3963-3969.	1.8	13

#	ARTICLE	IF	CITATIONS
496	Considerations of polymerization method and molecular weight for proton-conducting poly(p-phenylene) derivatives. <i>Polymer</i> , 2011, 52, 6020-6028.	1.8	44
497	Effect of PEFC operating conditions on the durability of sulfonated poly(arylene ether sulfone) Tj ETQq1 1 0.784314 rgBT /Overlock 107	2.6	15
498	Effect of PEFC operating conditions on the durability of sulfonated polyimide membranes. <i>Electrochimica Acta</i> , 2011, 58, 589-598.	2.6	6
499	Chemical and mechanical degradation of sulfonated poly(sulfone) membranes in vanadium redox flow batteries. <i>Journal of Applied Electrochemistry</i> , 2011, 41, 1201-1213.	1.5	150
500	Synthesis and characterization of partially fluorinated poly(fluorenyl ether ketone)s with different degrees of sulfonation as proton exchange membranes. <i>Polymer Bulletin</i> , 2011, 66, 925-937.	1.7	7
501	Effect of methanol on plasticization and transport properties of a perfluorosulfonic ion-exchange membrane. <i>Journal of Power Sources</i> , 2011, 196, 1880-1885.	4.0	11
502	Novel hybrid polymer electrolyte membranes with high proton conductivity prepared by a silane-crosslinking technique for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2011, 196, 1744-1749.	4.0	30
503	The synthesis and characterization of anhydrous proton conducting membranes based on sulfonated poly(vinyl alcohol) and imidazole. <i>Journal of Membrane Science</i> , 2011, 375, 157-164.	4.1	54
504	Side-chain sulfonated random and multiblock poly(ether sulfone)s for PEM applications. <i>Reactive and Functional Polymers</i> , 2011, 71, 828-842.	2.0	27
505	SiO ₂ nanoparticles-coated poly(paraphenylene terephthalamide) nonwovens as reinforcing porous substrates for proton-conducting, sulfonated poly(arylene ether sulfone)-impregnated composite membranes. <i>Solid State Ionics</i> , 2011, 190, 30-37.	1.3	15
506	Preparation and characterization of SPEEK membranes crosslinked by electron beam irradiation. <i>Macromolecular Research</i> , 2011, 19, 1082-1089.	1.0	43
507	Synthesis and characterization of well defined polysulfone-g-poly(styrenesulfonic acid) graft copolymers for proton exchange membrane. <i>Macromolecular Research</i> , 2011, 19, 1142-1150.	1.0	9
508	Morphological investigations of block sulfonated poly(arylene ether ketone) copolymers as potential proton exchange membranes. <i>Polymers for Advanced Technologies</i> , 2011, 22, 2173-2181.	1.6	10
509	Synthesis and properties of sulfonated poly(arylene ether)s containing azole groups. <i>Journal of Polymer Science Part A</i> , 2011, 49, 3863-3873.	2.5	16
510	Novel sulfonated poly(arylene biphenylsulfone ether) copolymers containing bisphenylsulfonyl biphenyl moiety: structural, thermal, electrochemical and morphological characteristics. <i>Polymer International</i> , 2011, 60, 85-92.	1.6	42
511	Recent developments in fuelâ€processing and protonâ€exchange membranes for fuel cells. <i>Polymer International</i> , 2011, 60, 26-41.	1.6	29
512	Poly(arylene ether)s with Pendant Perfluoroalkyl Sulfonic Acid Groups as Protonâ€Exchange Membrane Materials. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 673-678.	1.1	21
513	Polysulfone/Clay Nanocomposites by in situ Photoinduced Crosslinking Polymerization. <i>Macromolecular Materials and Engineering</i> , 2011, 296, 1101-1106.	1.7	35

#	ARTICLE	IF	CITATIONS
514	Superacidic Electrospun Fiberâ€Nafion Hybrid Proton Exchange Membranes. <i>Advanced Energy Materials</i> , 2011, 1, 1133-1140.	10.2	76
515	Synthesis and Properties of Segmented Block Copolymers of Functionalised Polybenzimidazoles for Highâ€Temperature PEM Fuel Cells. <i>Fuel Cells</i> , 2011, 11, 222-237.	1.5	45
516	Sulfonated Aromatic Polyethers Containing Pyridine Units as Electrolytes for High Temperature Fuel Cells. <i>Fuel Cells</i> , 2011, 11, 921-931.	1.5	11
517	New Anhydrous Proton Exchange Membrane for Intermediate Temperature Proton Exchange Membrane Fuel Cells. <i>ChemPhysChem</i> , 2011, 12, 1196-1201.	1.0	3
518	A simple postsulfonation of poly(arylene ether sulfone) RadelÂ® R. <i>Journal of Applied Polymer Science</i> , 2011, 119, 973-976.	1.3	1
519	A modified poly(aryle ether ketone sulfone) proton exchange membrane with <i>in situ</i> polymerized polypyrrole for the direct methanol fuel cells. <i>Journal of Applied Polymer Science</i> , 2011, 120, 914-920.	1.3	5
520	Proton conducting hydrocarbon membranes: Performance evaluation for room temperature direct methanol fuel cells. <i>Electrochimica Acta</i> , 2011, 56, 2420-2427.	2.6	12
521	Preparation and characterization of a modified montmorillonite/sulfonated polyphenylether sulfone/PTFE composite membrane. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 2177-2183.	3.8	46
522	Synthesis and characterization of proton exchange membranes based on sulfonated poly(fluorenyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Energy, 2011, 36, 8492-8498.	3.8	25
523	Synthesis and properties of novel sulfonated polybenzimidazoles from disodium 4,6-bis(4-carboxyphenoxy)benzene-1,3-disulfonate. <i>Journal of Power Sources</i> , 2011, 196, 3039-3047.	4.0	33
524	Development of a new highly conductive and thermomechanically stable complex membrane based on sulfonated polyimide/ionic liquid for high temperature anhydrous fuel cells. <i>Journal of Power Sources</i> , 2011, 196, 3496-3502.	4.0	45
525	Synthesis of multi-block poly(arylene ether sulfone) copolymer membrane with pendant quaternary ammonium groups for alkaline fuel cell. <i>Journal of Power Sources</i> , 2011, 196, 4445-4450.	4.0	124
526	Sulfonated polyimides with flexible aliphatic side chains for polymer electrolyte fuel cells. <i>Journal of Membrane Science</i> , 2011, 367, 211-219.	4.1	56
527	Synthesis and properties of soluble sulfonated polybenzimidazoles derived from asymmetric dicarboxylic acid monomers with sulfonate group as proton exchange membrane. <i>Journal of Membrane Science</i> , 2011, 369, 388-396.	4.1	43
528	Preparation of porous ion-exchange membranes (IEMs) and their characterizations. <i>Journal of Membrane Science</i> , 2011, 371, 37-44.	4.1	79
529	Novel cardo poly(arylene ether sulfone)s with pendant sulfonated aliphatic side chains for proton exchange membranes. <i>Journal of Membrane Science</i> , 2011, 372, 49-56.	4.1	55
530	Sulfonated poly(arylene thioether phosphine oxide)/sulfonated benzimidazole blends for proton exchange membranes. <i>Journal of Membrane Science</i> , 2011, 372, 125-133.	4.1	17
531	Organicâ€inorganic nanocomposite polymer electrolyte membranes for fuel cell applications. <i>Progress in Polymer Science</i> , 2011, 36, 945-979.	11.8	515

#	ARTICLE	IF	CITATIONS
532	Sulfonated hydrocarbon membranes for medium-temperature and low-humidity proton exchange membrane fuel cells (PEMFCs). <i>Progress in Polymer Science</i> , 2011, 36, 1443-1498.	11.8	597
533	Fundamental salt and water transport properties in directly copolymerized disulfonated poly(arylene ether)s. <i>Journal of Membrane Science</i> , 2011, 363, 1-12.	1.8	112
534	Nano Composite Membranes of Sulfonated Poly(ether sulfone) Containing 4,4-Bis(4-hydroxyphenyl)valeric Acid and SiO ₂ for PEMFC. <i>Materials Science Forum</i> , 0, 695, 37-40.	0.3	2
535	A New Hydrocarbon-Type Polymer Electrolyte Membrane for DMFC Application. <i>Advanced Materials Research</i> , 2011, 287-290, 2536-2539.	0.3	0
537	Proton Conduction in Composite Membranes of Sulfonated Hydrocarbon Electrolyte and Layered Tin Phosphate Hydrates. <i>Journal of the Electrochemical Society</i> , 2011, 159, B91-B95.	1.3	3
538	Membrane materials and technology for low temperature fuel cells. , 2012, , 27-56e.		8
539	Nano Composite Membranes of Sulfonated Poly(ether sulfone)s Containing DHTPE and SiO ₂ for PEMFC. <i>Materials Science Forum</i> , 0, 724, 416-419.	0.3	0
540	The Progress of Hybrid Proton Exchange Membranes Prepared by SPAEKs for Direct Methanol Fuel Cells. <i>Advanced Materials Research</i> , 0, 512-515, 1442-1445.	0.3	1
541	Sulfonated Poly(Ether Ether Ketone) (SPEEK): A Promising Membrane Material for Polymer Electrolyte Fuel Cell. , 2012, , 437-451.		3
542	Synthesis and Properties of Sulfonated Poly(arylene ether) Block Copolymers as Proton Conductive Membranes. <i>Bulletin of the Chemical Society of Japan</i> , 2012, 85, 389-396.	2.0	12
543	A clustered sulfonated poly(ether sulfone) based on a new fluorene-based bisphenol monomer. <i>Journal of Materials Chemistry</i> , 2012, 22, 25093.	6.7	71
544	Preparation and characterization of fluorinated poly(aryl ether oxadiazole)s anion exchange membranes based on imidazolium salts. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 12659-12665.	3.8	49
545	Design of efficient methanol impermeable membranes for fuel cell applications. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 2718.	1.3	28
546	Solvent-assisted thermal annealing of disulfonated poly(arylene ether sulfone) random copolymers for low humidity polymer electrolyte membrane fuel cells. <i>RSC Advances</i> , 2012, 2, 1025-1032.	1.7	16
547	Preparation and Fuel Cell Performance of Catalyst Layers Using Sulfonated Polyimide Ionomers. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 730-737.	4.0	36
548	Structural effects on the nano-scale morphology and conductivity of ionomer blends. <i>Journal of Materials Chemistry</i> , 2012, 22, 24348.	6.7	13
549	The effect of hydrogen bond reorganization and equivalent weight on proton transfer in 3M perfluorosulfonic acid ionomers. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 16349.	1.3	24
550	Polyimide nonwoven fabric-reinforced, flexible phosphosilicate glass composite membranes for high-temperature/low-humidity proton exchange membrane fuel cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 18550.	6.7	27

#	ARTICLE	IF	CITATIONS
551	A proton conductive silicate-nanoencapsulated polyimide nonwoven as a novel porous substrate for a reinforced sulfonated poly(arylene ether sulfone) composite membrane. <i>Journal of Materials Chemistry</i> , 2012, 22, 1634-1642.	6.7	28
552	Systematic Evaluation of Polymer Electrolyte Fuel Cell Electrodes with Hydrocarbon Polyelectrolytes by Considering the Polymer Properties. <i>Journal of Physical Chemistry C</i> , 2012, 116, 1422-1428.	1.5	7
553	Synthesis and Properties of Sulfonated Poly(arylene ether)s with Flexible Oligomeric Phenylene Ether Segments. <i>Macromolecules</i> , 2012, 45, 5403-5409.	2.2	14
554	Sulfonated poly(ether sulfone ether ketone ketone)/sulfonated poly(ether sulfone) blend membranes with reduced methanol permeability. <i>High Performance Polymers</i> , 2012, 24, 153-160.	0.8	5
555	Sulfonated Polybenzophenone/Poly(arylene ether) Block Copolymer Membranes for Fuel Cell Applications. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 2881-2884.	4.0	88
556	<i>In Situ</i> Measurement of Block Copolymer Ordering Kinetics during the Drying of Solution-Cast Films Using Small-Angle X-ray Scattering. <i>Macromolecules</i> , 2012, 45, 3471-3479.	2.2	11
557	Synthesis and characterization of multiblock semi-crystalline hydrophobic poly(ether ether) membranes. <i>Polymer</i> , 2012, 53, 3143-3153.	1.8	36
558	Preparation and properties of pore-filling membranes based on sulfonated copolyimides and porous polyimide matrix. <i>Polymer</i> , 2012, 53, 3154-3162.	1.8	36
559	Synthesis and preparation of sulfonated hyperbranched poly(arylene ether sulfone)/poly(ether) membranes. <i>Polymer</i> , 2012, 53, 3154-3162.	1.3	17
560	Multiblock Copolymers Containing Highly Sulfonated Poly(arylene sulfone) Blocks for Proton Conducting Electrolyte Membranes. <i>Macromolecules</i> , 2012, 45, 6538-6546.	2.2	77
561	Structure, Synthesis, and General Properties of Ion Exchangers. , 2012, , 211-231.		2
562	New Sulfonated Polystyrene and Styrene- <i>ethylene</i> /Butylene- <i>styrene</i> Block Copolymers for Applications in Electrodialysis. <i>Journal of Physical Chemistry B</i> , 2012, 116, 11767-11779.	1.2	63
563	Preparation and characterization of sulfonated poly(ether sulfone)/sulfonated poly(ether ether) membranes. <i>Polymer</i> , 2012, 53, 306-312.	4.1	89
564	Thermally crosslinked sulfonated polyethersulfone proton exchange membranes for direct methanol fuel cells. <i>Journal of Membrane Science</i> , 2012, 417-418, 2-9.	4.1	22
565	Chemically stable hybrid polymer electrolyte membranes prepared by silane-crosslinking and thiol-ene click chemistry. <i>Journal of Power Sources</i> , 2012, 214, 285-291.	4.0	13
566	Electrochemical performance of microbial fuel cells based on disulfonated poly(arylene ether) membranes. <i>Journal of Power Sources</i> , 2012, 214, 784-791.	4.0	63
567	Sulfonated polyethersulfone directly synthesized through sulfonic monomer as a new stable solid acid catalyst for esterification. <i>Catalysis Communications</i> , 2012, 27, 164-168.	1.6	18
568	Alternative Hydrocarbon Membranes by Step Growth. , 2012, , 621-650.		4

#	ARTICLE	IF	CITATIONS
569	Fabrication and characterization of the chlorine-tolerant disulfonated poly(arylene ether) Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50 747 Td (Desalination and Water Treatment, 2012, 43, 221-229.	1.0	18
570	Alternative Proton Exchange Membranes by Chain-Growth Polymerization. , 2012, , 651-689.		2
571	Aromatic Polyethers, Polyetherketones, Polysulfides, and Polysulfones. , 2012, , 377-430.		6
572	Polymer Membranes. , 2012, , 325-347.		16
573	Morphology of Proton Exchange Membranes. , 2012, , 721-766.		0
574	Role of the glass transition temperature of Nafion 117 membrane in the preparation of the membrane electrode assembly in a direct methanol fuel cell (DMFC). International Journal of Hydrogen Energy, 2012, 37, 12580-12585.	3.8	113
575	Modification of hydrocarbon structure for polymer electrolyte membrane fuel cell binder application. International Journal of Hydrogen Energy, 2012, 37, 13452-13461.	3.8	9
576	Sulfonated PEEK-based polymers in PEMFC and DMFC applications: A review. International Journal of Hydrogen Energy, 2012, 37, 15241-15255.	3.8	213
577	Effects of tin phosphate nanosheet addition on proton-conducting properties of sulfonated poly(ether sulfone) membranes. Solid State Ionics, 2012, 228, 8-13.	1.3	4
578	Synthesis of sulfonated polyphenylsulfone as candidates for antifouling ultrafiltration membrane. Separation and Purification Technology, 2012, 98, 298-307.	3.9	110
579	Sodium chloride sorption in sulfonated polymers for membrane applications. Journal of Membrane Science, 2012, 423-424, 195-208.	4.1	128
580	Thin film composite membranes with modified polysulfone supports for organic solvent nanofiltration. Journal of Membrane Science, 2012, 423-424, 225-237.	4.1	100
582	Ion Exchange Technology I. , 2012, , .		13
583	Synthesis of Polyethylene-Based Proton Exchange Membranes Containing PE Backbone and Sulfonated Poly(arylene ether sulfone) Side Chains for Fuel Cell Applications. Macromolecules, 2012, 45, 2460-2470.	2.2	31
584	Poly(arylene ether)s carrying pendant (3-â€sulfonated) phenylsulfonyl groups. Polymer International, 2012, 61, 1249-1255.	1.6	3
585	Synthesis and characterization of anhydrous conducting polyimide/ionic liquid complex membranes via a new route for high-â€temperature fuel cells. Polymers for Advanced Technologies, 2012, 23, 1156-1165.	1.6	19
586	SiO2 ceramic nanoporous substrate-reinforced sulfonated poly(arylene ether sulfone) composite membranes for proton exchange membrane fuel cells. International Journal of Hydrogen Energy, 2012, 37, 6189-6198.	3.8	32
587	Multilayer-structured, SiO2/sulfonated poly(phenylsulfone) composite membranes for proton exchange membrane fuel cells. International Journal of Hydrogen Energy, 2012, 37, 6182-6188.	3.8	21

#	ARTICLE	IF	CITATIONS
588	Sulfonated poly(flourenyl ether ketone) ionomers containing aliphatic functional segments for fuel cell applications. International Journal of Hydrogen Energy, 2012, 37, 4553-4562.	3.8	14
589	Transport properties and fuel cell performance of sulfonated poly(imide) proton exchange membranes. International Journal of Hydrogen Energy, 2012, 37, 6153-6160.	3.8	36
590	Design, synthesis and properties of polyaromatics with hydrophobic and hydrophilic long blocks as proton exchange membrane for PEM fuel cell application. International Journal of Hydrogen Energy, 2012, 37, 4545-4552.	3.8	18
591	Crosslinked sulfonated poly(arylene ether sulfone) membranes for fuel cell application. International Journal of Hydrogen Energy, 2012, 37, 2603-2613.	3.8	50
592	Soluble sulfonated polybenzothiazoles derived from 3,3'-disulfonate-4,4'-dicarboxylbiphenyl for proton exchange membranes. International Journal of Hydrogen Energy, 2012, 37, 5170-5179.	3.8	20
593	Synthesis, characterization and electrical properties of Titanium molybdate composite membrane. Desalination, 2012, 286, 8-15.	4.0	17
594	PES/SPAES blend membranes for nanofiltration: The effects of sulfonic acid groups and thermal treatment. Desalination, 2012, 289, 72-80.	4.0	25
595	Sulfonated SBA-15 mesoporous silica-incorporated sulfonated poly(phenylsulfone) composite membranes for low-humidity proton exchange membrane fuel cells: Anomalous behavior of humidity-dependent proton conductivity. International Journal of Hydrogen Energy, 2012, 37, 9202-9211.	3.8	39
596	Disulfonated poly(arylene ether sulfone) random copolymer thin film composite membrane fabricated using a benign solvent for reverse osmosis applications. Journal of Membrane Science, 2012, 389, 363-371.	4.1	41
597	Synthesis and characterization of intermolecular ionic cross-linked sulfonated poly(arylene ether) Tj ETQq1 1 0.784314 rgBT /Overlock 20	4.1	20
598	Azide-assisted terminal crosslinking of ionomeric blocks: Effects on morphology and proton conductivity. Journal of Membrane Science, 2012, 392-393, 58-65.	4.1	15
599	Hydrophilic silica additives for disulfonated poly(arylene ether sulfone) random copolymer membranes. Journal of Membrane Science, 2012, 392-393, 157-166.	4.1	10
600	Polyamide interfacial composite membranes prepared from m-phenylene diamine, trimesoyl chloride and a new disulfonated diamine. Journal of Membrane Science, 2012, 403-404, 152-161.	4.1	321
601	Poly(arylene ether sulfone) proton exchange membranes with flexible acid side chains. Journal of Membrane Science, 2012, 405-406, 68-78.	4.1	94
602	Pendant-sulfonated poly(arylene ether ketone) (PAEK) membranes cross-linked with a proton conducting reagent for fuel cells. Journal of Membrane Science, 2012, 405-406, 176-184.	4.1	31
603	Synthesis and characterization of novel fluorinated poly(arylene ether sulfone)s containing pendant sulfonic acid groups for proton exchange membrane materials. Journal of Membrane Science, 2012, 409-410, 145-155.	4.1	33
604	Solid polymer electrolyte based on sulfonated polysulfone membranes and acidic silica for direct methanol fuel cells. Solid State Ionics, 2012, 216, 90-94.	1.3	32
605	Highly efficient copper catalytic system for the O-arylation of phenol with iodoarene. Tetrahedron Letters, 2012, 53, 71-75.	0.7	33

#	ARTICLE	IF	CITATIONS
606	Influence of processing history on water and salt transport properties of disulfonated polysulfone random copolymers. <i>Polymer</i> , 2012, 53, 1581-1592.	1.8	46
607	Degree of sulfonation and microstructure of post-sulfonated polyethersulfone studied by NMR spectroscopy. <i>Polymer</i> , 2012, 53, 1624-1631.	1.8	17
608	Proton-Conducting Poly(phenylene oxide)-Poly(vinyl benzyl phosphonic acid) Block Copolymers via Atom Transfer Radical Polymerization. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 489-499.	1.1	35
609	Synthesis and characterization of polysulfone/clay nanocomposite membranes for fuel cell application. <i>Journal of Applied Polymer Science</i> , 2012, 124, E309.	1.3	24
610	Characterization of molecular interaction and intraionic crosslinkable sulfonated poly(ether ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.3	9
611	Chitosan-polyvinyl alcohol-sulfonated polyethersulfone mixed matrix membranes as methanol barrier electrolytes for DMFCs. <i>Journal of Applied Polymer Science</i> , 2012, 124, E73.	1.3	31
612	Preparation and characterization of acid-acid blend membranes for direct methanol fuel cell applications. <i>Macromolecular Research</i> , 2012, 20, 121-127.	1.0	14
613	<i>In situ</i> crosslinkable sulfonated polyaromatic ionomers for the polyelectrolyte used in proton exchange membrane fuel cell. <i>Journal of Applied Polymer Science</i> , 2013, 127, 1981-1988.	1.3	5
614	Durable Sulfonated Poly(arylene sulfide sulfone nitrile)s Containing Naphthalene Units for Direct Methanol Fuel Cells (DMFCs). <i>Macromolecules</i> , 2013, 46, 3452-3460.	2.2	106
615	Preparation of Nafion/Poly(ether(amino sulfone)) acid-base blend polymer electrolyte membranes and their application to DMFC. <i>Macromolecular Research</i> , 2013, 21, 1314-1321.	1.0	6
616	Characterization of sulfonated poly(arylene ether sulfone) (SPAES)/silica-phosphate sol-gel composite membrane: Effects of the sol-gel composition. <i>Macromolecular Research</i> , 2013, 21, 1194-1200.	1.0	11
617	Preparation and properties of sulfonated poly(arylene ether sulfone)/hydrophilic oligomer-g-CNT composite membranes for PEMFC. <i>Macromolecular Research</i> , 2013, 21, 1138-1144.	1.0	9
618	Proton exchange membranes from sulfonated polyetheretherketone and sulfonated polyethersulfone-cardo blends: Conductivity, water sorption and permeation properties. <i>Electrochimica Acta</i> , 2013, 111, 419-433.	2.6	26
619	Synthesis and properties of sulfonated polyarylene ether nitrile copolymers for PEM with high thermal stability. <i>Journal of Polymer Research</i> , 2013, 20, 1.	1.2	12
620	Functional Polyolefins for Energy Applications. <i>Macromolecules</i> , 2013, 46, 6671-6698.	2.2	142
621	Interfacial synthesis of bisphenol A tetrachlorocyclotriphosphazene from bisphenol A and hexachlorocyclotriphosphazene. <i>Tetrahedron Letters</i> , 2013, 54, 5311-5313.	0.7	3
622	Synthesis of polysulfone-b-polystyrene block copolymers by mechanistic transformation from condensation polymerization to free radical polymerization. <i>Polymer Bulletin</i> , 2013, 70, 2097-2109.	1.7	13
623	Graphene Oxide-Impregnated PVA-STA Composite Polymer Electrolyte Membrane Separator for Power Generation in a Single-Chambered Microbial Fuel Cell. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 11597-11606.	1.8	107

#	ARTICLE	IF	CITATIONS
624	Aliphatic-aromatic sulphonated polyimide and acid functionalized polysilsesquioxane composite membranes for fuel cell applications. <i>Journal of Materials Chemistry A</i> , 2013, 1, 14375.	5.2	42
625	Formation of H* Phase in Chiral Block Copolymers: Morphology Evolution As Revealed by Time-Resolved X-ray Scattering. <i>Macromolecules</i> , 2013, 46, 474-483.	2.2	14
626	Proton exchange membranes from sulfonated poly(ether ether ketone) reinforced with silica nanoparticles. <i>High Performance Polymers</i> , 2013, 25, 854-867.	0.8	30
627	Influence of composition on the proton conductivity and mechanical properties of sulfonated poly(aryl ether nitrile) copolymers for proton exchange membranes. <i>Journal of Polymer Research</i> , 2013, 20, 1.	1.2	27
628	Side Chain Flexibility in Perfluorosulfonic Acid Ionomers: An ab Initio Study. <i>Journal of Physical Chemistry A</i> , 2013, 117, 10534-10543.	1.1	13
629	Sulfonated poly(benzoyl paraphenylene) as a membrane for PEMFC: Ex situ and in situ experiments of thermal and chemical stability. <i>Polymer Degradation and Stability</i> , 2013, 98, 3-11.	2.7	26
630	Ion transport in sulfonated polymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2013, 51, 481-493.	2.4	32
631	Impact on the ionic channels of sulfonated poly(ether ether ketone) due to the incorporation of polyphosphazene: a case study in direct methanol fuel cells. <i>RSC Advances</i> , 2013, 3, 14048.	1.7	27
632	Cross-linked poly(arylene ether ketone) membranes sulfonated on both backbone and pendant position for high proton conduction and low water uptake. <i>Journal of Power Sources</i> , 2013, 222, 103-111.	4.0	31
633	Mitigating methanol crossover with self-assembled Pt35Ru65 catalyst on Nafion surface. <i>Journal of Power Sources</i> , 2013, 222, 470-476.	4.0	10
634	The states of methanol within Nafion and sulfonated poly(phenylene ether ether sulfone) membranes. <i>Journal of Membrane Science</i> , 2013, 428, 212-217.	4.1	13
635	Phenolphthalein-based cardo poly(arylene ether sulfone): Preparation and application to separation membranes. <i>Journal of Applied Polymer Science</i> , 2013, 128, 1-12.	1.3	30
636	Proton-conducting electrolyte membranes based on organosiloxane network/sulfonated poly(ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 <i>Journal of Power Sources</i> , 2013, 243, 850-858.	4.0	12
637	Synthesis of branched sulfonated poly(aryl ether ketone) copolymers and their proton exchange membrane properties. <i>Journal of Membrane Science</i> , 2013, 444, 259-267.	4.1	30
638	Multiblock poly(arylene ether nitrile) disulfonated poly(arylene ether sulfone) copolymers for proton exchange membranes: Part 1 synthesis and characterization. <i>Polymer</i> , 2013, 54, 6305-6313.	1.8	34
639	Sorption and transport properties of 2-acrylamido-2-methyl-1-propanesulfonic acid-grafted bacterial cellulose membranes for fuel cell application. <i>Journal of Power Sources</i> , 2013, 232, 297-305.	4.0	43
640	Properties of sulfonated poly(arylene ether sulfone)/electrospun nonwoven polyacrylonitrile composite membrane for proton exchange membrane fuel cells. <i>Journal of Membrane Science</i> , 2013, 446, 212-219.	4.1	48
641	Mitigating methanol crossover using PtRu catalyst coated on commercial membrane of ethanesulfonyl fluoride through layer-by-layer technique. <i>Thin Solid Films</i> , 2013, 544, 13-18.	0.8	3

#	ARTICLE	IF	CITATIONS
642	Preparation and properties of novel sulfonated poly(arylene ether ketone) random copolymers for polymer electrolyte membrane fuel cells. <i>European Polymer Journal</i> , 2013, 49, 1673-1681.	2.6	34
643	Synthesis and Characterization of Polysulfone/POSS Hybrid Networks by Photoinduced Crosslinking Polymerization. <i>Macromolecular Materials and Engineering</i> , 2013, 298, 1117-1123.	1.7	25
644	Synthesis and characterization of multiblock partially fluorinated hydrophobic poly(arylene ether) membranes. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2301-2310.	2.5	33
645	Phthalimidine based fluorinated sulfonated poly(arylene ether sulfone)s copolymer proton exchange membranes. <i>Journal of Membrane Science</i> , 2013, 435, 145-154.	4.1	33
646	Densely sulfonated block copolymer composite membranes containing phosphotungstic acid for fuel cell membranes. <i>Journal of Membrane Science</i> , 2013, 434, 35-43.	4.1	46
647	Novel partially fluorinated sulfonated poly(arylenethioether)s and poly(aryleneether)s prepared from octafluorotoluene and pentafluoropyridine, and their blends with PBI-Celazol. <i>European Polymer Journal</i> , 2013, 49, 518-531.	2.6	23
648	Polybenzimidazole Fuel Cell Technology. , 2013, , 391-431.		4
649	Fuel Cell Electrocatalyst Using Polybenzimidazole-Modified Carbon Nanotubes As Support Materials. <i>Advanced Materials</i> , 2013, 25, 1666-1681.	11.1	160
650	Imaging Individual Proton-Conducting Spots on Sulfonated Multiblock-Copolymer Membrane under Controlled Hydrogen Atmosphere by Current-Sensing Atomic Force Microscopy. <i>Journal of Physical Chemistry B</i> , 2013, 117, 3892-3899.	1.2	13
651	Effective anchoring of Pt-nanoparticles onto sulfonated polyelectrolyte-wrapped carbon nanotubes for use as a fuel cell electrocatalyst. <i>Polymer Journal</i> , 2013, 45, 326-330.	1.3	14
652	Poly(arylene ether)s with Pendent 3-Iodophenyl Sulfonyl Groups: Synthesis, Characterization, and Modification. <i>Macromolecules</i> , 2013, 46, 4388-4394.	2.2	6
653	Membrane/Ionomer Proton Conductivity Measurements. , 2013, , 143-170.		0
654	Phosphonium ionenes from well-defined step-growth polymerization: thermal and melt rheological properties. <i>Polymer Chemistry</i> , 2013, 4, 3582.	1.9	52
655	Controlling Crystallinity in Graft Ionomers, and Its Effect on Morphology, Water Sorption, and Proton Conductivity of Graft Ionomer Membranes. <i>Chemistry of Materials</i> , 2013, 25, 1935-1946.	3.2	46
656	Novel sulfonated polybenzothiazoles with outstanding dimensional stability for proton exchange membranes. <i>Journal of Membrane Science</i> , 2013, 425-426, 200-207.	4.1	25
657	Direct sulfonation and photocrosslinking of unsaturated poly(styrene-b-butadiene-b-styrene) for proton exchange membrane of direct methanol fuel cell. <i>Journal of Membrane Science</i> , 2013, 427, 85-91.	4.1	17
658	Proton-conducting membranes from poly(ether sulfone)s grafted with sulfoalkylamine. <i>Journal of Membrane Science</i> , 2013, 427, 443-450.	4.1	69
659	Synthesis of Telechelic Poly(ether sulfone) Oligomers by Chain-Growth Condensation Polymerization. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 2489-2499.	1.1	1

#	ARTICLE	IF	CITATIONS
660	Proton dissociation and transfer in proton exchange membrane ionomers with multiple and distinct pendant acid groups: An ab initio study. <i>Electrochimica Acta</i> , 2013, 101, 279-292.	2.6	31
661	Highly Fluorinated Sulfonated Poly(arylene ether sulfone) Copolymers: Synthesis and Evaluation of Proton Exchange Membrane Properties. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 2772-2783.	1.8	49
662	Vinyl addition type norbornene copolymers containing flexible spacers and sulfonated pendant groups for proton exchange membranes. <i>Journal of Applied Polymer Science</i> , 2013, 128, 3540-3547.	1.3	7
663	Preparation and Characterizations of Novel Ultrafiltration Membranes from Sulfonated Poly(Arylene Ether Sulfone)s. <i>Advanced Materials Research</i> , 0, 664, 780-784.	0.3	3
664	Nano Composite Membranes of Sulfonated Poly(ether sulfone)s Containing Tetraphenylethylene moiety and SiO ₂ for PEMFC. <i>Advanced Materials Research</i> , 2013, 746, 78-82.	0.3	0
665	Synthesis and characterization of highly branched sulfonated poly(aryl ether ketone) copolymers as proton exchange membranes. <i>High Performance Polymers</i> , 2013, 25, 947-955.	0.8	5
667	Synthesis, proton conductivity and chemical stability of novel sulfonated copolyimides-containing benzimidazole groups for fuel cell applications. <i>High Performance Polymers</i> , 2013, 25, 508-517.	0.8	10
668	Preparation and Properties of Electrospun Polyethersulfone Membranes with its Sulfonated Derivative. <i>Journal of Macromolecular Science - Physics</i> , 2013, 52, 373-382.	0.4	4
670	Global thrust on fuel cells and their sustainability – an assessment of research trends by bibliometric analysis. <i>International Journal of Sustainable Energy</i> , 2014, 33, 125-140.	1.3	10
671	Sulfonated Polyethersulfone (SPES) – Charged Surface Modifying Macromolecules (cSMMs) Blends as a Cation Selective Membrane for Fuel Cells. <i>Fuel Cells</i> , 2014, 14, 853-861.	1.5	54
672	Sulfonated fluorinated-aromatic polymers as proton exchange membranes. <i>E-Polymers</i> , 2014, 14, 227-257.	1.3	37
673	Molecular weight effect of partially sulfonated PS-b-PDMS diblock copolymers as proton exchange membrane for direct methanol fuel cell. <i>Macromolecular Research</i> , 2014, 22, 1337-1343.	1.0	0
674	Triple-layer sulfonated poly(ether ether ketone)/sulfonated polyimide membranes for fuel cell applications. <i>High Performance Polymers</i> , 2014, 26, 106-113.	0.8	8
675	Synthesis and characterization of multiblock sulfonated poly(arylene ether sulfone) membranes with different hydrophilic moieties for application in polymer electrolyte membrane fuel cell. <i>Journal of Polymer Science Part A</i> , 2014, 52, 2947-2957.	2.5	14
676	Meisenheimer Complex Inspired Catalyst- and Solvent-Free Synthesis of Noncyclic Poly(aryl ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	2.2	13
677	10. Solid polymer proton conducting electrolytes for fuel cells. , 2014, , 207-240.		1
678	Anomalous behavior of proton transport and dimensional stability of sulfonated poly(arylene ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 morphology. <i>Journal of Membrane Science</i> , 2014, 450, 235-241.	4.1	29
679	Sulfonated poly(arylene ether phosphine oxide)s with various distributions and contents of pendant sulfonic acid groups synthesized by direct polycondensation. <i>Polymer Chemistry</i> , 2014, 5, 412-422.	1.9	23

#	ARTICLE	IF	CITATIONS
680	Effects of micro-phase-separated structures on proton conductivity and methanol permeability in polymer electrolyte membranes. <i>Polymer</i> , 2014, 55, 2673-2677.	1.8	7
681	Synthesis and characterization of sulfonated cardo based poly(arylene ether sulfone) multiblock copolymers for proton exchange membrane. <i>Solid State Ionics</i> , 2014, 262, 845-851.	1.3	7
682	Swelling agent adopted decal transfer method for membrane electrode assembly fabrication. <i>Journal of Power Sources</i> , 2014, 258, 272-280.	4.0	11
683	Rheological studies of disulfonated poly(arylene ether sulfone) plasticized with poly(ethylene Terephthalate). <i>Journal of Membrane Science</i> , 2014, 453, 425-434.	4.1	45
684	Poly(amide-co-imide)-poly(trimellitic anhydride chloride-co-4,4'-methylenedianiline) nonwoven/sulfonated poly(arylene ether sulfone) composite membrane for proton exchange membrane fuel cells. <i>Macromolecular Research</i> , 2014, 22, 79-84.	1.0	7
685	Proton conducting, composite sulfonated polymer membrane for medium temperature and low relative humidity fuel cells. <i>Journal of Power Sources</i> , 2014, 262, 162-168.	4.0	15
686	Suppressing methanol crossover with a deposited quaternary Pt-based catalyst on the Nafion surface. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 2516-2525.	3.8	5
687	Free volume characterization of sulfonated styrenic pentablock copolymers using positron annihilation lifetime spectroscopy. <i>Journal of Membrane Science</i> , 2014, 453, 425-434.	4.1	45
688	Characterization of uncharged and sulfonated porous poly(vinylidene fluoride) membranes and their performance in microbial fuel cells. <i>Journal of Membrane Science</i> , 2014, 463, 205-214.	4.1	55
689	New highly proton-conducting membrane based on sulfonated poly(arylene ether sulfone)s containing fluorophenyl pendant groups, for low-temperature polymer electrolyte membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 2639-2648.	3.8	33
690	Studies of sulfonated polyphenylene containing fluorine moiety via nickel catalyzed C-C coupling polymerization. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 16493-16499.	3.8	1
691	Ion exchange membranes based upon crosslinked sulfonated polyethersulfone for electrochemical applications. <i>Journal of Membrane Science</i> , 2014, 452, 263-270.	4.1	48
692	New developments in proton conducting membranes for fuel cells. <i>Current Opinion in Chemical Engineering</i> , 2014, 4, 71-78.	3.8	47
693	Sulfonic acid functionalized hyperbranched poly(ether sulfone) as a solid acid catalyst. <i>Green Chemistry</i> , 2014, 16, 3596-3602.	4.6	28
694	Measuring the Proton Conductivity of Ion-Exchange Membranes Using Electrochemical Impedance Spectroscopy and Through-Plane Cell. <i>Journal of Physical Chemistry B</i> , 2014, 118, 1102-1112.	1.2	81
695	Synthesis and Characterization of Perfluoroalkyl Sulfonic Acid Functionalized Polyphosphazene for Proton-Conducting Membranes. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2014, 51, 55-62.	1.2	5
696	Proton exchange properties of flexible diamine-based new fluorinated sulfonated polyimides. <i>RSC Advances</i> , 2014, 4, 11848.	1.7	24
697	Cross-Linking Disulfonated Poly(arylene ether sulfone) Telechelic Oligomers. 1. Synthesis, Characterization, and Membrane Preparation. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 2583-2593.	1.8	9

#	ARTICLE	IF	CITATIONS
698	Synthesis and properties of sulfonated poly(phenylene sulfone)s without ether linkage by Diels-Alder reaction for PEMFC application. <i>Electrochimica Acta</i> , 2014, 119, 16-23.	2.6	16
699	Multiblock Copolymers Based upon Increased Hydrophobicity Bisphenol A Moieties for Proton Exchange Membranes. <i>Journal of the Electrochemical Society</i> , 2014, 161, F535-F543.	1.3	14
700	Synthesis and properties of hydrophilic-hydrophobic diblock copolymer ionomers based on poly(p-phenylene)s. <i>Polymer Chemistry</i> , 2014, 5, 4132.	1.9	25
701	Enhanced Durability of Polymer Electrolyte Membrane Fuel Cells by Functionalized 2D Boron Nitride Nanoflakes. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 7751-7758.	4.0	106
702	Nafion-functionalized electrospun poly(vinylidene fluoride) (PVDF) nanofibers for high performance proton exchange membranes in fuel cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3783-3793.	5.2	135
703	Alkaline stable imidazolium-based ionomers containing poly(arylene ether sulfone) side chains for alkaline anion exchange membranes. <i>Journal of Materials Chemistry A</i> , 2014, 2, 4413.	5.2	73
704	Highly proton conducting fluorinated sulfonated poly(arylene ether sulfone) copolymers with side chain grafting. <i>RSC Advances</i> , 2014, 4, 46723-46736.	1.7	21
705	Semi-interpenetrating network electrolyte membranes based on sulfonated poly(arylene ether) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Communications, 2014, 48, 44-48.	2.3	21
706	Synthesis and properties of a novel sulfonated poly(arylene ether ketone sulfone) membrane with a high λ^2 -value for direct methanol fuel cell applications. <i>Electrochimica Acta</i> , 2014, 146, 688-696.	2.6	35
707	Influences of Annealing on the Perfluorosulfonate Ion-Exchanged Membranes Prepared by Melt Extrusion. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 14175-14182.	1.8	11
708	Synthesis and properties of sulfonated poly(arylene ether nitrile) copolymers containing carboxyl groups for proton-exchange membrane materials. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	7
709	Sulfonated polytriazoles from a new fluorinated diazide monomer and investigation of their proton exchange properties. <i>Journal of Membrane Science</i> , 2014, 469, 225-237.	4.1	47
710	Studies of sulfonated polyphenylene membranes containing benzophenone moiety for PEMFC. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 21595-21600.	3.8	12
711	Synthesis and characterization of sulfonated polyphenylene containing DCTPE for PEMFC potential application. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 21531-21537.	3.8	4
712	Cross-linked sulfonated poly(ether imide)/silica organic-inorganic hybrid materials: proton exchange membrane properties. <i>RSC Advances</i> , 2014, 4, 22398-22410.	1.7	32
714	Poly(Arylene Ether Sulfone)s. , 2014, , 177-208.		3
715	Role of sulfonation in the stability, reactivity, and selectivity of poly(ether imide) used to develop ion exchange membranes: DFT study with application to fuel cells. <i>Journal of Molecular Modeling</i> , 2014, 20, 2325.	0.8	8
716	Fluorene-containing poly(arylene ether sulfone) block copolymers: Synthesis, characterization and application. <i>Journal of Membrane Science</i> , 2014, 464, 72-79.	4.1	30

#	ARTICLE	IF	CITATIONS
717	Thermal analysis of disulfonated poly(arylene ether sulfone) plasticized with poly(ethylene glycol) for membrane formation. <i>Polymer</i> , 2014, 55, 235-247.	1.8	31
718	Influence of the basic membrane properties of the disulfonated poly(arylene ether sulfone) copolymer membranes on the vanadium redox flow battery performance. <i>Journal of Membrane Science</i> , 2014, 468, 209-215.	4.1	40
719	Effect of Fluorene Groups on the Properties of Multiblock Poly(arylene ether sulfone)s-Based Anion-Exchange Membranes. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 6776-6785.	4.0	69
720	Synthetic route to soluble sulfonated poly(arylene sulfone imide). <i>Polymer Journal</i> , 2014, 46, 694-698.	1.3	3
721	Controlled Disulfonated Poly(Arylene Ether Sulfone) Multiblock Copolymers for Direct Methanol Fuel Cells. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 5779-5788.	4.0	33
722	Imidoaryl biphenol based new fluorinated sulfonated poly(arylene ether sulfone) copolymers and their proton exchange membrane properties. <i>Solid State Ionics</i> , 2014, 254, 82-91.	1.3	9
723	Three-dimensional multiphase modeling of alkaline anion exchange membrane fuel cell. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 5981-5995.	3.8	67
724	Bifunctional Cross-Linking Agents Enhance Anion Exchange Membrane Efficacy for Vanadium Redox Flow Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 49446-49453.	4.0	6
725	Preparation of new polysulfones with $-(CH_2)_3-SO_3H$ side chains. <i>European Polymer Journal</i> , 2014, 55, 179-185.	2.6	4
726	Overview of Electrochemical Polymer Electrolyte Membranes. <i>Electrochemical Energy Storage and Conversion</i> , 2015, , 1-60.	0.0	0
727	Advanced Membrane Materials for Polymer Electrolyte Membrane Fuel Cells. <i>Electrochemical Energy Storage and Conversion</i> , 2015, , 363-383.	0.0	0
728	Synthesis and Properties of Sulfonated and Brominated Poly(arylene ether)s as Proton Conductive Membranes. <i>Bulletin of the Chemical Society of Japan</i> , 2015, 88, 183-191.	2.0	6
729	Synthesis of partially fluorinated poly(arylene ether sulfone) multiblock copolymers bearing perfluorosulfonic functions. <i>Journal of Polymer Science Part A</i> , 2015, 53, 1941-1956.	2.5	39
730	Preparation of Polymer Electrolyte Membrane with Nanomatrix Channel. <i>Seikei-Kakou</i> , 2015, 27, 373-378.	0.0	0
731	Improved Synthesis of Oligomeric Sulfone-Based Phthalonitriles. <i>Macromolecular Chemistry and Physics</i> , 2015, 216, 1808-1815.	1.1	27
732	Large Scale Preparation of Polyethylene Based Ion Exchange Membranes and Their Application for Water Desalination. <i>Macromolecular Symposia</i> , 2015, 357, 194-199.	0.4	30
733	Design Concepts for Aromatic Ionomers and Ionomer Membranes to be Applied to Fuel Cells and Electrolysis. <i>Polymer Reviews</i> , 2015, 55, 273-306.	5.3	28
734	Fully aromatic naphthalene-based sulfonated poly(arylene ether ketone)s with flexible sulfoalkyl groups as polymer electrolyte membranes. <i>RSC Advances</i> , 2015, 5, 536-544.	1.7	20

#	ARTICLE	IF	CITATIONS
735	Synthesis and characterization of sulfonated polyphenylene containing benzophenone moiety via nickel catalyzed polymerization. <i>Electrochimica Acta</i> , 2015, 177, 161-167.	2.6	13
736	Preparation and characterization of sulfonated poly(phenylene)s membranes containing conjugated moiety via nickel catalyzed carbon-carbon coupling polymerization. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 14364-14370.	3.8	13
737	In-depth study of the phase separation behaviour of a thermoresponsive ionic liquid and a poly(ionic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.2	36
738	Fluorinated Poly(Arylene Ether)s. , 2015, , 11-96.		1
739	High proton conductivity of sulfonated methoxyphenyl-containing poly(arylene ether ketone) for proton exchange membranes. <i>RSC Advances</i> , 2015, 5, 107982-107991.	1.7	10
740	Comparison of proton conducting polymer electrolyte membranes prepared from multi-block and random copolymers based on poly(arylene ether ketone). <i>Journal of Power Sources</i> , 2015, 281, 146-157.	4.0	21
741	Glutaraldehyde cross-linked sulphonated poly styrene ethylene butylene poly styrene membranes for methanol fuel cells. <i>International Journal of Plastics Technology</i> , 2015, 19, 137-152.	2.9	4
742	Sulfonated poly(aryl sulfide sulfone)s containing trisulfonated triphenylphosphine oxide moieties for proton exchange membrane. <i>Electrochimica Acta</i> , 2015, 177, 145-150.	2.6	23
743	Mechanical and microstructural characterization of sulfonated pentablock copolymer membranes. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015, 53, 39-47.	2.4	13
744	Sulfonated copolyimide membranes derived from a novel diamine monomer with pendant benzimidazole groups for fuel cells. <i>Journal of Membrane Science</i> , 2015, 481, 44-53.	4.1	20
745	Dually cross-linked polymer electrolyte membranes for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2015, 282, 211-222.	4.0	36
746	Cross-linked poly(arylene ether ketone) proton exchange membranes sulfonated on polymer backbone, pendant, and cross-linked sites for enhanced proton conductivity. <i>Solid State Ionics</i> , 2015, 270, 66-72.	1.3	18
747	Poly(arylene ether sulfone) based semi-interpenetrating polymer network membranes containing cross-linked poly(vinyl phosphonic acid) chains for fuel cell applications at high temperature and low humidity conditions. <i>Journal of Power Sources</i> , 2015, 293, 539-547.	4.0	35
748	A facile method for preparation of cardo poly(aryl ether sulfone) bearing pendent sulfoalkyl groups as proton exchange membranes. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2015, 33, 1225-1233.	2.0	4
749	In Situ Polymerization of Sepiolite Modified Polysulfone. <i>Procedia, Social and Behavioral Sciences</i> , 2015, 195, 2206-2209.	0.5	3
750	Direct polymerization of a novel sulfonated poly(arylene ether ketone sulfone)/sulfonated poly(vinylalcohol) crosslinked membrane for direct methanol fuel cell applications. <i>Journal of Membrane Science</i> , 2015, 492, 505-517.	4.1	67
751	A H_2O donating/methanol accepting platform for preparation of highly selective Nafion-based proton exchange membranes. <i>Journal of Materials Chemistry A</i> , 2015, 3, 18546-18556.	5.2	29
752	Enhancement of Nafion based membranes for direct methanol fuel cell applications through the inclusion of ammonium-X zeolite fillers. <i>Journal of Power Sources</i> , 2015, 294, 369-376.	4.0	44

#	ARTICLE	IF	CITATIONS
753	Electrospun nanofiber enhanced sulfonated poly (phthalazinone ether sulfone ketone) composite proton exchange membranes. <i>Journal of Membrane Science</i> , 2015, 493, 58-65.	4.1	55
754	Hydrocarbon-based polymer electrolyte cerium composite membranes for improved proton exchange membrane fuel cell durability. <i>Journal of Power Sources</i> , 2015, 295, 221-227.	4.0	63
755	Liquid crystal alignment behavior on sulfonated poly(arylene ether sulfone) films. <i>RSC Advances</i> , 2015, 5, 64031-64036.	1.7	5
756	A bibliometric analysis of the <i>Journal of Membrane Science</i> (1976-2010). <i>Electronic Library</i> , 2015, 33, 698-713.	0.8	22
757	Electrochemical and structural characterization of sulfonated polysulfone. <i>Polymer Testing</i> , 2015, 45, 185-193.	2.3	34
758	Synthesis of high molecular weight sulfonated poly(arylene ether sulfone) copolymer without azeotropic reaction. <i>Solid State Ionics</i> , 2015, 275, 92-96.	1.3	6
759	Sulfonated aromatic polyamides containing nitrile groups as proton exchange fuel cell membranes. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 6422-6429.	3.8	40
760	Enhanced proton conductivity of sulfonated poly(p-phenylene-co-aryl ether ketone) proton exchange membranes with controlled microblock structure. <i>Journal of Power Sources</i> , 2015, 278, 590-598.	4.0	33
761	Theoretical methodology for calculating water uptake and ionic exchange capacity parameters of ionic exchange membranes with applications in fuel cells. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 17316-17322.	3.8	11
762	Fuel Cell Membrane Characterizations. <i>Polymer Reviews</i> , 2015, 55, 330-370.	5.3	63
763	Synthesis and properties poly(arylene ether sulfone)s with pendant hyper-sulfonic acid. <i>RSC Advances</i> , 2015, 5, 38298-38307.	1.7	10
764	Poly(acrylonitrile-co-styrene sodium sulfonate-co-n-butyl acrylate) terpolymer based cation exchange membrane for water desalination via electrodialysis. <i>RSC Advances</i> , 2015, 5, 40026-40035.	1.7	27
765	Electrospun carboxylic-functionalized poly(arylene ether ketone) ultrafine fibers. <i>High Performance Polymers</i> , 2015, 27, 939-949.	0.8	11
766	Interlocking Membrane/Catalyst Layer Interface for High Mechanical Robustness of Hydrocarbon-Based Polymer Electrolyte Membrane Fuel Cells. <i>Advanced Materials</i> , 2015, 27, 2974-2980.	11.1	39
767	Terminal Crosslinking of Highly Sulfonated Poly(arylene ether sulfone) Block Copolymers: Synthesis and Properties as Polymer Electrolyte Membranes. <i>Bulletin of the Korean Chemical Society</i> , 2015, 36, 287-294.	1.0	1
768	Polymer Electrolyte Membranes Based on Multiblock Poly(phenylene ether ketone)s with Pendant Alkylsulfonic Acids: Effects on the Isomeric Configuration and Ion Transport Mechanism. <i>Journal of Physical Chemistry C</i> , 2015, 119, 19596-19606.	1.5	11
769	Synthesis of poly(arylene ether ketone)s bearing skeletal crown ether units for cation exchange membranes. <i>Journal of Polymer Science Part A</i> , 2015, 53, 2786-2793.	2.5	15
770	Preparation and evaluation of sulfonated polyoxadiazole membrane containing phenol moiety for PEMFC application. <i>Polymer</i> , 2015, 75, 17-24.	1.8	19

#	ARTICLE	IF	CITATIONS
771	Behavior of ionic species in sulfonated PEI using DFT simulations: A study to determine ionic conductivity. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 17332-17337.	3.8	4
772	High performance blend membranes based on sulfonated poly(arylene ether sulfone) and poly(p-benzimidazole) for PEMFC applications. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 29, 104-111.	2.9	28
773	Catalyst free hydrogen generation from directly disulfonated poly(arylene ether sulfone) copolymer membranes. <i>Journal of Membrane Science</i> , 2015, 496, 318-324.	4.1	6
774	Proton exchange membranes based on sulfonated poly(arylene ether ketone) containing triazole group for enhanced proton conductivity. <i>Journal of Membrane Science</i> , 2015, 496, 13-20.	4.1	43
775	Phosphoric acid functional UV-cured proton conducting polymer membranes for fuel cells. <i>Ionics</i> , 2015, 21, 3097-3107.	1.2	4
776	Synthesis of polyether ether ketone membrane with pendent phosphonic acid group and determination of proton conductivity and thermal stability. <i>High Performance Polymers</i> , 2015, 27, 402-411.	0.8	17
777	A review of polymerâ€“nanocomposite electrolyte membranes for fuel cell application. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 21, 36-52.	2.9	398
778	Effect of sulfonated poly(arylene ether sulfone) binder on the performance of polymer electrolyte membrane fuel cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 23, 316-320.	2.9	16
779	Synthesis and characterization of pendant propane sulfonic acid on phenylene based copolymers by superacid-catalyzed reaction. <i>Renewable Energy</i> , 2015, 79, 85-90.	4.3	12
780	Novel sulfonated poly(arylene ether sulfone) containing hydroxyl groups for enhanced proton exchange membrane properties. <i>Polymer Chemistry</i> , 2015, 6, 233-239.	1.9	25
781	Preparation of cation-exchange hybrid membranes with multi-functional groups and their performance on alkali recovery. <i>Desalination and Water Treatment</i> , 2015, 54, 2627-2637.	1.0	11
782	Synthesis and properties of grafting sulfonated polymer containing isatin by super acid-catalyzed polyhydroxyalkylation reaction for PEMFC. <i>Renewable Energy</i> , 2015, 79, 72-77.	4.3	16
783	ABA triblock copolymers from two mechanistic techniques: Polycondensation and atom transfer radical polymerization. <i>Journal of Polymer Science Part A</i> , 2015, 53, 228-238.	2.5	19
784	Synthesis and Characterization of Sulfonated Poly(Phenylene) Containing a Non-Planar Structure and Dibenzoyl Groups. <i>Energies</i> , 2016, 9, 115.	1.6	15
785	Poly(ether sulfone)s using a rigid dibenzothiophene dioxide heterocycle. <i>Journal of Polymer Science Part A</i> , 2016, 54, 3127-3131.	2.5	5
786	Synthesis of bisphenol Aâ€“free oligomeric phthalonitrile resins with sulfone and sulfoneâ€“ketone containing backbones. <i>Journal of Polymer Science Part A</i> , 2016, 54, 1639-1646.	2.5	37
787	Multiblock sulfonated poly(arylene ether sulfone)s with fluorenyl hydrophilic moieties for PEMFC applications. <i>Journal of Polymer Research</i> , 2016, 23, 1.	1.2	8
788	Monovalent cation selective crown ether containing poly(arylene ether ketone)/SPEEK blend membranes. <i>RSC Advances</i> , 2016, 6, 55635-55642.	1.7	21

#	ARTICLE	IF	CITATIONS
789	Synthesis and properties of bonding layer containing flexible and fluorinated moieties for hydrocarbon-based membrane electrode assemblies. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 10884-10895.	3.8	10
790	Radiation-grafted materials for energy conversion and energy storage applications. <i>Progress in Polymer Science</i> , 2016, 63, 1-41.	11.8	64
791	Partially sulfonated Poly(arylene ether sulfone)/organically modified metal oxide nanoparticle composite membranes for proton exchange membrane for direct methanol fuel cell. <i>Composites Science and Technology</i> , 2016, 129, 101-107.	3.8	27
792	Preparation, characterization and enhanced performance of functional crosslinked membranes using poly(vinyl alcohol) as macromolecular crosslinker for fuel cells. <i>RSC Advances</i> , 2016, 6, 41428-41438.	1.7	8
793	Facile preparation of a long-term durable nano- and micro-structured polymer blend membrane for a proton exchange membrane fuel cell. <i>RSC Advances</i> , 2016, 6, 46516-46522.	1.7	13
794	Polybenzimidazole composite with acidic surfactant like molecules: A unique approach to develop PEM for fuel cell. <i>European Polymer Journal</i> , 2016, 84, 421-434.	2.6	19
795	Pendant dual sulfonated poly(arylene ether ketone) proton exchange membranes for fuel cell application. <i>Journal of Power Sources</i> , 2016, 328, 355-363.	4.0	58
796	Poly(p-phenylene sulfonic acid-ran-2,5-benzophenone) pore-filling membranes with highly packed acid structure and their polymer electrolyte fuel cell performances. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 21461-21469.	3.8	8
797	Chemistry and fabrication of polymeric nanofiltration membranes: A review. <i>Polymer</i> , 2016, 103, 417-456.	1.8	362
798	Simultaneous unzipping and sulfonation of multi-walled carbon nanotubes to sulfonated graphene nanoribbons for nanocomposite membranes in polymer electrolyte fuel cells. <i>Journal of Membrane Science</i> , 2016, 520, 657-670.	4.1	71
799	Sulfonated polyethersulfone based composite membranes containing heteropolyacids laminated with polypyrrole for electrochemical energy conversion devices. <i>Solid State Ionics</i> , 2016, 296, 106-113.	1.3	29
800	Synthesis of sulfonated poly(bis(phenoxy)phosphazene) based blend membranes and its effect as electrolyte in fuel cells. <i>Solid State Ionics</i> , 2016, 296, 127-136.	1.3	27
801	Effect of grafting density of the side chain on the microstructure and properties of proton exchange membranes based on poly(vinyl alcohol) and poly(ionic liquid). <i>RSC Advances</i> , 2016, 6, 58890-58897.	1.7	7
802	Development of novel polymer electrolyte membranes based on a benzothiadiazole unit. <i>RSC Advances</i> , 2016, 6, 99433-99436.	1.7	4
803	One-pot method for the synthesis of sulfonated poly(1,3,4-oxadiazoles) based on 4,4'-oxydibenzoic acid. <i>Polymer Science - Series B</i> , 2016, 58, 529-540.	0.3	5
804	Efficient Removal of Organic Pollutants and Metal Ions Using Amphiphilic Polymer Nanoparticle. , 2016, , 145-166.		0
805	Synthesis and photocrosslinking of disulfonated poly(arylene ether sulfone) copolymers for potential reverse osmosis membrane materials. <i>Polymer</i> , 2016, 93, 14-22.	1.8	7
806	Novel sandwich structure adsorptive membranes for removal of 4-nitrotoluene from water. <i>Journal of Hazardous Materials</i> , 2016, 317, 295-302.	6.5	31

#	ARTICLE	IF	CITATIONS
807	A novel highly sensitive humidity sensor derived from sulfonated poly(ether ether ketone) with metal salts-ion substitution. <i>Sensors and Actuators B: Chemical</i> , 2016, 236, 701-711.	4.0	23
808	Investigation of SPES as PEM for hydrogen production through electrochemical reforming of aqueous methanol. <i>Renewable Energy</i> , 2016, 91, 75-82.	4.3	45
809	Cross-Linked Disulfonated Poly(arylene ether sulfone) Telechelic Oligomers. 2. Elevated Transport Performance with Increasing Hydrophilicity. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 1419-1426.	1.8	10
810	Direct polymerization of novel functional sulfonated poly(arylene ether ketone sulfone)/sulfonated poly(vinyl alcohol) with high selectivity for fuel cells. <i>RSC Advances</i> , 2016, 6, 27725-27737.	1.7	27
811	Fabrication of thin film composite nanofiltration membranes by coating water soluble disulfonated poly(arylene ether sulfone) and in situ crosslinking. <i>Desalination</i> , 2016, 387, 25-34.	4.0	26
812	Novel humidity sensitive materials derived from naphthalene-based poly(arylene ether ketone) containing sulfobutyl pendant groups. <i>Electrochimica Acta</i> , 2016, 197, 39-49.	2.6	14
813	Carboxylic acid functionalized fluorinated sulfonated poly(arylene ether sulfone) copolymers with enhanced oxidative stability. <i>Journal of Membrane Science</i> , 2016, 510, 497-509.	4.1	18
814	New sulfonated poly(arylene ether sulfone) copolymers containing phenyl side chains as proton exchange membranes. <i>New Journal of Chemistry</i> , 2016, 40, 3755-3762.	1.4	21
815	Photoreactor-ultrafiltration hybrid system for oily bilge water photooxidation and separation from oil tanker. <i>Reactive and Functional Polymers</i> , 2016, 101, 28-38.	2.0	13
816	Low-swelling proton-conducting multi-layer composite membranes containing polyarylene ether nitrile and sulfonated carbon nanotubes for fuel cells. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 5113-5122.	3.8	29
817	Synthesis and property of sulfonated poly(methylisatin biphenylene) containing diphenyl ether by polyhydroalkylation reaction. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 10466-10472.	3.8	5
818	Trisulfonation approach: To improve the properties of poly(arylene thioether phosphine oxide)s based proton exchange membranes. <i>Journal of Membrane Science</i> , 2016, 508, 32-39.	4.1	16
819	Intermolecular ionic cross-linked sulfonated poly(ether ether ketone) membranes with excellent mechanical properties and selectivity for direct methanol fuel cells. <i>RSC Advances</i> , 2016, 6, 23025-23032.	1.7	19
820	Plasma immersion ion implantation of a two-phase blend of polysulfone and polyvinylpyrrolidone. <i>Materials and Design</i> , 2016, 97, 381-391.	3.3	8
821	Mixed matrix proton exchange membranes for fuel cells: State of the art and perspectives. <i>Progress in Polymer Science</i> , 2016, 57, 103-152.	11.8	262
822	Synthesis and properties of sulfonated poly(arylene ether ketone sulfone) copolymer. <i>High Performance Polymers</i> , 2016, 28, 315-321.	0.8	17
823	The Effects of Different Thick Sulfonated Poly(Ether Ether Ketone) Membranes on Performance of Vanadium Redox Flow Battery. <i>Journal of the Electrochemical Society</i> , 2016, 163, A5090-A5096.	1.3	64
824	Sulfonated copoly(arylene ether nitriles) as proton exchange membrane with excellent mechanical and thermal properties. <i>High Performance Polymers</i> , 2016, 28, 633-640.	0.8	5

#	ARTICLE	IF	CITATIONS
825	Novel sulfonated polyamide thin-film composite nanofiltration membranes with improved water flux and anti-fouling properties. <i>Desalination</i> , 2016, 377, 11-22.	4.0	76
826	Synthesis and properties of cross-linkable poly(arylene ether nitrile)s containing side propenyl groups. <i>High Performance Polymers</i> , 2016, 28, 562-569.	0.8	14
827	Novel flexible styrenic elastomer cation-exchange material based on phenyl functionalized polystyrene-butadiene copolymer. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 47, 128-140.	2.9	3
828	Effect of the spirobiindane group in sulfonated poly(arylene ether sulfone) copolymer as electrode binder for polymer electrolyte membrane fuel cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 47, 315-322.	2.9	14
829	Formation of disulfonated poly(arylene ether sulfone) thin film desalination membranes plasticized with poly(ethylene glycol) by solvent-free melt extrusion. <i>Polymer</i> , 2017, 109, 106-114.	1.8	9
830	Application of Ionic Liquids to Energy Storage and Conversion Materials and Devices. <i>Chemical Reviews</i> , 2017, 117, 7190-7239.	23.0	1,214
831	Broadband dielectric spectroscopy of Nafion [®] 117, sulfonated polysulfone (sPSF) and sulfonated polyether ketone (sPEK) membranes. <i>Journal of Applied Polymer Science</i> , 2017, 134, .	1.3	3
832	Mechanical and morphological studies of sulfonated poly(arylene ether sulfone)s for potential application in fuel cell membrane. <i>Polymers for Advanced Technologies</i> , 2017, 28, 1495-1503.	1.6	8
833	Comprehensive investigation of physicochemical and electrochemical properties of sulfonated poly(ether ether ketone) membranes with different degrees of sulfonation for proton exchange membrane fuel cell applications. <i>Energy</i> , 2017, 125, 614-628.	4.5	122
834	Synthesis and Properties of Poly(ether sulfone)s with Clustered Sulfonic Groups for PEMFC Applications under Various Relative Humidity. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 9805-9814.	4.0	22
835	Synthesis and characterization of sulfonated mutiphenyl conjugated polyimide for PEMFC. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 49, 99-104.	2.9	17
836	High power generation and COD removal in a microbial fuel cell operated by a novel sulfonated PES/PES blend proton exchange membrane. <i>Energy</i> , 2017, 125, 427-438.	4.5	86
837	Influence of alkaline 2D carbon nitride nanosheets as fillers for anchoring HPW and improving conductivity of SPEEK nanocomposite membranes. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 10317-10328.	3.8	49
838	Ionic Liquids and Polymers for Battery and Fuel Cells. , 2017, , 465-497.		2
839	States of water in proton exchange membranes: Part A - Influence of chemical structure and composition. <i>Polymer</i> , 2017, 111, 297-306.	1.8	20
840	Hierarchical porous poly(ether sulfone) membranes with excellent capacity retention for vanadium flow battery application. <i>Journal of Power Sources</i> , 2017, 353, 11-18.	4.0	24
841	Cross-linked sulfonated poly(arylene ether nitrile)s membranes based on macromolecule cross-linker for direct methanol fuel cell application. <i>Ionics</i> , 2017, 23, 2133-2142.	1.2	1
842	Isomeric influences of naphthalene based sulfonated poly(arylene ether sulfone) membranes for energy generation using reverse electrodialysis and polymer electrolyte membrane fuel cell. <i>Journal of Membrane Science</i> , 2017, 535, 35-44.	4.1	24

#	ARTICLE	IF	CITATIONS
843	Proton Conducting Polymer Electrolytes for Fuel Cells via Electrospinning Technique. , 2017, , 421-458.		0
844	A novel UV-crosslinked sulphonated polysulfone cation exchange membrane with improved dimensional stability for electro dialysis. Desalination, 2017, 415, 29-39.	4.0	35
845	Characterization of highly sulfonated PEEK based membrane for the fuel cell application. International Journal of Hydrogen Energy, 2017, 42, 23768-23775.	3.8	18
846	Proton conductive cross-linked benzoxazine-benzimidazole copolymers as novel porous substrates for reinforced pore-filling membranes in fuel cells operating at high temperatures. Journal of Membrane Science, 2017, 536, 76-85.	4.1	37
847	Synthesis of poly(arylene ether ketone) containing phenylsulfonic acid pendant for proton exchange membrane. High Performance Polymers, 2017, 29, 1232-1240.	0.8	8
848	Synthesis and characterization of sulfonated PEEK-WC-PES copolymers for fuel cell proton exchange membrane application. European Polymer Journal, 2017, 93, 390-402.	2.6	22
849	Alkylated sulfonated poly(arylene sulfone)s for proton exchange membranes. Macromolecular Research, 2017, 25, 400-407.	1.0	5
850	¹ H- ¹⁹ F REDOR-filtered ¹³ C NMR spin diffusion measurements of domain size in heterogeneous polymers. Magnetic Resonance in Chemistry, 2017, 55, 1006-1014.	1.1	2
851	Synthesis and Membrane Properties of Sulfonated Poly(arylene ether sulfone) Statistical Copolymers for Electrolysis of Water: Influence of Meta- and Para-Substituted Comonomers. ACS Applied Materials & Interfaces, 2017, 9, 20067-20075.	4.0	28
852	Highly reinforced pore-filling membranes based on sulfonated poly(arylene ether sulfone)s for high-temperature/low-humidity polymer electrolyte membrane fuel cells. Journal of Membrane Science, 2017, 537, 11-21.	4.1	47
853	Enhanced Thermal Stability of Polyaniline with Polymerizable Dopants. Macromolecules, 2017, 50, 3164-3170.	2.2	24
854	Blocky Sulfonation of Syndiotactic Polystyrene: A Facile Route toward Tailored Ionomer Architecture via Postpolymerization Functionalization in the Gel State. Macromolecules, 2017, 50, 2387-2396.	2.2	20
855	Effects of sulfonated side chains used in polysulfone based PEMs for VRFB separator. Journal of Membrane Science, 2017, 532, 58-67.	4.1	33
856	Tunable thermal degradation and refractive index of poly(norbornene sulfone)s via two different polymerization methods. Journal of Applied Polymer Science, 2017, 134, .	1.3	3
857	Sulfonated-fluorinated copolymer blending membranes containing SPEEK for use as the electrolyte in polymer electrolyte fuel cells (PEFC). International Journal of Hydrogen Energy, 2017, 42, 4349-4365.	3.8	119
858	Sulfonated poly(arylene ether sulfone) polymers containing 3,4-difluoro-phenyl moiety as proton exchange membranes. Solid State Ionics, 2017, 300, 157-164.	1.3	14
859	Impact of degree of sulfonation on microstructure, thermal, thermomechanical and physicochemical properties of sulfonated poly ether ether ketone. Polymer, 2017, 109, 176-186.	1.8	72
860	Enhanced performance of sulfonated poly (ether ether ketone) membranes by blending fully aromatic polyamide for practical application in direct methanol fuel cells (DMFCs). International Journal of Hydrogen Energy, 2017, 42, 28567-28577.	3.8	45

#	ARTICLE	IF	CITATIONS
861	Durability of Sulfonated Phenylene Poly(Arylene Ether Ketone) Semiblock Copolymer Membrane in Wet-Dry Cycling for PEFCs. <i>Journal of the Electrochemical Society</i> , 2017, 164, F1204-F1210.	1.3	12
862	Facile synthesis of fluorinated poly(arylene ether)s with pendant sulfonic acid groups for proton exchange membranes. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 27100-27110.	3.8	13
863	Graft fluorinated poly(arylene ether ketone)s containing highly dense sulfonic-acid-functionalized pendants for proton exchange membranes by C-N coupling. <i>Polymer</i> , 2017, 131, 84-94.	1.8	23
864	Novel aromatic proton exchange membranes based on thiazolothiazole units. <i>Polymer Journal</i> , 2017, 49, 745-749.	1.3	2
865	A hydrocarbon/Nafion bilayer membrane with a mechanical nano-fastener for vanadium redox flow batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 17279-17286.	5.2	48
866	Proton exchange membranes derived from sulfonated polybenzothiazoles containing naphthalene units. <i>Journal of Membrane Science</i> , 2017, 542, 159-167.	4.1	36
867	Hybrid membranes for polymer electrolyte fuel cells operating under various relative humidity values. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 3437-3448.	1.2	12
868	Fabrication and electrochemical properties of SPVdF-co-HFP/SPES blend proton exchange membranes for direct methanol fuel cells. <i>Renewable Energy</i> , 2017, 102, 258-265.	4.3	52
869	Three-Dimensional Interlocking Interface: Mechanical Nanofastener for High Interfacial Robustness of Polymer Electrolyte Membrane Fuel Cells. <i>Advanced Materials</i> , 2017, 29, 1603056.	11.1	36
870	Kinetics of poly(ethylene glycol) extraction into water from plasticized disulfonated poly(arylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 <i>Science</i> , 2017, 524, 257-265.	4.1	7
871	Sulfonated poly(arylene ether sulfone) nanocomposite electrolyte membrane for fuel cell applications: A review. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 1063-1074.	3.8	76
872	Effect of pendant group containing fluorine on the properties of sulfonated poly(arylene ether) Tj ETQq1 1 0.784314 rgBT /Overlock 10 <i>International Journal of Hydrogen Energy</i> , 2017, 42, 1063-1074.	1.7	18
873	Synthesis of sulfonated poly(diketonephenylene)s containing dibenzoyl moiety via Ni/Zn catalyst. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 1766-1775.	3.8	5
874	Novel polymeric humidity sensors based on sulfonated poly(ether ether ketone)s: Influence of sulfonation degree on sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2017, 242, 801-809.	4.0	55
875	Synthesis of Water-Soluble Imidazolium Polyesters as Potential Nonviral Gene Delivery Vehicles. <i>Biomacromolecules</i> , 2017, 18, 68-76.	2.6	15
876	High performance disulfonated poly(arylene ether sulfone)/poly(ethylene oxide) composite membrane used as a novel separator for supercapacitor with neutral electrolyte and activated carbon electrodes. <i>High Performance Polymers</i> , 2017, 29, 984-993.	0.8	19
877	Accelerated testing of polymer electrolyte membranes under open-circuit voltage conditions for durable proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 30787-30791.	3.8	23
878	Effect of Starch Loading on the Thermo-Mechanical and Morphological Properties of Polyurethane Composites. <i>Materials</i> , 2017, 10, 777.	1.3	17

#	ARTICLE	IF	CITATIONS
879	Polymeric Membranes. , 2017, , 297-334.		5
880	3.7 Basic Aspects in Proton-Conducting Membranes for Fuel Cells. , 2017, , 171-205.		1
881	Structure and Properties of Sulfonated Pentablock Terpolymer Films as a Function of Wet/Dry Cycles. <i>Macromolecules</i> , 2018, 51, 2203-2215.	2.2	17
882	Photocrosslinking of Sulfonated Poly(arylene ether ketone)s in a Hydrated State to Obtain Proton Exchange Membranes with High Performance. <i>Macromolecular Chemistry and Physics</i> , 2018, 219, 1800056.	1.1	6
883	Enhanced proton conductivity and dimensional stability of proton exchange membrane based on sulfonated poly(arylene ether sulfone) and graphene oxide. <i>Materials Research Bulletin</i> , 2018, 103, 142-149.	2.7	21
884	Electrodialysis for water desalination: A critical assessment of recent developments on process fundamentals, models and applications. <i>Desalination</i> , 2018, 434, 121-160.	4.0	369
885	Phosphosilicate Gel-Sulfonated Poly(ether ether ketone) Nanocomposite Membrane for Polymer Electrolyte Membrane Fuel Cell. <i>Materials Today: Proceedings</i> , 2018, 5, 2186-2192.	0.9	10
886	Phosphonated Polymers with Fine-Tuned Ion Clustering Behavior: Toward Efficient Proton Conductors. <i>Macromolecules</i> , 2018, 51, 1120-1128.	2.2	31
887	Synthesis and characterization of polymer electrolyte membrane containing methylisatin moiety by polyhydroalkylation for fuel cell. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 5398-5404.	3.8	18
888	Efficient separation of oily wastewater using polyethersulfone mixed matrix membrane incorporated with halloysite nanotube-hydrous ferric oxide nanoparticle. <i>Separation and Purification Technology</i> , 2018, 199, 161-169.	3.9	71
889	Perspective/Prospects for Durable Hydrocarbon-Based Fuel Cell Membranes. <i>Journal of the Electrochemical Society</i> , 2018, 165, F3100-F3103.	1.3	47
890	A novel proton conducting polymer electrolyte membrane for fuel cell applications. <i>High Performance Polymers</i> , 2018, 30, 116-125.	0.8	6
891	Application and modification of polysulfone membranes. <i>Reviews in Chemical Engineering</i> , 2018, 34, 657-693.	2.3	66
892	Water and salt transport properties of disulfonated poly(arylene ether sulfone) desalination membranes formed by solvent-free melt extrusion. <i>Journal of Membrane Science</i> , 2018, 546, 234-245.	4.1	15
893	Highly proton conducting proton-exchange membranes based on fluorinated poly(arylene ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	2.5	22
894	Highly Proton Conducting Polyelectrolyte Membranes with Unusual Water Swelling Behavior Based on Triptycene-containing Poly(arylene ether sulfone) Multiblock Copolymers. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 1173-1186.	4.0	33
895	Development of polymer-polymer type charge-transfer blend membranes for fuel cell application. <i>Journal of Membrane Science</i> , 2018, 548, 223-231.	4.1	11
896	Facile Fabrication and Characterization of Improved Proton Conducting Sulfonated Poly(Arylene) Tj ETQq1 1 0.784314 rgBT /Overlock 1 Membrane Fuel Cell Applications. <i>Polymers</i> , 2018, 10, 1367.	2.0	30

#	ARTICLE	IF	CITATIONS
897	Melt-processable telechelic poly(ether imide)s end-capped with zinc sulfonate salts. <i>Polymer Chemistry</i> , 2018, 9, 5660-5670.	1.9	8
898	Proton Conductions. <i>Polymers and Polymeric Composites</i> , 2018, , 1-34.	0.6	0
899	Alleviating the Mechanical and Thermal Degradations of Highly Sulfonated Poly(Ether Ether Ketone) Blocks via Copolymerization with Hydrophobic Unit for Intermediate Humidity Fuel Cells. <i>Polymers</i> , 2018, 10, 1346.	2.0	19
900	Acid-catalyzed benzoylation reactions of Diels-Alder polyphenylenes. <i>Polymer</i> , 2018, 158, 190-197.	1.8	3
901	Effect of a Sulfonated Benzothiadiazole Unit on the Morphology and Ion Conduction Behavior of a Polymer Electrolyte Membrane. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 16095-16102.	1.8	7
902	The synthesis and characterization of a new cross-linkable copolymerization poly(arylene ether) Tj ETQq1 1 0.784314 rgBT /Overlock 10 2018, 170, 052009.	0.2	1
903	Study of mechanical degradation of sulfonated poly (ether ether ketone) membrane using ex-situ hydrothermal cycles for polymer electrolyte fuel cell application. <i>Journal of Power Sources</i> , 2018, 401, 73-84.	4.0	13
904	Novel interfacial bonding layers with controlled gradient composition profile for hydrocarbon-based membrane electrode assemblies. <i>Journal of Power Sources</i> , 2018, 398, 1-8.	4.0	9
905	A scientometric study of the research on ion exchange membranes. <i>RSC Advances</i> , 2018, 8, 24036-24048.	1.7	21
906	Electrochemical methanol reformation (ECMR) using low-cost sulfonated PVDF/ZrP membrane for hydrogen production. <i>Journal of Solid State Electrochemistry</i> , 2018, 22, 2757-2765.	1.2	2
907	Synthesis and characterization of sulfonated poly ether ether ketone (sPEEK) membranes for low temperature fuel cells. <i>AIP Conference Proceedings</i> , 2018, , .	0.3	3
908	Developing homogeneous ion exchange membranes derived from sulfonated polyethersulfone/N-phthaloyl-chitosan for improved hydrophilic and controllable porosity. <i>Korean Journal of Chemical Engineering</i> , 2018, 35, 1716-1725.	1.2	12
909	Synthesis and characterization of sulfonylimide based poly(arylene ether sulfone) copolymers for proton-exchange membrane. , 2018, , .		0
910	Synthesis and characterization of block copolymer and comparative study with random copolymer via superacid-catalyzed reaction. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 11862-11871.	3.8	12
911	Preparation and physical properties of polyarylene ether nitrile and polyarylene ether sulfone random copolymers. <i>High Performance Polymers</i> , 2019, 31, 686-693.	0.8	9
912	High temperature proton exchange porous membranes based on polybenzimidazole/ lignosulfonate blends: Preparation, morphology and physical and proton conductivity properties. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 30440-30453.	3.8	22
913	Evaluation of carboxylic, phosphonic, and sulfonic acid protogenic moieties on tunable poly(<i>meta</i> -phenylene oxide) ionomer scaffolds. <i>Journal of Polymer Science Part A</i> , 2019, 57, 2209-2213.	2.5	5
914	Influence of Water Uptake, Charge, Manning Parameter, and Contact Angle on Water and Salt Transport in Commercial Ion Exchange Membranes. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 18663-18674.	1.8	27

#	ARTICLE	IF	CITATIONS
915	External reinforcement of hydrocarbon membranes by a three-dimensional interlocking interface for mechanically durable polymer electrolyte membrane fuel cells. <i>Journal of Power Sources</i> , 2019, 415, 44-49.	4.0	13
916	Bisphenol A based carbon-carbon coupled poly(arylene)s from dibenzoyl-dichlorobenzene via Ni(II) catalyzed and condensation polymerization for PEMFC. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 21090-21100.	3.8	3
917	Recent development of membrane for vanadium redox flow battery applications: A review. <i>Applied Energy</i> , 2019, 238, 202-224.	5.1	295
918	Synthesis and characterization of post-sulfonated poly(arylene ether sulfone) membranes for potential applications in water desalination. <i>Polymer</i> , 2019, 177, 250-261.	1.8	17
919	Poly(ether ketone) composite membranes by electrospinning for fuel cell applications. <i>Journal of Power Sources</i> , 2019, 434, 226733.	4.0	13
920	Fabrication and characterization of sulfonated polybenzimidazole/sulfonated imidized graphene oxide hybrid membranes for high temperature proton exchange membrane fuel cells. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47892.	1.3	29
921	Investigations of the humidity sensing properties of side-chain-type sulfonated poly (arylene ether) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.8	0
922	Evaluation of fluorine and sulfonic acid co-functionalized graphene oxide membranes under hydrogen proton exchange membrane fuel cell conditions. <i>Sustainable Energy and Fuels</i> , 2019, 3, 1790-1798.	2.5	13
923	Selective ion transport for a vanadium redox flow battery (VRFB) in nano-crack regulated proton exchange membranes. <i>Journal of Membrane Science</i> , 2019, 583, 16-22.	4.1	46
924	Synthesis and Characterization of Phenolphthalein-Containing Sulfonated Poly(arylene ether) Tj ETQq1 1 0.784314 rgBT/Overlock 10 Tf 50 Science Part A, 2019, 57, 1097-1104.	2.5	8
925	Effect of phosphonated triazine monomer additive in disulfonated poly (arylene ether sulfone) composite membranes for proton exchange membrane fuel cells. <i>Polymer</i> , 2019, 171, 34-44.	1.8	8
926	A non-enzymatic glucose sensor based on electrospun 3-D copper oxide micro-nanofiber network films using carboxylic-functionalized poly(arylene ether ketone)s as templates. <i>RSC Advances</i> , 2019, 9, 6613-6619.	1.7	7
927	A Comparative Study on Physicochemical, Thermomechanical, and Electrochemical Properties of Sulfonated Poly(Ether Ether Ketone) Block Copolymer Membranes with and without Fe ₃ O ₄ Nanoparticles. <i>Polymers</i> , 2019, 11, 536.	2.0	16
928	Effect of Poly(ethylene glycol) Crystallization on Ionic Conduction and Dielectric Response of Imidazolium-Based Copolyester Ionomers. <i>Macromolecules</i> , 2019, 52, 2314-2328.	2.2	10
929	Synthesis of nickel catalyzed sulfonated poly (phenylenebenzophenone)s from primarily sulfonated monomer for proton exchange membranes. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 11311-11320.	3.8	10
930	Highly sulfonated polymer-grafted graphene oxide composite membranes for proton exchange membrane fuel cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 74, 223-232.	2.9	58
931	Sulfonation of blocky brominated PEEK to prepare hydrophilic-hydrophobic blocky copolymers for efficient proton conduction. <i>Solid State Ionics</i> , 2019, 336, 47-56.	1.3	11
932	Thermally and chemically stable poly(phenylenebenzophenone) membranes for proton exchange membrane fuel cells by Ni (0) catalyst. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 76, 233-239.	2.9	10

#	ARTICLE	IF	CITATIONS
933	Effect of Phosphaphenanthrene Skeleton in Sulfonated Polyimides for Proton Exchange Membrane Application. <i>ACS Applied Polymer Materials</i> , 2019, 1, 893-905.	2.0	12
934	Nanomaterial-incorporated sulfonated poly(ether ether ketone) (SPEEK) based proton-conducting membranes: properties and applications. , 2019, , 227-252.		2
935	A novel synthesis approach to partially fluorinated sulfonimide based poly (arylene ether sulfone) s for proton exchange membrane. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 11321-11331.	3.8	23
936	Advanced nanocomposite membranes based on sulfonated polyethersulfone: influence of nanoparticles on PEMFC performance. <i>Journal of the Iranian Chemical Society</i> , 2019, 16, 1617-1629.	1.2	19
937	Assessing anodic microbial populations and membrane ageing in a pilot microbial electrolysis cell. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 17304-17315.	3.8	39
938	High Dimensional Stability and Alcohol Resistance Aromatic Poly(aryl ether ketone) Polyelectrolyte Membrane Synthesis and Characterization. <i>ACS Applied Energy Materials</i> , 2019, 2, 1646-1656.	2.5	31
939	Improved proton conductive membranes from poly(phenylenebenzophenone)s with pendant sulfonyl imide acid groups for fuel cells. <i>Journal of Power Sources</i> , 2019, 442, 227233.	4.0	13
940	Counterion Transport and Transference Number in Aqueous and Nonaqueous Short-Chain Polyelectrolyte Solutions. <i>Journal of Physical Chemistry B</i> , 2019, 123, 10858-10867.	1.2	7
941	Multiscale Tortuous Diffusion in Anion and Cation Exchange Membranes. <i>Macromolecules</i> , 2019, 52, 24-35.	2.2	34
942	Polybenzimidazole Fuel Cell Technology: Theory, Performance, and Applications. , 2019, , 477-514.		4
943	Tailored functionalized polymer nanoparticles using gamma radiation for selected adsorption of barium and strontium in oilfield wastewater. <i>Arabian Journal of Chemistry</i> , 2020, 13, 3762-3774.	2.3	31
944	Synthesis of sulfonated polyketone membranes by a direct sulfonation reaction and their properties. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 81, 464-474.	2.9	6
945	Impact of metal cations on the thermal, mechanical, and rheological properties of telechelic sulfonated polyetherimides. <i>Polymer Chemistry</i> , 2020, 11, 393-400.	1.9	10
946	Improving the performance of novel polysulfone-based membrane via sulfonation method: Application to water desalination. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48568.	1.3	2
947	Blends of highly branched and linear poly(arylene ether sulfone)s: Multiscale effect of the degree of branching on the morphology and mechanical properties. <i>Polymer</i> , 2020, 188, 122114.	1.8	8
948	Synthesis of Highly Durable Sulfonated Polyketone Fibers by Direct Sulfonation Reaction and Their Adsorption Properties for Heavy Metals. <i>Macromolecular Research</i> , 2020, 28, 336-342.	1.0	3
949	Polydopamine-modified sulfonated polyhedral oligomeric silsesquioxane: An appealing nanofiller to address the trade-off between conductivity and stabilities for proton exchange membrane. <i>Journal of Membrane Science</i> , 2020, 596, 117734.	4.1	44
950	Small Groups, Big Impact: Eliminating Li+ Traps in Single-Ion Conducting Polymer Electrolytes. <i>IScience</i> , 2020, 23, 101417.	1.9	20

#	ARTICLE	IF	CITATIONS
951	Sulfonated poly(flourenyl ether ketone)/Sulfonated \pm -zirconium phosphate Nanocomposite membranes for proton exchange membrane fuel cells. <i>Advanced Composites and Hybrid Materials</i> , 2020, 3, 498-507.	9.9	37
952	Ionomers for electrochemical energy conversion & storage technologies. <i>Polymer</i> , 2020, 211, 123080.	1.8	53
953	One-Pot Synthesis of Proton Exchange Membranes from Anion Exchange Membrane Precursors. <i>ACS Macro Letters</i> , 2020, 9, 1489-1493.	2.3	16
954	Sulfonation of alginate grafted with polyacrylamide as a potential binder for high-capacity Si/C anodes. <i>RSC Advances</i> , 2020, 10, 37898-37904.	1.7	10
955	Sulphonated polysilsesquioxane-polyimide composite membranes: proton exchange membrane properties. <i>Bulletin of Materials Science</i> , 2020, 43, 1.	0.8	4
956	Flexible blend polymer electrolyte membranes with excellent conductivity for fuel cells. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 27611-27621.	3.8	11
957	Disulfonated Poly(arylene ether sulfone) Random Copolymers Containing Hierarchical Iptycene Units for Proton Exchange Membranes. <i>Frontiers in Chemistry</i> , 2020, 8, 674.	1.8	4
958	Synthesis, Phase Structure, and Ion Conductivity of Poly(<i>p</i> -phenylene) Functionalized with Lithium Trifluoromethanesulfonimide and Tetra(ethylene Oxide) Side Chains. <i>ACS Applied Energy Materials</i> , 2020, 3, 9066-9075.	2.5	7
959	Dual-Ionomer-Based Device: Acetylcholine Transport and Nonenzymatic Sensing. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 50039-50051.	4.0	3
960	Multi-phenyl structured aromatic hydrocarbon polymer. <i>Bangladesh Journal of Scientific and Industrial Research</i> , 2020, 55, 139-146.	0.1	1
961	Controlling Fuel Crossover in Open Electrochemical Cells by Tuning the Water Nanochannel for Power Generation. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 8613-8623.	3.2	6
962	High-Efficiency Synthesis of 5-Hydroxymethylfurfural from Fructose over Highly Sulfonated Organocatalyst. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 17218-17227.	1.8	21
963	Durable sulfonated partially fluorinated polysulfones as membrane for PEM fuel cell. <i>Renewable Energy</i> , 2020, 158, 421-430.	4.3	23
964	Sulfonated polyoxadiazole synthesis and processing into ion-conducting films. <i>Polymer International</i> , 2020, 69, 1243-1255.	1.6	15
965	A highly robust and water permeable thin film composite membranes for pressure retarded osmosis generating 26 $\text{AW} \cdot \text{m}^2$ at 21 \AA bar. <i>Desalination</i> , 2020, 483, 114409.	4.0	24
966	Enhancement of service life of polymer electrolyte fuel cells through application of nanodispersed ionomer. <i>Science Advances</i> , 2020, 6, eaaw0870.	4.7	51
967	Enhanced performance of Mindel membranes by incorporating conductive polymer and inorganic modifier for application in direct methanol fuel cells. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2020, 15, e2473.	0.8	2
968	Advanced carbon nanocomposite membrane electrolytes for direct methanol fuel-cell applications. , 2020, , 107-134.		0

#	ARTICLE	IF	CITATIONS
969	Self-healing and highly elastic fluorine-free proton exchange membranes comprised of poly(vinyl) Tj ETQq0 0 0 rgBT ₃ /Overlock ₇ 10 Tf 50 7	3.5	7
970	SnO ₂ nanoparticles dispersed carboxylated Poly(arylene ether sulfones) nanocomposites for proton exchange membrane fuel cell (PEMFC) applications. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 1121-1132.	3.8	22
971	Structure and properties of sulfonated poly(arylene ether)s with densely sulfonated segments containing mono-, di- and tri-tetraphenylmethane as proton exchange membrane. <i>Journal of Membrane Science</i> , 2021, 620, 118856.	4.1	25
972	Development of highly selective composite polymeric membranes for Li ⁺ /Mg ²⁺ separation. <i>Journal of Membrane Science</i> , 2021, 620, 118891.	4.1	39
973	Nanofiber hybrid membranes: progress and application in proton exchange membranes. <i>Journal of Materials Chemistry A</i> , 2021, 9, 3729-3766.	5.2	48
974	On the evolution of sulfonated polyphenylenes as proton exchange membranes for fuel cells. <i>Materials Advances</i> , 2021, 2, 4966-5005.	2.6	41
975	Diphenyl Oxide Copolyarylenephthalides with Different Ratio of Phthalide and Diphtalide Groups. <i>Polymer Science - Series B</i> , 2021, 63, 13-21.	0.3	2
976	Highly Dispersed CeO _x Hybrid Nanoparticles for Perfluorinated Sulfonic Acid Ionomerâ€™ Poly(tetrafluoroethylene) Reinforced Membranes with Improved Service Life. <i>Membranes</i> , 2021, 11, 143.	1.4	9
977	Branched Sulfonimide-Based Proton Exchange Polymer Membranes from Poly(Phenylenebenzophenone)s for Fuel Cell Applications. <i>Membranes</i> , 2021, 11, 168.	1.4	5
978	Polymer Electrolytes with High Ionic Concentration for Fuel Cells and Electrolyzers. <i>ACS Applied Polymer Materials</i> , 2021, 3, 1250-1270.	2.0	74
979	Synthesis and characterization of piperazine containing polyaspartimides blended polysulfone membranes for fuel cell applications. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 1421-1431.	1.2	6
980	Alcohol-Treated Porous PTFE Substrate for the Penetration of PTFE-Incompatible Hydrocarbon-Based Ionomer Solutions. <i>Langmuir</i> , 2021, 37, 3694-3701.	1.6	18
981	Global research direction on Pt and Pt based electroâ€™ catalysts for fuel cells application between 1990 and 2019: A bibliometric analysis. <i>International Journal of Energy Research</i> , 2021, 45, 15783-15796.	2.2	8
982	Sulfonation mechanisms of aromatic polymers for PEMFC applications. <i>Fuel Cells</i> , 2021, 21, 196.	1.5	0
983	Membrane properties of trisulfonated hydrophilic and partially fluorinated hydrophobic multiblock copolymer. <i>Polymer</i> , 2021, 226, 123810.	1.8	0
984	Application of proton-conducting sulfonated polysulfone incorporated MIL-100(Fe) composite materials for polymer-electrolyte membrane microbial fuel cells. <i>Journal of Cleaner Production</i> , 2021, 300, 126963.	4.6	33
985	Thin-film composite hollow-fiber nanofiltration membranes prepared from benzonitrile containing disulfonated poly(arylene ether sulfone) random copolymers coated onto polyphenylene oxide support membranes. <i>Journal of Membrane Science</i> , 2021, 631, 119336.	4.1	4
986	Sulfonated poly(arylene ether)s based proton exchange membranes for fuel cells. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 31727-31753.	3.8	38

#	ARTICLE	IF	CITATIONS
987	Ion exchange capacity controlled biphenol-based sulfonated poly(arylene ether sulfone) for polymer electrolyte membrane water electrolyzers: Comparison of random and multi-block copolymers. <i>Journal of Membrane Science</i> , 2021, 634, 119370.	4.1	37
988	High-performance multiblock PEMs containing a highly acidic fluorinated-hydrophilic domain for water electrolysis. <i>Journal of Membrane Science</i> , 2021, 638, 119694.	4.1	12
989	Enhancement of microbial fuel cell efficiency by incorporation of graphene oxide and functionalized graphene oxide in sulfonated polyethersulfone membrane. <i>Renewable Energy</i> , 2021, 179, 788-801.	4.3	20
990	Perfluorocyclobutyl-containing multiblock copolymers to induce enhanced hydrophilic/hydrophobic phase separation and high proton conductivity at low humidity. <i>Journal of Membrane Science</i> , 2022, 641, 119892.	4.1	13
991	Block Ionomers for Fuel Cell Application. , 0, , 337-366.		2
992	Proton Exchange Membranes for H2 Fuel Cell Applications. , 2012, , 73-98.		2
993	Polybenzimidazole Fuel Cell Technology: Theory, Performance, and Applications. , 2018, , 1-38.		4
994	Polymer Electrolyte Fuel Cells (PEFCs). <i>Green Energy and Technology</i> , 2016, , 301-311.	0.4	5
995	Swelling behaviors of proton exchange membranes in alcohols. <i>Polymer</i> , 2017, 130, 112-123.	1.8	14
996	Sulfonation Mechanism of Polysulfone in Concentrated Sulfuric Acid for Proton Exchange Membrane Fuel cell Applications. <i>ACS Omega</i> , 2020, 5, 13219-13223.	1.6	14
997	Sulfonated Polyimide Membranes. <i>Electrochemical Energy Storage and Conversion</i> , 2015, , 109-132.	0.0	1
998	Development and Modification of a PEMFC Electrode by Using a Hydrocarbon Ionomer for High Utilization of Catalyst. <i>Journal of Chemical Engineering of Japan</i> , 2007, 40, 773-779.	0.3	3
999	Synthesis and Properties of Sulfonated Poly(phenylene) Polymer Electrolytes with Various Side Chains. <i>Kagaku Kogaku Ronbunshu</i> , 2013, 39, 224-230.	0.1	1
1000	Sulfonated poly(arylene ether sulfone) functionalized polysilsesquioxane hybrid membranes with enhanced proton conductivity. <i>E-Polymers</i> , 2020, 20, 430-442.	1.3	11
1002	Multilayer Membranes Based on Sulfonated Poly(Ether Ether Ketone) and Poly(Vinyl Alcohol) for Direct Methanol Membrane Fuel Cells. <i>The Open Fuel Cells Journal</i> , 2009, 1, 4-8.	1.0	5
1003	Hydroquinone based sulfonated poly (arylene ether sulfone) copolymer as proton exchange membrane for fuel cell applications. <i>EXPRESS Polymer Letters</i> , 2015, 9, 1053-1067.	1.1	14
1004	DIRECT SYNTHESIS AND PROPRTIES OF SULFONATED POLY(ARYLENE ETHER SULFONE) COPOLYMERS FOR PROTON EXCHANGE MEMBRANES IN FUELCELLS. <i>Acta Polymerica Sinica</i> , 2009, 009, 375-380.	0.0	1
1005	PREPARATION AND PROPERTIES OF SULFONATED POLY(ARYLE ETHER KETONE SULFONE)S/POLYPYRROLE COMPOSITE MEMBRANES FOR DIRECT METHANOL FUEL CELLS. <i>Acta Polymerica Sinica</i> , 2010, 010, 835-841.	0.0	1

#	ARTICLE	IF	CITATIONS
1006	Synthesis, and Structural and Thermal Characterizations of Tetrasulfonated Poly(arylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 747 Td (Society, 2011, 32, 4041-4048.	1.0	8
1007	Development of Crosslinked Sulfonated Poly(ether sulfone)s as Novel Polymer Electrolyte Membranes. Journal of the Korean Chemical Society, 2009, 53, 345-354.	0.2	3
1008	Hydrocarbon Composite Membranes with Improved Oxidative Stability for PEMFC. Journal of the Korean Electrochemical Society, 2014, 17, 44-48.	0.1	6
1009	Preparation and Properties of Sulfonated Poly(ether ether ketone) (SPEEK) Electrospun Nanofibrous Ion-exchange Membrane for PEMFC. Porrima, 2012, 36, 155-162.	0.0	1
1010	An overview on the progress and development of modified sulfonated polyether ether ketone membranes for vanadium redox flow battery applications. High Performance Polymers, 2022, 34, 131-148.	0.8	13
1011	Proton Conductivity and Methanol Permeability of Sulfonated Polysulfone/PPSQ Composite Polymer Electrolyte Membrane. Journal of the Korean Electrochemical Society, 2004, 7, 89-93.	0.1	1
1012	Recent developments in high-temperature proton conducting polymer electrolyte membranes. , 2005, , 433-441.		0
1013	Characterization of Nafion/Poly(ether(amino sulfone)) Acid-base Blend Polymer Electrolyte Membranes for Direct Dimethyl Ether Fuel Cell. Journal of the Korean Electrochemical Society, 2006, 9, 89-94.	0.1	0
1014	Current Status and Roles of Proton Exchange Membrane in Direct Methanol Fuel Cell Systems. Journal of the Korean Electrochemical Society, 2009, 12, 219-233.	0.1	0
1015	STUDY ON SYNTHESIS AND PERFORMANCES OF SULFONATED POLY(ARYLENE ETHER KETONE) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 747 Td (007, 868-874.	0.0	0
1016	Polybenzimidazole Fuel Cell polybenzimidazole (PBI) fuel cell Technology. , 2012, , 8173-8201.		0
1017	Sulfonated PES (SPES). , 2015, , 1-2.		0
1018	Sulfonated Poly(Ether Sulfone) Membranes. Electrochemical Energy Storage and Conversion, 2015, , 133-200.	0.0	0
1019	Sulfonated PES (SPES). , 2016, , 1849-1850.		0
1020	Proton Conductions. Polymers and Polymeric Composites, 2019, , 977-1010.	0.6	0
1021	The Fabrication of Ion Exchange Membrane and Its Application to Energy Systems. Membrane Journal, 2020, 30, 79-96.	0.2	2
1022	A Review on PEM Fuel Cells Used for Automotive Applications, Models and Hydrogen Storage for Hybrid Electric Fuel Cell Vehicle. , 0, , .		4
1023	Sulfonic Acid-Functionalized Zr^{IV} -Zirconium Phosphate Single-Layer Nanosheets for Catalysis and Fuel-Cell Applications. , 0, , 61-71.		0

#	ARTICLE	IF	CITATIONS
1025	Hydration, Prediction of the p <i>K</i> _a , and Infrared Spectroscopic Study of Sulfonated Polybenzophenone (SPK) Block-Copolymer Hydrocarbon Membranes and Comparisons with Nafion. ACS Omega, 2021, 6, 32739-32748.	1.6	7
1026	Development of Poly(Arylene Ether Sulfone)S Containing Aliphatic Moiety for Low-Temperature Decal Transfer Method. SSRN Electronic Journal, 0, , .	0.4	0
1027	Sulfonated and Fluorinated Aromatic Terpolymers as Proton Conductive Membranes: Synthesis, Structure, and Properties. Bulletin of the Chemical Society of Japan, 2022, 95, 707-712.	2.0	1
1029	Ex situ aging effect on sulfonated poly(ether ether ketone) membrane: Hydration-dehydration cycling and hydrothermal treatment. Journal of Energy Chemistry, 2022, 70, 583-592.	7.1	3
1030	High-performance blended membranes based on poly(arylene ether sulfone) and sulfonated poly(styrene- <i>co</i> -isobutylene- <i>co</i> -styrene) for direct methanol fuel cell applications. Journal of Applied Polymer Science, 2022, 139, 52027.	1.3	1
1032	Semi-fluorinated Poly(aryl ether sulfone)s via step-growth polymerization of perfluorocyclohexene with bisphenols. Polymer, 2022, 253, 124937.	1.8	1
1034	Nano-enhanced sulfonated poly(arylene ether sulfone) composite membranes and their characterization. High Performance Polymers, 0, , 095400832211123.	0.8	0
1035	Fuel cell performance improvement via the steric effect of a hydrocarbon-based binder for cathode in proton exchange membrane fuel cells. Scientific Reports, 2022, 12, .	1.6	3
1036	Synthesis and physicochemical characterization of sulfonated polyketone ion exchange membrane using response surface methodology. Polymers for Advanced Technologies, 0, , .	1.6	1
1037	Development of Poly(Arylene ether Sulfone)-Based blend membranes containing aliphatic moieties for the low-temperature decal transfer method. Journal of Membrane Science, 2022, 660, 120853.	4.1	1
1038	Preparation of Superabsorbent Beads via Superfast Photopolymerization and Their Characterization. Macromolecular Chemistry and Physics, 0, , 2200245.	1.1	0
1039	Functionalized nanoclays for improved properties of composite proton exchange membranes. Journal of Power Sources, 2022, 549, 232083.	4.0	8
1040	Sulfonated, oxidized pectin-based double crosslinked bioprosthetic valve leaflets for synergistically enhancing hemocompatibility and cytocompatibility and reducing calcification. Journal of Materials Chemistry B, 2022, 10, 8218-8234.	2.9	2
1041	Sulfonated Poly(arylene ether sulfone) Multi-Block Copolymers with Selectively Cross-Linked Domains for Proton Exchange Membranes. ACS Applied Polymer Materials, 2022, 4, 7476-7486.	2.0	2
1042	Polymeric Materials and Microfabrication Techniques for Liquid Filtration Membranes. Polymers, 2022, 14, 4059.	2.0	2
1043	Composite Membranes Based on Functionalized Mesoporous Cellular Foam Particles and Sulfonated Poly(Ether Ether Sulfone) with Potential Application in Fuel Cells. Membranes, 2022, 12, 1075.	1.4	0
1044	Preparation and characterization of new types of sulfonated poly(ether sulfide sulfone) for application in fuel cell. Polymer-Plastics Technology and Materials, 2023, 62, 86-98.	0.6	0
1045	Electrochemical energy storage and conversion: An overview. Wiley Interdisciplinary Reviews: Energy and Environment, 2023, 12, .	1.9	6

#	ARTICLE	IF	CITATIONS
1046	Fabrication of Thermally Stable Sulfonated Poly(arylene ether sulfone) Containing Sulfonic Acid Based Additives for Proton Exchange Membrane Fuel Cells. ChemistrySelect, 2022, 7, .	0.7	1
1047	Solvent induced effect on morphology and properties of disulfonated polyarylene ether sulfone block copolymer membranes for PEMFC applications. Polymer, 2023, 267, 125626.	1.8	1
1048	Solvent casting-assisted synthesis of thermally responsive shape memory polymer and its composites. Polymer Bulletin, 2023, 80, 12211-12232.	1.7	0
1049	Experimental and Computational Approaches to Sulfonated Poly(arylene ether sulfone) Synthesis Using Different Halogen Atoms at the Reactive Site. Membranes, 2022, 12, 1286.	1.4	0
1050	Highly Branched Poly(arylene ether ketone sulfone)s Bearing Flexible Sulfoalkyl Side Chains for Proton Exchange Membranes. ACS Applied Energy Materials, 2023, 6, 564-572.	2.5	3
1051	Sulfonated branched poly(arylene ether ketone sulfone) proton exchange membranes: Effects of degree of branching and ion exchange capacity. European Polymer Journal, 2023, 186, 111837.	2.6	3
1052	Morphological transformation of perfluorinated sulfonic acid ionomer via ionic complex formation at a high entropy state. Materials Today Energy, 2023, 33, 101250.	2.5	0
1053	Sulfonated Poly(Phenylene sulfone) blend membranes finding their way into proton exchange membrane fuel cells. Journal of Power Sources, 2023, 563, 232791.	4.0	3
1054	Nucleophilic Substitution <sc>Polymerization–Induced</sc> Emission of 1,<sc>3–Dicarbonyl</sc> Compounds as a Versatile Approach for <sc>Aggregation–Induced</sc> Emission Type <sc>Non–Traditional</sc> Intrinsic Luminescence^{–}. Chinese Journal of Chemistry, 2023, 41, 1705-1712.	2.6	4
1055	Molecular Design of Hydrophilized Polyethersulfone to Enhance Water/Salt Selectivity. Macromolecules, 2023, 56, 2027-2037.	2.2	4
1056	Carboxyl-functionalized nanocellulose/sulfonated poly(aryl ether ether ketone ketone) composites for proton exchange membrane by electrospinning. High Performance Polymers, 0, , 095400832311625.	0.8	0
1070	Synthesis of Polyethylene-Based Materials, Ion Exchanger, Superabsorbent, Radiation Shielding, and Laser Ablation Applications. , 0, , .		0
1072	Ion-exchange membranes in non-microbial fuel cell systems. , 2024, , 191-227.		0