

CITATION REPORT

List of articles citing

Tension and compression tests of two polymers under quasi-static and dynamic loading

DOI: 10.1016/s0142-9418(01)00055-1
Polymer Testing, 2002, 21, 113-121.

Source: <https://exaly.com/paper-pdf/34717459/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
266	Re-engineering: a breakthrough or little new. 1997 , 13, 326		9
265	Facilitating regeneration through new enterprise creation. 2002 , 2, 438		
264	Creep, recovery and high strain rate response of soft roll cover materials. 2002 , 34, 493-504		12
263	Plastics Part Design: Low Cycle Fatigue Strength of Glass-fiber-reinforced Polyethylene Terephthalate (PET). 2004 , 23, 1607-1614		11
262	Loading and unloading split hopkinson pressure bar pulse-shaping techniques for dynamic hysteretic loops. <i>Experimental Mechanics</i> , 2004 , 44, 622-627	2.6	93
261	Morphological Characterization and Mechanical Behavior of Poly(styrene-co-acrylonitrile)-modified Epoxy Matrices. 2004 , 16, 557-568		2
260	Experimental study of tensile properties of PMMA at intermediate strain rate. 2004 , 58, 3681-3685		68
259	Constitutive modeling for mechanical behavior of PMMA microcellular foams. <i>Polymer</i> , 2005 , 46, 11896-11903	3.19	36
258	Upper limit of constant strain rates in a split Hopkinson pressure bar experiment with elastic specimens. <i>Experimental Mechanics</i> , 2005 , 45, 440-446	2.6	27
257	Influence of temperature and strain rate on the mechanical behavior of three amorphous polymers: Characterization and modeling of the compressive yield stress. 2006 , 43, 2318-2335		367
256	Convex interfacial joints with least stress singularities in dissimilar materials. 2006 , 38, 1001-1011		37
255	Viscoelastic behavior of HDPE polymer using tensile and compressive loading. 2006 , 15, 111-116		40
254	The compressive behavior of isocyanate-crosslinked silica aerogel at high strain rates. 2006 , 10, 83-111		58
253	Strain Rate Effect on Mechanical Behaviors of Nylon 6/Clay Nanocomposites. 2006 , 40, 925-938		4
252	Mechanics of polycarbonate during high-rate tension. 2007 , 2, 1853-1880		48
251	Effect of the Strain Rate on the Mechanical Behaviour of Epoxy Adhesives. 2007 , 347, 671-676		12
250	Chapter 27 Descriptive Classification: Failure Modes of Particles by Compression. 2007 , 12, 1121-1148		1

249	Quasi-static/dynamic response of SiO ₂ /epoxy nanocomposites. 2007 , 458, 330-335		73
248	Constitutive modeling for characterizing the compressive behavior of PMMA open-cell foams. 2007 , 45, 436-443		9
247	Preparation of C200 green reactive powder concrete and its static/dynamic behaviors. 2008 , 30, 831-838		142
246	High strain-rate compression and tension behaviour of an epoxy bi-component adhesive. 2008 , 28, 329-339		91
245	Synthesis and characterization of the physical, chemical and mechanical properties of isocyanate-crosslinked vanadia aerogels. 2008 , 48, 113-134		53
244	Mechanical properties of Epon 826/DEA epoxy. 2008 , 12, 249-272		93
243	Compressive strength of hydrostatic-stress-sensitive materials at high strain-rates. 2008 , 14, 324-328		1
242	Experimental characterisation and constitutive modelling of RTM-6 resin under impact loading. <i>Polymer</i> , 2008 , 49, 2728-2737	3-9	87
241	Dynamic tensile testing of plastic materials. <i>Polymer Testing</i> , 2008 , 27, 164-178	4-5	109
240	Mechanical behaviour of acrylic under high strain rate tensile loading. <i>Polymer Testing</i> , 2008 , 27, 504-512	4.5	38
239	Dynamic tensile behavior of materials with previous fatigue damage. 2008 , 497, 51-60		24
238	Finite element modeling of the mechanical effects of the UV laser ablation of polymer coatings. 2008 , 254, 3531-3539		3
237	The high strain rate response of PVC foams and end-grain balsa wood. 2008 , 39, 83-91		105
236	Effect of fatigue damage induced by cyclic plasticity on the dynamic tensile behavior of materials. 2008 , 30, 1708-1719		21
235	Measurement of Epoxy Resin Tension, Compression, and Shear Stress-strain Curves over a Wide Range of Strain Rates Using Small Test Specimens. 2008 , 21, 162-173		126
234	Dynamic characterization of micro-scaled samples using the Hopkinson tensile bar technique. <i>Journal of Strain Analysis for Engineering Design</i> , 2008 , 43, 595-607	1-3	5
233	Identification of the Strain Rate Parameters for Structural Adhesives. 2008 , 22, 1523-1540		8
232	Strain Rate Dependence of Compressive Stress-Strain Loops of Several Polymers. 2008 , 2, 557-566		29

231	Effect of Strain Rate on the Mechanical Properties of Crystallized Poly(L-lactide). 2008 , 3, 453-460		2
230	Measurement of young's modulus of human tympanic membrane at high strain rates. 2009 , 131, 064501		40
229	Preparation and Mechanical Properties of Epoxy Resin Reinforced with Jeffamines-Grafted Carbon Nanotubes. 2009 , 79-82, 553-556		6
228	Effects of strain rate on the mechanical properties of tricalcium phosphate/poly(L: -lactide) composites. 2009 , 20, 67-74		10
227	Dynamic Tensile Testing of Soft Materials. <i>Experimental Mechanics</i> , 2009 , 49, 451-458	2.6	64
226	A Tensile Split Hopkinson Bar for Testing Particulate Polymer Composites Under Elevated Rates of Loading. <i>Experimental Mechanics</i> , 2009 , 49, 799-811	2.6	34
225	Effect of fatigue damage on the dynamic tensile behavior of 6061-T6 aluminum alloy and AISI 4140T steel. 2009 , 31, 1928-1937		26
224	Tension testing of polycarbonate at high strain rates. <i>Polymer Testing</i> , 2009 , 28, 724-729	4.5	58
223	Failure surface of epoxy-modified fiber-reinforced composites under transverse tension and out-of-plane shear. 2009 , 46, 2265-2274		99
222	Constitutive equations for thermomechanical deformations of glassy polymers. 2009 , 46, 4079-4094		36
221	Investigating Silica Nanoparticle Effect on Dynamic and Quasi-static Compressive Strengths of Glass Fiber/Epoxy Nanocomposites. 2009 , 43, 3143-3155		25
220	A comparison of Young's modulus for normal and diseased human eardrums at high strain rates. 2009 , 1, 1		13
219	Quantification of dynamic tensile parameters of rocks using a modified Kolsky tension bar apparatus. 2010 , 2, 162-168		41
218	Identification of non-homogeneous stress fields in dynamic experiments with a non-parametric method. <i>Polymer Testing</i> , 2010 , 29, 616-623	4.5	39
217	High-speed tensile tests on a polypropylene material. <i>Polymer Testing</i> , 2010 , 29, 685-692	4.5	31
216	Mechanical response and microstructure investigation of a mineral and rubber modified polypropylene. <i>Polymer Testing</i> , 2010 , 29, 793-802	4.5	21
215	Breakage probability of irregularly shaped particles. 2010 , 65, 1503-1512		47
214	Laser Damage Mechanisms of Amorphous Ta 2 O 5 Films at 1064, 532 and 355 nm in One-on-One Regime. 2010 , 27, 114205		5

213	Simulation and experiments for the Q ext of a cavity beam position monitor. 2010 , 34, 405-408		
212	Determination of High Strain-Rate Compressive Stress-Strain Loops of Selected Polymers. 2010 , 24-25, 349-355		3
211	Dynamic Behavior of Materials, Volume 1. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2011 ,	0.3	1
210	Aerogels Handbook. 2011 ,		316
209	Inverse Analysis of Constitutive Relation for Epoxy Resin Materials. 2011 ,		2
208	Simulation of the microstructural evolution of a polymer crosslinked templated silica aerogel under high-strain-rate compression. 2011 , 357, 2063-2074		19
207	A novel method for pulse shaping of Split Hopkinson tensile bar signals. <i>International Journal of Impact Engineering</i> , 2011 , 38, 976-980	4	43
206	RETRACTED: Dynamic behavior of polymers at high strain-rates based on split Hopkinson pressure bar tests. <i>International Journal of Impact Engineering</i> , 2011 , 38, 41-50	4	23
205	RETRACTED ARTICLE: Determination of the radial inertia-induced transition strain-rate in split Hopkinson pressure bar tests. 2011 , 25, 2775-2780		3
204	Modal Analysis of a Servo-Hydraulic High Speed Machine and its Application to Dynamic Tensile Testing at an Intermediate Strain Rate. <i>Experimental Mechanics</i> , 2011 , 51, 1347-1363	2.6	54
203	Mechanical influence of static versus dynamic loadings on parametrical analysis of plasticized ethyl cellulose films. 2011 , 408, 1-8		5
202	High strain rate mechanical behavior of epoxy under compressive loading: Experimental and modeling studies. 2011 , 528, 846-854		55
201	Experimental Characterization of a Toughened Epoxy Adhesive under a Large Range of Strain Rates. 2011 , 25, 1581-1602		16
200	Measurement on Strain Rate Sensitivity and Dynamic Mechanical Properties of Various Polymeric Materials. 2011 , 471-472, 385-390		5
199	Effects of ultraviolet radiation and condensation on static and dynamic compression behavior of neat and nanoclay infused epoxy/glass composites. 2011 , 45, 1901-1918		15
198	A Kolsky tension bar technique using a hollow incident tube. 2011 , 22, 045703		25
197	Rate-Dependent Tensile Behavior of Polyurea at Low Strain Rates. 2011 , 16, 290-297		9
196	Experimental and Constitutive Investigation on Tensile and Compressive Behavior of MDYB-3 at Different Temperatures and Loading Rates. 2011 , 60, 340-350		7

195	Inconsistency in the strength testing of dental resin-based composites among researchers. 2013 , 29, 205-10		2
194	High strain rate mechanical properties of glassy polymers. 2012 ,		
193	Study on the Influence of Processing Condition on Impact Property of Injection-Molded Polycarbonate. 2012 , 151, 135-138		
192	Detecting fine scratches on smooth surfaces with multiscale wavelet representation. 2012 , 23, 085603		1
191	High strain rate tensile and compressive effects in glassy polymers. 2012 , 26, 01001		11
190	Dynamic testing of old and young baboon cortical bone with numerical validation. 2012 , 26, 03004		3
189	High Strain-Rate Compressive Properties and Constitutive Modeling of Selected Polymers. 2012 , 6, 731-741		8
188	A simplified approach for flexural behavior of epoxy resin materials. <i>Journal of Strain Analysis for Engineering Design</i> , 2012 , 47, 18-31	1.3	7
187	A new split Hopkinson tensile bar design. <i>International Journal of Impact Engineering</i> , 2012 , 50, 63-67	4	99
186	Higher Rate and Impact Tests. 2012 , 273-317		1
185	High strain-rate compressive behavior and constitutive modeling of selected polymers. 2012 , 26, 01061		
184	Effects of strain rate and temperature on the tension behavior of polycarbonate. 2012 , 38, 53-58		36
183	High strain rate compressive behavior of epoxy LY 556: Radial constraint effect. 2012 , 538, 210-218		8
182	Cross wedge rolling of a Ti6Al4V (ELI) alloy: the experimental studies and the finite element simulation of the deformation and failure. 2013 , 65, 1273-1287		36
181	Characterisation of mechanical and thermal properties of epoxy grouts for composite repair of steel pipelines. 2013 , 52, 315-327		51
180	Effect of interphase and strain-rate on the tensile properties of polyamide 6 reinforced with functionalized silica nanoparticles. 2013 , 75, 62-69		36
179	Effect of in vitro hydrolysis on the compressive behavior and strain rates dependence of tricalcium phosphate/poly(L-lactic acid) composites. 2013 , 22, 1-11		4
178	Analysis of structural changes during plastic deformations of amorphous polyethylene. <i>Polymer</i> , 2013 , 54, 819-840	3.9	14

177	High strain rate behavior of multi-walled carbon nanotubes/polycarbonate composites. 2013 , 45, 417-422	59
176	Mechanical characterisation of the dynamic tensile properties of CFRP sheet and adhesive at medium strain rates. 2013 , 96, 153-164	62
175	Structure and Mechanical Properties of Consumer-Friendly PMMA Microcapsules. 2013 , 52, 11253-11265	29
174	Mechanical Response of Polycarbonate Nano-composites as a Function of Strain Rate and Weight Percent of Nano-silicate Clay Loading. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2013 , 17-20	0.3
173	SPECTRAL SIGNATURES OF PENUMBRAL TRANSIENTS. 2013 , 779, 143	26
172	Future large scale accelerator projects for particle physics. 2013 , T158, 014016	2
171	Codimension-two bifurcation of axial loaded beam bridge subjected to an infinite series of moving loads. 2013 , 22, 120502	2
170	Preparation and characterisation of user-friendly PMMA microcapsules for consumer care. 2013 ,	
169	Compressive Strain Behaviour under Different Strain Rates in Multi-Walled Carbon Nanotubes-Polycarbonate Composites. 2013 , 02,	1
168	Dynamic Tensile Characteristics of Nuclear-Grade Graphite IG-11. 2014 , 566, 61-66	
167	Mechanical Behaviors and Thermoforming Features of PMMA Used In-Mold Decoration. 2014 , 496-500, 440-443	
166	High Strain-Rate Compressive Behavior and Constitutive Modeling of Selected Polymers Using Modified Ramberg-Osgood Equation. 2014 , 566, 80-85	
165	Simulation on SHTB Apparatus Design Based on ANSYS/LS-DYNA. 2014 , 580-583, 3138-3143	
164	Crosslinking PMMA: Molecular dynamics investigation of the shear response. 2014 , 52, 444-449	25
163	Performance of the experimental resins and dental nanocomposites at varying deformation rates. 2014 , 5, 237-42	5
162	Split Bar Hopkinson with Springs Striker Bar Launcher. 2014 , 493, 383-387	
161	Micromechanical modeling on the rate-dependent viscoplastic behavior of polymer composites with thermal residual stress effect. 2014 , 33, 1574-1589	6
160	Simulation on the Issue of One-Dimension Elastic Stress Pulse in SHTB Bar. 2014 , 543-547, 272-277	

159	Strain Rate Dependent Ductile-to-Brittle Transition of Graphite Platelet Reinforced Vinyl Ester Nanocomposites. 2014 , 2014, 1-8		3
158	Massless scattering at special kinematics as Jacobi polynomials. 2014 , 47, 215402		13
157	A mini desktop impact test system using multistage electromagnetic launch. 2014 , 49, 68-76		8
156	Numerical implementation of strain rate dependent thermo viscoelastic constitutive relation to simulate the mechanical behavior of PMMA. 2014 , 10, 93-107		20
155	Dynamic Brazilian Test of Brittle Materials Using the Split Hopkinson Pressure Bar and Digital Image Correlation. 2014 , 50, 563-570		33
154	Breakage Probability of Stressed Granules Using a Degradation Model. 2014 , 37, 1949-1958		2
153	Thermal and strain rate sensitive compressive behavior of polycarbonate polymer - experimental and constitutive analysis. 2014 , 21, 1		20
152	High strain rate compressive behavior of PMMA. 2014 , 71, 133-149		20
151	Influence of Load Type and Stress Gradient on Flexural Strength of Epoxy Resin Polymeric Material. 2014 , 27, 55-63		5
150	A Combined Theoretical/Experimental Approach for Reducing Ringing Artifacts in Low Dynamic Testing with Servo-hydraulic Load Frames. <i>Experimental Mechanics</i> , 2014 , 54, 775-789	2.6	26
149	Experimental study on critical breaking stress of float glass under elevated temperature. 2014 , 60, 41-49		30
148	Experimental investigation and modeling of the tension behavior of polycarbonate with temperature effects from low to high strain rates. 2014 , 51, 2539-2548		46
147	Dynamic tensile stress-strain characteristics of carbon/epoxy laminated composites in through-thickness direction. 2015 , 94, 01039		2
146	Tensile Behavior of Polyetheretherketone over a Wide Range of Strain Rates. 2015 , 2015, 1-9		22
145	Comparison of Mechanical Properties of Epoxy Grouts for Pipeline Repair. 2015 , 11, 1430-1434		3
144	Dynamic compressive mechanical response of a soft polymer material. 2015 , 79, 73-85		31
143	The Rate Dependent Tensile Response of Polycarbonate and Poly-methylmethacrylate. 2015 , 1, 162-175		17
142	Quasi-static failure behaviour of PMMA under combined shear and compression loading. <i>Polymer Testing</i> , 2015 , 42, 181-184	4.5	21

141	Uniaxial Compressive Response and Constitutive Modeling of Selected Polymers Over a Wide Range of Strain Rates. 2015 , 1, 15-27		12
140	Dynamic rock tests using split Hopkinson (Kolsky) bar system [A review. 2015 , 7, 27-59		253
139	Stress analysis of a complete maxillary denture under various drop impact conditions: a 3D finite element study. 2015 , 18, 1543-54		0
138	High-strain-rate tensile mechanical response of a polyurethane elastomeric material. <i>Polymer</i> , 2015 , 65, 72-80	3.9	45
137	Design of an Innovative System for Wave Generation in Direct Tension/Compression Split Hopkinson Bar. 2015 , 1, 201-213		36
136	High Strain Rate Behavior of Nanocomposites and Nanocoatings. <i>SpringerBriefs in Materials</i> , 2015 ,	0.5	
135	Tensile fracture behavior of short carbon nanotube reinforced polymer composites: A coarse-grained model. 2015 , 134, 981-988		48
134	Polymer based aerospace structures under high velocity impact applications; experimental, constitutive and finite element analysis. 2015 , 29, 4259-4265		11
133	Poly(methyl methacrylate) particles for local drug delivery using shock wave lithotripsy: In vitro proof of concept experiment. 2015 , 103, 1228-37		8
132	Bearing Capacities of the Structure and Joint of JUNO Central Detector. 2016 , 60, 561-572		8
131	Experimentation and Modeling of the Tension Behavior of Polycarbonate at High Strain Rates. <i>Polymers</i> , 2016 , 8,	4.5	13
130	Dynamic Mechanical Behavior of PBX. 2016 , 41, 629-636		11
129	A Macro-Damaged Viscoelastoplastic Model for Thermomechanical and Rate-Dependent Behavior of Glassy Polymers. 2016 , 301, 469-485		2
128	Experimental investigation and modeling of the rate-dependent deformation behavior of PMMA at different temperatures. 2016 , 85, 313-323		18
127	Impact Initiation of Reactive Aluminized Fluorinated Acrylic Nanocomposites. 2016 , 2, 259-271		4
126	A large strain hyperelastic viscoelastic-viscoplastic-damage constitutive model based on a multi-mechanism non-local damage continuum for amorphous glassy polymers. 2016 , 96, 192-216		46
125	Experimental Methods for Characterizing Dynamic Response of Soft Materials. 2016 , 2, 2-14		32
124	Tensile Properties and Rate Dependence of a Dual Amine Epoxy Network. 2016 , 2, 112-121		3

123	Compressive response of a glass/polymer system at various strain rates. 2016 , 95, 49-59		13
122	Evaluation of the effect of water content on the stress optical coefficient in PMMA. <i>Polymer Testing</i> , 2016 , 50, 119-124	4.5	7
121	Compressive response of multiple-particles-polymer systems at various strain rates. <i>Polymer</i> , 2016 , 91, 62-73	3.9	21
120	Evaluation of Numerical Methods to Model Structural Adhesive Response and Failure in Tension and Shear Loading. 2016 , 2, 122-137		13
119	High strain rate sensitivity of epoxy/clay nanocomposites using non-contact strain measurement. <i>Polymer</i> , 2016 , 86, 197-207	3.9	26
118	High strain rate characterization of polymers. 2017 ,		14
117	Quasi-static and dynamic tensile properties of basalt fibre reinforced polymer. 2017 , 125, 123-133		55
116	On the Time and Temperature Dependent Behaviour of Laminated Amorphous Polymers Subjected to Low-Velocity Impact. 2017 ,		8
115	Ductility, recovery and strain rate dependency of an acrylic structural adhesive. 2017 , 140, 184-193		12
114	Design and analysis of a 1-ton prototype of the Jinping Neutrino Experiment. 2017 , 855, 81-87		11
113	Mechanical behavior of polyester polymer concrete under low strain rate loading conditions. <i>Polymer Testing</i> , 2017 , 63, 596-604	4.5	15
112	Characterization and modeling of poly(methyl methacrylate) and thermoplastic polyurethane for the application in laminated setups. 2017 , 113, 102-111		16
111	Characterization of a Laser Extensometer for Split Hopkinson Pressure bar Experiments. <i>Experimental Mechanics</i> , 2017 , 57, 1265-1273	2.6	4
110	Crack initiation and potential hot-spot formation around a cylindrical defect under dynamic compression. 2017 , 122, 185104		4
109	Ductility potential of brittle epoxies: Thermomechanical behaviour of plastically-deformed fully-cured composite resins. <i>Polymer</i> , 2017 , 120, 43-51	3.9	16
108	Rate-Dependent Constitutive Model Development of PC/ABS Material. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2017 , 163-172	0.3	
107	Challenges in Mechanics of Time Dependent Materials, Volume 2. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2017 ,	0.3	1
106	Dynamic Brazilian Test Using the Kolsky-Hopkinson Bar Machine. 2018 , 121-141		

105	The Kolsky-Hopkinson Bar Machine. 2018 ,		15
104	Prediction of mechanical behavior of composites under high strain rate tensile loading. 2018 , 90, 1-7		14
103	Investigating the static and dynamic tensile mechanical behaviour of polymer-bonded explosives. 2018 , 54, e12262		3
102	Experimental Investigation of Strain Rate and Temperature Dependent Response of an Epoxy Resin Undergoing Large Deformation. 2018 , 4, 114-128		20
101	Influence of loading conditions on the overall mechanical behavior of polyether-ether-ketone (PEEK). 2018 , 109, 83-92		15
100	Failure Behaviors of Oriented Strand Board Material under Quasi-Static and Dynamic Loads. 2018 , 30, 04017297		6
99	Dynamic tension of ductile polymers: Experimentation and modelling. 2018 , 123, 30-42		11
98	Adhesives and adhesive joints under impact loadings: An overview. 2018 , 94, 421-452		64
97	Influence of the end cap deformation of a hollow transmission bar on the hollow split Hopkinson pressure bar test results. <i>International Journal of Impact Engineering</i> , 2018 , 112, 116-124	4	2
96	The effect of curing agent on the dynamic tensile failure of an epoxy subjected to plate impact. <i>International Journal of Impact Engineering</i> , 2018 , 113, 203-211	4	10
95	Thermal?Mechanical Coupling Behavior of Directional Polymethylmethacrylate under Tension and Compression. <i>Polymers</i> , 2018 , 10,	4-5	2
94	Mechanisms of the Complex Thermo-Mechanical Behavior of Polymer Glass Across a Wide Range of Temperature Variations. <i>Polymers</i> , 2018 , 10,	4-5	6
93	Pressure shock fronts formed by ultra-fast shear cracks in viscoelastic materials. 2018 , 9, 4754		12
92	Mechanical Properties Characterization and Finite Element Analysis of Epoxy Grouts in Repairing Damaged Pipeline. 2018 , 140,		8
91	High Rate Compressive Behaviour of a Dilatant Polymeric Foam. 2018 , 4, 573-585		9
90	Dynamic stress-strain compressive behaviour of FDM made ABS and PC parts under high strain rates. 2018 , 377, 012153		4
89	Study of multi-objective optimization of process parameters in film posting based on outside mold decoration. 2018 , 50, 634-655		
88	Mechanical behavior of composite materials for marine applications [An experimental and computational approach. 2018 , 27,		4

87	Dynamic compressive response of a developed polymer composite at different strain rates. 2018 , 152, 96-101		24
86	Experimental investigation on the yield behavior of PMMA. 2018 , 75, 5535-5549		8
85	On anisotropy, strain rate and size effects in vat photopolymerization based specimens. <i>Additive Manufacturing</i> , 2018 , 23, 181-196	6.1	13
84	Impact Tests. 2018 , 555-592		
83	An experimental and numerical study of the mechanical properties of a cross-linked polyethylene subject to low-velocity impacts. <i>Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications</i> , 2019 , 233, 1604-1618	1.3	
82	A Criterion Describing the Dynamic Yield Behavior of PMMA. 2019 , 27, 750-755		2
81	Localizing gradient damage model with micro inertia effect for dynamic fracture. 2019 , 355, 492-512		8
80	Intelligent optimization design of specimen on sheet materials for Split Hopkinson Tensile Bar tests. 2019 , 563, 022016		1
79	Strain rate effect on interfacial bond behaviour between BFRP sheets and steel fibre reinforced concrete. 2019 , 174, 107032		19
78	Mechanical characterization of graphene oxide reinforced epoxy at different strain rates. 2019 , 59, 1636-1647	7	
77	Thermo-elastic-viscoplastic-damage model for self-heating and mechanical behavior of thermoplastic polymers. 2019 , 121, 227-243		21
76	Study on the Fracture Properties of the PMMA Structure for the JUNO Central Detector. 2019 , 23, 2584-2597	2	
75	Strain rate effects on the dynamic compressive response and the failure behavior of polyester matrix. 2019 , 174, 107040		21
74	Indentation Size Effect in Pressure-Sensitive Polymer Based on A Criterion for Description of Yield Differential Effects and Shear Transformation-Mediated Plasticity. <i>Polymers</i> , 2019 , 11,	4.5	6
73	Mode I stress intensity factors measurements in PMMA by caustics method: A comparison between low and high loading rate conditions. <i>Polymer Testing</i> , 2019 , 76, 273-285	4.5	13
72	Role of graphene oxide and sonication time on mechanical properties of epoxy nanocomposites at high strain rate. <i>Materials Research Express</i> , 2019 , 6, 065063	1.7	6
71	A modified method of pulse-shaper technique applied in SHPB. 2019 , 165, 215-221		12
70	A transparent three-layered laminate composed of poly(methyl methacrylate) and thermoplastic polyurethane subjected to low-velocity impact. <i>International Journal of Impact Engineering</i> , 2020 , 136, 103419	4	6

69	Ballistic behavior of multiwalled carbon nanotube-reinforced toughened polycarbonate nanocomposites. 2020 , 41, 1813-1819		2
68	Effects of strain rate and temperature on the mechanical behavior of high-density polyethylene. 2020 , 137, 48778		1
67	On the double transition in the failure mode of polycarbonate. 2020 , 140, 103242		5
66	Geometry Optimization of Sheet Specimen for the Measurement Accuracy Improvement in the Hopkinson Bar Based on Intelligent Algorithm. <i>IEEE Access</i> , 2020 , 8, 99655-99664	3.5	3
65	Developments and Novel Approaches in Nonlinear Solid Body Mechanics. <i>Advanced Structured Materials</i> , 2020 ,	0.6	0
64	Dynamic splitting tensile behaviours of distilled-water and river-water ice using a modified SHPB setup. <i>International Journal of Impact Engineering</i> , 2020 , 145, 103686	4	4
63	Effect of high strain rates and temperature on the micromechanical properties of 3D-printed polymer structures made by two-photon lithography. <i>Materials and Design</i> , 2020 , 195, 108977	8.1	16
62	Research on the measurement of connecting bars axial force of JUNO central detector. <i>Radiation Detection Technology and Methods</i> , 2020 , 4, 362-371	0.7	1
61	Investigation of PEEK skinned with aramid fiber. 2020 ,		
60	Experimental study on thermomechanical behaviour of polyurea under dynamic compressive loading. <i>Journal of Physics: Conference Series</i> , 2020 , 1507, 032006	0.3	0
59	Stress Transfer Mechanism of Flange in Split Hopkinson Tension Bar. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 7601	2.6	5
58	Strain Rate Dependencies and Competitive Effects of Dynamic Strength of Some Engineering Materials. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 3293	2.6	4
57	Polymer Based Abdominal Retractor According to Existing Design Parameters. <i>Materials Science Forum</i> , 2020 , 994, 312-320	0.4	
56	Consistent Time-to-Failure Tests and Analyses of Adhesive Anchor Systems. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 1527	2.6	6
55	A strain rate dependent cohesive zone element for mode I modeling of the fracture behavior of adhesives. <i>Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications</i> , 2020 , 234, 610-621	1.3	6
54	Fracturing behavior around a blasthole in a brittle material under blasting loading. <i>International Journal of Impact Engineering</i> , 2020 , 140, 103562	4	14
53	A reformulated rate-dependent visco-elastic model for dynamic deformation and fracture of PMMA with peridynamics. <i>International Journal of Impact Engineering</i> , 2021 , 149, 103791	4	7
52	Interlayer Bonding Capability of Additively Manufactured Polymer Structures under High Strain Rate Tensile and Shear Loading. <i>Polymers</i> , 2021 , 13,	4.5	0

51	Experimental study of the quasi-static and dynamic fracture toughness of freshwater ice using notched semi-circular bend method. <i>Engineering Fracture Mechanics</i> , 2021 , 247, 107696	4.2	2
50	The sensitivity of the tensile properties of PMMA, Kevlar [®] and Dyneema [®] to temperature and strain rate. <i>Polymer</i> , 2021 , 225, 123781	3.9	3
49	An extensive study on strain dependence of glass fiber-reinforced polymer-based composites. <i>Journal of Strain Analysis for Engineering Design</i> , 030932472110437	1.3	1
48	Effect of cross-head speed and temperature on the mechanical properties of polypropylene and glass fiber reinforced polypropylene pipes. <i>AEJ - Alexandria Engineering Journal</i> , 2021 , 60, 4947-4960	6.1	3
47	Dynamic high-rate tensile characterization of metallic materials with a Kolsky tension bar. 2022 , 1-40		
46	Dynamic Characterization of Soft Materials. 2009 , 1-28		5
45	Mechanical Characterization of Aerogels. 2011 , 499-535		15
44	Stress-Strain Response of PMMA as a Function of Strain-Rate and Temperature. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2011 , 125-133	0.3	9
43	Strength and Failure Energy for Adhesive Interfaces as a Function of Loading Rate. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2011 , 67-76	0.3	3
42	Impact Tests. 2011 , 503-532		1
41	The Image-Based Inertial Release (IBIR) Test: A New High Strain Rate Test for Stiffness Strain-Rate Sensitivity Identification. <i>Experimental Mechanics</i> , 2020 , 60, 493-508	2.6	3
40	Radial and axial inertia stresses in high strain rate deformation of polymer foams. <i>International Journal of Mechanical Sciences</i> , 2020 , 181, 105679	5.5	9
39	Loading and unloading split hopkinson pressure bar pulse-shaping techniques for dynamic hysteretic loops. 2004 , 44, 622		5
38	Upper limit of constant strain rates in a split Hopkinson pressure bar experiment with elastic specimens. 2005 , 45, 440		1
37	Determination of Impact Stress-Strain Loops of Several Engineering Plastics in Compression. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 2008 , 57, 380-387	0.1	4
36	Dynamic Impact Absorption Behaviour of Glass Coated with Carbon Nanotubes. <i>Journal of Surface Engineered Materials and Advanced Technology</i> , 2013 , 03, 257-261	0.2	1
35	Indirect Tensile Characterization of Graphite Platelet Reinforced Vinyl Ester Nanocomposites at High-Strain Rate. <i>Open Journal of Composite Materials</i> , 2014 , 04, 201-214	1.1	9
34	In Situ Grafted Composite Nanoparticles-Reinforced Polyurethane Elastomer Composites with Excellent Continuous Anti-Impact Performance. <i>Materials</i> , 2021 , 14,	3.5	

33	Strain rate dependent mechanical properties of 3D printed polymer materials using the DLP technique. <i>Additive Manufacturing</i> , 2021 , 47, 102368	6.1	2
32	Investigating High Strain Rate Responses of Nylon 6/Clay Nanocomposites. 2004 , 701-706		
31	Ultrasonic Fatigue Endurance Investigation on Plastic Material Nylon 6. <i>Materials Sciences and Applications</i> , 2011 , 02, 1293-1297	0.3	
30	A Kolsky Bar with a Hollow Incident Tube. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2011 , 471-478	0.3	
29	Kolsky Tension Bar for Samples with Very Low Strength. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2013 , 181-183	0.3	
28	Specimen Design to Study the Dynamic Response of an Amorphous Polymer. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2015 , 35-38	0.3	
27	Introduction. <i>SpringerBriefs in Materials</i> , 2015 , 1-21	0.5	
26	Impact Tests. 2017 , 1-39		
25	Strain Rate Sensitivity of Yield Response of PMMA: Experimental Characterization and Material Modeling. <i>Journal of Testing and Evaluation</i> , 2020 , 48, 20180019	1	0
24	Experimental and Numerical Methods. <i>Springer Theses</i> , 2019 , 9-26	0.1	
23	Axial Deformation Characteristics of Graphene-Sonicated Vinyl Ester Nanocomposites Subjected to High Rate of Loading. <i>Lecture Notes in Mechanical Engineering</i> , 2020 , 325-337	0.4	
22	An Experimental-Numerical Procedure for the Determination of True Stress-Strain Tensile Curve in Ductile Materials. <i>Advanced Structured Materials</i> , 2020 , 391-402	0.6	1
21	High Strain Rate Tension Experiments Features for Visco-Plastic Materials. <i>Advanced Structured Materials</i> , 2021 , 191-222	0.6	1
20	Effect of Strain Rate on the Transverse Tension and Compression Behavior of a Unidirectional Non-Crimp Fabric Carbon Fiber/Snap-Cure Epoxy Composite. <i>Materials</i> , 2021 , 14,	3.5	0
19	Experimental study on mechanical property and stone-chip resistance of automotive coatings. <i>Materials Research Express</i> , 2022 , 9, 016402	1.7	1
18	Optical Investigation of the Limits of Modeling the Nonlinear Elastic Behavior of PA6 Using Linear Elastic Material Models. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 1057	2.6	
17	Kolsky Bar Tensile Gripping Methods for Structural Adhesives. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2022 , 27-33	0.3	
16	High Strain Rate Studies of Polymer and Hybrid Nanocomposites for Aerospace Application. 2022 , 55-92		

15	Tensile Strength and Deformational Behavior of Stylolites and Mineral Healed Joints Subject to Dynamic Direct Tension. <i>Rock Mechanics and Rock Engineering</i> , 2022 , 55, 1997	5.7	1
14	Effect of Strain Rate on the Compressive Behavior of Polyurethane Bonding. <i>International Journal of Structural Stability and Dynamics</i> ,	1.9	0
13	Static and dynamic compressive and tensile response of highly stretchable polyurea. <i>International Journal of Impact Engineering</i> , 2022 , 104250	4	0
12	Effect of strain rate on the uni-axial stress-strain behavior of highly cross-linked epoxy resin. <i>Procedia Structural Integrity</i> , 2022 , 41, 248-253	1	0
11	Experimental Study on the High Temperature Impact Torsional Behavior of Ti-1023 Alloy. <i>Materials</i> , 2022 , 15, 3847	3.5	
10	Hydrostatic strength of hollow glass microspheres composites: influencing factors and modeling. <i>Composites Part C: Open Access</i> , 2022 , 100286	1.6	
9	Effects of strain rate and temperature on the mechanical behavior of polymethyl methacrylate (PMMA).		0
8	Influences of shim stiffness on the vibration response of tool-shim system and the impact fracture resistance of cutting tool in intermittent cutting.		0
7	The Dynamic Response of Additively Manufactured Polymers Subjected to Tensile Loading.		0
6	A modified split-Hopkinson pressure bar setup enabling stereo digital image correlation measurements for flexural testing. 2022 , 104480		0
5	Dynamic Composite Materials Characterisation with Hopkinson Bars: Design and Development of New Dynamic Compression Systems. 2023 , 7, 33		0
4	Designing and manufacturing of low load compressive testing device for soft tissue. 2023 ,		0
3	A nonlinear and rate-dependent fracture phase field framework for multiple cracking of polymer. 2023 , 410, 116017		0
2	An adaptive wavelet method for nonlinear partial differential equations with applications to dynamic damage modeling. 2023 , 479, 112002		0
1	Adhesive Properties of Semiconducting Polymers: Poly(3-alkylthiophene) as an Ersatz Glue.		0