## CITATION REPORT List of articles citing

Bamboo fibre filled natural rubber composites: the effects of filler loading and bonding agent

DOI: 10.1016/s0142-9418(01)00060-5 Polymer Testing, 2002, 21, 139-144.

Source: https://exaly.com/paper-pdf/34717464/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 285 | Crab shell chitin whisker reinforced natural rubber nanocomposites. 1. Processing and swelling behavior. <b>2003</b> , 4, 657-65  |     | 434       |
| 284 | Crab shell chitin whisker reinforced natural rubber nanocomposites. 2. Mechanical behavior. <b>2003</b> , 4, 666-74   |     | 199       |
| 283 | Creep behavior and manufacturing parameters of wood flour filled polypropylene composites. <b>2004</b> , 65, 459-469  |     | 123       |
| 282 | Rice-husk flour filled polypropylene composites; mechanical and morphological study. <b>2004</b> , 63, 305-   | 312 | 363       |
| 281 | Cure characteristics and mechanical properties of short nylon fiber-reinforced nitrile rubber composites. <i>Journal of Applied Polymer Science</i> , <b>2004</b> , 92, 1023-1030   | 2.9 | 29        |
| 280 | Maleated natural rubber as a coupling agent for paper sludge filled natural rubber composites. <i>Polymer Testing</i> , <b>2005</b> , 24, 856-862   | 4.5 | 69        |
| 279 | Effects of vascular fiber content on abrasive wear of bamboo. <b>2005</b> , 259, 78-83  |     | 47        |
| 278 | Improvement of the impact performance of a starch based biopolymer via the incorporation of Miscanthus giganteus fibres. <i>Industrial Crops and Products</i> , <b>2005</b> , 22, 175-186   | 5.9 | 42        |
| 277 | Mechanical Properties of Sisal/Coir Hybrid Fibre Reinforced Natural Rubber. <i>Progress in Rubber, Plastics and Recycling Technology,</i> <b>2005</b> , 21, 155-181   | 1.7 | 15        |
| 276 | Study of Fiber Breakage and Length Distribution During Compounding Glass-NBR-Phenolic Composites. <b>2005</b> , 44, 63-71   |     | 1         |
| 275 | Water absorption behavior and mechanical properties of lignocellulosic fillerpolyolefin bio-composites. <b>2006</b> , 72, 429-437   |     | 260       |
| 274 | Discoloration of celluloses treated with amino compounds. <b>2006</b> , 91, 886-893   |     | 13        |
| 273 | Photooxidation of cellulose treated with amino compounds. <b>2006</b> , 91, 2053-2060   |     | 12        |
| 272 | Mechanical and thermal properties of ABS and leather waste composites. <i>Journal of Applied Polymer Science</i> , <b>2006</b> , 101, 3062-3066   | 2.9 | 35        |
| 271 | The Effect of Filler Loading and Epoxidation on Paper-Sludge-Filled Natural Rubber Composites. <b>2006</b> , 45, 519-525  |     | 15        |
| 270 | Mapping the structure, composition and mechanical properties of bamboo. <b>2006</b> , 21, 1969-1976   |     | 56        |
| 269 | Mechanical properties of short-isora-fiber-reinforced natural rubber composites: Effects of fiber length, orientation, and loading; alkali treatment; and bonding agent. <i>Journal of Applied Polymer Science</i> , <b>2007</b> , 103, 1640-1650 | 2.9 | 55        |

## (2009-2007)

| 268 | Mechanical and thermal properties of polypropylene/sugarcane Bagasse composites. <i>Journal of Applied Polymer Science</i> , <b>2007</b> , 103, 3827-3832  | 2.9 | 33  |  |
|-----|--|-----|-----|--|
| 267 | Short natural-fibre reinforced polyethylene and natural rubber composites: Effect of silane coupling agents and fibres loading. <b>2007</b> , 67, 1627-1639  |     | 477 |  |
| 266 | Effect of compatibilizing agents on rice-husk flour reinforced polypropylene composites. <b>2007</b> , 77, 45-   | 55  | 246 |  |
| 265 | Extraction and tensile properties of natural fibers: Vakka, date and bamboo. <b>2007</b> , 77, 288-295   |     | 380 |  |
| 264 | Tensile properties of elephant grass fiber reinforced polyester composites. <b>2007</b> , 42, 3266-3272  |     | 74  |  |
| 263 | Recent developments in chemical modification and characterization of natural fiber-reinforced composites. <i>Polymer Composites</i> , <b>2008</b> , 29, 187-207  | 3   | 742 |  |
| 262 | Semiconductive composites from ethylene 1-octene copolymer and polyaniline coated nylon 6: Studies on mechanical, thermal, processability, electrical, and EMI shielding properties. <i>Polymer Engineering and Science</i> , <b>2008</b> , 48, 995-1006 | 2.3 | 44  |  |
| 261 | Mechanical, dynamic mechanical, morphological, thermal behavior and processability of polyaniline and ethylene 1-octene based semi-conducting composites. <i>Journal of Applied Polymer Science</i> , <b>2008</b> , 107, 2486-2493                       | 2.9 | 15  |  |
| 260 | Morphology and mechanical properties of catalytic coke/polypropylene composites. <i>Journal of Applied Polymer Science</i> , <b>2008</b> , 110, 2071-2077  | 2.9 | 3   |  |
| 259 | Effect of bark flour content on the hygroscopic characteristics of woodpolypropylene composites.<br>Journal of Applied Polymer Science, <b>2008</b> , 110, 3116-3120   | 2.9 | 24  |  |
| 258 | Cuttlebone as reinforcing filler for natural rubber. <b>2008</b> , 44, 4157-4164   |     | 48  |  |
| 257 | Improvement of physico-mechanical properties of jute fiber reinforced polypropylene composites by post-treatment. <b>2008</b> , 39, 1739-1747  |     | 148 |  |
| 256 | The Effect of Carbon Black on the Properties of Magnetic Ferrite Filled Natural Rubber Composites. <b>2008</b> , 27, 1893-1908   |     | 13  |  |
| 255 | Studies on the properties of rice-husk-filled-PP composites: effect of maleated PP. <b>2009</b> , 12, 333-338  |     | 72  |  |
| 254 | Aramid-short-fiber reinforced rubber as a tire tread composite. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 113, 1355-1363   | 2.9 | 32  |  |
| 253 | Dielectric properties and EMI shielding efficiency of polyaniline and ethylene 1-octene based semi-conducting composites. <b>2009</b> , 9, 396-403   |     | 70  |  |
| 252 | OPTIMIZATION OF MANUFACTURE OF ALMOND PASTE COOKIES USING RESPONSE SURFACE METHODOLOGY. <b>2009</b> , 32, 64-87  |     | 19  |  |
| 251 | Kinetic study of vetiver grass powder filled polypropylene composites. <b>2009</b> , 482, 30-38  |     | 16  |  |
|     |  |     |     |  |

| 250 | Progress in preparation, processing and applications of polyaniline. <b>2009</b> , 34, 783-810  |     | 1364 |
|-----|---|-----|------|
| 249 | Physico-mechanical properties of chemically treated palm and coir fiber reinforced polypropylene composites. <b>2009</b> , 100, 4903-6  |     | 262  |
| 248 | Physico-mechanical Properties of Maleic Acid Post Treated Jute Fiber Reinforced Polypropylene Composites. <i>Journal of Thermoplastic Composite Materials</i> , <b>2009</b> , 22, 365-381   | 1.9 | 19   |
| 247 | Mechanical properties of polypropylene composites reinforced with chemically treated abaca. <b>2009</b> , 40, 511-517   |     | 138  |
| 246 | Mechanical and Morphological Properties of Chemically Treated Coir-Filled Polypropylene Composites. <b>2009</b> , 48, 10491-10497   |     | 34   |
| 245 | Effects of Filler and Coupling Agent on the Properties of Bamboo Fiber-Reinforced Polypropylene Composites. <b>2009</b> , 28, 2589-2604   |     | 21   |
| 244 | Influence of Chemical Modification and Filler Loading on Fundamental Properties of Bamboo Fibers Reinforced Polypropylene Composites. <b>2009</b> , 43, 1639-1657   |     | 87   |
| 243 | Influence of Fiber Treatment on the Mechanical and Morphological Properties of Sawdust Reinforced Polypropylene Composites. <i>Journal of Polymers and the Environment</i> , <b>2010</b> , 18, 443-450  | 4.5 | 27   |
| 242 | Development of environmentally friendly high-density polyethylene and turmeric spent composites: Physicomechanical, thermal, and morphological studies. <i>Journal of Applied Polymer Science</i> , <b>2010</b> , 118, n/a-n/a                        | 2.9 | 1    |
| 241 | Effects of curing systems and polysulfonamide pulp on the curing characteristics, mechanical properties, and swelling behavior of ethylenepropylenepiene elastomer composites. <i>Journal of Applied Polymer Science</i> , <b>2010</b> , 118, n/a-n/a | 2.9 | 1    |
| 240 | Effect of radiation dose on the properties of natural rubber nanocomposite. <b>2010</b> , 79, 1279-1285   |     | 33   |
| 239 | Fabrication and testing of natural fibre composites: Vakka, sisal, bamboo and banana. <b>2010</b> , 31, 508-513   |     | 199  |
| 238 | Physico-Mechanical Properties of Jute Fiber Reinforced Polypropylene Composites. <b>2010</b> , 29, 445-455  |     | 59   |
| 237 | Mechanical, Thermal and Morphological Behaviors of Coconut Shell Powder Filled Pu/Ps Biocomposites. <b>2010</b> , 123-125, 331-334  |     |      |
| 236 | Smart Green Composite: Effect of Cuttlebone Particle on the Mechanical Properties of NR Vulcanizates. <b>2010</b> , 150-151, 547-550  |     | 3    |
| 235 | The Effect of NCO-Polyol on the Properties of Low-Density Polyethylene/Water Hyacinth Fiber (Eichhornia crassiper) Composites. <b>2010</b> , 49, 766-771  |     | 25   |
| 234 | Curing Characteristics, Mechanical and Morphological Properties of Kenaf Fibre/Halloysite Nanotubes Hybrid-Filled Natural Rubber Compounds. <b>2010</b> , 49, 938-943   |     | 11   |
| 233 | Coir Fiber Reinforced Polypropylene Composites: Physical and Mechanical Properties. <b>2010</b> , 19, 91-106  |     | 29   |

## (2011-2010)

| 232 | Structural analysis and dynamic Young's modulus measurement of selected tropical wood polymer composites. <b>2010</b> , 26, 1073-1078  |      | 0   |
|-----|--|------|-----|
| 231 | Mechanical Properties of Polypropylene Composites Reinforced with Chemically Treated Coir and Abaca Fiber. <b>2010</b> , 29, 2253-2261   |      | 56  |
| 230 | The Effects of a Silane-Based Coupling Agent on the Properties of Kenaf Core-Reinforced High-Density Polyethylene (HDPE)/Soya Powder Composites. <b>2010</b> , 49, 1095-1100   |      | 9   |
| 229 | Physicomechanical Properties of Chemically Treated Palm Fiber Reinforced Polypropylene Composites. <b>2010</b> , 29, 1734-1742   |      | 43  |
| 228 | Mechanical assessment of natural fiber composites. <b>2011</b> , 222-240   |      | 0   |
| 227 | Tensile Properties and Micromorphologies of Sawdust and Chipwood Filled Epoxy Composites. <b>2011</b> , 471-472, 1070-1074   |      | 1   |
| 226 | The Effect of Isophorone Diisocyanate-Polyhydroxyl Groups Modified Water Hyacinth Fibers (Eichhornia Crassiper) on Properties of Low Density Polyethylene/Acrylonitrile Butadiene Styrene (LDPE/ABS) Composites. <b>2011</b> , 50, 113-120                                     |      | 23  |
| 225 | Mechanical and Antibacterial Properties of Treated and Untreated Zinc Oxide filled UHMWPE Composites. <i>Journal of Thermoplastic Composite Materials</i> , <b>2011</b> , 24, 653-667  | 1.9  | 28  |
| 224 | Dimensional Stability and Dynamic Young Modulus of Tropical Light Hardwood Chemically Treated with Methyl Methacrylate in Combination with Hexamethylene Diisocyanate Cross-Linker. <b>2011</b> , 50, 3900-3906  |      | 34  |
| 223 | Potential of using coconut shell particle fillers in eco-composite materials. <b>2011</b> , 509, 2381-2385   |      | 107 |
| 222 | Effect of Different Parameters on Mechanical and Erosion Wear Behavior of Bamboo Fiber Reinforced Epoxy Composites. <b>2011</b> , 2011, 1-10   |      | 44  |
| 221 | The effect of chitosan loading on the curing characteristics, mechanical and morphological properties of chitosan-filled natural rubber (NR), epoxidised natural rubber (ENR) and styrene-butadiene rubber (SBR) compounds. <i>Polymer Testing</i> , <b>2011</b> , 30, 784-790 | 4.5  | 68  |
| 220 | Influence of acetylation on the tensile properties, water absorption, and thermal stability of (High-density polyethylene)/(soya powder)/(kenaf core) composites. <i>Journal of Vinyl and Additive Technology</i> , <b>2011</b> , 17, 132-137                                  | 2    | 22  |
| 219 | A Study on flexural properties of wildcane grass fiber-reinforced polyester composites. <b>2011</b> , 46, 2627-  | 2634 | 27  |
| 218 | Preparation and characterization of poly (vinyl butyral)-leather fiber composites. <i>Polymer Composites</i> , <b>2011</b> , 32, 776-785   | 3    | 26  |
| 217 | Bamboo fiber reinforced polypropylene composites and their mechanical, thermal, and morphological properties. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 119, 1619-1626   | 2.9  | 132 |
| 216 | Polypropylene and potato starch biocomposites: Physicomechanical and thermal properties.<br>Journal of Applied Polymer Science, <b>2011</b> , 120, 3078-3086   | 2.9  | 41  |
| 215 | Effect of a coupling agent on the properties of hemp-hurd-powder-filled styreneButadiene rubber. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 121, 681-689  | 2.9  | 13  |

| 214         | The effect of crosslinker on mechanical and morphological properties of tropical wood material composites. <b>2011</b> , 32, 2221-2227   | 26   |
|-------------|--|------|
| 213         | Mechanical properties of natural fibre reinforced polyester composites: Jowar, sisal and bamboo. <b>2011</b> , 32, 4658-4663   | 270  |
| 212         | Preliminary Study of Dry Sliding Wear in Kenaf Epoxy and Carbon Epoxy Composites. <b>2011</b> , 52-54, 464-469   | 8    |
| 211         | Effects of Polymer Loading on Tropical Wood Polymer Composite (WPC). <b>2011</b> , 264-265, 631-635  | 1    |
| <b>2</b> 10 | The Effect of Chitosan Loading on the Properties of Chitosan Filled Epoxidized Natural Rubber Compounds. <b>2011</b> , 471-472, 851-856  | 2    |
| 209         | The Effect of Silane Treatment on Tensile Properties and Morphology of Polypropylene/Recycled Acrylonitrile Butadiene Rubber/Rice Husk Powder Composites. <b>2011</b> , 471-472, 472-477               | 1    |
| 208         | The Effect of Silane Treatment on Processing Characteristic and Swelling Behavior of Polypropylene/Recycled Acrylonitrile Butadiene Rubber/Rice Husk Powder Composites. <b>2011</b> , 471-472, 478-483 | 2    |
| 207         | Extraction of bamboo microfibrils and development of biocomposites based on polyhydroxybutyrate and bamboo microfibrils. <b>2011</b> , 45, 1325-1329   | 16   |
| 206         | Impact of Chemical Modification on the Physical and Mechanical Properties of Tropical Wood Material. <b>2012</b> , 576, 314-317  | 1    |
| 205         | The Effects of Oil Palm Fruit Bunch (OPFB) Fiber and Coupling Agent Loadings on the Performance of Hybrid Composites. <b>2012</b> , 535-537, 154-160   | 2    |
| 204         | Effect of ethylene vinyl acetate on physico-mechanical and thermal properties of polypropylene and starch biocomposites. <i>Journal of Elastomers and Plastics</i> , <b>2012</b> , 44, 515-531         | 1    |
| 203         | Study of morphology, mechanical properties, and thermal behavior of green aliphatic romatic copolyester/bamboo flour composites. <i>Polymer Engineering and Science</i> , <b>2012</b> , 52, 2296-2303  | 9    |
| 202         | Study of thermal properties of wood plastic composite reinforced with cellulose micro fibril and nano inorganic fiber filler. <b>2012</b> , 70, 823-828  | 19   |
| 201         | Biocomposites reinforced with natural fibers: 2000\(\overline{\pi}\)010. <b>2012</b> , 37, 1552-1596   | 2401 |
| 200         | Flammability, Biodegradability and Mechanical Properties of Bio-Composites Waste Polypropylene/Kenaf Fiber Containing Nano CaCO3 with Diammonium Phosphate. <b>2012</b> , 4, 282-287                   | 32   |
| 199         | Natural Fiber Reinforced Composites. <b>2012</b> , 52, 259-320   | 263  |
| 198         | Carbon Black (CB)/Rice Husk Powder (RHP) Hybrid Filler-Filled Natural Rubber Composites: Effect of CB/RHP Ratio on Property of the Composites. <b>2012</b> , 51, 655-662                               | 33   |
| 197         | Bamboo fiber and its reinforced composites: structure and properties. <b>2012</b> , 19, 1449-1480  | 206  |

| 196 | Chemical Treatment of Coir Fiber Reinforced Polypropylene Composites. <b>2012</b> , 51, 3958-3965  |     | 33  |
|-----|--|-----|-----|
| 195 | Experimental Study on Mechanical and Thermal Properties of Epoxy Composites Filled with Agricultural Residue. <b>2012</b> , 3, 117-138                                       |     | 13  |
| 194 | Preparation and characterization of polypropylene composites reinforced with chemically treated coir. <b>2012</b> , 19, 1  |     | 42  |
| 193 | Effect of coupling reactions on the mechanical and biological properties of tropical wood polymer composites (WPC). <b>2012</b> , 72, 108-113                                |     | 31  |
| 192 | The effect of alkali pretreatment on mechanical and morphological properties of tropical wood polymer composites. <b>2012</b> , 33, 419-424                                  |     | 61  |
| 191 | Biopolymers as effective fillers in natural rubber: Composites versus biocomposites. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 124, 3815-3820                | 2.9 | 14  |
| 190 | Physico-mechanical and decay resistance properties of chemically modified tropical wood material.<br>Journal of Applied Polymer Science, <b>2013</b> , 127, 1555-1560        | 2.9 | 1   |
| 189 | Mechanical Properties and Biodegradability of Cuttlebone/NR Composites. <i>Journal of Polymers and the Environment</i> , <b>2013</b> , 21, 766-779                           | 4.5 | 9   |
| 188 | The effect of silica on the properties of marble sludge filled hybrid natural rubber composites. <b>2013</b> , 25, 331-339   |     | 44  |
| 187 | Biofiber-Reinforced Natural Rubber Composites. <b>2013</b> , 289-315   |     |     |
| 186 | Physicomechanical properties of nanocomposites based on cellulose nanofibre and natural rubber latex. <b>2013</b> , 20, 417-427  |     | 110 |
| 185 | Wear Rate of Natural Fibre: Long Kenaf Composite. <b>2013</b> , 68, 145-151  |     | 30  |
| 184 | Recycled High Density Polyethylene/Natural Rubber/Chicken Feather Fibers (RHDPE/NR/CFF) Composites: The Effect of Fiber Loading and Benzyl Urea. <b>2013</b> , 52, 1316-1322 |     | 3   |
| 183 | Use of short fibers as a filler in rubber compounds. <b>2013</b> , 13, 40-43   |     | 2   |
| 182 | Utilization of Agro-Waste A. galanga Natural Fibers in Composites. <b>2013</b> , 634-638, 1139-1142  |     |     |
| 181 | Effect of hydrazine post-treatment on natural fibre reinforced polymer composites. <b>2013</b> , 17, s19-s26   |     | 9   |
|     |  |     |     |
| 180 | The Cure Characteristics and Mechanical Behaviour of Bamboo Fibre Filled Natural Rubber Composite. <b>2013</b> , 812, 53-59  |     | 2   |

| 178 | Experimental Investigation of Mechanical Properties of Golden Cane FiberReinforced Polyester Composites. <b>2013</b> , 18, 30-39   | 22 |
|-----|--|----|
| 177 | The effects of binder on the physical and mechanical properties of chemically treated sawdust-reinforced polypropylene composites. <i>Journal of Applied Polymer Science</i> , <b>2013</b> , 129, 1534-1540 <sup>2.9</sup> | 1  |
| 176 | . 2013,  | 9  |
| 175 | Biofiber-reinforced Natural Rubber Composites: Mechanical, Thermal and Biodegradation Properties. <b>2014</b> , 105-118  | 2  |
| 174 | Development of Composites of Highly Filled Phenol Formaldehyde Resin ©oconut (Cocos nucifera) Endocarp Particles. <b>2014</b> , 29, 477-488  | 2  |
| 173 | Chemical Modification and Properties of Cellulose-Based Polymer Composites. <b>2014</b> , 301-324  | 4  |
| 172 | Recycled Cigarette Filter as Reinforcing Filler for Natural Rubber. <b>2014</b> , 705, 39-43   | 2  |
| 171 | The chemical modification of tropical wood polymer composites. <b>2014</b> , 48, 783-789   | 23 |
| 170 | Improvement of Inflammability and Biodegradability of Bio-Composites Using Recycled Polypropylene with Kenaf Fiber Containing Mixture Fire Retardant. <b>2014</b> , 950, 18-23   | 12 |
| 169 | Study of the Mechanical and Morphology Properties of Recycled HDPE Composite Using Rice Husk Filler. <b>2014</b> , 2014, 1-6   | 29 |
| 168 | Effect of Filler Loading on Mechanical and Tribological Properties of Wood Apple Shell Reinforced Epoxy Composite. <b>2014</b> , 2014, 1-9   | 51 |
| 167 | A novel strategy for the preparation of bamboo fiber reinforced polypropylene composites. <i>Fibers</i> and <i>Polymers</i> , <b>2014</b> , 15, 117-125  | 12 |
| 166 | Study of mechanical properties of a composite-based plant fibre of the palm and thermoplastic matrices (PP). <b>2014</b> , 48, 291-299   | 15 |
| 165 | Effects of compatibilizer type and fiber loading on mechanical properties and cure characteristics of sisal fiber/natural rubber composites. <b>2014</b> , 48, 2401-2411   | 27 |
| 164 | Waste Silicon Carbide as Filler for Natural Rubber Compounds. <b>2014</b> , 979, 155-158   | 2  |
| 163 | Effect of Modified Jute Fiber on Mechanical Properties of Green Rubber Composite. 2014, 56, 641-647  | 40 |
| 162 | Eco-friendly bio-composites using natural rubber (NR) matrices and natural fiber reinforcements. <b>2014</b> , 249-283   | 22 |
| 161 | Effects of benzoyl peroxide on some properties of composites based on hemp and natural rubber. <b>2014</b> , 71, 2001-2022   | 29 |

## (2015-2014)

| 160 | Mechanical properties of highly aligned short pineapple leaf fiber reinforced l'Nitrile rubber composite: Effect of fiber content and Bonding Agent. <i>Polymer Testing</i> , <b>2014</b> , 35, 20-27       | 4.5 | 59  |
|-----|---|-----|-----|
| 159 | Recent Advances in Cellulose Nanocomposites. <b>2014</b> , 180-199  |     | 1   |
| 158 | Fabrication and characterization of natural rubber/Imperata cylindrica cellulose fiber biocomposites. <b>2015</b> , 10, 716-723   |     | 4   |
| 157 | Heat Combustion, Tensile Strength and Biodegradability of Recycled Polypropylene Modified Multifunctional Agent Composites in the Presence of Pineapple Leave Fiber and Bentonite. <b>2015</b> , 736, 13-18 |     | 6   |
| 156 | Experimental study on variation of mechanical properties of a cantilever beam of bamboo. <b>2015</b> , 101, 784-790   |     | 16  |
| 155 | Typical low cost biosorbents for adsorptive removal of specific organic pollutants from water. <b>2015</b> , 182, 353-363   |     | 206 |
| 154 | Bamboo fiber polypropylene composites: Effect of fiber treatment and nano clay on mechanical and thermal properties. <i>Journal of Vinyl and Additive Technology</i> , <b>2015</b> , 21, 253-258            | 2   | 25  |
| 153 | Lignocellulosic fibre mediated rubber composites: An overview. <i>Composites Part B: Engineering</i> , <b>2015</b> , 76, 180-191  | 10  | 71  |
| 152 | One-Step in Situ Modification of Halloysite Nanotubes: Augmentation in Polymer <b>E</b> iller Interface Adhesion in Nanocomposites. <b>2015</b> , 54, 6698-6712   |     | 28  |
| 151 | The use of polypropylene in bamboo fibre composites and their mechanical properties 🖪 review. <b>2015</b> , 34, 1347-1356   |     | 36  |
| 150 | Characteristics of Carbonized Bamboo at Various Temperatures. <b>2015</b> , 754-755, 115-119  |     | 3   |
| 149 | Effect of fiber treatment and nanoclay on the tensile properties of jute fiber reinforced polyethylene/clay nanocomposites. <i>Fibers and Polymers</i> , <b>2015</b> , 16, 479-485                          | 2   | 31  |
| 148 | Effect of coupling agents and ionic liquid on the properties of rice bran carbon/carboxylated styrene butadiene rubber composites. <b>2015</b> , 23, 952-959  |     | 27  |
| 147 | Novel Mineral and Organic Materials from Agro-Industrial Residues as Fillers for Natural Rubber.<br>Journal of Polymers and the Environment, <b>2015</b> , 23, 437-448                                      | 4.5 | 27  |
| 146 | Nanocelluloses from jute fibers and their nanocomposites with natural rubber: Preparation and characterization. <b>2015</b> , 81, 768-77  |     | 151 |
| 145 | Characterization of chemically modified sawdust-reinforced recycled polyethylene composites.<br>Journal of Thermoplastic Composite Materials, <b>2015</b> , 28, 1135-1153                                   | 1.9 | 11  |
| 144 | Recent Developments in Biocomposites Reinforced with Natural Biofillers from Food Waste. <b>2015</b> , 54, 87-99  |     | 16  |
| 143 | The use of bamboo fibres as reinforcements in composites. <b>2015</b> , 488-524   |     | 23  |

| 142 | Maleated high oleic sunflower oil-treated cellulose fiber-based styrene butadiene rubber composites. <i>Polymer Composites</i> , <b>2016</b> , 37, 1113-1121   | 3     | 4   |
|-----|--|-------|-----|
| 141 | Recycled Polypropylene/Peanut Shell Powder Composites: Pre-Treatment of Lignin Using Alkaline Peroxide. <b>2016</b> , 11,  |       | 9   |
| 140 | Properties of Oil Palm Empty Fruit Bunch-Filled Recycled Acrylonitrile Butadiene Styrene Composites: Effect of Shapes and Filler Loadings with Random Orientation. <b>2016</b> , 12,   |       | 7   |
| 139 | Bamboo Fibre-reinforced Self-compatibilizing Functionalized Polypropylene Composites by Palsule Process. <i>Polymers and Polymer Composites</i> , <b>2016</b> , 24, 663-674  | 0.8   | 10  |
| 138 | Mechanical characteristics of groundnut shell particle reinforced polylactide nano fibre. <b>2016</b> , 21, 482-4  | 491   | 11  |
| 137 | A Review on the Tensile Properties of Bamboo Fiber Reinforced Polymer Composites. <b>2016</b> , 11,  |       | 52  |
| 136 | Effect of single flame retardant aluminum tri-hydroxide and boric acid against inflammability and biodegradability of recycled PP/KF composites. <b>2016</b> ,   |       | 1   |
| 135 | Potential Use of Paddy Straw as Filler in Poly Lactic Acid/Paddy Straw Powder Biocomposite: Thermal and Thermal Properties. <b>2016</b> , 19, 757-762  |       | 18  |
| 134 | The Effect of 3-aminopropyltrimethyoxysilane (AMEO) as a Coupling Agent on Curing and Mechanical Properties of Natural Rubber/Palm Kernel Shell Powder Composites. <b>2016</b> , 19, 327-334   |       | 10  |
| 133 | Characterization and properties of low-linear-density polyethylene/Typha latifolia composites. <b>2016</b> , 21, 590-598   |       | 19  |
| 132 | Processing and structureproperty relationships of natural rubber/wheat bran biocomposites. <b>2016</b> , 23, 3157-3175   |       | 44  |
| 131 | Development of green thermoplastic composites from Centella spent and study of its physicomechanical, tribological, and morphological characteristics. <i>Journal of Thermoplastic Composite Materials</i> , <b>2016</b> , 29, 1297-1311 | 1.9   | 7   |
| 130 | Kenaf (Hibiscus cannabinus L.) fibre based bio-materials: A review on processing and properties. <b>2016</b> , 78-79, 1-92   |       | 158 |
| 129 | The Effects on Cure Characteristics, Physico-Mechanical Properties and Morphology of Bamboo Activated Carbon Filled Styrene Butadiene Rubber (SBR) Vulcanizates. <b>2016</b> , 673, 131-140  |       | 2   |
| 128 | Mechanical properties of sisal fibre-reinforced polymer composites: a review. <b>2016</b> , 23, 15-36  |       | 46  |
| 127 | Improved thermal properties of jute fiber-reinforced polyethylene nanocomposites. <i>Polymer Composites</i> , <b>2017</b> , 38, 1266-1272  | 3     | 2   |
| 126 | Influence of ozone treatment on microstructure and mechanical properties of pitch-based short carbon fiber-reinforced natural rubber. <i>Journal of Elastomers and Plastics</i> , <b>2017</b> , 49, 226-242                              | 1.6   | 4   |
| 125 | Recycling of waste FRP and corn straw in wood plastic composite. <i>Polymer Composites</i> , <b>2017</b> , 38, 2140-2  | 21345 | 20  |

| 124 | Bamboo Fiber-Polymer Composites: Overview of Fabrications, Mechanical Characterizations and Applications. <b>2017</b> , 209-246   |     | 5  |  |
|-----|---|-----|----|--|
| 123 | Effect of preparation methods and carbon black distribution on mechanical properties of short pineapple leaf fiber-carbon black reinforced natural rubber hybrid composites. <i>Polymer Testing</i> , <b>2017</b> , 61, 223-228                               | 4.5 | 19 |  |
| 122 | Comparative study of natural rubber and acrylonitrile rubber reinforced with aligned short aramid fiber. <i>Polymer Testing</i> , <b>2017</b> , 64, 109-116   | 4.5 | 28 |  |
| 121 | Biodegradation behavior of styrene butadiene rubber (SBR) reinforced with modified coconut shell powder. <b>2017</b> ,  |     | 3  |  |
| 120 | Effect of fibre treatments on tensile properties of ethylene vinyl acetate/natural rubber/mengkuang leaf fibre (EVA/NR/MLF) thermoplastic elastomer composites. <b>2017</b> ,   |     | 1  |  |
| 119 | Comparative study of natural rubber/clay nanocomposites prepared from fresh or concentrated latex. <i>Polymer Testing</i> , <b>2017</b> , 63, 244-250   | 4.5 | 11 |  |
| 118 | Physical, thermal, and mechanical properties of polypropylene composites filled with rattan nanoparticles. <b>2017</b> , 15, 386-395  |     | 25 |  |
| 117 | Pineapple Leaf Fiber: A High Potential Reinforcement for Green Rubber and Plastic Composites. <b>2017</b> , 289-308   |     |    |  |
| 116 | Influence of flame retardant magnesium hydroxide on the mechanical properties of high density polyethylene composites. <b>2017</b> , 36, 1802-1816  |     | 22 |  |
| 115 | Physico-mechanical, thermal and morphological properties of furfuryl alcohol/2-ethylhexyl methacrylate/halloysite nanoclay wood polymer nanocomposites (WPNCs). <b>2017</b> , 3, e00342   |     | 11 |  |
| 114 | Effect of mastication time on the low strain properties of short pineapple leaf fiber reinforced natural rubber composites. <i>Polymer Testing</i> , <b>2017</b> , 57, 31-37  | 4.5 | 20 |  |
| 113 | Rubber nanocomposites with nanocellulose. <b>2017</b> , 463-494   |     | 9  |  |
| 112 | Reinforcement of Natural Rubber with Bacterial Cellulose via a Latex Aqueous Microdispersion Process. <b>2017</b> , 2017, 1-9   |     | 29 |  |
| 111 | A study of mechanical and morphological properties of PLA based biocomposites prepared with EJO vegetable oil based plasticiser and kenaf fibres. <b>2018</b> , 5, 085314   |     | 12 |  |
| 110 | Enhancing The Mechanical and Dielectric Properties of EPDM Filled with Nanosized Rice Husk Powder. <b>2018</b> , 57, 1733-1742  |     | 5  |  |
| 109 | A new reinforcement material for rubber compounds (Sediment dust nanoparticles and white ceminte). <b>2018</b> ,  |     | O  |  |
| 108 | Properties and characterization of ([Mengkuang leaf fiber]-filled ethylene vinyl acetate)/(natural rubber) blend: Effects of blending sequences and mengkuang leaf fiber loading. <i>Journal of Vinyl and Additive Technology</i> , <b>2018</b> , 24, 109-115 | 2   | 3  |  |
| 107 | Investigating the Effect of Treated Rice Straw in PLLA/Starch Composite: Mechanical, Thermal, Rheological, and Morphological Study. <b>2018</b> , 37, 5-16  |     | 27 |  |

| 106 | The acoustic property study of polyurethane foam with addition of bamboo leaves particles. <i>Polymer Composites</i> , <b>2018</b> , 39, 1370-1381   | 3   | 49 |
|-----|--|-----|----|
| 105 | Study of the tensile and compression performance of composite materials based on rubber particles and alpha fibers. <b>2018</b> , 48, 272-291  |     | 3  |
| 104 | Effects of fiber-surface modification on the properties of bamboo flour/polypropylene composites and their interfacial compatibility. <b>2018</b> , 38, 157-166  |     | 5  |
| 103 | Compatibility and Wettability of Polypropylene-Cyclic Natural Rubber-NanocrystalCeluloseNanocomposites Containing Methacrylic Acid and Methylacrylateas Coagents. <b>2018</b> , 1120, 012087   |     | 2  |
| 102 | Compatibilitation of cyclic natural rubber (resiprene-35) with polypropylene in the presence of oleic acid and benzoyl peroxide. <b>2018</b> , 1116, 042043  |     | 4  |
| 101 | Design and development of rice husk reinforced polypropylene composite as an alternate boat building material. <b>2018</b> ,   |     |    |
| 100 | Comparison characteristic between milled coconut shell activated carbon powder and carbon black: Physical, chemical and morphological properties. <b>2018</b> ,  |     | 2  |
| 99  | Cure characteristic and mechanical properties of natural rubber vulcanizates with digested rice husk ash (RHA). <b>2018</b> ,  |     | 1  |
| 98  | Bamboo charcoal filled natural rubber vulcanizates: The effect of filler loading and bonding agent. <b>2018</b> ,  |     |    |
| 97  | Effects of Fiber Size and Fiber Content on Mechanical and Physical Properties of Mengkuang Reinforced Thermoplastic Natural Rubber Composites. <b>2018</b> , 13,   |     | 10 |
| 96  | Bamboo fibre reinforced thermoset and thermoplastic polymer composites: A short review. 2018,  |     | 2  |
| 95  | PREPARATION AND PROPERTIES OF CASHEW NUT SHELL LIQUID-BASED COMPOSITE REINFORCED BY COCONUT SHELL PARTICLES. <b>2019</b> , 26, 1850174   |     | 5  |
| 94  | Effect of surface treatments and filler loading on the properties of hemp fiber/natural rubber composites. <b>2019</b> , 26, 7271-7295   |     | 30 |
| 93  | Development and Characterization of Bacterial Cellulose Reinforced with Natural Rubber. <i>Materials</i> , <b>2019</b> , 12,   | 3.5 | 22 |
| 92  | Cure characteristics and mechanical properties of biocomposites of natural rubber reinforced with chicken feather fibre: Effect of fibre loading, alkali treatment, bonding and vulcanizing systems.  Materials Today Communications, 2019, 20, 100555 | 2.5 | 10 |
| 91  | Development and Characterization of Peanut Shell Flour Polypropylene Composite. 2019, 100, 147-153   |     | 3  |
| 90  | State of Art Review on Natural Fibers. <i>Materials Today: Proceedings</i> , <b>2019</b> , 18, 15-24   | 1.4 | 18 |
| 89  | Creation of a Smoke-free Environment for Children: An Assessment of Compliance to COTPA 2003<br>Legislation in an Urban Area. <b>2019</b> , 56, 837-840  |     | 1  |

| 88 | Depolymerization of Lignin Using a Solid Base Catalyst. <b>2019</b> , 33, 4369-4377   |       | 9  |
|----|---|-------|----|
| 87 | Glutaraldehyde/Polyvinyl Alcohol Crosslinked Nanosphere Modified Corn Stalk Reinforced Polypropylene Composite. <b>2019</b> , 472, 012064   |       | 0  |
| 86 | A novel strategy for the extraction and preparation of bamboo fiber-reinforced polypropylene composites. <i>Polymer Composites</i> , <b>2019</b> , 40, 2178-2186  | 3     | 7  |
| 85 | Sugarcane bagasse fiber as semi-reinforcement filler in natural rubber composite sandals. <i>Journal of Material Cycles and Waste Management</i> , <b>2019</b> , 21, 326-335  | 3.4   | 30 |
| 84 | Biodegradation and thermal properties of crosslinked chitosan/corn cob biocomposite films by electron beam irradiation. <i>Polymer Engineering and Science</i> , <b>2019</b> , 59, E59-E68  | 2.3   | 11 |
| 83 | Progress of novel techniques for lightweight automobile applications through innovative eco-friendly composite materials: A review. <i>Journal of Thermoplastic Composite Materials</i> , <b>2020</b> , 33, 978                       | -1013 | 34 |
| 82 | The Influence of Different Compounding Sequence and Peanut Shell Powder Loading on Properties of Polylactic Acid/Thermoplastic Corn Starch Biocomposites. <i>Journal of Vinyl and Additive Technology</i> , <b>2020</b> , 26, 413-422 | 2     | 1  |
| 81 | Comparative study of pineapple leaf microfiber and aramid fiber reinforced natural rubbers using dynamic mechanical analysis. <i>Polymer Testing</i> , <b>2020</b> , 82, 106289   | 4.5   | 17 |
| 80 | Natural rubber composites reinforced with Dregs residue from cellulose Kraft industry. <i>Progress in Rubber, Plastics and Recycling Technology</i> , <b>2020</b> , 36, 102-114   | 1.7   | O  |
| 79 | Converting dead leaf biomass into activated carbon as a potential replacement for carbon black filler in rubber composites. <i>Composites Part B: Engineering</i> , <b>2020</b> , 201, 108366   | 10    | 16 |
| 78 | Chemical, biological, and nanoclay treatments for natural plant fiber-reinforced polymer composites: A review. <i>Polymers and Polymer Composites</i> , <b>2020</b> , 096739112094241   | 0.8   | 10 |
| 77 | Efficiency of maleic anhydride-modified polystyrene/natural rubber blends as sand aggregate binder. <b>2020</b> ,   |       |    |
| 76 | Preparation and characterisations of maleic anhydride-modified-(asphalt, natural rubber, and polystyrene) blends containing sand aggregate. <b>2020</b> ,   |       | 1  |
| 75 | Characteristics of maleic anhydride-modified polystyrene and natural rubber blends containing Ibamboo powder as sound damping material. <b>2020</b> ,   |       | 1  |
| 74 | Characteristics of maleic anhydrida-modified polystyrene containing sand aggregate. 2020,   |       |    |
| 73 | Modification of natural rubber (SIR 10) with maleic anhydride as binder for sand aggregate. <b>2020</b> ,   |       |    |
| 72 | Natural Rubber Latex Foam Reinforced with Micro- and Nanofibrillated Cellulose via Dunlop Method. <i>Polymers</i> , <b>2020</b> , 12,   | 4.5   | 17 |
| 71 | Recent Progress in Processing Functionally Graded Polymer Foams. <i>Materials</i> , <b>2020</b> , 13,   | 3.5   | 18 |

| 70 | Synthesis and Mechanical Properties of Natural Fiber Reinforced Epoxy/Polyester/Polypropylene Composites: A Review. <i>Journal of Natural Fibers</i> , <b>2020</b> , 1-24   | 1.8               | 21 |
|----|---|-------------------|----|
| 69 | Utilization of Rubber seed shell and Palm Oil Fronds as Composite Materials for Automotive Industry. <i>Jurnal Kimia Sains Dan Aplikasi</i> , <b>2020</b> , 23, 102-108   | 0.4               |    |
| 68 | Fabrication of Porous Recycled HDPE Biocomposites Foam: Effect of Rice Husk Filler Contents and Surface Treatments on the Mechanical Properties. <i>Polymers</i> , <b>2020</b> , 12,  | 4.5               | 12 |
| 67 | Effect of Process Engineering on the Performance of Hybrid Fiber Composites. <b>2020</b> , 17-40  |                   | 1  |
| 66 | Determination of Some Technological Properties of Injection Molded Pulverized-HDPE Based Composites Reinforced with Micronized Waste Tire Powder and Red Pine Wood Wastes. <i>Journal of Polymers and the Environment</i> , <b>2020</b> , 28, 1776-1794 | 4.5               | 7  |
| 65 | Natural fiber polymer nanocomposites. <b>2020</b> , 279-299   |                   | 4  |
| 64 | Experimental evaluation of mechanical properties of polymer matrix composites reinforced with date palm frond fibers from Oman. <i>Materials Today: Proceedings</i> , <b>2021</b> , 37, 3372-3380   | 1.4               | 2  |
| 63 | Lifecycle Assessment of Thermoplastic and Thermosetting Bamboo Composites. <b>2021</b> , 235-246  |                   | 9  |
| 62 | Bamboo Fiber Composites. <b>2021</b> ,  |                   |    |
| 61 | Enhancement of hydrophobicity of natural rubber latex films using diatomaceous earth. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 50047  | 2.9               | 3  |
| 60 | Mechanical properties of particulate organic natural filler-reinforced polymer composite: A review. <i>Composites and Advanced Materials</i> , <b>2021</b> , 30, 263498332110075  |                   | 3  |
| 59 | Thermal Properties and Flammability of Wood Plastic Composites. <i>Composites Science and Technology</i> , <b>2021</b> , 161-178  |                   |    |
| 58 | Mechanical behavior of disposed fiberglass filled bamboo mat reinforced polyester composite. <i>Materials Today: Proceedings</i> , <b>2021</b> , 46, 6004-6011  | 1.4               | 2  |
| 57 | Bioresourced fillers for rubber composite sustainability: current development and future opportunities. <i>Green Chemistry</i> , <b>2021</b> , 23, 5337-5378  | 10                | 14 |
| 56 | Elastomer matrix based natural fiber composites. <b>2021</b> , 167-185  |                   |    |
| 55 | Fabrication of Jackfruit Stems Fiber Composites. Lecture Notes in Mechanical Engineering, <b>2021</b> , 495-50  | <b>)4</b> 0.4     |    |
| 54 | The effect of epoxidized vegetable oil and phthalic anhydride as compatibilizers on properties of rubber seed shell/polypropylene composites. <i>Iranian Polymer Journal (English Edition)</i> , <b>2021</b> , 30, 547-5.                               | 57 <sup>2.3</sup> | 3  |
| 53 | Transcrystallization of the acetylated bamboo fiber/polypropylene composite under isothermal crystallization. <i>Wood Science and Technology</i> , <b>2021</b> , 55, 797-810  | 2.5               | O  |

| 52 | Effect of moisture absorption on the properties of natural fiber reinforced polymer composites: A review. <i>Materials Today: Proceedings</i> , <b>2021</b> , 49, 3403-3403  | 1.4 | 7  |
|----|--|-----|----|
| 51 | Natural Rubber Biocomposites Filled with Phyto-Ashes Rich in Biogenic Silica Obtained from Wheat Straw and Field Horsetail. <i>Polymers</i> , <b>2021</b> , 13,  | 4.5 | 2  |
| 50 | Acoustic Performance Mixture of Natural Fibres of Oil Palm Frond (OPF) and Empty Fruit Bunch (EFB). <i>Solid State Phenomena</i> , 317, 361-368  | 0.4 |    |
| 49 | Realising the Potential of Pineapple Leaf Fiber as Green and High-performance Reinforcement for Natural Rubber Composite with Liquid Functionalized Rubber. <i>Fibers and Polymers</i> , <b>2021</b> , 22, 2543-2551   | 2   | 1  |
| 48 | Shot blasting dust as a filler in elastomer composites. <i>Journal of Elastomers and Plastics</i> , 009524432110   | 156 |    |
| 47 | Investigation of mechanical and tribological behaviour of expanded perlite particle reinforced polyphenylene sulphide. <i>Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications</i> , <b>2021</b> , 235, 2356-2367 | 1.3 | O  |
| 46 | Characteristics of the Interface between Bamboo Grids and Reinforced Soil of High-Filled Embankments in Loess Areas. <i>Advances in Civil Engineering</i> , <b>2021</b> , 2021, 1-13   | 1.3 | Ο  |
| 45 | EFFECT OF CELLULOSE FIBER SURFACE TREATMENT TO REPLACE CARBON BLACK IN NATURAL RUBBER HYBRID COMPOSITES. <i>Rubber Chemistry and Technology</i> , <b>2021</b> ,  | 1.7 | 2  |
| 44 | Adding value to poly (butylene succinate) and nanofibrillated cellulose-based sustainable nanocomposites by applying masterbatch process. <i>Industrial Crops and Products</i> , <b>2021</b> , 169, 113669   | 5.9 | 27 |
| 43 | Food processing wastes as a potential source of adsorbent for toxicant removal from water. <b>2022</b> , 491-  | 507 |    |
| 42 | Water Hyacinth (Eichhornia Crassipes) Natural Fiber Composite Properties A Review. <i>Lecture Notes in Mechanical Engineering</i> , <b>2021</b> , 183-193  | 0.4 | 1  |
| 41 | Mechanical behaviors of aluminum filler and jute fiber mat reinforced epoxy hybrid composites. <b>2021</b> , 21-40   |     |    |
| 40 | Mechanical properties of bamboo-epoxy composites a structural application. <i>Advances in Materials Research (South Korea)</i> , <b>2012</b> , 1, 221-231  |     | 11 |
| 39 | Function and Potential of Bamboo Lignins. <i>Transactions of the Materials Research Society of Japan</i> , <b>2007</b> , 32, 1095-1098   | 0.2 | 1  |
| 38 | Treatability of Tropical Wood Using Newly Synthesized Organotin(IV) Complexes. <i>Journal of Applied Sciences</i> , <b>2012</b> , 12, 535-543  | 0.3 | 4  |
| 37 | The physicochemical properties of biochar and its applicability as a filler in rubber composites: A review. <i>Materials Today Communications</i> , <b>2021</b> , 29, 102912   | 2.5 | 2  |
| 36 | The Influence of Cork and Manufacturing Parameters on the Properties of Cork <b>R</b> ubber Composites for Vibration Isolation Applications. <i>Sustainability</i> , <b>2021</b> , 13, 11240   | 3.6 | 2  |
| 35 | ???????. Seikei-Kakou, <b>2003</b> , 15, 457-459   | O   |    |

| 34 | Properties of Fiberboard from Durian Composite with Latex and Alkyl Ketene Dimmer. <i>Journal of Engineering and Applied Sciences</i> , <b>2012</b> , 7, 67-71  | 1.3 | 2 |
|----|---|-----|---|
| 33 | Nanoclay Dispersed Furfuryl Alcohol-co-Ethyl Methacrylate Wood Polymer Nanocomposites: The Enhancement on Physico-mechanical and Thermal Properties. <i>Engineering Materials</i> , <b>2018</b> , 275-293                               | 0.4 |   |
| 32 | Study of Mechanical Properties of Raffia Palm Fibre/Groundnut Shell Reinforced Epoxy Hybrid Composites. <i>Journal of Minerals and Materials Characterization and Engineering</i> , <b>2018</b> , 06, 179-192                           | 0.4 | 1 |
| 31 | Fabrication and Study of Mechanical and Thermal Properties of Natural Fibre Composites Material Based on SCB and GNSP. <i>International Journal of Scientific Research in Science, Engineering and Technology</i> , <b>2019</b> , 51-56 | 0.1 |   |
| 30 | Precipitated Silica and Non-Black Fillers. <b>2020</b> , 451-532  |     |   |
| 29 | Enhancing the mechanical and water resistance performances of bamboo particle reinforced polypropylene composite through cell separation. <i>Holzforschung</i> , <b>2021</b> , 75, 269-280  | 2   | O |
| 28 | Bonding Mechanism and Interface Enhancement of Bamboo Fiber Reinforced Composites. <b>2021</b> , 215-2  | 233 | 1 |
| 27 | Morphological and Mechanical Aspects of Bamboo Composites. <b>2021</b> , 63-79  |     |   |
| 26 | Evaluation of Mechanical and Water Absorption Behaviours of Corn Shell/Pumice Reinforced Epoxy Composites. <i>European Journal of Science and Technology</i> ,  | 0.4 |   |
| 25 | Utilization of leather fibrous wastes for the production of reconstituted fibric materials: heavy metal determination and removal. <i>Waste Disposal &amp; Sustainable Energy</i> , <b>2022</b> , 4, 29-37                              | 4.3 | 1 |
| 24 | A simulation strategy to determine the mechanical behaviour of cork-rubber composite pads for vibration isolation. <i>Eksploatacja I Niezawodnosc</i> , <b>2021</b> , 24, 80-88   | 3.5 | 2 |
| 23 | Cellulose and lignin as carbon black replacement in natural rubber. <i>Journal of Applied Polymer Science</i> ,   | 2.9 | 1 |
| 22 | Influence of Date Palm Tree Fibers on the Tensile Fracture Energy of an Epoxy-based Adhesive.<br>Journal of Natural Fibers, 1-17  | 1.8 | 3 |
| 21 | Morphological, Physical, and Mechanical Properties of Sugar-Palm (Arenga pinnata (Wurmb)<br>Merr.)-Reinforced Silicone Rubber Biocomposites. <i>Materials</i> , <b>2022</b> , 15, 4062  | 3.5 | 2 |
| 20 | A Review of Rubber Biocomposites Reinforced with Lignocellulosic Fillers. <i>Journal of Composites Science</i> , <b>2022</b> , 6, 183   | 3   | 1 |
| 19 | Natural rubber biocomposites reinforced with cellulose nanocrystals/lignin hybrid fillers. <i>Polymer Composites</i> ,  | 3   | 1 |
| 18 | A Review on Analysis of Reinforced Recycled Rubber Composites. <b>2022</b> , 6, 225   |     | 1 |
| 17 | Protein-based biochars as potential renewable fillers in styrene-butadiene rubber composites. <b>2022</b><br>, 167, 105697  |     | О |

| 16 | Biodegradable Bast Fiber-Based Composites. <b>2022</b> , 215-230  | O |
|----|---|---|
| 15 | The usage of wood of Dahoma (Piptadeniastrum Africanum), a tropic tree, in the production of wood plastic composite.  | Ο |
| 14 | Chemical Treatment Impact of Doum Palm Fiber for Thermoplastic Composites. 2023, 564-571  | 0 |
| 13 | The Role of Interfaces in Ionic Liquid-Based Hybrid Materials (Ionogels) for Sensing and Energy<br>Applications. 2201405  | 3 |
| 12 | Physical-Mechanical Properties of Chartwell Coupling Agent-Treated Calcium Carbonate and Silica-Reinforced Hybrid Natural Rubber Composites. <b>2022</b> , 12, 1552   | 0 |
| 11 | Influence of filler material on properties of fiber-reinforced polymer composites: A review. <b>2022</b> , 22, 898-916  | 4 |
| 10 | Physico-Mechanical, Thermal, Morphological, and Aging Characteristics of Green Hybrid Composites Prepared from Wool-Sisal and Wool-Palf with Natural Rubber. <b>2022</b> , 14, 4882                                   | O |
| 9  | The status of bamboo research and development for sustainable use in Indonesia: A systematic literature review. <b>2022</b> , 1109, 012100  | O |
| 8  | Lignocellulosic biowaste for composite applications. <b>2023</b> , 639-678  | 0 |
| 7  | Influence of SiO2 Filler Addition on the Types I and II Shear Fracture Toughness of Hemp Fiber-Reinforced Epoxy Mixtures. <b>2023</b> , 2023, 1-7   | Ο |
| 6  | Cellulose and lignin in place of EPDM and carbon black for automotive sealing profiles. 2023, 236, 123964   | 0 |
| 5  | Tire-derived reclaimed rubber as a secondary raw material for rubber foams: in the framework of circular economy strategy. <b>2023</b> , 30,  | Ο |
| 4  | Natural Rubber Composites Using Hydrothermally Carbonized Hardwood Waste Biomass as a Partial Reinforcing Filler- Part I: Structure, Morphology, and Rheological Effects during Vulcanization. <b>2023</b> , 15, 1176 | 2 |
| 3  | In Situ Nanostress Visualization Method to Reveal the Micromechanical Mechanism of Nanocomposites by Atomic Force Microscopy. <b>2023</b> , 15, 12414-12422   | Ο |
| 2  | Fabrication of Novel Polymer Composites from Leather Waste Fibers and Recycled Poly(Ethylene-Vinyl-Acetate) for Value-Added Products. <b>2023</b> , 15, 4333  | 0 |
| 1  | Preparation and Characterization of Natural Rubber Foam Filled with Bagasse Fiber. 1086, 19-25  | О |