

CITATION REPORT

List of articles citing

Correlation between degree of crystallinity, morphology, glass temperature, mechanical properties and biodegradation of poly (3-hydroxyalkanoate) PHAs and their blends

DOI: 10.1016/s0142-9418(01)00142-8
Polymer Testing, 2002, 21, 665-674.

Source: <https://exaly.com/paper-pdf/34717543/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
357	Macroporous poly(3-hydroxybutyrate-co-3-hydroxyvalerate) matrices for bone tissue engineering. 2003 , 24, 1949-58		158
356	Thermal properties and crystallization behaviour of blends of poly(ϵ -caprolactone) with chitin and chitosan. 2003 , 52, 1839-1846		65
355	Biodegradable polymers and composites in biomedical applications: from catgut to tissue engineering. Part 1 Available systems and their properties. 2004 , 49, 261-273		94
354	In vivo tissue engineering of bone using poly(3-hydroxybutyric acid-co-3-hydroxyvaleric acid) and collagen scaffolds. 2004 , 10, 1234-50		56
353	Biodegradable Multiphase Systems Based on Plasticized Starch: A Review. 2004 , 44, 231-274		516
352	Effect of poly(propylene carbonate) on the crystallization and melting behavior of poly(ϵ -hydroxybutyrate-co- ϵ -hydroxyvalerate). <i>Journal of Applied Polymer Science</i> , 2004 , 92, 2514-2521	2.9	54
351	Effect of lignin particles as a nucleating agent on crystallization of poly(3-hydroxybutyrate). <i>Journal of Applied Polymer Science</i> , 2004 , 94, 2466-2474	2.9	103
350	Stress-strain behavior of blends of bacterial polyhydroxybutyrate. <i>Journal of Applied Polymer Science</i> , 2004 , 94, 2528-2537	2.9	20
349	Thermal history effects on crystallisation and melting of poly(3-hydroxybutyrate). 2004 , 423, 127-135		98
348	Multiple melting behaviour of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) using step-scan DSC. 2005 , 41, 2980-2988		122
347	Melting and thermal history of poly(hydroxybutyrate-co-3-hydroxyvalerate) using step-scan DSC. 2005 , 430, 183-190		42
346	Control and development of crystallinity and morphology in poly(ϵ -hydroxybutyrate-co- ϵ -hydroxyvalerate)/poly(propylene carbonate) blends. <i>Journal of Applied Polymer Science</i> , 2005 , 98, 1427-1436	2.9	40
345	Fast crystallization of poly(3-hydroxybutyrate) and poly(3-hydroxybutyrate-co-3-hydroxyvalerate) with talc and boron nitride as nucleating agents. 2005 , 54, 780-789		103
344	Hydroxyapatite reinforced poly(3-hydroxybutyrate) and poly(3-hydroxybutyrate-co-3-hydroxyvalerate) based degradable composite bone plate. 2005 , 16, 1485-502		34
343	Sugar-based Biorefinery Technology for Integrated Production of Poly(3-hydroxybutyrate), Sugar, and Ethanol. 209-226		3
342	Nucleation Mechanism of β -Cyclodextrin-Enhanced Crystallization of Some Semicrystalline Aliphatic Polymers. 2005 , 38, 7736-7744		89
341	Polyhydroxyalkanoate (PHA)/inorganic phase composites for tissue engineering applications. 2006 , 7, 2249-58		309

340	Nucleation and Crystallization Behavior of Poly(butylene succinate) Induced by Its β -Cyclodextrin Inclusion Complex: Effect of Stoichiometry. 2006 , 39, 2427-2428		47
339	Mechanical and Morphological Properties of Poly(3-hydroxybutyrate)/Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) Blends. 2006 , 245-246, 491-500		5
338	Thermal memory of poly(3-hydroxybutyrate) using temperature-modulated differential scanning calorimetry. 2006 , 44, 70-78		16
337	Electrospinning of chitin nanofibers: degradation behavior and cellular response to normal human keratinocytes and fibroblasts. 2006 , 27, 3934-44		279
336	Non-isothermal melt- and cold-crystallization kinetics of poly(3-hydroxybutyrate). <i>Polymer Testing</i> , 2006 , 25, 807-818	4-5	43
335	Miscibility and crystallinity of poly(3-hydroxybutyrate)/poly(3-hydroxybutyrate-co-3-hydroxyvalerate) blends. 2006 , 450, 61-66		23
334	Biomedical applications of polyhydroxyalkanoates: an overview of animal testing and in vivo responses. 2006 , 3, 853-68		199
333	Isothermal crystallisation kinetics of poly(3-hydroxybutyrate) using step-scan DSC. 2006 , 83, 313-319		20
332	Effect of starch addition on compression-molded poly(3-hydroxybutyrate)/starch blends. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 4338-4347	2.9	52
331	Effect of β -Cyclodextrins on the Morphological Change of Poly(3-hydroxybutyrate). 2006 , 207, 310-317		3
330	Effect of Methylated Cyclodextrins on the Crystallization of Poly(3-hydroxybutyrate). 2006 , 207, 755-762		9
329	Production of targeted poly(3-hydroxyalkanoates) copolymers by glycogen accumulating organisms using acetate as sole carbon source. 2007 , 129, 489-97		65
328	Effect of Aging on the Mechanical Properties of Poly(3-hydroxybutyrate-co-3-hydroxyhexanoate). 2007 , 40, 4546-4551		58
327	Electrospun PHBV/collagen composite nanofibrous scaffolds for tissue engineering. 2007 , 18, 81-94		98
326	Effects of Host-Guest Stoichiometry of β -Cyclodextrin-Aliphatic Polyester Inclusion Complexes and Molecular Weight of Guest Polymer on the Crystallization Behavior of Aliphatic Polyesters. 2007 , 40, 7244-7251		46
325	Crystallization of poly(3-hydroxybutyrate) by exfoliated graphite nanoplatelets. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 2548-2558	2.9	23
324	Phase behavior of poly(3-hydroxybutyrate)/poly(3-hydroxybutyrate-co-3-hydroxyvalerate) blends. 2007 , 261, 79-84		6
323	Comparison of different nucleating agents on crystallization of poly(3-hydroxybutyrate-co-3-hydroxyvalerates). 2007 , 45, 1564-1577		56

322	Miscibility, melting, and crystallization behavior of poly(hydroxybutyrate) and poly(D,L-lactic acid) blends. 2008 , 48, 1683-1692		40
321	Effect of the photoreaction solvent on surface and bulk properties of poly(lactic acid) and poly(hydroxyalkanoate) films. 2008 , 85, 564-72		15
320	Kenaf fiber/poly(Ecaprolactone) biocomposite with enhanced crystallization rate and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 3512-3519	2.9	28
319	Polyhydroxybutyrate/acrylonitrile-g-(ethylene-co-propylene-co-diene)-g-styrene blends: Their morphology and thermal and mechanical behavior. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 880-889	3.9	15
318	Kinetic analysis of the non-isothermal degradation of poly(3-hydroxybutyrate) nanocomposites. 2008 , 476, 44-50		30
317	Fuzzy set implementation for controlling and evaluation of factors affecting melting, crystallinity and interaction in polymer blends. 2008 , 49, 3405-3408		2
316	Biodegradability testing of compostable polymer materials. 2008 , 112-166		
315	Polymer biodegradation: mechanisms and estimation techniques. <i>Chemosphere</i> , 2008 , 73, 429-42	8.4	656
314	Characterisation of polyhydroxyalkanoate copolymers with controllable four-monomer composition. 2008 , 134, 137-45		61
313	Blends of Poly(hydroxybutyrate) and Poly(ethylene succinate) Prepared in the Presence of Samarium. 2008 , 57, 675-689		5
312	BIODEGRADABLE BIOARTIFICIAL MATERIALS MADE BY CHITOSAN AND POLY(VINYL ALCOHOL). PART II: ENZYMATIC DEGRADABILITY AND DRUG-RELEASING ABILITY. 2008 , 20, 321-328		4
311	. 2008 ,		22
310	Biocomposites of Natural Fibers and Poly(3-Hydroxybutyrate) and Copolymers: Improved Mechanical Properties Through Compatibilization at the Interface. 2009 , 303-347		3
309	Blends of Poly(Hydroxybutyrate) and Oligomeric Polyester. 2009 , 14, 68-83		2
308	Natural-Synthetic Polyblend Nanofibers for Biomedical Applications. 2009 , 21, 2792-2797		126
307	Preparation of PVDF/PMMA blend hollow fiber membrane via thermally induced phase separation (TIPS) method. 2009 , 66, 76-83		111
306	Poly(3-hydroxybutyrate-co-11 mass%3-hydroxyvaleate) molded part during the solidification step. 2009 , 95, 305-312		2
305	Influence of thermal treatment on the glass transition temperature of thermosetting epoxy laminate. <i>Polymer Testing</i> , 2009 , 28, 428-436	4.5	29

304	Nano-biocomposites: Biodegradable polyester/nanoclay systems. 2009 , 34, 125-155	793
303	Biodegradable Polymers. 2009 , 2, 307-344	807
302	Silver sulfide/poly(3-hydroxybutyrate) nanocomposites: Thermal stability and kinetic analysis of thermal degradation. 2010 , 95, 1299-1304	53
301	Effect of Lignosulfonate on the Thermal and Morphological Behavior of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate). 2010 , 18, 250-259	31
300	Aromatic/Aliphatic Polyester Blends. 2010 , 18, 308-317	5
299	Hollow Poly(3-hydroxybutyrate) Fibers Produced by Melt Spinning. 2010 , 295, 585-594	10
298	Photodegradation of poly(3-hydroxybutyrate). 2010 , 95, 2318-2327	47
297	Biodegradation behavior of PHBV films in a pilot-scale composting condition. <i>Polymer Testing</i> , 2010 , 29, 579-587	4-5 67
296	Polyester/organo-graphite oxide composite: Effect of organically surface modified layered graphite on structure and physical properties of poly(ϵ -caprolactone). 2010 , 48, 294-301	21
295	Preparation and characterization of composites based on polyhydroxybutyrate and waste powder from coconut fibers processing. 2010 , 50, 1466-1475	34
294	Miscibility influence in the thermal stability and kinetic parameters of poly(3-hydroxybutyrate)/poly(ethylene terephthalate) sulphonated blends. 2010 , 20, 153-158	11
293	Nanofibers from blends of polyvinyl alcohol and polyhydroxy butyrate as potential scaffold material for tissue engineering of skin. 2010 , 11, 3413-21	137
292	Development of Nanocomposite Scaffolds for Bone Tissue Engineering. 2010 , 294, 144-152	11
291	Man-Made Cellulose Short Fiber Reinforced Oil and Bio-Based Thermoplastics. 2011 , 479-506	5
290	Production, Chemistry and Properties of Polyhydroxyalkanoates. 2011 , 65-86	15
289	Cellulose Fibers: Bio- and Nano-Polymer Composites. 2011 ,	164
288	A Novel Multiblock Poly(ester urethane) Based on Poly(butylene succinate) and Poly(ethylene succinate-co-ethylene terephthalate). 2011 , 50, 2065-2072	26
287	PHBV nanocomposites based on organomodified montmorillonite and halloysite: The effect of clay type on the morphology and thermal and mechanical properties. 2011 , 42, 1601-1608	127

286	Biocomposites Based on Biodegradable Thermoplastic Polyester and Lignocellulose Fibers. 2011 , 453-478	2
285	Comparison of reversible melting behaviour of poly(3-hydroxybutyrate) using quasi-isothermal and other modulated temperature differential scanning calorimetry techniques. 2011 , 104, 1117-1124	11
284	. 2011 ,	46
283	Biobased and Biodegradable PHBV-Based Polymer Blends and Biocomposites: Properties and Applications. 2011 , 372-396	3
282	Production and characterization of poly-3-hydroxybutyrate from crude glycerol by <i>Bacillus sphaericus</i> NII 0838 and improving its thermal properties by blending with other polymers. 2011 , 54, 783-794	79
281	Changes in the crystallinity and mechanical properties of poly(l-lactic acid)/poly(butylene succinate-co-l-lactate) blend with annealing process. 2011 , 67, 815-830	19
280	Effect of processing conditions on the development of morphological features of banded or nonbanded spherulites of poly(3-hydroxybutyrate) (PHB) and polylactic acid (PLLA) blends. 2011 , 51, 2191-2202	21
279	Eco-friendly Poly(butylene 1,4-cyclohexanedicarboxylate): Relationships Between Stereochemistry and Crystallization Behavior. 2011 , 212, 1524-1534	23
278	Sorption and pervaporation with poly(3-hydroxybutyrate) membranes: methanol/methyl tert-butyl ether mixtures. 2011 , 367, 103-109	37
277	Aerobic Biodegradation of Polyhydroxybutyrate in Compost. 2011 , 28, 477-488	12
276	Polyhydroxyalkanoates (PHAs) for food packaging. 2011 , 498-526	22
275	Microstructural Evolution of Synthesized Polyhydroxyalkanoates (PHAs) Corresponding to their Blends. 2011 , 312-315, 688-693	2
274	Crystallization behaviors and morphology of biodegradable poly(3-hydroxybutyrate-co-4-hydroxybutyrate). 2012 , 109, 959-966	31
273	PHA/Clay Nano-Biocomposites. 2012 , 143-163	2
272	Crystallization kinetics of poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/cellulose nanowhiskers composites. 2012 , 90, 541-50	75
271	Biodegradable Polymers. 2012 , 13-39	98
270	Enhancement of poly(3-hydroxybutyrate) thermal and processing stability using a bio-waste derived additive. <i>International Journal of Biological Macromolecules</i> , 2012 , 51, 1151-8	7.9 27
269	Characterizing the effects of ambient aging on the mechanical and physical properties of two commercially available bacterial thermoplastics. 2012 , 97, 1922-1929	48

268	Processing and characterization of composites of poly(3-hydroxybutyrate-co-hydroxyvalerate) and lignin from sugar cane bagasse. 2012 , 46, 417-425		49
267	Understanding the mechanical and biodegradation behaviour of poly(hydroxybutyrate)/rubber blends in relation to their morphology. 2012 , 61, 434-441		18
266	Processing and Properties of Biopolymer/Polyhydroxyalkanoates Blends. 2012 , 20, 267-272		24
265	Characterization of poly-hydroxybutyrate films and hemp fiber reinforced composites exposed to accelerated weathering. 2012 , 97, 870-878		56
264	Evaluation of graphene nanosheets influence on the physical properties of PVDF/PMMA blend. 2013 , 20, 1		41
263	Physicochemical and mechanical properties of mixed culture polyhydroxyalkanoate (PHBV). 2013 , 49, 904-913		70
262	The chemomechanical properties of microbial polyhydroxyalkanoates. 2013 , 38, 536-583		269
261	Influence of microcrystalline cellulose fiber (MCCF) on the morphology of poly(3-hydroxybutyrate) (PHB). 2013 , 291, 743-756		17
260	Acrylic formulations containing bioactive and biodegradable fillers to be used as bone cements: properties and biocompatibility assessment. 2013 , 33, 1289-99		19
259	Bioplastics from waste glycerol derived from biodiesel industry. <i>Journal of Applied Polymer Science</i> , 2013 , 130, 1-13	2.9	53
258	Sustainability, Compostability, and Specific Microbial Activity on Agricultural Mulch Films Prepared from Poly(lactic acid). 2013 , 52, 17714-17724		37
257	Biodegradability Testing of Compostable Polymer Materials. 2013 , 213-263		9
256	Crystallinity study of nano-biocomposites based on plasticized poly(hydroxybutyrate-co-hydroxyvalerate) with organo-modified montmorillonite. <i>Polymer Testing</i> , 2013 , 32, 1253-1260	4.5	19
255	Biodegradable polyesters from renewable resources. 2013 , 4, 143-70		46
254	Macro-, Micro-, and Nanocomposites Based on Biodegradable Polymers. 2013 , 173-210		1
253	Phase Separation-Induced Crystallization of Poly(3-hydroxybutyrate-co-hydroxyvalerate) by Branched Poly(lactic acid). 2013 , 52, 1548-1553		14
252	Improvement of the thermal properties of poly(3-hydroxybutyrate) (PHB) by low molecular weight polypropylene glycol (LMWPPG) addition. <i>Journal of Applied Polymer Science</i> , 2013 , 128, 3019-3025	2.9	14
251	Polyhydroxyalkanoates: The Natural Polymers Produced by Bacterial Fermentation. 2013 , 397-421		14

250	Barrier and mechanical properties of biodegradable poly(ϵ -caprolactone)/cellophane multilayer film. <i>Journal of Applied Polymer Science</i> , 2013 , 130, 1805-1811	2.9	10
249	Characterization of polyhydroxybutyrate biosynthesized from crude glycerol waste using mixed microbial consortia. <i>Journal of Applied Polymer Science</i> , 2013 , 129, 1314-1321	2.9	27
248	Bioplastics: Advances in Polyhydroxybutyrate Research. 2014 , 1		11
247	Study of thermodegradation and thermostabilization of poly(lactide acid) using subsequent extrusion cycles. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	19
246	Polyhydroxyalkanoate (PHA): Review of synthesis, characteristics, processing and potential applications in packaging. 2014 , 8, 791-808		521
245	Toughening poly(3-hydroxybutyrate) with propylene carbonate plasticized poly(propylene carbonate). 2014 , 14, 283-288		4
244	The chemomechanical properties of microbial polyhydroxyalkanoates. 2014 , 39, 397-442		135
243	Novel poly(3-hydroxybutyrate) nanocomposites containing WS2 inorganic nanotubes with improved thermal, mechanical and tribological properties. 2014 , 147, 273-284		31
242	The proper glass transition temperature of amorphous polymers on dynamic mechanical spectra. 2014 , 116, 447-453		25
241	Effect of Organo-Modified Montmorillonite on Thermal Properties of Bacterial Poly(3-hydroxybutyrate). 2014 , 53, 90-96		14
240	Utilization of Bioplastics for Food Packaging Industry. 2014 , 369-390		9
239	Casting of Poly Hydroxybutyrate/Poly (vinyl alcohol) Membranes for Proton Exchange Fuel Cells. 2014 , 150, 290-297		17
238	Development of plasticized PLA/NH ₂ -CNTs nanocomposite: potential of NH ₂ -CNTs to improve electroactive shape memory properties. 2014 , 35, 2129-2136		14
237	From biowaste to bioresource: Effect of a lignocellulosic filler on the properties of poly(3-hydroxybutyrate). <i>International Journal of Biological Macromolecules</i> , 2014 , 71, 163-73	7.9	45
236	Lignin valorization through integrated biological funneling and chemical catalysis. 2014 , 111, 12013-8		494
235	Inorganic WS2 nanotubes that improve the crystallization behavior of poly(3-hydroxybutyrate). 2014 , 16, 1126-1135		22
234	FTIR spectroscopy for analysis of crystallinity of poly(3-hydroxybutyrate-co-4-hydroxybutyrate) polymers and its utilization in evaluation of aging, orientation and composition. <i>Polymer Testing</i> , 2014 , 40, 218-224	4.5	21
233	Crystallization and thermal properties of biodegradable polyurethanes based on poly[(R)-3-hydroxybutyrate] and their composites with chitin whiskers. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	14

232	Investigation of the effect of nano-clay type on the non-isothermal crystallization kinetics and morphology of poly(3(R)-hydroxybutyrate) PHB/clay nanocomposites. 2014 , 71, 1449-1470		33
231	Adhesion and Surface Issues in Biocomposites and Bionanocomposites. 2014 , 2, 173-225		7
230	Chemical modification of cellulose acetate by N-(phenyl amino) maleimides: characterization and properties. <i>International Journal of Biological Macromolecules</i> , 2014 , 68, 21-7	7.9	13
229	Mechanical property prediction of starch/polymer composites by molecular dynamics simulation. 2014 , 4, 11475-11480		4
228	Blends of poly(3-hydroxybutyrate) with poly(L-alanine) and its derivatives. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	9
227	Heat resistance of new biobased polymeric materials, focusing on starch, cellulose, PLA, and PHA. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	44
226	Polyacrylonitrile nanofibers with added zeolitic imidazolate frameworks (ZIF-7) to enhance mechanical and thermal stability. 2015 , 118, 245307		5
225	Effect of Oligo-Hydroxyalkanoates on Poly(3-Hydroxybutyrate-co-4-Hydroxybutyrate)-Based Systems. 2015 , 300, 661-666		8
224	The Effect of Polystyrene on the Crystallization of Poly(3-hydroxybutyrate). 2015 , 18, 235-239		5
223	Environmental Stress Cracking of Poly(3-hydroxybutyrate) Under Contact with Sodium Hydroxide. 2015 , 18, 258-266		5
222	Particles of Coffee Wastes as Reinforcement in Polyhydroxybutyrate (PHB) Based Composites. 2015 , 18, 546-552		32
221	Polymer-Nanoparticle Composites Composed of Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) and Coated Silver Nanoparticles. 2015 , 54, 411-423		9
220	In vivo and in vitro observations of polyhydroxybutyrate granules formed by <i>Dinoroseobacter</i> sp. JL 1447. <i>International Journal of Biological Macromolecules</i> , 2015 , 74, 467-75	7.9	4
219	Insights into the nucleation role of cellulose crystals during crystallization of poly(3-hydroxybutyrate). 2015 , 134, 508-15		49
218	From Microbial Biopolymers to Bioplastics: Sustainable Additives for PHB Processing and Stabilization. 2015 , 139-160		3
217	Microbial Factories. 2015 ,		1
216	Incorporation of plasticizers in sugarcane-based poly(3-hydroxybutyrate)(PHB): Changes in microstructure and properties through ageing and annealing. <i>Industrial Crops and Products</i> , 2015 , 72, 166-174	5.9	28
215	Effect of MWCNT functionalization on thermal and electrical properties of PHBV/MWCNT nanocomposites. 2015 , 30, 55-65		68

214	Nanocomposites of Polyhydroxyalkanoates Reinforced with Carbon Nanotubes: Chemical and Biological Properties. 2015 , 79-108		7
213	Effect of crystallization conditions on the physical properties of a two-layer glassine paper/polyhydroxybutyrate structure. 2015 , 50, 3686-3696		8
212	Intermolecular hydrogen bondings in the poly(3-hydroxybutyrate) and chitin blends: Their effects on the crystallization behavior and crystal structure of poly(3-hydroxybutyrate). 2015 , 75, 141-150		36
211	Effect of incorporating bis(2-hydroxyethyl) terephthalate on thermal and mechanical properties and degradability of poly(butylene succinate). 2015 , 23, 755-764		9
210	Molecular orientation in melt-spun poly(3-hydroxybutyrate) fibers: Effect of additives, drawing and stress-annealing. 2015 , 71, 12-26		27
209	Chain extended poly(3-hydroxybutyrate) with improved rheological properties and thermal stability, through reactive modification in the melt state. 2015 , 121, 222-229		23
208	Stearic acid based oleogels: a study on the molecular, thermal and mechanical properties. 2015 , 48, 688-99		78
207	Sorption and pervaporation of methanol/water mixtures with poly(3-hydroxybutyrate) membranes. 2015 , 94, 254-265		31
206	Photodegradation and Photostabilization of Poly(3-Hydroxybutyrate). 2016 , 19, 759-764		7
205	Influence of Electrospinning Parameters on Fiber Diameter and Mechanical Properties of Poly(3-Hydroxybutyrate) (PHB) and Polyanilines (PANI) Blends. <i>Polymers</i> , 2016 , 8,	4.5	25
204	The role of solvent type, size and chemical composition of bioactive glass particles in modulating material properties of poly(ϵ -caprolactone) based composites. 2016 , 90, 90-99		19
203	Film blowing of PHBV blends and PHBV-based multilayers for the production of biodegradable packages. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	32
202	Modification of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) properties by reactive blending with a monoterpene derivative. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	10
201	Hydrolytic degradation of bio-based polyesters: Effect of pH and time. <i>Polymer Testing</i> , 2016 , 52, 192-199.5		23
200	Casting of poly (vinyl alcohol)/glycidyl methacrylate reinforced with titanium dioxide nanoparticles for proton exchange fuel cells. 2016 , 20, 1913-1920		8
199	Physical explanations about the improvement of PolyHydroxyButyrate ductility: Hidden effect of plasticizer on physical ageing. 2016 , 102, 176-182		16
198	Effect of plasticizers on thermal and physical properties of compression-moulded poly[(3-hydroxybutyrate)-co-(3-hydroxyvalerate)] films. <i>Polymer Testing</i> , 2016 , 56, 45-53	4.5	30
197	RETRACTED ARTICLE: Towards understanding polyhydroxyalkanoates and their use. 2016 , 23, 1		20

196	Localized delivery and enhanced osteogenic differentiation with biodegradable galactitol polyester elastomers. 2016 , 6, 61492-61504		8
195	Tuning the properties of polyhydroxybutyrate films using acetic acid via solvent casting. 2015 , 5, 17884		78
194	Impact of fermentation residues on the thermal, structural, and rheological properties of polyhydroxy(butyrate-co-valerate) produced from cheese whey and olive oil mill wastewater. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	17
193	Production of bacterial cellulose with various additives in a PCS rotating disk bioreactor and its material property analysis. 2016 , 23, 367-377		34
192	Polyhydroxyalkanoates and Their Nanobiocomposites With Cellulose Nanocrystals. 2016 , 261-285		8
191	The control and optimization of the curing process of epoxy coatings: a case of poly(glycidoxysiloxane) resins. 2016 , 36, 819-827		
190	Preparation and characterization of electrospun PHBV/PEO mats: The role of solvent and PEO component. 2016 , 51, 5695-5711		20
189	Acrylic acid plasma polymerized poly(3-hydroxybutyrate) membranes for methanol/MTBE separation by pervaporation. 2016 , 109, 234-248		29
188	Electrospun fibers of chitosan-grafted polycaprolactone/poly(3-hydroxybutyrate-co-3-hydroxyhexanoate) blends. 2016 , 4, 600-612		32
187	Modeling of Progesterone Release from Poly(3-Hydroxybutyrate) (PHB) Membranes. 2016 , 17, 898-906		14
186	Facilely assess the soluble behaviour of the nucleating agent by gradient temperature field for the construction of heterogeneous crystalline-frameworks in iPP. 2016 , 12, 594-601		23
185	Plasticized poly(3-hydroxybutyrate) with improved melt processing and balanced properties. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	46
184	Physico-chemical properties of Bismuth nitrate filled PVA/ClO ₄ polymer composites for energy storage applications. 2017 , 28, 5827-5839		23
183	Sorting natural fibres: A way to better understand the role of fibre size polydispersity on the mechanical properties of biocomposites. 2017 , 95, 12-21		23
182	Biocomposite coatings based on Poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/calcium phosphates obtained by MAPLE for bone tissue engineering. 2017 , 417, 204-212		18
181	Improvement of the Miscibility by Combination of Poly(3-hydroxy butyrate) PHB and Poly(propylene carbonate) PPC with Additives. 2017 , 25, 728-738		12
180	Comparison of high pressure and nanoscale confinement effects on crystallization of the molecular glass-forming liquid, dimethyl phthalate. 2017 , 19, 14366-14375		8
179	Fabricating high mechanical strength Fe ₂ O ₃ nanoparticles filled poly(vinyl alcohol) nanofiber using electrospinning process potentially for tissue engineering scaffold. 2017 , 32, 411-428		6

178	Measurements of the mechanical response of unidirectional 3D-printed PLA. 2017 , 123, 154-164	294
177	Novel 3D composites with highly flexible behavior based on chitosan and bioactive glass for biomedical applications. 2017 , 189, 1-11	9
176	Complex study of the physical properties of a poly(lactic acid)/poly(3-hydroxybutyrate) blend and its carbon black composite during various outdoor and laboratory ageing conditions. 2017 , 7, 47132-47142	16
175	Tuning Poly(3-hydroxybutyrate) (P3HB) Properties by Tailored Segmented Biocopolymers. 2017 , 5, 11060-11068	18
174	Coaxial poly(lactic acid) electrospun composite membranes incorporating cellulose and chitin nanocrystals. 2017 , 544, 261-271	29
173	Effect of temperature on mechanical and bioactive properties of glass-ceramics. 2017 , 726, 348-351	8
172	Poly(ϵ -caprolactone)-based membranes with tunable physicochemical, bioactive and osteoinductive properties. 2017 , 52, 12960-12980	8
171	CNT-induced morphology and its effect on properties in PLA/PBAT-based nanocomposites. 2017 , 93, 545-555	51
170	Development of highly porous biodegradable FeO /polyvinyl alcohol nanofiber mats using electrospinning process for biomedical application. 2017 , 70, 520-534	30
169	A porous medium-chain-length poly(3-hydroxyalkanoates)/hydroxyapatite composite as scaffold for bone tissue engineering. 2017 , 17, 420-429	15
168	An Experimental Study on the Thermal Properties and Electrical Properties of Polylactide Doped with Nano Aluminium Oxide and Nano Cupric Oxide. 2017 , 2, 145-151	3
167	Polyhydroxyalkanoates in the Food Packaging Industry. 2017 , 153-177	11
166	Influence of Encapsulated Nanodiamond Dispersion on P(3HB) Biocomposites Properties. 2017 , 20, 768-774	6
165	Examination of a Biobased Carbon Nucleating Agent on Poly(lactic acid) Crystallization. 2017 , 5, 94-105	11
164	Reprocessability of PHB in extrusion: ATR-FTIR, tensile tests and thermal studies. 2017 , 27, 122-128	23
163	Comparison of yields and properties of microbial polyhydroxyalkanoates generated from waste glycerol based substrates. <i>International Journal of Biological Macromolecules</i> , 2018 , 112, 273-283	7-9 15
162	Grafted Copolymerized Chitosan and Its Applications as a Green Biopolymer. 2018 , 285-333	2
161	The crystallization behavior of biodegradable polymer in thin film. 2018 , 102, 238-253	11

160	Nefopam hydrochloride loaded microspheres for post-operative pain management: synthesis, physicochemical characterization and in-vivo evaluation. 2018 , 46, 138-146		4
159	Synergistic effects of carbon nanotubes on the mechanical properties of basalt and carbon fiber-reinforced polyamide 6 hybrid composites. 2018 , 31, 553-571		17
158	Biodegradation of gamma irradiated poly-3-hydroxybutyrate/sepiolite nanocomposites. 2018 , 126, 1-9		12
157	Comparison of different solvents for extraction of polyhydroxybutyrate from. 2018 , 18, 20-28		47
156	Effect of two different plasticizers on the properties of poly(3-hydroxybutyrate) binary and ternary blends. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46016	2.9	13
155	Heat resistance of biobased materials, evaluation and effect of processing techniques and additives. 2018 , 58, 513-520		8
154	Utilization of Waste Lignin and Hydrolysate From Chromium Tanned Waste in Blends of Hot-Melt Extruded PVA-Starch. 2018 , 26, 1459-1472		7
153	Investigation of crystalline structure of plasticized poly (lactic acid)/Banana nanofibers composites. 2018 , 369, 012031		14
152	Synthesis of Short-Chain-Length and Medium-Chain-Length Polyhydroxyalkanoate Blends from Activated Sludge by Manipulating Octanoic Acid and Nonanoic Acid as Carbon Sources. 2018 , 66, 11043-11054	3	
151	Sugarcane molasses and vinasse as a substrate for polyhydroxyalkanoates (PHA) production. 2018 , 85, 220-225		11
150	Role of bacterial cellulose and poly (3-hydroxyhexanoate-co-3-hydroxyoctanoate) in poly (3-hydroxybutyrate) blends and composites. 2018 , 25, 5569-5591		19
149	Poly(3-hydroxybutyrate) graft copolymer dense membranes for human mesenchymal stem cell growth. 2018 , 34, 59-66		6
148	Composite Materials Based on Polylactide and Poly-3-hydroxybutyrate Green Polymers . 2018 , 91, 417-423		15
147	Poly(hydroxyalkanoate)s-Based Hydrophobic Coatings for the Protection of Stone in Cultural Heritage. 2018 , 11,		31
146	Enhancement of Mechanical Properties of FDM-PLA Parts via Thermal Annealing. 2018 , 303, 1800169		66
145	Tailored Biodegradable and Electroactive Poly(Hydroxybutyrate-Co-Hydroxyvalerate) Based Morphologies for Tissue Engineering Applications. 2018 , 19,		15
144	How do cellulose nanocrystals affect the overall properties of biodegradable polymer nanocomposites: A comprehensive review. 2018 , 108, 274-285		104
143	Morphology and property changes in PLA/PHBV blends as function of blend composition. 2018 , 25, 1		7

142	Solvent vapor treatment improves mechanical strength of electrospun polyvinyl alcohol nanofibers. 2018 , 4, e00592		41
141	Ternary nanocomposites based on plasticized poly(3-hydroxybutyrate) and nanocellulose. 2019 , 76, 967-988		13
140	. 2019 ,		3
139	Ionic liquid induces flexibility and thermoplasticity in cellulose film. 2019 , 223, 115058		18
138	Non-isothermal crystallization kinetics and morphology of poly(3-hydroxybutyrate)/pluronic blends. 2019 , 120, 109189		5
137	Hydrolytic Destruction of Agrofiber Made of Natural Polymers. 2019 , 51, 117-120		6
136	Preparation of Reswellable Amorphous Porous Celluloses through Hydrogelation from Ionic Liquid Solutions. 2019 , 12,		6
135	The process and performance comparison of polyamide 12 manufactured by multi jet fusion and selective laser sintering. 2019 , 47, 419-426		47
134	Enhancement of scaffolding properties for poly(3-hydroxybutyrate): blending with poly-L-alanine and wet electrospinning. 2019 , 68, 338-349		3
133	Melt and cold crystallization in a poly(3-hydroxybutyrate) poly(butylene adipate-co-terephthalate) blend. 2019 , 137, 1341-1346		4
132	Polyurethane/urea composite scaffolds based on poly(3-hydroxybutyrate-g-2-amino-ethyl methacrylate). 2019 , 160, 362-368		5
131	Biodegradability testing of compostable polymer materials under laboratory conditions. 2019 , 163-237		1
130	How olive pomace can be valorized as fillers to tune the biodegradation of PHBV based composites. 2019 , 166, 325-333		16
129	Improving the ductility of polylactic acid parts produced by fused deposition modeling through polyhydroxyalkanoate additions. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 48154	2.9	18
128	Microbial Degradation of Synthetic Biopolymers Waste. <i>Polymers</i> , 2019 , 11,	4.5	82
127	Preparation and characterization of glass-ceramics via co-sintering of coal fly ash and oil shale ash-derived amorphous slag. 2019 , 45, 20058-20065		18
126	Recent developments in the synthesis of poly(hydroxybutyrate) based biocomposites. 2019 , 35, e2855		11
125	Improvements in the crystallinity and mechanical properties of PLA by nucleation and annealing. 2019 , 166, 248-257		36

124	Understanding the effect of copolymer content on the processability and mechanical properties of polyhydroxyalkanoate (PHA)/wood composites. 2019 , 124, 105437	14
123	Films based on the biopolymer poly(3-hydroxybutyrate) as platforms for the controlled release of dexamethasone. 2019 , 27, 694-701	4
122	Jellyfish-Based Plastic. 2019 , 3, 1900016	7
121	Overall Investigation of Poly (Phenylene Sulfide) from Synthesis and Process to Applications Review. 2019 , 304, 1800686	42
120	Bio-based Polymers and Nanocomposites. 2019 ,	6
119	Novel Biorenewable Composites Based on Poly (3-hydroxybutyrate-co-3-hydroxyvalerate) with Natural Fillers. 2019 , 27, 803-815	26
118	Starch-Based Nanocomposites: Types and Industrial Applications. 2019 , 157-181	14
117	Evaluation of Biodegradation in Aqueous Medium of Poly(Hydroxybutyrate-Co-Hydroxyvalerate)/Carbon Nanotubes Films in Respirometric System. 2019 , 7, 117-128	3
116	Constrained Amorphous Interphase and Mechanical Properties of Poly(3-Hydroxybutyrate--3-Hydroxyvalerate). 2019 , 7, 790	7
115	Characteristic Assessment of the Polymeric Films Used for Hair Gel Products in Thailand. 2019 , 819, 98-103	
114	Fiber-Matrix Relationship for Composites Preparation. 2019 ,	13
113	Finite element simulation based-on atomic force microscopy and nanoindentation for spruce wood microstructure analysis. 2019 , 82, 507-516	3
112	Crystalline properties of melt-processed polyamide 6 matrix multiscale hybrid composites. 2019 , 137, 43-53	5
111	Use of Polymers in Controlled Release of Active Agents. 2019 , 113-172	11
110	Polyhydroxyalkanoates (PHA) Production. 2020 , 236-252	0
109	Novel processing of polyhydroxybutyrate with micro- to nanofibrillated cellulose and effect of fiber morphology on crystallization behaviour of composites. 2020 , 14, 115-133	8
108	Material Extrusion-Based Additive Manufacturing with Blends of Polypropylene and Hydrocarbon Resins. 2020 , 2, 911-921	23
107	Pervaporation separation of isopropylbenzene from water using four different polymeric membranes: Membrane preparation, modification, characterization, and performance evaluation. 2020 , 114, 67-80	4

106	Polyhydroxyalkanoates-based bionanocomposites. 2020 , 321-333		2
105	Efficient recovery of thermostable polyhydroxybutyrate (PHB) by a rapid and solvent-free extraction protocol assisted by ultrasound. <i>International Journal of Biological Macromolecules</i> , 2020 , 164, 771-782	7.9	12
104	Influence of Composition and Plasma Power on Properties of Film from Biodegradable Polymer Blends. <i>Polymers</i> , 2020 , 12,	4.5	1
103	Fabrication of lignin/poly(3-hydroxybutyrate) nanocomposites with enhanced properties via a Pickering emulsion approach. <i>International Journal of Biological Macromolecules</i> , 2020 , 165, 3078-3087	7.9	10
102	Wine derived additives as poly(butylene succinate) (PBS) natural stabilizers for different degradative environments. 2020 , 182, 109381		5
101	Influence of the thermomechanical degradation on the formation of the crystalline structure of PHBV evaluated by temperature-resolved SAXS experiments. 2020 , 60, 2945-2957		1
100	Effect of the Molecular Structure of Poly(3-hydroxybutyrate--3-hydroxyvalerate) (P(3HB-3HV)) Produced from Mixed Bacterial Cultures on Its Crystallization and Mechanical Properties. 2020 , 21, 4709-4723		7
99	Biodestruction of Polylactide and Poly(3-Hydroxybutyrate) Non-Woven Materials by Micromycetes. 2020 , 52, 43-47		2
98	Cellulose nanocrystal effects on the biodegradability with alginate and crude seaweed extract nanocomposite films. 2020 , 38, 100795		12
97	Sustainable composites from poly(3-hydroxybutyrate) (PHB) bioplastic and agave natural fibre. 2020 , 22, 3906-3916		26
96	Mechanical and structural properties for recycled thermoplastics from waste fishing ropes. 2020 , 22, 1682-1689		3
95	Facile production of cellulosic organic solutions and organogels from ionic liquid media. 2020 , 298, 1129-1134		2
94	Growth associated polyhydroxybutyrate production by the novel <i>Zobellella tiwanensis</i> strain DD5 from banana peels under submerged fermentation. <i>International Journal of Biological Macromolecules</i> , 2020 , 153, 461-469	7.9	12
93	Synthesis and characterization of graphene oxide, reduced graphene oxide and their nanocomposites with polyethylene oxide. 2020 ,		3
92	Harnessing the ductility of polylactic acid/ halloysite nanocomposites by synergistic effects of impact modifier and plasticiser. 2020 , 188, 107845		18
91	Investigation of the rheological and mechanical behavior of Polypropylene/ultra-high molecular weight polyethylene compounds related to new online process control. <i>Polymer Testing</i> , 2020 , 86, 106442 ⁵		5
90	Influence of the carbon source on the properties of poly-(3)-hydroxybutyrate produced by <i>Paraburkholderia xenovorans</i> LB400 and its electrospun fibers. <i>International Journal of Biological Macromolecules</i> , 2020 , 152, 11-20	7.9	13
89	Foaming of Poly(3-hydroxybutyrate--3-hydroxyvalerate) with Supercritical Carbon Dioxide: Foaming Performance and Crystallization Behavior. 2020 , 5, 9839-9845		4

88	Therapeutic cobalt ion incorporated in poly(vinyl alcohol)/bioactive glass scaffolds for tissue engineering. 2020 , 55, 8710-8727		12
87	Thermal properties of aliphatic polyesters. 2020 , 151-189		0
86	Effect of modified microcrystalline cellulose on poly(3-hydroxybutyrate) molecular dynamics by proton relaxometry. 2021 , 29, 553-560		1
85	Mechanical properties of CF-reinforced PLA parts manufactured by fused deposition modeling. 2021 , 34, 581-595		31
84	Effect of the wine wastes on the thermal stability, mechanical properties, and biodegradation's rate of poly(3-hydroxybutyrate). <i>Journal of Applied Polymer Science</i> , 2021 , 138, 49713	2.9	6
83	Plasticization of poly(3-hydroxybutyrate) with triethyl citrate: Thermal and mechanical properties, morphology, and kinetics of crystallization. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 49990	2.9	4
82	Glycerol-based additives of poly(3-hydroxybutyrate) films. <i>Polymer Testing</i> , 2021 , 93, 107005	4.5	4
81	Polyhydroxyalkanoates: An Exotic Gleam in the Gloomy Tale of Plastics. 2021 , 29, 2013-2032		8
80	Wine By-Products as Raw Materials for the Production of Biopolymers and of Natural Reinforcing Fillers: A Critical Review. <i>Polymers</i> , 2021 , 13,	4.5	14
79	Poly(lactic acid) (PLA) and polyhydroxyalkanoates (PHAs), green alternatives to petroleum-based plastics: a review.. 2021 , 11, 17151-17196		56
78	Polyhydroxyalkanoates production from industrial wastewaters using a mixed culture enriched with <i>Thauera</i> sp.: Inhibitory effect of the wastewater matrix. 2021 , 21, 101328		9
77	Application of Corn Fibers from Harvest Residues in Biocomposite Films. 2021 , 29, 2813-2824		1
76	High-strength potato starch/hectorite clay-based nanocomposite film: synthesis and characterization. 2021 , 30, 513-521		6
75	Roadmap to Biodegradable Plastics Current State and Research Needs. 2021 , 9, 6170-6187		30
74	Insights into polyester plastic biodegradation by carboxyl ester hydrolases.		10
73	The electric field effect on the nanostructure, transport, mechanical, and thermal properties of polymer electrolyte membrane. 2021 , 28, 1		
72	Inspired by nature: Microbial production, degradation and valorization of biodegradable bioplastics for life-cycle-engineered products. 2021 , 53, 107772		10
71	Effects of the shapes and addition amounts of crosslinking reagents on the properties of poly-3-hydroxybutyrate/poly(caprolactone) blends. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51210 ^{2.9}		

70	Macro and Micro Routes to High Performance Bioplastics: Bioplastic Biodegradability and Mechanical and Barrier Properties. <i>Polymers</i> , 2021 , 13,	4-5	4
69	Changes in Mechanical Properties of Polyhydroxyalkanoate with Double Silanized Cellulose Nanocrystals Using Different Organosiloxanes. 2021 , 11,		3
68	Environmental life cycle assessment of polyhydroxyalkanoates production from cheese whey. 2021 , 132, 31-43		3
67	Pilot scale production and evaluation of mechanical and thermal properties of P(3HB) from <i>Bacillus megaterium</i> cultivated on desugared sugar beet molasses. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 51503	2-9	2
66	Improving the ductility and heat deflection temperature of injection molded Poly(lactic acid) products: A comprehensive review. <i>Polymer Testing</i> , 2021 , 101, 107282	4-5	7
65	Synthesis of the SWCNTs/TiO ₂ nanostructure and its effect study on the thermal, optical, and conductivity properties of the CMC/PEO blend. 2021 , 28, 104675		13
64	Preparation and Characterization of Porous Scaffolds Based on Poly(3-hydroxybutyrate) and Poly(3-hydroxybutyrate-3-hydroxyvalerate). 2021 , 11,		2
63	Antioxidant Efficiency of Irganox [®] 1010 on Processing and Properties of Plasticized Poly(3-Hydroxybutyrate) Films. 9, 7-16		
62	Biocomposites based on poly(hydroxybutyrate) and the mesocarp of babassu coconut (<i>Orbignya phalerata</i> Mart.): Effect of wax removal and maleic anhydride-modified polyethylene addition. 2021 ,		2
61	Alternative optimization routes for improving the performance of poly(3-hydroxybutyrate) (PHB) based plastics. 2021 , 318, 128555		7
60	Poly (glycerol sebacate) and polyhydroxybutyrate electrospun nanocomposite facilitates osteogenic differentiation of mesenchymal stem cells. 2021 , 66, 102796		2
59	Production, additive printing and mechanical testing of PLA/PHB material with different concentrations of TAC emollient. 2021 ,		
58	Engineered biodegradable melt-spun fibers. 2021 , 191-232		1
57	Polyhydroxyalkanoate (PHA) production in open mixed cultures using waste activated sludge as biomass. <i>Archives of Microbiology</i> , 2020 , 202, 1907-1913	3	7
56	Biofilm formation during biodegradation of polylactide, poly(3,4 hydroxybutyrate) and poly(ϵ -caprolactone) in activated sludge. <i>International Journal of Biological Macromolecules</i> , 2020 , 159, 539-546	7-9	10
55	Recent progress in development and chemical modification of poly(hydroxybutyrate)-based blends for potential medical applications. <i>International Journal of Biological Macromolecules</i> , 2020 , 160, 77-100	7-9	19
54	Study on the glass transition dynamics and crystallization kinetics of molecular liquid, dimethyl phthalate, confined in Anodized Aluminum Oxide (AAO) nanopores with Atomic Layer Deposition (ALD) coatings. <i>Journal of Molecular Liquids</i> , 2020 , 311, 113296	6	4
53	Graphite fluoride reinforced PA6 composites: Crystallization and mechanical properties. <i>Materials Today Communications</i> , 2018 , 16, 217-225	2-5	17

52	CHAPTER 6: Polyhydroxyalkanoate-based Multiphase Materials. <i>RSC Green Chemistry</i> , 2014 , 119-140	0.9	1
51	Properties of Polyvinylbutyral/Vermiculite nanocomposites prepared by in-situ reaction method. <i>Plastics, Rubber and Composites</i> , 2019 , 48, 103-108	1.5	1
50	Potential Use of Polyhydroxyalkanoate (PHA) for Biocomposite Development. 2009 , 193-226		4
49	The Main Characteristics, Properties, Improvements, and Market Data of Polyhydroxyalkanoates. 2016 , 932-961		4
48	Effects of Terpolymer Addition on the Thermal and Thermomechanical Properties of Poly(Phenylene Sulfide). <i>Acta Physica Polonica A</i> , 2017 , 131, 598-601	0.6	1
47	From Obtaining to Degradation of PHB: Material Properties. Part I. <i>Ingeniería Y Ciencia</i> , 2017 , 13, 269-298	0.5	21
46	[Development and preclinical studies of insulating membranes based on poly-3-hydroxybutyrate-co-3-hydroxyvalerate for guided bone regeneration]. <i>Biomeditsinskaya Khimiya</i> , 2015 , 61, 717-23	0.8	4
45	The Effect of Annealing Treatments on Spherulitic Morphology and Physical Ageing on Glass Transition of Poly Lactic Acid (PLLA). <i>Materials Sciences and Applications</i> , 2011 , 02, 439-443	0.3	6
44	Durability of Biodegradable Polymer Nanocomposites. <i>Polymers</i> , 2021 , 13,	4.5	6
43	Development and Advantages of Biodegradable PHA Polymers Based on Electrospun PHBV Fibers for Tissue Engineering and Other Biomedical Applications. <i>ACS Biomaterials Science and Engineering</i> , 2021 ,	5.5	16
42	Adhesion and Surface Issues in Biocomposites and Bionanocomposites. 169-217		
41	Forensic Engineering of Advanced Polymeric Materials-Part VII: Degradation of Biopolymer Welded Joints. <i>Polymers</i> , 2020 , 12,	4.5	0
40	Generating alternative fuel and bioplastics from medical plastic waste and waste frying oil using microwave co-pyrolysis combined with microbial fermentation. <i>Renewable and Sustainable Energy Reviews</i> , 2022 , 153, 111790	16.2	2
39	Mechanical Properties of PVB 3D Printed Output Fumigated with Ethanol. <i>Korean Journal of Materials Research</i> , 2020 , 30, 369-375	0.2	
38	Extrusion and Injection Molding of Poly(3-Hydroxybutyrate-co-3-Hydroxyhexanoate) (PHBHHx): Influence of Processing Conditions on Mechanical Properties and Microstructure. <i>Polymers</i> , 2021 , 13,	4.5	4
37	Levulinic acid-based bioplasticizers: a facile approach to enhance the thermal and mechanical properties of polyhydroxyalkanoates. <i>Materials Advances</i> , 2021 , 2, 7869-7880	3.3	2
36	Characterization of a new bio-based and biodegradable blends of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) and poly(butylene-co-succinate-co-adipate). <i>Journal of Applied Polymer Science</i> , 52124	2.9	1
35	TiO ₂ /nanocellulose hybrids as functional additives for advanced polypropylene nanocomposites. <i>Industrial Crops and Products</i> , 2022 , 176, 114314	5.9	0

34	Biodegradation of PLA-PHBV Blend Films as Affected by the Incorporation of Different Phenolic Acids.. <i>Foods</i> , 2022 , 11,	4.9	1
33	Properties, biochemical synthesis, and their applications.. <i>Chemosphere</i> , 2022 , 133723	8.4	1
32	Recent Advancements in Smart Biogenic Packaging: Reshaping the Future of the Food Packaging Industry.. <i>Polymers</i> , 2022 , 14,	4.5	4
31	A Review on Biological Synthesis of the Biodegradable Polymers Polyhydroxyalkanoates and the Development of Multiple Applications. <i>Catalysts</i> , 2022 , 12, 319	4	3
30	Systems Based on Biobased Thermoplastics: From Bioresources to Biodegradable Packaging Applications. <i>Polymer Reviews</i> , 1-69	14	1
29	Impact of Bis--dihydroferuloyl-1,4-butanediol Content on the Chemical, Enzymatic and Fungal Degradation Processes of Poly(3-hydroxybutyrate).. <i>Polymers</i> , 2022 , 14,	4.5	0
28	Mechanical Properties of Composites Based on Polylactide and Poly-3-Hydroxybutyrate with Rubbers. <i>Russian Journal of Physical Chemistry B</i> , 2022 , 16, 162-166	1.2	0
27	The Modification of Poly(3-hydroxybutyrate--4-hydroxybutyrate) by Melt Blending.. <i>Polymers</i> , 2022 , 14,	4.5	0
26	Selection of green composite materials for orthopedic prosthesis using analytical hierarchy process. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	0
25	Polymer Crystallization. 2022 , 263-302		
24	Green composites of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) and sugarcane bagasse fibers plasticized with triethyl citrate: Thermal, mechanical and morphological properties. <i>Journal of Applied Polymer Science</i> ,	2.9	1
23	Novel Flame-retarded Novolac Matrix Hybrid Composites with Graphite Particles and Glass Fiber Reinforcement. <i>Fibers and Polymers</i> ,	2	0
22	Digestion of plastics using in vitro human gastrointestinal tract and their potential to adsorb emerging organic pollutants. <i>Science of the Total Environment</i> , 2022 , 843, 157108	10.2	1
21	Natural biopolyester microspheres with diverse structures and surface topologies as micro-devices for biomedical applications. <i>Smart Materials in Medicine</i> , 2022 ,	12.9	3
20	Optimization and characterization of polyhydroxybutyrate/lignin electro-spun scaffolds for tissue engineering applications. <i>International Journal of Biological Macromolecules</i> , 2022 , 218, 317-334	7.9	1
19	Rosin natural terpenes as processing aid for polyhydroxyalkanoate: Thermal, mechanical, and viscoelastic properties.		
18	Innovative solutions and challenges to increase the use of Poly(3-hydroxybutyrate) in food packaging and disposables. 2022 , 178, 111505		1
17	Finding a Benign Plasticizer to Enhance the Microbial Degradation of Polyhydroxybutyrate (PHB) Evaluated by PHB Degrader <i>Microbulbifer</i> sp. SOL66. 2022 , 14, 3625		0

16	Effect of cellulose nanofibers on polyhydroxybutyrate electrospun scaffold for bone tissue engineering applications. 2022 , 220, 1402-1414	3
15	Machine-Learning-Based Predictions of Polymer and Postconsumer Recycled Polymer Properties: A Comprehensive Review. 2022 , 14, 42771-42790	0
14	Utilisation of Paunch Waste as a Natural Fibre in Biocomposites. 2022 , 14, 3704	0
13	Microbial-Derived Biodegradable Polymers as Food Packaging Tool. 2022 , 81-114	0
12	Comprehensive Study on the Reinforcement of Electrospun PHB Scaffolds with Composite Magnetic Fe ₃ O ₄ @GO Fillers: Structure, Physico-Mechanical Properties, and Piezoelectric Response. 2022 , 7, 41392-41411	1
11	Piezoelectric and Magnetically Responsive Biodegradable Composites with Tailored Porous Morphology for Biotechnological Applications.	1
10	A comparative investigation of the synergistic correlation (mechanical-hydrophobicity/hydrophilicity vs. structural behaviors) of a series of surface-metallized polyacrylonitrile fibers by silver nanoparticles (AgPAN): An in-situ surface metallization protocol. 2022 , 52, 152808372211404	0
9	Effects of decellularized extracellular matrix on Polyhydroxybutyrate electrospun scaffolds for cartilage tissue engineering. 1-19	0
8	Green and Sustainable Hot Melt Adhesive (HMA) Based on Polyhydroxyalkanoate (PHA) and Silanized Cellulose Nanofibers (SCNFs). 2022 , 14, 5284	0
7	Lipase-Catalyzed Synthesis of Biobased Polyesters Containing Levoglucosan Units. 2022 , 10, 16845-16852	0
6	The effects of processing parameters on mechanical properties of 3D-printed polyhydroxyalkanoates parts. 2023 , 18,	0
5	Biodegradable blends from bacterial biopolyester PHBV and bio-based PBSA: Study of the effect of chain extender on the thermal, mechanical and morphological properties. 2023 , 225, 1291-1305	0
4	Theoretical and experimental investigation of solubility and Young's modulus models for polyhydroxybutyrate-based electrospun scaffolds. 2023 , 140,	0
3	Remediation plan of nano/microplastic toxicity in food. 2023 , 397-442	0
2	Aquatic Biodegradation of Poly(ε-Hydroxybutyrate) and Polypropylene Blends with Compatibilizer and the Generation of Micro- and Nano-Plastics on Biodegradation.	0
1	Biodegradation in Composting Conditions of PBEAS Monofilaments for the Sustainable End-Use of Fishing Nets.	0